

Medi-Cal/Healthy Families Drug Formulary • 2011

Table of Content

Medi-Cal/Healthy Families Drug Formulary	2
Prescription Claims Processor	2
Using The Molina Medi-Cal Drug Formulary	2
Clinical Considerations.....	2
Individual Prescriptions	2
Generic Medications.....	2
Prior Authorization Request Procedure.....	3
Step Therapy Procedure	3
Prescription Quantity.....	3
Urgent and After-Hours Medication Policy	3
Telephone Prescriptions.....	3
Healthy Families	2
Drug Formulary.....	4
Chapter 1 ANALGESICS	4
Chapter 2 ANTIDIABETIC AGENTS.....	6
Chapter 3 ANTIHISTAMINES AND COMBINATIONS	7
Chapter 4 ANTI-INFECTIVE AGENTS.....	8
Chapter 5 ANTILIPIDEMICS	11
Chapter 6 ANTINEOPLASTICS AND IMMUNOSUPPRESSANTS	12
Chapter 7 CARDIOVASCULAR MEDICATIONS	13
Chapter 9 CONTRACEPTIVES & SEX HORMONES.....	18
Chapter 10 DERMATOLOGICALS & MUCOUS MEMBRANE AGENTS.....	20
Chapter 11 ENDOCRINE AGENTS.....	23
Chapter 12 GASTROINTESTINAL AGENTS	24
Chapter 13 GENITOUINARY AGENTS	26
Chapter 14 HEMATOLOGICAL AGENTS.....	26
Chapter 15 NASAL AGENTS.....	27
Chapter 16 NEURO-MUSCULAR AGENTS.....	27
Chapter 17 NUTRITIONAL PRODUCTS	29
Chapter 18 OPHTHALMIC AGENTS	30
Chapter 19 OTIC PREPARATION.....	31
Chapter 21 MISCELLANEOUS.....	34
Abbreviated Prior Authorization Criteria.....	35
Carved-Out Drugs	41
Psychiatric Drugs	41
HIV Drugs	41
Detoxification/Dependency Agents.....	41

Medi-Cal/Healthy Families Drug Formulary • 2011

MEDI-CAL/HEALTHY FAMILIES DRUG FORMULARY

The Molina Healthcare Medi-Cal/Healthy Families Drug Formulary was created to help manage the quality of our members' pharmacy benefit. The Formulary is the cornerstone for a progressive program of managed care pharmacotherapy. Prescription drug therapy is an integral component of your patient's comprehensive treatment program. The Formulary was created to ensure that Molina members receive high quality, cost-effective, rational drug therapy.

The Molina Healthcare Pharmacy and Therapeutics Committee meets quarterly to review and recommend medications for Formulary consideration. This assures that the Formulary remains responsive to physician and patient needs. The Committee is composed of physicians and pharmacists representing various medical specialties. With a primary consideration to provide a safe, effective and comprehensive Formulary, the Committee evaluated all therapeutic categories and has selected the most cost-effective agent(s) in each class.

The Committee also uses reference materials from the CVS/Caremark Pharmacy and Therapeutics Advisory Panel. In addition, the Molina Healthcare Pharmacy and Therapeutics Committee reviews prior authorization procedures to ensure medications are used safely, following manufacturer's guidelines and current medical practices. Please familiarize yourself with the Drug Formulary as you prescribe medications for Molina members. Thank you for your cooperation.

PRESCRIPTION CLAIMS PROCESSOR

Molina Healthcare has selected CVS/Caremark as the Pharmacy Benefit Management (PBM) Company to manage the prescription benefit for Molina members.

- Questions on processing claims, formulary status or rejected claims may be directed to the CVS/Caremark Help Desk at (800) 770-8014.
- Membership and eligibility concerns may be addressed by calling the Molina Membership Services at (888) 665-4621.
- Provider-related questions may be addressed by calling the Molina Provider Services Help Desk at (888) 665-4621.

PREFACE

USING THE MOLINA MEDI-CAL DRUG FORMULARY

The Molina Medi-Cal Drug Formulary is a listing of preferred drug products eligible for reimbursement by Molina. All medications are listed by brand name. The medications are organized by therapeutic classes. For your convenience, an index by both brand and generic names is located at the end of the Drug Formulary. New dosage forms/line extensions of Formulary products are considered non-Formulary, unless otherwise indicated in this listing.

CLINICAL CONSIDERATIONS

The Molina Healthcare Pharmacy and Therapeutics Committee have developed Clinical Considerations for many categories of medications and several specific drugs. The Clinical Considerations should not be considered prescribing guidelines or restrictions on the provider's use of certain medications. As these drugs are evaluated for inclusion in the patient's drug-therapy plan, the Clinical Considerations are important, key reminders related to cautions, drug-interactions, adverse effects or patient monitoring.

INDIVIDUAL PRESCRIPTIONS

Each prescription must legally be prescribed for one individual only. If prescribing for a family, each family member must receive a prescription. For a member to receive a covered over the counter medication, a written prescription is required.

GENERIC MEDICATIONS

Selected medications have FDA-approved generic equivalents available. The Molina drug endorsement states..."generic drugs will be dispensed whenever available".

If the use of a particular brand-name becomes medically necessary as determined by the physician, the physician must contact Molina for prior authorization. Molina encourages the use of quality generic products.

Medi-Cal/Healthy Families Drug Formulary • 2011

Only those generic products which have received an “AB” rating by the FDA should be utilized. Physicians are encouraged to write “Brand Only” or “DNS” only when medically necessary. The Pharmacy and Therapeutics Committee recognizes that certain medications possess narrow therapeutic dose response characteristics. Therefore, the following drugs are not recommended to be generically substituted, unless the patient has been therapeutically maintained on the generic product for a period of time.

Generic Name	Brand Name
Carbamazepine	TEGRETOL
Cyclosporine	SANDIMMUNE, NEORAL, SANGCYA
Digoxin	LANOXIN
Levothyroxine	SYNTHROID or LEVOXYL
Phenytoin	DILANTIN
Warfarin	COUMADIN

PRIOR AUTHORIZATION REQUEST PROCEDURE

Prescriptions for medications requiring prior approval or for medications not included on the Drug Formulary may be approved when medically necessary and when Formulary alternatives have demonstrated ineffectiveness. When these exceptional needs arise, the physician may fax a completed “Medication Prior Authorization Request” form to Molina. The forms may be obtained by accessing Molina Healthcare of California’s website at <http://www.molinahealthcare.com/medicaid/providers/ca/drug/Pages/formulary.aspx> or by calling the Molina Pharmacy Prior Authorization Department at (888) 665-4621.

STEP THERAPY PROCEDURE

Step-Therapy requires a trial of one or more "prerequisite" medications before a "Step-Therapy" medication will be covered. If it is medically necessary for a member to use a Step-Therapy medication as initial therapy, the treating physician can request coverage of such drug by submitting a Prior Authorization Request form.

PRESCRIPTION QUANTITY

Prescriptions should be written for a therapeutic supply of medications (the amount to appropriately treat a medical condition) up to a maximum of a 60-day supply. Trial quantities may be used when trying new treatments, if appropriate.

URGENT AND AFTER-HOURS MEDICATION POLICY

To prevent a member’s condition from worsening in an urgent situation, it may be necessary to dispense a 72-hour supply of an acute medication before prior authorization may be obtained from Molina. (e.g., a member is discharged from a hospital after regular business hours with a special antibiotic prescription). Pharmacies are instructed to use their professional judgment. Molina will reimburse pharmacies for a 72-hour supply of an acute medication at contracted rates for these prescriptions. Pharmacies may contact CVS/Caremark Help Desk at (800) 770-8014 to obtain an override for a 72-hour supply.

Pharmacies may call Molina at (888) 665-4621 on the following business day to obtain authorization to allow the urgent or after-hours prescription to process on-line. It is advised and expected that the pharmacy will provide reasonable documentation of cases where medications were dispensed under these urgent circumstances.

TELEPHONE PRESCRIPTIONS

Whenever possible, the member should be given the prescription in writing. This will allow the member to make use of the most convenient network pharmacy and enable the pharmacy to fill the prescription after normal office hours.

HEALTHY FAMILIES

All medications listed in this Drug Formulary, with the exception of Over-the-counter (OTC) products (excluding insulins and diabetic testing supplies), are covered for Healthy Families members. Molina Healthy Families members are required to pay a \$5.00, \$10.00, or \$15.00 co-payment for most prescriptions. No co-payment is required for contraceptive drugs and devices. Healthy Families members have a \$250 combined medical and pharmacy, annual out-of-pocket maximum per family. Department of Health Services (DHS) drug “carve-outs” for psychotropic and HIV medications do not apply for Healthy Families members.

DRUG FORMULARY

Chapter 1 ANALGESICS

1.1 Non-Narcotic Analgesics

Acetaminophen (Chew Tab, Soln, Supp, & Dispersible Tab are limited to age ≤12)	TYLENOL – OTC*
Aspirin	ASPIRIN – OTC*
Butalbital/APAP/Caffeine Tab (Limited to #6/day)	FIORICET
Butalbital/ASA/Caffeine	FIORINAL
Ketorolac Tromethamine (Limited to #5 day supply)	TORADOL
Choline & Magnesium Salicylate	TRILISATE
Salsalate	DISALCID
Tramadol HCl (Limited to #8/day)	ULTRAM

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Butorphanol (PA)	STADOL Nasal Spray
------------------	--------------------

1.2 Narcotic Analgesics

- **These drugs all have abuse potential. Tolerance and dependence can occur with prolonged use.**
- **Prescriptions should not exceed recommended doses of acetaminophen, aspirin or codeine.**
- **Patients on full doses of these medications should be warned not to supplement their pain relief with OTC drugs to avoid toxic levels.**
- **Combining these agents with alcohol, muscle relaxants or antihistamines can cause excessive sedation and confusion.**
- **Patients should be cautioned not to use machinery or to do things that could be dangerous if they become drowsy or dizzy.**
- **Limited to 4 gram of APAP per day.**

Acetaminophen/Codeine 300/15mg, 300/30mg, 300/60mg Tab, Soln & Susp (Soln: Limited to age ≤12; 240mL/mo)	TYLENOL/CODEINE
Hydrocodone/APAP 5/500mg, 7.5/500mg, 10/500mg, 7.5/750mg Tab	VICODIN, VICODIN ES, LORCET, LORTAB
Hydrocodone/APAP 5/325mg, 10/325mg (Limited to #12/day, max of 3 dispensing in 75-day period)	NORCO
Hydromorphone (2mg and 4mg Tab)	DILAUDID
Methadone Tablets	DOLOPHINE, METHADOSE
Morphine Sulfate CR (Generic only; 30mg CR: Limited to #4/day)	MS CONTIN, ORAMORPH SR
Morphine Sulfate IR	MS IR
Oxycodone IR (5mg Cap & 5mg Tab: Limited to #8/day, 15mg & 30mg Tab: Limited to #4/day)	Oxy IR
Oxycodone/APAP 5/325mg Tab (5/325mg Tab: Limited to #12/day)	PERCOCET

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Fentanyl Transdermal (ST)	DURAGESIC
(ST for failure of Morphine Sulfate ER or Methadone; limited to #10/mo)	

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Oxycodone HCl, CR (PA)	OXYCONTIN
Oxycodone/APAP 2.5/325mg, 7.5/500mg & 10/650mg (PA)	PERCOCET
Oxycodone/APAP 7.5/325mg, 10/325mg (ST)	PERCOCET
(ST for failure or intolerant to Oxycodone/APAP 5/325mg)	
Oxycodone/ASA (ST)	PERCODAN
(ST for failure of Oxycodone/APAP 5/325mg)	

1.3 Non-Steroidal Anti-Inflammatory Drugs (NSAIDs)

- All NSAIDs have similar effectiveness and differ very little in their toxicity and side effects. Therefore, generically available NSAIDs should be considered as first line therapy.
- Combinations of two or more NSAIDs offer no advantage, but do increase the chances of drug interaction and toxicity. Patients may be taking OTC NSAIDs without MD awareness.
- NSAID use in the following conditions deserves special consideration of potential risks: History of GI bleeding or ulcer; chronic anticoagulation, asthma, aspirin allergy, renal failure, hypertension or congestive heart failure.

Diclofenac (25mg Tab: Limited to #3/day)	VOLTAREN
Etodolac (Tab: Limited to #2/day; Cap: Limited to #4/day)	LODINE
Flurbiprofen (50mg Tab: Limited to #4/day)	ANSAID
Ibuprofen (Cap & Tab: Limited to #4/day; Chewable Tab & Susp: Limited to age ≤12; 40mg/mL Susp: Limited to 240mL/mo)	MOTRIN – OTC*
Indomethacin (25mg Cap: Limited to #4/day)	INDOCIN
Meloxicam	MOBIC
Naproxen (Limited to #3/day)	NAPROSYN – OTC*
Naproxen Sodium (Limited to #3/day; 550mg Tab #4/day)	ANAPROX, ANAPROX DS – OTC*
Piroxicam	FELDENE
Sulindac	CLINORIL

1.3.1 COX-2 Inhibitor

Celcoxib (Limited to age ≥65)	CELEBREX
----------------------------------	----------

2nd Line:

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Diclofenac/Misoprostol (PA)	ARTHROTEC
Etodolac CR (PA)	LODINE XL
Oxaprozin (PA)	DAYPRO
Ketoprofen CR Cap (PA)	ORUVAIL
Nabumetone (PA)	RELAFEN

1.4 Antirheumatics

Hydroxychloroquine	PLAQUENIL
Methotrexate	METHOTREXATE

1.5 Gout Agents

Allopurinol (100mg: Limited to #3/day; 60 day supply available)	ZYLOPRIM
--	----------

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Medi-Cal/Healthy Families Drug Formulary • 2011

Indomethacin INDOCIN
Probenecid BENEMID
(60 day supply available)

1.6 Anti-TNF-Alpha – Monoclonal Antibodies

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Etanercept (PA) ENBREL
(Rx limited to CVS/Caremark Specialty Pharmacy)
Adalimumab (PA) HUMIRA
(Rx limited to CVS/Caremark Specialty Pharmacy)

1.7 Migraine

- **Patients with 3 or more migraine attacks per month may be appropriate candidates for prophylactic therapy with standard therapy, including beta blockers or tricyclics.**
- **In patients who do not respond to therapy, consider “rebound” effect. Migraine patients should be monitored for narcotic analgesic overuse or abuse.**

APAP/ASA/Caffeine EXCEDRINE MIGRAINE – OTC*
Divalproex ER DEPAKOTE ER
(250mg: Limited to #4/day; 500mg: Limited to #8/day)
Ergotamine/Caffeine CAFERGOT
Isometheptene/
Dichloralphenazone/APAP MIDRIN
Sumatriptan Tablet IMITREX
(Limited to #9/45 day)

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Dihydroergotamine (PA) MIGRANAL Nasal Spray
Eletriptan (ST) RELPAX
(ST for failure or intolerant to Imitrex Tab, limited to #9/45 day)
Sumatriptan(PA) IMITREX Nasal Spray, Injection
Zolmitriptan (ST) ZOMIG
(ST for failure or intolerant to Imitrex Tab, limited to #9/45 day)

Chapter 2 ANTIDIABETIC AGENTS

2.1 Sulfonylureas

2.1.1 1st Generation Sulfonylureas

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Chlorpropamide (PA) DIABINESE
Tolazamide (PA) TOLINASE
Tolbutamide (PA) ORINASE

2.1.2 2nd Generation Sulfonylureas and Combinations

Glimepiride AMARYL
(4mg: Limited to #2/day; 60 day supply available)
Glipizide GLUCOTROL
(60 day supply available)
Glipizide Extended Release GLUCOTROL XL
(10mg: Limited to #2/day; 60 day supply available)
Glyburide DIABETA, GLYNASE
(Limited to #2/day; 5mg #4/day; 60 day supply available)
Glyburide/Metformin GLUCOVANCE
(Limited to #2/day; 2.5/500mg #4/day; 60 day supply available)

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Medi-Cal/Healthy Families Drug Formulary • 2011

2.2 Alpha-Glucosidase Inhibitors

Acarbose PRECOSE
(Limited to #3/day; 60 day supply available)

2.3 Biguanides

Metformin, SR GLUCOPHAGE, XR
(1000mg: Limited to #2/day; 500mg SR: Limited to #4/day; 750mg SR: Limited to #3/day; 60 day supply available)

2.4 Meglitinides

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Repaglinide (PA) PRANDIN

2.5 Thiazolidinediones & Thiazolidinediones Combinations

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Pioglitazone (ST) ACTOS
(ST for concurrent use with Sulfonylurea, Metformin, or Basal insulin)
Pioglitazone/Metformin ACTOPLUS MET
(PA)

2.6 Dipeptidyl Peptidase IV Inhibitor

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Sitagliptin (PA) JANUVIA
Sitagliptin/Metformin (PA) JANUMET
Saxagliptin (PA) ONGLYZA
Saxagliptin/Metformin (PA) KOMBIGLYZA

2.7 Insulins

(Limited to vials only. Prefilled insulin pens and cartridges are PA required).

- All vial formulations of Humulin, Humalog, and Novo-Nordisk agents are formulary.
- Humulin, Humalog and Novo Nordisk agents are limited to 4 vials per month.

Insulin Glulisine APIDRA
(Limited to 4 vials/mo)

Insulin Glargine LANTUS
(Limited to 3 vials/mo)

PRIOR AUTHORIZATION/ STEP THERAPY REQUIRED

Insulin Detemir (ST) LEVEMIR
(ST for failure or intolerant to Lantus)

2.8 Glucagon

Glucagon Injection GLUCAGON KIT

2.9 Diabetic Supplies

Blood Glucose Meter TRUE RESULTS
(Limited to 1 meter/yr)

Test Strips TRUE TEST,
(Limited to #50/mo with oral diabetic medication; Limited to #150/mo for use with insulin, gestational pregnancy)

Syringes Various

Lancets LANCETS, Various

(Limited to #50/mo with oral diabetic medication; Limited to #150/mo for use with insulin, gestational pregnancy)

Chapter 3 ANTIHISTAMINES AND COMBINATIONS

3.1 Single-Entity Products

Chlorpheniramine CHLOR-TRIMETON – OTC*
(Limited to age ≥3 and ≤65)

Clemastine Tab, Syrup TAVIST– OTC*
(Tab: Limited to age ≥3 and ≤65; Syrup: Limited to age ≥3 and ≤12)

Cyproheptadine PERIACTIN – OTC*

Diphenhydramine BENADRYL– OTC*

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Medi-Cal/Healthy Families Drug Formulary • 2011

(Liquid: Limited to age ≤12; 25mg Tab & Cap: Limited to #2/day; 50mg Tab & Cap: Limited to #6/day)
Hydroxyzine HCl ATARAX
(Limited to age ≤65; Tab #4/day; Syrup: Limited to age ≥12; 60mL/day)
Hydroxyzine Pamoate Cap VISTARIL
(Limited to age ≤65 and #4/day)

Lower Sedating Antihistamines:

Cetirizine ZYRTEC
(Syrup: Limited to age ≤10)
Loratadine Tab, Syrup CLARITIN– OTC*
(Syrup: Limited to age ≤10)

3.2 Combination Products

All antihistamine combination products require a prior authorization for age <4.

Brompheniramine/Decongestant CONTAC Tab – OTC*
Chlortrimeton/Decongestant DIMETAPP, RONDEC – OTC*
Tab, Elixir, Syrup
Pyril/Phenyltolox/Pheniramine POLY-HISTINE – OTC*
Triprolidine/Pseudoephedrine ACTIFED– OTC*
Tab, Syrup

Lower Sedating Combination Products

Certirizine/Pseudoephedrine ZYRTEC-D
Loradine/Pseudoephedrine CLARITIN-D – OTC*

Chapter 4 ANTI-INFECTIVE AGENTS

4.1 Penicillins

- Use with caution in patients with a reported allergy to cephalosporins and in patients with renal impairment.
- Despite increasing antibiotic resistance, Amoxicillin continues to remain the drug of choice for otitis media in children.
- Amoxicillin doses of 60-90mg/kg/day (in divided doses) may be needed for suspect/documented PCN-resistant *S. pneumoniae*.

1st line:

Ampicillin PRINCIPEN
(Susp: Limited to age ≤12 and 400mL/10 day)
Amoxicillin TRIMOX
(Chewable Tab & Susp: Limited to age ≤12; Susp: Limited to 300mL/10 day; Chewable Tab: Limited to #3/day)
Dicloxacillin DYNAPEN
Penicillin VK VEETIDS
(Susp: Limited to age ≤12)

2nd Line:

Amoxicillin/Clavulanate AUGMENTIN
Potassium
(Chewable Tab & Susp: Limited to age ≤12; Limited to 300mL/mo; 500mg Tab: Limited to #3/day; 750mg Tab: Limited to #2/day)

4.2 Cephalosporins

- Dosage may need to be modified in patients with renal impairment. Inappropriately large doses may cause seizures.
- Use with caution in patients with a reported sensitivity or allergy to penicillin due to cross-sensitivity in about 10% of patients.

Cefaclor CECLOR
(Susp: Limited to age ≤12; Limited to 300mL/10 day)
Cefdinir OMNICEF
(Cap: Limited to #2/day; Susp: Limited to age ≤12; Limited to 100mL/mo)
Cefixime 400mg SUPRAX
(Limited to #1 tab/fill and diagnosis of STD)
Cefuroxime Susp CEFTIN
(Limited to age ≤12; Limited to 200mL/10 day)

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Medi-Cal/Healthy Families Drug Formulary • 2011

4.6 Aminoglycosides

Neomycin NEOMYCIN

4.7 Sulfonamides

SMZ/TMP BACTRIM, SEPTRA
Sulfisoxazole GRANTRISIN
Sulfisoxazole/Erythromycin
Susp PEDIAZOLE

4.8 Antituberculosis

Ethambutol MYAMBUTOL
Isoniazid ISONIAZID
(100mg: Limited to #3/day; Syrup: Limited to age ≤12; 900mL/mo)
Pyrazinamide PYRAZINAMIDE
Pyridoxine VITAMIN B-6
Rifampin RIFADIN
(Limited to #4/day)

4.9 Antifungal – Oral

Clotrimazole (Troches only) MYCELEX
Fluconazole 150mg DIFLUCAN
(Limited to female, #1/mo)
Fluconazole 50mg, 100mg, 200mg Tablet; 70mg
Suspension DIFLUCAN
(Tablet limited to #1/day, Suspension limited to 70mL/fill)

Ketoconazole 200mg NIZORAL
(Limited to #1/day)

Griseofulvin FULVICIN UF, FULVICIN P/G
(Susp: Limited to age ≤12; #600mL/mo)

Nystatin MYCOSTATIN

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Itraconazole (PA) SPORANOX
Posaconazole (PA) NOXAFIL
Terbinafine (PA) LAMISIL
Voriconazole (PA) VFEND

4.10 Antiviral

Acyclovir ZOVIRAX
Amantadine SYMMETREL
Oseltamivir TAMIFLU
(Capsule: Limited to #10/ fill; Suspension: Limited to 75mL/ fill)
Zanamivir Inhalation RELENZA
(Limited to 1 inhaler/ 28 day)

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Boceprevir (PA) VICTRELIS
(Rx limited to CVS/Caremark Specialty Pharmacy)
Peginterferon Alfa-2A (PA) PEGASYS Inj
(Rx limited to CVS/Caremark Specialty Pharmacy)
Peginterferon Alfa-2B (PA) PEG-INTRON Inj
(Rx limited to CVS/Caremark Specialty Pharmacy)

- Patients may be referred to HIV Case Management. Please call (800) 526-8196, x 126400.
- Antiretroviral agents are currently being developed at a rapid rate. The provider must be aware of the newest guidelines, side effects and drug interactions of these drugs, as they have been brought to the market rapidly with post-market surveillance needed.
- Recommendations change rapidly. Combination therapy is now the standard of care.
- There are a significant number of contraindicated medications with some protease inhibitors.

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Medi-Cal/Healthy Families Drug Formulary • 2011

- Consultation with an AIDS or Infectious Disease specialist should occur if there are any questions or current recommendations or drug interactions.
- Many HIV/AIDS medications are the financial responsibility of the Department of Health Services, through Medi-Cal Fee for Service Program. In such cases, pharmacies must bill these medications on-line to Medi-Cal Fee for Services. A complete listing of these medications may be obtained through the Molina Pharmacy Department at (888) 665-4621
- See *Carve Out List*

4.11 Antimalarial

Primaquine Phosphate	PRIMAQUINE
Pyrimethamine	DARAPRIM

4.12 Antielminitics

Mebendazole	VERMOX
-------------	--------

4.13 Misc. Anti-Infectives

Clindamycin	CLEOCIN
Metronidazole	FLAGYL
Nitrofurantoin	MACRODANTIN
Nitrofurantoin Monohydrate	MACROBID
Macrocrystals LA (Limited to #2/day)	
Trimethoprim	TRIMPEX

Chapter 5 ANTILIPIDEMICS

CHOLESTEROL TREATMENT RISK FACTORS

- Cigarette smoking
- Hypertension ($\geq 140/90$ mmHg or on antihypertensive medication)
- Low HDL cholesterol (< 40 mg/dL)
- Family history of premature CHD (CHD in male first degree relative < 55 yrs; CHD in female first degree relative < 65 yrs)
- Age (men ≥ 45 yrs; women ≥ 55 yrs)
- CHD RISK EQUIVALENT
- Other clinical forms of atherosclerotic disease (peripheral arterial disease, abdominal aortic aneurysm, and symptomatic carotid artery disease);
- Diabetes;
- Multiple risk factors that confer a 10-yr risk for CHD $> 20\%$. In the presence of high HDL cholesterol, one risk factor is subtracted (i.e. HDL ≥ 60 mg/dL)

TREATMENT DECISION BASED ON LDL CHOLESTEROL (mg/dL)

- Patient Characteristics Initiate Consider LDL Diet Drug* Goal
- Lower risk¹: 0 - 1 risk factors ≥ 160 ≥ 190 < 160
- Moderate risk¹: 2+ risk factors 10-yr risk $< 10\%$ ≥ 130 ≥ 160 < 130
- Moderately high risk¹: 2+ risk factors 10-yr risk 10% - 20% ≥ 130 ≥ 130 < 130
- High risk¹: CHD or CHD risk equivalent 10-yr risk $> 20\%$ ≥ 100 ≥ 100 < 100
- ¹ Please refer to ATP III for more detail description and for definition of risk categories

5.1 HMG CoA Reductase Inhibitors (Statins)

Lovastatin	MEVACOR
(Limited to #1/day; 40mg max #2/day)	
Pravastatin	PRAVACHOL
(Limited to #1/day)	
Simvastatin 5-40mg	ZOCOR
(60 day supply available)	

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Simvastatin 80mg (PA)	ZOCOR
Atorvastatin (PA)	LIPITOR

Ezetimibe/Simvastatin (PA)	VYTORIN
----------------------------	---------

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Medi-Cal/Healthy Families Drug Formulary • 2011

Lovastatin/Niacin Extended **ADVICOR**
Release (PA)
Rosuvastatin (PA) **CRESTOR**

5.1.1 HMG CoA Reductase Inhibitor Combinations

Simvastatin/Niacin (ST) **SIMCOR**
(ST for failure or intolerant to simvastatin and reduction of TG)

5.2 Fibrates

Fenofibrate 160mg **LOFIBRA**
Gemfibrozil **LOPID**
(60 day supply available)

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Fenofibrate Micro Cap 67mg **LOFIBRA**
& 134mg, Tab 54mg (ST)
(ST for failure or intolerant to Gemfibrozil or concurrent use with Simvastatin; Limited to #30/mo)

5.3 Other Cholesterol Lowering Agents

- **Niacin has several side effects including flushing, itchy skin, GI distress, liver toxicity, hyperglycemia and hyperuricemia. To avoid flushing, give niacin with meals and start with a low dose, titrating up slowly. One aspirin or ibuprofen given 1 hour before the niacin dose helps against persistent flushing.**

Cholestyramine, Light **QUESTRAN, LIGHT**
(Limited to 1 can/mo)
Niacin, Niacin SR **NIACIN, SLO-NIACIN**
Niacin Timed Released **NIASPAN**
(750mg SR: Limited to #2/day; 60 day supply available)

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Colesevelam (ST) **WELCHOL**
(ST for failure or intolerant to Cholestyramine)

Chapter 6 ANTINEOPLASTICS AND IMMUNOSUPPRESSANTS

6.1 Antineoplastics

Altretamine **HEXALEN**
Anastrozole **ARIMIDEX**
Bexarotene **TARGRETIN**
Bicalutamide C **ASODEX**
Busulfan **MYLERAN**
Chlorambucil **LEUKERAN**
Cyclophosphamide **CYTOXAN**
Diethylstilbestrol **STILPHOSTROL**
Estramustine **EMCYT**
Etoposide **VEPESID**
Exemestane **AROMASIN**
Flutamide **EULEXIN**
Hydroxyurea **HYDREA**
Letrozole **FEMARA**
Levamisole **ERGAMISOL**
Lomustine **CEENU**
Megestrol **MEGACE**
Melphalan **ALKERAN**
Mercaptopurine **PURINETHOL**
Methotrexate **RHEUMATREX**
Mitotane **LYSODREN**
Procarbazine **MATULANE**
Tamoxifen **NOLVADEX**
Teremefine **FARESTON**
Tretinoin **VESANOID**

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Erlotinib (PA)	TARCEVA
Imatinib (PA)	GLEEVEC

6.2 Immunosuppressants

Azathioprine	IMURAN
PRIOR AUTHORIZATION/STEP THERAPY REQUIRED	
Cyclosporine (PA)	SANDIMMUNE, NEORAL
Mycophenolate Mofetil (PA)	CELLCEPT
Sirolimus (PA)	RAPAMUNE
Tacrolimus (PA)	PROGRAF

Chapter 7 CARDIOVASCULAR MEDICATIONS

7.1 Cardiac Glycosides

Digoxin (60 day supply available)	LANOXIN
--------------------------------------	---------

7.2 Nitrates

Isosorbide Dinitrate Tab & SL (Limited to #4/day; 60 day supply available)	DILATRATE SR
Isosorbide Mononitrate, SR (Limited to #1/day; 10mg Tab: #2/day; 60 day supply available)	IMDUR, MONOKET, ISMO, ISORDIL
Nitroglycerin Oint	NITROL
Nitroglycerin Patch (60 day supply available)	NITRO-DUR
Nitroglycerin 0.4mg Pump Spray	NITROLINGUAL
Nitroglycerin SR Cap (Limited to age ≥12; 2.5mg & 9mg Cap: #4/day; 60 day supply available)	NITRO-BID CR
Nitroglycerin SL Tab (60 day supply available)	NITROSTAT

Note: With the exception of certain races or comorbid conditions, JNC VII guidelines for the treatment of hypertension continue to recommend diuretics or beta blockers to be the first line therapy.

7.3 Beta-Blockers

7.3.1 Beta-1 Specific

Atenolol (60 day supply available)	TENORMIN
Bisoprolol Fumerate (60 day supply available)	ZEBETA
Metoprolol (Limited to #5/day; 60 day supply available)	LOPRESSOR
Metoprolol ER (60 day supply available)	TOPROL XL

7.3.2 Non-Selective

Carvedilol (Limited to #2/day; 60 day supply available)	COREG
Labetalol (60 day supply available)	NORMODYNE
Nadolol (120mg: Limited to 2/day; 60 day supply available)	CORGARD
Propranolol (80mg: Limited to #6/day)	INDERAL

7.3.3 Beta-Blockers Combinations

Atenolol/Chlorthalidone (50/25mg & 100/25mg: Limited to #1/day; 60 day supply available)	TENORETIC
Bisoprolol/HCTZ	ZIAC

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

(2.5/6.25mg & 5.6/25mg: Limited to #2/day; 60 day supply available)

7.4 Calcium Antagonists

Amlodipine (60 day supply available)	NORVASC
Nifedipine Cap (Limited to female; age ≥12 and ≤45)	PROCARDIA
Nifedipine SR (60 day supply available)	ADALAT CC
Diltiazem, ER (60 day supply available)	DILACOR XR, TIAZAC, CARDIZEM SR
Verapamil, SR (60 day supply available)	CALAN, SR

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Felodipine (ST)	PLENDIL
(ST for failure or intolerance to Amlodipine)	

7.5 Antiarrhythmic Drugs

Amiodarone (60 day supply available)	CORDARONE, PACERONE
Dronedarone	MULTAQ
Flecainide (60 day supply available)	TAMBOCOR
Procainamide, SR (60 day supply available)	PRONESTYL, PROCANBID
Propafenone (60 day supply available)	RYTHMOL
Quinidine Gluconate (60 day supply available)	QUINAGLUTE
Quinidine Sulfate, SR (SR: Limited to #6/day; 60 day supply available)	QUINIDEX
Sotalol, AF (60 day supply available)	BETAPACE, AF

7.6 Angiotensin Converting Enzyme (ACE) Inhibitor

- **ACE inhibitors may precipitate acute renal failure and hyperkalemia in patients with severe heart failure, pre-existing renal disease, or hypovolemic states.**
- **Co-administration of ACE inhibitors with potassium or potassium sparing diuretics increases the risk of hyperkalemia.**
- **Use of ACE inhibitors in the second and third trimesters of pregnancy can harm or even kill a developing fetus and are contraindicated in pregnancy.**
- **Combination therapy with ARB requires prior authorization.**

Benazepril (Limited to #2/day; 60 day supply available)	LOTENSIN
Captopril (Limited to #3/day; 60 day supply available)	CAPOTEN
Enalapril (Limited to #2/day; 60 day supply available)	VASOTEC
Lisinopril (Limited to #2/day; 60 day supply available)	ZESTRIL
Quinapril (Limited to #2/day; 60 day supply available)	ACCUPRIL

7.6.1 Angiotensin Converting Enzyme Inhibitor / Diuretic

Combination

Captopril/HCTZ (Limited to #2/day; 60 day supply available)	CAPOZIDE
--	----------

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Lisinopril/HCTZ ZESTORETIC
(60 day supply available)

7.7 Angiotensin II Receptor Blockers

- **ARBs may be useful in those patients who require treatment with an ACE, but are unable to tolerate common ACE adverse effects, such as cough.**
- **Combination therapy with ACE Inhibitors requires prior authorization.**

Losartan Potassium COZAAR
(Limited to #1/day; 60 day supply available)

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Olmesartan (PA)	BENICAR
Telmisartan (PA)	MICARDIS
Candesartan (PA)	ATACAND
Irbesartan (PA)	AVAPRO
Valsartan (PA)	DIOVAN

7.7.1 ARB / Diuretic Combination

Losartan Potassium HYZAAR
Hydrochlorothiazide

(Limited to #1/day; 60 day supply available)

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Olmesartan/HCTZ (PA)	BENICAR HCT
Telmisartan/HCTZ (PA)	MICARDIS HCT
Valsartan/HCTZ (PA)	DIOVAN HCT

7.8 Antiadrenergic Agents-Centrally Acting

Clonidine Tab & Patch CATAPRES
(Limited to age ≤65; Tab: Limited to #8/day; 60 day supply available)

Methyldopa ALDOMET
(60 day supply available)

7.9 Antiadrenergic Agents-Peripheral Acting

Doxazosin CARDURA
(60 day supply available)

Prazosin MINIPRESS
(Limited to #3/day; 5mg #8/day; 60 day supply available)

Terazosin HYTRIN
(Limited to #2/day; 60 day supply available)

7.10 Diuretics

7.10.1 Loop Diuretics

Bumetanide BUMEX
(60 day supply available)

Furosemide LASIX
(60 day supply available)

7.10.2 Thiazide & Related Diuretics

Hydrochlorothiazide HYDRODIURIL
(60 day supply available)

Indapamide LOZOL
(60 day supply available)

Metolazone ZAROXOLYN
(Limited to #2/day; 60 day supply available)

7.10.3 Potassium Sparing Diuretics

Spironolactone ALDACTONE
(Limited to #2/day; 60 day supply available)

Triamterene/HCTZ DYZAIDE, MAXZIDE 25 & 50

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Medi-Cal/Healthy Families Drug Formulary • 2011

(60 day supply available)

7.10.4 Carbonic Anhydrase Inhibitors

Acetazolamide DIAMOX
(Tab: Limited to #2/day)
Methazolamide NEPTAZANE

7.11 Vasodilators

Hydralazine APRESOLINE
(Limited to #4/day; 60 day supply available)

Chapter 8 CENTRAL NERVOUS SYSTEM AGENTS

The Department of Health Services through the Medi-Cal Fee for Service program has assumed financial responsibility for select psychiatric medications in Los Angeles, San Bernardino, Riverside, Sacramento (GMC), and San Diego counties. Pharmacies must bill these medications on-line to Medi-Cal Fee-For-Service when prescribed to members residing in these counties. In these instances, Prior Authorization from the plan is not required. These medications are notated in the Formulary with “Medi-Cal FFS”.

8.1 Antianxiety Agents

Alprazolam XANAX
(Limited to #3/day; 2mg #5/day)
Buspirone BUSPAR
(Limited to #2/day)
Chlordiazepoxide LIBRIUM
(Limited to age ≤65)
Diazepam VALIUM
(Tab: Limited to #4/day; Soln: Limited to maximum of 300mL/mo)
Lorazepam ATIVAN
(Limited to #3/day; 2mg #5/day)
Oxazepam SERAX
(Limited to #4/day)

8.2 Antidepressants

8.2.1 Tricyclics

Amitriptyline ELAVIL
(Limited to #3/day; 150mg #2/day; 60 day supply available)
Amoxapine ASCENDIN
(Limited to #3/day; 60 day supply available)
Clomipramine ANAFRANIL
(Limited to #4/day; 75mg #3/day; 60 day supply available)
Desipramine NORPRAMIN
(Limited to #3/day; 150mg #2/day; 60 day supply available)
Doxepin SINEQUAN
(Limited to #3/day; 150mg #2/day; 60 day supply available)
Imipramine TOFRANIL
(Limited to #3/day; 50mg #6/day; 60 day supply available)
Nortriptyline PAMELOR
(Limited to #4/day; 60 day supply available)

8.2.2. Tetracyclics

Mirtazapine (regular tab) REMERON
(60 day supply available)

8.2.3 Triazolopyridines/Phenylpiperazines

Nefazodone SERZONE
(Limited to #2/day)
Trazodone DESYREL

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Medi-Cal/Healthy Families Drug Formulary • 2011

(Limited to #2/day; 60 day supply available)

8.2.4 SSRIs

Citalopram (60 day supply available)	CELEXA
Fluoxetine Cap (40mg Cap: Limited to #2/day; 60 day supply available)	PROZAC
Paroxetine (60 day supply available)	PAXIL
Sertraline (60 day supply available)	ZOLOFT

8.2.5 Monoamine Oxidase Inhibitors

See Carve Out List/ Medi-Cal FFS

8.2.6 SNRIs

Venlafaxine, XR (Tab: Limited to #3/day)	EFFEXOR, XR
---	-------------

8.2.7 Miscellaneous Antidepressants

Bupropion (Limited to #3/day)	WELLBUTRIN
Bupropion SR (100mg, 150mg & 200mg Tab; limited to 2/day)	WELLBUTRIN SR

8.3 Antimania Agents

- **See Carve Out List/ Medi-Cal FFS**

8.4 Antipsychotics

- Many antipsychotic medications are the financial responsibility of the Department of Health Services, through Medi-Cal Fee for Service Program. In such cases, pharmacies must bill these medications on-line to Medi-Cal Fee for Services. A complete listing of these medications may be obtained through the Molina Pharmacy Department at (888) 665-4621.
- **See Carve Out List/ Medi-Cal FFS**

8.5 Sedatives & Hypnotics

- Non-drug therapies such as promotion of good sleep habits, relaxation and behavioral therapies may improve quality of sleep.
- Drug therapies or conditions associated with insomnia include the SSRI antidepressants, beta blockers, clonidine, caffeine, nicotine, theophylline, nasal decongestants and alcohol or drug withdrawal.
- The use of sedatives/hypnotics should be restricted to short-term therapy. Recognize drug misuse patterns in patients and limit prescription quantities and refills.
- Flurazepam is not recommended for elderly patients due to its very long duration of action (> 24 hrs) from active metabolites.

Chloral Hydrate	NOCTEC
Flurazepam (Limited to age ≤65)	DALMANE
Temazepam Cap 15mg & 30mg	RESTORIL
Triazolam	HALCION
Zolpidem (Limited to #14/mo)	AMBIEN

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Estazolam (PA)	PROSOM
Zaleplon (PA)	SONATA

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

8.6 ADHD Agents

- All ADHD medication is limited to age ≥ 6 and ≤ 18 only.
- Prior authorization required for ages < 6 and > 18 .

Amphetamine, Mixed Salts, Extended Release	ADDERALL, XR
Atomoxetine (Limited to #1 cap, for monotherapy ONLY)	STRATTERA
Dextroamphetamine	DEXEDRINE
Methylphenidate	RITALIN, SR
Methylphenidate ER	METADATE CD
Lisdexamfetamine Dimesylate (Limited to age ≥ 6 to ≤ 18 . PA for < 6 and > 18 ; limited to #1/day)	VYVANSE

8.7 Smoking Cessation Agents

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Bupropion SR (PA)	ZYBAN
Nicotine Inhaler (PA)	NICOTROL Inhaler
Nicotine Polacrilex (PA)	NICORETTE Gum – OTC
Nicotine Transdermal (PA)	NICODERM CQ, NICOTROL (15mg) - OTC
Varenicline (PA)	CHANTIX

8.8 Other CNS Agents

Disulfiram Tab	ANTABUSE
----------------	----------

Chapter 9 CONTRACEPTIVES & SEX HORMONES

9.1 Contraceptives

(All contraceptives are limited to female, age 12 to 50; 60 day supply available.)

9.1.1 Mono-Phasic Oral Contraceptives

Desogestrel & Ethinyl Estradiol Tab 0.15mg- 30mcg	DESOGEN-28, ORTHO-CEPT
Desogest-Eth Estrad & Eth Estrad Tab 0.15-.02/.01mg (21/5)	MIRCETTE
Drospirenone-Ethinyl Estradiol Tab 3-0.03mg	YASMIN 28
Levonorgestrel & Ethinyl Estradiol Tab 0.10mg- 20mcg	ALESSE, LEVLITE
Levonorgestrel & Ethinyl Estradiol Tab 0.15mg- 30mcg	LEVLEN, NORDETTE
Norethindrone & Ethinyl Estradiol Tab 0.4mg- 35mcg	OVCON 35
Norethindrone & Ethinyl Estradiol Tab 0.5mg- 35mcg	BREVICON, NECON, MODICON, GENORA
Norethindrone & Ethinyl Estradiol Tab 1mg-35mcg	NORINYL 1+35, ORTHO-NOVUM 1/35
Norethindrone & Ethinyl Estradiol Tab 1mg-50mcg	OVCON 50
Norethindrone Ace & Ethinyl Estradiol Tab 1mg-20mcg	LOESTRIN 1/20-21
Norethindrone Ace & Ethinyl Estradiol Tab 1.5mg-	LOESTRIN 1.5/30-21

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

30mcg Norethindrone & Mestranol Tab 1mg-50mcg	NORINYL 1+50, ORTHO-NOVUM 1/50
Norgestrel & Ethinyl Estradiol Tab 0.3mg- 30mcg	LO-OVRAL
Norgestrel & Ethinyl Estradiol Tab 0.5mg- 50mcg	OVRAL
Norgestimate & Ethinyl Estradiol Tab 0.25mg- 35mcg	ORTHO-CYCLEN
Norethindrone Ace & Ethinyl Estradiol-Fe Tab 1mg- 20mcg	LOESTRIN FE 1/20
Norethindrone Ace & Ethinyl Estradiol-Fe Tab 1.5mg- 30mcg	LOESTRIN FE 1.5/30

9.1.2 Bi-Phasic Oral Contraceptives

Norethindone/Ethinyl Estradiol	ORTHO-NOVUM 10/11
-----------------------------------	-------------------

9.1.3 Tri-Phasic Oral Contraceptives

Levonorgestrel/Ethinyl Estradiol	TRIPHASIL
Norethindrone/Ethinyl Estradiol	ESTROSTEP, ORTHO-NOVUM 7/7/7
Norgestimate/Esthinyl Estradiol	ORTHO TRI-CYCLEN

9.1.4 Progestin Oral Contraceptives

Norethindone	MICRONOR, NOR-QD
Norgestrel	OVRETTE

9.1.5 Emergency Contraceptives

Levonorgestrel (Limit 2 per fill, 2 fills per year)	PLAN B
Levonorgestel (Limit 2 per fill, 2 fills per year)	NEXT CHOICE
Ulipristal Acetate Tab (Limit 2 per fill, 2 fills per year)	ELLA

9.1.6 Transdermal Contraceptives

Norelgestromin/Ethinyl Estradiol (Limited to female, age 12 to 50; quantity limited #3 patches/mo)	ORTHO EVRA PATCH
--	------------------

9.1.7 Intravaginal Contraceptives

(Limited to female, age 12 to 50; Limited to 1/mo)	
Etonogestrel/Ethinyl Estradiol	NUVARING

9.1.8 Injectable Contraceptives

Medroxyprogesterone Acetate	DEPO-PROVERA
--------------------------------	--------------

9.1.9 Combined Oral Contraceptives

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Estradiol Valerate Dienogest NATAZIA
Tab (PA)

9.1.10 Intrauterine Device Contraceptives

Levonorgestrel Releasing MIRENA
IUD (PA)
(Rx limited to CVS/Caremark Specialty Pharmacy)

9.2 Androgens (Limited to male)

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

9.3 Estrogens

(All estrogen are limited to female; 60 day supply available)

Estradiol ESTRACE
Estradiol Transdermal ESTRADERM Patch, CLIMARA, VIVELLE
Estrogens, Esterified ESTRATAB
Estrogens, Conjugated PREMARIN

9.3.1 Estrogen/Progesterone Combination

(All estrogen/progesterone combination are limited to female; 60 day supply available)

Estrogen, Conjugated, PREMPRO, PREMPRO LOW-DOSE, PREMPHASE
 Medroxyprogesterone
Estradiol/Norethindrone COMBIPATCH
 Transdermal
 (Limited to 8/mo)
Ethinyl FEMHRT
Estradiol/Norethindrone
 (60 day supply available)

9.4 Progestins

(All Progestins are limited to female; 60 day supply available)

Medroxyprogesterone PROVERA, CYCRIN
Norethindrone Acetate AYGESTIN

9.5 Endometriosis Agents

Danazol DANOCRINE
Nafarelin SYNAREL

9.6 Uterine Stimulants

Methylergonovine METHERGINE

Chapter 10 DERMATOLOGICALS & MUCOUS MEMBRANE AGENTS

10.1 Acne Medications

Benzoyl Peroxide, Gel BENZOYL PEROXIDE
Clindamycin 1% Topical CLEOCIN-T Soln
 Solution
Clindamycin 1% Topical Gel CLEOCIN-T Gel
 (Limited to 60gm/mo)
Erythromycin Topical Soln ERYCETTE
Erythromycin 2% Gel ERYTHROMYCIN
 (Limited to 60gm/mo)

Tretinoin Cream & Gel RETIN A
(Limited to age 12 to 30, max 20gm/mo; Microgel is not covered)

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Sulfacetamide Sodium/Sulfur CERISA WASH, AVAR

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Lotion, Emulsion (PA)

10.2 Topical Anti-Infectives

Bacitracin, Zinc Ointment	BACITRACIN – OTC
Bacitracin/Polymyxin B Oint	POLYSPORIN
Gentamicin Cream, Oint	GARAMYCIN
Mupirocin Oint (Limited to 22 gm/mo)	BACTROBAN
Neomycin/Bacitracin/ Polymyxin Oint	NEOSPORIN - OTC
Silver Sulfadiazine	SILVADENE
Metronidazole 0.75% Cream, Gel (Limited to 45gm/mo)	METROCREAM 0.75%, METROGEL 0.75%

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Metronidazole Gel 1% (PA) METROGEL 1%

10.3 Topical Antifungals

Clotrimazole Cream, Soln	MYCELEX – OTC
Miconazole Cream	MONISTAT – OTC
Nystatin Cream, Oint, Powder	MYCOSTATIN, NYSTAT-RX, NYAMYC
Nystatin/Triamcinolone	MYCOLOG II
Tolnaftate Cream	TINACTIN - OTC
Ketoconazole 2% Cream (ST for Miconazole & Clotrimazole Cream; limited to 60gm/mo)	NIZORAL
Ketoconazole 2% Shampoo (Limited to 120mL/mo)	NIZORAL
Ketoconazole 1% Shampoo (Limited to 120mL/mo)	NIZORAL A-D

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Ciclopirox (PA) LOPROX
Clotrimazole/Betamethasone (PA) LOTRISONE

10.4 Topical Corticosteroids

- Use with caution in pediatric patients due to potential for stria and sensitization.

GROUP IV (LOW POTENCY)

Acclometasone Dipropionate 0.05% Cream, Oint (Limited to 60gm/mo)	ACLOVATE
Desonide Cream, Oint	TRIDESILON
Hydrocortisone Cream, Oint, Lotion	HYTONE

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Desonide Lotion 0.05% (PA) DESOWEN
Lidocaine-Hydrocortisone Acetate 3-0.5% Cream,
Lotion (PA) LIDAMANTLE
Hydrocortisone Acetate Powder (PA)

GROUP III (MEDIUM POTENCY)

Fluocinolone	SYNALAR
Triamcinolone Acetonide Cream, Oint	KENALOG

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Fluocinolone Acetonide Oil DERMA-SMOOTH OIL /FS BODY, DERMA-SMOOTH OIL/FS SCALP
(ST)
(ST for failure to Betamethasone Valisone lotion; limited to 118mL/mo)
Hydrocortisone Valerate WESTCORT

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Cream, Oint 0.2% (PA)	
Prednicarbate (PA)	DERMATOP
Mometasone Furoate	ELOCON
Cream, Oint (PA)	
Pramoxine-HC Aerosol	EPIFOAM AER 1%
Foam (PA)	
Triamcinolone Acetonide	KENALOG AER SPRAY
Aerosol Soln (PA)	
Triamcinolone Acetonide	ARISTOCORT, KENALOG
Lotion 0.025%, 0.1% (PA)	

GROUP II (HIGH POTENCY)

Fluocinonide	LIDEX
PRIOR AUTHORIZATION/STEP THERAPY REQUIRED	
Betamethasone	DIPROSONE
Dipropionate 0.05% Cream, Lotion	
Betamethasone Valerate	VALISONE
0.1% Cream, Oint	
Halcinonide (PA)	HALOG, HALOG-E
Desoximetasone 0.05%, 0.25% Cream, 0.05% Gel, 0.25% Oint (PA)	TOPICORT

GROUP 1 (VERY HIGH POTENCY)

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Augmented Betamethasone Dipropionate (PA)	DIPROLENE
Diflorasone Diacetate (PA)	FLORONE, FLORONE E, PSORCON
Halobetasol (PA)	ULTRAVATE
Clobetasol Propionate 0.05% Cream, Oint, Soln (ST)	TEMOVATE

(ST for failure or intolerant to respond to Fluocinonide; limited to qty 60gm/30 days for cream & oint & 50/30 days for soln)

10.5 Topical Corticosteroids in Combinations

HydrocortisonePramoxine	EPIFOAM
-------------------------	---------

10.6 Scabicides/Pediculocides

Permethrin	NIX – OTC
Permethrin	ELIMITE
Permethrin Combo	RID, A-200 - OTC

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Spinosad Suspension (PA)	NATROBA
Benzyl Alcohol Lotion (ST)	ULESFIA
(ST for failure of OTC Nix, Rid, or Lindane; limited 4 fills/year)	
Malathion (ST)	OVIDE
(ST for failure of OTC Nix or Rid)	

10.7 Anorectal

Hydrocortisone Rectal Crm	PROCTOCREAM HC 2.5%
Hydrocortisone Acetate	ANUSOL HC Supp

10.8 Anti-Psoriatics

Anthralin	DITHROCREME
PRIOR AUTHORIZATION/STEP THERAPY REQUIRED	
Calcipotriene (PA)	DOVONEX

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Tazarotene Topical Gel (PA) TAZORAC

10.9 Misc. Topicals

Calamine Lotion CALAMINE – OTC
Selenium Sulfide SELSUN Shampoo- RX

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Fluorouracil Topical (PA) EFUDEX 5%
Pimecrolimus Ointment (PA) ELIDEL
Tacrolimus Ointment (PA) PROTOPIC

10.10 Mucous Membrane Agents

Clotrimazole Troche MYCELEX
Lidocaine Viscous XYLOCAINE
Nystatin Susp MYCOSTATIN

Chapter 11 ENDOCRINE AGENTS

11.1 Systemic Corticosteroids

11.1.1 Glucocorticoids

Hydrocortisone CORTEF
Dexamethasone DECADRON
Methylprednisolone MEDROL
Prednisolone Tab 5mg, PRELONE
Syrup, Powder
Prednisone Tab, Sol ORASONE
(Tablet: 60 day supply available)

11.1.2 Mineralocorticoids

Fludrocortisone Tab FLORINEF

11.2 Osteoporosis Agents

Alendronate FOSAMAX
(Limited to age \geq 50; Limited to #1/day for 5mg and 10mg; and #4/month for 70mg)
Calcitonin Salmon MIACALCIN Nasal Spray
(Limited to age \geq 50, max #1 spray/day, 1 bottle/mo)

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Ibandronate (PA) BONIVA
Raloxifene (PA) EVISTA
Risedronate (PA) ACTONEL

11.3 Thyroid Agents

11.3.1 Antithyroid Agents

Methimazole TAPAZOLE
(60 day supply available)
Propylthiouracil PTU
(60 day supply available)

11.3.2 Thyroid Hormones

Levothyroxine LEVOXYL, SYNTHROID
(60 day supply available)
Thyroid Dessicated ARMOUR THYROID
(60 day supply available)

11.4 Other Endocrine Agents

Bromocriptine PARLODEL
(5mg Cap: Limited to #6/day)
Desmopressin DDAVP
Ergocalciferol CALCIFEROL

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

11.5 Growth Hormone

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Somatropin (PA) **TEV-TROPIN**
(Rx Limited to CVS/Caremark Specialty Pharmacy)

Chapter 12 GASTROINTESTINAL AGENTS

12.1 Helicobacter Pylori Agents

Bismuth Subsalicylate/ **HELIDAC**
Metronidazole/TCN
(Limited to 1 fill/lifetime)

12.2 Histamine-2 Antagonists

Cimetidine Tab, Syrup **TAGAMET**
(Syrup limited to age ≤ 12 , max 300mL/mo)
Famotidine **PEPCID AC - OTC**
Ranitidine Tab, Syrup **ZANTAC**
(Tab: limited of #2/day, Syrup: limited to age ≤ 10 and 600mL/mo)

12.3 Proton Pump Inhibitors

Lansoprazole Cap Delayed **PREVACID 24 HR- OTC**
Release 15mg, 30mg
(Limited to #2/day)
Lansoprazole Cap 30mg **PREVACID**
(Limited to #1/day)
Omeprazole DR 20mg Tab **PRILOSEC**
(Limited to #2/day)
Omeprazole Cap 10mg & **PRILOSEC**
20mg
Pantoprazole **PROTONIX**
(Limited to #1/day)

12.4 Antacids

(Limited to 4 fills/year)

Alum/Mag Hydroxide **MAALOX, MAALOX TC - OTC***
Alum/Mag Hydroxide **MYLANTA, MYLANTA II - OTC***
/Simethicone
Calcium Carbonate Tab, **TUMS, ROLAIDS - OTC***
Chewable Tab

12.5 Miscellaneous Agents

Simethicone **MYLICON - OTC***
(Limited to 4 fills/year)

Sucralfate **CARAFATE**

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Misoprostol (ST) **CYTOTEC**
(ST for NSAID and age ≥ 55 , max 4/day)

12.6 Antiemetics

Meclizine Tab & Chewable **ANTIVERT**
Tab
(Limited to age ≤ 65 and #2/day)
Ondansetron Tab, ODT **ZOFRAN**
(Limited to #9/21 day)
Prochlorperazine **COMPazine**
(5mg Tab: Limited to #4/day; 10mg Tab: Limited to #2/day; Supp: Limited to 12/fill)
Promethazine **PHENERGAN**
(Limited to age ≥ 3 and ≤ 65 ; Supp: QL 12/fill, 2 fills/mo)

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Medi-Cal/Healthy Families Drug Formulary • 2011

Trimethobenzamide TIGAN
(Limited to age ≤65; Limited to #2/day)

12.7 Gastrointestinal Anticholinergic/Antispasmodics

Belladonna DONNATAL

Alkaloids/Phenobarbital

(Limited to age ≤65; Tab: Limited to #8/day; Elixir: Limited to 12mL/day)

CDZ/Clindinium LIBRAX

(Limited to age ≤65 Limited to #8/day)

Dicyclomine BENTYL

(Limited to age ≤65 10mg Cap: Limited to #16/day; 20mg Tab: Limited to #8/day; Soln: Limited to 40mL/day)

L-Hyoscyamine Sulfate Tab, LEVSIN, LEVSINEX

SL, SR, and Soln

(Limited to age ≤65; SR: Limited to #4/day)

Metoclopramide REGLAN

(10mg Tab: Limited to #4/day; Soln: Limited to age ≤12)

Probanthelene PRO-BANTHINE

12.8 Inflammatory Bowel Agents

Balsalazide Disodium Cap BALSALAZIDE

(Formulary for age ≥21. Max #9/day)

Mesalamine Tab, Cap ASACOL

(250mg Cap: Limited to #4/day; 500mg Cap: Limited to #8/day; 400mg Tab: Limited to #6/day)

Sulfasalazine AZULFIDINE

(Delayed Release: Limited to #4/day)

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Mesalamine Cap (PA) PENTASA

12.9 Laxatives

(Limited to 4 fills/year)

Bisacodyl DULCOLAX – OTC*

Docusate Sodium COLACE – OTC*

Polyethylene Glycol 3350 MIRALAX

Powder (can)

(Limited to 527gm/30 days, no fill limit)

Lactulose CEPHULAC – OTC*

Senna SENNA – OTC*

Sennosides/Docusate SENOKOT S – OTC*

12.10 Antidiarrheals

(Limited to 4 fills/year)

Attapulgite KAOPECTATE – OTC*

Bismuth Subsalicylate PEPTO BISMOL – OTC*

Diphenoxylate/Atropine LOMOTIL

Loperamide IMMIDIUM – OTC*

12.11 Digestive Enzymes

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Amylase/Lipase/Protease ACREASE, VIOKASE, COTAZYME, CREON, PANCREAZE, ZENPEP
(PA)

12.12 GI Preparations

(Limited to 4 fills/year)

Barium Enema Prep Kit FLEET PREP KIT

PEG Solution COLYTE, Flavored

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Chapter 13 GENITOUINARY AGENTS

13.1 Vaginal Anti-Infectives

(Limited to female)

Butoconazole	FEMSTAT 3 – OTC*
Clindamycin	CLEOCIN VAG Cream
Clotrimazole	GYNE-LOTRIMIN – OTC*
Fluconazole 150mg	DIFLUCAN
(Limited to #1/mo)	
Metronidazole Vag Cream	METROGEL VAGINAL
Miconazole Cream, Supp	MONISTAT 3, 7 – OTC*
Nystatin Vaginal Tab	MYCOSTATIN
Triple Sulfa Vag Cream	GYNE SULF – OTC*

13.2 Anticholinergics

Oxybutynin	DITROPAN
(Tab: Limited to #4/day; Syrup: Limited to age ≤12)	

13.3 Cholinergic Drugs

Bethanechol	URECHOLINE
(Limited to #4/day)	

13.4 Urinary Analgesics

Phenazopyridine 100mg & 200mg	PYRIDIUM
(Limited to #12/mo)	

13.5 Vaginal Estrogens

(Limited to female)

Conjugated Estrogen Vaginal Cream	PREMARIN
Estradiol Vaginal Cream	VAGIFEM

13.6 Peripheral Antiadrenergic Agents

(Limited to male)

Doxazosin	CARDURA
-----------	---------

Terazosin Cap

HYTRIN

13.7 Prostatic Hypertrophy Agents

(Limited to male age ≥ 50)

Finasteride 5mg tablet	PROSCAR
(Limited to #1/day)	
Tamsulosin	FLOMAX
(Limited to #1/day)	

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Alfuzosin (PA)	UROXATRAL
----------------	-----------

Chapter 14 HEMATOLOGICAL AGENTS

14.1 Hematopoeitic Agents

Folic Acid 1mg	FOLVITE
Folic Acid/B-12/Iron	NIFEREX-150 FORTE
(Limited to female, age 12 to 50; 60 day supply available)	
Vitamin A	AQUASOL A

14.1.1 Erythropoiesis-Stimulating Agents

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Medi-Cal/Healthy Families Drug Formulary • 2011

Epoetin Alfa, Recombinant PROCRIT
(PA)
(Rx limited to CVS/Caremark Specialty Pharmacy)

14.2 Anticoagulants

Warfarin Sodium COUMADIN
(60 day supply available)

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Enoxaparin (PA) LOVENOX
(Limited to max of 14/7 day at retail; limit 2 fills per year, PA required for >7 day supply or more than 2 fills per year)

14.3 Antiplatelets

Aspirin ASPIRIN – OTC*
(60 day supply available)
Clopidogrel PLAVIX
Dipyridamole PERSANTINE
(60 day supply available)

14.4 Hemorrhologic Agents

Pentoxifylline TRENTAL
(60 day supply available)

Chapter 15 NASAL AGENTS

15.1 Nasal Corticosteroids

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Flunisolide(ST) NASAREL, NASALIDE
(Limited to 4 fills per year; ST for Asthma medications)

Fluticasone(ST) FLONASE
(Limited to 4 fills per year; ST for Asthma medications)

Mometasone (PA) NASONEX
(Limited to 4 fills per year; ST for Asthma medications; limited to age ≤4 and diagnosis of allergic rhinitis;
Limited to 17gm/mo)

15.2 Miscellaneous Nasal Products

Cromolyn NASALCROM – OTC*

Chapter 16 NEURO-MUSCULAR AGENTS

16.1 Anticonvulsants

Carbamazepine, SR TEGRETOL, XR
(SR: Limited to #2/day; 60 day supply available)

Clonazepam KLONOPIN
(Limited to #4/day)

Divalproex Sodium DEPAKOTE, ER
(Sprinkle: Limited to #8/day; 250mg ER #4/day; 500mg ER #8/day; 60 day supply available)

Ethosuximide ZARONTIN
(60 day supply available)

Gabapentin NEURONTIN
(Limited to #6/day; 800mg Tab: #4/day)

Phenobarbital PHENOBARBITAL
(Tab: Limited to age ≤65; limited to #3/day, 100mg Tab #4/day; Soln: Age ≤12)

Phenytoin DILANTIN
(Limited to #6/day; 60 day supply available)

Primidone MYSOLINE
(60 day supply available)

Lamotrigine 25mg, 100mg, LAMICTAL
150mg, 200mg
(Limited to Neurologist or Psychiatrist prescribing; 25mg, 100mg, 150mg max #2/day, 200mg max #3/day)

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Medi-Cal/Healthy Families Drug Formulary • 2011

Levetiracetam 250mg, 500mg, 750mg & 1000mg
(Limited to Neurologist or Psychiatrist prescribing; 250mg & 500mg, max #2/day, 750mg max #4/day, 1000mg max #3/day)
Oxcarbazepine 150mg, 300mg & 600mg
(Limited to Neurologist or Psychiatrist prescribing; 150mg & 300mg max #2/day, 600mg max #3/day)
Zonisamide 25mg, 50mg & 100mg
(Limited to Neurologist or Psychiatrist prescribing; 25mg & 50mg max #3/day, 100mg max #6/day)
Valproic Acid (60 day supply available)

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Carbamazepine Cap SR (PA) CARBATROL
Diazepam Rectal Gel Delivery System (PA) DIASTAT
Tiagabine (PA) GABITRIL
Topiramate (PA) TOPAMAX
Valproic Acid DelayedRelease (PA) STAVZOR

16.2 Antiparkinson Agents

Amantadine (Limited to #3/day)
(Carved out, bill Medi-Cal FFS) SYMMETREL
Benzotropine (Carved out, bill Medi-Cal FFS) COGENTIN
Biperiden HCl (Carved out, bill Medi-Cal FFS) AKINETON
Bromocriptine PARODEL
Carbidopa/Levodopa, CR (60 day supply available) SINEMET, CR
Carbidopa/Levodopa/ Entacapone STALEVO
(Limited to #8/day; 50-200-200mg Tab #6/day)
Selegiline Transdermal (Carved out, bill Medi-Cal FFS) ENSAM
Trihexyphenidyl (Carved out, bill Medi-Cal FFS) ARTANE

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Entacapone (PA) COMTAN
Pramipexole (PA) MIRAPEX
Ropinirole (PA) REQUIP

16.3 Skeletal Muscle Relaxants

Baclofen (Limited to #4/day) LIORESAL
Carisoprodol Tab 350mg (Limited to #4/day) SOMA
Cyclobenzaprine Tab 10mg (Limited to #3/day) FLEXERIL
Methocarbamol (Limited to #4/day) ROBAXIN

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Orphenadrine Citrate (PA) NORFLEX
Orphenadrine/ASA/Caffeine (PA) NORGESIC, FORTE

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

16.4 Viscosupplements

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Sodium Hyaluronate Intra- EUFLEXXA

Articular (PA)

(Rx limited to CVS/Caremark Specialty Pharmacy)

16.5 Others

Pyridostigmine MESTINON

16.6 Multiple Sclerosis Agents – Interferons

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Glatiramer Acetate Inj Kit COPAXONE

(PA)

(Rx limited to CVS/Caremark Specialty Pharmacy)

Interferon Beta-1B IM Inj Kit EXTAVIA

(PA)

(Rx limited to CVS/Caremark Specialty Pharmacy)

Interferon Beta-1A IM Inj Kit AVONEX

(PA)

(Rx limited to CVS/Caremark Specialty Pharmacy)

Chapter 17 NUTRITIONAL PRODUCTS

17.1 Vitamins

Calcitriol ROCALTROL

(Limited to #2/day)

Multi-Vitamin & Fluoride, FE POLY-VI-FLOR, FE, TRI-VI-FLOR, FE

Tab & Drops

(Limited to children age ≤5; 60 day supply available)

Vitamin K MEPHYTON

17.2 Prenatal Vitamins

(Limited to females, age 12 to 50; 60 day supply available)

Prenatal Vitamin FE PRENAVITE, PRENATAL-S, NIFEREX ON, PN FORTE

17.3 Potassium Supplement

Potassium Chloride Tab, K-DUR, K-TABS, KLOTRIX, KLOR-CON

Cap, Liquid

(15mEq: Limited to #5/day; 60 day supply available)

17.4 Others

Calcium Acetate PHOSLO

(Limited to #12/day)

Calcium Carbonate OS-CAL, TUMS – OTC*

Ferrous Gluconate FERGON – OTC*

Ferrous Sulfate Tab, Soln, FEOSOL

Drops

(Drops: Limited to age ≤5)

Levocarnitine CARNITOR

Magnesium Chloride SLOW MAG

Magnesium Oxide MAG OXIDE

Pediatric Electrolyte Soln PEDIALYTE – OTC*

Sodium Fluoride Tab & LURIDE

Drops

(60 day supply available)

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Sevelamer (ST) RENVELA, RENAGEL

(ST for failure or intolerant to Phos-Lo)

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Chapter 18 OPHTHALMIC AGENTS

18.1 Anti-Infectives

18.1.1 Antibiotics and Combinations

Bacitracin	AK-TRACIN
Chloramphenicol	CHLOROPTIC
Erythromycin Ophth Oint	ILOTYCIN
Gentamicin (Limited to 5mL/mo)	GENOPTIC
Neomycin/Polymyxin B/ Gramicidin	NEOSPORIN
Ofloxacin (Limited to 5mL/mo)	OCUFLOX
Polymyxin/TMP (Limited to 10mL/mo)	POLYTRIM
Sulfacetamide (Limited to 15mL/mo)	BLEPH-10, SODIUM SULAMYD
Tobramycin (Limited to 5mL/mo)	TOBREX

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Gatifloxacin (PA)	ZYMAR
Moxifloxacin (PA)	VIGAMOX

18.1.2 Antibiotics-Corticosteroid Combinations

Hydrocortisone/Neomycin Polymyxin B	CORTISPORIN
Prednisolone 1%/Gentamicin	PRED-G
Prednisolone 0.5%/ Neomycin/Polymyxin B	POLYPRED
Prednisolone 0.6%/ Tobramycin/Dexamethasone (Limited to 5mL/mo)	TOBRADEX
Sulfacetamide/Prednisolone	BLEPHAMIDE

18.1.3 Antifungals

Natamycin 5%	NATACYN
--------------	---------

18.1.4 Antivirals

Trifluridine	VIROPTIC
--------------	----------

18.2 Anti-Inflammatory Agents

18.2.1 Corticosteroids

Dexamethasone 0.1%	DECADRON, AK-DEX
Fluorometholone 0.1%	FML, FML FORTE
Prednisolone 0.12%, 1%	PRED MILD, PRED FORTE

18.2.2 NSAIDs

Diclofenac 0.1%	VOLTAREN
Flurbiprofen	OCUFEN
Ketorolac	ACULAR, LS

18.3 Anti-Allergic Agents

18.3.1 Others

Ketotifen	ZADITOR – OTC*
-----------	----------------

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Olapatadine HCl Ophth Soln (ST)	PATANOL
------------------------------------	---------

(ST for Zaditor/Alaway and age ≤18; limited to 5mL/30 day)

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

18.4 Dilating Agents

18.4.1 Anticholinergics

Atropine	ISOPTO ATROPINE
Cyclopentolate	CYCLOGYL
Homatropine	ISOPTO HOMATROPINE
Scopolamine	ISOPTO HYOSCINE
Tropicamide	MYDRIACIL

18.5 Glaucoma Agents

18.5.1 Alpha-2 Adrenergic Agonists

Brimonidine 0.2%	ALPHAGAN
Brimonidine/Timolol	COMBIGAN

18.5.2 Sympathomimetics

Dipivefrin	PROPINE
Epinephrine HCl	EPIFRIN

18.5.3 Beta-Adrenergic Antagonists

Levobunolol	BETAGAN
Timolol Maleate 0.25% & 0.5% Soln, XE Gel	TIMOPTIC, TIMOPTIC XE, TIMOPTIC OCUDOSE

18.5.4 Miotics, Direct Acting

Pilocarpine HCl	PILOCAR
-----------------	---------

18.5.5 Carbonic Anhydrase Inhibitors

Dorzolamide HCl 1%	TRUSOPT
--------------------	---------

18.5.6 Prostaglandin Agonists

Latanoprost Ophth Soln	XALATAN
------------------------	---------

(Limited to 2.5ml/30 days, 5ml/60 days; limited to age > 21)

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Bimatoprost Ophth Soln (PA)	LUMIGAN
Travoprost Ophth Soln	TRAVATAN Z

Chapter 19 OTIC PREPARATION

19.1 Otic Anti-infectives and Combinations

Hydrocortisone/Neomycin/ Polymyxin B Otic	CORTISPORIN
Ofloxacin Otic	FLOXIN

(Limited to 7mL/mo)

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Ciprofloxacin/Dexamethasone (PA)	CIPRODEX
---	-----------------

19.2 Miscellaneous Otic Products

Acetic Acid	VOSOL
Benzocaine/Antipyrine	AURALGAN
Carbamide Peroxide	DEBROX – OTC*
Hydrocortisone/Acetic Acid	VOSOL HC
Triethanolamine/ Chlorobutanol	CERUMENEX

Chapter 20 RESPIRATORY AGENTS

20.1 Cough/Cold Products

- OTC products may be used as first line therapy
- All Cough/cold products requires a prior authorization for age <4 and are limited to 4 fills per year.

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Medi-Cal/Healthy Families Drug Formulary • 2011

- All Promethazine products are limited to age 6 years and older.

20.1.1 Cough/Cold Combinations

Brompheniramine/Decongestant Tab, Elixir	DIMETAPP– OTC*
Brompheniramine/Pseudoephedrine Tab, Syrup	BROMDEC
Chlorpheniramine/Decongestant Cap	CONTACT 12 Hr – OTC*
Pyril/Phenyltolox/Pheniramine	POLY-HISTINE
Triprolidine/Pseudoephedrine Tab, Syrup	ACTIFED – OTC*

20.1.2 Pediatric Cough/Cold Products

Pseudoephedrine/Dextromethophan	PEDIACARE DECONGESTANT & COUGH – OTC*
Pseudoephedrine/Chlorpheniramine/ Dextromethophan	PEDIACARE COUGH – OTC*

20.1.3 Decongestants

Guaifenesin/Pseudoephedrine 120/600mg	ENTEX PSE
Pseudoephedrine Tab, Syrup (Limited to age ≥2)	SUDAFED – OTC*

20.1.4 Antitussives & Expectorants

Benzonatate (Limited to #60/10 day)	TESSALON PERLES
Codeine/Promethazine	PHENERGAN/CODEINE
Codeine/Promethazine/ Phenylephrine	PHENERGAN VC/CODEINE
Dextromethorphan	FENESIN DM
Dextromethorphan/ Hydrocodone/Phenyl/CTM	HISTUSSIN HC, HISTINEX HC
Dextromethorphan/ Promethazine	PHENERGAN DM
Guaifenesin (Limited to age ≥2)	HUMIBID DM, ROBITUSSIN Syrup– OTC*
Guaifenesin/Codeine	TUSSI-ORGANIDIN NR, ROBITUSSIN AC
Guaifenesin/ Dextromethorphan	ROBITUSSIN DM – OTC*
Guaifenesin/DM	TUSSI-ORGANIDIN DM NR
Pseudoephedrine/ Carbinoxamine/DM	RONDEC DM

20.2 Beta Adrenergic Agonist

20.2.1 Inhalers

Albuterol	PROAIR HFA
Metaproterenol	ALUPENT
Pirbuterol	MAXAIR AUTOHALER

20.2.2 Solutions

Albuterol (Limited to age ≤10, PA for age >10)	PROVENTIL, VENTOLIN
---	---------------------

20.2.3 Oral Tablets

Albuterol	PROVENTIL
Albuterol Extended Release	VOLMAX
Terbutaline	BRETHINE

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

20.3 Long-Acting Beta Agonist

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Formoterol Fumarate (ST) FORADIL

(Not for acute symptoms; ST for concurrent use with an inhaled corticosteroids; combo with Advair or Symbicort not allowed)

Salmeterol (ST) SEREVENT, DISKUS

(Not for acute symptoms; ST for concurrent use with an inhaled corticosteroids; combo with Advair or Symbicort not allowed)

20.4 Xanthine Derivatives

Theophylline UNIPHYL

Theophylline 8-12 Hr SR SLO-BID GYROCAPS

Theophylline 8-24 Hr SR THEO-DUR

(400mg Tab: Limited to #2/day)

20.5 Corticosteroids Inhalation

- Per NIH guidelines, inhaled steroids are primary, 1st line treatment for all forms of persistent asthma.
- Use of short-acting inhaled beta-2 agonists more than 2 times a week may indicate the need to initiate long-term control therapy.
- Combination therapy with Advair or Symbicort is not allowed.

Beclomethasone QVAR

Budesonide Inh Soln PULMICORT RESPULES

(Limited to age ≤6; limited to 60 vials/mo)

Fluticasone FLOVENT, FLOVENT DISKUS, FLOVENT HFA

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Mometasone Furoate (PA) ASMANEX

20.6 Corticosteroids/Beta Agonist Combinations

Fluticasone/Salmeterol (ST) ADVAIR DISKUS, HFA

(ST for inhaled corticosteroid (ICS) in last 30 days; limited to age <12; limited to #1/mo)

Mometasone Furoate- DULERA

Fumarate (ST)

(ST for inhaled corticosteroid (ICS) in last 30 days; limited to 13gm/mo)

Budesonide/Formoterol (ST) SYMBICORT

(ST for failure of low to medium dose inhaled corticosteroid therapy)

20.7 Leukotriene Inhibitors

- Per NIH guidelines, they are reserved as alternative treatment for those patients who have failed combinations of inhaled steroids and long-acting beta agonists.
- They may be less effective than inhaled corticosteroids.
- Prior Authorization requests for Leukotriene inhibitors will not be authorized when they are used as a steroid replacement. Continued use on inhaled steroids will be required.
- They are no more effective than formulary alternatives for the treatment for allergic rhinitis.

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Montelukast (ST) SINGULAIR

(ST for failure of 2-months of inhaled corticosteroids)

Zafirlukast (PA) ACCOLATE

20.8 Anticholinergics

Ipratropium Inhaler & Neb ATROVENT

Soln

(Soln: Limited to children age ≤10; Inhaler: Limited to age ≥12)

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Tiotropium (PA) SPIRIVA

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Medi-Cal/Healthy Families Drug Formulary • 2011

20.8.1 Anticholinergic/Beta Agonist combination

Ipratropium/Albuterol COMBIVENT

Aerosol

(Limited to age ≥12; Limited to 29.4gm (2 boxes/mo))

20.9 Mast Cell Stabilizers

Cromolyn Neb Soln INTAL

Nedocromil Sodium Inhaler TILADE

20.10 Respiratory Devices

Vaporizer VAPORIZER – Various OTC*

Inhaler Enhancement Device AEROCHAMBER, E-Z SPACER, MICROCHAMBER,

OPTICHAMBER, INSPIREASE EASIVENT

(Spacers with mask is limited to age ≤7; spacers limited to age ≤15; limited to 1 spacer device/yr)

Spacers consistently increase the delivery of inhaled medications in all age groups, regardless of technique, and are strongly recommended.

Chapter 21 MISCELLANEOUS

Condoms CONDOMS – Various OTC*

Diaphragm DIAPHRAGM - Various

Epinephrine Inj Device EPIPEN, EPIPEN JR, TWINJECT

(Epipen/Epipen JR Limited to 2/mo)

Spermicidal Jelly, Foam, SPERMICIDAL – Various OTC*

Film

Tablet Splitter TABLET SPLITTER – Various OTC*

(Limited to 1/yr)

PRIOR AUTHORIZATION/STEP THERAPY REQUIRED

Epinephrine Inj (PA) TWINJECT INJECTABLE

Generic Name/Common Brand Name

*OTC medications are not covered for Healthy Families

PA = Prior Authorization Required

ST = Step Therapy Restriction applied

Updated on November 30, 2011

Medi-Cal/Healthy Families Drug Formulary • 2010

BRAND NAME	GENERIC NAME	ABBREVIATED PRIOR AUTHORIZATION CRITERIA
ACCOLATE	Zafirlukast	Moderate to severe Asthma; after failure on inhaled steroids. Cannot be authorized as steroid replacement.
ACTONEL	Risedronate	Treatment of Osteoporosis. Treatment and prevention of glucocorticoid-induced Osteoporosis. Prevention of Osteoporosis in postmenopausal women with one or more additional risk factors besides menopause. Treatment of Paget's disease of bone. Bone mineral density (BMD) is required prior to initiating therapy for prevention of glucocorticoid-induced Osteoporosis.
ACTOS, ACTOSPLUS MET	Pioglitazone, Pioglitazone/Metformin	Must be given concurrently with basal insulin, Sulfonylurea or Metformin.
ADDERALL XR (for age ≥18)	Amphetamine, Mixed Salts	Treatment of ADHD, with documented ADHD diagnosis by Psychiatry. Prior Authorization is not required for ages <18.
ADVAIR	Fluticasone-Salmeterol	Prevention of Asthma attacks after failure of low to medium dose inhaled corticosteroids or currently on both an inhaled corticosteroid and a long acting beta agonist.
ALDARA Cream (NF)	Imiquimod	Treatment of external genital and Perianal Warts/Condyloma acuminata in adults; treatment of clinically typical, non-hyperkeratotic/non-hypertrophic Actinic Keratoses on face or scalp; treatment of biopsy-confirmed, primary superficial Basal Cell Carcinoma, with maximum tumor diameter of 2cm. Treatment course must be consistent with product label.
AMBIEN CR (NF)	Zolpidem Controlled Release	Ambien CR requests approved as immediate release Ambien.
ARAVA (NF)	Leflunomide	Treatment of active Rheumatoid Arthritis; failure on/intolerance to Methotrexate and Sulfasalazine. Prescribed by Rheumatologist.
ARTHROTEC	Diclofenac / Misoprostol	Treatment of Arthritis in patients at high risk for ulcers.
ATROVENT Soln	Ipratropium	Formulary for members up to age 10, PA required for age > 10
BECONASE AQ	Beclomethasone	Failure of generic formulary agents Fluticasone and Flunisolide
BIAXIN	Clarithromycin	Failure on first-line antibiotic, as indicated by nature of infection. OK as first-line for MAC and <i>H. Pylori</i> . For <i>H. Pylori</i> , use Prevpac.
BONIVA	Ibandronate	Limited to the treatment of Osteoporosis, treatment and prevention of glucocorticoid-induced Osteoporosis, or prevention of Osteoporosis in postmenopausal women with one or more additional risk factors besides menopause. Bone mineral density (BMD) is required prior to initiating therapy for prevention of glucocorticoid-induced Osteoporosis. Must have tried and failed Alendronate.
BYETTA (NF)	Exenatide	Treatment of Type II Diabetes with HbA1c < 9.0. Failure of Metformin and TZD's combinations; Requested by Diabetes specialist or Endocrinologist.
CELLCEPT	Mycophenolate Mofetil	Prophylaxis of organ rejection in patients receiving allogeneic renal, cardiac or hepatic transplants.
CHANTIX	Varenicline	For smoking cessation. Member must be enrolled in a smoking cessation program. Treatment course limited to 12 weeks. Member must have documented 4-week continuous abstinence during the initial 12 weeks to be approved for the second 12 weeks. Limit of one trial every 52 weeks.
COREG CR (NF)	Carvedilol	Coreg CR is approved as immediate release Coreg
CRESTOR	Rosuvastatin Calcium	Treatment of Hypercholesterolemia. Failure on Simvastatin 80mg, limited to #15/month.
DAYPRO	Oxaprozin	Use in patients with documented treatment failure on at least two generic NSAIDs, each treatment course being at least 2 weeks.
DAYTRANA (NF)	Methylphenidate Patch	Treatment of ADHD in patients 6 yr and older who is unable to take oral formulations due to specific medical condition. "Unable to swallow" justification must have prior failure to formulations with sprinkle capability (i.e., Metadate CD, Adderall XR)

Medi-Cal/Healthy Families Drug Formulary • 2010

BRAND NAME	GENERIC NAME	ABBREVIATED PRIOR AUTHORIZATION CRITERIA
DERMATOP	Prednicarbate	Use in patients with documented treatment failure on non-Prior Auth Formulary medium potency (Group III) steroids (e.g., Kenalog, Synalar, Topicort LP, Westcort).
DETROL(NF)	Tolterodine	Tx of Overactive Bladder. Failure/contraindication to Oxybutynin. Prescription is prescribed or recommended by a Urologist.
DIFLUCAN	Fluconazole	Treatment of oropharyngeal, esophageal, or other forms of serious Candidiasis; also Cryptococcal Meningitis. Single-dose 150mg tablet is available without Prior Authorization for Vaginal Candidiasis.
DIPROLENE	Augmented Betamethasone	Failure on lower potency steroids, unless indicated by specific condition.
DITROPAN XL (NF)	Oxybutynin ER	Treatment of Overactive Bladder. Failure on regular oxybutynin. Prescription is prescribed or recommended by a Urologist.
DOVONEX	Calcipotriene	Treatment of moderate Plaque Psoriasis.
DURAGESIC	Fentanyl Transdermal	Formulary with Step Therapy for Morphine Sulfate ER or Methadone. Max 10 patch/month.
DURICEF (Suspension Only)	Cefadroxil	Failure on first-line antibiotic, as indicated by nature of infection.
EFUDEX	Fluoruracil Topical	Treatment of Actinic or Solar Keratoses
ELIDEL	Pimecrolimus	Treatment of short-term and intermittent long-term therapy of mild to moderate Atopic Dermatitis in patients > 2 years of age; failure of topical steroids. Limited to 30gm per fill.
ELOCON	Mometasone	Use in patients with documented treatment failure on non-Prior Auth Formulary medium potency (Group III) steroids (e.g., Kenalog, Synalar, Topicort LP, Westcort).
FLORONE, E	Diflorasone Diacetate	Failure on lower potency steroids, unless indicated by specific condition.
FLOXIN	Ofloxacin	Failure on 1 st line antibiotic, as indicated by nature of infection. may be used as 1st-line for STDs.
FLOXIN OTIC	Ofloxacin	Chronic Suppurative OM with Perforated Tympanic Membrane or acute OM with tympanostomy tubes. For Otitis Externa patients, Cortisporin is first-line agent.
FOSAMAX	Alendronate	Formulary for age \geq 50. PA required for members age <50, limited to Dx = Osteoporosis and BMD T-Score less than -2.5
GEODON	Ziprasidone	Treatment of Schizophrenia; <i>*NOTE- In LA, San Bernardino, Riverside, and GMC counties, GEODON is billed to Medi-Cal Fee-For-Service for all Medi-Cal members</i>
GLEEVEC	Imatinib Mesylate	Newly diagnosed adult patients with Philadelphia Chromosome Positive (Ph+) Chronic Myeloid Leukemia (CML); (CML) in blast crisis, accelerated phase or chronic phase after failure of interferon therapy; treatment of patients with Kit-(CD 117) positive unresectable and/or metastatic malignant gastrointestinal stromal tumors (GISTs); Treatment of pediatric patients with (Ph+) Chronic Myeloid Leukemia (CML) in chronic phase, and for children whose disease has recurred after stem cell transplant or who are resistant to interferon alpha therapy.
HALOG, E	Halcinonide	Use in patients with documented treatment failure on non-Prior Auth Formulary high potency (Group II) steroids (e.g., Lidex, Valisone, Topicort, Diprosone).
HESPERA	Adefovir	Treatment of chronic Hepatitis B in adults with evidence of active viral replication and either evidence of persistent elevations in LFTs or histologically active disease.
HIV Medications	Miscellaneous	Most HIV medications are to be billed to Medi-Cal Fee-For-Service on-line for all Medi-Cal members. This applies to members residing in LA, San Bernardino, Riverside, and GMC-Sacramento counties. For all others, medication will be authorized once Molina Medical Case Management is notified of member's condition.
IMITREX Injection, Nasal Spray	Sumatriptan Succinate	Abortive treatment of migraine attacks. Failure on oral Imitrex. Prophylactic therapy needed in patients with 2 or more attacks per

Medi-Cal/Healthy Families Drug Formulary • 2010

BRAND NAME	GENERIC NAME	ABBREVIATED PRIOR AUTHORIZATION CRITERIA
		month.
INSULIN PEN Device (NF)	All Insulins	Insulin Pen Delivery systems to be authorized when member is either blind or disabled. Cannot be authorized for convenience purposes.
JANUVIA, JANUMET	Sitagliptin Sitagliptin/Metformin	Treatment of Type II Diabetes with HbA1c > 7; Failed or intolerant to max doses of Sulfonylureas/Metformin, or in addition to Insulin.
KEPPRA	Levetiracetam	Limited to use by a Neurologist or Psychiatrist.
KYTRIL Tablet	Granisetron	Prevention of nausea/vomiting associated with initial and repeat courses of emetogenic chemotherapy, including high dose cisplatin; nausea and vomiting associated with radiation. Must fail Zofran prior to approval.
LAMICTAL	Lamotrigine	Treatment of Seizures, with therapy initiated by Neurology; Maintenance treatment of adults with Bipolar Disorder, with therapy managed by Psychiatry.
LAMISIL (Tablet Only)	Terbinafine HCl	Tx of Onychomycosis with (+) KOH/PAS stain; member must be experiencing pain that interferes with normal activity, or be diabetic, have peripheral vascular dz, or be immunocompromised; normal baseline LFTs required
LEVAQUIN	Levofloxacin	Failure on first-line antibiotic, as indicated by nature of infection. Dosage for uncomplicated UTI (with failure to first-line abx) is 250mg QD x 3 Days.
LIPITOR	Atorvastatin	Failure on Simvastatin 80mg, limited to #15/month.
LODINE XL	Etodolac CR	Use in patients with documented treatment failure on at least two generic NSAIDs, each treatment course being at least 2 weeks.
LOFIBRA	Fenofibrate	Failure on Gemfibrozil or concurrent use with Simvastatin, limited to #30/month.
LOPROX	Ciclopirox	Treatment of Dermatomycosis; failure on Formulary OTC antifungals.
LOTRISONE	Clotrimazole / Betamethasone	Treatment of Dermatomycosis; failure on Formulary OTC antifungals or when an additional steroid is required.
LUNESTA (NF)	Eszopiclone	Treatment of Insomnia in adult patients who has history of failure to formulary alternatives. Complete medical summary with documentation of nature of failure to prior therapies is required. Requested by Sleep specialist, Neurologist or Psychiatrist.
LYRICA (NF)	Pregabalin	Documented failure to Neurontin for treatment of partial onset Seizures as adjunctive therapy, Neuropathic pain associated with Diabetic Neuropathy, post Herpetic Neuralgia and Fibromyalgia.
MIACALCIN Nasal Spray	Calcitonin	Formulary for age =>50. PA required for members age <50, limited to Dx = Osteoporosis and BMD T-Scores less than -2.5
MIGRANAL	Dihydroergotamine Nasal Spray	Acute treatment of migraine with or without aura; failure or intolerance of formulary agents. Prophylactic therapy needed in patients with 2 or more attacks per month.
MINOCIN	Minocycline HCl	Limited to 50mg & 100mg; Failure of Doxycycline Hyclate or Tetracycline. Limited to age 8 and older; max of #60/month.
NASACORT AQ	Triamcinolone Acetonide	Failure of generic formulary agent: Fluticasone and Flunisolide.
NASONEX	Mometasone	Failure of generic formulary agent: Fluticasone and Flunisolide. For diagnosis of allergic rhinitis in children under 4 years of age, limited to 17gm/month.
NICORETTE Gum (OTC)	Nicotine Polacrilex	For smoking cessation. Treatment course limited to 3 months. Member must be enrolled in a smoking cessation program. Max 96 pieces/month. Limit of onecourse every 52 weeks.
NICOTROL 15mg Patch (OTC)	Nicotine Transdermal	For smoking cessation. Treatment course limited to 3 months. Member must be enrolled in smoking cessation program. Limit of one course every 52 weeks.
NICOTROL Nasal Spray	Nicotine Nasal Spray	For smoking cessation. Treatment course limited to 3 months. Member must be enrolled smoking cessation program. Max 4 boxes/month. Limit of one course every 52 weeks.
NIZORAL	Ketoconazole	Oral- Treatment of systemic fungal infections and severe Recalcitrant Cutaneous Dermatophyte infections not responding to topical therapy

Medi-Cal/Healthy Families Drug Formulary • 2010

BRAND NAME	GENERIC NAME	ABBREVIATED PRIOR AUTHORIZATION CRITERIA
		or Griseofulvin. Topical- Treatment of Dermatomycosis; failure on formulary OTC antifungals. Shampoo: Limited to failure of Selenium Sulfide.
NON-FORMULARY Drugs	Miscellaneous	Failure on <u>all</u> formulary drugs within same drug class, unless unique indication exists that is not treatable with those agents or other formulary alternatives.
NORGESIC, NORGESIC FORTE	Orphenadrine/ASA/ Caffeine	Failure of non-Prior Auth Formulary skeletal muscle relaxants (e.g., Flexeril, Soma, Lioresal, Norflex)
NOXAFIL	Posaconazole	Treatment or prophylaxis of invasive Candida and Aspergillus infections in severely immunocompromised patients; Treatment of systemic fungal infections Failure of Itraconazole and/or Fluconazole.
OMACOR (NF)	Omega-3-Acid Ethyl Esters	Treatment of severe Hypertriglyceridemia ($\geq 500\text{mg/dL}$) in patients who Gemfibrozil and Niacin are contraindicated.
ORUVAIL	Ketoprofen CR	Use in patients with documented treatment failure on at least two generic NSAIDs, each treatment course being at least 2 weeks.
OXYCONTIN	Oxycodone CR	Treatment of severe chronic pain with documented failure on other formulary long-acting analgesics; documented evaluation/recommendation by Pain Management specialist or Oncology; Approved only for QD or BID dosing, no prn use
PERCOCET 7.5/325mg & 10/325mg	Oxycodone/APAP	For intolerance to Oxycodone/APAP 5/325mg or those requiring higher dose of Oxycodone without increasing APAP dose.
PERCODAN	Oxycodone/ASA	For intolerant or failure to respond to Oxycodone/APAP 5/325mg.
PLENDIL	Felodipine	Failure or intolerance to Amlodipine.
PRANDIN	Repaglinide	Treatment of Type II Diabetes and failure on Sulfonylureas and Metformin
PREVACID	Lansoprazole	Treatment /maintenance of healing of Erosive Esophagitis associated with GERD, and treatment of Pathological Hypersecretory conditions; BID dosing allowed only in extreme circumstances.
PROGRAF Capsule	Tacrolimus	Prophylaxis of organ rejection in patients receiving allogeneic renal or hepatic transplants.
PROSOM	Estazolam	Failure or intolerant to formulary sedatives/hypnotics (e.g., Dalmane, Restoril)
PROTONIX	Pantoprazole	Treatment /maintenance of healing of Erosive Esophagitis associated with GERD and treatment of pathological hypersecretory conditions.
PROTOPIC	Tacrolimus	Treatment of short-term and intermittent long-term therapy of mild to moderate Atopic Dermatitis in patients > 2 years of age; failure of topical steroids. Maximum quantity limit of 30 gram per fill.
PROVENTIL Soln	Albuterol	Formulary for age ≤ 10 . Prior Authorization required for age > 10; limited to severe Asthma or COPD.
PSORCON	Diflorasone Diacetate	Failure on lower potency steroids, unless indicated by specific condition.
RAPAFLO	Silodosin	For diagnosis of BPH and failure on Doxazosin, Terazosin, or Tamsulosin
RAPAMUNE	Sirolimus	Prophylaxis of organ rejection in patients receiving allogeneic renal transplants.
REGRANEX (NF)	Becaplermin	Tx of lower-extremity Diabetic Neuropathic ulcers that extend into the subcutaneous tissue or beyond and have an adequate blood supply, in addition to debridement, pressure relief and infection control. Ulcer must be $<10\text{cm}^2$ and Diabetes must be under control ($\text{HgA1c} \leq 10$). Must be prescribed by an Orthopedic Surgeon/Podiatrist. Max 15g/month x 5 months.
RELAFEN	Nabumetone	Use in patients with documented treatment failure on at least two generic NSAIDs, each treatment course being at least 2 weeks.
RELENZA (NF)	Zanamivir	Treatment of Influenza within 48 hours of onset. Member must have

Medi-Cal/Healthy Families Drug Formulary • 2010

BRAND NAME	GENERIC NAME	ABBREVIATED PRIOR AUTHORIZATION CRITERIA
		pre-existing medical condition that would be significantly worsened by Influenza. Must be >7 years old.
RELPAX	Eletriptan	For failure of Imitrex tablet, max of #9/30 days
RESTASIS	Cyclosporine Ophthalmic	Limited to diagnosis Keratoconjunctivitis Sicca due to an autoimmune disease; Prescribed by Ophthalmology; must have failed artificial tears/gel.
REVATIO (NF)	Sildenafil	Treatment of Pulmonary Arterial Hypertension. Requested by Pulmonology.
RISPERDAL	Risperidone	Treatment of Psychotic Disorders; Prescribed by Psychiatrist. *NOTE- In LA, San Bernardino, Riverside, and GMC counties, Risperdal is billed to Medi-Cal Fee-For-Service for all Medi-Cal members.
ROZEREM (NF)	Ramelteon	Treatment of Insomnia in adult patients with failure or intolerant to formulary alternative (Zolpidem or hypnotic benzodiazepine)..
SANDIMMUNE/ NEORAL/ GENGRAF	Cyclosporine	Prophylaxis of organ rejection in patients receiving allogeneic renal, cardiac or hepatic transplants. Treatment of patients with severe active, Rheumatoid Arthritis, failure of Methotrexate. Treatment of adult, non-immunocompromised patients with severe, recalcitrant, Plaque Psoriasis who have failed to respond to at least one systemic therapy or in patients for whom other systemic therapies are contraindicated, or cannot be tolerated.
SAVELLA	Milnacipran	For diagnosis of Fibromyalgia and failure on Gabapentin, TCAs, or other agents for Fibromyalgia
SIMCOR	Simvastatin/Niacin	Failure of Simvastatin 80mg per day or reduction in TG not attainable with Simvastatin 80mg alone.
SINGULAIR	Montelukast	Moderate to severe Asthma with recent failure on inhaled corticosteroids. Cannot be authorized as steroid replacement: must be given concurrently with a steroid. For allergies, failure of Formulary agents must be documented as Singulair has not been shown to be more effective in clinical trials than any Formulary agents.
SONATA	Zaleplon	Short-term treatment of Insomnia. Failure/intolerance to Formulary agents including Restoril, Elavil, Dalmane. Limited to #14/month, for special circumstances when prescribed by Psychiatrist.
SPIRIVA	Tiotropium	Maintenance treatment of COPD-induced bronchospasm; must be either prescribed or recommended by Pulmonary specialist.
SPORANOX	Itraconazole	Tx of Onychomycosis with (+) KOH/PAS stain; member must be experiencing pain that interferes with normal activity, or be Diabetic, have peripheral vascular dz, or be immunocompromised; normal baseline LFTs required
STADOL Nasal Spray	Butorphanol	Treatment of acute pain; failure or intolerance to Formulary narcotics. If used for migraines member must have failed Formulary Triptans and will be on prophylaxis while on Stadol.
STRATTERA (FOR AGE ≥18)	Atomoxetine	Treatment of ADHD, with documented ADHD diagnosis by Psychiatry. **QD dosing only. 1 capsule max/day for all strengths except 40mg. #2 capsule max/day for 40mg. No Prior Auth required for ages <18.
SUPRAX	Cefixime	Failure on first-line antibiotic, as indicated by nature of infection.
SYMBICORT	Budesonide/ formoterol	Prevention of Asthma attacks. Failure of low to medium dose inhaled corticosteroids or currently on both an inhaled corticosteroid and a long acting beta agonist.
SYMLIN (NF)	Pramlintide	Treatment of Type I Diabetes. Patient must demonstrate compliance on their diabetes medications. Failure on Insulin; Requested by Diabetes specialist or Endocrinologist.
TARCEVA	Erlotinib	Tx of patients with locally advanced or metastatic non-small cell lung cancer as monotherapy Failure of platinum-based; requested by Oncology.
TAZORAC GEL	Tazarotene	Treatment of stable Plaque Psoriasis. Treatment of Cystic Acne, prescribed by Dermatologist (0.1% only).
TESTODERM Patch	Testosterone transdermal	Treatment of Hypogonadism (primary and secondary). Max 30/month. Must be prescribed by Endocrinologist. (Limited to males).

Medi-Cal/Healthy Families Drug Formulary • 2010

BRAND NAME	GENERIC NAME	ABBREVIATED PRIOR AUTHORIZATION CRITERIA
TOPAMAX	Topiramate	Treatment of Seizures, with therapy initiated by Neurology; not approved for Psychiatric use.
TRICOR	Fenofibrate	Treatment of Hypertriglyceridemia; failure or intolerance to Gemfibrozil, or concurrent use with Simvastatin; limited to certain strengths of fenofibrate
TRILEPTAL	Oxcarbazepine	Treatment of Seizures, with therapy initiated by Neurology; not approved for Psychiatric use.
ULTRAVATE	Halobetasol	Failure on lower potency steroids, unless indicated by specific condition.
UROXATRAL	Alfuzosin	Treatment of Benign Prostatic Hyperplasia (BPH); failure /intolerance to Hytrin/Cardura.
VFEND	Voriconazole	Treatment of invasive Aspergillosis; treatment of serious fungal infections caused by <i>Scedosporium Apiospermum</i> or <i>Fusarium</i> sp, in patients intolerant of, or refractory to other therapy.
VIGAMOX	Moxifloxacin	Treatment of bacterial Keratitis, Endophthalmitis, or prophylaxis for ocular surgeries; prescribed by Ophthalmologist.
VYTORIN	Ezetimibe and simvastatin	Treatment of Hypercholesterolemia. Failure on Simvastatin 80mg
WEIGHT LOSS Medication (NF)	Various FDA-approved	Failure on structured weight loss and diet programs, member must have a BMI ≥ 33 plus two or more of the following risk factors: poorly controlled HTN, Diabetes, uncontrolled Dyslipidemia, significant Cardiac dz (except for Meridia), symptomatic sleep Apnea, restrictive lung disease, or DJD/Osteoarthritis of the hip and/or knee.
WELCHOL	Colesevelam HCl	Failure or intolerant to Cholestyramine.
WELLBUTRIN XL	Bupropion	Treatment of Depression and failure to Bupropion SR Not for smoking cessation (see ZYBAN).
XOPENEX (NF)	Levalbuterol	PRN "Rescue" treatment of Asthma; significant, unexpected cardiac side effects while on regular nebulized Albuterol; in clinical trials, Xopenex has not been shown to be more effective than equipotent doses of Albuterol on an outpatient basis.
ZOFRAN Tab	Ondansetron	Prevention of post-operative nausea/vomiting; prevention of nausea/vomiting associated with radiotherapy. No PA required for prevention of chemotherapy induced nausea/vomiting. Limited to #9/21 day.
ZOMIG	Zolmitriptan	Failure or intolerant to Imitrex tablets, limited to #9/45 days
ZYBAN	Bupropion SR	For smoking cessation. Treatment course limited to 3 months per 52 weeks. Member must be enrolled in Molina "Free and Clear" program or equivalent.
ZYMAR	Gatifloxacin	Treatment of bacterial Keratitis, Endophthalmitis, or prophylaxis for ocular surgeries; prescribed by Ophthalmologist.
ZYPREXA	Olanzapine	Treatment of Psychotic Disorders and Bipolar Mania; Prescribed by Psychiatrist. *NOTE: In LA, San Bernardino, Riverside, and GMC counties, pharmacy is to bill Medi-Cal Fee-For-Service on-line for all Medi-Cal members.

NF= Non-formulary item

These guidelines for prior approval are for reference only. They do not replace the professional judgment of the prescribing physician and do not necessarily apply to all patient-specific situations. All requests are looked at on a case by case basis. Use of pharmaceutical samples in lieu of Formulary first-line agents does not guarantee authorization.

To request a copy of a prior authorization request form, or to request full-length criteria for a medication listed above (if applicable), call (888) 665-4621.

Medi-Cal/Healthy Families Drug Formulary • 2010

CARVED-OUT DRUGS

The Department of Health Services through the Medi-Cal Fee for Service program has assumed financial responsibility for select psychiatric medications in Los Angeles, San Bernardino, Riverside, Sacramento (GMC), and San Diego counties. Pharmacies must bill these medications on-line to Medi-Cal Fee-For-Service when prescribed to members residing in these counties. In these instances, Prior Authorization from the plan is not required. These medications are notated in the Formulary with “Medi-Cal FFS”.

PSYCHIATRIC DRUGS (Listed by Generic Name)		
Amantadine HCl (SYMMETREL)	Iloperidone (FANAPT)	Pimozide (ORAP)
Aripiprazole (ABILIFY)	Isocarboxazid (MARPLAN)	Procyclidine HCl (KEMADRIN)
Asenapine (SAPHRIS)	Lithium Carbonate (LITHOBID, LITHONATE, ESKALITH)	Promazine HCl (SPARINE)
Benzotropine Mesylate (COGENTIN)	Lithium Citrate (various generic)	Quetiapine (SEROQUEL XR, SEROQUEL)
Biperiden HCl (AKINETON)	Loxapine HCl (LOXITANE)	Risperidone, Risperidone Microspheres (RISPERDAL, RISPERDALCONSTA)
Biperiden Lactate (AKINETON)	Loxapine Succinate (LOXITANE)	Selegiline Transdermal (EMSAM)
Chlorpromazine HCl (THORAZINE)	Mesoridazine Mesylate (SERENTIL)	Thioridazine HCl (MELLARIL)
Chlorprothixene	Molindone HCl (MOBAN)	Thiothixene HCl (NAVANE)
Clozapine (CLOZARIL)	Olanzapine (ZYPREXA)	Tranlycypromine Sulfate (VESPERIN)
Fluphenazine Decanoate (PROLIXIN)	Olanzapine/Fluoxetine (SYMBYAX)	Trifluoperazine HCl (STELAZINE)
Fluphenazine Enanthate (PROLIXIN)	Olanzapine Pamoate Monohydrate (Zyprexa Relprevv)	Triflupromazine HCl (VESPERIN)
Fluphenazine HCl (PERMITIL, PROLIXIN)	Paliperidone (INVEGA)	Trihexyphenidyl HCl (ARTANE, TRIHEXY-5)
Haloperidol (HALDOL)	Paliperidone Palmitate (Invega Sustenna)	Ziprasidone (GEODON)
Haloperidol Decanoate (HALDOL-D)	Perphenazine (TRILAFON)	
Haloperidol Lactate (HALDOL)	Phenelzine Sulfate (NARDIL)	

- List may not be inclusive.

HIV DRUGS (Listed by Generic Name)		
Abacavir/Lamivudine/Zidovudine (TRIZIVIR)	Etravirine (INTELENCE)	Rilpivirine Hydrochloride (EDURANT)
Abacavir Sulfate (ZIAGEN)	Fosamprenavir Calcium (LEXIVA)	Saquinavir (INVIRASE, FORTOVASE)
Amprenavir (AGENERASE)	Indinavir Sulfate (CRIXIVAN)	Stavudine (ZERIT)
Atazanavir (REYATAZ)	Lamivudine (EPIVIR)	Telbivudine (TYZEKA) for Dx: HIV
Darunavir Ethanolate (PREZISTA)	Lopinavir/Ritonavir (KALETRA)	Tenofovir Disoproxil-Emtricitabine (TRUVADA)
Delavirdine Mesylate (RESCRIPTOR)	Maraviroc (SELZENTRY)	Tenofovir Disoproxil (VIREAD)
Efavirenz (SUSTIVA)	Nelfinavir Mesylate (VIRACEPT)	Tipranavir (APTIVUS)
Efavirenz/Emtricitabine/ Tenofovir Disoproxil Fumarate (ATRIPLA)	Nevirapine (VIRAMUNE)	Zidovudine/Lamivudine combination (COMBIVIR)
Emtricitabine (EMTRIVA)	Ritonavir (NORVIR)	
Enfuvirtide (FUZEON)	Raltegravir Potassium (ISENTRESS)	

-List may not be inclusive.

Detoxification/Dependency Agents (Listed by Generic Name)		
Acamprosate Calcium (CAMPRAL)	Buprenorphine HCl (SUBUTEX, BUPRENEX)	Naltrexone Microsphere Injectable Suspension (VIVITROL)
Buprenorphine/Naloxone HCl (SUBOXONE)	Buprenorphine transdermal patch (Butrans)	

Medi-Cal/Healthy Families Drug Formulary • 2010

A

Acarbose	7
ACCOLATE	33, 35
ACCUPRIL	14
Acetaminophen	4
Acetaminophen/Codeine	4
Acetate	19, 22, 29
Acetazolamide	16
Acetic Acid	31
Aclometasone Dipropionate 0.05% Cream, Oint21	
ACLOVATE	21
ACREASE	25
ACTIFED – OTC*	32
ACTIFED– OTC*	8
ACTONEL	23, 35
ACTOPLUS MET	7
ACTOS	7, 35
ACULAR, LS	30
Acyclovir	10
ADALAT CC	14
Adalimumab	6
ADDERALL, XR	18
Adefovir	36
ADVAIR	33, 35
ADVAIR DISKUS	33
ADVAIR HFA	33
ADVICOR	12
AEROCHAMBER	34
AKINETON	28
AK-TRACIN	30
Albuterol	32, 34, 38, 40
Albuterol Extended Release	32
ALDACTONE	15
ALDARA Cream	35
ALDOMET	15
Alendronate	23, 36
Alendrotena	23
ALESSE	18
Alfuzosin	26, 40
Alkaloids/Phenobarbital	25
ALKERAN	12
All Insulins	37
Allopurinol	5
ALPHAGAN	31
Alprazolam	16
Altretamine	12
Alum/Mag Hydroxide	24
ALUPENT	32
Amantadine	10, 28
AMARYL	6
AMBIEN	17, 35
Amiodarone	14
Amitriptyline	16
Amlodipine	14, 38
Amoxapine	16

Amoxicillin	8
Amoxicillin/Clavulanate	8
Amphetamine, Mixed Salts, Extended Release 18	
Ampicillin	8
ANAFRANIL	16
ANAPROX, ANAPROX DS – OTC	5
Anastrozole	12
ANSAID	5
ANTABUSE	18
Anthrakin	22
ANTIVERT	24
ANUSOL HC Supp	22
APAP/ASA/Caffeine	6
APIDRA	7
APRESOLINE	16
AQUASOL A	26
ARAVA	35
ARIMIDEX	12
ARISTOCORT	22
ARMOUR THYROID	23
AROMASIN	12
ARTANE	28
ARTHROTEC	5, 35
ASACOL	25
ASCENDIN	16
ASMANEX	33
ASODEX	12
Aspirin	4, 27
ASPIRIN – OTC*	4, 27
ATACAND	15
ATARAX	8
Atenolol	13
Atenolol/Chlorthalidone	13
ATIVAN	16
Atomoxetine	18, 39
Atorvastatin	11, 37
Atropine	31
ATROVENT	33, 35
Attapulgit	25
Augmented Betamethasone Dipropionate	22
AUGMENTIN	8
AURALGAN	31
AVAPRO	15
AVAR	20
AVONEX	29
AYGESTIN	20
Azathioprine	13
Azithromycin	9
AZULFIDINE	25

B

Bacitracin	21, 30
BACITRACIN – OTC	21
Bacitracin, Zinc Ointment	21
Bacitracin/Polymyxin B Oint	21

Medi-Cal/Healthy Families Drug Formulary • 2010

Baclofen.....	28
BACTRIM	10
BACTROBAN.....	21
BALSALAZIDE.....	25
Balsalazide Disodium Cap.....	25
Barium Enema Prep Kit.....	25
Becaplermin	38
Beclomethasone.....	33, 35
Belladonna	25
BENADRYL– OTC*.....	7
Benazepril	14
BENEMID	6
BENICAR	15
BENTYL.....	25
Benzocaine/Antipyrine.....	31
Benzonatate	32
BENZOYL PEROXIDE	20
Benzoyl Peroxide Liquid, Lotion, Gel.....	20
Benzotropine	28
Benzyl Alcohol Lotion	22
BETAGAN	31
Betamethasone	22, 36, 37
BETAPACE, AF.....	14
Bethanechol	26
BETOPTIC	31
Bexarotene	12
BIAXIN	9, 35
Bicalutamide C.....	12
Bimatoprost Ophth Sol	31
Biperiden HCl.....	28
Bisacodyl	25
Bismuth Subsalicylate.....	24, 25
Bisoprolol Fumerate.....	13
Bisoprolol/HCTZ	14
BLEPH-10	30
BLEPHAMIDE.....	30
Blood Glucose Meter	7
Boceprevir	10
BONIVA	23, 35
BRETHINE	32
BREVICON.....	18
Brimonidine 0.2%	31
Brimonidine/Timolol	31
BROMDEC	32
Bromocriptine.....	23, 28
Brompheniramine/Decongestant.....	8, 32
Brompheniramine/Pseudoephedrine.....	32
Budesonide/Formoterol	33
Bumetanide	15
BUMEX	15
Bupropion SR.....	17, 18, 40
Bupropion.....	17, 18
BUSPAR.....	16
Buspirone	16
Busulfan.....	12
Butalbital/APAP/Caffeine Tab	4
Butalbital/ASA/Caffeine	4
Butoconazole	26

Butorphanol	4, 39
BYETTA	35

C

CAFERGOT.....	6
CALAMINE – OTC.....	23
Calamine Lotion	23
CALAN, SR.....	14
CALCIFEROL.....	23
Calcipotriene	22, 36
Calcitonin	23, 37
Calcitonin Salmon.....	23
Calcitriol.....	29
Calcium Acetate	29
Calcium Carbonate.....	24, 29
Candesartan	15
CAPOTEN.....	14
CAPOZIDE	14
Captopril.....	14
Captopril/HCTZ	14
CARAFATE.....	24
Carbamazepine Cap SR	28
Carbamazepine, SR.....	27
Carbamide Peroxide.....	31
CARBATROL	28
Carbidopa/Levodopa, CR	28
Carbidopa/Levodopa/.....	28
CARDIZEM SR	14
CARDURA	15, 26
Carisoprodol	28
CARNITOR.....	29
Carvedilol	13, 35
CATAPRES	15
CDZ/Clidinium	25
CECLOR	8
CEENU	12
Cefaclor	8
Cefadroxil	9, 36
Cefdinir	8
Cefixime	8, 39
Cefprozil	9
CEFTIN	8
Cefuroxime Susp	8
CEFZIL	9
CELEBREX.....	5
CELEXA	17
CELLCEPT	13, 35
Celocoxib	5
Cephalexin	9
Cephadrine.....	9
CEPHULAC – OTC*	25
CERISA WASH	20
Certirizine/Pseudoephedrine.....	8
CERUMENEX	31
Cetirizine	8
CHANTIX	18, 35

Medi-Cal/Healthy Families Drug Formulary • 2010

Chapter 1 ANALGESICS.....	1, 4
Chloral Hydrate.....	17
Chlorambucil.....	12
Chloramphenicol.....	30
Chlordiazepoxide.....	16
Chlorobutanol.....	31
CHLOROPTIC.....	30
Chlorpheniramine.....	7, 32
Chlorpropamide.....	6
CHLOR-TRIMETON – OTC*.....	7
Chlortrimeton/Decongestant Tab, Elixir, Syrup...8	
Cholestyramine, Light.....	12
Choline & Magnesium Salicylate.....	4
Ciclopirox.....	21, 37
Cimetidine.....	24
Cimetidine Tab, Syrup.....	24
CIPRO.....	9
CIPRODEX.....	31
Ciprofloxacin.....	9
Ciprofloxacin/Dexamethasone.....	31
Citalopram.....	17
Clarithromycin.....	9, 35
CLARITIN– OTC*.....	8
CLARITIN-D – OTC*.....	8
Clemastine Tab, Syrup.....	7
CLEOCIN.....	11, 26
CLEOCIN-T Gel.....	20
CLEOCINT Soln.....	20
Climara.....	20
CLIMARA.....	20
Clindamycin.....	11, 20, 26
Clindamycin 1% Topical Gel.....	20
Clobetasol Propionate 0.05% Cream, Oint, Soln22	
Clomipramine.....	16
Clonazepam.....	27
Clonidine Tab & Patch.....	15
Clopidogrel.....	27
Clotrimazole (Troches only).....	10
Clotrimazole Cream, Soln.....	21
Clotrimazole Troche.....	23
Clotrimazole/Betamethasone.....	21
Codeine/Promethazine.....	32
COGENTIN.....	28
COLACE – OTC*.....	25
Colchicine.....	5
COLCHICINE.....	5
Colesevelam.....	12
COLYTE, Flavored.....	25
COMBIGAN.....	31
COMBIPATCH.....	20
COMBIVENT.....	34
COMPAZINE.....	24
COMTAN.....	28
Condoms.....	34
CONDOMS – Various OTC*.....	34
Conjugated.....	20
Conjugated Estrogen Vaginal Cream.....	26
CONTAC Tab – OTC*.....	8

CONTACT 12 Hr – OTC*.....	32
COPAXONE.....	29
CORDARONE.....	14
COREG.....	13, 35
CORGARD.....	13
CORTEF.....	23
CORTISPORIN.....	30, 31
COTAZYME.....	25
COUMADIN.....	3, 27
COZAAR.....	15
CREON.....	25
CRESTOR.....	12, 35
Cromolyn.....	27, 34
Cyclobenzaprine.....	28
CYCLOGYL.....	31
Cyclopentolate.....	31
Cyclophosphamide.....	12
Cyclosporine.....	3, 13, 39
Cyclosporine Ophthalmic.....	39
CYCRIN.....	20
Cyproheptadine.....	7
CYTOTEC.....	24
CYTOXAN.....	12

D

DALMANE.....	17
Danazol.....	20
DANOCRINE.....	20
DARAPRIM.....	11
DAYPRO.....	5, 35
DAYTRANA.....	35
DDAVP.....	23
DEBROX – OTC*.....	31
DECADRON.....	23, 30
DEPAKENE.....	28
DEPAKOTE ER.....	6
DEPAKOTE, ER.....	27
DEPO-PROVERA.....	19
DERMA-SMOOTH OIL /FS BODY, DERMA-SMOOTH OIL/FS SCALP.....	21
DERMATOP.....	36
Desipramine.....	16
Desmopressin.....	23
DESOGEN-28.....	18
Desogest-Eth Estrad & Eth Estrad.....	18
Desogestrel & Ethinyl Estradiol Tab.....	18
Desonide.....	21
Desonide Lotion 0.05%.....	21
DESOWEN.....	21
Desoximetasone 0.05%, 0.25% Cream, 0.05% Gel, 0.25% Oint.....	22
DESQUAM-X - OTC.....	20
DESYREL.....	17
DETROL.....	36
Dexamethasone.....	23
Dexamethasone 0.1%.....	30

Medi-Cal/Healthy Families Drug Formulary • 2010

DEXEDRINE	18
Dextroamphetamine	18
Dextromethophan	32
DIABETA	6
DIABINESE	6
DIAMOX	16
Diaphragm	34
DIAPHRAGM - Various	34
DIASTAT	28
Diazepam	16
Diazepam Rectal Gel Delivery System	28
Dichloralphenazone/APAP	6
Diclofenac	5, 30, 35
Diclofenac/Misoprostol	5
Dicloxacillin	8
Dicyclomine	25
Diethylstilbestrol	12
Diflorasone Diacetate	22, 36, 38
DIFLUCAN	10, 26, 36
Digoxin	3, 13
Dihydroergotamine	6, 37
DILACOR XR	14
DILANTIN	3, 27
DILATRATE SR	13
DILAUDID	4
Diltiazem, ER	14
DIMETAPP	8
DIMETAPP- OTC*	32
DIOVAN	15
DIOVAN HCT	15
Diphenhydramine	7
Diphenoxylate/Atropine	25
Dipivefrin	31
DIPROLENE	22, 36
Dipropionate	22
DIPROSONE	22
Dipyridamole	27
DISALCID	4
DISKUS	33
Disulfiram Tab	18
DITHROCREME	22
DITROPAN	26, 36
Divalproex ER	6
Divalproex Sodium	27
Docusate Sodium	25
DOLOPHINE, METHADOSE	4
DONNATAL	25
Dorzolamide HCl 1%	31
DOVONEX	22, 36
Doxazosin	15, 26, 38
Doxepin	16
Doxycycline Hyclate	9, 37
Dronedarone	14
Drospirenone-Ethinyl Estradiol	18
DULCOLAX - OTC*	25
DULERA	33
DURAGESIC	4, 36
DURICEF	9, 36

DYAZIDE	16
DYNAPEN	8

E

E.E.S.	9
EFFEXOR, XR	17
EFUDEX	23, 36
EFUDEX 5%	23
ELAVIL	16
ELDERPRYL	28
Eletriptan	6, 39
ELIDEL	23, 36
ELIMITE	22
ELLA	19
ELOCON	22, 36
EMCYT	12
Enalapril	14
ENBREL	6
Enoxaparin	27
ENSAM	28
Entacapone	28
ENTEX PSE	32
EPIFOAM	22
EPIFOAM AER 1%	22
EPIFRIN	31
Epinephrine HCl	31
Epinephrine Inj	34
Epoetin Alfa	27
ERGAMISOL	12
Ergocalciferol	23
Ergotamine/Caffeine	6
Erlotinib	13, 39
ERYCETTE	20
ERY-TAB Enteric Coated	9
ERYTHROCIN	9
ERYTHROMYCIN	20
Erythromycin 2% Gel	20
Erythromycin Base	9
Erythromycin Ethylsuccinate Tab & Liquid	9
Erythromycin Ophth Oint	30
Erythromycin Stearate	9
Erythromycin Susp	10
Erythromycin Topical Soln	20
Estazolam	17, 38
ESTRACE	20
ESTRADERM Patch	20
Estradiol	20, 26
Estradiol Valerate Dienogest	19
Estradiol/Norethindrone	20
Estradiol/Norethindrone Transdermal	20
Estramustine	12
ESTRATAB	20
Estrogen	20
Estrogens, Conjugated	20
Estrogens, Esterified	20
ESTROSTEP	19

Medi-Cal/Healthy Families Drug Formulary • 2010

Eszopiclone.....	37
Etanercept.....	6
Ethambutol.....	10
Ethinyl.....	18, 19, 20
Ethosuximide.....	27
Etodolac.....	5, 37
Etodolac CR.....	5
Etonogestrel/Ethinyl Estradiol.....	19
Etoposide.....	12
EUFLEXXA.....	29
EULEXIN.....	12
EVISTA.....	23
EXCEDRINE MIGRAINE – OTC*.....	6
Exemestane.....	12
Exenatide.....	35
EXTAVIA.....	29
E-Z SPACER.....	34

F

Famotidine.....	24
FARESTON.....	12
FELDENE.....	5
Felodipine.....	14, 38
FEMARA.....	12
FEMHRT.....	20
FEMSTAT 3 – OTC*.....	26
FENESIN DM.....	32
Fenofibrate.....	12, 37, 40
Fenofibrate 160mg.....	12
Fenofibrate Micro.....	12
Fentanyl Transdermal.....	4, 36
FEOSOL.....	29
FERGON – OTC*.....	29
Ferrous Gluconate.....	29
Ferrous Sulfate.....	29
Finasteride 5mg.....	26
FIORICET.....	4
FIORINAL.....	4
FLAGYL.....	11
Flecainide.....	14
FLEET PREP KIT.....	25
FLEXERIL.....	28
FLOMAX.....	26
FLONASE.....	27
FLORINEF.....	23
FLORONE.....	22, 36
FLORONE E.....	22
FLOVENT.....	33
FLOXIN.....	9, 31, 36
Fluconazole.....	10, 26, 36, 38
Fluconazole 150mg.....	26
Fluconazole 50mg, 100mg, 200mg Tablet; 70mg Suspension.....	10
Fludrocortisone Tab.....	23
Flunisolide.....	27, 35, 37
Fluocinolone.....	21

Fluocinolone Acetonide Oil.....	21
Fluocinonide.....	22
Fluorometholone 0.1%.....	30
Fluorouracil Topical.....	23
Fluoruracil Topical.....	36
Fluoxetine Cap & Soln.....	17
Flurazepam.....	17
Flurbiprofen.....	5, 30
Flutamide.....	12
Fluticasone.....	27, 33, 35, 37
Fluticasone/Salmeterol.....	33
FML.....	30
FML FORTE.....	30
Folic Acid.....	26
Folic Acid/B-12/Iron.....	26
FOLVITE.....	26
FORADIL.....	33
Formoterol Fumarate.....	33
FOSAMAX.....	23, 36
FULVICIN P/G.....	10
FULVICIN UF.....	10
Furosemide.....	15

G

Gabapentin.....	27, 39
GABITRIL.....	28
GARAMYCIN.....	21
Gatifloxacin.....	30, 40
Gemfibrozil.....	12, 37, 38
GENOPTIC.....	30
GENORA.....	18
Gentamicin Cream, Oint.....	21
GEODON.....	36
GLEEVEC.....	13, 36
Glimepiride.....	6
Glipizide.....	6
Glucagon Injection.....	7
GLUCAGON KIT.....	7
GLUCOPHAGE, XR.....	7
GLUCOTROL.....	6
GLUCOVANCE.....	6
Glyburide.....	6
Glyburide/Metformin.....	6
GLYNASE.....	6
GRANTRISIN.....	10
Griseofulvin.....	10, 37
Guaifenesin.....	32
Guaifenesin/Pseudoephedrine.....	32
GYNE SULF – OTC*.....	26
GYNE-LOTRIMIN – OTC*.....	26

H

Halcinonide.....	22, 36
HALCION.....	17

Medi-Cal/Healthy Families Drug Formulary • 2010

Halobetasol	22, 40
HALOG	22, 36
HALOG-E	22
HELIDAC	24
HESPERA	36
HEXALEN	12
HISTUSSIN HC, HISTINEX HC	32
HIV Medications	36
Homatropine	31
HUMIBID DM	32
HUMIRA	6
Hydralazine	16
HYDREA	12
Hydrochlorothiazide	15
Hydrocodone/APAP	4
Hydrocortisone	21, 22, 23, 31
Hydrocortisone Rectal Crm	22
Hydrocortisone Valerate Cream, Oint 0.2%	21
Hydrocortisone/Neomycin	30
HYDRODIURIL	15
Hydromorphone	4
Hydroxychloroquine	5
Hydroxyurea	12
Hydroxyzine HCl	8
Hydroxyzine Pamoate Cap	8
HYTRIN	15, 26
HYZAAR	15

I

Ibandronate	23, 35
Ibuprofen	5
ILOTYCIN	30
Imatinib	13, 36
IMDUR	13
Imipramine	16
Imiquimod	35
IMITREX	6
IMITREX Injection	36
IMMODIUM – OTC*	25
IMURAN	13
Indapamide	15
INDERAL	13
INDOCIN	5, 6
Indomethacin	5
Indomethacine	6
Inhaler Enhancement Device	34
INSPIREASE EASIVENT	34
Insulin Detemir	7
Insulin Glargine	7
Insulin Glulisine	7
INSULIN PEN Device	37
INTAL	34
Interferon Beta-1A IM Inj Kit	29
Interferon Beta-1B IM Inj Kit	29
Ipratropium	33, 34, 35
Ipratropium Inhaler & Neb Soln	33

Irbesartan	15
ISMO	13
Isometheptene	6
Isoniazid	10
ISONIAZID	10
ISOPTO ATROPINE	31
ISOPTO HOMATROPINE	31
ISOPTO HYOSCINE	31
ISORDIL	13
Isosorbide Dinitrate	13
Isosorbide Mononitrate, SR	13
Itraconazole	10, 38, 39

J

JANUMET	7, 37
JANUVIA	7, 37

K

KAOPECTATE – OTC*	25
K-DUR	29
KEFLEX	9
KENALOG	21, 22
KENALOG AER SPRAY	22
KEPPRA	28, 37
Ketoconazole	10, 37
Ketoconazole 1% Shampoo	21
Ketoconazole 2% Cream	21
Ketoconazole 2% Shampoo	21
Ketoprofen CR	5, 38
Ketoprofen CR Cap	5
Ketorolac	4, 30
Ketorolac Tromethamine	4
KLONOPIN	27
KLOR-CON	29
KLOTRIX	29
KOMBIGLYZA	7
K-TABS	29
KYTRIL	37

L

Labetalol	13
Lactulose	25
LAMICTAL	27, 37
LAMISIL	10, 37
Lamotrigine	37
Lamotrigine 25mg, 100mg, 150mg, 200mg	27
Lancets	7
LANCETS	7
LANOXIN	3, 13
Lansoprazole	24, 38
Lansoprazole Cap 30mg	24
LANTUS	7

Medi-Cal/Healthy Families Drug Formulary • 2010

LASIX.....	15
Latanoprost 0.005%.....	31
Leflunomide.....	35
Letrozole.....	12
LEUKERAN.....	12
Levamisole.....	12
LEVAQUIN.....	9, 37
LEVEMIR.....	7
Levetiracetam.....	37
Levetiracetam 250mg, 500mg, 750mg & 1000mg 28	
LEVLEN.....	18
LEVLITE.....	18
Levobunolol.....	31
Levocarnitine.....	29
Levofloxacin.....	9, 37
Levonorgestrel.....	19
Levonorgestrel & Ethinyl Estradiol.....	18
Levonorgestrel/Ethinyl Estradiol.....	19
Levothyroxine.....	3, 23
LEVOXYL.....	3, 23
LEVSIN.....	25
LEVSINEX.....	25
L-Hyoscyamine Sulfate.....	25
LIBRAX.....	25
LIBRIUM.....	16
LIDAMANTLE.....	21
LIDEX.....	22
Lidocaine Viscous.....	23
Lidocaine-Hydrocortisone Acetate 3-0.5% Cream, Lotion.....	21
LIGHT.....	12
LIORESAL.....	28
LIPITOR.....	11, 37
Lisdexamfetamine Dimesylate.....	18
Lisinopril.....	14
Lisinopril/HCTZ.....	15
LODINE.....	5, 37
LOESTRIN 1.5/30-21.....	18
LOESTRIN 1/20-21.....	18
LOESTRIN FE 1.5/30.....	19
LOESTRIN FE 1/20.....	19
LOFIBRA.....	12, 37
LOMOTIL.....	25
Lomustine.....	12
LO-OVRAL.....	19
Loperamide.....	25
LOPID.....	12
LOPRESSOR.....	13
LOPROX.....	21, 37
Loradine/Pseudoephedrine.....	8
Loratadine Tab, Syrup.....	8
Lorazepam.....	16
LORCET.....	4
LORTAB.....	4
Losartan Potassium.....	15
Losartan Potassium Hydrochlorothiazide	15
LOTENSIN.....	14
LOTRISONE.....	21, 37

Lovastatin.....	11
Lovastatin/Niacin Extended Release.....	12
LOVENOX.....	27
LOZOL.....	15
LUMIGAN.....	31
LUNESTA.....	37
LURIDE.....	29
LYRICA.....	37
LYSODREN.....	12

M

MAALOX TC – OTC*.....	24
MAALOX,.....	24
MACROBID.....	11
MACRODANTIN.....	11
MAG OXIDE.....	29
Magnesium Chloride.....	29
Magnesium Oxide.....	29
Malathion.....	22
MATULANE.....	12
MAXAIR AUTOHALER.....	32
MAXZIDE 25 & 50.....	16
Mebendazole.....	11
Meclizine Tab & Chewable Tab.....	24
MEDROL.....	23
Medroxyprogesterone.....	19, 20
MEGACE.....	12
Megestrol.....	12
Meloxicam.....	5
Melphalan.....	12
MEPHYTON.....	29
Mesalamine.....	25
MESTINON.....	29
Mesyate.....	36
METADATE CD.....	18
Metaproterenol.....	32
Metformin, SR.....	7
Methazolamide.....	16
METHERGINE.....	20
Methimazole.....	23
Methocarbamol.....	28
Methotrexate.....	5, 12, 35, 39
METHOTREXATE.....	5
Methyl dopa.....	15
Methylergonovine.....	20
Methylphenidate ER.....	18
Methylphenidate Patch.....	35
Methylprednisolone.....	23
Metoclopramide.....	25
Metolazone.....	15
Metoprolol.....	13
METROCREAM 0.75%.....	21
METROGEL 0.75%.....	21
METROGEL 1%.....	21
METROGEL VAGINAL.....	26
Metronidazole.....	11, 24, 26

Medi-Cal/Healthy Families Drug Formulary • 2010

Metronidazole 0.75% Cream, Gel	21
Metronidazole Gel 1%	21
MEVACOR	11
MIACALCIN Nasal Spray	23, 37
MICARDIS	15
Miconazole Cream	21, 26
MICROCHAMBER	34
MICRONOR	19
MIDRIN	6
MIGRANAL	6, 37
MIGRANAL Nasal Spray	6
Milnacipran	39
MINIPRESS	15
MINOCIN	9, 37
Minocycline Cap	9
Minocycline HCl	37
MIRALAX	25
MIRAPEX	28
MIRCETTE	18
Mirtazapine (regular tab)	16
Misoprostol	24, 35
Mitotane	12
MOBIC	5
MODICON	18
Mometasone	22, 27, 33, 36, 37
Mometasone Furoate	22, 33
Mometasone Furoate-Fumarate	33
MONISTAT – OTC	21
MONISTAT 3, 7 – OTC*	26
Monohydrate Macrocrystals LA	11
MONOKET	13
Montelukast	33, 39
Morphine Sulfate CR	4
Morphine Sulfate IR	4
MOTRIN – OTC*	5
Moxifloxacin	30, 40
MS CONTIN, ORAMORPH SR	4
MULTAQ	14
Multi-Vitamin & Flouride	29
Mupirocin Oint	21
MYAMBUTOL	10
MYCELEX	10, 23
MYCELEX – OTC	21
MYCOLOG II	21
Mycophenolate Mofetil	13, 35
MYCOSTATIN	10, 21, 23, 26
MYDRIACIL	31
MYLANTA	24
MYLANTA II – OTC*	24
MYLERAN	12
MYLICON – OTC*	24
MYSOLINE	27

Nafarelin	20
NAPROSYN – OTC	5
Naproxen	5
Naproxen Sodium	5
NASACORT AQ	37
NASALCROM – OTC*	27
NASAREL	27
NASONEX	27, 37
NATACYN	30
Natamycin 5%	30
NATAZIA	19
NATROBA	22
NECON	18
Nedocromil Sodium Inhaler	34
Nefazodone	16
Neomycin	10, 21, 30, 31
NEOMYCIN	10
Neomycin/Polymyxin B/	30
NEORAL	3, 13, 39
NEOSPORIN	21, 30
NEOSPORIN - OTC	21
NEPTAZANE	16
NEURONTIN	27
NEXT CHOICE	19
Niacin	12, 38, 39
NIACIN	12
Niacin SR	12
NIASPAN	12
NICODERM CQ	18
NICORETTE Gum – OTC	18
NICORETTE Gum (OTC)	37
Nicotine Inhaler	18
Nicotine Nasal Spray	37
Nicotine Polacrilex	18, 37
Nicotine Transdermal	18, 37
NICOTROL	18, 37
NICOTROL (15mg) - OTC	18
NICOTROL Inhaler	18
NICOTROL Nasal Spray	37
Nifedipine Cap	14
Nifedipine SR	14
NIFEREX ON	29
NIFEREX-150 FORTE	26
NITRO-BID CR	13
NITRO-DUR	13
Nitrofurantoin	11
Nitrofurantoin Monohydrate	11
Nitroglycerin 0.4mg Pump Spray	13
Nitroglycerin Oint	13
Nitroglycerin Patch	13
Nitroglycerin SL Tab	13
Nitroglycerin SR Cap	13
NITROL	13
NITROLINGUAL	13
NITROSTAT	13
NIX – OTC	22
NIZORAL	10, 21, 37
NIZORAL A-D	21

N

Nabumetone	5, 38
Nadolol	13

Medi-Cal/Healthy Families Drug Formulary • 2010

NOCTEC	17
NOLVADEX.....	12
NORCO	4
NORDETTE	18
Norelgestromin/Ethinyl Estradiol	19
Norethindone	19
Norethindone/Ethinyl Estradiol.....	19
Norethindrone & Ethinyl Estradiol.....	18
Norethindrone & Mestranol.....	19
Norethindrone Ace & Ethinyl Estradiol.....	18, 19
Norethindrone Acetate.....	20
Norethindrone/Ethinyl Estradiol.....	19
NORFLEX	28
NORGESIC	28, 38
NORGESIC FORTE.....	38
NORGESIC, FORTE	28
Norgestimate & Ethinyl Estradiol.....	19
Norgestimate/Ethinyl Estradiol	19
Norgestrel.....	19
Norgestrel & Ethinyl Estradiol.....	19
NORINYL 1+35.....	18
NORINYL 1+50.....	19
NORMODYNE.....	13
NORPRAMIN	16
NOR-QD	19
Nortriptyline	16
NORVASC.....	14
NOXAFIL	10, 38
NUVARING	19
NYAMYC	21
Nystatin.....	10, 21, 23, 26
NYSTAT-RX.....	21

O

OCUFEN	30
OCUFLOX.....	30
Ofloxacin	9, 30, 36
Ofloxacin Otic.....	31
Olanzapine	40
Olapatadine HCl Ophth Sol	30
Olmesartan	15
OMACOR	38
Omega-3-Acid Ethyl Esters.....	38
Omeprazole.....	24
Omeprazole DR 20mg Tab.....	24
OMNICEF.....	8
Ondansetron Tab, ODT.....	24
ONGLYZA	7
OPTICHAMBER.....	34
ORASONE	23
ORINASE	6
Orphenadrine Citrate.....	28
Orphenadrine/ASA/Caffeine	28, 38
ORTHO EVRA PATCH.....	19
ORTHO TRI-CYCLEN.....	19
ORTHO-CEPT.....	18

ORTHO-CYCLEN.....	19
ORTHO-NOVUM 1/35.....	18
ORTHO-NOVUM 1/50.....	19
ORTHO-NOVUM 10/11.....	19
ORTHO-NOVUM 7/7/7.....	19
ORUVAIL	5, 38
OS-CAL.....	29
Oseltamivir.....	10
OVCON 35.....	18
OVCON 50.....	18
OVRAL	19
OVRETTE	19
Oxaprozin	5, 35
Oxazepam.....	16
Oxcarbazepine	40
Oxy IR.....	4
Oxybutynin	26, 36
Oxycodone CR.....	38
Oxycodone HCl, CR	5
Oxycodone IR.....	4
Oxycodone/APAP.....	4, 5, 38
Oxycodone/ASA	5, 38
OXYCONTIN	5, 38

P

PACERONE.....	14
PAMELOR	16
PANCREAZE	25
Pantoprazole	38
PARLODEL.....	23
PARODEL.....	28
Paroxetine.....	17
PATANOL	30
PAXIL	17
PEDIACARE COUGH – OTC*.....	32
PEDIACARE DECONGESTANT & COUGH – OTC*	32
PEDIALYTE – OTC*	29
Pediatric Electrolyte Soln.....	29
PEDIAZOLE.....	10
PEG Solution.....	25
PEGASYS Inj	10
Peginterferon Alfa-2A.....	10
Peginterferon Alfa-2B.....	10
PEG-INTRON Inj	10
Penicillin	8
PENTASA	25
Pentoxifylline	27
PEPCID AC - OTC.....	24
PEPTO BISMOL – OTC*	25
PERCOCET	4, 5, 38
PERCODAN	5, 38
Perethins Combo	22
PERIACTIN – OTC*	7
Permethrin	22
PERSANTINE	27

Medi-Cal/Healthy Families Drug Formulary • 2010

Phenazopyridine.....	26	PRENAVITE	29
PHENERGAN	24	PREVACID	24, 38
PHENERGAN DM.....	32	PREVACID 24 Hr – OTC.....	24
PHENERGAN VC/CODEINE	32	PRILOSEC.....	24
PHENERGAN/CODEINE	32	PRIMAQUINE.....	11
Phenobarbital.....	27	Primaquine Phosphate.....	11
PHENOBARBITAL.....	27	Primidone.....	27
Phenytoin.....	3, 27	PRINCIPEN	8
PHOSLO.....	29	PROAIR HFA.....	32
PILOCAR.....	31	Probanthelene.....	25
Pilocarpine HCl.....	31	PRO-BANTHINE.....	25
Pimecrolimus	23, 36	Probenecid.....	6
Pimecrolimus Ointment	23	Procainamide, SR.....	14
Pioglitazone (ST).....	7	PROCANBID	14
Pioglitazone/Metformin (ST).....	7	Procarbazine	12
Pirbuterol	32	PROCARDIA.....	14
Piroxicam.....	5	Prochlorperazine.....	24
PLAN B	19	PROCRIT.....	27
PLAQUENIL.....	5	PROCTOCREAM HC 2.5%.....	22
PLAVIX	27	PROGRAF.....	13, 38
PLENDIL.....	14, 38	Promethazine	24, 32
PN FORTE	29	PRONESTYL.....	14
Polyethylene Glycol 3350 Powder.....	25	Propafenone	14
POLY-HISTINE.....	8, 32	PROPINE.....	31
POLY-HISTINE – OTC*	8	Propranolol	13
Polymycin/TMP.....	30	Propylthiouracil.....	23
Polymyxin B Otic	31	PROSCAR	26
Polymyxin Oint.....	21	PROSOM.....	17, 38
POLYPRED.....	30	PROTONIX.....	38
POLYSPORIN	21	PROTOPIC.....	23, 38
POLYTRIM.....	30	PROVENTIL	32, 38
Posaconazole.....	10, 38	PROVERA,	20
Potassium.....	8, 15, 29	PROZAC	17
Pramipexole	28	Pseudoephedrine.....	8, 32
Pramlintide	39	Pseudoephedrine/Chlorpheniramine/.....	32
Pramoxine	22	Pseudoephedrine/Dextromethophan	32
Pramoxine-HC Aerosol Foam.....	22	PSORCON.....	22, 38
PRANDIN	7, 38	PTU.....	23
PRAVACHOL.....	11	PULMICORT	33
Pravastatin	11	PURINETHOL	12
Prazosin.....	15	Pyrazinamide.....	10
PRECOSE.....	7	PYRAZINAMIDE.....	10
PRED FORTE.....	30	PYRIDIDIUM	26
PRED MILD.....	30	Pyridostigmine.....	29
PRED-G.....	30	Pyridoxine	10
Prednicarbate.....	22, 36	Pyril/Phenyltolox/Pheniramine	8, 32
Prednisolone	23, 30	Pyrimethamine	11
Prednisolone 0.6%/ Tobramycin/Dexamethasone 30			
Prednisolone 1%/Gentamicin	30		
Prednisone Tab, Sol	23		
Pregabalin	37		
PRELONE.....	23		
PREMARIN	20, 26		
PREMPHASE	20		
PREMPRO	20		
PREMPRO LOW-DOSE.....	20		
Prenatal Vitamin FE.....	29		
PRENATAL-S	29		

Q

QUESTRAN.....	12
QUINAGLUTE	14
Quinapril.....	14
QUINIDEX.....	14
Quinidine Gluconate.....	14
Quinidine Sulfate, SR.....	14
QVAR	33

Medi-Cal/Healthy Families Drug Formulary • 2010

R

Raloxifene	23
Ramelteon	39
Ranitidine Tab, Syrup	24
RAPAFLO	38
RAPAMUNE	13, 38
Recombinant	27
REGLAN	25
REGRANEX	38
RELAFEN	5, 38
RELENZA	10, 38
RELPAK	6, 39
REMERON	16
RENVELA	29
Repaglinide	7, 38
REQUIP	28
RESTASIS	39
RESTORIL	17
RETIN A	20
REVATIO	39
RHEUMATREX	12
RID, A-200 - OTC	22
RIFADIN	10
Rifampin	10
Risedronate	23, 35
RISPERDAL	39
Risperidone	39
RITALIN, SR	18
ROBAXIN	28
ROBITUSSIN AC	32
ROBITUSSIN DM – OTC*	32
ROBITUSSIN Syrup– OTC*	32
ROCALTROL	29
ROLAIDS – OTC*	24
RONDEC – OTC*	8
RONDEC DM	32
Ropinirole	28
Rosuvastatin	12, 35
ROZEREM	39
RYTHMOL	14

S

Salmeterol	33, 35
Salsalate	4
SANDIMMUNE	3, 13, 39
SAVELLA	39
Saxagliptin	7
Saxagliptin/Metformin	7
Scopolamine	31
Selegiline	28
Selenium Sulfide	23, 37
SELSUN Shampoo- RX	23
Senna	25

SENNA – OTC*	25
Sennosides/Docusate	25
SENOKOT S – OTC*	25
SEPTRA	10
SERAX	16
SEREVENT	33
Sertraline	17
SERZONE	16
Sevelamer	29
Silfenadil	39
Silodosin	38
SILVADENE	21
Silver Sulfadiazine	21
SIMCOR	12, 39
Simethicone	24
Simvastatin	11, 12, 35, 37, 39, 40
Simvastatin 80mg	11
Simvastatin/Niacin	12
SINEMET, CR	28
SINEQUAN	16
SINGULAIR	33, 39
Sirolimus	13, 38
Sitagliptin	7, 37
SLO-BID GYROCAPS	33
SLO-NIACIN	12
SLOW MAG	29
SMZ/TMP	10
Sodium Fluoride	29
Sodium Hyaluronate Intra-Articular	29
SODIUM SULAMYD	30
SOMA	28
Somatropin	24
SONATA	17, 39
Sotalol, AF	14
SPERMICIDAL – Various OTC*	34
Spermicidal Jelly, Foam, Film	34
Spinosad	22
SPIRIVA	33, 39
Spiroinolactone	15
SPORANOX	10, 39
STADOL Nasal Spray	4, 39
STALEVO	28
STAVZOR	28
STILPHOSTROL	12
STRATTERA	18, 39
Sucralfate	24
SUDAFED – OTC*	32
Sulfacetamide	30
Sulfasalazine	25, 35
Sulfisoxazole	10
Sulfonyleureas	6, 37, 38
Sumatriptan	6, 36
SUMYCIN	9
SUPRAX	8, 39
SYMBICORT	33, 39
SYMLIN	39
SYMMETREL	10, 28
SYNALAR	21

Medi-Cal/Healthy Families Drug Formulary • 2010

SYNAREL.....	20
Syringes.....	7

T

Tablet Splitter.....	34
TABLET SPLITTER – Various OTC*	34
Tacrolimus.....	13, 38
Tacrolimus Ointment.....	23
TAGAMET.....	24
TAMBOCOR.....	14
TAMIFLU.....	10
Tamoxifen.....	12
Tamsulosin.....	26, 38
TAPAZOLE.....	23
TARCEVA.....	13, 39
TARGRETIN.....	12
TAVIST– OTC*	7
Tazarotene topical gel.....	23
TAZORAC.....	23, 39
TEGRETOL, XR.....	27
Telmisartan.....	15
Temazepam Cap.....	17
TEMOVATE.....	22
TENORETIC.....	13
TENORMIN.....	13
Terazosin.....	15, 26, 38
Terbinafine.....	10, 37
Terbutaline.....	32
Teremefine.....	12
TESSALON PERLES.....	32
Test Strips.....	7
TESTODERM Patch.....	20, 39
Tetracycline Cap & Tab.....	9
TEV-TROPIN.....	24
THEO-DUR.....	33
Theophylline.....	33
Theophylline 8-12 Hr SR.....	33
Theophylline 8-24 Hr SR.....	33
Thyroid Dessicated.....	23
Tiagabine.....	28
TIAZAC.....	14
TIGAN.....	25
TILADE.....	34
Timolol Maleate.....	31
TIMOPTIC.....	31
TIMOPTIC OCUDUSE.....	31
TINACTIN - OTC.....	21
Tiotropium.....	33, 39
TOBRADEX.....	30
Tobramycin.....	30
TOBEX.....	30
TOFRANIL.....	16
Tolazamide.....	6
Tolbutamide.....	6
TOLINASE.....	6
Tolnaftate Cream.....	21

Tolterodine.....	36
TOPAMAX.....	28, 40
TOPICORT.....	22
Topiramate.....	28, 40
TOPROL XL.....	13
TORADOL.....	4
Tramadol HCl.....	4
Transdermal.....	19, 20
TRAVATAN Z.....	31
Travoprost Ophth Soln.....	31
Trazodone.....	17
TRENTAL.....	27
Tretinoin.....	12, 20
Triamcinolone Acetonide.....	21, 37
Triamcinolone Acetonide Aerosol Soln.....	22
Triamcinolone Acetonide Lotion 0.025%, 0.1%.....	22
Triamterene/HCTZ.....	16
Triazolam.....	17
TRICOR.....	12, 40
TRIDESILON.....	21
Trifluridine.....	30
Trihexyphenidyl.....	28
TRILEPTAL.....	40
TRILISATE.....	4
Trimethobenzamide.....	25
Trimethoprim.....	11
TRIMOX.....	8
TRIMPEX.....	11
TRIPHASIL.....	19
Tripolidine/Pseudoephedrine Tab, Syrup.....	8
Tropicamide.....	31
TRUE TEST.....	7
TRUE TRACK.....	7
TRUSOPT.....	31
TUMS.....	24, 29
TUSSI-ORGANIDIN DM NR.....	32
TUSSI-ORGANIDIN NR.....	32
TWINJECT.....	34
TYLENOL – OTC*	4
TYLENOL/CODEINE.....	4

U

ULESFIA.....	22
Ulipristal Acetate Tab.....	19
ULTRAM.....	4
ULTRAVATE.....	22, 40
UNIPHYL.....	33
URECHOLINE.....	26
UROXATRAL.....	26, 40

V

VAGIFEM.....	26
VALISONE.....	22
VALIUM.....	16

Medi-Cal/Healthy Families Drug Formulary • 2010

Valporic Acid Delayed Release	28
Valproic Acid	28
Valsartan	15
Valsartan/HCTZ	15
Vaporizer	34
VAPORIZER – Various OTC*	34
Varenicline	18, 35
VASOTEC	14
VELOSEF	9
Venlafaxine, XR	17
VENTOLIN	32
VEPESID	12
Verapamil, SR	14
VERMOX	11
VESANOID	12
VFEND	10, 40
VIBRATAB	9
VICODIN	4
VICODIN ES	4
VICTRELIS	10
VIGAMOX	30, 40
VIOKASE	25
VIROPTIC	30
VISTARIL	8
Vitamin A	26
VITAMIN B-6	10
Vitamin K	29
VIVELLE	20
VK VEETIDS	8
VOLMAX	32
VOLTAREN	5, 30
Voriconazole	10, 40
VOSOL	31
VYTORIN	12, 40
VYVANSE	18

W

Warfarin Sodium	27
WELCHOL	12, 40
WELLBUTRIN	17, 40
WELLBUTRIN SR	17, 40
WESTCORT	21

X

XALATAN	31
XANAX	16
XYLOCAINE	23

Y

YASMIN 28	18
-----------	----

Z

Zafirlukast	33, 35
Zaleplon	17, 39
Zanamivir Inhalation	10
Zanamivir	38
ZANTAC	24
ZARONTIN	27
ZAROXOLYN	15
ZEBETA	13
ZENPEP	25
ZESTORETIC	15
ZESTRIL	14
ZIAC	14
Ziprasidone	36
ZITHROMAX	9
ZOCOR	11
ZOFRAN	24, 40
Zolmitriptan	6, 40
ZOLOFT	17
Zolpidem	17, 35
ZOMIG	6, 40
ZOVIRAX	10
ZYBAN	18, 40
ZYLOPRIM	5
ZYMAR	30, 40
ZYPREXA	40
ZYRTEC	8