

CCS CONDITIONS MATRIX - QUICK REFERENCE GUIDE

ELIGIBLE CONDITIONS	INELIGIBLE CONDITIONS
Adrenal disorders	
AIDS	
Ambiguous genitalia	Amblyopia
Anemia – dietary deficiency, if causes life threatening complications	Anemia – dietary deficiency, simple
Anemia, aplastic	
Anemia, hemolytic	Autism
Aneurysm	
Arthrogyrosis	
Asthma, if CLD demonstrated by CXR or PFTs	
Biliary atresia	Behavioral disorders
Blindness, congenital or acquired	
Burns, 2nd & 3rd degree of face, ear, mouth, throat, genitals, perineum, major joints, hands, feet	Burns, minor
Burns, 3rd degree, >5% BSA, any age	
Burns, electrical	
Burns, other - specific criteria pg. 44	
Burns, w/inhalation injury, respiratory distress	
Cardiac dysrhythmias - requiring medical or surgical treatment	Cardiac dysrhythmias, no treatment required
Cataracts	
Cerebral hemorrhage	
Cerebral Palsy - specific criteria pg. 24	
Cholecystitis - if chronic & stones present	Chalazion
Cholelithiasis	
Cholesteatoma	
Chronic lung disease	
Chronic lung infections - abscess or bronchiectasis	
Chronic respiratory failure - ventilatory assistance	
Circulatory disorders, arterial, venous, lymphatic	
Cirrhosis	
Cleft lip & palate	
Club feet	
Congenital defects - **if amenable to cure, correction or amelioration** & disfigure or cause dysfunction	
Congenital heart defects - if treatment required	
Craniosynostosis	
Crohn's disease	
Cryptorchidism - if bilateral (undescended testicles)	Cryptorchidism - unilateral
Cystic Fibrosis	
Dacrocystitis - chronic	

CCS CONDITIONS MATRIX - QUICK REFERENCE GUIDE

Diabetes Mellitus	Developmental delay
Disseminated Intravascular Coagulation - DIC	Down's syndrome
Diverticulitis	
Epidermolysis bullosa	
Eye infections that may lead to blindness	
Femoral anteversion, if requires more than special shoes, splints, simple bracing	Femoral anteversion, if requires only special shoes, splints , simple bracing
Flat feet, if requires more than special shoes, splints, simple bracing	Flat feet, if requires only special shoes, splints , simple bracing
Foreign bodies - requiring surgery, could result in death or permanent dysfunction	Failure to thrive
Fracture, all bones (except mandible and nose), if ORIF needed, joints or growth plates involved or requires CR w/percutaneous pinning through a growth plate or joint	
Fracture, femur - no additional qualifiers	Fracture, mandible - simple
Fracture, orbital blow-out	Fracture, nasal bones - simple
Fracture, pelvis - no additional qualifiers	Fracture, mid-shaft, casting only
Fracture, skull - if CNS complications, disfiguring	
Fracture, spine - no additional qualifiers	
Gastroschisis	
GE reflux – if part of or complicates an eligible condition or is isolated w/complications like esophageal stricture or chronic aspiration pneumonia	GE reflux - simple, primary
Glaucoma	
Glomerulonephritis, acute – in presence of acute renal failure, malignant hypertension, or CHF	
Glomerulonephritis, chronic	
Growth Hormone Deficiency – growth chart must show a height of >3 standard deviations below mean for age or a linear growth rate <the 3 rd percentile for age	
Hearing Loss - specific criteria pg. 30	
Hearing loss risk factors or symptoms. CCS may open for diagnostic services leading to confirmation of condition	
Heart diseases, chronic	
Hemophilia	
Hernia, diaphragmatic	Hernia: umbilical, inguinal, Hydrocele
Hirschsprung's Disease	
HIV +	
Hydrocephalus	
Hydronephrosis, chronic	
Hydronephrosis, congenital	
Hypertension - primary, requires treatment	

CCS CONDITIONS MATRIX - QUICK REFERENCE GUIDE

Hypospadias	
Idiopathic Thrombocytopenic Purpura (ITP)	
Immune deficiency disorders, congenital or acquired	
Immunization reactions, severe - require extensive care	
Imperforate anus	
Inborn errors of metabolism	
Ingestion of drugs, poisons - accidental, life threatening	Ingestion of drugs, self-inflicted
Intervetebral disc herniation	
Joint infections, acute or chronic	
Juvenile Rheumatoid Arthritis	
Kawasaki disease, if cardiac involvement	
Knock knees, genu valgum, , if requires more than special shoes, splints, simple bracing	Knock knees - genu valgum, if requires only special shoes, splints , simple bracing
Kyphosis	
Lead poisoning - blood level 20 mcg or above	Learning disabilities
Leg length discrepancy	
Legg-Calve-Perthes disease	
Liver failure, acute or chronic	
Lymphedema - chronic	
Malabsorption syndromes	Meningitis - acute
Malocclusion, handicapping – subject to CCS screening	Mental retardation
Mastoiditis	
Microtia	Microcephaly
Multiple Sclerosis	Migraine headaches
Muscular Dystrophy	
Myasthenia Gravis	
Necrotizing enterocolitis (NEC)	
Neoplasms - all malignant, including blood & lymph systems	
Neoplasms, benign – if causes significant disability, dysfunction or visible deformity	
Nephritis, chronic	
Nephrotic syndrome, chronic	
Neurofibromatosis	
Omphalocele	Obesity, Exogenous
Optic atrophy, hypoplasia or neuritis	Orthodontia, routine
Osteochondroma	Otitis media, acute
Osteochondrosis	
Osteogenesis Imperfecta	
Osteomyelitis	
Otosclerosis	
Ovarian dysfunction	

CCS CONDITIONS MATRIX - QUICK REFERENCE GUIDE

Pancreatic disorders	
Pancreatitis - if chronic	
Paraplegia	
Parathyroid disorders	
Pemphigus erythematous, foliaceus, vegetans, vulgaris	
Peptic ulcer	
Perforated TM requiring tympanoplasty	
Phenylketonuria - PKU	
Pigeon toes - talipes varus, if requires more than special shoes, splints, simple bracing	Pigeon toes - talipes varus, requires only special shoes, splints , simple bracing
Pituitary disorders	
Pneumonia, aspiration – secondary to CCS condition	Pneumonia, acute
Poliomyelitis	Psychiatric illness
Poliomyelitis	Pyloric stenosis
Polycythemia	
Polydactyly, complex	
Precocious or delayed puberty	
Ptosis of eye lid	
Quadriplegia	
Renal calculus	
Respiratory infections- chronic, if causes significant disability & respiratory obstruction or complicates the management of a CCS eligible condition	Respiratory infections, acute, upper
Retinal detachment	
Retinopathy of prematurity	
Scars – involving joint & are disabling or disfiguring	
Scleroderma	
Scoliosis - 20 degree defect, X-ray only needed	Scoliosis - less than 20 degree
Seizure Disorders - specific criteria, pg. 24	Self-inflicted injuries, trauma
Sequelae of CNS infection if - e.g., motor or sensory deficit after meningitis	
Sickle Cell Anemia	
Skin diseases – persistent or progressive	
Slipped Capital Femoral Epiphysis	
Snake bite, poisonous - require complex care, life threatening	
Spider bite, poisonous - require complex care, life threatening	
Spina Bifida	
Strabismus if surgery is required	
Subarachnoid hemorrhage	
Syndactyly, complex	

CCS CONDITIONS MATRIX - QUICK REFERENCE GUIDE

Systemic Lupus Erythematosus	
Testicular dysfunction	
Thrombocytopenia	
Thromboembolism	
Thymus disorders	
Thyroid disorders	
Tibial torsion, , if requires more than special shoes, splints, simple bracing	Tibial torsion, , if requires only special shoes, splints, simple bracing
Tracheoesophageal fistula	
Ulcerative colitis	
Uropathies, obstructive - fistulas, strictures, adhesions, stones	
Vesiculoureteral reflux - grade II or greater	Visual deficits requiring glasses only