Measure/Data Element	2013	2012	National 75th Percentile
Adult BMI Assessment	60.00%	49.31%	70.60%
Weight Assess/Counsel - Nutrition/Phys Activity for Children			
BMI Percentile	47.45%	37.27%	66.67%
Counseling for Nutrition	44.21%	38.89%	67.15%
Counseling for Physical Activity	38.19%	36.11%	56.20%
Childhood Immunization Status			
DTaP	74.31%	73.38%	85.16%
IPV	88.43%	86.81%	94.65%
MMR	89.35%	87.73%	93.52%
HiB	87.50%	86.11%	94.79%
Hepatitis B	88.66%	87.27%	93.52%
VZV	89.81%	87.04%	93.19%
Pneumococcal Conjugate	75.00%	75.46%	85.16%
Hepatitis A	80.79%	37.04%	45.70%
Rotavirus	60.88%	59.49%	70.49%
Influenza	48.61%	40.97%	54.06%
Combination #2	69.91%	68.06%	80.79%
Combination #3	65.51%	64.58%	77.49%
Combination #4	61.81%	33.56%	40.39%
Combination #5	51.85%	48.15%	59.76%
Combination #6	40.97%	33.56%	45.50%
Combination #7	50.23%	26.85%	33.33%
Combination #8	40.05%	18.29%	25.69%
Combination #9	34.49%	25.46%	38.19%
Combination #10	34.03%	15.05%	21.41%
Immunizations for Adolescents			
Meningococcal	60.88%	50.00%	73.89%
Tdap/Td	71.53%	70.83%	85.16%
Combination #1	54.63%	48.84%	70.83%
Human Papillomavirus Vaccine for Female Adolescents	0.1644	NR	22.27%
Lead Screening in Children	67.13%	67.82%	81.86%
Breast Cancer Screening	45.91%	44.82%	56.58%
Cervical Cancer Screening	61.38%	65.12%	73.24%
Chlamydia Screening in Women			
16-20 Years	49.48%	50.50%	61.21%
21-24 Years	59.82%	61.16%	69.86%
Total	54.67%	55.72%	63.89%

Measure/Data Element	2013	2012	National 75th Percentile
Effectiveness of Care: Respiratory Conditions			
Appropriate Testing for Children w/ Pharyngitis	63.54%	63.87%	76.37%
Appropriate Treatment for Children w/ URI	81.59%	79.50%	89.96%
Avoidance of Antibiotic Treatment in Adults w/ Acute Bronchitis	18.95%	16.45%	26.67%
Spirometry Testing in the Assessment and Diagnosis of COPD	27.72%	32.23%	38.38%
Pharmacotherapy Management of COPD Exacerbation			
Systemic Corticosteroid	0.718	72.76%	72.76%
Bronchodilator	0.8608	86.23%	85.71%
Appropriate Medications for People w/ Asthma			
5-9 Years	Retired	Retired	NA
10-17 Years	Retired	Retired	NA
18-56 Years	Retired	Retired	NA
5-11 Years	88.87%	91.17%	93.83%
12-18 Years	83.03%	86.41%	89.56%
19-50 Years	0.6613	67.79%	80.99%
51-64 Years	0.5559	64.26%	81.51%
Total	77.93%	80.66%	88.19%
Medication Management for People w/ Asthma			
5-11 Years - Medication Compliance 50%	0.5025	NR	55.70%
5-11 Years - Medication Compliance 75%	0.2512	NR	32.18%
12-18 Years - Medication Compliance 50%	0.4899	NR	53.33%
12-18 Years - Medication Compliance 75%	0.2371	NR	31.48%
19-50 Years - Medication Compliance 50%	0.5876	NR	61.90%
19-50 Years - Medication Compliance 75%	0.3459	NR	39.68%
51-64 Years - Medication Compliance 50%	0.7471	NR	77.42%
51-64 Years - Medication Compliance 75%	0.4713	NR	55.71%
Total - Medication Compliance 50%	0.5363	NR	56.98%
Total - Medication Compliance 75%	0.2855	NR	33.71%
Asthma Medication Ratio			
5-11 Years	0.6951	DNE	NA
12-18 Years	0.6107	DNE	NA
19-50 Years	0.3838	DNE	NA
51-64 Years	0.3674	DNE	NA
Total	0.5555	DNE	NA
Effectiveness of Care: Cardiovascular			
Cholesterol Management - Patients w/ Cardiovascular Conditions			
LDL-C Screening Performed	72.41%	77.55%	85.12%
LDL-C Control (<100 mg/dL)	0.4106	42.36%	49.18%
Controlling High Blood Pressure	50.92%	59.38%	63.65%
Persistence of Beta-Blocker Treatment After a Heart Attack	90.34%	93.06%	88.24%

Measure/Data Element	2013	2012	National 75th Percentile
Effectiveness of Care: Diabetes			
Comprehensive Diabetes Care			
Hemoglobin A1c (HbA1c) Testing	79.91%	77.48%	87.01%
HbA1c Poor Control (>9.0%)	42.83%	46.80%	NA
HbA1c Control (<8.0%)	0.4879	49.01%	55.70%
HbA1c Control (<7.0%)	NR	NR	0.4164
Eye Exam (Retinal) Performed	55.19%	54.75%	61.75%
LDL-C Screening Performed	73.29%	70.64%	80.88%
LDL-C Control (<100 mg/dL)	33.77%	35.76%	41.02%
Medical Attention for Nephropathy	76.60%	73.95%	83.03%
Blood Pressure Control (<140/80 mm Hg)	0.3687	NR	46.20%
Blood Pressure Control (<140/90 mm Hg)	56.73%	58.28%	69.82%
Effectiveness of Care: Musculoskeletal			
Anti-Rheumatic Drug Therapy - Rheumatoid Arthritis	0.562	NR	75.09%
Use of Imaging Studies for Low Back Pain	71.27%	70.69%	79.38%
Effectiveness of Care: Behavioral Health			
Antidepressant Medication Management			
Effective Acute Phase Treatment	64.62%	66.51%	52.74%
Effective Continuation Phase Treatment	44.61%	50.82%	37.31%
Follow-Up Care for Children Prescribed ADHD Medication			
Initiation Phase	39.33%	38.45%	44.46%
Continuation and Maintenance (C&M) Phase	45.41%	45.23%	56.10%
Follow-Up After Hospitalization for Mental Illness			
30-Day Follow-Up	0.4386	72.91%	77.47%
7-Day Follow-Up	30.54%	55.71%	57.68%
Diabetes Screen - People w/ Schizophrenia/Bipolar Antipsych Med	0.8031	DNE	NA
Diabetes Monitoring - People w/ Diabetes and Schizophrenia	0.629	DNE	NA
Cardio Monitoring - People w/ Cardio Disease & Schizophrenia	NA	DNE	NA
Adherence to Antipsych Meds - Individuals w/ Schizophrenia	0.5908	DNE	NA
Effectiveness of Care: Medication Management			
Annual Monitoring for Patients on Persistent Medications			
ACE Inhibitors or ARBs	88.52%	86.48%	89.18%
Digoxin	89.62%	92.34%	93.41%
Diuretics	88.19%	86.82%	88.93%
Anticonvulsants	63.85%	64.17%	70.27%
Total	86.16%	84.57%	87.02%

Measure/Data Element	2013	2012	National 75th Percentile
Access/Availability of Care			
Adults' Access to Preventive/Ambulatory Health Services			
20-44 Years	0.8173	82.47%	85.43%
45-64 Years	0.9044	90.52%	89.94%
65+ Years	0.9104	89.64%	91.11%
Total	0.8429	84.69%	86.67%
Children's Access to Primary Care Practitioners			
12-24 Months	0.9469	94.85%	91.59%
25 Months - 6 Years	0.8621	85.60%	97.88%
7-11 Years	86.90%	86.37%	91.40%
12-19 Years	0.8671	86.44%	92.88%
Annual Dental Visit			
2-3 Years	0.2671	23.97%	43.88%
4-6 Years	0.522	51.90%	67.13%
7-10 Years	0.5435	54.25%	68.71%
11-14 Years	0.486	49.53%	63.42%
15-18 Years	0.4156	41.10%	53.50%
19-21 Years	0.333	34.01%	39.10%
Total	0.4548	44.85%	58.34%
Initiation and Engagement of AOD Dependence Treatment			
Initiation of AOD Treatment: 13-17 Years	0.2826	37.28%	48.13%
Engagement of AOD Treatment: 13-17 Years	0.0087	13.35%	27.11%
Initiation of AOD Treatment: 18+ Years	0.364	40.37%	43.61%
Engagement of AOD Treatment: 18+ Years	0.0354	6.17%	17.81%
Initiation of AOD Treatment: Total	0.3613	40.20%	43.62%
Engagement of AOD Treatment: Total	0.0345	6.54%	18.56%
Prenatal and Postpartum Care			
Timeliness of Prenatal Care	86.29%	86.11%	90.39%
Postpartum Care	61.42%	64.35%	71.05%
Call Answer Timeliness	0.8151	NR	NA
Call Abandonment	Retired	NR	NA
Utilization			
Frequency of Ongoing Prenatal Care			
<21 Percent	0.0457	NR	10.71%
21-40 Percent	0.0609	NR	7.30%
41-60 Percent	0.0584	NR	10.34%
61-80 Percent	0.1371	NR	17.79%
81+ Percent	0.698	72.69%	72.99%
Well-Child Visits in the First 15 Months of Life			
0 Visits	0.0245	2.78%	2.43%
1 Visit	0.0294	NR	2.68%
2 Visits	0.0441	NR	3.94%
3 Visits	0.0637	NR	6.75%
4 Visits	0.1127	NR	11.34%
5 Visits	0.1275	NR	19.71%
6+ Visits	59.80%	62.27%	70.70%
Well-Child Visits 3-6 years old	64.56%	61.34%	79.32%
r	37.50%	43.06%	57.61%

DNE = Did Not exist NA = Not Applicable NR = Not Reportable Retired = Measure No longer Exists

Notes: Rates were extracted from the IDSS results file for each year listed. Column headings reflect HEDIS reporting year. Generally, the report period and pertinent dates of service for the measures will be the calendar year prior to the column heading.