



# Three Year Trending & Benchmark Analysis

## Molina Healthcare of Wisconsin

Medicaid	HEDIS Reporting Year			Rate Change		Medicaid Plans Accreditation Thresholds 2012				NCOA Medicaid National Benchmarks -- 2011			Molina Ranking	
	2010	2011	2012	2010 to 2012	2011 to 2012	25th	50th	75th	90th	Molina Ranking**	50th	75th		90th
	<b>Childhood Immunization Status</b>													
DT/DTP/DTaP	77.55%	77.70%		0.15%							81.7	85.6	88.5	
OPV/IPV	90.51%	91.61%		1.10%							92.3	94.7	95.9	
Measles, Mumps, & Rubella	92.13%	92.05%		-0.08%							91.9	93.6	95.4	Above 50th
H Influenza Type B	90.74%	90.73%		-0.01%							91.0	94.3	96.1	
Hepatitis B	82.87%	88.30%		5.43%							91.8	94.7	95.9	
Chicken Pox	88.89%	91.39%		2.50%							91.3	93.6	95.1	Above 50th
Pneumococcal Conjugate	78.01%	77.48%		-0.53%							81.3	85.1	88.8	
Combination 2	65.28%	73.51%		8.23%		69	77	82	86	Above 25th	75.1	80.7	85.9	
Combination 3	61.57%	69.54%		7.97%							71.0	76.7	82.6	
<b>Well Child Care: First 15 Months</b>														
Zero visits		NA	NA								1.6	2.7	4.4	
One visit		NA	NA								1.9	2.7	4.1	
Two visits		NA	NA								2.9	4.6	6.1	
Three visits		NA	NA								5.4	7.3	9.3	
Four visits		NA	NA								9.5	12.2	15.6	
Five visits		NA	NA								16.6	19.8	21.9	
Six or more visits		47.20%	54.35%		7.15%						61.3	68.9	77.1	
<b>Well Child Care: Years 3-6</b>	<b>67.50%</b>	<b>68.43%</b>		<b>0.93%</b>							<b>72.3</b>	<b>77.7</b>	<b>82.9</b>	
<b>Well Child Care: Adolescent</b>	<b>NA</b>	<b>41.94%</b>									<b>46.1</b>	<b>57.2</b>	<b>64.1</b>	
<b>Appropriate Testing for Pharyngitis</b>	<b>73.68%</b>	<b>66.85%</b>		<b>-6.83%</b>		<b>55</b>	<b>68</b>	<b>76</b>	<b>83</b>	<b>Above 50th</b>	<b>68.2</b>	<b>75.7</b>	<b>83.0</b>	
<b>URI Treatment</b>	<b>91.86%</b>	<b>86.04%</b>		<b>-5.82%</b>		<b>83</b>	<b>88</b>	<b>92</b>	<b>95</b>	<b>Above 50th</b>	<b>87.5</b>	<b>91.9</b>	<b>94.8</b>	
<b>Breast Cancer Screening</b>	<b>50.88%</b>	<b>48.26%</b>		<b>-2.62%</b>		<b>47</b>	<b>54</b>	<b>59</b>	<b>65</b>	<b>Above 25th</b>	<b>52.4</b>	<b>57.4</b>	<b>62.9</b>	
<b>Cervical Cancer Screening</b>	<b>70.64%</b>	<b>61.37%</b>		<b>-9.27%</b>		<b>59</b>	<b>65</b>	<b>74</b>	<b>79</b>	<b>Above 25th</b>	<b>69.7</b>	<b>74.2</b>	<b>78.7</b>	
<b>Chlamydia Screening in Women</b>														
Ages 16 to 20	62.72%	57.35%		-5.37%							53.6	60.6	66.7	Above 50th
Ages 21 to 25	71.82%	65.45%		-6.37%							62.6	68.7	72.2	Above 50th
Total	67.87%	61.64%		-6.23%		52	57	63	69	Above 75th	57.2	63.4	69.1	Above 50th
<b>Prenatal/Postpartum Care</b>														
Timeliness of prenatal care		NA	NA			77	84	89	92		86.0	90.0	93.2	
Postpartum care		NA	57.84%			54	60	66	71	Above 50th	64.6	70.6	75.2	
<b>Frequency of Prenatal Care</b>														
Less than 21 percent		NA	NA								7.7	11.5	19.1	
21 to 40 percent		NA	NA								4.9	8.8	13.8	
41 to 60 percent		NA	NA								7.0	9.8	14.2	
61 to 80 percent		NA	NA								13.4	16.8	19.7	
More than 80 percent		NA	NA								64.4	74.9	81.8	
<b>Controlling High Blood Pressure</b>	<b>NA</b>	<b>44.81%</b>				<b>47</b>	<b>56</b>	<b>60</b>	<b>66</b>	<b>Above 25th</b>	<b>56.5</b>	<b>63.7</b>	<b>67.6</b>	
<b>Cholesterol Management</b>														
LDL Screening		NA	NA			78	81	85	89		82.5	85.9	89.1	
LDL < 100		NA	NA								44.0	50.0	57.1	
<b>Comprehensive Diabetes Care</b>														
HbA1c Testing	79.05%	85.16%		6.11%		76	81	86	90	Above 75th	82.2	87.1	90.9	Above 50th
HbA1c Control <8%		NA	NA								47.4	54.8	59.1	
HbA1c Poor Control >9% <sup>i</sup>	65.71%	56.45%		9.26%		51	43	34	28	Below 25th	42.6	35.0	29.2	
Eye Exam	30.48%	39.03%		8.55%		42	54	64	70	Above 25th	52.9	63.8	70.6	
LDL-C Screening	80.00%	73.87%		-6.13%		69	75	80	84	Above 50th	75.4	80.3	84.2	
LDL Less than 100	24.76%	25.81%		1.05%							35.2	41.5	45.9	
Monitoring for Nephropathy	77.14%	78.71%		1.57%		73	78	83	86	Above 50th	78.5	82.5	86.9	Above 50th

\*\*Using 3 point and appropriate regional adjustments

<sup>R</sup>Rotated measure; <sup>A</sup>Age cohorts modified for HEDIS 2012

<sup>i</sup>Inverted rate (lower score better)



# Three Year Trending & Benchmark Analysis

## Molina Healthcare of Wisconsin

Medicaid	HEDIS Reporting Year			Rate Change		Medicaid Plans Accreditation Thresholds 2012					NCOA Medicaid National Benchmarks -- 2011			Molina Ranking
	2010	2011	2012	2010 to 2012	2011 to 2012	25th	50th	75th	90th	Molina Ranking**	50th	75th	90th	
	<b>Appropriate Medication for Asthma<sup>^</sup></b>													
Ages 5 to 11		80.65%	77.42%		-3.23%						92.4	94.3	96.0	
Ages 12 to 18		NA	NA								NA	NA	NA	
Ages 19 to 50		NA	NA								NA	NA	NA	
Ages 51 to 64		NA	NA								86.0	88.9	91.3	
Combined Rate		82.93%	83.33%		0.40%	83	86	88	91	Above 50th	88.9	90.5	93.2	
<b>Antidepressant Medication Management</b>														
Effective Acute Phase Treatment		78.87%	81.01%		2.14%	46	50	54	65	Above 90th	50.1	53.6	59.9	Above 90th
Effective Continuation Phase Treatment		74.65%	67.09%		-7.56%	29	33	38	46	Above 90th	32.7	37.5	44.2	Above 90th
<b>Follow-up Visit after MH Hospitalization</b>														
Follow Up within 30 Days		NA	NA								66.6	74.6	82.6	
Follow Up within 7 Days		22.81%	30.12%		7.31%	33	45	58	68	Above 25th	45.1	53.9	68.3	
<b>Initiation/Engagement of AOD Services</b>														
Initiation - Total		NA	NA								40.8	48.8	60.7	
Engagement - Total		NA	NA								14.5	20.5	25.9	
<b>Childrens Access to Primary Care</b>														
Ages 12-24 mos.		NA	NA								97.0	97.8	98.6	
Ages 25 mos to 6 yrs.		NA	NA								89.6	91.2	92.7	
Ages 7-11 yrs.		87.87%	89.89%	89.89%	2.02%						91.3	93.3	94.7	
Ages 12-19 yrs.		NA	NA								89.7	92.0	93.4	
<b>Adult Access to Preventive Care</b>														
Ages 20-44		NA	NA								83.2	86.4	88.4	
Ages 45-64		NA	NA								87.4	89.8	91.0	
Ages 65 and older		NA	NA								85.5	89.5	91.9	
<b>Annual Dental Visit</b>														
Ages 2-3		NA	NA								32.0	41.0	46.9	
Ages 4-6		NA	NA								58.0	67.3	72.1	
Ages 7-10		NA	NA								62.5	68.7	76.4	
Ages 11-14		NA	NA								57.9	63.8	70.3	
Ages 15-18		NA	NA								49.4	53.0	58.3	
Ages 19-21		NA	NA								36.7	40.9	42.7	
Combined		NA	NA								51.6	57.6	64.5	
<b>Advice to Quit Smoking</b>						70	75	78	81					
<b>Imms for Adolescents</b>														
Meningococcal Immunizations		63.44%	62.46%		-0.98%						54.8	67.9	79.7	Above 50th
Tdap/Td Immunizations		72.25%	79.08%		6.83%						68.5	83.2	87.8	Above 50th
Combination 1 Immunizations		59.47%	58.74%		-0.73%						49.8	63.7	75.5	Above 50th
<b>Avoidance of Antibiotic Treatment</b>														
		NA	51.25%			21	25	29	34	Above 90th	22.0	26.2	31.6	Above 90th
<b>Imaging Studies for Low Back Pain</b>														
		NA	78.31%			75	78	83	85	Above 50th	75.6	79.7	82.3	Above 50th
<b>Persistence of Beta-Blocker Tx</b>														
		NA	NA								79.3	84.5	88.6	
<b>Use of Spirometry Testing in the Assessment and Diagnosis of COPD</b>														
		NA	NA			25	31	36	47		30.5	35.5	47.2	
<b>Follow-up for Children Prescribed ADHD Meds</b>														
Initiation Phase		25.81%	32.20%		6.39%	32	38	44	51	Above 25th	38.3	43.6	50.7	
Continuation and Maintenance Phase		NA	NA			35	45	53	63		45.2	52.6	62.5	

\*\*Using 3 point and appropriate regional adjustments

<sup>R</sup>Rotated measure; <sup>^</sup>Age cohorts modified for HEDIS 2012

<sup>I</sup>Inverted rate (lower score better)