



2024

كتيب الوصفات الدوائية (قائمة الأدوية الخاضعة للتغطية) Michigan

Molina Dual Options MI Health Link Medicare-Medicaid خطة

تقديم ملف كتيب الوصفات الدوائية المعتمد من HPMS رقم 00024165، النسخة 11

محذثة: 2024/05/01

للحصول على معلومات أحدث أو إذا كانت لديك أسئلة أخرى، اتصل بنا على الرقم 735-5604 (855)، وبالنسبة لمستخدمي الهواتف النصية "TTY"، يمكنهم الاتصال على: 711، من الإثنين إلى الجمعة، من الساعة 8 صباحاً وحتى الساعة 8 مساءً بالتوقيت الشرقي، أو يرجى زيارة MolinaHealthcare.com/Dual

رسالة هامة بشأن ما تدفعه للقاحات - تعتبر بعض اللقاحات مزاييا طبية. تعتبر لقاحات أخرى أدوية تقع ضمن الجزء D. تغطي خطتنا معظم لقاحات الجزء D من دون أن تتحمل تكلفة.

Molina Dual Options MI Health Link Medicare-Medicaid قائمة الأدوية الخاصة للتغطية (كتيب الوصفات الدوائية) Plan | 2024

مقدمة

يُطلق على هذا المستند اسم قائمة الأدوية الخاصة للتغطية (ويُعرف أيضًا باسم قائمة الأدوية). فهو يخبرنا أي الأدوية الموصوفة مشمولة بتغطية خطة Molina Dual Options. توضح لك قائمة الأدوية أيضًا ما إذا كان هناك أي قواعد أو قيود خاصة على أي أدوية مشمولة بتغطية خطة Molina Dual Options. توجد المصطلحات الرئيسية وتعرفياتها في الفصل الأخير من دليل الأعضاء.

جدول المحتويات

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| 3 إخلاء المسؤولية A | 3 |
| .BFAQ (الأسئلة الشائعة) | 3 |
| 1. (تُطلق على قائمة الأدوية الخاصة للتغطية ما هي الأدوية الموصوفة الموجودة في قائمة الأدوية الخاصة للتغطية؟ أختصاراً اسم "قائمة الأدوية".) | 3 |
| 2. هل يتم إجراء أي تغيير على قائمة الأدوية؟ | 4 |
| 3. ما الذي يحدث عند إجراء تغيير على قائمة الأدوية؟ | 4 |
| 4. أم هل هناك أي إجراءات مطلوب اتخاذها للحصول على أدوية محددة؟ هل هناك أي قيود أو حدود على تغطية الأدوية؟ | 5 |
| 5. كيف أعرف ما إذا كان ثمة حدود للدواء الذي أود الحصول عليه أو ما إذا كان ينبغي اتخاذ إجراءات للحصول عليه؟ | 6 |
| 6. تغييرات على قواعدها المتعلقة ببعض الأدوية (على سبيل المثال، Molina Dual Options ماذا يحدث إذا أجريت بـ التصريح المسبق أو الموافقة وأو حدود الكمية وأو قيود العلاج التدريجي؟) | 6 |
| 7. كيف يمكنني العثور على دواء في قائمة الأدوية؟ | 6 |
| 8. ماذا أفعل إذا لم أجد الدواء الذي أريده في قائمة الأدوية؟ | 6 |
| 9. ولم أتمكن من العثور على الدواء الذي أريده في Molina Dual Options ماذا أفعل إذا كنت عضواً جديداً في خطة بـ قائمة الأدوية، أو إذا واجهتني مشكلة في الحصول على الدواء الذي أريده؟ | 6 |
| 10. هل يمكنني طلب الحصول على استثناء لتغطية الدواء الذي أريده؟ | 8 |
| 11. كيف يمكنني طلب الحصول على استثناء؟ | 8 |
| 12. ما المدة التي يستغرقها الحصول على استثناء؟ | 8 |
| 13. ما هي الأدوية العامة؟ | 8 |
| 14. ما هي الأدوية التي تصرف بدون وصفة طبية (OTC)؟ | 8 |
| 15. ما هو المبلغ المشترك الذي علي دفعه؟ | 8 |
| 16. ما هي فئات الأدوية؟ | 8 |

إذا كانت لديك أي أسئلة، يرجى الاتصال بخطة Molina Dual Options على 735-5604 (855)، وبالنسبة إلى مستخدمي الهاتف النصيّة "TTY" ، يرجى الاتصال على: 711 ، من الإثنين إلى الجمعة، من 8 صباحاً إلى 8 مساءً، بالتوقيت الشرقي. هذا الاتصال مجاني.

للاطلاع على مزيد من المعلومات، تفضل بزيارة MolinaHealthcare.com/Duals.

| | |
|----------------------------------------------------|-----|
| نظرة عامة على قائمة الأدوية الخاضعة للتغطية C..... | 9 |
| الأدوية المصنفة حسب الحالة الطبية ج 1..... | 9 |
| فهرس الأدوية الخاضعة للتغطية D..... | 109 |



إذا كانت لديك أي أسئلة، يُرجى الاتصال بخطة Molina Dual Options على 735-5604 (855)، وبالنسبة إلى مستخدمي الهواتف النصية "TTY" ، يرجى الاتصال على: 711 ، من الإثنين إلى الجمعة، من 8 صباحاً إلى 8 مساءً، بالتوقيت الشرقي. هذا الاتصال مجاني.

للاطلاع على مزيد من المعلومات، تفضل بزيارة MolinaHealthcare.com/Duals

A. إخلاء المسؤولية

هذه قائمة بالأدوية التي يمكن للأعضاء الحصول عليها في خطة Molina Dual Options.

- ❖ إن Molina Dual Options MI Health Link Medicare-Medicaid Plan هي خطة صحية تتعاقد مع كل من Michigan Medicaid و Medicare لتوفير مزايا البرنامج للمسجلين.
- ❖ تلتزم Molina Healthcare بقوانين الحقوق المدنية الفيدرالية المطبقة ولا تميّز على أساس الانتماء العرقي أو الإثني أو الأصل الوطني أو الدين أو النوع أو الجنس أو العمر أو الإعاقة العقلية أو الجسدية أو الحالة الصحية أو تلقي الرعاية الصحية أو تاريخ المطالبات أو التاريخ الطبي أو المعلومات الجينية أو وجود أدلة على إمكانية التأمين أو الموقع الجغرافي.
- ❖ تنبئ: إذا كنت تستخدم اللغة الإنجليزية، سوف تكون خدمات المساعدة اللغوية متاحة لك مجاناً. اتصل بالرقم 735-735 (855) 5604، وبالنسبة إلى مستخدمي أجهزة الهاتف النصية ((TTY)، يرجى الاتصال على: 711، من الإثنين إلى الجمعة، من الساعة 8 صباحاً وحتى الساعة 8 مساءً، بالتوقيت الشرقي. هذا الاتصال مجاني.
- ❖ يمكنك الحصول على هذا المستند بتنسيقات أخرى مجاناً، مثل الخط الكبير أو بطريقة برايل أو بالصوت. اتصل بالرقم 735-5604 (855)، وبالنسبة إلى مستخدمي أجهزة الهواتف النصية ((TTY)، يرجى الاتصال على: 711، من الإثنين إلى الجمعة، من الساعة 8 صباحاً وحتى الساعة 8 مساءً، بالتوقيت الشرقي. هذا الاتصال مجاني.
- ❖ تقديم طلب مستمر للحصول على المواد بلغة أخرى خلاف اللغة الإنجليزية أو بتنسيق مختلف الآن وفي المستقبل، يرجى الاتصال بخدمات الأعضاء على الرقم 735-5604 (855)، الهاتف النصي (TTY): 711، من الإثنين إلى الجمعة، من 8 صباحاً إلى 8 مساءً، بالتوقيت الشرقي.

B. الأسئلة الشائعة (FAQ)

ستجد هنا أجوبة على أسئلتك بشأن قائمة الأدوية الخاضعة للتغطية. يمكنك قراءة كل الأسئلة الشائعة لمعرفة المزيد أو يمكنك البحث عن سؤال محدد للحصول على إجابته.

بـ 1. ما هي الأدوية الموصوفة الموجودة في قائمة الأدوية الخاضعة للتغطية؟ (نُطلق على قائمة الأدوية الخاضعة للتغطية اختصاراً اسم "قائمة الأدوية").

الأدوية المدرجة في قائمة الأدوية الخاضعة للتغطية (التي تبدأ في الصفحة 10 هي الأدوية الخاضعة للتغطية. وتتوفر هذه الأدوية في الصيدليات الموجودة ضمن نطاق شبكتنا. وتتوارد الصيدلية ضمن نطاق شبكتنا إذا أبرمنا معها اتفاقية للعمل معنا وتقديم الخدمات لك. وتشير إلى هذه الصيدليات باسم "الصيدليات التابعة للشبكة".

• ستعطي خطة Molina Dual Options جميع الأدوية اللازمة طبياً المدرجة في قائمة الأدوية إذا:

○ أخبر طبيبك أو أي واصف آخر أنك بحاجة إلى هذه الأدوية للتحسين أو لحفظه على صحتك، و

○ قمت بصرف الوصفة الطبية من صيدلية تابعة لشبكة Molina Dual Options.

• قد يكون لدى Molina Dual Options خطوات إضافية للوصول إلى أدوية محددة (راجع السؤال بـ 4 أدناه).

يمكنك أيضاً الاطلاع على قائمة محدثة من الأدوية التي نغطيها على موقعنا الإلكتروني عبر الرابط التالي MolinaHealthcare.com/Duals أو يمكنك الاتصال بخدمات الأعضاء على 735-5604 (855)، الهاتف النصي (TTY): 711، من الإثنين إلى الجمعة، من 8 صباحاً إلى 8 مساءً، بالتوقيت الشرقي.

إذا كانت لديك أي أسئلة، يرجى الاتصال بخطة Molina Dual Options على 735-5604 (855)، وبالنسبة إلى مستخدمي الهاتف النصي ((TTY)، يرجى الاتصال على: 711، من الإثنين إلى الجمعة، من 8 صباحاً إلى 8 مساءً، بالتوقيت الشرقي. هذا الاتصال مجاني. للاطلاع على مزيد من المعلومات، تفضل بزيارة MolinaHealthcare.com/Duals.

بـ 2 هل يتم إجراء أي تغيير على قائمة الأدوية؟

نعم، ويجب أن تتبع خطة Molina Dual Options قواعد Medicare و Medicaid عند إجراء التغييرات. قد نضيف أدوية إلى قائمة الأدوية أو نزيلها منها على مدار العام.

وقد نغير كذلك قواعدها المتعلقة بالأدوية. فعلى سبيل المثال، يمكننا:

- اتخاذ قرار بشأن ضرورة الحصول على موافقة مسبقة (PA) على دواء من عدمها. (الموافقة المسبقة هي عبارة عن تصريح تحصل عليه من خطة Molina Dual Options قبل أن تتمكن من الحصول على دواء.)
- إضافة أو تغيير كمية الدواء التي يمكنك الحصول عليها (وسمى حدود الكمية).
- إضافة أو تغيير قيود العلاج التدريجي على دواء ما. (يقصد بعبارة العلاج التدريجي أنه يجب عليك تجربة دواء قبل أن تقوم بتغطية دواء آخر.)

للمزيد من المعلومات حول القواعد المفروضة على الأدوية هذه، راجع السؤال بـ 4.

إذا كنت تتناول دواء تمت تغطيته في بداية العام، فلن نلغى أو نغير تغطية هذا الدواء بصورة عامة خلال الفترة المتبقية من السنة إلا إذا:

- ظهر دواء جديد أرخص في السوق وله نفس فعالية الدواء المدرج في قائمة الأدوية الآن، أو
- علمنا بأن دواء ما ليس آمناً، أو
- تم سحب الدواء من السوق.

يوجد بالسؤالين بـ 3 وبـ 6 أدناه المزيد من المعلومات حول ما يحدث عند إجراء تغيير على قائمة الأدوية.

- يمكنك دائمًا التحقق من قائمة الأدوية المحدثة لخطة Molina Dual Options عبر الإنترنت على MolinaHealthcare.com/Duals.
- يمكنك أيضًا الاتصال بقسم خدمات الأعضاء للتحقق من قائمة الأدوية الحالية على الرقم 735-5604 (855)، هاتف TTY: 711 ، من الإثنين إلى الجمعة، من 8 صباحًا إلى 8 مساءً، بالتوقيت الشرقي.

بـ 3 ما الذي يحدث عند إجراء تغيير على قائمة الأدوية؟

ستطرأ بعض التغييرات على قائمة الأدوية في الحال. على سبيل المثال:

- توافر نوع جديد من الأدوية العامة. يظهر أحيانًا دواء عام جديد في السوق ويكون له نفس فعالية الدواء الذي يحمل علامة تجارية والمدرج بقائمة الأدوية الآن. عند حدوث ذلك، قد نقوم بازالة الدواء الذي يحمل العلامة التجارية وإضافة الدواء العام الجديد، لكن ستظل التكلفة التي تدفعها مقابل الدواء الجديد هي نفسها. وعند إضافتنا للدواء العام الجديد، فقد نقرر أيضًا الإبقاء على الدواء الذي يحمل العلامة التجارية الموجود بالقائمة مع تغيير قواعده أو حدود تغطيته.
- قد لا نحيطك علماً قبل أن نجري هذا التغيير، ولكن سنرسل لك معلومات حول التغييرات المحددة التي أجريناها فور حدوثها.
- يمكنك أنت أو موفر الرعاية المتابع لحاليك طلب استثناء من هذه التغييرات. وسنرسل لك إخطاراً بالخطوات التي يمكنك اتباعها لطلب استثناء. يرجى مراجعة السؤال بـ 10 لمعرفة المزيد من المعلومات المتعلقة بالاستثناءات.
- سحب دواء من السوق. إذا أعربت إدارة الغذاء والدواء (Food and Drug Administration, FDA) أن الدواء الذي تتناوله ليس آمناً، أو إذا سحبت الجهة المصنعة الدواء من السوق، فسنستبعد هذا الدواء من قائمة الأدوية. وإذا كنت تتناول هذا الدواء، فسنجليطك علماً. تحدث مع طبيبك أو واصف آخر للعثور على بديل آمن لك.

إذا كانت لديك أي أسئلة، يرجى الاتصال بخطة Molina Dual Options على 735-5604 (855)، وبالنسبة إلى مستخدمي الهواتف النقالية "TTY" ، يرجى الاتصال على: 711 ، من الإثنين إلى الجمعة، من 8 صباحًا إلى 8 مساءً، بالتوقيت الشرقي. هذا الاتصال مجاني.

للاطلاع على مزيد من المعلومات، تفضل بزيارة MolinaHealthcare.com/Duals.

قد تقوم بإجراء تغييرات أخرى من شأنها أن تؤثر على الأدوية التي تتناولها. سنبلغك مسبقاً بهذه التغييرات الأخرى التي تطرأ على قائمة الأدوية. وقد تطرأ هذه التغييرات إذا:

- قدمت إدارة الغذاء والدواء (FDA) إرشادات جديدة أو إذا ظهرت توجيهات سريرية جديدة بشأن دواء ما.
- قمنا بإضافة دواء عام غير جديد في السوق و
- قمنا باستبدال دواء يحمل علامة تجارية موجود في الوقت الراهن في قائمة الأدوية أو
- قمنا بتغيير قواعد أو حدود تغطية الدواء الذي يحمل العلامة التجارية.

عند إجراء هذه التغييرات، سنقوم بما يلي:

- إعلامك قبل 30 يوماً على الأقل من إجرائنا التغيير في قائمة الأدوية أو
- إعلامك وإمدادك بالدواء لمدة 31 يوماً بعد طلبك إعادة صرف الدواء.

سيمنحك ذلك الوقت الكافي للتحدث مع طبيبك أو أي واصف آخر، ويمكن أن يساعدك الطبيب على اتخاذ قرار يتعلق بما يلي:

- ما إذا كان هناك دواء مشابه في قائمة الأدوية يمكنك تناوله بدلاً من الدواء الأول أو
- ما إذا كان ينبغي عليك طلب استثناء من هذه التغييرات. لمعرفة المزيد بشأن الاستثناءات، راجع السؤال بـ 10.

بـ 4 هل هناك أي قيود أو حدود على تغطية الأدوية؟ أم هل هناك أي إجراءات مطلوب اتخاذها للحصول على أدوية محددة؟

نعم، توجد قواعد تغطية أو حدود على كمية بعض الأدوية التي يمكنك الحصول عليها. وفي بعض الحالات، يجب عليك أو على طبيبك أو أي واصف آخر القيام بإجراء ما قبل الحصول على الدواء. على سبيل المثال:

- التصريح المسبق (المواقة المسبقة) أو الموافقة: بالنسبة لبعض الأدوية، يجب عليك أو على طبيبك أو أي واصف آخر الحصول على موافقة مسبقة من خطة Molina Dual Options قبل صرف وصفتك الطبية. إذا لم تحصل على موافقة، قد لا تقوم خطة Molina Dual Options بتغطية الأدوية.
- حدود الكمية: في بعض الأحيان، تحد خطة Molina Dual Options من كمية الدواء التي يمكنك الحصول عليها.
- العلاج التدرجي: في بعض الأحيان، تطلب منك خطة Molina Dual Options اتباع العلاج التدرجي. مما يعني أنه سينترين عليك تجربة الأدوية بترتيب معين وفقاً لحالتك الصحية. وقد تضطر إلى تجربة دواء قبل أن تقوم بتغطية دواء آخر. وإذا رأى واصف الدواء الأول لا يتاسب مع حالتك، سنقوم حينها بتغطية الدواء الثاني.

يمكنك معرفة ما إذا كان للدواء الخاص بك أي متطلبات أو حدود إضافية من خلال مراجعة الجداول الموجودة في الصفحتان [10] و[11]. أيضاً الحصول على المزيد من المعلومات من خلال زيارة موقعنا الإلكتروني عبر الرابط التالي MolinaHealthcare.com/Duals. قمنا بنشر مستندات عبر الإنترنت تشرح القواعد المتعلقة بالعلاج التدرجي والتصرير المسبق التي نفرضها. ويمكنك أيضاً أن تطلب منا إرسال نسخة إليك.

يمكنك أيضاً طلب استثناء من هذه التغييرات. سيمنحك ذلك الوقت الكافي للتحدث مع طبيبك أو أي واصف آخر، إذ يمكنه مساعدتك في اتخاذ قرار بشأن ما إذا كان هناك دواء مشابه في قائمة الأدوية يمكنك تناوله بدلاً من الدواء الأول أو ما إذا كان ينبغي عليك طلب استثناء. يُرجى مراجعة الأسئلة من بـ 10 حتى بـ 12 لمعرفة المزيد من المعلومات بشأن الاستثناءات.

إذا كانت لديك أي أسئلة، يُرجى الاتصال بخطة Molina Dual Options على 735-5604 (855)، وبالنسبة إلى مستخدمي الهواتف النقالية "٦٧٧٧"، يرجى الاتصال على: ٧١١، من الإثنين إلى الجمعة، من ٨ صباحاً إلى ٨ مساءً، بالتوقيت الشرقي. هذا الاتصال مجاني.

للاطلاع على مزيد من المعلومات، تفضل بزيارة MolinaHealthcare.com/Duals.

بـ 5 كيف أعرف ما إذا كان ثمة حدود للدواء الذي أود الحصول عليه أو ما إذا كان ينبغي اتخاذ إجراءات للحصول عليه؟

يحتوي جدول الأدوية في الصفحة 10 على عمود يُسمى "الإجراءات الضرورية، أو القيود، أو حدود الاستخدام".

بـ 6 ماذا يحدث إذا أجرت **Molina Dual Options** تغييرات على قواعدها المتعلقة ببعض الأدوية (على سبيل المثال، التصريح المسبق أو الموافقة وأو حدود الكمية وأو قيود العلاج التدريجي)؟

في بعض الحالات، سنقوم بإبلاغك مسبقاً إذا قمنا بإضافة أو تغيير الموافقة المسبقة وأو حدود الكمية وأو قيود العلاج التدريجي الخاصة بالدواء. راجع السؤال بـ 3 للحصول على المزيد من المعلومات حول هذا الإخطار المسبق والموافقات التي قد لا نتمكن فيها من إبلاغك مسبقاً عند تغيير قواعدها الخاصة بالأدوية الموجودة في قائمة الأدوية.

بـ 7 كيف يمكنني العثور على دواء في قائمة الأدوية؟

توجد طريقتان للعثور على دواء ما:

- يمكنك البحث حسب الترتيب الأبجدي وفقاً لاسم الدواء، أو
- ويمكنك البحث بحسب الحالة الصحية.

للبحث حسب الترتيب الأبجدي، راجع قسم فهرس الأدوية الخاضعة للتغطية. يمكنك العثور عليه في الصفحة 109.

للبحث حسب الحالة الصحية، اختر على القسم المسمى "الأدوية المصنفة حسب الحالة الصحية" الموجود في الصفحة 10. تم تصنيف الأدوية في هذا القسم إلى فئات وفقاً لنوع الحالات الصحية المستخدمة في علاجها. على سبيل المثال، إذا كانت لديك مشكلة بالقلب، يجب عليك النظر في فئة "قلبي وعائي". وستجد في هذه الفئة الأدوية التي تعالج مشاكل القلب.

بـ 8 ماذا أفعل إذا لم أجد الدواء الذي أريده في قائمة الأدوية؟

إذا لم تجد دوائلك بقائمة الأدوية، عليك الاتصال بقسم خدمات الأعضاء على الرقم 735-5604 (855)، الهاتف النصي (TTY): <الاثنين - الجمعة، 8 صباحاً إلى 8 مساءً، بالتوقيت الشرقي، واسأل عنه. وإذا علمت أن خطة Molina Dual Options يقوم بتغطية الدواء، يمكنك القيام بأحد الإجراءات التالية:

- اطلب من قسم خدمات الأعضاء تزويديك بقائمة أدوية مائلة للدواء الذي تود الحصول عليه. ثم قم بعرض القائمة على طبيبك أو أي واصف آخر. يمكنك وصف دواء موجود في قائمة الأدوية مائل للدواء الذي كنت تود الحصول عليه. أو
- يمكنك طلب استثناء من خطة الرعاية الصحية لتغطية الدواء الذي تريده. يرجى مراجعة الأسئلة من بـ 10 حتى بـ 12 لمعرفة المزيد من المعلومات بشأن الاستثناءات.

بـ 9 ماذا أفعل إذا كنت عضواً جديداً في خطة **Molina Dual Options** ولم أتمكن من العثور على الدواء الذي أريده في قائمة الأدوية، أو إذا واجهتني مشكلة في الحصول على الدواء الذي أريده؟

يمكننا تقديم المساعدة. يمكنكنا تغطية إمدادك مؤقتاً بالدواء لمدة 31 يوماً خلال الأيام الـ 90 الأولى من عضويتك في **Molina Dual Options**. سيمحوك ذلك الوقت الكافي للتحدث مع طبيبك أو أي واصف آخر، إذ يمكنك مساعدتك في اتخاذ قرار بشأن ما إذا كان هناك دواء مشابه في قائمة الأدوية يمكنك تناوله بدلاً من الدواء الأول أو ما إذا كان ينبغي عليك طلب استثناء.

إذا كانت وصفاتك الطبية تغطي أيامًا أقل، فسن-tier لك صرف الدواء عدة مرات لتغطية مدة تصل إلى 31 يوماً من العلاج.

سنقوم بتغطية إمدادك بالدواء لمدة 31 يوماً إذا:

- كنت تتناول دواء غير موجود في قائمة الأدوية لدينا، أو

إذا كانت لديك أي أسئلة، يرجى الاتصال بخطة **Molina Dual Options** على 735-5604 (855)، وبالنسبة إلى مستخدمي الهاتف النصي "TTY" ، يرجى الاتصال على: 711 ، من الإثنين إلى الجمعة، من 8 صباحاً إلى 8 مساءً، بالتوقيت الشرقي. هذا الاتصال مجاني.

للاطلاع على مزيد من المعلومات، تفضل بزيارة MolinaHealthcare.com/Duals.

- لم تكن قواعد خطة الرعاية الصحية تسمح لك بالحصول على الكمية التي حددتها الواصل المتابع لحالتك، أو
- كان الدواء يتطلب موافقة مسبقة من خطة Molina Dual Options، أو
- كنت تتناول دواء يُعد جزءاً من قيود العلاج التدريجي.

إذا كنت في دار للرعاية أو في أي مرفق آخر للرعاية طولية الأمد و كنت بحاجة إلى دواء غير موجود في قائمة الأدوية أو إذا لم تتمكن من الحصول على الدواء الذي تريده، فبإمكاننا مساعدتك. وإذا كنت عضواً في الخطة لمدة تخطت 90 يوماً، وتعيش في إحدى مراكز الرعاية طولية الأمد وتحتاج إلى إمداد فوراً:

- ستقوم بتغطية إمداد العقار الذي تحتاجه لمدة 31 يوماً (ما لم تكن الوصفة الطبية لعدد أيام أقل)، سواء كنت عضواً جديداً في خطة Molina Dual Options أم لا.
- وذلك بالإضافة إلى إمدادك بشكل مؤقت بالدواء خلال الـ 90 يوماً الأولى من عضويتك في خطة Molina Dual Options.

سياسة الانتقال

قد يكون الأعضاء الجدد في خطتنا يتناولون أدوية غير موجودة في كتيب الأدوية لدينا أو أدوية تخضع لقيود معينة، مثل التصريح المسبق أو العلاج التدريجي. وقد يتأثر الأعضاء الحاليون أيضاً بالتغييرات التي تطرأ على كتيب الأدوية لدينا من عام إلى آخر. فيجب على الأعضاء التحدث إلى أطبائهم لتحديد ما إذا كان ينبغي عليهم تبديل دوائهم بدواء آخر نغطيه أو طلب استثناء كتيب الأدوية للحصول على تغطية للدواء. راجع دليل الأعضاء لمعرفة المزيد بشأن كيفية طلب استثناء. ويرجى الاتصال بقسم خدمات الأعضاء إذا لم يكن الدواء الخاص بك مدرجاً في كتيب الأدوية لدينا، أو إذا كان الدواء يخضع لقيود معينة، مثل التصريح المسبق أو العلاج التدريجي، أو لن يكون مدرجاً في كتيب الأدوية لدينا في العام المقبل، وكنت في حاجة إلى المساعدة في تبديل الدواء بدواء آخر نغطيه أو طلب استثناء كتيب الأدوية.

خلال المدة التي يتحدث فيها الأعضاء مع أطبائهم لتحديد المسار الصحيح للعمل، قد نوفر إمداداً مؤقتاً للدواء غير المشمول في كتيب الأدوية إذا احتاج هؤلاء الأعضاء إلى إعادة صرف الدواء خلال الـ 90 يوماً الأولى من الانضمام إلى خطتنا فيما يخص أدوية الجزء د (الفئات 1 و 2) و الـ 90 يوماً من أدوية Medicaid (الفئة 3). وإذا كنت عضواً حالياً متاثراً بإجراء تغيير على كتيب الأدوية من عام إلى آخر، فسنوف إمداداً مؤقتاً للدواء غير المشمول في كتيب الأدوية إذا كنت بحاجة إلى إعادة صرف الدواء خلال الـ 90 يوماً الأولى من سنة الخطة الجديدة.

عندما يذهب أحد الأعضاء إلى صيدلية تابعة للشبكة عند توفيرنا لإمداد مؤقت لدواء غير مشمول في كتيب الأدوية لدينا، أو يحتوي على قيود أو حدود للتغطية (ولكن يعتبر بخلاف ذلك "دواء من أدوية الجزء د")، فسنقوم بتوفير إمداد لمدة 31 يوماً (ما لم تكن الوصفة الطبية لعدد أيام أقل). وبعد أن نقوم بتغطية الإمداد المؤقت لمدة 31 يوماً، لن ندفع بشكل عام مقابل هذه الأدوية كجزء من سياسة الانتقال الخاصة بنا مرة أخرى.

سنزوشك بإخطار كتابي بعد أن نعطي الإمداد المؤقت الخاص بك. وسيوضح هذا الإخطار الخطوات التي يمكنك اتخاذها لطلب استثناء وكيفية العمل مع طبيبك لتقرير ما إذا كان يجب عليك تبديل الدواء بدواء مناسب نغطيه.

إذا كان عضواً جديداً مقيماً في مرفق رعاية طولية الأجل (مثل دار رعاية مسنين)، فسوف نعطي إمدادات انتقالية لمدة 31 يوماً (ما لم تكن الوصفة الطبية لعدد أقل من الأيام). وفي حالة الضرورة، سوف نعطي أكثر من عملية إعادة صرف واحدة لهذه الأدوية خلال مدة الـ 90 يوماً الأولى التي يلتحق فيها عضو جديد بخطتنا. وإذا كان قد تم إلحاق المقيم في خطتنا لأكثر من 90 يوماً و يحتاج إلى دواء ليس في كتيب الوصفات الخاص بنا أو إذا كان خاصاً لقيود أخرى، مثل العلاج التدريجي أو حدود الجرعة، فسوف نعطي إمدادات طوارئ مؤقتة لمدة 31 يوماً من ذلك الدواء (ما لم تكن الوصفة لعدد أقل من الأيام) بينما يسعى العضو الجديد إلى استثناء من كتيب الوصفات. تتوفّر استثناءات في الحالات التي تتعرّض فيها للتغيير في مستوى الرعاية التي تحصل عليها مما يتطلّب منك كذلك الانتقال من مركز أو مرافق أو مركز علاج إلى آخر. وفي تلك الحالات، ستكون مؤهلاً لصرف الدواء مؤقتاً لمرة واحدة حتى إذا كنت خارج الـ 90 يوماً الأولى كعضو في الخطة.

إذا كانت لديك أي أسئلة، يرجى الاتصال بخطة Molina Dual Options على 735-5604 (855)، وبالنسبة إلى مستخدمي الهواتف النقالية "٦٧٧٧"，يرجى الاتصال على: 711 ، من الإثنين إلى الجمعة، من 8 صباحاً إلى 8 مساءً، بالتوقيت الشرقي. هذا الاتصال مجاني. للاطلاع على مزيد من المعلومات، تفضل بزيارة MolinaHealthcare.com/Duals.

بـ10 هل يمكنني طلب الحصول على استثناء لتعطية الدواء الذي أريده؟
نعم. يمكن طلب استثناء من خطة Molina Dual Options لتعطية الدواء غير الموجود في قائمة الأدوية.
يمكنك أيضاً أن تطلب منا تغيير القواعد المطبقة على الدواء الذي تتناوله.

- على سبيل المثال، قد تحدد خطة Molina Dual Options كمية العقار التي سنعطيها. فإذا كان هناك حد لكمية الدواء الذي تريده، يمكنك أن تطلب منا تغيير هذا الحد وتعطية كمية أكبر.
- أمثلة أخرى: يمكنك أن تطلب منا إلغاء قيود العلاج التدريجي أو متطلبات الموافقة المسبقة.

بـ11 كيف يمكنني طلب الحصول على استثناء؟
لطلب الحصول على استثناء، اتصل بقسم خدمات الأعضاء.. سيعاونك ممثل خدمات الأعضاء معك ومع موفر الرعاية الخاص بك لمساعدتك في طلب الحصول على استثناء. ويمكنك أيضاً قراءة الفصل 9 من دليل الأعضاء لمعرفة المزيد بشأن الاستثناءات.

بـ12 ما المدة التي يستغرقها الحصول على استثناء؟
بعد استلامنا بياناً من الواصل يدعوك فيه طلبك بالحصول على استثناء، سنعلمك بالقرار في غضون 72 ساعة. يمكن أن يتصل الواصل بخطة Molina Dual Options أو أن يرسل إليك البيان الداعم بالفاكس إلى 1309-290-866.

إذا كنت تعتقد أنت أو الواصل أن صحتك قد تتضرر إذا انتظرت مدة 72 ساعة لمعرفة القرار، يمكنك طلب استثناء سريع. ويعجل هذا الطلب عملية إصدار القرار. إذا دعى الواصل طلباً، فسنصدر القرار في غضون 24 ساعة من تلقى البيان الداعم منه.

بـ13 ما هي الأدوية العامة؟
يتم صنع الأدوية العامة من نفس مكونات الأدوية الفعالة التي تحمل علامة تجارية. وتكون تكلفة هذه الأدوية عادةً أقل من الأدوية التي تحمل العلامة التجارية، كما أن أسماءها أقل شيوعاً عادة. وتقوم إدارة الغذاء والدواء (FDA) باعتماد هذه الأدوية العامة.

تعطي خطة Molina Dual Options كلاً من الأدوية التي تحمل علامة تجارية والأدوية العامة.

بـ14 ما هي الأدوية التي تصرف بدون وصفة طبية (OTC)؟
OTC هو اختصار لعبارة "بدون وصفة طبية". وتغطي خطة Molina Dual Options بعض الأدوية التي تصرف بدون وصفة طبية (OTC) عندما يتم كتابتها كوصفات طبية من قبل موظف الرعاية الخاص بك.

يمكنك الإطلاع على قائمة الأدوية في خطة Molina Dual Options لمعرفة الأدوية التي لا تستلزم وصفة طبية التي تتم تعطيتها.

بـ15 ما هو المبلغ المترافق الذي عليّ دفعه؟
بصفتك عضواً في خطة Molina Dual Options، ليس عليك تقديم أي مدفوعات مشتركة للحصول على الأدوية الموصوفة أو الأدوية التي تصرف بدون وصفة طبية (OTC) طالما أنك تتبع قواعد خطة Molina Dual Options.

بـ16 ما هي فئات الأدوية؟
هذه الفئات عبارة عن مجموعات للأدوية.

- تتمثل أدوية الفئة الأولى في الأدوية العامة. وبالنسبة لأدوية الفئة الأولى، لا توجد أي مدفوعات مشتركة.
- تتمثل أدوية الفئة الثانية في الأدوية ذات العلامة التجارية. وبالنسبة لأدوية الفئة الثانية، لا توجد أي مدفوعات مشتركة.

إذا كانت لديك أي أسئلة، يرجى الاتصال بخطة Molina Dual Options على 735-5604 (855)، وبالنسبة إلى مستخدمي الهواتف النقالية "TTY" ، يرجى الاتصال على: 711 ، من الإثنين إلى الجمعة، من 8 صباحاً إلى 8 مساءً، بالتوقيت الشرقي. هذا الاتصال مجاني.
للاطلاع على مزيد من المعلومات، تفضل بزيارة MolinaHealthcare.com/Duals.

- أدوية الفئة الثالثة هي الأدوية الموصوفة غير المشمولة بتعطية برنامج Medicare Rx / الأدوية التي لا تستلزم وصفة طبية (OTC). وبالنسبة لأدوية الفئة الثالثة، لا توجد أي مدفوعات مشتركة.

C. نظرة عامة على قائمة الأدوية الخاضعة للتغطية

تتوفر لك القائمة التالية للأدوية الخاضعة للتغطية معلومات حول الأدوية التي تغطيها خطة Molina Dual Options. وإذا واجهت مشكلة في العثور على الدواء الخاص بك في القائمة، فانتقل إلى فهرس الأدوية الخاضعة للتغطية الذي يبدأ في الصفحة رقم 109. ويسرد الفهرس جميع الأدوية التي تغطيها خطة Molina Dual Options حسب الترتيب الأبجدي.

يشتمل العمود الأول من الجدول على اسم الدواء. تتم كتابة الأدوية التي تحمل علامة تجارية بالحروف الكبيرة (على سبيل المثال CIPRO) والأدوية العامة بحروف صغيرة مائلة (على سبيل المثال ciprofloxacin).

توضح لك المعلومات الواردة في عمود "الإجراءات الضرورية، أو القيود، أو حدود الاستخدام" بما إذا كانت خطة Molina Dual Options لديها أي قواعد لتغطية الدواء الذي تريده.

ملاحظة: تعني العلامة* الموجودة بجانب الدواء أن الدواء ليس من "أدوية الجزء D".

- ولهذه الأدوية قواعد مختلفة لاستئناف. يُعد الاستئناف وسيلة رسمية لمطالبتنا بمراجعة قرار اتخاذنا حول التغطية وتغييره إذا كنت تعتقد أننا ارتكبنا خطأً. على سبيل المثال، قد تقرر أن الدواء الذي تريده غير خاضع للتغطية أو لم يعد خاضعاً للتغطية من جانب Michigan Medicaid أو Medicare.

- فإذا لم تكن موافقاً أنت أو واصف الأدوية على قرارنا، فيمكنك طلب استئناف. لطلب تعليمات عن كيفية الاستئناف، يمكنك الاتصال بخدمات الأعضاء على الرقم 735-5604 (855)، بالنسبة لمستخدمي أجهزة الهاتف النصية (TTY): 711 ، من الإثنين إلى الجمعة، من 8 صباحاً إلى 8 مساءً، بالتوقيت الشرقي. يمكنك أيضاً قراءة الفصل 9 من دليل الأعضاء لمعرفة كيفية استئناف قرار ما.

جـ 1 الأدوية المصنفة حسب الحالة الطبية

تم تصنيف الأدوية في هذا القسم إلى فئات وفقاً لنوع الحالات الصحية المستخدمة في علاجها. على سبيل المثال، إذا كانت لديك مشكلة بالقلب، يجب عليك النظر في فئة "قلبي وعائي". وستجد في هذه الفئة الأدوية التي تعالج مشاكل القلب.

في ما يلي معاني الرموز المستخدمة في عمود "الإجراءات الضرورية أو القيود أو حدود الاستخدام":

PA = التصريح (الموافقة) المسبق: يجب أن تحصل على موافقة قبل أن تتمكن من الحصول على هذا الدواء.

QL = حدود الكمية: كمية الدواء التي ستعطيها الخطة.

ST = معايير العلاج التريجي: يجب أن تجرب دواء آخر قبل أن تتمكن من الحصول على هذا الدواء.

NM = طلب غير بريدي: لا يمكن صرف هذا الدواء بطلب عن طريق البريد.

B/D = قد يتم تغطية هذا الدواء بموجب الجزء B أو D من برنامج Medicare حسب الظروف.

LA = الدواء محدود الوصول: قد يتوفّر هذا الدواء فقط في صيدليات معينة.

(*) = الأدوية غير المدرجة في الجزء D، أو العناصر التي تُصرف بدون وصفة طبية (OTC) والتي يغطيها برنامج Medicaid.

NDS = الإمداد لأيام غير ممتدة: ستقتصر على عدد الأيام التي يمكنك الحصول فيها على إمداد.

إذا كانت لديك أي أسئلة، يرجى الاتصال بخطة Molina Dual Options على 735-5604 (855)، وبالنسبة إلى مستخدمي الهاتف النصي "TTY" ، يرجى الاتصال على: 711 ، من الإثنين إلى الجمعة، من 8 صباحاً إلى 8 مساءً، بالتوقيت الشرقي. هذا الاتصال مجاني. للاطلاع على مزيد من المعلومات، تفضل بزيارة MolinaHealthcare.com/Duals

MOLINA_MI_CY24_2T_MMP eff 05/01/2024

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU | NECESSARY ACTIONS RESTRICTIONS OR (TIER LEVEL) LIMITS ON USE |
|---------------------------------------------|----------------------------------------|-----------------------------------------------------------------------------|
|---------------------------------------------|----------------------------------------|-----------------------------------------------------------------------------|

ANALGESICS - DRUGS TO TREAT PAIN AND INFLAMMATION**GOUT - DRUGS TO TREAT GOUT**

| | | |
|------------------------------------------------|--------|-------------------------|
| <i>allopurinol</i> TABS 100mg, 300mg | \$0(1) | |
| <i>colchicine</i> TABS .6mg | \$0(1) | QL (120 tabs / 30 days) |
| <i>colchicine w/ probenecid tab 0.5-500 mg</i> | \$0(1) | |
| <i>MITIGARE</i> CAPS .6mg | \$0(2) | QL (60 caps / 30 days) |
| <i>probenecid</i> TABS 500mg | \$0(1) | |

MISCELLANEOUS

| | | |
|------------------------------------------------------------------------------------------------------------------------------------|--------|-------|
| <i>acetaminophen</i> SOLN 160mg/5ml, 325mg/10.15ml, 650mg/20.3ml; SUPP 120mg, 650mg; SUSP 160mg/5ml; TABS 325mg, 500mg; TBCR 650mg | \$0(3) | NM; * |
| <i>acetaminophen extra stren</i> TABS 500mg | \$0(3) | NM; * |
| <i>adult aspirin regimen</i> TBEC 81mg | \$0(3) | NM; * |
| <i>arthritis pain relief</i> TBCR 650mg | \$0(3) | NM; * |
| <i>aspirin</i> CHEW 81mg; TABS 325mg; TBEC 325mg | \$0(3) | NM; * |
| <i>ASPIRIN</i> SUPP 300mg | \$0(3) | NM; * |
| <i>aspirin adult low dose</i> TBEC 81mg | \$0(3) | NM; * |
| <i>aspirin low dose</i> CHEW 81mg; TBEC 81mg | \$0(3) | NM; * |
| <i>aspirin low strength</i> CHEW 81mg | \$0(3) | NM; * |
| <i>aspirin regimen</i> TBEC 81mg | \$0(3) | NM; * |
| <i>childrens acetaminophen</i> SUSP 160mg/5ml | \$0(3) | NM; * |
| <i>ed-apap</i> LIQD 160mg/5ml | \$0(3) | NM; * |
| <i>feverall adults</i> SUPP 650mg | \$0(3) | NM; * |
| <i>feverall childrens</i> SUPP 120mg | \$0(3) | NM; * |
| <i>FEVERALL INFANTS</i> SUPP 80mg | \$0(3) | NM; * |
| <i>FEVERALL JUNIOR STRENGTH</i> SUPP 325mg | \$0(3) | NM; * |
| <i>gnp 8 hour arthritis reli</i> TBCR 650mg | \$0(3) | NM; * |
| <i>gnp 8 hour pain relief</i> TBCR 650mg | \$0(3) | NM; * |
| <i>gnp 8 hour pain reliever</i> TBCR 650mg | \$0(3) | NM; * |
| <i>gnp acetaminophen</i> TABS 325mg | \$0(3) | NM; * |
| <i>gnp adult aspirin low str</i> CHEW 81mg | \$0(3) | NM; * |
| <i>gnp aspirin</i> TABS 325mg; TBEC 81mg | \$0(3) | NM; * |
| <i>gnp aspirin low dose</i> TBEC 81mg | \$0(3) | NM; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>gnp infants pain/fever</i> SUSP <i>160mg/5ml</i> | \$0(3) | NM; * |
| <i>gnp pain & fever children</i> SUSP <i>160mg/5ml</i> | \$0(3) | NM; * |
| <i>gnp pain relief</i> TABS 325mg | \$0(3) | NM; * |
| <i>gnp pain relief extra str</i> TABS 500mg | \$0(3) | NM; * |
| <i>goodsense arthritis pain</i> TBCR <i>650mg</i> | \$0(3) | NM; * |
| <i>goodsense aspirin</i> CHEW 81mg; TABS 325mg | \$0(3) | NM; * |
| <i>goodsense aspirin adults</i> TABS <i>325mg</i> | \$0(3) | NM; * |
| <i>goodsense pain & fever ch</i> SUSP <i>160mg/5ml</i> | \$0(3) | NM; * |
| <i>goodsense pain & fever in</i> SUSP <i>160mg/5ml</i> | \$0(3) | NM; * |
| <i>goodsense pain relief</i> TABS 325mg | \$0(3) | NM; * |
| <i>goodsense pain relief ext</i> TABS <i>500mg</i> | \$0(3) | NM; * |
| <i>hm adult aspirin</i> TABS 325mg | \$0(3) | NM; * |
| <i>hm aspirin</i> TBEC 325mg | \$0(3) | NM; * |
| <i>hm aspirin ec low dose</i> TBEC 81mg | \$0(3) | NM; * |
| <i>hm pain reliever</i> TABS 325mg | \$0(3) | NM; * |
| <i>m-pap</i> LIQD 160mg/5ml | \$0(3) | NM; * |
| <i>mapap</i> CAPS 500mg | \$0(3) | NM; * |
| <i>mapap arthritis pain</i> TBCR 650mg | \$0(3) | NM; * |
| <i>mapap childrens</i> CHEW 80mg | \$0(3) | NM; * |
| <i>pain & fever childrens</i> SUSP <i>160mg/5ml</i> | \$0(3) | NM; * |
| <i>pain & fever infants</i> SUSP <i>160mg/5ml</i> | \$0(3) | NM; * |
| <i>qc acetaminophen infants</i> SUSP <i>160mg/5ml</i> | \$0(3) | NM; * |
| <i>qc aspirin</i> TABS 325mg | \$0(3) | NM; * |
| <i>qc aspirin low dose</i> CHEW 81mg; TBEC 81mg | \$0(3) | NM; * |
| <i>qc enteric aspirin</i> TBEC 325mg | \$0(3) | NM; * |
| <i>qc non-aspirin extra stre</i> TABS <i>500mg</i> | \$0(3) | NM; * |
| <i>qc pain relief</i> TABS 325mg | \$0(3) | NM; * |
| <i>qc pain relief childrens</i> SUSP <i>160mg/5ml</i> | \$0(3) | NM; * |
| <i>qc pain relief extra stre</i> TABS 500mg | \$0(3) | NM; * |
| <i>sm adult aspirin</i> TABS 325mg | \$0(3) | NM; * |
| <i>sm aspirin adult low stre</i> TBEC 81mg | \$0(3) | NM; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|--------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>sm aspirin enteric coated</i> TBEC 325mg | \$0(3) | NM; * |
| <i>sm aspirin low dose</i> CHEW 81mg; TBEC 81mg | \$0(3) | NM; * |
| <i>sm pain & fever childrens</i> SUSP 80mg/2.5ml, 160mg/5ml | \$0(3) | NM; * |
| <i>sm pain & fever infants</i> SUSP 160mg/5ml | \$0(3) | NM; * |
| <i>sm pain relief extra stre</i> TABS 500mg | \$0(3) | NM; * |
| <i>sm pain reliever</i> TABS 325mg | \$0(3) | NM; * |
| <i>sm pain reliever children</i> SUSP 160mg/5ml | \$0(3) | NM; * |
| <i>sm pain reliever extra st</i> TABS 500mg | \$0(3) | NM; * |
| <i>tension headache</i> | \$0(3) | NM; * |
| <i>tri-buffered aspirin</i> | \$0(3) | NM; * |
| NSAIDS - DRUGS TO TREAT PAIN AND INFLAMMATION | | |
| <i>all day pain relief</i> TABS 220mg | \$0(3) | NM; * |
| <i>all day relief</i> TABS 220mg | \$0(3) | NM; * |
| <i>celecoxib</i> CAPS 50mg, 100mg, 200mg | \$0(1) | QL (60 caps / 30 days) |
| <i>celecoxib</i> CAPS 400mg | \$0(1) | QL (30 caps / 30 days) |
| <i>childrens ibuprofen</i> SUSP 100mg/5ml, 200mg/10ml | \$0(3) | NM; * |
| <i>diclofenac potassium</i> TABS 50mg | \$0(1) | QL (120 tabs / 30 days) |
| <i>diclofenac sodium</i> TB24 100mg; TBEC 25mg, 50mg, 75mg | \$0(1) | |
| <i>diflunisal</i> TABS 500mg | \$0(1) | |
| <i>ec-naproxen</i> TBEC 375mg | \$0(1) | QL (120 tabs / 30 days) |
| <i>ec-naproxen</i> TBEC 500mg | \$0(1) | QL (90 tabs / 30 days) |
| <i>etodolac</i> CAPS 200mg, 300mg; TABS 400mg, 500mg; TB24 400mg, 500mg, 600mg | \$0(1) | |
| <i>flurbiprofen</i> TABS 100mg | \$0(1) | |
| <i>gnp childrens ibuprofen</i> SUSP 100mg/5ml | \$0(3) | NM; * |
| <i>gnp ibuprofen</i> CAPS 200mg; TABS 200mg | \$0(3) | NM; * |
| <i>gnp ibuprofen childrens</i> CHEW 100mg | \$0(3) | NM; * |
| <i>gnp ibuprofen infants</i> SUSP 50mg/1.25ml | \$0(3) | NM; * |
| <i>gnp naproxen</i> TABS 220mg | \$0(3) | NM; * |
| <i>gnp naproxen sodium</i> CAPS 220mg | \$0(3) | NM; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|--------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>goodsense ibuprofen</i> CAPS 200mg; TABS 200mg | \$0(3) | NM; * |
| <i>goodsense ibuprofen child</i> SUSP 100mg/5ml | \$0(3) | NM; * |
| <i>goodsense ibuprofen infan</i> SUSP 50mg/1.25ml | \$0(3) | NM; * |
| <i>goodsense naproxen sodium</i> TABS 220mg | \$0(3) | NM; * |
| <i>hm ibuprofen</i> TABS 200mg | \$0(3) | NM; * |
| <i>hm ibuprofen childrens</i> SUSP 100mg/5ml | \$0(3) | NM; * |
| <i>hm naproxen sodium</i> CAPS 220mg | \$0(3) | NM; * |
| <i>ibu</i> TABS 400mg, 600mg, 800mg | \$0(1) | |
| <i>ibuprofen</i> CAPS 200mg; TABS 200mg | \$0(3) | NM; * |
| <i>ibuprofen</i> SUSP 100mg/5ml; TABS 400mg, 600mg, 800mg | \$0(1) | |
| <i>ibuprofen childrens</i> SUSP 100mg/5ml | \$0(3) | NM; * |
| <i>ibuprofen infants</i> SUSP 50mg/1.25ml | \$0(3) | NM; * |
| <i>ibuprofen junior strength</i> CHEW 100mg | \$0(3) | NM; * |
| <i>infants ibuprofen</i> SUSP 50mg/1.25ml | \$0(3) | NM; * |
| <i>meloxicam</i> TABS 7.5mg, 15mg | \$0(1) | |
| <i>nabumetone</i> TABS 500mg, 750mg | \$0(1) | |
| <i>naproxen</i> TABS 250mg, 375mg, 500mg | \$0(1) | |
| <i>naproxen</i> TBEC 375mg | \$0(1) | QL (120 tabs / 30 days) |
| <i>naproxen</i> TBEC 500mg | \$0(1) | QL (90 tabs / 30 days) |
| <i>naproxen sodium</i> CAPS 220mg; TABS 220mg | \$0(3) | NM; * |
| <i>naproxen sodium</i> TABS 275mg, 550mg | \$0(1) | |
| <i>piroxicam</i> CAPS 10mg, 20mg | \$0(1) | |
| <i>qc ibuprofen</i> TABS 200mg | \$0(3) | NM; * |
| <i>qc naproxen sodium</i> TABS 220mg | \$0(3) | NM; * |
| <i>sm ibuprofen</i> CAPS 200mg; TABS 200mg | \$0(3) | NM; * |
| <i>sm ibuprofen ib</i> TABS 200mg | \$0(3) | NM; * |
| <i>sm ibuprofen ib childrens</i> CHEW 100mg | \$0(3) | NM; * |
| <i>sm infants ibuprofen</i> SUSP 50mg/1.25ml | \$0(3) | NM; * |
| <i>sm naproxen sodium</i> TABS 220mg | \$0(3) | NM; * |
| <i>sulindac</i> TABS 150mg, 200mg | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>OPIOID ANALGESICS, LONG-ACTING</i> | | |
| <i>buprenorphine</i> PTWK 5mcg/hr, 7.5mcg/hr, 10mcg/hr, 15mcg/hr, 20mcg/hr | \$0(1) | QL (4 patches / 28 days), PA |
| <i>fentanyl</i> PT72 12mcg/hr, 25mcg/hr, 37.5mcg/hr, 50mcg/hr, 62.5mcg/hr, 75mcg/hr, 87.5mcg/hr, 100mcg/hr | \$0(1) | QL (10 patches / 30 days), PA |
| <i>hydrocodone bitartrate</i> T24A 20mg, 30mg, 40mg, 60mg | \$0(1) | QL (30 tabs / 30 days), PA |
| <i>hydrocodone bitartrate</i> T24A 80mg, 100mg, 120mg | \$0(2) | QL (30 tabs / 30 days), PA |
| <i>HYSINGLA ER</i> T24A 20mg, 30mg, 40mg, 60mg, 80mg, 100mg, 120mg | \$0(2) | QL (30 tabs / 30 days), PA |
| <i>methadone hcl</i> SOLN 5mg/5ml, 10mg/5ml | \$0(1) | QL (450 mL / 30 days), PA |
| <i>methadone hcl</i> TABS 5mg, 10mg | \$0(1) | QL (90 tabs / 30 days), PA |
| <i>methadone hydrochloride i</i> CONC 10mg/ml | \$0(1) | QL (90 mL / 30 days), PA |
| <i>morphine sulfate</i> TBCR 15mg, 30mg, 60mg, 100mg, 200mg | \$0(1) | QL (90 tabs / 30 days), PA |
| <i>OXYCONTIN</i> T12A 10mg, 15mg, 20mg, 30mg, 40mg, 60mg, 80mg | \$0(2) | QL (60 tabs / 30 days), PA |
| <i>OPIOID ANALGESICS, SHORT-ACTING</i> | | |
| <i>acetaminophen w/ codeine soln</i> 120- 12 mg/5ml | \$0(1) | QL (2700 mL / 30 days) |
| <i>acetaminophen w/ codeine tab</i> 300- 15 mg | \$0(1) | QL (400 tabs / 30 days) |
| <i>acetaminophen w/ codeine tab</i> 300- 30 mg | \$0(1) | QL (360 tabs / 30 days) |
| <i>acetaminophen w/ codeine tab</i> 300- 60 mg | \$0(1) | QL (180 tabs / 30 days) |
| <i>butorphanol tartrate</i> SOLN 1mg/ml, 2mg/ml | \$0(2) | |
| <i>endocet tab</i> 2.5-325mg | \$0(1) | QL (360 tabs / 30 days) |
| <i>endocet tab</i> 5-325mg | \$0(1) | QL (360 tabs / 30 days) |
| <i>endocet tab</i> 7.5-325mg | \$0(1) | QL (240 tabs / 30 days) |
| <i>endocet tab</i> 10-325mg | \$0(1) | QL (180 tabs / 30 days) |
| <i>fentanyl citrate</i> LPOP 200mcg | \$0(1) | QL (120 lozenges / 30 days), PA |
| <i>fentanyl citrate</i> LPOP 400mcg, 600mcg, 800mcg, 1200mcg, 1600mcg | \$0(2) | NDS, QL (120 lozenges / 30 days), PA |
| <i>hydrocodone-acetaminophen soln</i> 7.5-325 mg/15ml | \$0(1) | QL (2700 mL / 30 days) |
| <i>hydrocodone-acetaminophen tab</i> 5- 325 mg | \$0(1) | QL (240 tabs / 30 days) |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>hydrocodone-acetaminophen tab 7.5-325 mg</i> | \$0(1) | QL (180 tabs / 30 days) |
| <i>hydrocodone-acetaminophen tab 10-325 mg</i> | \$0(1) | QL (180 tabs / 30 days) |
| <i>hydrocodone-ibuprofen tab 7.5-200 mg</i> | \$0(1) | QL (150 tabs / 30 days) |
| <i>hydromorphone hcl LIQD 1mg/ml</i> | \$0(1) | QL (600 mL / 30 days) |
| <i>hydromorphone hcl TABS 2mg, 4mg, 8mg</i> | \$0(1) | QL (180 tabs / 30 days) |
| MORPHINE SULFATE SOLN 2mg/ml, 4mg/ml, 5mg/ml, 8mg/ml, 10mg/ml, 50mg/ml | \$0(2) | B/D |
| <i>morphine sulfate SOLN 4mg/ml, 8mg/ml, 10mg/ml</i> | \$0(2) | B/D |
| <i>morphine sulfate SOLN 10mg/5ml, 20mg/5ml</i> | \$0(1) | QL (900 mL / 30 days) |
| <i>morphine sulfate SOLN 20mg/ml</i> | \$0(1) | QL (180 mL / 30 days) |
| <i>morphine sulfate TABS 15mg, 30mg</i> | \$0(1) | QL (180 tabs / 30 days) |
| MORPHINE SULFATE/SODIUM C SOLN 1mg/ml | \$0(2) | B/D |
| <i>nalbuphine hcl SOLN 10mg/ml, 20mg/ml</i> | \$0(2) | |
| <i>oxycodone hcl CAPS 5mg</i> | \$0(1) | QL (180 caps / 30 days) |
| <i>oxycodone hcl CONC 100mg/5ml</i> | \$0(1) | QL (180 mL / 30 days) |
| <i>oxycodone hcl SOLN 5mg/5ml</i> | \$0(1) | QL (900 mL / 30 days) |
| <i>oxycodone hcl TABS 5mg, 10mg, 15mg, 20mg, 30mg</i> | \$0(1) | QL (180 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 2.5-325 mg</i> | \$0(1) | QL (360 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 5-325 mg</i> | \$0(1) | QL (360 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 7.5-325 mg</i> | \$0(1) | QL (240 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 10-325 mg</i> | \$0(1) | QL (180 tabs / 30 days) |
| <i>tramadol hcl TABS 50mg</i> | \$0(1) | QL (240 tabs / 30 days) |
| <i>tramadol-acetaminophen tab 37.5-325 mg</i> | \$0(1) | QL (240 tabs / 30 days) |

ANESTHETICS - DRUGS FOR NUMBING

LOCAL ANESTHETICS

| | | |
|-------------------------------------------------------------|--------|-----|
| <i>lidocaine hcl (local anesth.) SOLN .5%, 1%, 1.5%, 2%</i> | \$0(1) | B/D |
|-------------------------------------------------------------|--------|-----|

ANTI-INFECTIVES - DRUGS TO TREAT INFECTIONS

ANTI-INFECTIVES - MISCELLANEOUS

| | | |
|-------------------------------|--------|-------------------------------|
| <i>albendazole TABS 200mg</i> | \$0(2) | NDS, QL (672 tabs / year), PA |
|-------------------------------|--------|-------------------------------|

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>amikacin sulfate</i> SOLN 1gm/4ml, 500mg/2ml | \$0(1) | |
| <i>atovaquone</i> SUSP 750mg/5ml | \$0(1) | |
| <i>aztreonam</i> SOLR 1gm, 2gm | \$0(1) | |
| BINAXNOW COV KIT HOME TES | \$0(3) | QL (8 kits / 30 days), NM; * |
| CARESTART KIT COVID-19 | \$0(3) | QL (8 kits / 30 days), NM; * |
| CAYSTON SOLR 75mg | \$0(2) | NDS, NM, LA, PA |
| <i>clindamycin hcl</i> CAPS 75mg, 150mg, 300mg | \$0(1) | |
| <i>clindamycin palmitate hydrochloride</i> SOLR 75mg/5ml | \$0(1) | |
| <i>clindamycin phosphate</i> SOLN 600mg/4ml, 900mg/6ml, 9000mg/60ml | \$0(1) | |
| <i>clindamycin phosphate in d5w iv soln</i> 300 mg/50ml | \$0(1) | |
| <i>clindamycin phosphate in d5w iv soln</i> 600 mg/50ml | \$0(1) | |
| <i>clindamycin phosphate in d5w iv soln</i> 900 mg/50ml | \$0(1) | |
| CLINDMYC/NAC INJ 300/50ML | \$0(2) | |
| CLINDMYC/NAC INJ 600/50ML | \$0(2) | |
| CLINDMYC/NAC INJ 900/50ML | \$0(2) | |
| CLINITEST KIT SELF-TST | \$0(3) | QL (8 kits / 30 days), NM; * |
| <i>colistimethate sodium</i> SOLR 150mg | \$0(1) | |
| COVID-19 AT- KIT 1-PACK | \$0(3) | QL (8 kits / 30 days), NM; * |
| COVID-19 RAP KIT 1-PACK | \$0(3) | QL (8 kits / 30 days), NM; * |
| COVID-19 RAP KIT 2-PACK | \$0(3) | QL (8 kits / 30 days), NM; * |
| <i>dapsone</i> TABS 25mg, 100mg | \$0(1) | |
| DAPTOMYCIN SOLR 350mg | \$0(2) | NDS |
| <i>daptomycin</i> SOLR 350mg, 500mg | \$0(2) | NDS |
| DIATRUST KIT COVID-19 | \$0(3) | QL (8 kits / 30 days), NM; * |
| ELLUME COV19 KIT HOME TES | \$0(3) | QL (8 kits / 30 days), NM; * |
| EMVERM CHEW 100mg | \$0(2) | NDS, QL (12 tabs / year) |
| <i>ertapenem sodium</i> SOLR 1gm | \$0(1) | |
| FLOWFLEX KIT TEST | \$0(3) | QL (8 kits / 30 days), NM; * |
| <i>gentamicin in saline inj 0.8 mg/ml</i> | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|--------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>gentamicin in saline inj 1 mg/ml</i> | \$0(1) | |
| <i>gentamicin in saline inj 1.2 mg/ml</i> | \$0(1) | |
| <i>gentamicin in saline inj 1.6 mg/ml</i> | \$0(1) | |
| <i>gentamicin in saline inj 2 mg/ml</i> | \$0(1) | |
| <i>gentamicin sulfate SOLN 10mg/ml, 40mg/ml</i> | \$0(1) | |
| IHEALTH 2-PK KIT COVID-19 | \$0(3) | QL (8 kits / 30 days), NM; * |
| IHEALTH 5-PK KIT COVID-19 | \$0(3) | QL (8 kits / 30 days), NM; * |
| IHEALTH 40PK KIT COVID-19 | \$0(3) | QL (8 kits / 30 days), NM; * |
| <i>imipenem-cilastatin intravenous for soln 250 mg</i> | \$0(1) | |
| <i>imipenem-cilastatin intravenous for soln 500 mg</i> | \$0(1) | |
| INDICAID KIT COVID-19 | \$0(3) | QL (8 kits / 30 days), NM; * |
| INTELISWAB KIT COVID-19 | \$0(3) | QL (8 kits / 30 days), NM; * |
| <i>ivermectin TABS 3mg</i> | \$0(1) | QL (12 tabs / 90 days), PA |
| <i>linezolid SOLN 600mg/300ml</i> | \$0(1) | |
| <i>linezolid SUSR 100mg/5ml</i> | \$0(2) | NDS, QL (1800 mL / 30 days) |
| <i>linezolid TABS 600mg</i> | \$0(1) | QL (60 tabs / 30 days) |
| LINEZOLID INJ 2MG/ML | \$0(1) | |
| LUCIRA CHECK KIT COVID-19 | \$0(3) | QL (8 kits / 30 days), NM; * |
| <i>meropenem SOLR 1gm, 500mg</i> | \$0(1) | |
| <i>methenamine hippurate TABS 1gm</i> | \$0(1) | |
| <i>metronidazole SOLN 500mg/100ml; TABS 250mg, 500mg</i> | \$0(1) | |
| <i>neomycin sulfate TABS 500mg</i> | \$0(1) | |
| <i>nitazoxanide TABS 500mg</i> | \$0(2) | NDS, QL (6 tabs / 30 days) |
| <i>nitrofurantoin macrocrystal CAPS 50mg, 100mg</i> | \$0(2) | |
| <i>nitrofurantoin monohyd macro CAPS 100mg</i> | \$0(2) | |
| ON/GO COVID KIT ANTIGEN | \$0(3) | QL (8 kits / 30 days), NM; * |
| ON/GO ONE KIT COVID-19 | \$0(3) | QL (8 kits / 30 days), NM; * |
| <i>pentamidine isethionate inh SOLR 300mg</i> | \$0(1) | B/D |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|--------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>pentamidine isethionate inj</i> SOLR 300mg | \$0(1) | |
| PILOT COVID KIT HOME TES | \$0(3) | QL (8 kits / 30 days), NM; * |
| <i>praziquantel</i> TABS 600mg | \$0(1) | |
| QUICKVUE HOM KIT COVID-19 | \$0(3) | QL (8 kits / 30 days), NM; * |
| SIVEXTRO SOLR 200mg; TABS 200mg | \$0(2) | NDS |
| SPEEDY SWAB KIT COVID-19 | \$0(3) | QL (8 kits / 30 days), NM; * |
| <i>streptomycin sulfate</i> SOLR 1gm | \$0(2) | NDS |
| <i>sulfadiazine</i> TABS 500mg | \$0(2) | NDS |
| <i>sulfamethoxazole-trimethoprim iv soln</i> 400-80 mg/5ml | \$0(1) | |
| <i>sulfamethoxazole-trimethoprim susp</i> 200-40 mg/5ml | \$0(1) | |
| <i>sulfamethoxazole-trimethoprim tab</i> 400-80 mg | \$0(1) | |
| <i>sulfamethoxazole-trimethoprim tab</i> 800-160 mg | \$0(1) | |
| <i>tinidazole</i> TABS 250mg, 500mg | \$0(1) | |
| <i>tobramycin</i> NEBU 300mg/5ml | \$0(2) | NDS, NM, PA |
| <i>tobramycin sulfate</i> SOLN 1.2gm/30ml, 10mg/ml, 40mg/ml, 80mg/2ml | \$0(1) | |
| <i>trimethoprim</i> TABS 100mg | \$0(1) | |
| <i>vancomycin hcl</i> CAPS 125mg | \$0(1) | QL (80 caps / 180 days) |
| <i>vancomycin hcl</i> CAPS 250mg | \$0(1) | QL (160 caps / 180 days) |
| <i>vancomycin hcl</i> SOLR 1gm, 5gm, 10gm, 500mg, 750mg | \$0(1) | |
| VANCOMYCIN INJ 1 GM | \$0(2) | |
| VANCOMYCIN INJ 500MG | \$0(2) | |
| VANCOMYCIN INJ 750MG | \$0(2) | |
| ANTIFUNGALS - DRUGS TO TREAT FUNGAL INFECTIONS | | |
| ABELCET SUSP 5mg/ml | \$0(2) | B/D |
| <i>amphotericin b</i> SOLR 50mg | \$0(1) | B/D |
| <i>amphotericin b liposome</i> SUSR 50mg | \$0(2) | NDS, B/D |
| <i>caspofungin acetate</i> SOLR 50mg, 70mg | \$0(1) | |
| <i>fluconazole</i> SUSR 10mg/ml, 40mg/ml; TABS 50mg, 100mg, 150mg, 200mg | \$0(1) | |
| <i>fluconazole in nacl 0.9% inj</i> 200 mg/100ml | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|----------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>fluconazole in nacl 0.9% inj 400 mg/200ml</i> | \$0(1) | |
| <i>flucytosine CAPS 250mg, 500mg</i> | \$0(2) | NDS, PA |
| <i>griseofulvin microsize SUSP 125mg/5ml; TABS 500mg</i> | \$0(1) | |
| <i>griseofulvin ultramicrosize TABS 125mg, 250mg</i> | \$0(1) | |
| <i>itraconazole CAPS 100mg</i> | \$0(1) | PA |
| <i>ketoconazole TABS 200mg</i> | \$0(1) | PA |
| <i>micafungin sodium SOLR 50mg, 100mg</i> | \$0(2) | NDS |
| <i>nystatin TABS 50000unit</i> | \$0(1) | |
| <i>posaconazole SUSP 40mg/ml</i> | \$0(2) | NDS, QL (630 mL / 30 days), PA |
| <i>posaconazole TBEC 100mg</i> | \$0(2) | NDS, QL (93 tabs / 30 days), PA |
| <i>terbinafine hcl TABS 250mg</i> | \$0(1) | QL (90 tabs / year) |
| <i>voriconazole SOLR 200mg</i> | \$0(1) | PA |
| <i>voriconazole SUSR 40mg/ml</i> | \$0(2) | NDS, PA |
| <i>voriconazole TABS 50mg</i> | \$0(1) | QL (480 tabs / 30 days), PA |
| <i>voriconazole TABS 200mg</i> | \$0(1) | QL (120 tabs / 30 days), PA |

ANTIMALARIALS - DRUGS TO TREAT MALARIA

| | | |
|------------------------------------------------|--------|----|
| <i>atovaquone-proguanil hcl tab 62.5-25 mg</i> | \$0(1) | |
| <i>atovaquone-proguanil hcl tab 250-100 mg</i> | \$0(1) | |
| <i>chloroquine phosphate TABS 250mg, 500mg</i> | \$0(1) | |
| <i>COARTEM TAB 20-120MG</i> | \$0(2) | |
| <i>mefloquine hcl TABS 250mg</i> | \$0(1) | |
| <i>primaquine phosphate TABS 26.3mg</i> | \$0(1) | |
| <i>PRIMAQUINE PHOSPHATE TABS 26.3mg</i> | \$0(2) | |
| <i>quinine sulfate CAPS 324mg</i> | \$0(1) | PA |

ANTIRETROVIRAL AGENTS - DRUGS TO SUPPRESS HIV/AIDS

INFECTION

| | | |
|----------------------------------------------------|--------|---------------------------------|
| <i>abacavir sulfate SOLN 20mg/ml; TABS 300mg</i> | \$0(1) | NM |
| <i>APTIVUS CAPS 250mg</i> | \$0(2) | NDS, NM |
| <i>atazanavir sulfate CAPS 150mg, 200mg, 300mg</i> | \$0(1) | NM |
| <i>darunavir TABS 600mg</i> | \$0(2) | NDS, QL (60 tabs / 30 days), NM |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>darunavir</i> TABS 800mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM |
| <i>EDURANT</i> TABS 25mg | \$0(2) | NDS, NM |
| <i>efavirenz</i> CAPS 50mg, 200mg; TABS 600mg | \$0(1) | NM |
| <i>emtricitabine</i> CAPS 200mg | \$0(1) | NM |
| <i>EMTRIVA</i> SOLN 10mg/ml | \$0(2) | NM |
| <i>etravirine</i> TABS 100mg, 200mg | \$0(2) | NDS, NM |
| <i>fosamprenavir calcium</i> TABS 700mg | \$0(2) | NDS, NM |
| <i>FUZEON</i> SOLR 90mg | \$0(2) | NDS, NM, LA |
| <i>INTELENCE</i> TABS 25mg | \$0(2) | NM |
| <i>ISENTRESS</i> CHEW 25mg | \$0(2) | NM |
| <i>ISENTRESS</i> CHEW 100mg; PACK 100mg; TABS 400mg | \$0(2) | NDS, NM |
| <i>ISENTRESS</i> HD TABS 600mg | \$0(2) | NDS, NM |
| <i>lamivudine</i> SOLN 10mg/ml; TABS 150mg, 300mg | \$0(1) | NM |
| <i>LEXIVA</i> SUSP 50mg/ml | \$0(2) | NM |
| <i>maraviroc</i> TABS 150mg, 300mg | \$0(2) | NDS, NM |
| <i>nevirapine</i> SUSP 50mg/5ml; TABS 200mg; TB24 400mg | \$0(1) | NM |
| <i>NORVIR</i> PACK 100mg | \$0(2) | NM |
| <i>PIFELTRO</i> TABS 100mg | \$0(2) | NDS, NM |
| <i>PREZISTA</i> SUSP 100mg/ml | \$0(2) | NDS, QL (400 mL / 30 days), NM |
| <i>PREZISTA</i> TABS 75mg | \$0(2) | QL (480 tabs / 30 days), NM |
| <i>PREZISTA</i> TABS 150mg | \$0(2) | NDS, QL (240 tabs / 30 days), NM |
| <i>REYATAZ</i> PACK 50mg | \$0(2) | NDS, NM |
| <i>ritonavir</i> TABS 100mg | \$0(1) | NM |
| <i>RUKOBIA</i> TB12 600mg | \$0(2) | NDS, NM |
| <i>SELZENTRY</i> SOLN 20mg/ml; TABS 75mg | \$0(2) | NDS, NM |
| <i>SELZENTRY</i> TABS 25mg | \$0(2) | NM |
| <i>SUNLENCA</i> TBPK 300mg | \$0(2) | NDS, NM, LA |
| <i>tenofovir disoproxil fumarate</i> TABS 300mg | \$0(1) | NM |
| <i>TIVICAY</i> TABS 10mg | \$0(2) | NM |
| <i>TIVICAY</i> TABS 25mg, 50mg | \$0(2) | NDS, NM |
| <i>TIVICAY PD</i> TBSO 5mg | \$0(2) | NDS, NM |
| <i>TROGARZO</i> SOLN 200mg/1.33ml | \$0(2) | NDS, NM, LA |
| <i>TYBOST</i> TABS 150mg | \$0(2) | NM |
| <i>VIRACEPT</i> TABS 250mg, 625mg | \$0(2) | NDS, NM |
| <i>VIREAD</i> POWD 40mg/gm; TABS 150mg, 200mg, 250mg | \$0(2) | NDS, NM |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>zidovudine CAPS 100mg; SYRP 50mg/5ml; TABS 300mg</i> | \$0(1) | NM |
| ANTIRETROVIRAL COMBINATION AGENTS - DRUGS TO SUPPRESS HIV/AIDS INFECTION | | |
| <i>abacavir sulfate-lamivudine tab 600-300 mg</i> | \$0(1) | NM |
| <i>BIKTARVY TAB 30-120-15 MG</i> | \$0(2) | NDS, NM |
| <i>BIKTARVY TAB 50-200-25 MG</i> | \$0(2) | NDS, NM |
| <i>CIMDUO TAB 300-300</i> | \$0(2) | NDS, NM |
| <i>COMPLERA TAB</i> | \$0(2) | NDS, NM |
| <i>DELSTRIGO TAB</i> | \$0(2) | NDS, NM |
| <i>DESCOVY TAB 120-15MG</i> | \$0(2) | NDS, QL (30 tabs / 30 days), NM |
| <i>DESCOVY TAB 200/25MG</i> | \$0(2) | NDS, QL (30 tabs / 30 days), NM |
| <i>DOVATO TAB 50-300MG</i> | \$0(2) | NDS, NM |
| <i>efavirenz-emtricitabine-tenofovir df tab 600-200-300 mg</i> | \$0(2) | NDS, NM |
| <i>efavirenz-lamivudine-tenofovir df tab 400-300-300 mg</i> | \$0(2) | NDS, NM |
| <i>efavirenz-lamivudine-tenofovir df tab 600-300-300 mg</i> | \$0(2) | NDS, NM |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 100-150 mg</i> | \$0(2) | NDS, QL (30 tabs / 30 days), NM |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 133-200 mg</i> | \$0(2) | NDS, QL (30 tabs / 30 days), NM |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 167-250 mg</i> | \$0(2) | NDS, QL (30 tabs / 30 days), NM |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 200-300 mg</i> | \$0(1) | QL (30 tabs / 30 days), NM |
| <i>EVOTAZ TAB 300-150</i> | \$0(2) | NDS, NM |
| <i>GENVOYA TAB</i> | \$0(2) | NDS, NM |
| <i>JULUCA TAB 50-25MG</i> | \$0(2) | NDS, NM |
| <i>lamivudine-zidovudine tab 150-300 mg</i> | \$0(1) | NM |
| <i>lopinavir-ritonavir soln 400-100 mg/5ml (80-20 mg/ml)</i> | \$0(1) | NM |
| <i>lopinavir-ritonavir tab 100-25 mg</i> | \$0(1) | NM |
| <i>lopinavir-ritonavir tab 200-50 mg</i> | \$0(1) | NM |
| <i>ODEFSEY TAB</i> | \$0(2) | NDS, NM |
| <i>PREZCOBIX TAB 800-150</i> | \$0(2) | NDS, NM |
| <i>STRIBILD TAB</i> | \$0(2) | NDS, NM |
| <i>SYMTUZA TAB</i> | \$0(2) | NDS, NM |
| <i>TRIUMEQ PD TAB</i> | \$0(2) | NDS, NM |
| <i>TRIUMEQ TAB</i> | \$0(2) | NDS, NM |
| <i>TRIZIVIR TAB</i> | \$0(2) | NDS, NM |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| ANTITUBERCULAR AGENTS - DRUGS TO TREAT TUBERCULOSIS | | |
| cycloserine CAPS 250mg | \$0(2) | NDS |
| ethambutol hcl TABS 100mg, 400mg | \$0(1) | |
| isoniazid SYRP 50mg/5ml; TABS 100mg, 300mg | \$0(1) | |
| PRIFTIN TABS 150mg | \$0(2) | |
| pyrazinamide TABS 500mg | \$0(1) | |
| rifabutin CAPS 150mg | \$0(1) | |
| rifampin CAPS 150mg, 300mg; SOLR 600mg | \$0(1) | |
| SIRTURO TABS 20mg, 100mg | \$0(2) | NDS, NM, LA, PA |
| TRECATOR TABS 250mg | \$0(2) | |
| ANTIVIRALS - DRUGS TO TREAT VIRAL INFECTIONS | | |
| acyclovir CAPS 200mg; SUSP 200mg/5ml; TABS 400mg, 800mg | \$0(1) | |
| acyclovir sodium SOLN 50mg/ml | \$0(1) | B/D |
| adefovir dipivoxil TABS 10mg | \$0(1) | NM |
| BARACLODIE SOLN .05mg/ml | \$0(2) | NDS, NM |
| entecavir TABS .5mg, 1mg | \$0(1) | NM |
| EPCLUSA PAK 150-37.5 | \$0(2) | NDS, NM, PA |
| EPCLUSA PAK 200-50MG | \$0(2) | NDS, NM, PA |
| EPCLUSA TAB 200-50MG | \$0(2) | NDS, NM, PA |
| EPCLUSA TAB 400-100 | \$0(2) | NDS, NM, PA |
| famciclovir TABS 125mg, 250mg, 500mg | \$0(1) | |
| ganciclovir sodium SOLR 500mg | \$0(1) | B/D |
| HARVONI PAK 33.75-150MG | \$0(2) | NDS, NM, PA |
| HARVONI PAK 45-200MG | \$0(2) | NDS, NM, PA |
| HARVONI TAB 45-200MG | \$0(2) | NDS, NM, PA |
| HARVONI TAB 90-400MG | \$0(2) | NDS, NM, PA |
| lamivudine (hbv) TABS 100mg | \$0(1) | NM |
| MAVYRET PAK 50-20MG | \$0(2) | NDS, NM, PA |
| MAVYRET TAB 100-40MG | \$0(2) | NDS, NM, PA |
| oseltamivir phosphate CAPS 30mg | \$0(1) | QL (168 caps / year) |
| oseltamivir phosphate CAPS 45mg, 75mg | \$0(1) | QL (84 caps / year) |
| oseltamivir phosphate SUSR 6mg/ml | \$0(1) | QL (1080 mL / year) |
| PAXLOVID TAB 150-100 | \$0(2) | QL (40 tabs / 30 days); \$0 Cost Share |
| PAXLOVID TAB 300-100 | \$0(2) | QL (60 tabs / 30 days); \$0 Cost Share |
| PEGASYS SOLN 180mcg/ml; SOSY 180mcg/0.5ml | \$0(2) | NDS, NM, PA |
| PREVYMIS TABS 240mg, 480mg | \$0(2) | NDS, QL (28 tabs / 28 days), PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| RELENZA DISKHALER AEPB 5mg/blister | \$0(2) | QL (6 inhalers / year) |
| <i>ribavirin (hepatitis c)</i> CAPS 200mg; TABS 200mg | \$0(1) | NM |
| <i>rimantadine hydrochloride</i> TABS 100mg | \$0(1) | |
| <i>valacyclovir hcl</i> TABS 1gm, 500mg | \$0(1) | |
| <i>valganciclovir hcl</i> SOLR 50mg/ml | \$0(2) | NDS |
| <i>valganciclovir hcl</i> TABS 450mg | \$0(1) | |
| VEMLIDY TABS 25mg | \$0(2) | NDS, NM |
| VOSEVI TAB | \$0(2) | NDS, NM, PA |
| XOFLUZA TBPK 40mg, 80mg | \$0(2) | QL (1 tab / 180 days) |

CEPHALOSPORINS - DRUGS TO TREAT INFECTIONS

| | | |
|-------------------------------------------------------------------------|--------|-----|
| <i>cefaclor</i> CAPS 250mg, 500mg; SUSR 250mg/5ml | \$0(1) | |
| <i>CEFACLOR ER</i> TB12 500mg | \$0(2) | |
| <i>cefadroxil</i> CAPS 500mg; SUSR 250mg/5ml, 500mg/5ml | \$0(1) | |
| <i>CEFAZOLIN</i> SOLR 2gm, 3gm | \$0(2) | |
| <i>CEFAZOLIN INJ</i> 1GM/50ML | \$0(2) | |
| <i>cefazolin sodium</i> SOLR 1gm, 2gm, 3gm, 10gm, 500mg | \$0(1) | |
| <i>CEFAZOLIN SOLN</i> 2GM/100ML-4% | \$0(2) | |
| <i>cefdinir</i> CAPS 300mg; SUSR 125mg/5ml, 250mg/5ml | \$0(1) | |
| <i>cefepime hcl</i> SOLR 1gm, 2gm | \$0(1) | |
| <i>cefixime</i> CAPS 400mg; SUSR 100mg/5ml, 200mg/5ml | \$0(1) | |
| <i>cefoxitin sodium</i> SOLR 1gm, 2gm, 10gm | \$0(1) | |
| <i>cefpodoxime proxetil</i> SUSR 50mg/5ml, 100mg/5ml; TABS 100mg, 200mg | \$0(1) | |
| <i>cefprozil</i> SUSR 125mg/5ml, 250mg/5ml; TABS 250mg, 500mg | \$0(1) | |
| <i>ceftazidime</i> SOLR 1gm, 2gm, 6gm | \$0(1) | |
| <i>ceftriaxone sodium</i> SOLR 1gm, 2gm, 10gm, 250mg, 500mg | \$0(1) | |
| <i>cefuroxime axetil</i> TABS 250mg, 500mg | \$0(1) | |
| <i>cefuroxime sodium</i> SOLR 1.5gm, 750mg | \$0(1) | |
| <i>cephalexin</i> CAPS 250mg, 500mg; SUSR 125mg/5ml, 250mg/5ml | \$0(1) | |
| <i>tazicef</i> SOLR 1gm, 2gm, 6gm | \$0(1) | |
| TEFLARO SOLR 400mg, 600mg | \$0(2) | NDS |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-----------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|-------------------------------------------------------|
| ERYTHROMYCINS/MACROLIDES - DRUGS TO TREAT INFECTIONS | | |
| <i>azithromycin</i> PACK 1gm; SOLR 500mg; SUSR 100mg/5ml, 200mg/5ml; TABS 250mg, 500mg, 600mg | \$0(1) | |
| <i>clarithromycin</i> SUSR 125mg/5ml, 250mg/5ml; TABS 250mg, 500mg; TB24 500mg | \$0(1) | |
| DIFICID SUSR 40mg/ml; TABS 200mg | \$0(2) | NDS |
| <i>e.e.s. 400</i> TABS 400mg | \$0(1) | |
| <i>ery-tab</i> TBEC 250mg, 333mg, 500mg | \$0(1) | |
| ERYTHROCIN LACTOBIONATE SOLR 500mg | \$0(2) | |
| <i>erythrocin stearate</i> TABS 250mg | \$0(1) | |
| <i>erythromycin base</i> CPEP 250mg; TABS 250mg, 500mg; TBEC 250mg, 333mg, 500mg | \$0(1) | |
| <i>erythromycin ethylsuccinate</i> TABS 400mg | \$0(1) | |
| <i>erythromycin lactobionate</i> SOLR 500mg | \$0(1) | |
| FLUOROQUINOLONES - DRUGS TO TREAT INFECTIONS | | |
| CIPRO SUSR 500mg/5ml | \$0(2) | |
| <i>ciprofloxacin 200 mg/100ml in d5w</i> | \$0(1) | |
| <i>ciprofloxacin 400 mg/200ml in d5w</i> | \$0(1) | |
| <i>ciprofloxacin hcl</i> TABS 250mg, 500mg, 750mg | \$0(1) | |
| <i>levofloxacin</i> SOLN 25mg/ml; TABS 250mg, 500mg, 750mg | \$0(1) | |
| <i>levofloxacin in d5w iv soln 250 mg/50ml</i> | \$0(1) | |
| <i>levofloxacin in d5w iv soln 500 mg/100ml</i> | \$0(1) | |
| <i>levofloxacin in d5w iv soln 750 mg/150ml</i> | \$0(1) | |
| <i>moxifloxacin hcl</i> TABS 400mg | \$0(1) | |
| <i>moxifloxacin hcl 400 mg/250ml in sodium chloride 0.8% inj</i> | \$0(1) | |
| PENICILLINS - DRUGS TO TREAT INFECTIONS | | |
| <i>amoxicillin</i> CAPS 250mg, 500mg; CHEW 125mg, 250mg; SUSR 125mg/5ml, 200mg/5ml, 250mg/5ml, 400mg/5ml; TABS 500mg, 875mg | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>amoxicillin & k clavulanate chew tab 200-28.5 mg</i> | \$0(1) | |
| <i>amoxicillin & k clavulanate chew tab 400-57 mg</i> | \$0(1) | |
| <i>amoxicillin & k clavulanate for susp 200-28.5 mg/5ml</i> | \$0(1) | |
| <i>amoxicillin & k clavulanate for susp 250-62.5 mg/5ml</i> | \$0(1) | |
| <i>amoxicillin & k clavulanate for susp 400-57 mg/5ml</i> | \$0(1) | |
| <i>amoxicillin & k clavulanate for susp 600-42.9 mg/5ml</i> | \$0(1) | |
| <i>amoxicillin & k clavulanate tab 250- 125 mg</i> | \$0(1) | |
| <i>amoxicillin & k clavulanate tab 500- 125 mg</i> | \$0(1) | |
| <i>amoxicillin & k clavulanate tab 875- 125 mg</i> | \$0(1) | |
| <i>amoxicillin & k clavulanate tab er 12hr 1000-62.5 mg</i> | \$0(1) | |
| <i>ampicillin CAPS 500mg</i> | \$0(1) | |
| <i>ampicillin & sulbactam sodium for inj 1.5 (1-0.5) gm</i> | \$0(1) | |
| <i>ampicillin & sulbactam sodium for inj 3 (2-1) gm</i> | \$0(1) | |
| <i>ampicillin & sulbactam sodium for iv soln 1.5 (1-0.5) gm</i> | \$0(1) | |
| <i>ampicillin & sulbactam sodium for iv soln 3 (2-1) gm</i> | \$0(1) | |
| <i>ampicillin & sulbactam sodium for iv soln 15 (10-5) gm</i> | \$0(1) | |
| <i>ampicillin sodium SOLR 1gm, 2gm, 10gm, 125mg, 250mg, 500mg</i> | \$0(1) | |
| <i>BICILLIN L-A SUSY 600000unit/ml, 1200000unit/2ml, 2400000unit/4ml</i> | \$0(2) | |
| <i>dicloxacillin sodium CAPS 250mg, 500mg</i> | \$0(1) | |
| <i>nafcillin sodium SOLR 1gm, 2gm</i> | \$0(1) | |
| <i>nafcillin sodium SOLR 10gm</i> | \$0(2) | NDS |
| <i>oxacillin sodium SOLR 1gm, 2gm, 10gm</i> | \$0(1) | |
| <i>PEN GK/DEXTR INJ 40000/ML</i> | \$0(2) | |
| <i>PEN GK/DEXTR INJ 60000/ML</i> | \$0(2) | |
| <i>penicillin g potassium SOLR 5000000unit, 20000000unit</i> | \$0(1) | |
| <i>penicillin g sodium SOLR 5000000unit</i> | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|----------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>penicillin v potassium</i> SOLR 125mg/5ml, 250mg/5ml; TABS 250mg, 500mg | \$0(1) | |
| <i>pfizerpen</i> SOLR 5000000unit, 20000000unit | \$0(1) | |
| <i>piperacillin sod-tazobactam na</i> for inj <i>3.375 gm (3-0.375 gm)</i> | \$0(1) | |
| <i>piperacillin sod-tazobactam sod</i> for <i>inj 2.25 gm (2-0.25 gm)</i> | \$0(1) | |
| <i>piperacillin sod-tazobactam sod</i> for <i>inj 4.5 gm (4-0.5 gm)</i> | \$0(1) | |
| <i>piperacillin sod-tazobactam sod</i> for <i>inj 13.5 gm (12-1.5 gm)</i> | \$0(1) | |
| <i>piperacillin sod-tazobactam sod</i> for <i>inj 40.5 gm (36-4.5 gm)</i> | \$0(1) | |

TETRACYCLINES - DRUGS TO TREAT INFECTIONS

| | | |
|------------------------------------------------------------------------------------------------|--------|-------------|
| <i>doxy 100</i> SOLR 100mg | \$0(1) | |
| <i>doxycycline (monohydrate)</i> CAPS 50mg, 100mg; SUSR 25mg/5ml; TABS 50mg, 75mg, 100mg | \$0(1) | |
| <i>doxycycline hyclate</i> CAPS 50mg, 100mg; SOLR 100mg; TABS 20mg, 100mg | \$0(1) | |
| <i>minocycline hcl</i> CAPS 50mg, 75mg, 100mg | \$0(1) | |
| <i>NUZYRA</i> SOLR 100mg; TABS 150mg | \$0(2) | NDS, NM, LA |
| <i>tetracycline hcl</i> CAPS 250mg, 500mg | \$0(1) | PA |
| <i>tigecycline</i> SOLR 50mg | \$0(2) | NDS |

ANTINEOPLASTIC AGENTS - DRUGS TO TREAT CANCER

ALKYLATING AGENTS

| | | |
|----------------------------------------------------------------------------|--------|------------------|
| <i>BENDEKA</i> SOLN 100mg/4ml | \$0(2) | NDS, B/D, NM, LA |
| <i>carboplatin</i> SOLN 50mg/5ml, 150mg/15ml, 450mg/45ml, 600mg/60ml | \$0(1) | B/D |
| <i>cisplatin</i> SOLN 50mg/50ml, 100mg/100ml, 200mg/200ml | \$0(1) | B/D |
| <i>cyclophosphamide</i> CAPS 25mg, 50mg; SOLR 1gm, 500mg | \$0(1) | B/D |
| <i>CYCLOPHOSPHAMIDE</i> SOLN 1gm/5ml, 500mg/2.5ml, 500mg/ml | \$0(2) | NDS, B/D |
| <i>cyclophosphamide</i> SOLR 2gm | \$0(2) | NDS, B/D |
| <i>CYCLOPHOSPHAMIDE</i> TABS 25mg, 50mg | \$0(2) | B/D |
| <i>CYCLOPHOSPHAMIDE MONOHYDR</i> SOLN 2gm/10ml | \$0(2) | NDS, B/D |
| <i>GLEOSTINE</i> CAPS 10mg, 40mg | \$0(2) | NM |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|----------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| GLEOSTINE CAPS 100mg | \$0(2) | NDS, NM |
| LEUKERAN TABS 2mg | \$0(2) | NDS |
| <i>oxaliplatin</i> SOLN 50mg/10ml, 100mg/20ml, 200mg/40ml; SOLR 50mg | \$0(1) | B/D |
| <i>oxaliplatin</i> SOLR 100mg | \$0(2) | NDS, B/D |
| <i>paraplatin</i> SOLN 1000mg/100ml | \$0(1) | B/D |
| ANTIBIOTICS | | |
| <i>doxorubicin hcl</i> SOLN 2mg/ml | \$0(1) | B/D |
| <i>doxorubicin hcl liposomal</i> INJ 2mg/ml | \$0(2) | NDS, B/D |
| ELLENCE SOLN 50mg/25ml, 200mg/100ml | \$0(2) | B/D |
| ANTIMETABOLITES | | |
| <i>azacitidine</i> SUSR 100mg | \$0(2) | NDS, B/D, NM |
| <i>cytarabine</i> SOLN 20mg/ml | \$0(1) | B/D |
| <i>fluorouracil</i> SOLN 1gm/20ml, 2.5gm/50ml, 5gm/100ml, 500mg/10ml | \$0(1) | B/D |
| <i>gemcitabine hcl</i> SOLN 1gm/26.3ml, 2gm/52.6ml, 200mg/5.26ml; SOLR 1gm, 2gm, 200mg | \$0(1) | B/D |
| INQOVI TAB 35-100MG | \$0(2) | NDS, QL (5 tabs / 28 days), NM, LA, PA |
| LONSURF TAB 15-6.14 | \$0(2) | NDS, QL (100 tabs / 28 days), NM, LA, PA |
| LONSURF TAB 20-8.19 | \$0(2) | NDS, QL (80 tabs / 28 days), NM, LA, PA |
| <i>mercaptopurine</i> TABS 50mg | \$0(1) | |
| <i>methotrexate sodium</i> SOLN 1gm/40ml, 50mg/2ml, 250mg/10ml; SOLR 1gm | \$0(1) | B/D |
| ONUREG TABS 200mg, 300mg | \$0(2) | NDS, QL (14 tabs / 28 days), NM, LA, PA |
| <i>pemetrexed disodium</i> SOLR 100mg, 500mg, 750mg, 1000mg | \$0(2) | NDS, B/D |
| PURIXAN SUSP 2000mg/100ml | \$0(2) | NDS, NM, LA |
| TABLOID TABS 40mg | \$0(2) | |
| HORMONAL ANTINEOPLASTIC AGENTS | | |
| <i>abiraterone acetate</i> TABS 250mg | \$0(2) | NDS, QL (120 tabs / 30 days), NM, PA |
| <i>abiraterone acetate</i> TABS 500mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, PA |
| AKEEGA TAB 50/500MG | \$0(2) | NDS, QL (60 tabs / 30 days), NM, LA, PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| AKEEGA TAB 100/500 | \$0(2) | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| <i>anastrozole</i> TABS 1mg | \$0(1) | |
| <i>bicalutamide</i> TABS 50mg | \$0(1) | |
| ELIGARD KIT 7.5mg, 22.5mg, 30mg, 45mg | \$0(2) | NM, PA |
| ERLEADA TABS 60mg | \$0(2) | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| ERLEADA TABS 240mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| EULEXIN CAPS 125mg | \$0(2) | NDS |
| <i>exemestane</i> TABS 25mg | \$0(1) | |
| FIRMAGON SOLR 80mg | \$0(2) | NM, PA |
| FIRMAGON SOLR 120mg/vial | \$0(2) | NDS, NM, PA |
| <i>fulvestrant</i> SOSY 250mg/5ml | \$0(2) | NDS, B/D |
| <i>letrozole</i> TABS 2.5mg | \$0(1) | |
| <i>leuprolide acetate</i> KIT 1mg/0.2ml | \$0(1) | NM, PA |
| LUPRON DEPOT (1-MONTH) KIT 3.75mg | \$0(2) | NDS, NM, PA |
| LUPRON DEPOT (3-MONTH) KIT 11.25mg | \$0(2) | NDS, NM, PA |
| LYSODREN TABS 500mg | \$0(2) | NDS, NM, LA |
| <i>megestrol acetate</i> TABS 20mg, 40mg | \$0(2) | |
| <i>nilutamide</i> TABS 150mg | \$0(2) | NDS |
| NUBEQA TABS 300mg | \$0(2) | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| ORGOVYX TABS 120mg | \$0(2) | NDS, NM, LA, PA |
| ORSERDU TABS 86mg | \$0(2) | NDS, QL (90 tabs / 30 days), NM, LA, PA |
| ORSERDU TABS 345mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| SOLTAMOX SOLN 10mg/5ml | \$0(2) | NDS |
| <i>tamoxifen citrate</i> TABS 10mg, 20mg | \$0(1) | |
| <i>toremifene citrate</i> TABS 60mg | \$0(1) | |
| XTANDI CAPS 40mg | \$0(2) | NDS, QL (120 caps / 30 days), NM, LA, PA |
| XTANDI TABS 40mg | \$0(2) | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| XTANDI TABS 80mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| IMMUNOMODULATORS | | |
| <i>lenalidomide</i> CAPS 2.5mg, 5mg, 10mg, 15mg | \$0(2) | NDS, QL (28 caps / 28 days), NM, LA, PA |
| <i>lenalidomide</i> CAPS 20mg, 25mg | \$0(2) | NDS, QL (21 caps / 28 days), NM, LA, PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| POMALYST CAPS 1mg, 2mg, 3mg, 4mg | \$0(2) | NDS, QL (21 caps / 28 days), NM, LA, PA |
| REVLIMID CAPS 2.5mg, 5mg, 10mg, 15mg | \$0(2) | NDS, QL (28 caps / 28 days), NM, LA, PA |
| REVLIMID CAPS 20mg, 25mg | \$0(2) | NDS, QL (21 caps / 28 days), NM, LA, PA |
| THALOMID CAPS 50mg, 100mg | \$0(2) | NDS, QL (28 caps / 28 days), NM, LA, PA |
| THALOMID CAPS 150mg, 200mg | \$0(2) | NDS, QL (56 caps / 28 days), NM, LA, PA |

MISCELLANEOUS

| | | |
|-----------------------------------------------------------------|--------|--------------------------------------------|
| BESREMI SOSY 500mcg/ml | \$0(2) | NDS, QL (2 syringes / 28 days), NM, LA, PA |
| bexarotene CAPS 75mg | \$0(2) | NDS, QL (300 caps / 30 days), NM, PA |
| hydroxyurea CAPS 500mg | \$0(1) | |
| irinotecan hcl SOLN 40mg/2ml, 100mg/5ml, 300mg/15ml, 500mg/25ml | \$0(1) | B/D |
| IWLIFIN TABS 192mg | \$0(2) | NDS, QL (240 tabs / 30 days), NM, LA, PA |
| KISQALI 200 PAK FEMARA | \$0(2) | NDS, QL (49 tabs / 28 days), NM, PA |
| KISQALI 400 PAK FEMARA | \$0(2) | NDS, QL (70 tabs / 28 days), NM, PA |
| KISQALI 600 PAK FEMARA | \$0(2) | NDS, QL (91 tabs / 28 days), NM, PA |
| MATULANE CAPS 50mg | \$0(2) | NDS, NM, LA |
| tretinoin (chemotherapy) CAPS 10mg | \$0(2) | NDS |
| WELIREG TABS 40mg | \$0(2) | NDS, QL (90 tabs / 30 days), NM, LA, PA |

MITOTIC INHIBITORS

| | | |
|-------------------------------------------------------------------------|--------|--------------|
| docetaxel CONC 20mg/ml | \$0(1) | B/D |
| docetaxel CONC 80mg/4ml, 160mg/8ml; SOLN 20mg/2ml, 80mg/8ml, 160mg/16ml | \$0(2) | NDS, B/D |
| DOCETAXEL CONC 80mg/4ml, 160mg/8ml; SOLN 20mg/2ml, 80mg/8ml, 160mg/16ml | \$0(2) | NDS, B/D |
| etoposide SOLN 1gm/50ml, 100mg/5ml, 500mg/25ml | \$0(1) | B/D |
| paclitaxel CONC 6mg/ml, 30mg/5ml, 150mg/25ml, 300mg/50ml | \$0(1) | B/D |
| paclitaxel protein-bound particles for iv susp 100 mg | \$0(2) | NDS, B/D, NM |
| vincristine sulfate SOLN 1mg/ml | \$0(1) | B/D |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| vinorelbine tartrate SOLN 10mg/ml, 50mg/5ml | \$0(1) | B/D |
| MOLECULAR TARGET AGENTS | | |
| ALECensa CAPS 150mg | \$0(2) | NDS, QL (240 caps / 30 days), NM, LA, PA |
| ALUNBRIG TABS 30mg | \$0(2) | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| ALUNBRIG TABS 90mg, 180mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| ALUNBRIG PAK | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| AUGTYRO CAPS 40mg | \$0(2) | NDS, QL (240 caps / 30 days), NM, LA, PA |
| AYVAKIT TABS 25mg, 50mg, 100mg, 200mg, 300mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| BALVERSA TABS 3mg | \$0(2) | NDS, QL (84 tabs / 28 days), NM, LA, PA |
| BALVERSA TABS 4mg | \$0(2) | NDS, QL (56 tabs / 28 days), NM, LA, PA |
| BALVERSA TABS 5mg | \$0(2) | NDS, QL (28 tabs / 28 days), NM, LA, PA |
| BORTEZOMIB SOLR 1mg, 2.5mg, 3.5mg | \$0(2) | NDS, NM, PA |
| bortezomib SOLR 3.5mg | \$0(2) | NDS, NM, PA |
| BOSULIF CAPS 50mg | \$0(2) | NDS, QL (360 caps / 30 days), NM, PA |
| BOSULIF CAPS 100mg | \$0(2) | NDS, QL (150 caps / 25 days), NM, PA |
| BOSULIF TABS 100mg | \$0(2) | NDS, QL (180 tabs / 30 days), NM, PA |
| BOSULIF TABS 400mg, 500mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, PA |
| BRAFTOVI CAPS 75mg | \$0(2) | NDS, QL (180 caps / 30 days), NM, LA, PA |
| BRUKINSA CAPS 80mg | \$0(2) | NDS, QL (120 caps / 30 days), NM, LA, PA |
| CABOMETYX TABS 20mg, 40mg, 60mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| CALQUENCE CAPS 100mg | \$0(2) | NDS, QL (60 caps / 30 days), NM, LA, PA |
| CALQUENCE TABS 100mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| CAPRELSA TABS 100mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| CAPRELSA TABS 300mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| COMETRIQ (60MG DOSE) KIT 20mg | \$0(2) | NDS, QL (84 caps / 28 days), NM, LA, PA |
| COMETRIQ KIT 100MG | \$0(2) | NDS, QL (56 caps / 28 days), NM, LA, PA |
| COMETRIQ KIT 140MG | \$0(2) | NDS, QL (112 caps / 28 days), NM, LA, PA |
| COPIKTRA CAPS 15mg, 25mg | \$0(2) | NDS, QL (56 caps / 28 days), NM, LA, PA |
| COTELLIC TABS 20mg | \$0(2) | NDS, QL (63 tabs / 28 days), NM, LA, PA |
| DAURISMO TABS 25mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| DAURISMO TABS 100mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| ERIVEDGE CAPS 150mg | \$0(2) | NDS, QL (30 caps / 30 days), NM, LA, PA |
| <i>erlotinib hcl</i> TABS 25mg | \$0(2) | NDS, QL (90 tabs / 30 days), NM, PA |
| <i>erlotinib hcl</i> TABS 100mg, 150mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, PA |
| <i>everolimus</i> TABS 2.5mg, 5mg, 7.5mg, 10mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, PA |
| <i>everolimus</i> TBSO 2mg | \$0(2) | NDS, QL (150 tabs / 30 days), NM, PA |
| <i>everolimus</i> TBSO 3mg | \$0(2) | NDS, QL (90 tabs / 30 days), NM, PA |
| <i>everolimus</i> TBSO 5mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, PA |
| EXKIVITY CAPS 40mg | \$0(2) | NDS, QL (120 caps / 30 days), NM, LA, PA |
| FOTIVDA CAPS .89mg, 1.34mg | \$0(2) | NDS, QL (21 caps / 28 days), NM, LA, PA |
| FRUZAQLA CAPS 1mg | \$0(2) | NDS, QL (84 caps / 28 days), NM, LA, PA |
| FRUZAQLA CAPS 5mg | \$0(2) | NDS, QL (21 caps / 28 days), NM, LA, PA |
| GAVRETO CAPS 100mg | \$0(2) | NDS, QL (120 caps / 30 days), NM, LA, PA |
| <i>gefitinib</i> TABS 250mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, PA |
| GILOTTRIF TABS 20mg, 30mg, 40mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| HERCEP HYLEC SOL 60-10000 | \$0(2) | NDS, NM, LA, PA |
| HERCEPTIN SOLR 150mg | \$0(2) | NDS, NM, LA, PA |
| HERZUMA SOLR 150mg, 420mg | \$0(2) | NDS, NM, PA |
| IBRANCE CAPS 75mg, 100mg, 125mg | \$0(2) | NDS, QL (21 caps / 28 days), NM, LA, PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| IBRANCE TABS 75mg, 100mg, 125mg | \$0(2) | NDS, QL (21 tabs / 28 days), NM, LA, PA |
| ICLUSIG TABS 10mg, 15mg, 30mg, 45mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| IDHIFA TABS 50mg, 100mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| <i>imatinib mesylate</i> TABS 100mg | \$0(2) | NDS, QL (90 tabs / 30 days), NM, PA |
| <i>imatinib mesylate</i> TABS 400mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, PA |
| IMBRUVICA CAPS 70mg | \$0(2) | NDS, QL (30 caps / 30 days), NM, LA, PA |
| IMBRUVICA CAPS 140mg | \$0(2) | NDS, QL (120 caps / 30 days), NM, LA, PA |
| IMBRUVICA SUSP 70mg/ml | \$0(2) | NDS, QL (216 mL / 27 days), NM, LA, PA |
| IMBRUVICA TABS 140mg, 280mg, 420mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| INLYTA TABS 1mg | \$0(2) | NDS, QL (180 tabs / 30 days), NM, LA, PA |
| INLYTA TABS 5mg | \$0(2) | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| INREBIC CAPS 100mg | \$0(2) | NDS, QL (120 caps / 30 days), NM, LA, PA |
| JAKAFI TABS 5mg, 10mg, 15mg, 20mg, 25mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| JAYPIRCA TABS 50mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| JAYPIRCA TABS 100mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| KADCYLA SOLR 100mg, 160mg | \$0(2) | NDS, B/D, NM, LA |
| KANJINTI SOLR 150mg, 420mg | \$0(2) | NDS, NM, LA, PA |
| KEYTRUDA SOLN 100mg/4ml | \$0(2) | NDS, NM, LA, PA |
| KISQALI 200 DOSE TBPK 200mg | \$0(2) | NDS, QL (21 tabs / 28 days), NM, PA |
| KISQALI 400 DOSE TBPK 200mg | \$0(2) | NDS, QL (42 tabs / 28 days), NM, PA |
| KISQALI 600 DOSE TBPK 200mg | \$0(2) | NDS, QL (63 tabs / 28 days), NM, PA |
| KOSELUGO CAPS 10mg | \$0(2) | NDS, QL (240 caps / 30 days), NM, LA, PA |
| KOSELUGO CAPS 25mg | \$0(2) | NDS, QL (120 caps / 30 days), NM, LA, PA |
| KRAZATI TABS 200mg | \$0(2) | NDS, QL (180 tabs / 30 days), NM, LA, PA |
| <i>lapatinib ditosylate</i> TABS 250mg | \$0(2) | NDS, QL (180 tabs / 30 days), NM, PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| LENVIMA 4 MG DAILY DOSE CPPK 4mg | \$0(2) | NDS, QL (30 caps / 30 days), NM, LA, PA |
| LENVIMA 8 MG DAILY DOSE CPPK 4mg | \$0(2) | NDS, QL (60 caps / 30 days), NM, LA, PA |
| LENVIMA 10 MG DAILY DOSE CPPK 10mg | \$0(2) | NDS, QL (30 caps / 30 days), NM, LA, PA |
| LENVIMA 12MG DAILY DOSE CPPK 4mg | \$0(2) | NDS, QL (90 caps / 30 days), NM, LA, PA |
| LENVIMA 20 MG DAILY DOSE CPPK 10mg | \$0(2) | NDS, QL (60 caps / 30 days), NM, LA, PA |
| LENVIMA CAP 14 MG | \$0(2) | NDS, QL (60 caps / 30 days), NM, LA, PA |
| LENVIMA CAP 18 MG | \$0(2) | NDS, QL (90 caps / 30 days), NM, LA, PA |
| LENVIMA CAP 24 MG | \$0(2) | NDS, QL (90 caps / 30 days), NM, LA, PA |
| LORBRENA TABS 25mg | \$0(2) | NDS, QL (90 tabs / 30 days), NM, LA, PA |
| LORBRENA TABS 100mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| LUMAKRAS TABS 120mg | \$0(2) | NDS, QL (240 tabs / 30 days), NM, LA, PA |
| LUMAKRAS TABS 320mg | \$0(2) | NDS, QL (90 tabs / 30 days), NM, LA, PA |
| LYNPARZA TABS 100mg, 150mg | \$0(2) | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| LYTGOBI (12 MG DAILY DOSE) TBPK 4mg | \$0(2) | NDS, QL (84 tabs / 28 days), NM, LA, PA |
| LYTGOBI (16 MG DAILY DOSE) TBPK 4mg | \$0(2) | NDS, QL (112 tabs / 28 days), NM, LA, PA |
| LYTGOBI (20 MG DAILY DOSE) TBPK 4mg | \$0(2) | NDS, QL (140 tabs / 28 days), NM, LA, PA |
| MEKINIST SOLR .05mg/ml | \$0(2) | NDS, QL (1260 mL / 30 days), NM, LA, PA |
| MEKINIST TABS 2mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| MEKINIST TABS .5mg | \$0(2) | NDS, QL (90 tabs / 30 days), NM, LA, PA |
| MEKTOVI TABS 15mg | \$0(2) | NDS, QL (180 tabs / 30 days), NM, LA, PA |
| MONJUVI SOLR 200mg | \$0(2) | NDS, NM, LA, PA |
| NERLYNX TABS 40mg | \$0(2) | NDS, QL (180 tabs / 30 days), NM, LA, PA |
| NEXAVAR TABS 200mg | \$0(2) | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| NINLARO CAPS 2.3mg, 3mg, 4mg | \$0(2) | NDS, QL (3 caps / 28 days), NM, PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| ODOMZO CAPS 200mg | \$0(2) | NDS, QL (30 caps / 30 days), NM, LA, PA |
| OGIVRI SOLR 150mg | \$0(2) | NDS, NM, LA, PA |
| OGIVRI INJ 420MG | \$0(2) | NDS, NM, LA, PA |
| OGSIVEO TABS 50mg | \$0(2) | NDS, QL (180 tabs / 30 days), NM, LA, PA |
| OJJAARA TABS 100mg, 150mg, 200mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| ONTRUZANT SOLR 150mg, 420mg | \$0(2) | NDS, NM, LA, PA |
| <i>pazopanib hcl</i> TABS 200mg | \$0(2) | NDS, QL (120 tabs / 30 days), NM, PA |
| PEMAZYRE TABS 4.5mg, 9mg, 13.5mg | \$0(2) | NDS, QL (28 tabs / 28 days), NM, LA, PA |
| PHESGO SOL | \$0(2) | NDS, NM, LA, PA |
| PIQRAY 200MG DAILY DOSE TBPK 200mg | \$0(2) | NDS, QL (28 tabs / 28 days), NM, PA |
| PIQRAY 250MG TAB DOSE | \$0(2) | NDS, QL (56 tabs / 28 days), NM, PA |
| PIQRAY 300MG DAILY DOSE TBPK 150mg | \$0(2) | NDS, QL (56 tabs / 28 days), NM, PA |
| QINLOCK TABS 50mg | \$0(2) | NDS, QL (90 tabs / 30 days), NM, LA, PA |
| RETEVMO CAPS 40mg | \$0(2) | NDS, QL (180 caps / 30 days), NM, LA, PA |
| RETEVMO CAPS 80mg | \$0(2) | NDS, QL (120 caps / 30 days), NM, LA, PA |
| REZLIDHIA CAPS 150mg | \$0(2) | NDS, QL (60 caps / 30 days), NM, LA, PA |
| ROZLYTREK CAPS 100mg | \$0(2) | NDS, QL (150 caps / 30 days), NM, LA, PA |
| ROZLYTREK CAPS 200mg | \$0(2) | NDS, QL (90 caps / 30 days), NM, LA, PA |
| ROZLYTREK PACK 50mg | \$0(2) | NDS, QL (336 packets / 28 days), NM, LA, PA |
| RUBRACA TABS 200mg, 250mg, 300mg | \$0(2) | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| RYDAPT CAPS 25mg | \$0(2) | NDS, QL (224 caps / 28 days), NM, PA |
| SCEMBLIX TABS 20mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, PA |
| SCEMBLIX TABS 40mg | \$0(2) | NDS, QL (300 tabs / 30 days), NM, PA |
| <i>sorafenib tosylate</i> TABS 200mg | \$0(2) | NDS, QL (120 tabs / 30 days), NM, PA |
| SPRYCEL TABS 20mg | \$0(2) | NDS, QL (90 tabs / 30 days), NM, PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| SPRYCEL TABS 50mg, 70mg, 80mg, 100mg, 140mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, PA |
| STIVARGA TABS 40mg | \$0(2) | NDS, QL (84 tabs / 28 days), NM, LA, PA |
| <i>sunitinib malate</i> CAPS 12.5mg, 25mg, 37.5mg, 50mg | \$0(2) | NDS, QL (30 caps / 30 days), NM, PA |
| TABRECTA TABS 150mg, 200mg | \$0(2) | NDS, QL (112 tabs / 28 days), NM, PA |
| TAFINLAR CAPS 50mg, 75mg | \$0(2) | NDS, QL (120 caps / 30 days), NM, LA, PA |
| TAFINLAR TBSO 10mg | \$0(2) | NDS, QL (900 tabs / 30 days), NM, LA, PA |
| TAGRISSO TABS 40mg, 80mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| TALZENNA CAPS .1mg, .35mg, .5mg, .75mg, 1mg | \$0(2) | NDS, QL (30 caps / 30 days), NM, LA, PA |
| TALZENNA CAPS .25mg | \$0(2) | NDS, QL (90 caps / 30 days), NM, LA, PA |
| TASIGNA CAPS 50mg | \$0(2) | NDS, QL (120 caps / 30 days), NM, PA |
| TASIGNA CAPS 150mg, 200mg | \$0(2) | NDS, QL (112 caps / 28 days), NM, PA |
| TAZVERIK TABS 200mg | \$0(2) | NDS, QL (240 tabs / 30 days), NM, LA, PA |
| TECENTRIQ SOLN 840mg/14ml, 1200mg/20ml | \$0(2) | NDS, NM, LA, PA |
| TEPMETKO TABS 225mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| TIBSOVO TABS 250mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| TRAZIMERA SOLR 150mg, 420mg | \$0(2) | NDS, NM, PA |
| TRUQAP TABS 160mg, 200mg | \$0(2) | NDS, QL (64 tabs / 28 days), NM, LA, PA |
| TRUXIMA SOLN 100mg/10ml, 500mg/50ml | \$0(2) | NDS, NM, PA |
| TUKYSA TABS 50mg, 150mg | \$0(2) | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| TURALIO CAPS 125mg | \$0(2) | NDS, QL (120 caps / 30 days), NM, LA, PA |
| VANFLYTA TABS 17.7mg, 26.5mg | \$0(2) | NDS, QL (56 tabs / 28 days), NM, LA, PA |
| VENCLEXTA TABS 10mg | \$0(2) | QL (112 tabs / 28 days), NM, LA, PA |
| VENCLEXTA TABS 50mg | \$0(2) | NDS, QL (112 tabs / 28 days), NM, LA, PA |
| VENCLEXTA TABS 100mg | \$0(2) | NDS, QL (180 tabs / 30 days), NM, LA, PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| VENCLEXTA TAB START PK | \$0(2) | NDS, QL (42 tabs / 28 days), NM, LA, PA |
| VERZENIO TABS 50mg, 100mg, 150mg, 200mg | \$0(2) | NDS, QL (56 tabs / 28 days), NM, LA, PA |
| VITRAKVI CAPS 25mg | \$0(2) | NDS, QL (180 caps / 30 days), NM, LA, PA |
| VITRAKVI CAPS 100mg | \$0(2) | NDS, QL (60 caps / 30 days), NM, LA, PA |
| VITRAKVI SOLN 20mg/ml | \$0(2) | NDS, QL (300 mL / 30 days), NM, LA, PA |
| VIZIMPRO TABS 15mg, 30mg, 45mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| VONJO CAPS 100mg | \$0(2) | NDS, QL (120 caps / 30 days), NM, LA, PA |
| XALKORI CAPS 200mg, 250mg; CPSP 50mg | \$0(2) | NDS, QL (120 caps / 30 days), NM, LA, PA |
| XALKORI CPSP 20mg | \$0(2) | NDS, QL (240 caps / 30 days), NM, LA, PA |
| XALKORI CPSP 150mg | \$0(2) | NDS, QL (180 caps / 30 days), NM, LA, PA |
| XOSPATA TABS 40mg | \$0(2) | NDS, QL (90 tabs / 30 days), NM, LA, PA |
| XPOVIO 40 MG ONCE WEEKLY TBPK 40mg | \$0(2) | NDS, QL (4 tabs / 28 days), NM, LA, PA |
| XPOVIO 40 MG TWICE WEEKLY TBPK 40mg | \$0(2) | NDS, QL (8 tabs / 28 days), NM, LA, PA |
| XPOVIO 60 MG ONCE WEEKLY TBPK 60mg | \$0(2) | NDS, QL (4 tabs / 28 days), NM, LA, PA |
| XPOVIO 60 MG TWICE WEEKLY TBPK 20mg | \$0(2) | NDS, QL (24 tabs / 28 days), NM, LA, PA |
| XPOVIO 80 MG ONCE WEEKLY TBPK 40mg | \$0(2) | NDS, QL (8 tabs / 28 days), NM, LA, PA |
| XPOVIO 80 MG TWICE WEEKLY TBPK 20mg | \$0(2) | NDS, QL (32 tabs / 28 days), NM, LA, PA |
| XPOVIO 100 MG ONCE WEEKLY TBPK 50mg | \$0(2) | NDS, QL (8 tabs / 28 days), NM, LA, PA |
| ZEJULA CAPS 100mg | \$0(2) | NDS, QL (90 caps / 30 days), NM, LA, PA |
| ZEJULA TABS 100mg, 200mg, 300mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| ZELBORAF TABS 240mg | \$0(2) | NDS, QL (240 tabs / 30 days), NM, LA, PA |
| ZIRABEV SOLN 100mg/4ml, 400mg/16ml | \$0(2) | NDS, NM, LA, PA |
| ZOLINZA CAPS 100mg | \$0(2) | NDS, QL (120 caps / 30 days), NM, PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| ZYDELIG TABS 100mg, 150mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| ZYKADIA TABS 150mg | \$0(2) | NDS, QL (84 tabs / 28 days), NM, LA, PA |

PROTECTIVE AGENTS

| | | |
|----------------------------------------------------------------------------------------|--------|-----|
| <i>leucovorin calcium</i> SOLN 500mg/50ml; SOLR 50mg, 100mg, 200mg, 350mg, 500mg | \$0(1) | B/D |
| <i>leucovorin calcium</i> TABS 5mg, 10mg, 15mg, 25mg | \$0(1) | |
| MESNEX TABS 400mg | \$0(2) | NDS |

CARDIOVASCULAR - DRUGS TO TREAT HEART AND CIRCULATION CONDITIONS

ACE INHIBITOR COMBINATIONS - DRUGS TO TREAT HIGH BLOOD PRESSURE

| | | |
|----------------------------------------------------------------------------|--------|------------------------|
| <i>amlodipine besylate-benazepril hcl</i> <i>cap 2.5-10 mg</i> | \$0(1) | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl</i> <i>cap 5-10 mg</i> | \$0(1) | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl</i> <i>cap 5-20 mg</i> | \$0(1) | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl</i> <i>cap 5-40 mg</i> | \$0(1) | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl</i> <i>cap 10-20 mg</i> | \$0(1) | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl</i> <i>cap 10-40 mg</i> | \$0(1) | QL (30 caps / 30 days) |
| <i>benazepril & hydrochlorothiazide tab</i> <i>5-6.25mg</i> | \$0(1) | |
| <i>benazepril & hydrochlorothiazide tab</i> <i>10-12.5 mg</i> | \$0(1) | |
| <i>benazepril & hydrochlorothiazide tab</i> <i>20-12.5 mg</i> | \$0(1) | |
| <i>benazepril & hydrochlorothiazide tab</i> <i>20-25 mg</i> | \$0(1) | |
| <i>captopril & hydrochlorothiazide tab</i> <i>25-15 mg</i> | \$0(1) | |
| <i>captopril & hydrochlorothiazide tab</i> <i>25-25 mg</i> | \$0(1) | |
| <i>captopril & hydrochlorothiazide tab</i> <i>50-15 mg</i> | \$0(1) | |
| <i>captopril & hydrochlorothiazide tab</i> <i>50-25 mg</i> | \$0(1) | |
| <i>enalapril maleate &</i> <i>hydrochlorothiazide tab 5-12.5 mg</i> | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>enalapril maleate & hydrochlorothiazide tab 10-25 mg</i> | \$0(1) | |
| <i>fosinopril sodium & hydrochlorothiazide tab 10-12.5 mg</i> | \$0(1) | |
| <i>fosinopril sodium & hydrochlorothiazide tab 20-12.5 mg</i> | \$0(1) | |
| <i>lisinopril & hydrochlorothiazide tab 10-12.5 mg</i> | \$0(1) | |
| <i>lisinopril & hydrochlorothiazide tab 20-12.5 mg</i> | \$0(1) | |
| <i>lisinopril & hydrochlorothiazide tab 20-25 mg</i> | \$0(1) | |

ACE INHIBITORS - DRUGS TO TREAT HIGH BLOOD PRESSURE

| | | |
|-----------------------------------------------------------|--------|--|
| <i>benazepril hcl TABS 5mg, 10mg, 20mg, 40mg</i> | \$0(1) | |
| <i>captopril TABS 12.5mg, 25mg, 50mg, 100mg</i> | \$0(1) | |
| <i>enalapril maleate TABS 2.5mg, 5mg, 10mg, 20mg</i> | \$0(1) | |
| <i>fosinopril sodium TABS 10mg, 20mg, 40mg</i> | \$0(1) | |
| <i>lisinopril TABS 2.5mg, 5mg, 10mg, 20mg, 30mg, 40mg</i> | \$0(1) | |
| <i>moexipril hcl TABS 7.5mg, 15mg</i> | \$0(1) | |
| <i>perindopril erbumine TABS 2mg, 4mg, 8mg</i> | \$0(1) | |
| <i>quinapril hcl TABS 5mg, 10mg, 20mg, 40mg</i> | \$0(1) | |
| <i>ramipril CAPS 1.25mg, 2.5mg, 5mg, 10mg</i> | \$0(1) | |
| <i>trandolapril TABS 1mg, 2mg, 4mg</i> | \$0(1) | |

ALDOSTERONE RECEPTOR ANTAGONISTS - DRUGS TO TREAT HIGH BLOOD PRESSURE

| | | |
|----------------------------------------------|--------|------------------------|
| <i>eplerenone TABS 25mg, 50mg</i> | \$0(1) | |
| <i>KERENDIA TABS 10mg, 20mg</i> | \$0(2) | QL (30 tabs / 30 days) |
| <i>spironolactone TABS 25mg, 50mg, 100mg</i> | \$0(1) | |

ALPHA BLOCKERS - DRUGS TO TREAT HIGH BLOOD PRESSURE

| | | |
|---------------------------------------------------|--------|--|
| <i>doxazosin mesylate TABS 1mg, 2mg, 4mg, 8mg</i> | \$0(1) | |
| <i>prazosin hcl CAPS 1mg, 2mg, 5mg</i> | \$0(1) | |
| <i>terazosin hcl CAPS 1mg, 2mg, 5mg, 10mg</i> | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| ANGIOTENSIN II RECEPTOR ANTAGONIST COMBINATIONS - DRUGS TO TREAT HIGH BLOOD PRESSURE | | |
| <i>amlodipine besylate-olmesartan medoxomil tab 5-20 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-olmesartan medoxomil tab 5-40 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-olmesartan medoxomil tab 10-20 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-olmesartan medoxomil tab 10-40 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 5-160 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 5-320 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 10-160 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 10-320 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>candesartan cilexetil-hydrochlorothiazide tab 16-12.5 mg</i> | \$0(1) | QL (60 tabs / 30 days) |
| <i>candesartan cilexetil-hydrochlorothiazide tab 32-12.5 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>candesartan cilexetil-hydrochlorothiazide tab 32-25 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>ENTRESTO TAB 24-26MG</i> | \$0(2) | QL (60 tabs / 30 days) |
| <i>ENTRESTO TAB 49-51MG</i> | \$0(2) | QL (60 tabs / 30 days) |
| <i>ENTRESTO TAB 97-103MG</i> | \$0(2) | QL (60 tabs / 30 days) |
| <i>irbesartan-hydrochlorothiazide tab 150-12.5 mg</i> | \$0(1) | QL (60 tabs / 30 days) |
| <i>irbesartan-hydrochlorothiazide tab 300-12.5 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>losartan potassium & hydrochlorothiazide tab 50-12.5 mg</i> | \$0(1) | |
| <i>losartan potassium & hydrochlorothiazide tab 100-12.5 mg</i> | \$0(1) | |
| <i>losartan potassium & hydrochlorothiazide tab 100-25 mg</i> | \$0(1) | |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 20-12.5 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 40-12.5 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 40-25 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 20-5-12.5 mg</i> | \$0(1) | QL (30 tabs / 30 days) |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|--------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-5-12.5 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-5-25 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-10-12.5 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-10-25 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>telmisartan-amlodipine tab 40-5 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>telmisartan-amlodipine tab 40-10 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>telmisartan-amlodipine tab 80-5 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>telmisartan-amlodipine tab 80-10 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>telmisartan-hydrochlorothiazide tab 40-12.5 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>telmisartan-hydrochlorothiazide tab 80-12.5 mg</i> | \$0(1) | QL (60 tabs / 30 days) |
| <i>telmisartan-hydrochlorothiazide tab 80-25 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 80-12.5 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 160-12.5 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 160-25 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 320-12.5 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 320-25 mg</i> | \$0(1) | QL (30 tabs / 30 days) |

ANGIOTENSIN II RECEPTOR ANTAGONISTS - DRUGS TO TREAT HIGH BLOOD PRESSURE

| | | |
|--------------------------------------------------|--------|------------------------|
| <i>candesartan cilexetil TABS 4mg, 8mg, 16mg</i> | \$0(1) | QL (60 tabs / 30 days) |
| <i>candesartan cilexetil TABS 32mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>irbesartan TABS 75mg, 150mg, 300mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>losartan potassium TABS 25mg, 50mg, 100mg</i> | \$0(1) | |
| <i>olmesartan medoxomil TABS 5mg</i> | \$0(1) | QL (60 tabs / 30 days) |
| <i>olmesartan medoxomil TABS 20mg, 40mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>telmisartan TABS 20mg, 40mg, 80mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>valsartan TABS 40mg, 80mg, 160mg</i> | \$0(1) | QL (60 tabs / 30 days) |
| <i>valsartan TABS 320mg</i> | \$0(1) | QL (30 tabs / 30 days) |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| ANTIARRHYTHMICS - DRUGS TO CONTROL HEART RHYTHM | | |
| <i>amiodarone hcl</i> SOLN 50mg/ml, 900mg/18ml; TABS 100mg, 200mg, 400mg | \$0(1) | |
| <i>disopyramide phosphate</i> CAPS 100mg, 150mg | \$0(2) | |
| <i>dofetilide</i> CAPS 125mcg, 250mcg, 500mcg | \$0(1) | NM |
| <i>flecainide acetate</i> TABS 50mg, 100mg, 150mg | \$0(1) | |
| MULTAQ TABS 400mg | \$0(2) | |
| NORPACE CR CP12 100mg, 150mg | \$0(2) | |
| <i>pacerone</i> TABS 100mg, 200mg, 400mg | \$0(1) | |
| <i>propafenone hcl</i> CP12 225mg, 325mg, 425mg; TABS 150mg, 225mg, 300mg | \$0(1) | |
| <i>quinidine sulfate</i> TABS 200mg, 300mg | \$0(1) | |
| <i>sorine</i> TABS 80mg, 120mg, 160mg, 240mg | \$0(1) | |
| <i>sotalol hcl</i> TABS 80mg, 120mg, 160mg, 240mg | \$0(1) | |
| <i>sotalol hcl (afib/afl)</i> TABS 80mg, 120mg, 160mg | \$0(1) | |
| ANTILIPEMICS, FIBRATES | | |
| <i>fenofibrate</i> TABS 48mg, 54mg, 145mg, 160mg | \$0(1) | |
| <i>fenofibrate micronized</i> CAPS 67mg, 134mg, 200mg | \$0(1) | |
| <i>gemfibrozil</i> TABS 600mg | \$0(1) | |
| ANTILIPEMICS, HMG-CoA REDUCTASE INHIBITORS - DRUGS TO TREAT HIGH CHOLESTEROL | | |
| <i>atorvastatin calcium</i> TABS 10mg, 20mg, 40mg, 80mg | \$0(1) | QL (30 tabs / 30 days) |
| <i>lovastatin</i> TABS 10mg, 20mg, 40mg | \$0(1) | QL (60 tabs / 30 days) |
| <i>pravastatin sodium</i> TABS 10mg, 20mg, 40mg, 80mg | \$0(1) | QL (30 tabs / 30 days) |
| <i>rosuvastatin calcium</i> TABS 5mg, 10mg, 20mg, 40mg | \$0(1) | QL (30 tabs / 30 days) |
| <i>simvastatin</i> TABS 5mg, 10mg, 20mg, 40mg, 80mg | \$0(1) | QL (30 tabs / 30 days) |
| ANTILIPEMICS, MISCELLANEOUS - DRUGS TO TREAT HIGH CHOLESTEROL | | |
| <i>cholestyramine</i> PACK 4gm; POWD 4gm/dose | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-----------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>cholestyramine light</i> PACK 4gm; POWD 4gm/dose | \$0(1) | |
| <i>colesevelam hcl</i> PACK 3.75gm; TABS 625mg | \$0(1) | |
| <i>colestipol hcl</i> GRAN 5gm; PACK 5gm; TABS 1gm | \$0(1) | |
| <i>ezetimibe</i> TABS 10mg | \$0(1) | |
| <i>ezetimibe-simvastatin tab 10-10 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-20 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-40 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-80 mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>niacin (antihyperlipidemic)</i> TBCR 500mg, 750mg, 1000mg | \$0(1) | QL (60 tabs / 30 days) |
| <i>omega-3-acid ethyl esters cap 1 gm</i> | \$0(1) | PA |
| <i>prevalite</i> PACK 4gm; POWD 4gm/dose | \$0(1) | |
| <i>REPATHA SOSY</i> 140mg/ml | \$0(2) | NM, PA |
| <i>REPATHA PUSHTRONEX SYSTEM</i> SOCT 420mg/3.5ml | \$0(2) | NM, PA |
| <i>REPATHA SURECLICK SOAJ</i> 140mg/ml | \$0(2) | NM, PA |
| <i>VASCEPA CAPS .5gm, 1gm</i> | \$0(2) | |

BETA-BLOCKER/DIURETIC COMBINATIONS - DRUGS TO TREAT HIGH BLOOD PRESSURE AND HEART CONDITIONS

| | |
|-------------------------------------------------------------|--------|
| <i>atenolol & chlorthalidone tab 50-25 mg</i> | \$0(1) |
| <i>atenolol & chlorthalidone tab 100-25 mg</i> | \$0(1) |
| <i>bisoprolol & hydrochlorothiazide tab 2.5-6.25 mg</i> | \$0(1) |
| <i>bisoprolol & hydrochlorothiazide tab 5-6.25 mg</i> | \$0(1) |
| <i>bisoprolol & hydrochlorothiazide tab 10-6.25 mg</i> | \$0(1) |
| <i>metoprolol & hydrochlorothiazide tab 50-25 mg</i> | \$0(1) |
| <i>metoprolol & hydrochlorothiazide tab 100-25 mg</i> | \$0(1) |
| <i>metoprolol & hydrochlorothiazide tab 100-50 mg</i> | \$0(1) |

BETA-BLOCKERS - DRUGS TO TREAT HIGH BLOOD PRESSURE AND HEART CONDITIONS

| | |
|-----------------------------------------|--------|
| <i>acebutolol hcl</i> CAPS 200mg, 400mg | \$0(1) |
| <i>atenolol</i> TABS 25mg, 50mg, 100mg | \$0(1) |
| <i>betaxolol hcl</i> TABS 10mg, 20mg | \$0(1) |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>bisoprolol fumarate</i> TABS 5mg, 10mg | \$0(1) | |
| <i>carvedilol</i> TABS 3.125mg, 6.25mg, 12.5mg, 25mg | \$0(1) | |
| <i>labetalol hcl</i> TABS 100mg, 200mg, 300mg | \$0(1) | |
| <i>metoprolol succinate</i> TB24 25mg, 50mg, 100mg, 200mg | \$0(1) | |
| <i>metoprolol tartrate</i> SOLN 5mg/5ml; TABS 25mg, 50mg, 100mg | \$0(1) | |
| <i>nadolol</i> TABS 20mg, 40mg, 80mg | \$0(1) | |
| <i>nebivolol hcl</i> TABS 2.5mg, 5mg, 10mg | \$0(1) | QL (30 tabs / 30 days) |
| <i>nebivolol hcl</i> TABS 20mg | \$0(1) | QL (60 tabs / 30 days) |
| <i>pindolol</i> TABS 5mg, 10mg | \$0(1) | |
| <i>propranolol hcl</i> CP24 60mg, 80mg, 120mg, 160mg; SOLN 20mg/5ml, 40mg/5ml; TABS 10mg, 20mg, 40mg, 60mg, 80mg | \$0(1) | |
| <i>timolol maleate</i> TABS 5mg, 10mg, 20mg | \$0(1) | |

**CALCIUM CHANNEL BLOCKERS - DRUGS TO TREAT HIGH BLOOD
PRESSURE AND HEART CONDITIONS**

| | | |
|--------------------------------------------------------------------------------------------------------------------------|--------|-----|
| <i>amlodipine besylate</i> TABS 2.5mg, 5mg, 10mg | \$0(1) | |
| <i>cartia xt</i> CP24 120mg, 180mg, 240mg, 300mg | \$0(1) | |
| <i>dilt-xr</i> CP24 120mg, 180mg, 240mg | \$0(1) | |
| <i>diltiazem hcl</i> CP12 60mg, 90mg, 120mg; SOLN 25mg/5ml, 50mg/10ml, 125mg/25ml; TABS 30mg, 60mg, 90mg, 120mg | \$0(1) | |
| <i>diltiazem hcl coated beads</i> CP24 120mg, 180mg, 240mg, 300mg, 360mg | \$0(1) | |
| <i>diltiazem hcl extended release beads</i> CP24 120mg, 180mg, 240mg, 300mg, 360mg, 420mg | \$0(1) | |
| <i>felodipine</i> TB24 2.5mg, 5mg, 10mg | \$0(1) | |
| <i>isradipine</i> CAPS 2.5mg, 5mg | \$0(1) | |
| <i>nicardipine hcl</i> CAPS 20mg, 30mg | \$0(1) | |
| <i>nifedipine</i> TB24 30mg, 60mg, 90mg | \$0(1) | |
| <i>nimodipine</i> CAPS 30mg | \$0(1) | |
| NYMALIZE SOLN 6mg/ml | \$0(2) | NDS |
| <i>taztia xt</i> CP24 120mg, 180mg, 240mg, 300mg, 360mg | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>tiadylt er</i> CP24 120mg, 180mg, 240mg, 300mg, 360mg, 420mg | \$0(1) | |
| <i>verapamil hcl</i> CP24 100mg, 120mg, 180mg, 200mg, 240mg, 300mg, 360mg; SOLN 2.5mg/ml; TABS 40mg, 80mg, 120mg; TBCR 120mg, 180mg, 240mg | \$0(1) | |
| <i>DIURETICS - DRUGS TO TREAT HEART CONDITIONS</i> | | |
| <i>acetazolamide</i> CP12 500mg; TABS 125mg, 250mg | \$0(1) | |
| <i>amiloride & hydrochlorothiazide tab</i> <i>5-50 mg</i> | \$0(1) | |
| <i>amiloride hcl</i> TABS 5mg | \$0(1) | |
| <i>bumetanide</i> SOLN .25mg/ml; TABS .5mg, 1mg, 2mg | \$0(1) | |
| <i>chlorthalidone</i> TABS 25mg, 50mg | \$0(1) | |
| <i>furosemide</i> SOLN 10mg/ml, 40mg/5ml; TABS 20mg, 40mg, 80mg | \$0(1) | |
| <i>furosemide inj</i> SOLN 10mg/ml | \$0(1) | |
| <i>hydrochlorothiazide</i> CAPS 12.5mg; TABS 12.5mg, 25mg, 50mg | \$0(1) | |
| <i>indapamide</i> TABS 1.25mg, 2.5mg | \$0(1) | |
| <i>methazolamide</i> TABS 25mg, 50mg | \$0(1) | |
| <i>metolazone</i> TABS 2.5mg, 5mg, 10mg | \$0(1) | |
| <i>spironolactone & hydrochlorothiazide</i> <i>tab 25-25 mg</i> | \$0(1) | |
| <i>torsemide</i> TABS 5mg, 10mg, 20mg, 100mg | \$0(1) | |
| <i>triamterene & hydrochlorothiazide</i> <i>cap 37.5-25 mg</i> | \$0(1) | |
| <i>triamterene & hydrochlorothiazide</i> <i>tab 37.5-25 mg</i> | \$0(1) | |
| <i>triamterene & hydrochlorothiazide</i> <i>tab 75-50 mg</i> | \$0(1) | |
| <i>MISCELLANEOUS</i> | | |
| <i>aliskiren fumarate</i> TABS 150mg, 300mg | \$0(1) | |
| <i>clonidine</i> PTWK .1mg/24hr, .2mg/24hr, .3mg/24hr | \$0(1) | |
| <i>clonidine hcl</i> TABS .1mg, .2mg, .3mg | \$0(1) | |
| <i>CORLANOR</i> SOLN 5mg/5ml | \$0(2) | QL (450 mL / 30 days) |
| <i>CORLANOR</i> TABS 5mg, 7.5mg | \$0(2) | QL (60 tabs / 30 days) |
| <i>digoxin</i> SOLN .05mg/ml, .25mg/ml | \$0(1) | |
| <i>digoxin</i> TABS 125mcg, 250mcg | \$0(1) | QL (30 tabs / 30 days) |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>droxidopa</i> CAPS 100mg | \$0(2) | NDS, QL (90 caps / 30 days), NM, PA |
| <i>droxidopa</i> CAPS 200mg, 300mg | \$0(2) | NDS, QL (180 caps / 30 days), NM, PA |
| <i>epinephrine (anaphylaxis)</i> SOLN 1mg/ml | \$0(1) | |
| <i>guanfacine hcl</i> TABS 1mg, 2mg | \$0(2) | PA; PA if 70 years and older |
| <i>hydralazine hcl</i> SOLN 20mg/ml; TABS 10mg, 25mg, 50mg, 100mg | \$0(1) | |
| <i>metyrosine</i> CAPS 250mg | \$0(2) | NDS, PA |
| <i>midodrine hcl</i> TABS 2.5mg, 5mg, 10mg | \$0(1) | |
| <i>minoxidil</i> TABS 2.5mg, 10mg | \$0(1) | |
| <i>ranolazine</i> TB12 500mg, 1000mg | \$0(1) | |
| <i>VERQUVO</i> TABS 2.5mg, 5mg, 10mg | \$0(2) | QL (30 tabs / 30 days) |

NITRATES - DRUGS TO TREAT HEART CONDITIONS

| | | |
|------------------------------------------------------------------------------------------------------|--------|--|
| <i>isosorbide dinitrate</i> TABS 5mg, 10mg, 20mg, 30mg | \$0(1) | |
| <i>isosorbide mononitrate</i> TABS 10mg, 20mg; TB24 30mg, 60mg, 120mg | \$0(1) | |
| <i>NITRO-BID</i> OINT 2% | \$0(2) | |
| <i>nitroglycerin</i> PT24 .1mg/hr, .2mg/hr, .4mg/hr, .6mg/hr; SOLN .4mg/spray; SUBL .3mg, .4mg, .6mg | \$0(1) | |

PULMONARY ARTERIAL HYPERTENSION - DRUGS TO TREAT PULMONARY HYPERTENSION

| | | |
|-----------------------------------------------------------------------|--------|-----------------------------------------|
| <i>ADEMPAS</i> TABS .5mg, 1mg, 1.5mg, 2mg, 2.5mg | \$0(2) | NDS, QL (90 tabs / 30 days), NM, LA, PA |
| <i>ambrisentan</i> TABS 5mg, 10mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| <i>bosentan</i> TABS 62.5mg, 125mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| <i>OPSUMIT</i> TABS 10mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| <i>sildenafil citrate (pulmonary hypertension)</i> TABS 20mg | \$0(1) | QL (360 tabs / 30 days), NM, PA |
| <i>treprostinil</i> SOLN 20mg/20ml, 50mg/20ml, 100mg/20ml, 200mg/20ml | \$0(2) | NDS, NM, LA, PA |
| <i>VENTAVIS</i> SOLN 10mcg/ml, 20mcg/ml | \$0(2) | NDS, NM, LA, PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|------------------------------------------------------------------------------------|------------------------------------------------|-------------------------------------------------------|
| CENTRAL NERVOUS SYSTEM - DRUGS TO TREAT NERVOUS SYSTEM DISORDERS | | |
| ANTIANXIETY - DRUGS TO TREAT ANXIETY | | |
| <i>alprazolam</i> TABS .25mg, .5mg, 1mg, 2mg | \$0(1) | QL (150 tabs / 30 days) |
| <i>buspirone hcl</i> TABS 5mg, 7.5mg, 10mg, 15mg, 30mg | \$0(1) | |
| <i>fluvoxamine maleate</i> TABS 25mg, 50mg, 100mg | \$0(1) | |
| <i>lorazepam</i> CONC 2mg/ml | \$0(1) | QL (150 mL / 30 days) |
| <i>lorazepam</i> SOLN 2mg/ml, 4mg/ml | \$0(1) | |
| <i>lorazepam</i> TABS .5mg, 1mg, 2mg | \$0(1) | QL (150 tabs / 30 days) |
| <i>lorazepam intensol</i> CONC 2mg/ml | \$0(1) | QL (150 mL / 30 days) |
| ANTIDEMENTIA - DRUGS TO TREAT DEMENTIA AND MEMORY LOSS | | |
| <i>donepezil hydrochloride</i> TABS 5mg; TBDP 5mg | \$0(1) | QL (30 tabs / 30 days) |
| <i>donepezil hydrochloride</i> TABS 10mg; TBDP 10mg | \$0(1) | |
| <i>galantamine hydrobromide</i> CP24 8mg, 16mg, 24mg | \$0(1) | QL (30 caps / 30 days) |
| <i>galantamine hydrobromide</i> SOLN 4mg/ml | \$0(1) | QL (200 mL / 30 days) |
| <i>galantamine hydrobromide</i> TABS 4mg, 8mg, 12mg | \$0(1) | QL (60 tabs / 30 days) |
| <i>memantine hcl</i> CP24 7mg, 14mg, 21mg, 28mg; SOLN 2mg/ml; TABS 5mg, 10mg | \$0(1) | PA; PA applies if 29 years and younger |
| <i>memantine hcl</i> tab 28 x 5 mg & 21 x 10 mg titration pack | \$0(2) | PA; PA applies if 29 years and younger |
| NAMZARIC CAP 7-10MG | \$0(2) | |
| NAMZARIC CAP 14-10MG | \$0(2) | |
| NAMZARIC CAP 21-10MG | \$0(2) | |
| NAMZARIC CAP 28-10MG | \$0(2) | |
| NAMZARIC CAP PACK | \$0(2) | |
| <i>rivastigmine</i> PT24 4.6mg/24hr, 9.5mg/24hr, 13.3mg/24hr | \$0(1) | QL (30 patches / 30 days) |
| <i>rivastigmine tartrate</i> CAPS 1.5mg, 3mg, 4.5mg, 6mg | \$0(1) | QL (60 caps / 30 days) |
| ANTIDEPRESSANTS - DRUGS TO TREAT DEPRESSION | | |
| <i>amitriptyline hcl</i> TABS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg | \$0(2) | |
| <i>amoxapine</i> TABS 25mg, 50mg, 100mg, 150mg | \$0(2) | |
| AUVELITY TAB 45-105MG | \$0(2) | QL (60 tabs / 30 days), PA |
| <i>bupropion hcl</i> TABS 75mg, 100mg | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|----------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>bupropion hcl</i> TB12 100mg, 150mg, 200mg; TB24 150mg | \$0(1) | QL (60 tabs / 30 days) |
| <i>bupropion hcl</i> TB24 300mg | \$0(1) | QL (30 tabs / 30 days) |
| <i>citalopram hydrobromide</i> SOLN 10mg/5ml; TABS 10mg, 20mg, 40mg | \$0(1) | |
| <i>clomipramine hcl</i> CAPS 25mg, 50mg, 75mg | \$0(2) | PA |
| <i>desipramine hcl</i> TABS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg | \$0(2) | |
| <i>desvenlafaxine succinate</i> TB24 25mg, 50mg, 100mg | \$0(1) | QL (30 tabs / 30 days), PA |
| <i>doxepin hcl</i> CAPS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg; CONC 10mg/ml | \$0(2) | |
| <i>duloxetine hcl</i> CPEP 20mg, 30mg, 60mg | \$0(1) | QL (60 caps / 30 days) |
| <i>EMSAM</i> PT24 6mg/24hr, 9mg/24hr, 12mg/24hr | \$0(2) | NDS, QL (30 patches / 30 days), PA |
| <i>escitalopram oxalate</i> SOLN 5mg/5ml; TABS 5mg, 10mg, 20mg | \$0(1) | |
| FETZIMA CP24 20mg, 40mg | \$0(2) | QL (60 caps / 30 days), PA |
| FETZIMA CP24 80mg, 120mg | \$0(2) | QL (30 caps / 30 days), PA |
| FETZIMA CAP TITRATIO | \$0(2) | QL (2 packs / year), PA |
| <i>fluoxetine hcl</i> CAPS 10mg, 20mg, 40mg; SOLN 20mg/5ml | \$0(1) | |
| <i>imipramine hcl</i> TABS 10mg, 25mg, 50mg | \$0(2) | |
| MARPLAN TABS 10mg | \$0(2) | QL (180 tabs / 30 days) |
| <i>mirtazapine</i> TABS 7.5mg, 15mg, 30mg, 45mg; TBDP 15mg, 30mg, 45mg | \$0(1) | |
| <i>nefazodone hcl</i> TABS 50mg, 100mg, 150mg, 200mg, 250mg | \$0(1) | |
| <i>nortriptyline hcl</i> CAPS 10mg, 25mg, 50mg, 75mg; SOLN 10mg/5ml | \$0(2) | |
| <i>paroxetine hcl</i> SUSP 10mg/5ml | \$0(2) | QL (900 mL / 30 days), PA |
| <i>paroxetine hcl</i> TABS 10mg, 20mg, 30mg, 40mg | \$0(2) | |
| <i>phenelzine sulfate</i> TABS 15mg | \$0(1) | |
| <i>protriptyline hcl</i> TABS 5mg, 10mg | \$0(2) | |
| <i>sertraline hcl</i> CONC 20mg/ml; TABS 25mg, 50mg, 100mg | \$0(1) | |
| <i>tranylcypromine sulfate</i> TABS 10mg | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>trazodone hcl</i> TABS 50mg, 100mg, 150mg | \$0(1) | |
| <i>trimipramine maleate</i> CAPS 25mg, 50mg | \$0(2) | QL (120 caps / 30 days) |
| <i>trimipramine maleate</i> CAPS 100mg | \$0(2) | QL (60 caps / 30 days) |
| <i>TRINTELLIX</i> TABS 5mg, 10mg, 20mg | \$0(2) | QL (30 tabs / 30 days) |
| <i>venlafaxine hcl</i> CP24 37.5mg, 75mg, 150mg; TABS 25mg, 37.5mg, 50mg, 75mg, 100mg | \$0(1) | |
| <i>vilazodone hcl</i> TABS 10mg, 20mg, 40mg | \$0(1) | QL (30 tabs / 30 days) |
| ZURZUVAE CAPS 20mg, 25mg | \$0(2) | NDS, QL (28 caps / 14 days), NM, LA, PA |
| ZURZUVAE CAPS 30mg | \$0(2) | NDS, QL (14 caps / 14 days), NM, LA, PA |

ANTIPARKINSONIAN AGENTS - DRUGS TO TREAT PARKINSONS DISEASE

| | | |
|------------------------------------------------------------|--------|------------------------------|
| <i>amantadine hcl</i> CAPS 100mg | \$0(1) | QL (120 caps / 30 days) |
| <i>amantadine hcl</i> SOLN 50mg/5ml; TABS 100mg | \$0(1) | |
| <i>benztropine mesylate</i> SOLN 1mg/ml | \$0(1) | |
| <i>benztropine mesylate</i> TABS .5mg, 1mg, 2mg | \$0(2) | PA; PA if 70 years and older |
| <i>bromocriptine mesylate</i> CAPS 5mg; TABS 2.5mg | \$0(1) | |
| <i>carb/levo orally disintegrating tab 10-100mg</i> | \$0(1) | |
| <i>carb/levo orally disintegrating tab 25-100mg</i> | \$0(1) | |
| <i>carb/levo orally disintegrating tab 25-250mg</i> | \$0(1) | |
| <i>carbidopa & levodopa tab 10-100 mg</i> | \$0(1) | |
| <i>carbidopa & levodopa tab 25-100 mg</i> | \$0(1) | |
| <i>carbidopa & levodopa tab 25-250 mg</i> | \$0(1) | |
| <i>carbidopa & levodopa tab er 25-100 mg</i> | \$0(1) | |
| <i>carbidopa & levodopa tab er 50-200 mg</i> | \$0(1) | |
| <i>carbidopa-levodopa-entacapone tabs 12.5-50-200 mg</i> | \$0(1) | |
| <i>carbidopa-levodopa-entacapone tabs 18.75-75-200 mg</i> | \$0(1) | |
| <i>carbidopa-levodopa-entacapone tabs 25-100-200 mg</i> | \$0(1) | |
| <i>carbidopa-levodopa-entacapone tabs 31.25-125-200 mg</i> | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>carbidopa-levodopa-entacapone tabs 37.5-150-200 mg</i> | \$0(1) | |
| <i>carbidopa-levodopa-entacapone tabs 50-200-200 mg</i> | \$0(1) | |
| <i>entacapone TABS 200mg</i> | \$0(1) | |
| <i>INBRIJA CAPS 42mg</i> | \$0(2) | NDS, QL (300 caps / 30 days), NM, LA, PA |
| <i>NEUPRO PT24 1mg/24hr, 2mg/24hr, 3mg/24hr, 4mg/24hr, 6mg/24hr, 8mg/24hr</i> | \$0(2) | |
| <i>pramipexole dihydrochloride TABS .125mg, .25mg, .5mg, .75mg, 1mg, 1.5mg</i> | \$0(1) | |
| <i>rasagiline mesylate TABS .5mg, 1mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>ropinirole hydrochloride TABS .25mg, .5mg, 1mg, 2mg, 3mg, 4mg, 5mg</i> | \$0(1) | |
| <i>selegiline hcl CAPS 5mg; TABS 5mg</i> | \$0(1) | |
| <i>trihexyphenidyl hcl SOLN .4mg/ml; TABS 2mg, 5mg</i> | \$0(2) | PA; PA if 70 years and older |
| ANTIPSYCHOTICS - DRUGS TO TREAT PSYCHOSES | | |
| <i>ABILIFY MAINTENA PRSY 300mg, 400mg</i> | \$0(2) | NDS, QL (1 syringe / 28 days) |
| <i>ABILIFY MAINTENA SRER 300mg, 400mg</i> | \$0(2) | NDS, QL (1 injection / 28 days) |
| <i>ariPIPRAZOLE SOLN 1mg/ml</i> | \$0(1) | QL (900 mL / 30 days) |
| <i>ariPIPRAZOLE TABS 2mg, 5mg, 10mg, 15mg, 20mg, 30mg</i> | \$0(1) | QL (30 tabs / 30 days) |
| <i>ariPIPRAZOLE TBDP 10mg, 15mg</i> | \$0(1) | QL (60 tabs / 30 days) |
| <i>ARISTADA PRSY 441mg/1.6ml, 662mg/2.4ml, 882mg/3.2ml</i> | \$0(2) | NDS, QL (1 syringe / 28 days) |
| <i>ARISTADA PRSY 1064mg/3.9ml</i> | \$0(2) | NDS, QL (1 syringe / 56 days) |
| <i>ARISTADA INITIO PRSY 675mg/2.4ml</i> | \$0(2) | NDS |
| <i>asenapine maleate SUBL 2.5mg, 5mg, 10mg</i> | \$0(1) | QL (60 tabs / 30 days) |
| <i>CAPLYTA CAPS 10.5mg, 21mg, 42mg</i> | \$0(2) | NDS, QL (30 caps / 30 days) |
| <i>chlorpromazine hcl CONC 30mg/ml, 100mg/ml; SOLN 25mg/ml, 50mg/2ml; TABS 10mg, 25mg, 50mg, 100mg, 200mg</i> | \$0(1) | |
| <i>clozapine TABS 25mg, 50mg</i> | \$0(1) | |
| <i>clozapine TABS 100mg</i> | \$0(1) | QL (270 tabs / 30 days) |
| <i>clozapine TABS 200mg</i> | \$0(1) | QL (120 tabs / 30 days) |
| <i>clozapine TBDP 12.5mg, 25mg</i> | \$0(1) | PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>clozapine</i> TBDP 100mg | \$0(1) | QL (270 tabs / 30 days), PA |
| <i>clozapine</i> TBDP 150mg | \$0(1) | QL (180 tabs / 30 days), PA |
| <i>clozapine</i> TBDP 200mg | \$0(2) | NDS, QL (120 tabs / 30 days), PA |
| FANAPT TABS 1mg, 2mg, 4mg, 6mg, 8mg, 10mg, 12mg | \$0(2) | NDS, QL (60 tabs / 30 days), PA |
| FANAPT PAK | \$0(2) | QL (2 packs / year), PA |
| <i>fluphenazine decanoate</i> SOLN 25mg/ml | \$0(1) | |
| <i>fluphenazine hcl</i> CONC 5mg/ml; ELIX 2.5mg/5ml; SOLN 2.5mg/ml; TABS 1mg, 2.5mg, 5mg, 10mg | \$0(1) | |
| <i>haloperidol</i> TABS .5mg, 1mg, 2mg, 5mg, 10mg, 20mg | \$0(1) | |
| <i>haloperidol decanoate</i> SOLN 50mg/ml, 100mg/ml | \$0(1) | |
| <i>haloperidol lactate</i> CONC 2mg/ml; SOLN 5mg/ml | \$0(1) | |
| INVEGA HAFYERA SUSY 1092mg/3.5ml, 1560mg/5ml | \$0(2) | NDS, QL (1 injection / 180 days) |
| INVEGA SUSTENNA SUSY 39mg/0.25ml | \$0(2) | QL (1 syringe / 28 days) |
| INVEGA SUSTENNA SUSY 78mg/0.5ml, 117mg/0.75ml, 156mg/ml, 234mg/1.5ml | \$0(2) | NDS, QL (1 syringe / 28 days) |
| INVEGA TRINZA SUSY 273mg/0.88ml, 410mg/1.32ml, 546mg/1.75ml, 819mg/2.63ml | \$0(2) | NDS, QL (1 syringe / 90 days) |
| <i>loxpipamine succinate</i> CAPS 5mg, 10mg, 25mg, 50mg | \$0(1) | |
| <i>lurasidone hcl</i> TABS 20mg, 40mg, 60mg, 120mg | \$0(1) | QL (30 tabs / 30 days) |
| <i>lurasidone hcl</i> TABS 80mg | \$0(1) | QL (60 tabs / 30 days) |
| <i>molindone hcl</i> TABS 5mg, 10mg, 25mg | \$0(1) | |
| NUPLAZID CAPS 34mg | \$0(2) | NDS, QL (30 caps / 30 days), NM, LA, PA |
| NUPLAZID TABS 10mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| <i>olanzapine</i> SOLR 10mg | \$0(1) | QL (3 vials / 1 day) |
| <i>olanzapine</i> TABS 2.5mg, 5mg, 10mg; TBDP 10mg | \$0(1) | QL (60 tabs / 30 days) |
| <i>olanzapine</i> TABS 7.5mg, 15mg, 20mg; TBDP 5mg, 15mg, 20mg | \$0(1) | QL (30 tabs / 30 days) |
| <i>paliperidone</i> TB24 1.5mg, 3mg, 9mg | \$0(1) | QL (30 tabs / 30 days) |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-----------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>paliperidone</i> TB24 6mg | \$0(1) | QL (60 tabs / 30 days) |
| <i>perphenazine</i> TABS 2mg, 4mg, 8mg, 16mg | \$0(1) | |
| PERSERIS PRSY 90mg, 120mg | \$0(2) | NDS, QL (1 syringe / 30 days) |
| <i>pimozide</i> TABS 1mg, 2mg | \$0(1) | |
| <i>quetiapine fumarate</i> TABS 25mg | \$0(1) | QL (180 tabs / 30 days) |
| <i>quetiapine fumarate</i> TABS 50mg, 100mg, 150mg, 200mg | \$0(1) | QL (90 tabs / 30 days) |
| <i>quetiapine fumarate</i> TABS 300mg, 400mg | \$0(1) | QL (60 tabs / 30 days) |
| <i>quetiapine fumarate</i> TB24 50mg, 300mg, 400mg | \$0(1) | QL (60 tabs / 30 days), PA |
| <i>quetiapine fumarate</i> TB24 150mg, 200mg | \$0(1) | QL (30 tabs / 30 days), PA |
| REXULTI TABS 3mg, 4mg | \$0(2) | NDS, QL (30 tabs / 30 days) |
| REXULTI TABS .25mg, .5mg, 1mg, 2mg | \$0(2) | NDS, QL (60 tabs / 30 days) |
| <i>risperidone</i> SOLN 1mg/ml | \$0(1) | QL (240 mL / 30 days) |
| <i>risperidone</i> TABS .25mg, .5mg, 1mg, 2mg, 3mg, 4mg | \$0(1) | |
| <i>risperidone</i> TBDP 1mg, 2mg, 3mg | \$0(1) | QL (60 tabs / 30 days) |
| <i>risperidone</i> TBDP 4mg | \$0(1) | QL (120 tabs / 30 days) |
| <i>risperidone</i> TBDP .25mg, .5mg | \$0(1) | QL (90 tabs / 30 days) |
| <i>risperidone microspheres</i> SRER 12.5mg, 25mg | \$0(1) | QL (2 injections / 28 days) |
| <i>risperidone microspheres</i> SRER 37.5mg, 50mg | \$0(2) | NDS, QL (2 injections / 28 days) |
| SECUADO PT24 3.8mg/24hr, 5.7mg/24hr, 7.6mg/24hr | \$0(2) | NDS, QL (30 patches / 30 days) |
| <i>thioridazine hcl</i> TABS 10mg, 25mg, 50mg, 100mg | \$0(1) | |
| <i>thiothixene</i> CAPS 1mg, 2mg, 5mg, 10mg | \$0(1) | |
| <i>trifluoperazine hcl</i> TABS 1mg, 2mg, 5mg, 10mg | \$0(1) | |
| VERSACLOZ SUSP 50mg/ml | \$0(2) | NDS, QL (600 mL / 30 days), PA |
| VRAYLAR CAPS 1.5mg | \$0(2) | NDS, QL (60 caps / 30 days) |
| VRAYLAR CAPS 3mg, 4.5mg, 6mg | \$0(2) | NDS, QL (30 caps / 30 days) |
| VRAYLAR CAP 1.5-3MG | \$0(2) | QL (2 packs / year) |
| <i>ziprasidone hcl</i> CAPS 20mg, 40mg, 60mg, 80mg | \$0(1) | QL (60 caps / 30 days) |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|--------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| <i>ziprasidone mesylate</i> SOLR 20mg | \$0(1) | QL (6 injections / 3 days) |
| ZYPREXA RELPREVV SUSR 210mg, 300mg | \$0(2) | NDS, QL (2 vials / 28 days), NM, PA |
| ZYPREXA RELPREVV SUSR 405mg | \$0(2) | NDS, QL (1 vial / 28 days), NM, PA |
| ANTISEIZURE AGENTS | | |
| APTIOM TABS 200mg, 400mg | \$0(2) | NDS, QL (30 tabs / 30 days) |
| APTIOM TABS 600mg, 800mg | \$0(2) | NDS, QL (60 tabs / 30 days) |
| BRIVIACT SOLN 10mg/ml | \$0(2) | NDS, QL (600 mL / 30 days), PA |
| BRIVIACT SOLN 50mg/5ml | \$0(2) | PA |
| BRIVIACT TABS 10mg, 25mg, 50mg, 75mg, 100mg | \$0(2) | NDS, QL (60 tabs / 30 days), PA |
| <i>carbamazepine</i> CHEW 100mg; CP12 100mg, 200mg, 300mg; SUSP 100mg/5ml; TABS 200mg; TB12 100mg, 200mg, 400mg | \$0(1) | |
| <i>clobazam</i> SUSP 2.5mg/ml | \$0(1) | QL (480 mL / 30 days), PA |
| <i>clobazam</i> TABS 10mg, 20mg | \$0(1) | QL (60 tabs / 30 days), PA |
| <i>clonazepam</i> TABS 2mg; TBDP 2mg | \$0(1) | QL (300 tabs / 30 days) |
| <i>clonazepam</i> TABS .5mg, 1mg; TBDP .125mg, .25mg, .5mg, 1mg | \$0(1) | QL (90 tabs / 30 days) |
| <i>clorazepate dipotassium</i> TABS 3.75mg, 7.5mg, 15mg | \$0(1) | QL (180 tabs / 30 days), PA; PA if 65 years and older |
| DIACOMIT CAPS 250mg | \$0(2) | NDS, QL (360 caps / 30 days), NM, LA, PA |
| DIACOMIT CAPS 500mg | \$0(2) | NDS, QL (180 caps / 30 days), NM, LA, PA |
| DIACOMIT PACK 250mg | \$0(2) | NDS, QL (360 packets / 30 days), NM, LA, PA |
| DIACOMIT PACK 500mg | \$0(2) | NDS, QL (180 packets / 30 days), NM, LA, PA |
| <i>diazepam</i> SOLN 5mg/5ml | \$0(1) | QL (1200 mL / 30 days), PA; PA applies if 65 years and older after a 5 day supply in a calendar year |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|----------------------------------------------------------------------------------|---------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| <i>diazepam</i> TABS 2mg, 5mg, 10mg | \$0(1) | QL (120 tabs / 30 days), PA; PA applies if 65 years and older after a 5 day supply in a calendar year |
| <i>diazepam (anticonvulsant)</i> GEL 2.5mg, 10mg, 20mg | \$0(1) | |
| <i>diazepam inj</i> SOLN 5mg/ml | \$0(1) | |
| <i>diazepam intenso/</i> CONC 5mg/ml | \$0(1) | QL (240 mL / 30 days), PA; PA applies if 65 years and older after a 5 day supply in a calendar year |
| DILANTIN CAPS 30mg, 100mg | \$0(2) | |
| DILANTIN INFATABS CHEW 50mg | \$0(2) | |
| DILANTIN-125 SUSP 125mg/5ml | \$0(2) | |
| <i>divalproex sodium</i> CSDR 125mg; TB24 250mg, 500mg; TBEC 125mg, 250mg, 500mg | \$0(1) | |
| EPIDIOLEX SOLN 100mg/ml | \$0(2) | NDS, QL (600 mL / 30 days), NM, LA, PA |
| <i>epitol</i> TABS 200mg | \$0(1) | |
| EPRONTIA SOLN 25mg/ml | \$0(2) | QL (480 mL / 30 days), PA |
| <i>ethosuximide</i> CAPS 250mg; SOLN 250mg/5ml | \$0(1) | |
| <i>felbamate</i> SUSP 600mg/5ml | \$0(2) | NDS |
| <i>felbamate</i> TABS 400mg, 600mg | \$0(1) | |
| FINTEPLA SOLN 2.2mg/ml | \$0(2) | NDS, QL (360 mL / 30 days), NM, LA, PA |
| FYCOMPA SUSP .5mg/ml | \$0(2) | NDS, QL (720 mL / 30 days), PA |
| FYCOMPA TABS 2mg | \$0(2) | QL (60 tabs / 30 days), PA |
| FYCOMPA TABS 4mg, 6mg, 8mg, 10mg, 12mg | \$0(2) | NDS, QL (30 tabs / 30 days), PA |
| <i>gabapentin</i> CAPS 100mg, 300mg, 400mg | \$0(1) | QL (180 caps / 30 days) |
| <i>gabapentin</i> SOLN 250mg/5ml, 300mg/6ml | \$0(1) | QL (2160 mL / 30 days) |
| <i>gabapentin</i> TABS 600mg | \$0(1) | QL (180 tabs / 30 days) |
| <i>gabapentin</i> TABS 800mg | \$0(1) | QL (120 tabs / 30 days) |
| <i>lacosamide</i> SOLN 200mg/20ml | \$0(1) | |
| <i>lacosamide</i> TABS 50mg | \$0(1) | QL (120 tabs / 30 days) |
| <i>lacosamide</i> TABS 100mg, 150mg, 200mg | \$0(1) | QL (60 tabs / 30 days) |
| <i>lacosamide oral</i> SOLN 10mg/ml | \$0(1) | QL (1200 mL / 30 days) |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>lamotrigine</i> CHEW 5mg, 25mg; TABS 25mg, 100mg, 150mg, 200mg; TB24 25mg, 50mg, 100mg, 200mg, 250mg, 300mg | \$0(1) | |
| <i>levetiracetam</i> SOLN 100mg/ml, 500mg/5ml; TABS 250mg, 500mg, 750mg, 1000mg; TB24 500mg, 750mg | \$0(1) | |
| <i>levetiracetam in sodium chloride iv soln 500 mg/100ml</i> | \$0(1) | |
| <i>levetiracetam in sodium chloride iv soln 1000 mg/100ml</i> | \$0(1) | |
| <i>levetiracetam in sodium chloride iv soln 1500 mg/100ml</i> | \$0(1) | |
| <i>methsuximide</i> CAPS 300mg | \$0(1) | |
| <i>NAYZILAM</i> SOLN 5mg/0.1ml | \$0(2) | |
| <i>oxcarbazepine</i> SUSP 300mg/5ml; TABS 150mg, 300mg, 600mg | \$0(1) | |
| <i>phenobarbital</i> ELIX 20mg/5ml | \$0(2) | QL (1500 mL / 30 days), PA; PA if 70 years and older |
| <i>phenobarbital</i> TABS 15mg, 16.2mg, 30mg, 32.4mg, 60mg, 64.8mg, 97.2mg, 100mg | \$0(2) | QL (120 tabs / 30 days), PA; PA if 70 years and older |
| <i>phenobarbital sodium</i> SOLN 65mg/ml, 130mg/ml | \$0(2) | PA; PA if 70 years and older |
| <i>phenytek</i> CAPS 200mg, 300mg | \$0(1) | |
| <i>phenytoin</i> CHEW 50mg; SUSP 125mg/5ml | \$0(1) | |
| <i>phenytoin sodium</i> SOLN 50mg/ml | \$0(1) | |
| <i>phenytoin sodium extended</i> CAPS 100mg, 200mg, 300mg | \$0(1) | |
| <i>pregabalin</i> CAPS 25mg, 50mg, 75mg, 100mg, 150mg | \$0(1) | QL (120 caps / 30 days), PA |
| <i>pregabalin</i> CAPS 200mg | \$0(1) | QL (90 caps / 30 days), PA |
| <i>pregabalin</i> CAPS 225mg, 300mg | \$0(1) | QL (60 caps / 30 days), PA |
| <i>pregabalin</i> SOLN 20mg/ml | \$0(1) | QL (900 mL / 30 days), PA |
| <i>primidone</i> TABS 50mg, 125mg, 250mg | \$0(1) | |
| <i>roweepra</i> TABS 500mg | \$0(1) | |
| <i>rufinamide</i> SUSP 40mg/ml | \$0(2) | NDS, QL (2400 mL / 30 days), PA |
| <i>rufinamide</i> TABS 200mg | \$0(1) | QL (480 tabs / 30 days), PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>rufinamide</i> TABS 400mg | \$0(2) | NDS, QL (240 tabs / 30 days), PA |
| <i>SPRITAM</i> TB3D 250mg | \$0(2) | QL (360 tabs / 30 days) |
| <i>SPRITAM</i> TB3D 500mg | \$0(2) | QL (180 tabs / 30 days) |
| <i>SPRITAM</i> TB3D 750mg | \$0(2) | QL (120 tabs / 30 days) |
| <i>SPRITAM</i> TB3D 1000mg | \$0(2) | QL (90 tabs / 30 days) |
| <i>subvenite</i> TABS 25mg, 100mg, 150mg, 200mg | \$0(1) | |
| <i>SYMPAZAN</i> FILM 5mg, 10mg, 20mg | \$0(2) | NDS, QL (60 films / 30 days), PA |
| <i>tiagabine hcl</i> TABS 2mg, 4mg, 12mg, 16mg | \$0(1) | |
| <i>topiramate</i> CPSP 15mg, 25mg; TABS 25mg, 50mg, 100mg, 200mg | \$0(1) | |
| <i>valproate sodium</i> SOLN 100mg/ml, 250mg/5ml | \$0(1) | |
| <i>valproic acid</i> CAPS 250mg | \$0(1) | |
| <i>VALTOCO</i> 5 MG DOSE LIQD 5mg/0.1ml | \$0(2) | |
| <i>VALTOCO</i> 10 MG DOSE LIQD 10mg/0.1ml | \$0(2) | |
| <i>VALTOCO</i> 15 MG DOSE LQPK 7.5mg/0.1ml | \$0(2) | |
| <i>VALTOCO</i> 20 MG DOSE LQPK 10mg/0.1ml | \$0(2) | |
| <i>vigabatrin</i> PACK 500mg | \$0(2) | NDS, QL (180 packets / 30 days), NM, LA, PA |
| <i>vigabatrin</i> TABS 500mg | \$0(2) | NDS, QL (180 tabs / 30 days), NM, LA, PA |
| <i>vigadron</i> PACK 500mg | \$0(2) | NDS, QL (180 packets / 30 days), NM, LA, PA |
| <i>vigadron</i> TABS 500mg | \$0(2) | NDS, QL (180 tabs / 30 days), NM, LA, PA |
| <i>vigpoder</i> PACK 500mg | \$0(2) | NDS, QL (180 packets / 30 days), NM, LA, PA |
| <i>XCOPRI</i> TABS 50mg, 100mg | \$0(2) | NDS, QL (30 tabs / 30 days) |
| <i>XCOPRI</i> TABS 150mg, 200mg | \$0(2) | NDS, QL (60 tabs / 30 days) |
| <i>XCOPRI</i> PAK 12.5-25 | \$0(2) | QL (28 tabs / 28 days) |
| <i>XCOPRI</i> PAK 50-100MG | \$0(2) | NDS, QL (28 tabs / 28 days) |
| <i>XCOPRI</i> PAK 100-150 | \$0(2) | NDS, QL (56 tabs / 28 days) |
| <i>XCOPRI</i> PAK 150-200MG (MAINTENANCE) | \$0(2) | NDS, QL (56 tabs / 28 days) |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| XCOPRI PAK 150-200MG (TITRATION) | \$0(2) | NDS, QL (28 tabs / 28 days) |
| ZONISADE SUSP 100mg/5ml | \$0(2) | NDS, QL (900 mL / 30 days), PA |
| zonisamide CAPS 25mg, 50mg, 100mg | \$0(1) | |
| ZTALMY SUSP 50mg/ml | \$0(2) | NDS, QL (1100 mL / 30 days), NM, LA, PA |

**ATTENTION DEFICIT HYPERACTIVITY DISORDER - DRUGS TO TREAT
ADHD**

| | | |
|------------------------------------------------------------|--------|--------------------------------|
| <i>amphetamine-dextroamphetamine cap er 24hr 5 mg</i> | \$0(1) | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 10 mg</i> | \$0(1) | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 15 mg</i> | \$0(1) | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 20 mg</i> | \$0(1) | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 25 mg</i> | \$0(1) | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 30 mg</i> | \$0(1) | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 5 mg</i> | \$0(1) | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 7.5 mg</i> | \$0(1) | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 10 mg</i> | \$0(1) | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 12.5 mg</i> | \$0(1) | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 15 mg</i> | \$0(1) | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 20 mg</i> | \$0(1) | QL (90 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 30 mg</i> | \$0(1) | QL (60 tabs / 30 days), PA |
| <i>atomoxetine hcl CAPS 10mg, 18mg, 25mg</i> | \$0(1) | QL (120 caps / 30 days) |
| <i>atomoxetine hcl CAPS 40mg</i> | \$0(1) | QL (60 caps / 30 days) |
| <i>atomoxetine hcl CAPS 60mg, 80mg, 100mg</i> | \$0(1) | QL (30 caps / 30 days) |
| <i>dexmethylphenidate hcl TABS 2.5mg, 5mg</i> | \$0(1) | QL (120 tabs / 30 days), PA |
| <i>dexmethylphenidate hcl TABS 10mg</i> | \$0(1) | QL (60 tabs / 30 days), PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|----------------------------------------------------------|---------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <i>guanfacine hcl (adhd)</i> TB24 1mg, 2mg, 4mg | \$0(2) | QL (30 tabs / 30 days), PA; PA if 70 years and older |
| <i>guanfacine hcl (adhd)</i> TB24 3mg | \$0(2) | QL (60 tabs / 30 days), PA; PA if 70 years and older |
| <i>methylphenidate hcl</i> SOLN 5mg/5ml | \$0(1) | QL (1800 mL / 30 days), PA |
| <i>methylphenidate hcl</i> SOLN 10mg/5ml | \$0(1) | QL (900 mL / 30 days), PA |
| <i>methylphenidate hcl</i> TABS 5mg, 10mg | \$0(1) | QL (180 tabs / 30 days), PA |
| <i>methylphenidate hcl</i> TABS 20mg; TBCR 10mg, 20mg | \$0(1) | QL (90 tabs / 30 days), PA |
| HYPNOTICS - DRUGS TO TREAT INSOMNIA | | |
| <i>DAYVIGO</i> TABS 5mg, 10mg | \$0(2) | QL (30 tabs / 30 days) |
| <i>doxepin hcl (sleep)</i> TABS 3mg, 6mg | \$0(1) | QL (30 tabs / 30 days) |
| <i>eszopiclone</i> TABS 1mg, 2mg, 3mg | \$0(2) | QL (30 tabs / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |
| <i>tasimelteon</i> CAPS 20mg | \$0(2) | NDS, QL (30 caps / 30 days), NM, PA |
| <i>temazepam</i> CAPS 7.5mg, 30mg | \$0(1) | QL (30 caps / 30 days), PA; PA if 65 years and older |
| <i>temazepam</i> CAPS 15mg | \$0(1) | QL (60 caps / 30 days), PA; PA if 65 years and older |
| <i>zaleplon</i> CAPS 5mg | \$0(2) | QL (30 caps / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |
| <i>zaleplon</i> CAPS 10mg | \$0(2) | QL (60 caps / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |
| <i>zolpidem tartrate</i> TABS 5mg, 10mg | \$0(2) | QL (30 tabs / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|----------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>MIGRAINE - DRUGS TO TREAT SEVERE HEADACHES</i> | | |
| AIMOVIG SOAJ 70mg/ml, 140mg/ml | \$0(2) | QL (1 pen / 30 days), NM, PA |
| <i>dihydroergotamine mesylate</i> SOLN 1mg/ml | \$0(2) | NDS |
| <i>dihydroergotamine mesylate</i> SOLN 4mg/ml | \$0(2) | NDS, QL (8 mL / 30 days), PA |
| <i>ergotamine w/ caffeine tab 1-100 mg</i> | \$0(1) | QL (40 tabs / 28 days), PA |
| <i>naratriptan hcl</i> TABS 1mg, 2.5mg | \$0(1) | QL (12 tabs / 30 days) |
| NURTEC TBDP 75mg | \$0(2) | QL (16 tabs / 30 days), PA |
| QULIPTA TABS 10mg, 30mg, 60mg | \$0(2) | QL (30 tabs / 30 days), PA |
| <i>rizatriptan benzoate</i> TABS 5mg, 10mg; TBDP 5mg, 10mg | \$0(1) | QL (18 tabs / 30 days) |
| <i>sumatriptan</i> SOLN 5mg/act | \$0(1) | QL (24 units / 30 days) |
| <i>sumatriptan</i> SOLN 20mg/act | \$0(1) | QL (12 units / 30 days) |
| <i>sumatriptan succinate</i> SOAJ 4mg/0.5ml; SOCT 4mg/0.5ml | \$0(1) | QL (18 injections / 30 days) |
| <i>sumatriptan succinate</i> SOAJ 6mg/0.5ml; SOCT 6mg/0.5ml; SOLN 6mg/0.5ml | \$0(1) | QL (12 injections / 30 days) |
| <i>sumatriptan succinate</i> TABS 25mg, 50mg, 100mg | \$0(1) | QL (12 tabs / 30 days) |
| UBRELVY TABS 50mg, 100mg | \$0(2) | QL (16 tabs / 30 days), PA |
| <i>MISCELLANEOUS</i> | | |
| AUSTEDO TABS 6mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| AUSTEDO TABS 9mg, 12mg | \$0(2) | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| AUSTEDO XR TB24 6mg | \$0(2) | NDS, QL (90 tabs / 30 days), NM, PA |
| AUSTEDO XR TB24 12mg | \$0(2) | NDS, QL (120 tabs / 30 days), NM, PA |
| AUSTEDO XR TB24 24mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, PA |
| AUSTEDO XR TAB TITR KIT | \$0(2) | NDS, QL (2 packs / year), NM, PA |
| <i>lithium</i> SOLN 8meq/5ml | \$0(2) | |
| <i>lithium carbonate</i> CAPS 150mg, 300mg, 600mg; TABS 300mg; TBCR 300mg, 450mg | \$0(1) | |
| NUEDEXTA CAP 20-10MG | \$0(2) | QL (60 caps / 30 days), PA |
| <i>pyridostigmine bromide</i> TABS 60mg | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>riluzole</i> TABS 50mg | \$0(1) | |
| <i>tetrabenazine</i> TABS 12.5mg | \$0(2) | NDS, QL (90 tabs / 30 days), NM, PA |
| <i>tetrabenazine</i> TABS 25mg | \$0(2) | NDS, QL (120 tabs / 30 days), NM, PA |

MULTIPLE SCLEROSIS AGENTS - DRUGS TO TREAT MULTIPLE SCLEROSIS

| | | |
|----------------------------------------|--------|------------------------------------------|
| <i>BAFIERTAM</i> CPDR 95mg | \$0(2) | NDS, QL (120 caps / 30 days), NM, LA, PA |
| <i>BETASERON</i> KIT .3mg | \$0(2) | NDS, QL (14 syringes / 28 days), NM, PA |
| <i>dalfampridine</i> TB12 10mg | \$0(1) | QL (60 tabs / 30 days), NM, PA |
| <i>fingolimod hcl</i> CAPS .5mg | \$0(2) | NDS, QL (30 caps / 30 days), NM, PA |
| <i>glatiramer acetate</i> SOSY 20mg/ml | \$0(2) | NDS, QL (30 syringes / 30 days), NM, PA |
| <i>glatiramer acetate</i> SOSY 40mg/ml | \$0(2) | NDS, QL (12 syringes / 28 days), NM, PA |
| <i>glatopa</i> SOSY 20mg/ml | \$0(2) | NDS, QL (30 syringes / 30 days), NM, PA |
| <i>glatopa</i> SOSY 40mg/ml | \$0(2) | NDS, QL (12 syringes / 28 days), NM, PA |
| <i>KESIMPTA</i> SOAJ 20mg/0.4ml | \$0(2) | NDS, QL (16 pens / year), NM, LA, PA |

MUSCULOSKELETAL THERAPY AGENTS - DRUGS TO TREAT MUSCLE SPASMS

| | | |
|-------------------------------------------------|--------|--------------------------------------------------------------------------------------------------------|
| <i>baclofen</i> TABS 5mg | \$0(1) | QL (90 tabs / 30 days) |
| <i>baclofen</i> TABS 10mg, 20mg | \$0(1) | |
| <i>carisoprodol</i> TABS 350mg | \$0(2) | QL (120 tabs / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>cyclobenzaprine hcl</i> TABS 5mg, 10mg | \$0(2) | QL (90 tabs / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>dantrolene sodium</i> CAPS 25mg, 50mg, 100mg | \$0(1) | |
| <i>methocarbamol</i> TABS 500mg | \$0(2) | QL (360 tabs / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------------------------|---------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| <i>methocarbamol</i> TABS 750mg | \$0(2) | QL (240 tabs / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>tizanidine hcl</i> TABS 2mg, 4mg | \$0(1) | |
| NARCOLEPSY/CATAPLEXY - DRUGS FOR SLEEP DISORDERS | | |
| <i>armodafinil</i> TABS 50mg | \$0(1) | QL (60 tabs / 30 days), PA |
| <i>armodafinil</i> TABS 150mg, 200mg, 250mg | \$0(1) | QL (30 tabs / 30 days), PA |
| <i>modafinil</i> TABS 100mg | \$0(1) | QL (30 tabs / 30 days), PA |
| <i>modafinil</i> TABS 200mg | \$0(1) | QL (60 tabs / 30 days), PA |
| SODIUM OXYBATE SOLN 500mg/ml | \$0(2) | NDS, QL (540 mL / 30 days), NM, LA, PA |
| PSYCHOTHERAPEUTIC-MISC | | |
| <i>acamprosate calcium</i> TBEC 333mg | \$0(1) | |
| <i>buprenorphine hcl</i> SUBL 2mg, 8mg | \$0(1) | QL (90 tabs / 30 days), PA |
| <i>buprenorphine hcl-naloxone hcl sl film 2-0.5 mg (base equiv)</i> | \$0(1) | QL (90 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 4-1 mg (base equiv)</i> | \$0(1) | QL (90 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 8-2 mg (base equiv)</i> | \$0(1) | QL (90 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 12-3 mg (base equiv)</i> | \$0(1) | QL (60 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl tab 2-0.5 mg (base equiv)</i> | \$0(1) | QL (90 tabs / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl tab 8-2 mg (base equiv)</i> | \$0(1) | QL (90 tabs / 30 days) |
| <i>bupropion hcl (smoking deterrent)</i> TB12 150mg | \$0(1) | QL (60 tabs / 30 days) |
| <i>disulfiram</i> TABS 250mg, 500mg | \$0(1) | |
| <i>grp nicotine gum</i> GUM 4mg | \$0(3) | NM; * |
| <i>grp nicotine mini lozenge</i> LOZG 2mg, 4mg | \$0(3) | NM; * |
| <i>grp nicotine polacrilex</i> GUM 2mg, 4mg; LOZG 2mg, 4mg | \$0(3) | NM; * |
| <i>grp nicotine polacrilex m</i> LOZG 4mg | \$0(3) | NM; * |
| <i>grp nicotine transdermal</i> PT24 7mg/24hr, 14mg/24hr, 21mg/24hr | \$0(3) | NM; * |
| <i>goodsense nicotine</i> LOZG 2mg, 4mg | \$0(3) | NM; * |
| <i>goodsense nicotine gum</i> GUM 4mg | \$0(3) | NM; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|----------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>goodsense nicotine polacr</i> GUM 2mg, 4mg; LOZG 4mg | \$0(3) | NM; * |
| <i>hm nicotine polacrilex</i> GUM 2mg, 4mg; LOZG 2mg | \$0(3) | NM; * |
| <i>hm nicotine transdermal s</i> PT24 7mg/24hr, 21mg/24hr | \$0(3) | NM; * |
| <i>naloxone hcl</i> LIQD 4mg/0.1ml; SOCT .4mg/ml; SOLN .4mg/ml, 4mg/10ml; SOSY 2mg/2ml | \$0(1) | |
| <i>naltrexone hcl</i> TABS 50mg | \$0(1) | |
| <i>nicotine</i> PT24 7mg/24hr, 14mg/24hr, 21mg/24hr | \$0(3) | NM; * |
| <i>nicotine mini lozenge</i> LOZG 2mg, 4mg | \$0(3) | NM; * |
| <i>nicotine polacrilex</i> GUM 2mg, 4mg; LOZG 2mg, 4mg | \$0(3) | NM; * |
| <i>nicotine polacrilex mini</i> LOZG 2mg | \$0(3) | NM; * |
| NICOTINE SYS KIT TRANSDER | \$0(3) | NM; * |
| <i>nicotine transdermal syst</i> PT24 7mg/24hr, 14mg/24hr, 21mg/24hr | \$0(3) | NM; * |
| NICOTROL INHALER INHA 10mg | \$0(2) | |
| NICOTROL NS SOLN 10mg/ml | \$0(2) | |
| <i>sm nicotine</i> GUM 4mg; LOZG 2mg | \$0(3) | NM; * |
| <i>sm nicotine polacrilex</i> GUM 2mg, 4mg; LOZG 2mg, 4mg | \$0(3) | NM; * |
| <i>sm nicotine transdermal s</i> PT24 7mg/24hr, 14mg/24hr, 21mg/24hr | \$0(3) | NM; * |
| <i>varenicline tartrate</i> TABS .5mg, 1mg | \$0(1) | QL (56 tabs / 28 days), PA |
| <i>varenicline tartrate tab 11 x 0.5 mg</i> & 42 x 1 mg start pack | \$0(1) | QL (2 packs / year), PA |
| VIVITROL SUSR 380mg | \$0(2) | NDS, NM |

ENDOCRINE AND METABOLIC - DRUGS TO TREAT DIABETES AND REGULATE HORMONES

ANDROGENS - DRUGS TO REGULATE MALE HORMONES

| | | |
|----------------------------------------------------------|--------|-------------------------------------|
| <i>depo-testosterone</i> SOLN 100mg/ml, 200mg/ml | \$0(1) | PA |
| <i>methyltestosterone</i> CAPS 10mg | \$0(2) | NDS, QL (600 caps / 30 days), PA |
| <i>testosterone</i> GEL 1%, 25mg/2.5gm, 50mg/5gm | \$0(1) | QL (300 gm / 30 days), PA |
| <i>testosterone</i> GEL 1.62% | \$0(1) | QL (150 gm / 30 days), PA |
| <i>testosterone cypionate</i> SOLN 100mg/ml, 200mg/ml | \$0(1) | PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| testosterone enanthate SOLN 200mg/ml | \$0(1) | PA |
| ANTIDIABETICS | | |
| acarbose TABS 25mg, 50mg, 100mg | \$0(1) | |
| BYDUREON BCISE AUIJ 2mg/0.85ml | \$0(2) | QL (4 pens / 28 days), PA |
| BYETTA SOPN 5mcg/0.02ml, 10mcg/0.04ml | \$0(2) | QL (1 pen / 30 days), PA |
| FARXIGA TABS 5mg, 10mg | \$0(2) | QL (30 tabs / 30 days) |
| glimepiride TABS 1mg, 2mg | \$0(1) | QL (90 tabs / 30 days) |
| glimepiride TABS 4mg | \$0(1) | QL (60 tabs / 30 days) |
| glipizide TABS 5mg | \$0(1) | QL (240 tabs / 30 days) |
| glipizide TABS 10mg | \$0(1) | QL (120 tabs / 30 days) |
| glipizide TB24 2.5mg, 5mg | \$0(1) | QL (90 tabs / 30 days) |
| glipizide TB24 10mg | \$0(1) | QL (60 tabs / 30 days) |
| glipizide xl TB24 2.5mg, 5mg | \$0(1) | QL (90 tabs / 30 days) |
| glipizide xl TB24 10mg | \$0(1) | QL (60 tabs / 30 days) |
| glipizide-metformin hcl tab 2.5-250 mg | \$0(1) | QL (240 tabs / 30 days) |
| glipizide-metformin hcl tab 2.5-500 mg | \$0(1) | QL (120 tabs / 30 days) |
| glipizide-metformin hcl tab 5-500 mg | \$0(1) | QL (120 tabs / 30 days) |
| GLYXAMBI TAB 10-5 MG | \$0(2) | QL (30 tabs / 30 days) |
| GLYXAMBI TAB 25-5 MG | \$0(2) | QL (30 tabs / 30 days) |
| JANUMET TAB 50-500MG | \$0(2) | QL (60 tabs / 30 days) |
| JANUMET TAB 50-1000 | \$0(2) | QL (60 tabs / 30 days) |
| JANUMET XR TAB 50-500MG | \$0(2) | QL (60 tabs / 30 days) |
| JANUMET XR TAB 50-1000 | \$0(2) | QL (60 tabs / 30 days) |
| JANUMET XR TAB 100-1000 | \$0(2) | QL (30 tabs / 30 days) |
| JANUVIA TABS 25mg, 50mg, 100mg | \$0(2) | QL (30 tabs / 30 days) |
| JARDIANCE TABS 10mg, 25mg | \$0(2) | QL (30 tabs / 30 days) |
| JENTADUETO TAB 2.5-500 | \$0(2) | QL (60 tabs / 30 days) |
| JENTADUETO TAB 2.5-850 | \$0(2) | QL (60 tabs / 30 days) |
| JENTADUETO TAB 2.5-1000 | \$0(2) | QL (60 tabs / 30 days) |
| JENTADUETO TAB XR 2.5-1000MG | \$0(2) | QL (60 tabs / 30 days) |
| JENTADUETO TAB XR 5-1000MG | \$0(2) | QL (30 tabs / 30 days) |
| metformin hcl TABS 500mg | \$0(1) | QL (150 tabs / 30 days) |
| metformin hcl TABS 850mg | \$0(1) | QL (90 tabs / 30 days) |
| metformin hcl TABS 1000mg | \$0(1) | QL (75 tabs / 30 days) |
| metformin hcl TB24 500mg | \$0(1) | QL (120 tabs / 30 days); (generic of GLUCOPHAGE XR) |
| metformin hcl TB24 750mg | \$0(1) | QL (60 tabs / 30 days); (generic of GLUCOPHAGE XR) |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|--------------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| MOUNJARO SOPN 2.5mg/0.5ml, 5mg/0.5ml, 7.5mg/0.5ml, 10mg/0.5ml, 12.5mg/0.5ml, 15mg/0.5ml | \$0(2) | QL (4 pens / 28 days), PA |
| nateglinide TABS 60mg, 120mg | \$0(1) | QL (90 tabs / 30 days) |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) SOPN 2mg/1.5ml | \$0(2) | QL (1 pen / 28 days), PA |
| OZEMPIC (0.25 OR 0.5MG/DOSE) SOPN 2mg/3ml | \$0(2) | QL (1 pen / 28 days), PA |
| OZEMPIC (1MG/DOSE) SOPN 4mg/3ml | \$0(2) | QL (1 pen / 28 days), PA |
| OZEMPIC (2MG/DOSE) SOPN 8mg/3ml | \$0(2) | QL (1 pen / 28 days), PA |
| pioglitazone hcl TABS 15mg, 30mg, 45mg | \$0(1) | QL (30 tabs / 30 days) |
| pioglitazone hcl-metformin hcl tab 15-500 mg | \$0(1) | QL (90 tabs / 30 days) |
| pioglitazone hcl-metformin hcl tab 15-850 mg | \$0(1) | QL (90 tabs / 30 days) |
| repaglinide TABS 2mg | \$0(1) | QL (240 tabs / 30 days) |
| repaglinide TABS .5mg, 1mg | \$0(1) | QL (120 tabs / 30 days) |
| RYBELSUS TABS 3mg, 7mg, 14mg | \$0(2) | QL (30 tabs / 30 days), PA |
| SYNJARDY TAB 5-500MG | \$0(2) | QL (120 tabs / 30 days) |
| SYNJARDY TAB 5-1000MG | \$0(2) | QL (60 tabs / 30 days) |
| SYNJARDY TAB 12.5-500 | \$0(2) | QL (60 tabs / 30 days) |
| SYNJARDY TAB 12.5-1000MG | \$0(2) | QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 5-1000MG | \$0(2) | QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 10-1000 | \$0(2) | QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 12.5-1000 | \$0(2) | QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 25-1000 | \$0(2) | QL (30 tabs / 30 days) |
| TRADJENTA TABS 5mg | \$0(2) | QL (30 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 5-2.5- 1000MG | \$0(2) | QL (60 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 10-5- 1000MG | \$0(2) | QL (30 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 12.5-2.5- 1000MG | \$0(2) | QL (60 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 25-5- 1000MG | \$0(2) | QL (30 tabs / 30 days) |
| TRULICITY SOPN .75mg/0.5ml, 1.5mg/0.5ml, 3mg/0.5ml, 4.5mg/0.5ml | \$0(2) | QL (4 pens / 28 days), PA |
| XIGDUO XR TAB 2.5-1000 | \$0(2) | QL (60 tabs / 30 days) |
| XIGDUO XR TAB 5-500MG | \$0(2) | QL (60 tabs / 30 days) |
| XIGDUO XR TAB 5-1000MG | \$0(2) | QL (60 tabs / 30 days) |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| XIGDUO XR TAB 10-500MG | \$0(2) | QL (30 tabs / 30 days) |
| XIGDUO XR TAB 10-1000 | \$0(2) | QL (30 tabs / 30 days) |
| ANTIDIABETICS, INSULINS | | |
| ADMELOG SOLN 100unit/ml | \$0(2) | |
| ADMELOG SOLOSTAR SOPN 100unit/ml | \$0(2) | |
| BASAGLAR KWIKPEN SOPN 100unit/ml | \$0(2) | |
| BD ALCOHOL SWABS | \$0(2) | |
| FIASP SOLN 100unit/ml | \$0(2) | |
| FIASP FLEXTOUCH SOPN 100unit/ml | \$0(2) | |
| FIASP PENFILL SOCT 100unit/ml | \$0(2) | |
| FIASP PUMPCART SOCT 100unit/ml | \$0(2) | B/D |
| GAUZE PADS 2" X 2" | \$0(2) | |
| HUMULIN R U-500 (CONCENTR SOLN 500unit/ml | \$0(2) | NDS, B/D |
| HUMULIN R U-500 KWIKPEN SOPN 500unit/ml | \$0(2) | NDS |
| INSULIN PEN NEEDLES: BD/NOVO | \$0(2) | |
| INSULIN SAFETY NEEDLES | \$0(2) | |
| INSULIN SYRINGES: BD | \$0(2) | |
| LANTUS SOLN 100unit/ml | \$0(2) | |
| LANTUS SOLOSTAR SOPN 100unit/ml | \$0(2) | |
| NOVOLIN INJ 70/30 | \$0(2) | (brand RELION not covered) |
| NOVOLIN INJ 70/30 FP | \$0(2) | (brand RELION not covered) |
| NOVOLIN N SUSP 100unit/ml | \$0(2) | (brand RELION not covered) |
| NOVOLIN N FLEXPEN SUPN 100unit/ml | \$0(2) | (brand RELION not covered) |
| NOVOLIN R SOLN 100unit/ml | \$0(2) | (brand RELION not covered) |
| NOVOLIN R FLEXPEN SOPN 100unit/ml | \$0(2) | (brand RELION not covered) |
| NOVOLOG MIX INJ 70/30 | \$0(2) | (brand RELION not covered) |
| NOVOLOG MIX INJ FLEXPEN | \$0(2) | (brand RELION not covered) |
| OMNIPOD 5 G6 KIT INTRO | \$0(2) | QL (1 kit / year), PA |
| OMNIPOD 5 G6 MIS PODS | \$0(2) | QL (15 pods / 30 days), PA |
| OMNIPOD 5 G7 KIT INTRO | \$0(2) | QL (1 kit / year), PA |
| OMNIPOD 5 G7 MIS PODS | \$0(2) | QL (15 pods / 30 days), PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|--------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| OMNIPOD DASH KIT INTRO | \$0(2) | QL (1 kit / year), PA |
| OMNIPOD DASH MIS PODS | \$0(2) | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 10UNT/DY | \$0(2) | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 15UNT/DY | \$0(2) | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 20UNT/DY | \$0(2) | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 25UNT/DY | \$0(2) | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 30UNT/DY | \$0(2) | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 35UNT/DY | \$0(2) | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 40UNT/DY | \$0(2) | QL (15 pods / 30 days), PA |
| OMNIPOD MIS CLASSIC | \$0(2) | QL (15 pods / 30 days), PA |
| SOLIQUA INJ 100/33 | \$0(2) | QL (5 pens / 25 days) |
| TOUJEO MAX SOLOSTAR SOPN 300unit/ml | \$0(2) | |
| TOUJEO SOLOSTAR SOPN 300unit/ml | \$0(2) | |
| TRESIBA SOLN 100unit/ml | \$0(2) | |
| TRESIBA FLEXTOUCH SOPN 100unit/ml, 200unit/ml | \$0(2) | |
| V-GO 20 KIT | \$0(2) | QL (30 devices / 30 days), PA |
| V-GO 30 KIT | \$0(2) | QL (30 devices / 30 days), PA |
| V-GO 40 KIT | \$0(2) | QL (30 devices / 30 days), PA |
| XULTOPHY INJ 100/3.6 | \$0(2) | QL (5 pens / 30 days) |

ANTIOBESITY AGENTS

| | | |
|--------------------------------------------|--------|-----------|
| ADIPEX-P CAPS 37.5mg; TABS 37.5mg | \$0(3) | NM, PA; * |
| benzphetamine hcl TABS 50mg | \$0(3) | NM, PA; * |
| CONTRAVE TAB 8-90MG | \$0(3) | NM, PA; * |
| diethylpropion hcl TABS 25mg; TB24 75mg | \$0(3) | NM, PA; * |
| IMCIVREE SOLN 10mg/ml | \$0(3) | NM, PA; * |
| LOMAIRA TABS 8mg | \$0(3) | NM, PA; * |
| orlistat CAPS 120mg | \$0(3) | NM, PA; * |
| phendimetrazine tartrate TABS 35mg | \$0(3) | NM, PA; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|----------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>phentermine hcl</i> CAPS 15mg, 30mg, 37.5mg; TABS 37.5mg | \$0(3) | NM, PA; * |
| QSYMIA CAP 3.75-23 | \$0(3) | NM, PA; * |
| QSYMIA CAP 7.5-46MG | \$0(3) | NM, PA; * |
| QSYMIA CAP 11.25-69 | \$0(3) | NM, PA; * |
| QSYMIA CAP 15-92MG | \$0(3) | NM, PA; * |
| SAXENDA SOPN 18mg/3ml | \$0(3) | NM, PA; * |
| WEGOVY SOAJ .25mg/0.5ml, .5mg/0.5ml, 1mg/0.5ml, 1.7mg/0.75ml, 2.4mg/0.75ml | \$0(3) | NM, PA; * |
| XENICAL CAPS 120mg | \$0(3) | NM, PA; * |
| CALCIUM REGULATORS | | |
| <i>alendronate sodium</i> SOLN 70mg/75ml; TABS 10mg, 35mg, 70mg | \$0(1) | |
| <i>calcitonin (salmon) spray</i> SOLN 200unit/act | \$0(1) | B/D |
| <i>ibandronate sodium</i> TABS 150mg | \$0(1) | B/D |
| NATPARA CART 25mcg, 50mcg, 75mcg, 100mcg | \$0(2) | NDS, LA, PA |
| PAMIDRONATE DISODIUM SOLN 6mg/ml | \$0(2) | B/D |
| <i>pamidronate disodium</i> SOLN 30mg/10ml, 90mg/10ml | \$0(1) | B/D |
| PROLIA SOSY 60mg/ml | \$0(2) | QL (1 syringe / 180 days), NM |
| <i>risedronate sodium</i> TABS 5mg, 35mg, 150mg; TBEC 35mg | \$0(1) | |
| TERIPARATIDE SOPN 620mcg/2.48ml | \$0(2) | NDS, NM, PA |
| XGEVA SOLN 120mg/1.7ml | \$0(2) | NDS, NM, PA |
| <i>zoledronic acid</i> CONC 4mg/5ml; SOLN 4mg/100ml, 5mg/100ml | \$0(1) | B/D, NM |
| CHELATING AGENTS | | |
| CHEMET CAPS 100mg | \$0(2) | NDS |
| deferasirox PACK 90mg, 180mg, 360mg; TABS 180mg, 360mg | \$0(2) | NDS, NM, PA |
| deferasirox TABS 90mg | \$0(1) | NM, PA |
| LOKELMA PACK 5gm, 10gm | \$0(2) | |
| <i>penicillamine</i> TABS 250mg | \$0(2) | NDS, NM |
| <i>sodium polystyrene sulfonate powder</i> | \$0(1) | |
| <i>sps</i> SUSP 15gm/60ml | \$0(1) | |
| <i>trientine hcl</i> CAPS 250mg | \$0(2) | NDS, NM, PA |
| VELTASSA PACK 8.4gm, 16.8gm, 25.2gm | \$0(2) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| CONTRACEPTIVES - DRUGS FOR BIRTH CONTROL | | |
| <i>afirmelle</i> | \$0(1) | |
| <i>altavera</i> | \$0(1) | |
| <i>alyacen 1/35</i> | \$0(1) | |
| <i>alyacen 7/7/7</i> | \$0(1) | |
| <i>amethia</i> | \$0(1) | |
| <i>apri</i> | \$0(1) | |
| <i>aranelle</i> | \$0(1) | |
| <i>ashlyna</i> | \$0(1) | |
| <i>aubra eq</i> | \$0(1) | |
| <i>aurovela 1/20</i> | \$0(1) | |
| <i>aurovela 24 fe</i> | \$0(1) | |
| <i>aurovela fe 1.5/30</i> | \$0(1) | |
| <i>aurovela fe 1/20</i> | \$0(1) | |
| <i>aviane</i> | \$0(1) | |
| <i>ayuna</i> | \$0(1) | |
| <i>azurette</i> | \$0(1) | |
| <i>balziva</i> | \$0(1) | |
| <i>blisovi 24 fe</i> | \$0(1) | |
| <i>blisovi fe 1.5/30</i> | \$0(1) | |
| <i>briellyn</i> | \$0(1) | |
| <i>camila TABS .35mg</i> | \$0(1) | |
| <i>camrese</i> | \$0(1) | |
| <i>camrese lo</i> | \$0(1) | |
| <i>chateal eq</i> | \$0(1) | |
| <i>cryselle-28</i> | \$0(1) | |
| <i>cyred eq</i> | \$0(1) | |
| <i>dasetta 1/35</i> | \$0(1) | |
| <i>dasetta 7/7/7</i> | \$0(1) | |
| <i>daysee</i> | \$0(1) | |
| <i>deblitane TABS .35mg</i> | \$0(1) | |
| <i>DEPO-SUBQ PROVERA 104 SUSY 104mg/0.65ml</i> | \$0(2) | |
| <i>desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | \$0(1) | |
| <i>desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | \$0(1) | |
| <i>drospirenone-ethinyl estrad-levomefolate tab 3-0.03-0.451 mg</i> | \$0(1) | |
| <i>drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | \$0(1) | |
| <i>drospirenone-ethinyl estradiol tab 3-0.03 mg</i> | \$0(1) | |
| <i>econtra ez TABS 1.5mg</i> | \$0(3) | NM; * |
| <i>econtra one-step TABS 1.5mg</i> | \$0(3) | NM; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>elinest</i> | \$0(1) | |
| <i>eluryng</i> | \$0(1) | |
| <i>enilloring</i> | \$0(1) | |
| <i>enpresse-28</i> | \$0(1) | |
| <i>enskyce</i> | \$0(1) | |
| <i>errin TABS .35mg</i> | \$0(1) | |
| <i>estarrylla</i> | \$0(1) | |
| <i>ethynodiol diacetate & ethinyl estradiol tab 1 mg-35 mcg</i> | \$0(1) | |
| <i>ethynodiol diacetate & ethinyl estradiol tab 1 mg-50 mcg</i> | \$0(1) | |
| <i>etongestrel-ethinyl estradiol va ring 0.12-0.015 mg/24hr</i> | \$0(1) | |
| <i>falmina</i> | \$0(1) | |
| <i>finzala</i> | \$0(1) | |
| <i>hailey 1.5/30</i> | \$0(1) | |
| <i>hailey 24 fe</i> | \$0(1) | |
| <i>haloette</i> | \$0(1) | |
| <i>heather TABS .35mg</i> | \$0(1) | |
| <i>iclevia</i> | \$0(1) | |
| <i>incassia TABS .35mg</i> | \$0(1) | |
| <i>introvale</i> | \$0(1) | |
| <i>isibloom</i> | \$0(1) | |
| <i>jasmiel</i> | \$0(1) | |
| <i>jolessa</i> | \$0(1) | |
| <i>juleber</i> | \$0(1) | |
| <i>junel 1.5/30</i> | \$0(1) | |
| <i>junel 1/20</i> | \$0(1) | |
| <i>junel fe 1.5/30</i> | \$0(1) | |
| <i>junel fe 1/20</i> | \$0(1) | |
| <i>junel fe 24</i> | \$0(1) | |
| <i>kaitlib fe</i> | \$0(1) | |
| <i>kariva</i> | \$0(1) | |
| <i>kelnor 1/35</i> | \$0(1) | |
| <i>kelnor 1/50</i> | \$0(1) | |
| <i>kurvelo</i> | \$0(1) | |
| <i>larin 1.5/30</i> | \$0(1) | |
| <i>larin 1/20</i> | \$0(1) | |
| <i>larin 24 fe</i> | \$0(1) | |
| <i>larin fe 1.5/30</i> | \$0(1) | |
| <i>larin fe 1/20</i> | \$0(1) | |
| <i>layolis fe</i> | \$0(1) | |
| <i>leena</i> | \$0(1) | |
| <i>lessina</i> | \$0(1) | |
| <i>levonest</i> | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>levonor-eth est tab 0.15-0.02/0.025/0.03 mg &eth est 0.01 mg</i> | \$0(1) | |
| <i>levonorg-eth est tab 0.1-0.02mg(84) & eth est tab 0.01mg(7)</i> | \$0(1) | |
| <i>levonorg-eth est tab 0.15-0.03mg(84) & eth est tab 0.01mg(7)</i> | \$0(1) | |
| <i>levonorgestrel & ethynodiol dihydrogen phosphate (91-day) tab 0.15-0.03 mg</i> | \$0(1) | |
| <i>levonorgestrel & ethynodiol dihydrogen phosphate tab 0.1 mg-20 mcg</i> | \$0(1) | |
| <i>levonorgestrel & ethynodiol dihydrogen phosphate tab 0.15 mg-30 mcg</i> | \$0(1) | |
| <i>levonorgestrel (emergency oc) TABS 1.5mg</i> | \$0(3) | NM; * |
| <i>levonorgestrel-eth estra tab 0.05-30/0.075-40/0.125-30mg-mcg</i> | \$0(1) | |
| <i>levora 0.15/30-28</i> | \$0(1) | |
| <i>loestrin 1.5/30-21</i> | \$0(1) | |
| <i>loestrin 1/20-21</i> | \$0(1) | |
| <i>loestrin fe 1.5/30</i> | \$0(1) | |
| <i>loestrin fe 1/20</i> | \$0(1) | |
| <i>loryna</i> | \$0(1) | |
| <i>low-ogestrel</i> | \$0(1) | |
| <i>lulera</i> | \$0(1) | |
| <i>lyleq TABS .35mg</i> | \$0(1) | |
| <i>lyza TABS .35mg</i> | \$0(1) | |
| <i>marlissa</i> | \$0(1) | |
| <i>medroxyprogesterone acetate (contraceptive) SUSP 150mg/ml; SUSY 150mg/ml</i> | \$0(1) | |
| <i>mibelas 24 fe</i> | \$0(1) | |
| <i>microgestin 1.5/30</i> | \$0(1) | |
| <i>microgestin 1/20</i> | \$0(1) | |
| <i>microgestin 24 fe</i> | \$0(1) | |
| <i>microgestin fe 1.5/30</i> | \$0(1) | |
| <i>microgestin fe 1/20</i> | \$0(1) | |
| <i>milki</i> | \$0(1) | |
| <i>mono-linyah</i> | \$0(1) | |
| <i>my choice TABS 1.5mg</i> | \$0(3) | NM; * |
| <i>my way TABS 1.5mg</i> | \$0(3) | NM; * |
| <i>necon 0.5/35-28</i> | \$0(1) | |
| <i>new day TABS 1.5mg</i> | \$0(3) | NM; * |
| <i>nikki</i> | \$0(1) | |
| <i>nora-be TABS .35mg</i> | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-----------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>norelgestromin-ethynodiol dihydrogen phosphate</i> 150-35 mcg/24hr | \$0(1) | |
| <i>norethindrone & ethynodiol dihydrogen phosphate</i> chew tab 0.4 mg-35 mcg | \$0(1) | |
| <i>norethindrone & ethynodiol dihydrogen phosphate</i> chew tab 0.8 mg-25 mcg | \$0(1) | |
| <i>norethindrone (contraceptive) TABS .35mg</i> | \$0(1) | |
| <i>norethindrone ac-ethynodiol dihydrogen phosphate</i> tab 1-20/1-30/1-35 mg-mcg | \$0(1) | |
| <i>norethindrone ace & ethynodiol dihydrogen phosphate</i> tab 1 mg-20 mcg | \$0(1) | |
| <i>norethindrone ace & ethynodiol dihydrogen phosphate</i> tab 1.5 mg-30 mcg | \$0(1) | |
| <i>norethindrone ace & ethynodiol dihydrogen phosphate</i> fe tab 1 mg-20 mcg | \$0(1) | |
| <i>norethindrone ace-ethynodiol dihydrogen phosphate</i> chew tab 1 mg-20 mcg (24) | \$0(1) | |
| <i>norgestimate & ethynodiol dihydrogen phosphate</i> tab 0.25 mg-35 mcg | \$0(1) | |
| <i>norgestimate-ethynodiol dihydrogen phosphate</i> tab 0.18-25/0.215-25/0.25-25 mg-mcg | \$0(1) | |
| <i>norgestimate-ethynodiol dihydrogen phosphate</i> tab 0.18-35/0.215-35/0.25-35 mg-mcg | \$0(1) | |
| <i>norlyroc</i> TABS .35mg | \$0(1) | |
| <i>nortrel</i> 0.5/35 (28) | \$0(1) | |
| <i>nortrel</i> 1/35 (21) | \$0(1) | |
| <i>nortrel</i> 1/35 (28) | \$0(1) | |
| <i>nortrel</i> 7/7/7 | \$0(1) | |
| <i>nylia</i> 1/35 | \$0(1) | |
| <i>nylia</i> 7/7/7 | \$0(1) | |
| <i>nymyo</i> | \$0(1) | |
| <i>ocella</i> | \$0(1) | |
| <i>opcicon one-step</i> TABS 1.5mg | \$0(3) | NM; * |
| <i>option 2</i> TABS 1.5mg | \$0(3) | NM; * |
| <i>philith</i> | \$0(1) | |
| <i>pimtrea</i> | \$0(1) | |
| <i>portia-28</i> | \$0(1) | |
| <i>reclipsen</i> | \$0(1) | |
| <i>rivelsa</i> | \$0(1) | |
| <i>setlakin</i> | \$0(1) | |
| <i>sharobel</i> TABS .35mg | \$0(1) | |
| <i>simliya</i> | \$0(1) | |
| <i>simpesse</i> | \$0(1) | |
| <i>sprintec 28</i> | \$0(1) | |
| <i>sronyx</i> | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|----------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>syeda</i> | \$0(1) | |
| <i>tarina 24 fe</i> | \$0(1) | |
| <i>tarina fe 1/20 eq</i> | \$0(1) | |
| <i>tilia fe</i> | \$0(1) | |
| <i>tri-estarrylla</i> | \$0(1) | |
| <i>tri-legest fe</i> | \$0(1) | |
| <i>tri-linyah</i> | \$0(1) | |
| <i>tri-lo-estarrylla</i> | \$0(1) | |
| <i>tri-lo-marzia</i> | \$0(1) | |
| <i>tri-lo-mili</i> | \$0(1) | |
| <i>tri-lo-sprintec</i> | \$0(1) | |
| <i>tri-mili</i> | \$0(1) | |
| <i>tri-nymyo</i> | \$0(1) | |
| <i>tri-sprintec</i> | \$0(1) | |
| <i>tri-vylibra</i> | \$0(1) | |
| <i>tri-vylibra lo</i> | \$0(1) | |
| <i>trivora-28</i> | \$0(1) | |
| <i>turqoz</i> | \$0(1) | |
| <i>tydemy</i> | \$0(1) | |
| <i>velivet</i> | \$0(1) | |
| <i>vestura</i> | \$0(1) | |
| <i>vienna</i> | \$0(1) | |
| <i>viorele</i> | \$0(1) | |
| <i>vyfemla</i> | \$0(1) | |
| <i>vylibra</i> | \$0(1) | |
| <i>wera</i> | \$0(1) | |
| <i>wymzya fe</i> | \$0(1) | |
| <i>xulane</i> | \$0(1) | |
| <i>zafemy</i> | \$0(1) | |
| <i>zovia 1/35</i> | \$0(1) | |
| <i>zumandimine</i> | \$0(1) | |
| <i>ENDOMETRIOSIS</i> | | |
| <i>danazol CAPS 50mg, 100mg, 200mg</i> | \$0(1) | |
| <i>SYNAREL SOLN 2mg/ml</i> | \$0(2) | NDS, PA |
| <i>ESTROGENS - DRUGS TO REGULATE FEMALE HORMONES</i> | | |
| <i>amabelz tab 0.5-0.1mg</i> | \$0(2) | |
| <i>dotti PTTW .025mg/24hr, .037mg/24hr, .05mg/24hr, .075mg/24hr, .1mg/24hr</i> | \$0(2) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>estradiol</i> PTTW .025mg/24hr, .037mg/24hr, .05mg/24hr, .075mg/24hr, .1mg/24hr; PTWK .025mg/24hr, .05mg/24hr, .06mg/24hr, .075mg/24hr, .1mg/24hr, 37.5mcg/24hr; TABS .5mg, 1mg, 2mg | \$0(2) | |
| <i>estradiol & norethindrone acetate tab</i> <i>0.5-0.1 mg</i> | \$0(2) | |
| <i>estradiol & norethindrone acetate tab</i> <i>1-0.5 mg</i> | \$0(2) | |
| <i>estradiol vaginal</i> CREA .1mg/gm; TABS 10mcg | \$0(1) | |
| <i>estradiol valerate</i> OIL 10mg/ml, 20mg/ml, 40mg/ml | \$0(1) | |
| <i>fyavolv tab 0.5mg-2.5mcg</i> | \$0(2) | |
| <i>fyavolv tab 1mg-5mcg</i> | \$0(2) | |
| <i>jinteli</i> | \$0(2) | |
| <i>lyllana</i> PTTW .025mg/24hr, .037mg/24hr, .05mg/24hr, .075mg/24hr, .1mg/24hr | \$0(2) | |
| <i>mimvey</i> | \$0(2) | |
| <i>norethindrone acetate-ethinyl</i> | \$0(2) | |
| <i>estradiol tab 0.5 mg-2.5 mcg</i> | \$0(2) | |
| <i>norethindrone acetate-ethinyl</i> | \$0(2) | |
| <i>estradiol tab 1 mg-5 mcg</i> | \$0(2) | |
| <i>yuvafem</i> TABS 10mcg | \$0(1) | |

GLUCOCORTICOIDS - DRUGS TO TREAT INFLAMMATORY RESPONSE

| | | |
|------------------------------------------------------------------------------------------------------|--------|-----|
| <i>dexamethasone</i> ELIX .5mg/5ml; SOLN .5mg/5ml; TABS .5mg, .75mg, 1mg, 1.5mg, 2mg, 4mg, 6mg | \$0(1) | B/D |
| <i>DEXAMETHASONE INTENSOL CONC</i> 1mg/ml | \$0(2) | B/D |
| <i>dexamethasone sodium phosphate</i> SOLN 4mg/ml, 10mg/ml, 20mg/5ml, 100mg/10ml, 120mg/30ml | \$0(1) | |
| <i>fludrocortisone acetate</i> TABS .1mg | \$0(1) | |
| <i>hydrocortisone</i> TABS 5mg, 10mg, 20mg | \$0(1) | |
| <i>methylprednisolone</i> TABS 4mg, 8mg, 16mg, 32mg | \$0(1) | B/D |
| <i>methylprednisolone</i> TBPK 4mg | \$0(1) | |
| <i>methylprednisolone acetate</i> SUSP 40mg/ml, 80mg/ml | \$0(1) | B/D |
| <i>methylprednisolone sod succ</i> SOLR 40mg, 125mg, 1000mg | \$0(1) | B/D |
| <i>prednisolone</i> SOLN 15mg/5ml | \$0(1) | B/D |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|----------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>prednisolone sodium phosphate</i> SOLN 5mg/5ml, 15mg/5ml, 25mg/5ml | \$0(1) | B/D |
| <i>prednisone</i> SOLN 5mg/5ml; TABS 1mg, 2.5mg, 5mg, 10mg, 20mg, 50mg | \$0(1) | B/D |
| <i>prednisone</i> TBPK 5mg, 10mg PREDNISONE INTENSOL CONC 5mg/ml | \$0(1) \$0(2) | B/D |
| SOLU-CORTEF SOLR 100mg, 250mg, 500mg, 1000mg | \$0(2) | |
| <i>GLUCOSE ELEVATING AGENTS - DRUGS TO TREAT LOW BLOOD SUGAR</i> | | |
| <i>diazoxide</i> SUSP 50mg/ml | \$0(2) | NDS |
| GVOKE HYPOOPEN 2-PACK SOAJ .5mg/0.1ml, 1mg/0.2ml | \$0(2) | |
| GVOKE KIT SOLN 1mg/0.2ml | \$0(2) | |
| GVOKE PFS SOSY 1mg/0.2ml | \$0(2) | |
| <i>MISCELLANEOUS</i> | | |
| ALDURAZYME SOLN 2.9mg/5ml | \$0(2) | NDS, NM, LA, PA |
| <i>betaine powder for oral solution</i> | \$0(2) | NDS, NM, LA |
| <i>cabergoline</i> TABS .5mg | \$0(1) | |
| <i>carglumic acid</i> TBSO 200mg | \$0(2) | NDS, NM, LA, PA |
| CERDELGA CAPS 84mg | \$0(2) | NDS, NM, LA, PA |
| CEREZYME SOLR 400unit | \$0(2) | NDS, NM, LA, PA |
| <i>cinacalcet hcl</i> TABS 30mg, 60mg | \$0(1) | B/D, QL (60 tabs / 30 days), NM |
| <i>cinacalcet hcl</i> TABS 90mg | \$0(2) | NDS, B/D, QL (120 tabs / 30 days), NM |
| CYSTAGON CAPS 50mg, 150mg | \$0(2) | NM, LA, PA |
| <i>desmopressin acetate</i> SOLN 4mcg/ml | \$0(2) | NDS |
| <i>desmopressin acetate</i> TABS .1mg, .2mg | \$0(1) | |
| <i>desmopressin acetate spray</i> SOLN .01% | \$0(1) | |
| <i>desmopressin acetate spray</i> <i>refrigerated</i> SOLN .01% | \$0(1) | |
| FABRAZYME SOLR 5mg, 35mg | \$0(2) | NDS, NM, LA, PA |
| GENOTROPIN CART 5mg, 12mg | \$0(2) | NDS, NM, PA |
| GENOTROPIN MINIQUICK PRSY .2mg, .4mg, .6mg, .8mg, 1mg, 1.2mg, 1.4mg, 1.6mg, 1.8mg, 2mg | \$0(2) | NDS, NM, PA |
| INCRELEX SOLN 40mg/4ml | \$0(2) | NDS, NM, LA, PA |
| <i>javygtor</i> PACK 100mg, 500mg; TABS 100mg | \$0(2) | NDS, NM, LA, PA |
| KORLYM TABS 300mg | \$0(2) | NDS, NM, LA, PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-----------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>levocarnitine (metabolic modifiers)</i> <i>SOLN 1gm/10ml; TABS 330mg</i> | \$0(1) | B/D |
| LUMIZYME SOLR 50mg | \$0(2) | NDS, NM, LA, PA |
| LUPRON DEPOT-PED (1-MONTH KIT 7.5mg, 11.25mg, 15mg | \$0(2) | NDS, NM, PA |
| LUPRON DEPOT-PED (3-MONTH KIT 11.25mg, 30mg | \$0(2) | NDS, NM, PA |
| LUPRON DEPOT-PED (6-MONTH KIT 45mg | \$0(2) | NDS, NM, PA |
| <i>mifepristone (hyperglycemia)</i> TABS 300mg | \$0(2) | NDS, NM, PA |
| <i>miglustat</i> CAPS 100mg | \$0(2) | NDS, QL (90 caps / 30 days), NM, PA |
| NAGLAZYME SOLN 1mg/ml | \$0(2) | NDS, NM, LA, PA |
| <i>nitisinone</i> CAPS 2mg, 5mg, 10mg, 20mg | \$0(2) | NDS, NM, PA |
| <i>octreotide acetate</i> SOLN 50mcg/ml, 100mcg/ml, 200mcg/ml; SOSY 50mcg/ml, 100mcg/ml | \$0(1) | NM, PA |
| <i>octreotide acetate</i> SOLN 500mcg/ml, 1000mcg/ml; SOSY 500mcg/ml | \$0(2) | NDS, NM, PA |
| <i>raloxifene hcl</i> TABS 60mg | \$0(1) | |
| <i>sapropterin dihydrochloride</i> PACK 100mg, 500mg; TABS 100mg | \$0(2) | NDS, NM, PA |
| SIGNIFOR SOLN .3mg/ml, .6mg/ml, .9mg/ml | \$0(2) | NDS, NM, LA, PA |
| <i>sodium phenylbutyrate</i> POWD 3gm/tsp; TABS 500mg | \$0(2) | NDS, NM, PA |
| SOMATULINE DEPOT SOLN 60mg/0.2ml, 90mg/0.3ml, 120mg/0.5ml | \$0(2) | NDS, NM, LA, PA |
| SOMAVERT SOLR 10mg, 15mg, 20mg, 25mg, 30mg | \$0(2) | NDS, NM, LA, PA |
| <i>yargesa</i> CAPS 100mg | \$0(2) | NDS, QL (90 caps / 30 days), NM, PA |

PHOSPHATE BINDER AGENTS - DRUGS TO REGULATE CALCIUM AND PHOSPHORUS LEVELS

| | | |
|---------------------------------------------------------|--------|----------------------------|
| <i>calcium acetate (phosphate binder)</i> CAPS 667mg | \$0(1) | QL (360 caps / 30 days) |
| <i>calcium acetate (phosphate binder)</i> TABS 667mg | \$0(1) | QL (360 tabs / 30 days) |
| <i>lanthanum carbonate</i> CHEW 500mg, 1000mg | \$0(1) | QL (90 tabs / 30 days) |
| <i>lanthanum carbonate</i> CHEW 750mg | \$0(1) | QL (180 tabs / 30 days) |
| <i>sevelamer carbonate</i> PACK 2.4gm | \$0(1) | QL (180 packets / 30 days) |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>sevelamer carbonate</i> PACK .8gm | \$0(1) | QL (540 packets / 30 days) |
| <i>sevelamer carbonate</i> TABS 800mg | \$0(1) | QL (540 tabs / 30 days) |
| VELPHORO CHEW 500mg | \$0(2) | NDS, QL (180 tabs / 30 days) |

PROGESTINS - DRUGS TO REGULATE FEMALE HORMONES

| | |
|-------------------------------------------------------------|-----------|
| <i>medroxyprogesterone acetate</i> TABS 2.5mg, 5mg, 10mg | \$0(1) |
| <i>megestrol acetate</i> SUSP 40mg/ml | \$0(2) |
| <i>megestrol acetate (appetite)</i> SUSP 625mg/5ml | \$0(2) PA |
| <i>norethindrone acetate</i> TABS 5mg | \$0(1) |
| <i>progesterone</i> CAPS 100mg, 200mg | \$0(1) |

THYROID AGENTS - DRUGS TO REGULATE THYROID LEVELS

| | |
|--------------------------------------------------------------------------------------------------------------------------------------|--------|
| <i>euthyrox</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg | \$0(1) |
| <i>levo-t</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | \$0(1) |
| <i>levothyroxine sodium</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | \$0(1) |
| <i>levoxyl</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg | \$0(1) |
| <i>liothyronine sodium</i> TABS 5mcg, 25mcg, 50mcg | \$0(1) |
| <i>methimazole</i> TABS 5mg, 10mg | \$0(1) |
| <i>propylthiouracil</i> TABS 50mg | \$0(1) |
| <i>SYNTHROID</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | \$0(2) |
| <i>unithroid</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | \$0(1) |

VITAMIN D ANALOGS

| | | |
|-------------------------------------------|--------|-----|
| <i>calcitriol</i> CAPS .25mcg, .5mcg | \$0(1) | B/D |
| <i>calcitriol (oral)</i> SOLN 1mcg/ml | \$0(1) | B/D |
| <i>paricalcitol</i> CAPS 1mcg, 2mcg, 4mcg | \$0(1) | B/D |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-------------------------------------|------------------------------------------------|-------------------------------------------------------|
| RAYALDEE CPCR 30mcg | \$0(2) | NDS |

GASTROINTESTINAL - DRUGS TO TREAT STOMACH AND INTESTINAL DISORDERS

ANTACIDS

| | | |
|------------------------------------------------|--------|-------|
| acid gone | \$0(3) | NM; * |
| almacone double strength | \$0(3) | NM; * |
| ALUMINUM HYDROXIDE SUSP 320mg/5ml | \$0(3) | NM; * |
| antacid CHEW 500mg, 750mg | \$0(3) | NM; * |
| antacid calcium regular s CHEW 500mg | \$0(3) | NM; * |
| antacid extra strength CHEW 750mg | \$0(3) | NM; * |
| antacid maximum strength | \$0(3) | NM; * |
| antacid regular strength | \$0(3) | NM; * |
| antacid ultra strength CHEW 1000mg | \$0(3) | NM; * |
| antacid/antigas liquid | \$0(3) | NM; * |
| cal-gest antacid CHEW 500mg | \$0(3) | NM; * |
| calcium antacid CHEW 500mg | \$0(3) | NM; * |
| calcium antacid extra str CHEW 750mg | \$0(3) | NM; * |
| calcium carbonate (antacid) SUSP 1250mg/5ml | \$0(3) | NM; * |
| gnp antacid & anti-gas/re | \$0(3) | NM; * |
| gnp antacid and anti-gas/ | \$0(3) | NM; * |
| gnp antacid anti-gas/maxi | \$0(3) | NM; * |
| gnp antacid extra strengt CHEW 750mg | \$0(3) | NM; * |
| gnp antacid/regular stren | \$0(3) | NM; * |
| heartburn relief extra st | \$0(3) | NM; * |
| hm antacid | \$0(3) | NM; * |
| hm antacid anti-gas extra | \$0(3) | NM; * |
| hm antacid extra strength CHEW 750mg | \$0(3) | NM; * |
| MAG-AL LIQ | \$0(3) | NM; * |
| mag-al plus | \$0(3) | NM; * |
| mag-al plus xs | \$0(3) | NM; * |
| magnesium oxide TABS 400mg, 420mg | \$0(3) | NM; * |
| mintox maximum strength | \$0(3) | NM; * |
| qc antacid CHEW 500mg | \$0(3) | NM; * |
| qc antacid/anti-gas | \$0(3) | NM; * |
| sm antacid CHEW 500mg | \$0(3) | NM; * |
| sm antacid advanced | \$0(3) | NM; * |
| sm antacid advanced maxi | \$0(3) | NM; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>sm antacid extra strength CHEW 750mg</i> | \$0(3) | NM; * |
| <i>sm antacid maximum streng</i> | \$0(3) | NM; * |
| <i>smooth antacid extra stre 750mg</i> | \$0(3) | NM; * |
| <i>sodium bicarbonate (antacid) TABS 325mg, 650mg</i> | \$0(3) | NM; * |
| <u>ANTI-DIARRHEAL</u> | | |
| <i>anti-diarrheal CAPS 2mg; SOLN 1mg/7.5ml; TABS 2mg</i> | \$0(3) | NM; * |
| <i>bismatrol CHEW 262mg</i> | \$0(3) | NM; * |
| <i>bismuth subsalicylate CHEW 262mg</i> | \$0(3) | NM; * |
| <i>gnp anti-diarrheal CAPS 2mg; TABS 2mg</i> | \$0(3) | NM; * |
| <i>gnp loperamide hydrochlor SOLN 1mg/7.5ml</i> | \$0(3) | NM; * |
| <i>gnp pink bismuth TABS 262mg</i> | \$0(3) | NM; * |
| <i>gnp stomach relief SUSP 525mg/30ml</i> | \$0(3) | NM; * |
| <i>goodsense anti-diarrheal SOLN 1mg/7.5ml</i> | \$0(3) | NM; * |
| <i>loperamide hcl SOLN 1mg/7.5ml, 2mg/15ml</i> | \$0(3) | NM; * |
| <i>qc anti-diarrheal CAPS 2mg; TABS 2mg</i> | \$0(3) | NM; * |
| <i>sm anti-diarrheal CAPS 2mg; SOLN 1mg/7.5ml; TABS 2mg</i> | \$0(3) | NM; * |
| <i>sm stomach relief CHEW 262mg</i> | \$0(3) | NM; * |
| <i>sm stomach relief liquid SUSP 525mg/30ml</i> | \$0(3) | NM; * |
| <i>stomach relief CHEW 262mg; SUSP 525mg/30ml</i> | \$0(3) | NM; * |
| <i>stomach relief extra stre SUSP 525mg/15ml</i> | \$0(3) | NM; * |
| <i>stomach relief ultra SUSP 525mg/15ml</i> | \$0(3) | NM; * |
| <u>ANTIEMETICS - DRUGS FOR NAUSEA AND VOMITING</u> | | |
| <i>aprepitant CAPS 40mg, 80mg, 125mg</i> | \$0(1) | B/D |
| <i>aprepitant capsule therapy pack 80 & 125 mg</i> | \$0(1) | B/D |
| <i>compro SUPP 25mg</i> | \$0(1) | |
| <i>dronabinol CAPS 2.5mg, 5mg, 10mg</i> | \$0(1) | B/D, QL (60 caps / 30 days) |
| <i>gransetron hcl SOLN 1mg/ml, 4mg/4ml</i> | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>granisetron hcl</i> TABS 1mg | \$0(1) | B/D |
| <i>meclizine hcl</i> TABS 12.5mg, 25mg | \$0(2) | |
| <i>metoclopramide hcl</i> SOLN 5mg/5ml, 5mg/ml; TABS 5mg, 10mg | \$0(1) | |
| <i>ondansetron</i> TBDP 4mg, 8mg | \$0(1) | B/D |
| <i>ondansetron hcl</i> SOLN 4mg/2ml, 40mg/20ml; SOSY 4mg/2ml | \$0(1) | |
| <i>ondansetron hcl</i> SOLN 4mg/5ml; TABS 4mg, 8mg | \$0(1) | B/D |
| <i>prochlorperazine</i> SUPP 25mg | \$0(1) | |
| <i>prochlorperazine edisylate</i> SOLN 10mg/2ml | \$0(1) | |
| <i>prochlorperazine maleate</i> TABS 5mg, 10mg | \$0(1) | |
| <i>promethazine hcl</i> SOLN 6.25mg/5ml, 25mg/ml, 50mg/ml; TABS 12.5mg, 25mg, 50mg | \$0(2) | PA; PA if 70 years and older |
| <i>scopolamine</i> PT72 1mg/3days | \$0(2) | QL (10 patches / 30 days), PA; PA if 70 years and older |

ANTISPASMODICS - DRUGS FOR STOMACH SPASMS

| | | |
|---------------------------------------------------------------|--------|-------------------------|
| <i>dicyclomine hcl</i> CAPS 10mg; SOLN 10mg/5ml; TABS 20mg | \$0(2) | |
| <i>glycopyrrolate</i> TABS 1mg | \$0(1) | QL (90 tabs / 30 days) |
| <i>glycopyrrolate</i> TABS 2mg | \$0(1) | QL (120 tabs / 30 days) |

H2-RECEPTOR ANTAGONISTS - DRUGS FOR ULCERS AND STOMACH

ACID

| | | |
|----------------------------------------------------------|--------|-------------------------|
| <i>acid reducer</i> TABS 10mg | \$0(3) | NM; * |
| <i>acid reducer maximum stre</i> TABS 20mg | \$0(3) | NM; * |
| <i>acid reducer original str</i> TABS 10mg | \$0(3) | NM; * |
| <i>famotidine</i> SOLN 20mg/2ml, 40mg/4ml, 200mg/20ml | \$0(1) | |
| <i>famotidine</i> SUSR 40mg/5ml | \$0(1) | QL (300 mL / 30 days) |
| <i>famotidine</i> TABS 10mg, 20mg | \$0(3) | NM; * |
| <i>famotidine</i> TABS 20mg | \$0(1) | QL (120 tabs / 30 days) |
| <i>famotidine</i> TABS 40mg | \$0(1) | QL (60 tabs / 30 days) |
| <i>famotidine in nacl 0.9% iv soln</i> 20 mg/50ml | \$0(1) | |
| <i>famotidine maximum streng</i> TABS 20mg | \$0(3) | NM; * |
| <i>famotidine original stren</i> TABS 10mg | \$0(3) | NM; * |
| <i>gnp acid reducer</i> TABS 10mg | \$0(3) | NM; * |
| <i>gnp acid reducer maximum</i> TABS 20mg | \$0(3) | NM; * |
| <i>heartburn relief</i> TABS 10mg | \$0(3) | NM; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>heartburn relief maximum TABS 20mg</i> | \$0(3) | NM; * |
| <i>nizatidine CAPS 150mg, 300mg</i> | \$0(1) | |
| <i>sm acid reducer TABS 10mg</i> | \$0(3) | NM; * |
| <i>sm acid reducer maximum s TABS 20mg</i> | \$0(3) | NM; * |
| INFLAMMATORY BOWEL DISEASE | | |
| <i>balsalazide disodium CAPS 750mg</i> | \$0(1) | |
| <i>budesonide CPEP 3mg</i> | \$0(1) | QL (90 caps / 30 days), PA |
| <i>budesonide TB24 9mg</i> | \$0(2) | NDS, QL (30 tabs / 30 days), PA |
| <i>hydrocortisone (intrarectal) ENEM 100mg/60ml</i> | \$0(1) | |
| <i>mesalamine CP24 .375gm</i> | \$0(1) | QL (120 caps / 30 days) |
| <i>mesalamine CPDR 400mg</i> | \$0(1) | QL (180 caps / 30 days) |
| <i>mesalamine ENEM 4gm; SUPP 1000mg</i> | \$0(1) | |
| <i>mesalamine TBEC 1.2gm</i> | \$0(1) | QL (120 tabs / 30 days) |
| <i>mesalamine w/ cleanser KIT 4gm</i> | \$0(1) | |
| <i>sulfasalazine TABS 500mg; TBEC 500mg</i> | \$0(1) | |
| LAXATIVES | | |
| <i>bisacodyl SUPP 10mg</i> | \$0(3) | NM; * |
| <i>bisacodyl ec TBEC 5mg</i> | \$0(3) | NM; * |
| <i>COLACE CAPS 100mg</i> | \$0(3) | NM; * |
| <i>constulose SOLN 10gm/15ml</i> | \$0(1) | |
| <i>docusate calcium CAPS 240mg</i> | \$0(3) | NM; * |
| <i>docusate sodium CAPS 100mg, 250mg; LIQD 50mg/5ml, 100mg/10ml</i> | \$0(3) | NM; * |
| <i>enema ready-to-use</i> | \$0(3) | NM; * |
| <i>enulose SOLN 10gm/15ml</i> | \$0(1) | |
| <i>FLEET ENE</i> | \$0(3) | NM; * |
| <i>FLEET ENE PED</i> | \$0(3) | NM; * |
| <i>gavilyte-c</i> | \$0(1) | |
| <i>gavilyte-g</i> | \$0(1) | |
| <i>generlac SOLN 10gm/15ml</i> | \$0(1) | |
| <i>gentle laxative SUPP 10mg; TBEC 5mg</i> | \$0(3) | NM; * |
| <i>grp clearlax PACK 17gm</i> | \$0(3) | NM; * |
| <i>grp fiber powder POWD 43%</i> | \$0(3) | NM; * |
| <i>grp gentle laxative SUPP 10mg; TBEC 5mg</i> | \$0(3) | NM; * |
| <i>grp stool softener CAPS 100mg, 240mg, 250mg</i> | \$0(3) | NM; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>gnp womens gentle laxativ TBEC 5mg</i> | \$0(3) | NM; * |
| <i>healthylax PACK 17gm</i> | \$0(3) | NM; * |
| <i>hm enema saline laxative</i> | \$0(3) | NM; * |
| <i>hm gentle laxative SUPP 10mg</i> | \$0(3) | NM; * |
| <i>hm laxative TBEC 5mg</i> | \$0(3) | NM; * |
| <i>hm stool softener CAPS 100mg, 250mg</i> | \$0(3) | NM; * |
| <i>lactulose SOLN 10gm/15ml</i> | \$0(1) | |
| <i>lactulose (encephalopathy) SOLN 10gm/15ml</i> | \$0(1) | |
| <i>peg 3350-kcl-na bicarb-nacl-na sulfate for soln 236 gm</i> | \$0(1) | |
| <i>peg 3350-kcl-sod bicarb-nacl for soln 420 gm</i> | \$0(1) | |
| <i>PLENUV SOL</i> | \$0(2) | |
| <i>polyethylene glycol 3350 PACK 17gm</i> | \$0(3) | NM; * |
| <i>qc enema</i> | \$0(3) | NM; * |
| <i>qc gentle laxative SUPP 10mg</i> | \$0(3) | NM; * |
| <i>qc stool softener CAPS 100mg</i> | \$0(3) | NM; * |
| <i>sm enema</i> | \$0(3) | NM; * |
| <i>sm gentle laxative TBEC 5mg</i> | \$0(3) | NM; * |
| <i>sm stool softener CAPS 100mg</i> | \$0(3) | NM; * |
| <i>sod sulfate-pot sulf-mg sulf oral sol 17.5-3.13-1.6 gm/177ml</i> | \$0(1) | |
| <i>*sodium phosphates - enema***</i> | \$0(3) | NM; * |
| <i>stool softener CAPS 100mg</i> | \$0(3) | NM; * |
| MISCELLANEOUS | | |
| <i>acid reducer complete</i> | \$0(3) | NM; * |
| <i>alosetron hcl TABS .5mg, 1mg</i> | \$0(2) | NDS, QL (60 tabs / 30 days), PA |
| <i>cromolyn sodium (mastocytosis) CONC 100mg/5ml</i> | \$0(1) | |
| <i>diphenoxylate w/ atropine liq 2.5-0.025 mg/5ml</i> | \$0(2) | |
| <i>diphenoxylate w/ atropine tab 2.5-0.025 mg</i> | \$0(2) | |
| <i>GATTEX KIT 5mg</i> | \$0(2) | NDS, NM, LA, PA |
| <i>hm dual action complete</i> | \$0(3) | NM; * |
| <i>LINZESS CAPS 72mcg, 145mcg, 290mcg</i> | \$0(2) | QL (30 caps / 30 days) |
| <i>loperamide hcl CAPS 2mg</i> | \$0(1) | |
| <i>misoprostol TABS 100mcg, 200mcg</i> | \$0(1) | |
| <i>MOVANTIK TABS 12.5mg, 25mg</i> | \$0(2) | QL (30 tabs / 30 days) |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| RELISTOR SOLN 8mg/0.4ml, 12mg/0.6ml | \$0(2) | NDS, QL (28 syringes / 28 days), PA |
| sucralfate TABS 1gm | \$0(1) | |
| ursodiol CAPS 300mg; TABS 250mg, 500mg | \$0(1) | |
| XERMELO TABS 250mg | \$0(2) | NDS, QL (84 tabs / 28 days), NM, LA, PA |
| XIFAXAN TABS 550mg | \$0(2) | NDS, PA |

PANCREATIC ENZYMES

| | |
|---------------------|--------|
| CREON CAP 3000UNIT | \$0(2) |
| CREON CAP 6000UNIT | \$0(2) |
| CREON CAP 12000UNT | \$0(2) |
| CREON CAP 24000UNT | \$0(2) |
| CREON CAP 36000UNT | \$0(2) |
| ZENPEP CAP 3000UNIT | \$0(2) |
| ZENPEP CAP 5000UNIT | \$0(2) |
| ZENPEP CAP 10000UNT | \$0(2) |
| ZENPEP CAP 15000UNT | \$0(2) |
| ZENPEP CAP 20000UNT | \$0(2) |
| ZENPEP CAP 25000UNT | \$0(2) |
| ZENPEP CAP 40000UNT | \$0(2) |
| ZENPEP CAP 60000UNT | \$0(2) |

PROTON PUMP INHIBITORS - DRUGS FOR ULCERS AND STOMACH ACID

| | | |
|---------------------------------------------------|--------|-------------------------------|
| esomeprazole magnesium CPDR 20mg, 40mg | \$0(1) | QL (30 caps / 30 days), ST |
| gnp omeprazole TBEC 20mg | \$0(3) | NM, PA; * |
| goodsense lansoprazole CPDR 15mg | \$0(3) | NM; * |
| hm omeprazole TBEC 20mg | \$0(3) | NM, PA; * |
| lansoprazole CPDR 15mg | \$0(3) | NM; * |
| lansoprazole CPDR 15mg, 30mg | \$0(1) | QL (60 caps / 30 days) |
| omeprazole CPDR 10mg, 20mg, 40mg | \$0(1) | |
| omeprazole TBEC 20mg | \$0(3) | NM, PA; * |
| omeprazole magnesium CPDR 20.6mg | \$0(3) | NM; * |
| pantoprazole sodium SOLR 40mg; TBEC 20mg, 40mg | \$0(1) | |
| qc lansoprazole CPDR 15mg | \$0(3) | NM; * |
| rabeprazole sodium TBEC 20mg | \$0(1) | QL (30 tabs / 30 days) |
| sm lansoprazole CPDR 15mg | \$0(3) | NM; * |
| sm omeprazole TBEC 20mg | \$0(3) | NM, PA; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|----------------------------------------------------------------------------|------------------------------------------------|-------------------------------------------------------|
| GENITOURINARY - DRUGS TO TREAT GENITAL AND URINARY TRACT CONDITIONS | | |
| BENIGN PROSTATIC HYPERPLASIA - DRUGS TO TREAT ENLARGED PROSTATE | | |
| <i>alfuzosin hcl</i> TB24 10mg | \$0(1) | QL (30 tabs / 30 days) |
| <i>dutasteride</i> CAPS .5mg | \$0(1) | QL (30 caps / 30 days) |
| <i>dutasteride-tamsulosin hcl cap 0.5-0.4 mg</i> | \$0(1) | QL (30 caps / 30 days) |
| <i>finasteride</i> TABS 5mg | \$0(1) | QL (30 tabs / 30 days) |
| <i>tamsulosin hcl</i> CAPS .4mg | \$0(1) | QL (60 caps / 30 days) |
| MISCELLANEOUS | | |
| <i>acetic acid</i> SOLN .25% | \$0(1) | |
| <i>bethanechol chloride</i> TABS 5mg, 10mg, 25mg, 50mg | \$0(1) | |
| <i>potassium citrate (alkalinizer)</i> TBCR 15meq, 540mg, 1080mg | \$0(1) | |
| URINARY ANTISPASMODICS - DRUGS TO TREAT URINARY INCONTINENCE | | |
| <i>GEMTESA</i> TABS 75mg | \$0(2) | QL (30 tabs / 30 days) |
| <i>MYRBETRIQ</i> SRER 8mg/ml | \$0(2) | QL (300 mL / 28 days) |
| <i>MYRBETRIQ</i> TB24 25mg, 50mg | \$0(2) | QL (30 tabs / 30 days) |
| <i>oxybutynin chloride</i> SOLN 5mg/5ml | \$0(1) | QL (600 mL / 30 days) |
| <i>oxybutynin chloride</i> TABS 5mg | \$0(1) | QL (120 tabs / 30 days) |
| <i>oxybutynin chloride</i> TB24 5mg | \$0(1) | QL (30 tabs / 30 days) |
| <i>oxybutynin chloride</i> TB24 10mg, 15mg | \$0(1) | QL (60 tabs / 30 days) |
| <i>solifenacin succinate</i> TABS 5mg, 10mg | \$0(1) | QL (30 tabs / 30 days) |
| <i>tolterodine tartrate</i> CP24 2mg, 4mg | \$0(1) | QL (30 caps / 30 days), ST |
| <i>tolterodine tartrate</i> TABS 1mg, 2mg | \$0(1) | QL (60 tabs / 30 days) |
| <i>trospium chloride</i> TABS 20mg | \$0(1) | QL (60 tabs / 30 days) |
| VAGINAL ANTI-INFECTIVES | | |
| <i>clindamycin phosphate vaginal</i> CREA 2% | \$0(1) | |
| <i>clotrimazole vaginal</i> CREA 1% | \$0(3) | NM; * |
| <i>3 day vaginal</i> CREA 2% | \$0(3) | NM; * |
| <i>gnp clotrimazole 3</i> CREA 2% | \$0(3) | NM; * |
| <i>gnp miconazole 1 combinat</i> | \$0(3) | NM; * |
| <i>gnp miconazole 3</i> | \$0(3) | NM; * |
| <i>gnp miconazole 7</i> CREA 2% | \$0(3) | NM; * |
| <i>metronidazole vaginal</i> GEL .75% | \$0(1) | |
| <i>miconazole 3 combination</i> | \$0(3) | NM; * |
| <i>miconazole 3 combo pack</i> | \$0(3) | NM; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-----------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>miconazole 7 CREA 2%</i> | \$0(3) | NM; * |
| <i>miconazole nitrate vaginal CREA 2%</i> | \$0(3) | NM; * |
| <i>qc clotrimazole CREA 1%</i> | \$0(3) | NM; * |
| <i>qc miconazole 7 CREA 2%</i> | \$0(3) | NM; * |
| <i>sm 3-day vaginal CREA 2%</i> | \$0(3) | NM; * |
| <i>sm clotrimazole vaginal CREA 1%</i> | \$0(3) | NM; * |
| <i>sm miconazole 3</i> | \$0(3) | NM; * |
| <i>sm miconazole 7 CREA 2%; SUPP 100mg</i> | \$0(3) | NM; * |
| <i>sm tioconazole-1 OINT 6.5%</i> | \$0(3) | NM; * |
| <i>terconazole vaginal CREA .4%, .8%; SUPP 80mg</i> | \$0(1) | |
| <i>tioconazole 1 OINT 6.5%</i> | \$0(3) | NM; * |

HEMATOLOGIC - DRUGS TO TREAT BLOOD DISORDERS

ANTICOAGULANTS - BLOOD THINNERS

| | | |
|-------------------------------------------------------------------------------------------------------------------------------|--------|------------------------|
| <i>ELIQUIS TABS 2.5mg</i> | \$0(2) | QL (60 tabs / 30 days) |
| <i>ELIQUIS TABS 5mg</i> | \$0(2) | QL (74 tabs / 30 days) |
| <i>ELIQUIS STARTER PACK TBPK 5mg</i> | \$0(2) | QL (74 tabs / 30 days) |
| <i>enoxaparin sodium SOLN 300mg/3ml; SOSY 30mg/0.3ml, 40mg/0.4ml, 60mg/0.6ml, 80mg/0.8ml, 100mg/ml, 120mg/0.8ml, 150mg/ml</i> | \$0(1) | |
| <i>fondaparinux sodium SOLN 2.5mg/0.5ml</i> | \$0(1) | |
| <i>fondaparinux sodium SOLN 5mg/0.4ml, 7.5mg/0.6ml, 10mg/0.8ml</i> | \$0(2) | NDS |
| <i>HEP SOD/D5W INJ 20000UNT</i> | \$0(2) | |
| <i>HEP SOD/D5W INJ 25000UNT</i> | \$0(2) | |
| <i>HEP SOD/NACL INJ 12500UNT</i> | \$0(2) | |
| <i>HEP SOD/NACL INJ 25000UNT</i> | \$0(2) | |
| <i>heparin sodium (porcine) SOLN 1000unit/ml, 5000unit/ml, 10000unit/ml, 20000unit/ml</i> | \$0(1) | B/D |
| <i>HEPARIN/NACL INJ 25000UNT</i> | \$0(2) | |
| <i>jantoven TABS 1mg, 2mg, 2.5mg, 3mg, 4mg, 5mg, 6mg, 7.5mg, 10mg</i> | \$0(1) | |
| <i>warfarin sodium TABS 1mg, 2mg, 2.5mg, 3mg, 4mg, 5mg, 6mg, 7.5mg, 10mg</i> | \$0(1) | |
| <i>XARELTO SUSR 1mg/ml</i> | \$0(2) | QL (620 mL / 30 days) |
| <i>XARELTO TABS 2.5mg</i> | \$0(2) | QL (60 tabs / 30 days) |
| <i>XARELTO TABS 10mg, 15mg, 20mg</i> | \$0(2) | QL (30 tabs / 30 days) |
| <i>XARELTO STAR TAB 15/20MG</i> | \$0(2) | QL (51 tabs / 30 days) |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| HEMATOPOIETIC GROWTH FACTORS | | |
| PROCRIT SOLN 2000unit/ml, 3000unit/ml, 4000unit/ml, 10000unit/ml | \$0(2) | NM, PA |
| PROCRIT SOLN 20000unit/ml, 40000unit/ml | \$0(2) | NDS, NM, PA |
| ZARXIO SOSY 300mcg/0.5ml, 480mcg/0.8ml | \$0(2) | NDS, NM, PA |
| ZIEXTENZO SOSY 6mg/0.6ml | \$0(2) | NDS, QL (2 syringes / 28 days), NM, PA |
| MISCELLANEOUS | | |
| <i>anagrelide hcl</i> CAPS .5mg, 1mg | \$0(1) | |
| BERINERT KIT 500unit | \$0(2) | NDS, QL (24 boxes / 30 days), NM, LA, PA |
| <i>cilostazol</i> TABS 50mg, 100mg | \$0(1) | |
| DOPTELET TABS 20mg | \$0(2) | NDS, NM, LA, PA |
| DROXIA CAPS 200mg, 300mg, 400mg | \$0(2) | |
| ENDARI PACK 5gm | \$0(2) | NDS, NM, LA, PA |
| HAEGARDA SOLR 2000unit | \$0(2) | NDS, QL (30 vials / 30 days), NM, LA, PA |
| HAEGARDA SOLR 3000unit | \$0(2) | NDS, QL (20 vials / 30 days), NM, LA, PA |
| <i>icatibant acetate</i> SOSY 30mg/3ml | \$0(2) | NDS, QL (9 syringes / 30 days), NM, PA |
| <i>pentoxifylline</i> TBCR 400mg | \$0(1) | |
| PROMACTA PACK 12.5mg | \$0(2) | NDS, QL (360 packets / 30 days), NM, LA, PA |
| PROMACTA PACK 25mg | \$0(2) | NDS, QL (180 packets / 30 days), NM, LA, PA |
| PROMACTA TABS 12.5mg, 25mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| PROMACTA TABS 50mg, 75mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| <i>sajazir</i> SOSY 30mg/3ml | \$0(2) | NDS, QL (9 syringes / 30 days), NM, LA, PA |
| <i>tranexamic acid</i> SOLN 1000mg/10ml; TABS 650mg | \$0(1) | |
| PLATELET AGGREGATION INHIBITORS | | |
| <i>aspirin-dipyridamole cap er 12hr 25- 200 mg</i> | \$0(1) | |
| BRILINTA TABS 60mg, 90mg | \$0(2) | |
| <i>clopidogrel bisulfate</i> TABS 75mg | \$0(1) | |
| <i>dipyridamole</i> TABS 25mg, 50mg, 75mg | \$0(2) | PA; PA if 70 years and older |
| <i>prasugrel hcl</i> TABS 5mg, 10mg | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-----------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| IMMUNOLOGIC AGENTS - DRUGS TO TREAT DISORDERS OF THE IMMUNE SYSTEM | | |
| AUTOIMMUNE AGENTS | | |
| ADALIMUMAB-AACF (2 PEN) AJKT 40mg/0.8ml | \$0(2) | NDS, QL (56 pens / 365 days), NM, PA |
| DUPIXENT SOPN 200mg/1.14ml, 300mg/2ml; SOSY 100mg/0.67ml, 200mg/1.14ml, 300mg/2ml | \$0(2) | NDS, NM, PA |
| ENBREL SOLN 25mg/0.5ml | \$0(2) | NDS, QL (16 vials / 28 days), NM, PA |
| ENBREL SOSY 25mg/0.5ml | \$0(2) | NDS, QL (16 syringes / 28 days), NM, PA |
| ENBREL SOSY 50mg/ml | \$0(2) | NDS, QL (8 syringes / 28 days), NM, PA |
| ENBREL MINI SOCT 50mg/ml | \$0(2) | NDS, QL (8 cartridges / 28 days), NM, PA |
| ENBREL SURECLICK SOAJ 50mg/ml | \$0(2) | NDS, QL (8 pens / 28 days), NM, PA |
| HUMIRA PSKT 10mg/0.1ml, 20mg/0.2ml | \$0(2) | NDS, QL (2 syringes / 28 days), NM, PA |
| HUMIRA PSKT 40mg/0.4ml, 40mg/0.8ml | \$0(2) | NDS, QL (6 syringes / 28 days), NM, PA |
| HUMIRA PEDIA INJ CROHNS | \$0(2) | NDS, QL (2 syringes / 28 days), NM, PA |
| HUMIRA PEDIATRIC CROHNS D PSKT 80mg/0.8ml | \$0(2) | NDS, QL (3 syringes / 28 days), NM, PA |
| HUMIRA PEN PNKT 40mg/0.4ml, 40mg/0.8ml | \$0(2) | NDS, QL (6 pens / 28 days), NM, PA |
| HUMIRA PEN PNKT 80mg/0.8ml | \$0(2) | NDS, QL (4 pens / 28 days), NM, PA |
| HUMIRA PEN KIT PS/UV | \$0(2) | NDS, QL (3 pens / 28 days), NM, PA |
| HUMIRA PEN-CD/UC/HS START PNKT 80mg/0.8ml | \$0(2) | NDS, QL (3 pens / 28 days), NM, PA |
| HUMIRA PEN-PEDIATRIC UC S PNKT 80mg/0.8ml | \$0(2) | NDS, QL (4 pens / 28 days), NM, PA |
| HUMIRA PEN-PS/UV STARTER PNKT 40mg/0.8ml | \$0(2) | NDS, QL (4 pens / 28 days), NM, PA |
| IDACIO (2 PEN) AJKT 40mg/0.8ml | \$0(2) | NDS, QL (56 pens / 365 days), NM, PA |
| IDACIO (2 SYRINGE) PSKT 40mg/0.8ml | \$0(2) | NDS, QL (56 syringes / 365 days), NM, PA |
| IDACIO CROHN INJ DISEASE AJKT 40mg/0.8ml | \$0(2) | NDS, QL (2 packs / year), NM, PA |
| IDACIO PLAQU INJ PSORIASIS AJKT 40mg/0.8ml | \$0(2) | NDS, QL (2 packs / year), NM, PA |
| INFLIXIMAB SOLR 100mg | \$0(2) | NDS, NM, LA, PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| KEVZARA SOAJ 150mg/1.14ml, 200mg/1.14ml | \$0(2) | NDS, QL (2 pens / 28 days), NM, PA |
| KEVZARA SOSY 150mg/1.14ml, 200mg/1.14ml | \$0(2) | NDS, QL (2 syringes / 28 days), NM, PA |
| OTEZLA TABS 30mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, PA |
| OTEZLA TAB 10/20/30 | \$0(2) | NDS, QL (110 tabs / year), NM, PA |
| REMICADE SOLR 100mg | \$0(2) | NDS, NM, LA, PA |
| RENFLEXIS SOLR 100mg | \$0(2) | NDS, NM, LA, PA |
| RINVOQ TB24 15mg, 30mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, PA |
| RINVOQ TB24 45mg | \$0(2) | NDS, QL (168 tabs / year), NM, PA |
| SKYRIZI SOCT 180mg/1.2ml, 360mg/2.4ml | \$0(2) | NDS, QL (1 cartridge / 56 days), NM, PA |
| SKYRIZI SOLN 600mg/10ml | \$0(2) | NDS, QL (6 vials / year), NM, PA |
| SKYRIZI SOSY 150mg/ml | \$0(2) | NDS, QL (6 syringes / 365 days), NM, PA |
| SKYRIZI PEN SOAJ 150mg/ml | \$0(2) | NDS, QL (6 pens / 365 days), NM, PA |
| STELARA SOLN 45mg/0.5ml | \$0(2) | NDS, QL (1 vial / 28 days), NM, LA, PA |
| STELARA SOLN 130mg/26ml | \$0(2) | NDS, NM, LA, PA |
| STELARA SOSY 45mg/0.5ml, 90mg/ml | \$0(2) | NDS, QL (1 syringe / 28 days), NM, PA |
| TALTZ SOAJ 80mg/ml; SOSY 80mg/ml | \$0(2) | NDS, QL (3 syringes / 28 days), NM, LA, PA |
| XELJANZ SOLN 1mg/ml | \$0(2) | NDS, QL (480 mL / 24 days), NM, PA |
| XELJANZ TABS 5mg, 10mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, PA |
| XELJANZ XR TB24 11mg, 22mg | \$0(2) | NDS, QL (30 tabs / 30 days), NM, PA |

DISEASE-MODIFYING ANTI-RHEUMATIC DRUGS (DMARDs) - DRUGS TO TREAT RHEUMATOID ARTHRITIS

| | | |
|------------------------------------------|--------|------------------------|
| hydroxychloroquine sulfate TABS 200mg | \$0(1) | |
| leflunomide TABS 10mg, 20mg | \$0(1) | QL (30 tabs / 30 days) |
| methotrexate sodium TABS 2.5mg | \$0(1) | |
| XATMEP SOLN 2.5mg/ml | \$0(2) | B/D |

IMMUNOGLOBULINS

| | | |
|----------------------------|--------|-----------------|
| BIVIGAM SOLN 5gm/50ml, 10% | \$0(2) | NDS, NM, LA, PA |
|----------------------------|--------|-----------------|

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| FLEBOGAMMA DIF SOLN 5gm/100ml, 10gm/200ml, 20gm/400ml | \$0(2) | NDS, NM, PA |
| GAMASTAN INJ | \$0(2) | B/D, NM, LA |
| GAMMAGARD LIQUID SOLN 1gm/10ml, 2.5gm/25ml, 5gm/50ml, 10gm/100ml, 20gm/200ml, 30gm/300ml | \$0(2) | NDS, NM, PA |
| GAMMAGARD S/D IGA LESS TH SOLR 5gm, 10gm | \$0(2) | NDS, NM, PA |
| GAMMAKED SOLN 1gm/10ml, 5gm/50ml, 10gm/100ml, 20gm/200ml | \$0(2) | NDS, NM, PA |
| GAMMAPLEX SOLN 5gm/100ml, 5gm/50ml, 10gm/100ml, 10gm/200ml, 20gm/200ml, 20gm/400ml | \$0(2) | NDS, NM, LA, PA |
| GAMUNEX-C SOLN 1gm/10ml, 2.5gm/25ml, 5gm/50ml, 10gm/100ml, 20gm/200ml, 40gm/400ml | \$0(2) | NDS, NM, PA |
| OCTAGAM SOLN 1gm/20ml, 2gm/20ml, 2.5gm/50ml, 5gm/100ml, 5gm/50ml, 10gm/100ml, 10gm/200ml, 20gm/200ml, 30gm/300ml | \$0(2) | NDS, NM, PA |
| PANZYGA SOLN 1gm/10ml, 2.5gm/25ml, 5gm/50ml, 10gm/100ml, 20gm/200ml, 30gm/300ml | \$0(2) | NDS, NM, PA |
| PRIVIGEN SOLN 5gm/50ml, 10gm/100ml, 20gm/200ml, 40gm/400ml | \$0(2) | NDS, NM, PA |
| IMMUNOMODULATORS | | |
| ACTIMMUNE SOLN 2000000unit/0.5ml | \$0(2) | NDS, NM, LA, PA |
| ARCALYST SOLR 220mg | \$0(2) | NDS, NM, LA, PA |
| IMMUNOSUPPRESSANTS | | |
| ASTAGRAF XL CP24 5mg | \$0(2) | NDS, B/D, NM |
| ASTAGRAF XL CP24 .5mg, 1mg | \$0(2) | B/D, NM |
| azathioprine TABS 50mg | \$0(1) | B/D |
| BENLYSTA SOAJ 200mg/ml; SOSY 200mg/ml | \$0(2) | NDS, QL (8 syringes / 28 days), NM, LA, PA |
| BENLYSTA SOLR 120mg, 400mg | \$0(2) | NDS, NM, LA, PA |
| cyclosporine CAPS 25mg, 100mg; SOLN 50mg/ml | \$0(1) | B/D, NM |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|----------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>cyclosporine modified (for microemulsion) CAPS 25mg, 50mg, 100mg; SOLN 100mg/ml</i> | \$0(1) | B/D, NM |
| <i>everolimus (immunosuppressant) TABS .25mg, .5mg, .75mg, 1mg</i> | \$0(2) | NDS, B/D, NM |
| <i>gengraf CAPS 25mg, 100mg; SOLN 100mg/ml</i> | \$0(1) | B/D, NM |
| <i>mycophenolate mofetil CAPS 250mg; TABS 500mg</i> | \$0(1) | B/D, NM |
| <i>mycophenolate mofetil SUSR 200mg/ml</i> | \$0(2) | NDS, B/D, NM |
| <i>mycophenolate sodium TBEC 180mg, 360mg</i> | \$0(1) | B/D, NM |
| <i>NULOJIX SOLR 250mg</i> | \$0(2) | NDS, B/D, NM |
| <i>PROGRAF PACK .2mg, 1mg</i> | \$0(2) | B/D, NM |
| <i>REZUROCK TABS 200mg</i> | \$0(2) | NDS, NM, LA, PA |
| <i>SANDIMMUNE SOLN 100mg/ml</i> | \$0(2) | B/D, NM |
| <i>sirolimus SOLN 1mg/ml</i> | \$0(2) | NDS, B/D, NM |
| <i>sirolimus TABS .5mg, 1mg, 2mg</i> | \$0(1) | B/D, NM |
| <i>tacrolimus CAPS .5mg, 1mg, 5mg</i> | \$0(1) | B/D, NM |

VACCINES

| | | |
|------------------------------------------------------------|--------|-----|
| <i>ABRYSVO SOLR 120mcg/0.5ml</i> | \$0(1) | |
| <i>ACTHIB INJ</i> | \$0(1) | |
| <i>ADACEL INJ</i> | \$0(1) | |
| <i>AREXVY SUSR 120mcg/0.5ml</i> | \$0(1) | |
| <i>BCG VACCINE SOLR 50mg</i> | \$0(1) | |
| <i>BEXSERO INJ</i> | \$0(1) | |
| <i>BOOSTRIX INJ</i> | \$0(1) | |
| <i>DAPTACEL INJ</i> | \$0(1) | |
| <i>DENGVAXIA SUS</i> | \$0(1) | |
| <i>DIP/TET PED INJ 25-5LFU</i> | \$0(1) | B/D |
| <i>ENGERIX-B SUSP 20mcg/ml; SUSY 10mcg/0.5ml, 20mcg/ml</i> | \$0(1) | B/D |
| <i>GARDASIL 9 INJ</i> | \$0(1) | |
| <i>HAVRIX SUSP 720elu/0.5ml, 1440elu/ml</i> | \$0(1) | |
| <i>HEPLISAV-B SOSY 20mcg/0.5ml</i> | \$0(1) | B/D |
| <i>HIBERIX SOLR 10mcg</i> | \$0(1) | |
| <i>IMOVA RABIES (H.D.C.V.) SUSR 2.5unit/ml</i> | \$0(1) | B/D |
| <i>INFANRIX INJ</i> | \$0(1) | |
| <i>IPOP INJ INACTIVE</i> | \$0(1) | |
| <i>IXCHIQ INJ</i> | \$0(1) | |
| <i>IXIARO INJ</i> | \$0(1) | |
| <i>JYNNEOS SUSP .5ml</i> | \$0(1) | B/D |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| KINRIX INJ | \$0(1) | |
| M-M-R II INJ | \$0(1) | |
| MENACTRA INJ | \$0(1) | |
| MENQUADFI INJ | \$0(1) | |
| MENVEO INJ | \$0(1) | |
| MENVEO SOL | \$0(1) | |
| PEDIARIX INJ 0.5ML | \$0(1) | |
| PEDVAX HIB SUSP 7.5mcg/0.5ml | \$0(1) | |
| PENBRAYA INJ | \$0(1) | |
| PENTACEL INJ | \$0(1) | |
| PREHEVBRIOSUSP 10mcg/ml | \$0(1) | B/D |
| PRIORIX INJ | \$0(1) | |
| PROQUAD INJ | \$0(1) | |
| QUADRACEL INJ | \$0(1) | |
| QUADRACEL INJ 0.5ML | \$0(1) | |
| RABAVERT INJ | \$0(1) | B/D |
| RECOMBIVAX HB SUSP 5mcg/0.5ml, 10mcg/ml, 40mcg/ml; SUSY 5mcg/0.5ml, 10mcg/ml | \$0(1) | B/D |
| ROTARIX SUS | \$0(1) | |
| ROTATEQ SOL | \$0(1) | |
| SHINGRIX SUSR 50mcg/0.5ml | \$0(1) | QL (2 vials per lifetime) |
| TDVAX INJ 2-2 LF | \$0(1) | B/D |
| TENIVAC INJ 5-2LF | \$0(1) | B/D |
| TICOVAC SUSY 1.2mcg/0.25ml, 2.4mcg/0.5ml | \$0(1) | |
| TRUMENBA INJ | \$0(1) | |
| TWINRIX INJ | \$0(1) | |
| TYPHIM VI SOLN 25mcg/0.5ml; SOSY 25mcg/0.5ml | \$0(1) | |
| VAQTA SUSP 25unit/0.5ml, 50unit/ml | \$0(1) | |
| VARIVAX INJ 1350pfu/0.5ml | \$0(1) | |
| YF-VAX INJ | \$0(1) | |

NUTRITIONAL/SUPPLEMENTS - VITAMINS AND SUPPLEMENTS

ELECTROLYTES/MINERALS, INJECTABLE

| | |
|-------------------------------------------|--------|
| D2.5W/NACL INJ 0.45% | \$0(2) |
| D5W/LYTES INJ #48 | \$0(2) |
| D10W/NACL INJ 0.2% | \$0(2) |
| dextrose 2.5% w/ sodium chloride 0.45% | \$0(1) |
| dextrose 5% in lactated ringers | \$0(1) |
| dextrose 5% w/ sodium chloride 0.2% | \$0(1) |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>dextrose 5% w/ sodium chloride 0.3%</i> | \$0(1) | |
| <i>dextrose 5% w/ sodium chloride 0.9%</i> | \$0(1) | |
| <i>dextrose 5% w/ sodium chloride 0.45%</i> | \$0(1) | |
| <i>dextrose 5% w/ sodium chloride 0.225%</i> | \$0(1) | |
| <i>dextrose 10% w/ sodium chloride 0.45%</i> | \$0(1) | |
| <i>ISOLYTE-P INJ /D5W</i> | \$0(2) | |
| <i>ISOLYTE-S INJ</i> | \$0(2) | |
| <i>ISOLYTE-S INJ PH 7.4</i> | \$0(2) | |
| <i>kcl 10 meq/l (0.075%) in dextrose 5% & nacl 0.45% inj</i> | \$0(1) | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.2% inj</i> | \$0(1) | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.9% inj</i> | \$0(1) | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.45% inj</i> | \$0(1) | |
| <i>kcl 20 meq/l (0.15%) in nacl 0.9% inj</i> | \$0(1) | |
| <i>kcl 20 meq/l (0.15%) in nacl 0.45% inj</i> | \$0(1) | |
| <i>kcl 20 meq/l (0.149%) in nacl 0.45% inj</i> | \$0(1) | |
| <i>kcl 30 meq/l (0.224%) in dextrose 5% & nacl 0.45% inj</i> | \$0(1) | |
| <i>kcl 40 meq/l (0.3%) in dextrose 5% & nacl 0.9% inj</i> | \$0(1) | |
| <i>kcl 40 meq/l (0.3%) in dextrose 5% & nacl 0.45% inj</i> | \$0(1) | |
| <i>kcl 40 meq/l (0.3%) in nacl 0.9% inj</i> | \$0(1) | |
| <i>KCL/D5W/NACL INJ 0.3/0.9%</i> | \$0(2) | |
| <i>lactated ringer's solution</i> | \$0(1) | |
| <i>MAGNESIUM SULFATE SOLN 2gm/50ml, 4gm/100ml, 4gm/50ml, 20gm/500ml, 40gm/1000ml</i> | \$0(2) | |
| <i>magnesium sulfate SOLN 2gm/50ml, 4gm/100ml, 4gm/50ml, 20gm/500ml, 40gm/1000ml, 50%</i> | \$0(2) | |
| <i>magnesium sulfate in dextrose 5% iv soln 1 gm/100ml</i> | \$0(2) | |
| <i>MG SO4/D5W INJ 10MG/ML</i> | \$0(2) | |
| <i>multiple electrolytes ph 5.5</i> | \$0(1) | |
| <i>multiple electrolytes ph 7.4</i> | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|--------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| PLASMA-LYTE INJ -148 | \$0(2) | |
| PLASMA-LYTE INJ -A | \$0(2) | |
| POT CHL 20MEQ/L IN NACL 0.9% INJ | \$0(2) | |
| POT CHL 20MEQ/L IN NACL 0.45% INJ | \$0(2) | |
| POT CHL 40MEQ/L IN NACL 0.9% INJ | \$0(2) | |
| <i>potassium chloride SOLN 2meq/ml, 10meq/100ml, 20meq/100ml, 20meq/50ml, 40meq/100ml</i> | \$0(1) | |
| POTASSIUM CHLORIDE SOLN 10meq/50ml | \$0(2) | |
| <i>potassium chloride 20 meq/l (0.15%) in dextrose 5% inj</i> | \$0(1) | |
| <i>sodium chloride SOLN .45%, .9%, 2.5meq/ml, 3%, 5%</i> | \$0(1) | |
| TPN ELECTROL INJ | \$0(2) | B/D |
| ELECTROLYTES/MINERALS/VITAMINS, ORAL | | |
| klor-con PACK 20meq | \$0(1) | |
| klor-con 8 TBCR 8meq | \$0(1) | |
| klor-con 10 TBCR 10meq | \$0(1) | |
| klor-con m10 TBCR 10meq | \$0(1) | |
| klor-con m15 TBCR 15meq | \$0(1) | |
| klor-con m20 TBCR 20meq | \$0(1) | |
| M-NATAL PLUS TAB | \$0(2) | |
| <i>potassium chloride CPCR 8meq, 10meq; PACK 20meq; SOLN 10%, 20%; TBCR 8meq, 10meq, 20meq</i> | \$0(1) | |
| <i>potassium chloride microencapsulated crystals er TBCR 10meq, 15meq, 20meq</i> | \$0(1) | |
| PRENATAL TAB 27-1MG | \$0(2) | |
| PRENATAL TAB PLUS | \$0(2) | |
| <i>sodium fluoride chew; tab; 1.1 (0.5 f) mg/ml soln</i> | \$0(1) | |
| IV NUTRITION | | |
| chromic chloride SOLN 40mcg/10ml | \$0(3) | NM; * |
| CLINIMIX INJ 4.25/D5W | \$0(2) | B/D |
| CLINIMIX INJ 4.25/D10 | \$0(2) | B/D |
| CLINIMIX INJ 5%/D15W | \$0(2) | B/D |
| CLINIMIX INJ 5%/D20W | \$0(2) | B/D |
| CLINIMIX INJ 6/5 | \$0(2) | B/D |
| CLINIMIX INJ 8/10 | \$0(2) | B/D |
| CLINIMIX INJ 8/14 | \$0(2) | B/D |
| <i>cliniol sf 15%</i> | \$0(1) | B/D |
| CLINOLIPID EMU 20% | \$0(2) | B/D |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|----------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| COPPER SOLN .4mg/ml | \$0(3) | NM; * |
| <i>dextrose</i> SOLN 5%, 10% | \$0(1) | |
| <i>dextrose</i> SOLN 50%, 70% | \$0(1) | B/D |
| INTRALIPID EMUL 20gm/100ml, 30gm/100ml | \$0(2) | B/D |
| NUTRILIPID EMUL 20gm/100ml | \$0(2) | B/D |
| <i>plenamine</i> | \$0(1) | B/D |
| PREMASOL SOL 10% | \$0(2) | NDS, B/D |
| PROSOL INJ 20% | \$0(2) | B/D |
| TRAVASOL INJ 10% | \$0(2) | B/D |
| TROPHAMINE INJ 10% | \$0(2) | B/D |
| MINERALS | | |
| K-PHOS TABS 500mg | \$0(3) | NM; * |
| <i>manganese chloride</i> SOLN .1mg/ml | \$0(3) | NM; * |
| <i>phospho-trin k500</i> TABS 500mg | \$0(3) | NM; * |
| MISCELLANEOUS | | |
| ENLYTE CAP | \$0(3) | NM; * |
| VITAMINS | | |
| BACMIN TAB | \$0(3) | NM; * |
| BP VIT 3 CAP | \$0(3) | NM; * |
| <i>corvita</i> | \$0(3) | NM; * |
| <i>cyanocobalamin</i> SOLN 1000mcg/ml | \$0(3) | NM; * |
| <i>dialyvite</i> | \$0(3) | NM; * |
| DIALYVITE TAB 3000 | \$0(3) | NM; * |
| DIALYVITE TAB 5000 | \$0(3) | NM; * |
| DIALYVITE TAB SUPREM D | \$0(3) | NM; * |
| DIALYVITE/ TAB ZINC | \$0(3) | NM; * |
| DRISDOL CAPS 50000unit | \$0(3) | NM; * |
| <i>ergocalciferol</i> CAPS 1.25mg, 50000unit | \$0(3) | NM; * |
| FLORIVA CHW 0.5MG | \$0(3) | NM; * |
| FLORIVA CHW 0.25MG | \$0(3) | NM; * |
| FLORIVA CHW 1MG | \$0(3) | NM; * |
| <i>folic acid</i> SOLN 5mg/ml; TABS 1mg | \$0(3) | NM; * |
| FOLTRATE TAB | \$0(3) | NM; * |
| <i>hydroxocobalamin acetate</i> SOLN 1000mcg/ml | \$0(3) | NM; * |
| INFUVITE INJ | \$0(3) | NM; * |
| INFUVITE INJ ADULT | \$0(3) | NM; * |
| INFUVITE INJ PEDIATRI | \$0(3) | NM; * |
| <i>multi-vit/iron/fluoride</i> | \$0(3) | NM; * |
| <i>multi-vitamin/fluoride dr</i> | \$0(3) | NM; * |
| <i>multi-vitamin/fluoride/ir</i> | \$0(3) | NM; * |
| <i>multivitamin with fluorid</i> | \$0(3) | NM; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-----------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>multivitamin/fluoride</i> | \$0(3) | NM; * |
| NASCOBAL SOLN 500mcg/0.1ml | \$0(3) | NM; * |
| NEPHPLEX RX TAB | \$0(3) | NM; * |
| NIVA-FOL TAB | \$0(3) | NM; * |
| *pediatric vitamins acd w/ fluoride <i>solt 0.5 mg/ml***</i> | \$0(3) | NM; * |
| <i>phytonadione</i> SOLN 1mg/0.5ml, 10mg/ml; TABS 5mg | \$0(3) | NM; * |
| POLY-VI-FLOR CHW 0.5MG | \$0(3) | NM; * |
| POLY-VI-FLOR CHW 0.25MG | \$0(3) | NM; * |
| POLY-VI-FLOR CHW 1MG | \$0(3) | NM; * |
| POLY-VI-FLOR CHW W/IRON | \$0(3) | NM; * |
| POLY-VI-FLOR SUS 0.25/ML | \$0(3) | NM; * |
| POLY-VI-FLOR SUS /IRON | \$0(3) | NM; * |
| <i>pyridoxine hcl</i> SOLN 100mg/ml | \$0(3) | NM; * |
| QUFLORA FE CHW | \$0(3) | NM; * |
| QUFLORA FE DRO 0.25-9.5 | \$0(3) | NM; * |
| QUFLORA PED CHW 0.5MG | \$0(3) | NM; * |
| QUFLORA PED CHW 0.25MG | \$0(3) | NM; * |
| QUFLORA PED CHW 1MG | \$0(3) | NM; * |
| QUFLORA PED DRO 0.5MG/ML | \$0(3) | NM; * |
| QUFLORA PED DRO 0.25MG | \$0(3) | NM; * |
| <i>renal caps</i> | \$0(3) | NM; * |
| STROVITE ONE TAB | \$0(3) | NM; * |
| <i>thiamine hcl</i> SOLN 100mg/ml | \$0(3) | NM; * |
| TRI-VI-FLOR SUS 0.5MG/ML | \$0(3) | NM; * |
| TRI-VI-FLOR SUS 0.25/ML | \$0(3) | NM; * |
| <i>tri-vite/fluoride</i> | \$0(3) | NM; * |
| <i>triphrocaps</i> | \$0(3) | NM; * |
| <i>virt-caps</i> | \$0(3) | NM; * |
| <i>virt-gard</i> | \$0(3) | NM; * |
| VITAL-D RX TAB | \$0(3) | NM; * |
| <i>vitamins a/c/d/fluoride</i> | \$0(3) | NM; * |
| <i>wescaps</i> | \$0(3) | NM; * |

OPHTHALMIC - DRUGS TO TREAT EYE CONDITIONS

ANTI-INFECTIVE/ANTI-INFLAMMATORY - DRUGS TO TREAT INFECTIONS AND INFLAMMATION

| | |
|-------------------------------------------------------------|--------|
| <i>bacitracin-polymyxin-neomycin-hc ophth oint 1%</i> | \$0(1) |
| <i>neo-polycin hc ophth oint 1%</i> | \$0(1) |
| <i>neomycin-polymyxin-dexamethasone ophth oint 0.1%</i> | \$0(1) |
| <i>neomycin-polymyxin-dexamethasone ophth susp 0.1%</i> | \$0(1) |
| <i>neomycin-polymyxin-hc ophth susp</i> | \$0(1) |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>sulfacetamide sodium-prednisolone ophth soln 10-0.23(0.25)%</i> | \$0(1) | |
| <i>TOBRADEX OIN 0.3-0.1%</i> | \$0(2) | |
| <i>TOBRADEX ST SUS 0.3-0.05</i> | \$0(2) | |
| <i>tobramycin-dexamethasone ophth susp 0.3-0.1%</i> | \$0(1) | |
| <i>ZYLET SUS 0.5-0.3%</i> | \$0(2) | |
| ANTI-INFECTIVES - DRUGS TO TREAT INFECTIONS | | |
| <i>bacitracin (ophthalmic) OINT 500unit/gm</i> | \$0(1) | |
| <i>bacitracin-polymyxin b ophth oint</i> | \$0(1) | |
| <i>BESIVANCE SUSP .6%</i> | \$0(2) | |
| <i>CILOXAN OINT .3%</i> | \$0(2) | |
| <i>ciprofloxacin hcl (ophth) SOLN .3%</i> | \$0(1) | |
| <i>erythromycin (ophth) OINT 5mg/gm</i> | \$0(1) | |
| <i>gatifloxacin (ophth) SOLN .5%</i> | \$0(1) | |
| <i>gentamicin sulfate (ophth) SOLN .3%</i> | \$0(1) | |
| <i>moxifloxacin hcl (ophth) SOLN .5%</i> | \$0(1) | |
| <i>NATACYN SUSP 5%</i> | \$0(2) | |
| <i>neo-polycin 5(3.5)mg-400unt-1000unt op oin</i> | \$0(1) | |
| <i>neomycin-bacitrac zn-polymyx 5(3.5)mg-400unt-1000unt op oin</i> | \$0(1) | |
| <i>neomycin-polymy-gramicid op sol 1.75-10000-0.025mg-unt-mg/ml</i> | \$0(1) | |
| <i>ofloxacin (ophth) SOLN .3%</i> | \$0(1) | |
| <i>polycin ophth oint</i> | \$0(1) | |
| <i>polymyxin b-trimethoprim ophth soln 10000 unit/ml-0.1%</i> | \$0(1) | |
| <i>sulfacetamide sodium (ophth) OINT 10%; SOLN 10%</i> | \$0(1) | |
| <i>tobramycin (ophth) SOLN .3%</i> | \$0(1) | |
| <i>trifluridine SOLN 1%</i> | \$0(1) | |
| <i>ZIRGAN GEL .15%</i> | \$0(2) | |
| ANTI-INFLAMMATORIES - DRUGS TO TREAT INFLAMMATION | | |
| <i>ALREX SUSP .2%</i> | \$0(2) | |
| <i>bromfenac sodium (ophth) SOLN .07%, .075%</i> | \$0(1) | |
| <i>BROMSITE SOLN .075%</i> | \$0(2) | |
| <i>dexamethasone sodium phosphate (ophth) SOLN .1%</i> | \$0(1) | |
| <i>diclofenac sodium (ophth) SOLN .1%</i> | \$0(1) | |
| <i>EYSUVIS SUSP .25%</i> | \$0(2) | |
| <i>FLAREX SUSP .1%</i> | \$0(2) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>fluorometholone (ophth) SUSP .1%</i> | \$0(1) | |
| <i>flurbiprofen sodium SOLN .03%</i> | \$0(1) | |
| <i>ketorolac tromethamine (ophth) SOLN .4%, .5%</i> | \$0(1) | |
| <i>LOTEMAX OINT .5%</i> | \$0(2) | |
| <i>loteprednol etabonate SUSP .2%</i> | \$0(1) | |
| <i>prednisolone acetate (ophth) SUSP 1%</i> | \$0(1) | |
| <i>PREDNISOLONE SODIUM PHOSP SOLN 1%</i> | \$0(2) | |
| <i>PROLENSA SOLN .07%</i> | \$0(2) | |
| ANTIALLERGICS - DRUGS TO TREAT ALLERGIES | | |
| <i>alaway SOLN .035%</i> | \$0(3) | NM; * |
| <i>alaway childrens allergy SOLN .035%</i> | \$0(3) | NM; * |
| <i>azelastine hcl (ophth) SOLN .05%</i> | \$0(1) | |
| <i>cromolyn sodium (ophth) SOLN 4%</i> | \$0(1) | |
| <i>eye itch relief SOLN .035%</i> | \$0(3) | NM; * |
| <i>ketotifen fumarate (ophth) SOLN .035%</i> | \$0(3) | NM; * |
| <i>ZADITOR SOLN .035%</i> | \$0(3) | NM; * |
| <i>ZERVIATE SOLN .24%</i> | \$0(2) | |
| ANTIGLAUCOMA - DRUGS TO TREAT GLAUCOMA | | |
| <i>betaxolol hcl (ophth) SOLN .5%</i> | \$0(1) | |
| <i>BETOPTIC-S SUSP .25%</i> | \$0(2) | |
| <i>brimonidine tartrate SOLN .15%, .2%</i> | \$0(1) | |
| <i>brinzolamide SUSP 1%</i> | \$0(1) | |
| <i>carteolol hcl (ophth) SOLN 1%</i> | \$0(1) | |
| <i>COMBIGAN SOL 0.2/0.5%</i> | \$0(2) | |
| <i>dorzolamide hcl SOLN 2%</i> | \$0(1) | |
| <i>dorzolamide hcl-timolol maleate ophth soln 2-0.5%</i> | \$0(1) | |
| <i>latanoprost SOLN .005%</i> | \$0(1) | |
| <i>levobunolol hcl SOLN .5%</i> | \$0(1) | |
| <i>LUMIGAN SOLN .01%</i> | \$0(2) | |
| <i>pilocarpine hcl SOLN 1%, 2%, 4%</i> | \$0(1) | |
| <i>RHOPRESSA SOLN .02%</i> | \$0(2) | |
| <i>ROCKLATAN DRO</i> | \$0(2) | |
| <i>SIMBRINZA SUS 1-0.2%</i> | \$0(2) | |
| <i>timolol maleate (ophth) SOLG .25%, .5%; SOLN .25%, .5%</i> | \$0(1) | |
| <i>VYZULTA SOLN .024%</i> | \$0(2) | |
| MISCELLANEOUS | | |
| <i>artificial tears</i> | \$0(3) | NM; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| ATROPINE SULFATE SOLN 1% | \$0(2) | |
| <i>atropine sulfate (ophthalmic) SOLN 1%</i> | \$0(1) | |
| <i>carboxymethylcellulose sodium (ophth) GEL 1%; SOLN .5%</i> | \$0(3) | NM; * |
| CYSTADROPS SOLN .37% | \$0(2) | NDS, NM, LA, PA |
| CYSTARAN SOLN .44% | \$0(2) | NDS, NM, LA, PA |
| GENTEAL SEVERE TEARS GEL .3% | \$0(3) | NM; * |
| <i>genteal tears night-time</i> | \$0(3) | NM; * |
| <i>gnp artificial tears</i> | \$0(3) | NM; * |
| <i>gnp lubricating plus eye SOLN .5%</i> | \$0(3) | NM; * |
| <i>goodsense lubricating plu SOLN .5%</i> | \$0(3) | NM; * |
| <i>lubricant eye drops SOLN .5%</i> | \$0(3) | NM; * |
| <i>lubricant eye nighttime</i> | \$0(3) | NM; * |
| <i>lubricating plus eye drop SOLN .5%</i> | \$0(3) | NM; * |
| <i>lubrifresh p.m.</i> | \$0(3) | NM; * |
| MIEBO SOLN 1.338gm/ml | \$0(2) | |
| <i>proparacaine hcl SOLN .5%</i> | \$0(1) | |
| <i>refresh celluvisc GEL 1%</i> | \$0(3) | NM; * |
| <i>refresh lacri-lube</i> | \$0(3) | NM; * |
| REFRESH LIQUIGEL GEL 1% | \$0(3) | NM; * |
| REFRESH PLUS SOLN .5% | \$0(3) | NM; * |
| REFRESH TEARS SOLN .5% | \$0(3) | NM; * |
| RESTASIS EMUL .05% | \$0(2) | |
| RESTASIS MULTIDOSE EMUL .05% | \$0(2) | |
| <i>sm lubricating plus SOLN .5%</i> | \$0(3) | NM; * |
| <i>systane nighttime</i> | \$0(3) | NM; * |
| TYRVAYA SOLN .03mg/act | \$0(2) | |
| XIIDRA SOLN 5% | \$0(2) | |

OTIC - DRUGS TO TREAT CONDITIONS OF THE EAR

OTIC AGENTS

| | |
|-------------------------------------------------------------------|--------|
| <i>acetic acid (otic) SOLN 2%</i> | \$0(1) |
| <i>ciprofloxacin-dexamethasone otic susp 0.3-0.1%</i> | \$0(1) |
| <i>flac OIL .01%</i> | \$0(1) |
| <i>fluocinolone acetonide (otic) OIL .01%</i> | \$0(1) |
| <i>neomycin-polymyxin-hc otic soln 1%</i> | \$0(1) |
| <i>neomycin-polymyxin-hc otic susp 3.5 mg/ml-10000 unit/ml-1%</i> | \$0(1) |
| <i>ofloxacin (otic) SOLN .3%</i> | \$0(1) |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| RESPIRATORY - DRUGS TO TREAT BREATHING DISORDERS | | |
| ANTICHOLINERGIC/BETA AGONIST COMBINATIONS - DRUGS TO TREAT COPD | | |
| ANORO ELLIPT AER 62.5-25 | \$0(2) | QL (60 blisters / 30 days) |
| BEVESPI AER 9-4.8MCG | \$0(2) | QL (1 inhaler / 30 days) |
| BREZTRI AERO AER SPHERE | \$0(2) | QL (1 inhaler / 30 days) |
| BREZTRI AERO AER SPHERE (INSTITUTIONAL PACK) | \$0(2) | QL (4 inhalers / 28 days) |
| COMBIVENT AER 20-100 | \$0(2) | QL (2 inhalers / 30 days) |
| <i>ipratropium-albuterol nebu soln 0.5-2.5(3) mg/3ml</i> | \$0(1) | B/D |
| TRELEGY AER ELLIPTA 100-62.5-25 MCG | \$0(2) | QL (60 blisters / 30 days) |
| TRELEGY AER ELLIPTA 200-62.5-25 MCG | \$0(2) | QL (60 blisters / 30 days) |
| ANTICHOLINERGICS - DRUGS TO TREAT COPD | | |
| ATROVENT HFA AERS 17mcg/act | \$0(2) | QL (2 inhalers / 30 days) |
| INCRUSE ELLIPTA AEPB 62.5mcg/inh | \$0(2) | QL (30 blisters / 30 days) |
| <i>ipratropium bromide SOLN .02%</i> | \$0(1) | B/D |
| <i>ipratropium bromide (nasal) SOLN .03%, .06%</i> | \$0(1) | |
| ANTIHISTAMINES - DRUGS TO TREAT ALLERGIES | | |
| AHIST TABS 25mg | \$0(3) | NM; * |
| ALA-HIST IR TABS 2mg | \$0(3) | NM; * |
| <i>all day allergy TABS 10mg</i> | \$0(3) | NM; * |
| <i>all day allergy childrens SOLN 5mg/5ml</i> | \$0(3) | NM; * |
| <i>aller-chlor TABS 4mg</i> | \$0(3) | NM; * |
| <i>allergy TABS 4mg</i> | \$0(3) | NM; * |
| <i>allergy childrens LIQD 12.5mg/5ml; SOLN 5mg/5ml; SUSP 30mg/5ml</i> | \$0(3) | NM; * |
| <i>allergy relief CAPS 25mg; TABS 4mg, 5mg, 10mg, 25mg, 180mg</i> | \$0(3) | NM; * |
| <i>allergy relief 24hr TABS 180mg</i> | \$0(3) | NM; * |
| <i>allergy relief childrens LIQD 12.5mg/5ml; SOLN 1mg/ml, 5mg/5ml</i> | \$0(3) | NM; * |
| <i>allergy relief/indoor/out TABS 10mg</i> | \$0(3) | NM; * |
| <i>azelastine hcl SOLN .1%</i> | \$0(1) | |
| <i>banophen CAPS 25mg, 50mg; TABS 25mg</i> | \$0(3) | NM; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>cetirizine hcl CHEW 5mg, 10mg; TABS 5mg, 10mg</i> | \$0(3) | NM; * |
| <i>cetirizine hcl SOLN 5mg/5ml</i> | \$0(1) | QL (300 mL / 30 days) |
| <i>cetirizine hcl allergy ch SOLN 5mg/5ml</i> | \$0(3) | NM; * |
| <i>cetirizine hcl childrens SOLN 1mg/ml, 5mg/5ml</i> | \$0(3) | NM; * |
| <i>cetirizine hydrochloride SOLN 5Mg/5ml</i> | \$0(3) | NM; * |
| <i>childrens loratadine SOLN 5mg/5ml</i> | \$0(3) | NM; * |
| <i>complete allergy medicine CAPS 25mg</i> | \$0(3) | NM; * |
| <i>cyproheptadine hcl SYRP 2mg/5ml; TABS 4mg</i> | \$0(2) | PA; PA if 70 years and older |
| <i>diphenhydramine hcl CAPS 25mg, 50mg; LIQD 12.5mg/5ml, 25mg/10ml; TABS 25mg</i> | \$0(3) | NM; * |
| <i>diphenhydramine hcl SOLN 50mg/ml</i> | \$0(1) | |
| <i>ed chlorped jr SYRP 2mg/5ml</i> | \$0(3) | NM; * |
| <i>fexofenadine hcl TABS 60mg, 180mg</i> | \$0(3) | NM; * |
| <i>gnp all day allergy TABS 10mg</i> | \$0(3) | NM; * |
| <i>gnp all day allergy child SOLN 1mg/ml, 5mg/5ml</i> | \$0(3) | NM; * |
| <i>gnp allergy TABS 25mg</i> | \$0(3) | NM; * |
| <i>gnp allergy relief CAPS 25mg; TABS 4mg, 180mg</i> | \$0(3) | NM; * |
| <i>gnp allergy relief maximu LIQD 12.5mg/5ml</i> | \$0(3) | NM; * |
| <i>gnp childrens allergy LIQD 12.5mg/5ml</i> | \$0(3) | NM; * |
| <i>gnp loratadine SOLN 5mg/5ml; TABS 10mg; TBDP 10mg</i> | \$0(3) | NM; * |
| <i>gnp loratadine childrens SOLN 5Mg/5ml</i> | \$0(3) | NM; * |
| <i>goodsense all day allergy SOLN 5mg/5ml; TABS 10mg</i> | \$0(3) | NM; * |
| <i>goodsense aller-ease TABS 180mg</i> | \$0(3) | NM; * |
| <i>goodsense allergy relief TABS 10mg</i> | \$0(3) | NM; * |
| <i>HISTEX SYRP 2.5mg/5ml</i> | \$0(3) | NM; * |
| <i>HISTEX PD LIQD .938mg/ml</i> | \$0(3) | NM; * |
| <i>hm all day allergy childr SOLN 5mg/5ml</i> | \$0(3) | NM; * |
| <i>hm allergy relief CAPS 25mg; TABS 4mg, 10mg, 60mg, 180mg</i> | \$0(3) | NM; * |
| <i>hm cetirizine hydrochlori TABS 10mg</i> | \$0(3) | NM; * |
| <i>hm loratadine TABS 10mg</i> | \$0(3) | NM; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>12hr allergy relief</i> TABS 60mg | \$0(3) | NM; * |
| <i>24hr allergy relief</i> TABS 180mg | \$0(3) | NM; * |
| <i>hydroxyzine hcl</i> SOLN 25mg/ml, 50mg/ml; SYRP 10mg/5ml; TABS 10mg, 25mg, 50mg | \$0(2) | PA; PA if 70 years and older |
| <i>hydroxyzine pamoate</i> CAPS 25mg, 50mg | \$0(2) | PA; PA if 70 years and older |
| <i>levocetirizine dihydrochloride</i> SOLN 2.5mg/5ml | \$0(1) | QL (300 mL / 30 days) |
| <i>levocetirizine dihydrochloride</i> TABS 5mg | \$0(1) | QL (30 tabs / 30 days) |
| <i>loratadine</i> TABS 10mg | \$0(3) | NM; * |
| <i>loratadine childrens</i> SOLN 5mg/5ml | \$0(3) | NM; * |
| <i>m-dryl</i> LIQD 12.5mg/5ml | \$0(3) | NM; * |
| <i>PEDIACLEAR PD CHILDRENS</i> LIQD .625mg/ml | \$0(3) | NM; * |
| <i>qc allergy childrens</i> LIQD 12.5mg/5ml | \$0(3) | NM; * |
| <i>sm all day allergy</i> TABS 10mg | \$0(3) | NM; * |
| <i>sm all day allergy childr</i> SOLN 5Mg/5ml | \$0(3) | NM; * |
| <i>sm allergy 4 hour</i> TABS 4mg | \$0(3) | NM; * |
| <i>sm allergy childrens</i> SOLN 5mg/5ml | \$0(3) | NM; * |
| <i>sm allergy relief</i> TABS 25mg, 60mg | \$0(3) | NM; * |
| <i>sm allergy relief childre</i> LIQD 12.5mg/5ml | \$0(3) | NM; * |
| <i>sm fexofenadine hydrochlo</i> TABS 180mg | \$0(3) | NM; * |
| <i>sm loratadine</i> SOLN 5mg/5ml; TABS 10mg | \$0(3) | NM; * |
| <i>triprolidine hcl</i> LIQD .938mg/ml | \$0(3) | NM; * |
| BETA AGONISTS - DRUGS TO TREAT ASTHMA AND COPD | | |
| <i>albuterol sulfate</i> AERS 108mcg/act | \$0(1) | QL (2 inhalers / 30 days); (generic of Proair HFA) |
| <i>albuterol sulfate</i> AERS 108mcg/act | \$0(1) | QL (2 inhalers / 30 days); (generic of Proventil HFA) |
| <i>albuterol sulfate</i> AERS 108mcg/act | \$0(1) | QL (2 inhalers / 30 days); (generic of Ventolin HFA) |
| <i>albuterol sulfate</i> NEBU .083%, .63mg/3ml, 1.25mg/3ml, 2.5mg/0.5ml | \$0(1) | B/D |
| <i>albuterol sulfate</i> SYRP 2mg/5ml; TABS 2mg, 4mg | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|----------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>levalbuterol hcl</i> NEBU .31mg/3ml,.63mg/3ml, 1.25mg/0.5ml, 1.25mg/3ml | \$0(1) | B/D |
| <i>levalbuterol tartrate</i> AERO 45mcg/act | \$0(1) | QL (2 inhalers / 30 days), ST |
| SEREVENT DISKUS AEPB 50mcg/dose | \$0(2) | QL (60 inhalations / 30 days) |
| <i>terbutaline sulfate</i> TABS 2.5mg, 5mg | \$0(1) | |
| VENTOLIN HFA AERS 108mcg/act | \$0(2) | QL (2 inhalers / 30 days) |
| VENTOLIN HFA (INSTITUTIONAL PACK) AERS 108mcg/act | \$0(2) | QL (6 inhalers / 30 days) |
| LEUKOTRIENE MODULATORS | | |
| <i>montelukast sodium</i> CHEW 4mg, 5mg; PACK 4mg; TABS 10mg | \$0(1) | |
| <i>zafirlukast</i> TABS 10mg, 20mg | \$0(1) | |
| MISCELLANEOUS | | |
| <i>acetylcysteine</i> SOLN 10%, 20% | \$0(1) | B/D |
| ARALAST NP SOLR 500mg, 1000mg | \$0(2) | NDS, NM, LA, PA |
| BRONCHITOL CAPS 40mg | \$0(2) | NDS, QL (560 caps / 28 days), NM, LA, PA |
| <i>cromolyn sodium</i> NEBU 20mg/2ml | \$0(1) | B/D |
| <i>cromolyn sodium (nasal)</i> AERS 5.2mg/act | \$0(3) | NM; * |
| <i>epinephrine (anaphylaxis)</i> SOAJ .15mg/0.3ml, .3mg/0.3ml | \$0(1) | (generic of EpiPen) |
| <i>epinephrine (anaphylaxis)</i> SOAJ .15mg/0.15ml, .3mg/0.3ml | \$0(1) | (generic of Adrenaclick) |
| FASENRA SOSY 30mg/ml | \$0(2) | NDS, NM, LA, PA |
| FASENRA PEN SOAJ 30mg/ml | \$0(2) | NDS, NM, LA, PA |
| KALYDECO PACK 5.8mg, 13.4mg, 25mg, 50mg, 75mg | \$0(2) | NDS, QL (56 packs / 28 days), NM, LA, PA |
| KALYDECO TABS 150mg | \$0(2) | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| OFEV CAPS 100mg, 150mg | \$0(2) | NDS, QL (60 caps / 30 days), NM, LA, PA |
| ORKAMBI GRA 75-94MG | \$0(2) | NDS, QL (56 packs / 28 days), NM, LA, PA |
| ORKAMBI GRA 100-125 | \$0(2) | NDS, QL (56 packs / 28 days), NM, LA, PA |
| ORKAMBI GRA 150-188 | \$0(2) | NDS, QL (56 packs / 28 days), NM, LA, PA |
| ORKAMBI TAB 100-125 | \$0(2) | NDS, QL (112 tabs / 28 days), NM, LA, PA |
| ORKAMBI TAB 200-125 | \$0(2) | NDS, QL (112 tabs / 28 days), NM, LA, PA |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>pirfenidone</i> CAPS 267mg | \$0(2) | NDS, QL (270 caps / 30 days), NM, PA |
| <i>pirfenidone</i> TABS 267mg | \$0(2) | NDS, QL (270 tabs / 30 days), NM, PA |
| <i>pirfenidone</i> TABS 534mg, 801mg | \$0(2) | NDS, QL (90 tabs / 30 days), NM, PA |
| PROLASTIN-C SOLN 1000mg/20ml; SOLR 1000mg | \$0(2) | NDS, NM, LA, PA |
| PULMOZYME SOLN 2.5mg/2.5ml | \$0(2) | NDS, NM, PA |
| <i>roflumilast</i> TABS 250mcg | \$0(1) | QL (56 tabs / year) |
| <i>roflumilast</i> TABS 500mcg | \$0(1) | QL (30 tabs / 30 days) |
| SYMDEKO TAB 50-75MG | \$0(2) | NDS, QL (56 tabs / 28 days), NM, LA, PA |
| SYMDEKO TAB 100-150 | \$0(2) | NDS, QL (56 tabs / 28 days), NM, LA, PA |
| <i>theophylline</i> ELIX 80mg/15ml; SOLN 80mg/15ml; TB12 100mg, 200mg, 300mg, 450mg; TB24 400mg, 600mg | \$0(1) | |
| TRIKAFTA PAK 59.5MG | \$0(2) | NDS, QL (56 packs / 28 days), NM, LA, PA |
| TRIKAFTA PAK 75MG | \$0(2) | NDS, QL (56 packs / 28 days), NM, LA, PA |
| TRIKAFTA TAB 50-25-37.5MG & 75MG | \$0(2) | NDS, QL (84 tabs / 28 days), NM, LA, PA |
| TRIKAFTA TAB 100-50-75MG & 150MG | \$0(2) | NDS, QL (84 tabs / 28 days), NM, LA, PA |
| XOLAIR SOAJ 75mg/0.5ml, 150mg/ml, 300mg/2ml; SOLR 150mg; SOSY 75mg/0.5ml, 150mg/ml, 300mg/2ml | \$0(2) | NDS, NM, LA, PA |
| ZEMAIRA SOLR 1000mg, 4000mg, 5000mg | \$0(2) | NDS, NM, LA, PA |

NASAL STEROIDS - DRUGS TO TREAT ALLERGIES

| | | |
|---------------------------------------------------------|--------|--------------------------|
| <i>allergy relief</i> SUSP 50mcg/act | \$0(3) | NM; * |
| <i>budesonide (nasal)</i> SUSP 32mcg/act | \$0(3) | NM; * |
| <i>flunisolide (nasal)</i> SOLN .025% | \$0(1) | QL (3 bottles / 30 days) |
| <i>fluticasone propionate (nasal)</i> SUSP 50mcg/act | \$0(1) | QL (1 bottle / 30 days) |
| <i>fluticasone propionate (nasal)</i> SUSP 50mcg/act | \$0(3) | NM; * |
| <i>gnp budesonide nasal spra</i> SUSP 32mcg/act | \$0(3) | NM; * |
| <i>hm allergy relief nasal s</i> SUSP 50mcg/act | \$0(3) | NM; * |
| <i>qc allergy relief</i> SUSP 50mcg/act | \$0(3) | NM; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|-------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>sm allergy relief nasal s SUSP 50mcg/act</i> | \$0(3) | NM; * |
| XHANCE EXHU 93mcg/act | \$0(2) | QL (32 mL / 30 days), PA |

STEROID INHALANTS - DRUGS TO TREAT ASTHMA

| | | |
|-----------------------------------------------------------|--------|-------------------------------|
| ARNUITY ELLIPTA AEPB 50mcg/act, 100mcg/act, 200mcg/act | \$0(2) | QL (30 inhalations / 30 days) |
| <i>budesonide (inhalation) SUSP .25mg/2ml, .5mg/2ml</i> | \$0(1) | B/D |

STEROID/BETA-AGONIST COMBINATIONS - DRUGS TO TREAT ASTHMA AND COPD

| | | |
|------------------------------------------------------------|--------|-------------------------------------------------------------|
| ADVAIR HFA AER 45/21 | \$0(2) | QL (1 inhaler / 30 days) |
| ADVAIR HFA AER 115/21 | \$0(2) | QL (1 inhaler / 30 days) |
| ADVAIR HFA AER 230/21 | \$0(2) | QL (1 inhaler / 30 days) |
| BREO ELLIPTA INH 50-25MCG | \$0(2) | QL (60 blisters / 30 days) |
| BREO ELLIPTA INH 100-25 | \$0(2) | QL (60 blisters / 30 days) |
| BREO ELLIPTA INH 200-25 | \$0(2) | QL (60 blisters / 30 days) |
| DULERA AER 50-5MCG | \$0(2) | QL (3 inhalers / 30 days) |
| DULERA AER 100-5MCG | \$0(2) | QL (3 inhalers / 30 days) |
| DULERA AER 200-5MCG | \$0(2) | QL (3 inhalers / 30 days) |
| <i>fluticasone-salmeterol aer powder ba 100-50 mcg/act</i> | \$0(1) | QL (60 inhalations / 30 days); (generic PRASCO not covered) |
| <i>fluticasone-salmeterol aer powder ba 250-50 mcg/act</i> | \$0(1) | QL (60 inhalations / 30 days); (generic PRASCO not covered) |
| <i>fluticasone-salmeterol aer powder ba 500-50 mcg/act</i> | \$0(1) | QL (60 inhalations / 30 days); (generic PRASCO not covered) |
| <i>wixela inh</i> | \$0(1) | QL (60 inhalations / 30 days) |

TOPICAL - DRUGS TO TREAT EAR AND SKIN CONDITIONS

DERMATOLOGY, ACNE

| | | |
|--------------------------------------|--------|-------|
| accutane CAPS 10mg, 20mg, 30mg, 40mg | \$0(1) | PA |
| <i>acne medication 2.5 GEL 2.5%</i> | \$0(3) | NM; * |
| <i>acne medication 5 GEL 5%</i> | \$0(3) | NM; * |
| <i>acne medication 10 GEL 10%</i> | \$0(3) | NM; * |
| ACNE MEDICATION 10 LOTN 10% | \$0(3) | NM; * |
| <i>adapalene GEL .1%</i> | \$0(3) | NM; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>amnesteem</i> CAPS 10mg, 20mg, 40mg | \$0(1) | PA |
| <i>benzoyl peroxide</i> GEL 2.5%, 5%, 10% | \$0(3) | NM; * |
| <i>benzoyl peroxide wash</i> LIQD 5% | \$0(3) | NM; * |
| <i>benzoyl peroxide-erythromycin gel</i> 5- 3% | \$0(1) | QL (46.6 gm / 30 days) |
| <i>claravis</i> CAPS 10mg, 20mg, 30mg, 40mg | \$0(1) | PA |
| <i>clindamycin phosphate (topical)</i> GEL 1% | \$0(1) | QL (75 gm / 30 days) |
| <i>clindamycin phosphate (topical)</i> LOTN 1%; SOLN 1% | \$0(1) | QL (60 mL / 30 days) |
| <i>DIFFERIN</i> GEL .1% | \$0(3) | NM; * |
| <i>ery</i> PADS 2% | \$0(1) | QL (60 pledges / 30 days) |
| <i>erythromycin (acne aid)</i> GEL 2% | \$0(1) | QL (60 gm / 30 days) |
| <i>erythromycin (acne aid)</i> SOLN 2% | \$0(1) | QL (60 mL / 30 days) |
| <i>isotretinoin</i> CAPS 10mg, 20mg, 30mg, 40mg | \$0(1) | PA |
| <i>sulfacetamide sodium (acne)</i> LOTN 10% | \$0(1) | QL (118 mL / 30 days) |
| <i>tretinoin</i> CREA .025%, .05%, .1%; GEL .01%, .025% | \$0(1) | QL (45 gm / 30 days), PA |
| <i>zenatane</i> CAPS 10mg, 20mg, 30mg, 40mg | \$0(1) | PA |
| DERMATOLOGY, ANTIBIOTICS | | |
| <i>gentamicin sulfate (topical)</i> CREA .1%; OINT .1% | \$0(1) | QL (30 gm / 30 days) |
| <i>gnp triple antibiotic</i> | \$0(3) | NM; * |
| <i>goodsense first aid antib</i> | \$0(3) | NM; * |
| <i>hm triple antibiotic</i> | \$0(3) | NM; * |
| <i>mupirocin</i> OINT 2% | \$0(1) | QL (220 gm / 30 days) |
| <i>silver sulfadiazine</i> CREA 1% | \$0(1) | |
| <i>sm triple antibiotic orig</i> | \$0(3) | NM; * |
| <i>ssd</i> CREA 1% | \$0(1) | |
| <i>SULFAMYLYON</i> CREA 85mg/gm | \$0(2) | QL (453.6 gm / 30 days) |
| <i>triple antibiotic</i> | \$0(3) | NM; * |
| DERMATOLOGY, ANTIFUNGALS | | |
| <i>antifungal</i> CREA 1% | \$0(3) | NM; * |
| <i>athletes foot</i> CREA 1% | \$0(3) | NM; * |
| <i>ciclopirox olamine</i> CREA .77% | \$0(1) | QL (90 gm / 30 days) |
| <i>ciclopirox olamine</i> SUSP .77% | \$0(1) | QL (60 mL / 30 days) |
| <i>clotrimazole (topical)</i> CREA 1% | \$0(1) | QL (45 gm / 30 days) |
| <i>clotrimazole (topical)</i> CREA 1% | \$0(3) | NM; * |
| <i>clotrimazole (topical)</i> SOLN 1% | \$0(1) | QL (30 mL / 30 days) |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>clotrimazole antifungal CREA 1%</i> | \$0(3) | NM; * |
| <i>clotrimazole w/ betamethasone cream 1-0.05%</i> | \$0(1) | QL (45 gm / 30 days) |
| <i>FUNGOID TINCTURE SOLN 2%</i> | \$0(3) | NM; * |
| <i>gnp athletes foot CREA 1%</i> | \$0(3) | NM; * |
| <i>gnp tolnaftate CREA 1%</i> | \$0(3) | NM; * |
| <i>ketoconazole (topical) CREA 2%</i> | \$0(1) | QL (60 gm / 30 days) |
| <i>klayesta POWD 100000unit/gm</i> | \$0(1) | QL (60 gm / 30 days) |
| <i>miconazole nitrate (topical) CREA 2%</i> | \$0(3) | NM; * |
| <i>micotrin ac CREA 1%</i> | \$0(3) | NM; * |
| <i>mycozyl ac CREA 1%</i> | \$0(3) | NM; * |
| <i>nyamyc POWD 100000unit/gm</i> | \$0(1) | QL (60 gm / 30 days) |
| <i>nystatin (topical) CREA 100000unit/gm; OINT 100000unit/gm</i> | \$0(1) | QL (30 gm / 30 days) |
| <i>nystatin (topical) POWD 100000unit/gm</i> | \$0(1) | QL (60 gm / 30 days) |
| <i>nystop POWD 100000unit/gm</i> | \$0(1) | QL (60 gm / 30 days) |
| <i>qc antifungal cream CREA 1%</i> | \$0(3) | NM; * |
| <i>sm antifungal clotrimazol CREA 1%</i> | \$0(3) | NM; * |
| <i>sm antifungal miconazole CREA 2%</i> | \$0(3) | NM; * |
| <i>sm antifungal tolnaftate CREA 1%</i> | \$0(3) | NM; * |
| <i>tolnaftate CREA 1%</i> | \$0(3) | NM; * |
| <i>DERMATOLOGY, ANTISSORIATICS</i> | | |
| <i>acitretin CAPS 10mg, 17.5mg, 25mg</i> | \$0(1) | PA |
| <i>calcipotriene CREA .005%; OINT .005%</i> | \$0(1) | QL (120 gm / 30 days), PA |
| <i>calcipotriene SOLN .005%</i> | \$0(1) | QL (120 mL / 30 days), PA |
| <i>calcitrene OINT .005%</i> | \$0(1) | QL (120 gm / 30 days), PA |
| <i>tazarotene CREA .1%</i> | \$0(1) | QL (60 gm / 30 days), PA |
| <i>TAZORAC CREA .05%</i> | \$0(2) | QL (60 gm / 30 days), PA |
| <i>DERMATOLOGY, ANTISEBORRHEICS</i> | | |
| <i>ketoconazole (topical) SHAM 2%</i> | \$0(1) | QL (120 mL / 30 days) |
| <i>selenium sulfide LOTN 2.5%</i> | \$0(1) | |
| <i>DERMATOLOGY, CORTICOSTEROIDS</i> | | |
| <i>ala-cort CREA 1%, 2.5%</i> | \$0(1) | |
| <i>alclometasone dipropionate CREA .05%; OINT .05%</i> | \$0(1) | QL (60 gm / 30 days) |
| <i>anti-itch maximum strength CREA 1%</i> | \$0(3) | NM; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>betamethasone dipropionate (topical) CREA .05%; OINT .05%</i> | \$0(1) | QL (120 gm / 30 days) |
| <i>betamethasone dipropionate (topical) LOTN .05%</i> | \$0(1) | QL (120 mL / 30 days) |
| <i>betamethasone dipropionate augmented CREA .05%; GEL .05%; OINT .05%</i> | \$0(1) | QL (120 gm / 30 days) |
| <i>betamethasone dipropionate augmented LOTN .05%</i> | \$0(1) | QL (120 mL / 30 days) |
| <i>betamethasone valerate CREA .1%; OINT .1%</i> | \$0(1) | QL (120 gm / 30 days) |
| <i>betamethasone valerate LOTN .1%</i> | \$0(1) | QL (120 mL / 30 days) |
| <i>clobetasol propionate CREA .05%; GEL .05%; OINT .05%</i> | \$0(1) | QL (60 gm / 30 days) |
| <i>clobetasol propionate SOLN .05%</i> | \$0(1) | QL (50 mL / 30 days) |
| <i>clobetasol propionate e CREA .05%</i> | \$0(1) | QL (60 gm / 30 days) |
| <i>ENSTILAR AER</i> | \$0(2) | QL (120 gm / 30 days), PA |
| <i>fluocinolone acetonide CREA .01%</i> | \$0(1) | QL (60 gm / 30 days) |
| <i>fluocinolone acetonide CREA .025%; OINT .025%</i> | \$0(1) | QL (120 gm / 30 days) |
| <i>fluocinolone acetonide OIL .01%</i> | \$0(1) | QL (118.28 mL / 30 days) |
| <i>fluocinolone acetonide SOLN .01%</i> | \$0(1) | QL (90 mL / 30 days) |
| <i>fluocinonide CREA .05%</i> | \$0(1) | QL (120 gm / 30 days) |
| <i>fluocinonide GEL .05%; OINT .05%</i> | \$0(1) | QL (60 gm / 30 days) |
| <i>fluocinonide SOLN .05%</i> | \$0(1) | QL (60 mL / 30 days) |
| <i>fluocinonide emulsified base CREA .05%</i> | \$0(1) | QL (120 gm / 30 days) |
| <i>fluticasone propionate CREA .05%; OINT .005%</i> | \$0(1) | |
| <i>gnp hydrocortisone CREA .5%</i> | \$0(3) | NM; * |
| <i>gnp hydrocortisone maximu OINT 1%</i> | \$0(3) | NM; * |
| <i>gnp hydrocortisone plus CREA 1%</i> | \$0(3) | NM; * |
| <i>gnp hydrocortisone/aloe CREA 1%</i> | \$0(3) | NM; * |
| <i>halobetasol propionate CREA .05%; OINT .05%</i> | \$0(1) | QL (50 gm / 30 days) |
| <i>hm hydrocortisone plus CREA 1%</i> | \$0(3) | NM; * |
| <i>hm hydrocortisone/aloe ma CREA 1%</i> | \$0(3) | NM; * |
| <i>HYDROCORTISONE CREA 1%</i> | \$0(3) | NM; * |
| <i>hydrocortisone (topical) CREA 1%, 2.5%; LOTN 2.5%; OINT 2.5%</i> | \$0(1) | |
| <i>hydrocortisone (topical) CREA .5%, 1%; OINT 1%</i> | \$0(3) | NM; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|--------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>hydrocortisone maximum st CREA 1%</i> | \$0(3) | NM; * |
| <i>hydrocortisone/aloe maxim CREA 1%</i> | \$0(3) | NM; * |
| <i>mometasone furoate CREA .1%; OINT .1%; SOLN .1%</i> | \$0(1) | |
| <i>qc anti-itch/aloe CREA 1%</i> | \$0(3) | NM; * |
| <i>sm hydrocortisone CREA 1%</i> | \$0(3) | NM; * |
| <i>sm hydrocortisone maximum OINT 1%</i> | \$0(3) | NM; * |
| <i>sm hydrocortisone plus CREA 1%</i> | \$0(3) | NM; * |
| <i>triamcinolone acetonide (topical) CREA .025%, .1%, .5%</i> | \$0(1) | QL (454 gm / 30 days) |
| <i>triamcinolone acetonide (topical) LOTN .025%, .1%; OINT .025%, .1%, .5%</i> | \$0(1) | |

DERMATOLOGY, LOCAL ANESTHETICS

| | | |
|--------------------------------------------|--------|----------------------------|
| <i>glydo PRSY 2%</i> | \$0(1) | QL (60 mL / 30 days), PA |
| <i>lidocaine OINT 5%</i> | \$0(1) | QL (50 gm / 30 days), PA |
| <i>lidocaine PTCH 5%</i> | \$0(1) | QL (3 patches / 1 day), PA |
| <i>lidocaine hcl SOLN 4%</i> | \$0(1) | QL (50 mL / 30 days), PA |
| <i>lidocaine-prilocaine cream 2.5-2.5%</i> | \$0(1) | B/D, QL (30 gm / 30 days) |
| <i>lidocan PTCH 5%</i> | \$0(1) | QL (3 patches / 1 day), PA |

DERMATOLOGY, MISCELLANEOUS SKIN AND MUCOUS MEMBRANE

| | | |
|----------------------------------------------------------|--------|-----------------------------------|
| <i>BETADINE SOLN 10%</i> | \$0(3) | NM; * |
| <i>bexarotene (topical) GEL 1%</i> | \$0(2) | NDS, QL (60 gm / 30 days), NM, PA |
| <i>diclofenac sodium (topical) GEL 1%</i> | \$0(1) | QL (1000 gm / 30 days) |
| <i>FIRST AID ANTISEPTIC OINT OINT 10%</i> | \$0(3) | NM; * |
| <i>fluorouracil (topical) CREA 5%</i> | \$0(1) | QL (40 gm / 30 days) |
| <i>fluorouracil (topical) SOLN 2%, 5%</i> | \$0(1) | QL (10 mL / 30 days) |
| <i>hydrocortisone (rectal) CREA 1%, 2.5%</i> | \$0(1) | |
| <i>imiquimod CREA 5%</i> | \$0(1) | QL (24 packets / 30 days) |
| <i>lactic acid (ammonium lactate) CREA 12%; LOTN 12%</i> | \$0(1) | |
| <i>lidocaine CREA 4%</i> | \$0(3) | NM; * |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|----------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>metronidazole (topical) CREA .75%; GEL .75%</i> | \$0(1) | QL (45 gm / 30 days) |
| <i>metronidazole (topical) LOTN .75%</i> | \$0(1) | QL (59 mL / 30 days) |
| <i>nitroglycerin (intra-anal) OINT .4%</i> | \$0(1) | QL (30 gm / 30 days) |
| PANRETIN GEL .1% | \$0(2) | NDS, QL (60 gm / 30 days), PA |
| <i>podofilox SOLN .5%</i> | \$0(1) | QL (7 mL / 28 days) |
| <i>povidone-iodine SOLN 10%</i> | \$0(3) | NM; * |
| <i>procto-med hc CREA 2.5%</i> | \$0(1) | |
| <i>proctosol hc CREA 2.5%</i> | \$0(1) | |
| <i>proctozone-hc CREA 2.5%</i> | \$0(1) | |
| <i>qc povidone iodine SOLN 10%</i> | \$0(3) | NM; * |
| RECTIV OINT .4% | \$0(2) | QL (30 gm / 30 days) |
| RENOVA CREA .02% | \$0(3) | NM; * |
| RENOVA PUMP CREA .02% | \$0(3) | NM; * |
| <i>sm povidone-iodine SOLN 10%</i> | \$0(3) | NM; * |
| <i>tacrolimus (topical) OINT .03%, .1%</i> | \$0(1) | QL (100 gm / 30 days) |
| VALCHLOR GEL .016% | \$0(2) | NDS, QL (60 gm / 30 days), NM, LA, PA |

DERMATOLOGY, SCABICIDES AND PEDICULIDES

| | | |
|------------------------------------------|--------|----------------------|
| <i>gnp lice treatment LIQD 1%</i> | \$0(3) | NM; * |
| <i>goodsense lice killing cr LIQD 1%</i> | \$0(3) | NM; * |
| <i>lice killing maximum stre</i> | \$0(3) | NM; * |
| <i>lice killing shampoo</i> | \$0(3) | NM; * |
| <i>lice treatment creme rins LIQD 1%</i> | \$0(3) | NM; * |
| <i>malathion LOTN .5%</i> | \$0(1) | QL (59 mL / 30 days) |
| <i>permethrin CREA 5%</i> | \$0(1) | QL (60 gm / 30 days) |
| <i>sm lice killing maximum s</i> | \$0(3) | NM; * |
| <i>sm lice treatment LIQD 1%</i> | \$0(3) | NM; * |

DERMATOLOGY, WOUND CARE AGENTS

| | | |
|------------------------------------------------------|--------|-------------------------------|
| REGRANEX GEL .01% | \$0(2) | NDS, QL (30 gm / 30 days), PA |
| SANTYL OINT 250unit/gm | \$0(2) | QL (180 gm / 30 days) |
| <i>sodium chloride (gu irrigant) SOLN .9%</i> | \$0(1) | |
| <i>water for irrigation, sterile irrigation soln</i> | \$0(1) | |

MOUTH/THROAT/DENTAL AGENTS

| | | |
|---------------------------------------------------------|--------|-----------------------------|
| <i>cevimeline hcl CAPS 30mg</i> | \$0(1) | |
| <i>chlorhexidine gluconate (mouth-throat) SOLN .12%</i> | \$0(1) | |
| <i>clotrimazole TROC 10mg</i> | \$0(1) | QL (150 lozenges / 30 days) |
| <i>kourzeq PSTE .1%</i> | \$0(1) | |

| Drug Name (By Medical Condition) | WHAT THE DRUG WILL COST YOU (TIER LEVEL) | NECESSARY ACTIONS RESTRICTIONS OR LIMITS ON USE |
|---------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------|
| <i>lidocaine hcl (mouth-throat) SOLN 2%</i> | \$0(1) | |
| <i>nystatin (mouth-throat) SUSP 100000unit/ml</i> | \$0(1) | |
| <i>periogard SOLN .12%</i> | \$0(1) | |
| <i>pilocarpine hcl (oral) TABS 5mg, 7.5mg</i> | \$0(1) | |
| <i>triamcinolone acetonide (mouth) PSTE .1%</i> | \$0(1) | |

PART B

DIABETIC METERS AND TEST STRIPS

| | | |
|---------------------------|-----|----|
| DEXCOM G6 MIS RECEIVER | \$0 | PA |
| DEXCOM G6 MIS SENSOR | \$0 | PA |
| DEXCOM G6 MIS TRANSMIT | \$0 | PA |
| DEXCOM G7 MIS RECEIVER | \$0 | PA |
| DEXCOM G7 MIS SENSOR | \$0 | PA |
| FREESTY LIBR KIT 2 SENSOR | \$0 | PA |
| FREESTY LIBR KIT 3 SENSOR | \$0 | PA |
| FREESTY LIBR MIS 2 READER | \$0 | PA |
| FREESTY LIBR MIS 3 READER | \$0 | PA |
| FREESTYLE KIT SENSOR | \$0 | PA |
| FREESTYLE MIS READER | \$0 | PA |
| TRUE METRIX KIT AIR | \$0 | |
| TRUE METRIX KIT METER | \$0 | |
| TRUE METRIX STRIPS | \$0 | |

| | | | |
|-----------------------------------------------------------|---------------------------------------------------------------------|-------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| * | *pediatric vitamins acd w/ fluoride soln 0.5 mg/ml*** 93 | acetaminophen w/ codeine tab 300-15 mg 14 | adefovir dipivoxil ... 22 ADEMPAS 45 ADIPEX-P 65 ADMELOG 64 ADMELOG SOLOSTAR 64 |
| *sodium phosphates - enema***..... 80 | acetaminophen w/ codeine tab 300-30 mg 14 | adult aspirin regimen 10 | |
| 1 | acetaminophen w/ codeine tab 300-60 mg 14 | ADVAIR HFA AER 115/21 102 | |
| 12hr allergy relief .. 99 | acetazolamide 44 | ADVAIR HFA AER 230/21 102 | |
| 2 | acetic acid..... 82 | ADVAIR HFA AER 45/21 102 | |
| 24hr allergy relief .. 99 | acetic acid (otic) ... 96 | afirmelle..... 67 | |
| 3 | acetylcysteine.....100 | AHIST 97 | |
| 3 day vaginal 82 | acid gone 76 | AIMOVIG 58 | |
| A | acid reducer 78 | AKEEGA TAB 100/500 28 | |
| abacavir sulfate.....19 | acid reducer complete 80 | AKEEGA TAB 50/500MG..... 27 | |
| abacavir sulfate- lamivudine tab 600- 300 mg.....21 | acid reducer | ala-cort 104 | |
| ABELCET 18 | maximum stre ... 78 | ALA-HIST IR 97 | |
| ABILIFY MAINTENA 49 | acid reducer original str 78 | alaway 95 | |
| abiraterone acetate 27 | acitretin104 | alaway childrens allergy 95 | |
| ABRYSVO 88 | acne medication 10102 | albendazole 15 | |
| acamprosate calcium60 | ACNE MEDICATION 10102 | albuterol sulfate 99 | |
| acarbose62 | acne medication 2.5102 | alclometasone dipropionate..... 104 | |
| accutane102 | acne medication 5102 | ALDURAZYME..... 73 | |
| acebutolol hcl.....42 | ACTHIB INJ 88 | ALECENSA 30 | |
| acetaminophen.....10 | ACTIMMUNE 87 | alendronate sodium 66 | |
| acetaminophen extra stren10 | acyclovir 22 | alfuzosin hcl..... 82 | |
| acetaminophen w/ codeine soln 120-12 mg/5ml14 | acyclovir sodium ... 22 | aliskiren fumarate .44 | |
| | ADACEL INJ..... 88 | all day allergy 97 | |
| | ADALIMUMAB-AACF (2 PEN) 85 | | |
| | adapalene102 | | |

all day allergy
 childrens 97
all day pain relief ... 12
all day relief 12
aller-chlor 97
allergy 97
allergy childrens 97
allergy relief . 97, 101
allergy relief 24hr .. 97
allergy relief childrens
 97
allergy
 relief/indoor/out . 97
allopurinol 10
almacone double
 strength 76
alosetron hcl 80
alprazolam 46
ALREX 94
altavera 67
ALUMINUM
 HYDROXIDE 76
ALUNBRIG 30
ALUNBRIG PAK 30
alyacen 1/35 67
alyacen 7/7/7 67
amabelz tab 0.5-
 0.1mg 71
amantadine hcl 48
ambrisentan 45
amethia 67
amikacin sulfate 16
amiloride &
 hydrochlorothiazide
 tab 5-50 mg 44
amiloride hcl 44
amiodarone hcl 41
amitriptyline hcl 46
amlodipine besylate
 43

amlodipine besylate-
benazepril hcl cap
 10-20 mg 37
amlodipine besylate-
benazepril hcl cap
 10-40 mg 37
amlodipine besylate-
benazepril hcl cap
 2.5-10 mg 37
amlodipine besylate-
benazepril hcl cap
 5-10 mg 37
amlodipine besylate-
benazepril hcl cap
 5-20 mg 37
amlodipine besylate-
benazepril hcl cap
 5-40 mg 37
amlodipine besylate-
olmesartan
medoxomil tab 10-
 20 mg 39
amlodipine besylate-
olmesartan
medoxomil tab 10-
 40 mg 39
amlodipine besylate-
olmesartan
medoxomil tab 5-20
 mg 39
amlodipine besylate-
olmesartan
medoxomil tab 5-40
 mg 39
amlodipine besylate-
valsartan tab 10-
 160 mg 39
amlodipine besylate-
valsartan tab 10-
 320 mg 39

amlodipine besylate-
valsartan tab 5-160
 mg 39
amlodipine besylate-
valsartan tab 5-320
 mg 39
amnesteem 103
amoxapine 46
amoxicillin 24
amoxicillin & k
 clavulanate chew
 tab 200-28.5 mg 25
amoxicillin & k
 clavulanate chew
 tab 400-57 mg ... 25
amoxicillin & k
 clavulanate for susp
 200-28.5 mg/5ml 25
amoxicillin & k
 clavulanate for susp
 250-62.5 mg/5ml 25
amoxicillin & k
 clavulanate for susp
 400-57 mg/5ml .. 25
amoxicillin & k
 clavulanate for susp
 600-42.9 mg/5ml 25
amoxicillin & k
 clavulanate tab
 250-125 mg 25
amoxicillin & k
 clavulanate tab
 500-125 mg 25
amoxicillin & k
 clavulanate tab
 875-125 mg 25
amoxicillin & k
 clavulanate tab er
 12hr 1000-62.5 mg
 25
amphetamine-
dextroamphetamine

| | | | |
|--------------------------|----|----------------------------------|-----|
| <i>cap er 24hr 10 mg</i> | 18 | <i>antifungal</i> | 103 |
| | 56 | <i>anti-gas/</i> | |
| <i>amphetamine-</i> | | and <i>gnp antacid</i> | 76 |
| <i>dextroamphetamine</i> | | <i>anti-itch maximum</i> | |
| <i>cap er 24hr 15 mg</i> | | <i>strengt</i> | 104 |
| | 56 | <i>aprepitant</i> | 77 |
| <i>amphetamine-</i> | | <i>aprepitant capsule</i> | |
| <i>dextroamphetamine</i> | | <i>therapy pack 80 &</i> | |
| <i>cap er 24hr 20 mg</i> | | <i>125 mg</i> | 77 |
| | 56 | <i>apri</i> | 67 |
| <i>amphetamine-</i> | | <i>APTIOM</i> | 52 |
| <i>dextroamphetamine</i> | | <i>APTIVUS</i> | 19 |
| <i>cap er 24hr 25 mg</i> | | <i>ARALAST NP</i> | 100 |
| | 56 | <i>aranelle</i> | 67 |
| <i>amphetamine-</i> | | <i>ARCALYST</i> | 87 |
| <i>dextroamphetamine</i> | | <i>AREXVY</i> | 88 |
| <i>cap er 24hr 30 mg</i> | | <i>aripiprazole</i> | 49 |
| | 56 | <i>ARISTADA</i> | 49 |
| <i>amphetamine-</i> | | <i>ARISTADA INITIO</i> .. | 49 |
| <i>dextroamphetamine</i> | | <i>armodafinil</i> | 60 |
| <i>cap er 24hr 5 mg</i> | 56 | <i>ARNUITY ELLIPTA</i> 102 | |
| <i>amphetamine-</i> | | <i>arthritis pain relief.</i> 10 | |
| <i>dextroamphetamine</i> | | <i>artificial tears</i> | 95 |
| <i>tab 10 mg</i> | 56 | <i>asenapine maleate</i> 49 | |
| <i>amphetamine-</i> | | <i>ashlyna</i> | 67 |
| <i>dextroamphetamine</i> | | <i>aspirin</i> | 10 |
| <i>tab 12.5 mg</i> | 56 | <i>ASPIRIN</i> | 10 |
| <i>amphetamine-</i> | | <i>aspirin adult low dose</i> | |
| <i>dextroamphetamine</i> | | | 10 |
| <i>tab 15 mg</i> | 56 | <i>aspirin low dose</i> ... | 10 |
| <i>amphetamine-</i> | | <i>aspirin low strength</i> | |
| <i>dextroamphetamine</i> | | | 10 |
| <i>tab 20 mg</i> | 56 | <i>aspirin regimen</i> | 10 |
| <i>amphetamine-</i> | | <i>aspirin-dipyridamole</i> | |
| <i>dextroamphetamine</i> | | <i>cap er 12hr 25-200</i> | |
| <i>tab 30 mg</i> | 56 | <i>mg</i> | 84 |
| <i>amphetamine-</i> | | <i>ASTAGRAF XL</i> | 87 |
| <i>dextroamphetamine</i> | | <i>atazanavir sulfate</i> .. | 19 |
| <i>tab 5 mg</i> | 56 | <i>atenolol</i> | 42 |
| <i>amphetamine-</i> | | <i>atenolol &</i> | |
| <i>dextroamphetamine</i> | | <i>chlorthalidone tab</i> | |
| <i>tab 7.5 mg</i> | 56 | <i>100-25 mg</i> | 42 |

atenolol &
 chlorthalidone tab
 50-25 mg.....42
 athletes foot103
 atomoxetine hcl56
 atorvastatin calcium
 41
 atovaquone.....16
 atovaquone-proguanil
 hcl tab 250-100 mg
 19
 atovaquone-proguanil
 hcl tab 62.5-25 mg
 19
 ATROPINE SULFATE
 96
 atropine sulfate
 (*ophthalmic*)96
 ATROVENT HFA97
 aubra eq67
 AUGTYRO30
 aurovela 1/2067
 aurovela 24 fe.....67
 aurovela fe 1.5/30 .67
 aurovela fe 1/20....67
 AUSTEDO58
 AUSTEDO XR58
 AUSTEDO XR TAB
 TITR KIT58
 AUVELITY TAB 45-
 105MG46
 aviane.....67
 ayuna67
 AYVAKIT.....30
 azacitidine27
 azathioprine.....87
 azelastine hcl97
 azelastine hcl (*ophth*)
 95
 azithromycin24
 aztreonam16
 azurette67

B

bacitracin
 (*ophthalmic*)94
 bacitracin-polymyxin
 b ophth oint.....94
 bacitracin-polymyxin-
 neomycin-hc ophth
 oint 1%.....93
 baclofen.....59
 BACMIN TAB92
 BAFIERTAM59
 balsalazide disodium
 79
 BALVERSA.....30
 balziva.....67
 banophen.....97
 BARACLUE22
 BASAGLAR KWIKPEN
 64
 BCG VACCINE.....88
 BD ALCOHOL SWABS
 64
 benazepril &
 hydrochlorothiazide
 tab 10-12.5 mg.. 37
 benazepril &
 hydrochlorothiazide
 tab 20-12.5 mg.. 37
 benazepril &
 hydrochlorothiazide
 tab 20-25 mg.... 37
 benazepril &
 hydrochlorothiazide
 tab 5-6.25mg 37
 benazepril hcl38
 BENDEKA26
 BENLYSTA87
 benzoyl peroxide..103
 benzoyl peroxide
 wash.....103

benzoyl peroxide-
 erythromycin gel 5-
 3%103
 benzphetamine hcl 65
 benztropine mesylate
 48
 BERINERT84
 BESIVANCE94
 BESREMI29
 BETADINE106
 betaine powder for
 oral solution73
 betamethasone
 dipropionate
 (*topical*).....105
 betamethasone
 dipropionate
 augmented105
 betamethasone
 valerate105
 BETASERON59
 betaxolol hcl42
 betaxolol hcl (*ophth*)
 95
 bethanechol chloride
 82
 BETOPTIC-S95
 BEVESPI AER 9-
 4.8MCG97
 bexarotene29
 bexarotene (*topical*)
 106
 BEXSERO INJ88
 bicalutamide28
 BICILLIN L-A.....25
 BIKTARVY TAB 30-
 120-15 MG.....21
 BIKTARVY TAB 50-
 200-25 MG.....21
 BINAXNOW COV KIT
 HOME TES16
 bisacodyl79

bisacodyl ec 79
bismatrol 77
bismuth subsalicylate 77
bisoprolol & hydrochlorothiazide tab 10-6.25 mg ..42
bisoprolol & hydrochlorothiazide tab 2.5-6.25 mg .42
bisoprolol & hydrochlorothiazide tab 5-6.25 mg ...42
bisoprolol fumarate 43
BIVIGAM 86
blisovi 24 fe 67
blisovi fe 1.5/3067
BOOSTRIX INJ 88
bortezomib 30
BORTEZOMIB 30
bosentan 45
BOSULIF 30
BP VIT 3 CAP 92
BRAFTOVI 30
BREO ELLIPTA INH 100-25 102
BREO ELLIPTA INH 200-25 102
BREO ELLIPTA INH 50-25MCG 102
BREZTRI AERO AER SPHERE 97
BREZTRI AERO AER SPHERE (INSTITUTIONAL PACK) 97
brielllyn 67
BRILINTA 84
brimonidine tartrate 95
brinzolamide 95
BRIVIACT 52

bromfenac sodium (ophth) 94
bromocriptine mesylate 48
BROMSITE 94
BRONCHITOL.....100
BRUKINSA 30
budesonide 79
budesonide (inhalation).....102
budesonide (nasal) 101
bumetanide 44
buprenorphine 14
buprenorphine hcl . 60
buprenorphine hcl-naloxone hcl sl film 12-3 mg (base equiv) 60
buprenorphine hcl-naloxone hcl sl film 2-0.5 mg (base equiv) 60
buprenorphine hcl-naloxone hcl sl film 4-1 mg (base equiv) 60
buprenorphine hcl-naloxone hcl sl film 8-2 mg (base equiv) 60
buprenorphine hcl-naloxone hcl sl tab 2-0.5 mg (base equiv) 60
buprenorphine hcl-naloxone hcl sl tab 8-2 mg (base equiv) 60
bupropion hcl ..46, 47

bupropion hcl (smoking deterrent) 60

buspirone hcl 46
butorphanol tartrate 14
BYDUREON BCISE .62
BYETTA 62

C

cabergoline 73
CABOMETYX 30
calcipotriene 104
calcitonin (salmon) spray 66
calcitrene 104
calcitriol 75
calcitriol (oral) 75
calcium acetate (phosphate binder) 74
calcium antacid 76
calcium antacid extra str 76
calcium carbonate (antacid) 76
cal-gest antacid 76
CALQUENCE 30
camila 67
camrese 67
camrese lo 67
candesartan cilexetil 40
candesartan cilexetil-hydrochlorothiazide tab 16-12.5 mg ..39
candesartan cilexetil-hydrochlorothiazide tab 32-12.5 mg ..39
candesartan cilexetil-hydrochlorothiazide tab 32-25 mg39

| | | | | | |
|-----------------------------------------------------|----|-----------------------------------------------------|----------|----------------------------------------------|-----|
| CAPLYTA | 49 | carbidopa-levodopa-entacapone tabs 25-100-200 mg.. | 48 | cefprozil | 23 |
| CAPRELSA | 30 | carbidopa-levodopa-entacapone tabs 31.25-125-200 mg | 48 | ceftazidime | 23 |
| captopril | 38 | carbidopa-levodopa-entacapone tabs 37.5-150-200 mg | 49 | ceftriaxone sodium | 23 |
| captopril & hydrochlorothiazide tab 25-15 mg | 37 | carbidopa-levodopa-entacapone tabs 50-200-200 mg.. | 49 | cefuroxime axetil... | 23 |
| captopril & hydrochlorothiazide tab 25-25 mg | 37 | carboplatin | 26 | cefuroxime sodium | 23 |
| captopril & hydrochlorothiazide tab 50-15 mg | 37 | carboxymethylcellulose sodium (ophth) | 96 | celecoxib | 12 |
| captopril & hydrochlorothiazide tab 50-25 mg | 37 | CARESTART KIT COVID-19..... | 16 | cephalexin | 23 |
| carb/levo orally disintegrating tab 10-100mg | 48 | carglumic acid | 73 | CERDELGA..... | 73 |
| carb/levo orally disintegrating tab 25-100mg | 48 | carisoprodol | 59 | CEREZYME..... | 73 |
| carb/levo orally disintegrating tab 25-250mg | 48 | carteolol hcl (ophth) | 95 | cetirizine hcl | 98 |
| carbamazepine | 52 | cartia xt..... | 43 | cetirizine hcl allergy ch | 98 |
| carbidopa & levodopa tab 10-100 mg ... | 48 | carvedilol | 43 | cetirizine hcl childrens | 98 |
| carbidopa & levodopa tab 25-100 mg ... | 48 | caspofungin acetate | 18 | cetirizine hydrochloride | 98 |
| carbidopa & levodopa tab 25-250 mg ... | 48 | CAYSTON | 16 | cevimeline hcl | 107 |
| carbidopa & levodopa tab er 25-100 mg | 48 | cefaclor | 23 | chateal eq | 67 |
| carbidopa & levodopa tab er 50-200 mg | 48 | CEFACLOR ER..... | 23 | CHEMET | 66 |
| carbidopa-levodopa-entacapone tabs 12.5-50-200 mg . | 48 | cefadroxil | 23 | childrens | |
| carbidopa-levodopa-entacapone tabs 18.75-75-200 mg | 48 | CEFAZOLIN | 23 | acetaminophen ... | 10 |
| | | CEFAZOLIN INJ 1GM/50ML..... | 23 | childrens ibuprofen | 12 |
| | | cefazolin sodium ... | 23 | childrens loratadine | 98 |
| | | CEFAZOLIN SOLN 2GM/100ML-4% . | 23 | chlorhexidine gluconate (mouth-throat) | 107 |
| | | cefdinir | 23 | chloroquine phosphate..... | 19 |
| | | cefepime hcl..... | 23 | chlorpromazine hcl | 49 |
| | | cefixime..... | 23 | chlorthalidone | 44 |
| | | cefoxitin sodium ... | 23 | cholestyramine..... | 41 |
| | | cefepodoxime proxetil | 23 | cholestyramine light | 42 |
| | | | | chromic chloride | 91 |
| | | | | ciclopirox olamine | 103 |
| | | | | cilstazol | 84 |
| | | | | CILOXAN | 94 |
| | | | | CIMDUO TAB 300-300 | 21 |
| | | | | cinacalcet hcl | 73 |
| | | | | CIPRO | 24 |

| | | | |
|--------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <i>ciprofloxacin</i> 200 mg/100ml in d5w | 24 | CLINDMYC/NAC INJ 900/50ML..... 16 | COARTEM TAB 20- 120MG 19 |
| <i>ciprofloxacin</i> 400 mg/200ml in d5w | 24 | CLINIMIX INJ 4.25/D10 91 | COLACE 79 |
| <i>ciprofloxacin hcl</i> | 24 | CLINIMIX INJ 4.25/D5W..... 91 | <i>colchicine</i> 10 |
| <i>ciprofloxacin hcl</i> (ophth)..... | 94 | CLINIMIX INJ 5%/D15W 91 | <i>colchicine w/</i> <i>probenecid tab</i> 0.5- 500 mg..... 10 |
| <i>ciprofloxacin-</i> <i>dexamethasone otic</i> <i>susp 0.3-0.1%</i> | 96 | CLINIMIX INJ 5%/D20W 91 | <i>colesevelam hcl</i> 42 |
| <i>cisplatin</i> | 26 | CLINIMIX INJ 6/5.. 91 | <i>colestipol hcl</i> 42 |
| <i>citalopram</i> <i>hydrobromide</i> | 47 | CLINIMIX INJ 8/10 91 | <i>colistimethate sodium</i> 16 |
| <i>claravis</i> | 103 | CLINIMIX INJ 8/14 91 | COMBIGAN SOL 0.2/0.5% 95 |
| <i>clarithromycin</i> | 24 | CLINITEST KIT SELF- TST | COMBIVENT AER 20- 100 97 |
| <i>clindamycin hcl</i> | 16 | CLINOLIPID EMU 20% | COMETRIQ (60MG DOSE) 31 |
| <i>clindamycin palmitate</i> <i>hydrochloride</i> | 16 | <i>clobazam</i> | COMETRIQ KIT 100MG 31 |
| <i>clindamycin</i> <i>phosphate</i> | 16 | <i>clobetasol propionate</i> 105 | COMETRIQ KIT 140MG 31 |
| <i>clindamycin</i> <i>phosphate (topical)</i> | 103 | <i>clobetasol propionate</i> e | COMPLERA TAB 21 |
| <i>clindamycin</i> <i>phosphate in d5w iv</i> <i>soln 300 mg/50ml</i> | 16 | <i>clomipramine hcl</i> ... 47 | <i>complete allergy</i> <i>medicine</i> 98 |
| <i>clindamycin</i> <i>phosphate in d5w iv</i> <i>soln 600 mg/50ml</i> | 16 | <i>clonazepam</i> 52 | <i>compro</i> 77 |
| <i>clindamycin</i> <i>phosphate in d5w iv</i> <i>soln 900 mg/50ml</i> | 16 | <i>clonidine</i> | <i>constulose</i> 79 |
| <i>clindamycin</i> <i>phosphate vaginal</i> | 82 | <i>clonidine hcl</i> | CONTRAVE TAB 8- 90MG 65 |
| CLINDMYC/NAC INJ 300/50ML | 16 | <i>clopidogrel bisulfate</i> 84 | COPIKTRA 31 |
| CLINDMYC/NAC INJ 600/50ML | 16 | <i>clorazepate</i> <i>dipotassium</i> | COPPER..... 92 |
| | | <i>clotrimazole</i> | CORLANOR 44 |
| | | <i>clotrimazole (topical)</i> 103 | <i>corvita</i> 92 |
| | | <i>clotrimazole</i> <i>antifungal</i> 104 | COTELLIC 31 |
| | | <i>clotrimazole vaginal</i> 82 | COVID-19 AT- KIT 1- PACK 16 |
| | | <i>clotrimazole w/</i> <i>betamethasone</i> <i>cream 1-0.05%</i> 104 | COVID-19 RAP KIT 1- PACK 16 |
| | | <i>clozapine</i> | COVID-19 RAP KIT 2- PACK 16 |
| | | | CREON CAP 12000UNT..... 81 |

| | | | | |
|------------------------------------------------------------|-----|----------------------------------|--------------------------------|-----|
| CREON CAP 24000UNT..... | 81 | <i>dalfampridine</i> 59 | DEXAMETHASONE INTENSOL..... | 72 |
| CREON CAP 3000UNIT | 81 | <i>danazol</i> 71 | <i>dexamethasone</i> | |
| CREON CAP 36000UNT..... | 81 | <i>dantrolene sodium</i> 59 | <i>sodium phosphate</i> | |
| CREON CAP 6000UNIT | 81 | <i>dapsone</i> 16 | | 72 |
| <i>cromolyn sodium</i> .100 | | <i>DAPTACEL INJ</i> 88 | <i>dexamethasone</i> | |
| <i>cromolyn sodium</i> <i>(mastocytosis)</i> | 80 | <i>daptomycin</i> 16 | <i>sodium phosphate</i> | |
| <i>cromolyn sodium</i> <i>(nasal)</i> | 100 | <i>DAPTOMYCIN</i> 16 | <i>(ophth)</i> | 94 |
| <i>cromolyn sodium</i> <i>(ophth)</i> | 95 | <i>darunavir</i> 19, 20 | DEXCOM G6 MIS | |
| <i>cryselle-28</i> | 67 | <i>dasetta 1/35</i> 67 | RECEIVER | 108 |
| <i>cyanocobalamin</i> | 92 | <i>dasetta 7/7/7</i> 67 | DEXCOM G6 MIS | |
| <i>cyclobenzaprine hcl</i> 59 | | <i>DAURISMO</i> 31 | SENSOR | 108 |
| <i>cyclophosphamide</i> .26 | | <i>daysee</i> 67 | DEXCOM G6 MIS | |
| CYCLOPHOSPHAMIDE | 26 | <i>DAYVIGO</i> 57 | TRANSMIT | 108 |
| CYCLOPHOSPHAMIDE MONOHYDR..... | 26 | <i>deblitane</i> 67 | DEXCOM G7 MIS | |
| <i>cycloserine</i> | 22 | <i>deferasirox</i> 66 | RECEIVER | 108 |
| <i>cyclosporine</i> | 87 | <i>DELSTRIGO TAB</i> ... 21 | DEXCOM G7 MIS | |
| <i>cyclosporine modified</i> <i>(for microemulsion)</i> | | <i>DENGVAXIA SUS</i> ... 88 | SENSOR | 108 |
| | 88 | <i>DEPO-SUBQ</i> | <i>dexamethylphenidate</i> | |
| <i>cyproheptadine hcl</i> 98 | | PROVERA 104 67 | <i>hcl</i> | 56 |
| <i>cyred eq</i> | 67 | <i>depo-testosterone</i> . 61 | <i>dextrose</i> | 92 |
| CYSTADROPS..... | 96 | <i>DESCOVY TAB</i> 120- | <i>dextrose 10% w/</i> | |
| CYSTAGON | 73 | 15MG..... 21 | <i>sodium chloride</i> | |
| CYSTARAN..... | 96 | <i>DESCOVY TAB</i> | <i>0.45%</i> | 90 |
| <i>cytarabine</i> | 27 | 200/25MG 21 | <i>dextrose 2.5% w/</i> | |
| | | <i>desipramine hcl</i> 47 | <i>sodium chloride</i> | |
| D | | <i>desmopressin acetate</i> | <i>0.45%</i> | 89 |
| D10W/NACL INJ 0.2% | | | <i>dextrose 5% in</i> | |
| | 89 | spray | <i>lactated ringers</i> .. 89 | |
| D2.5W/NACL INJ 0.45% | 89 | <i>desmopressin acetate</i> | <i>dextrose 5% w/</i> | |
| D5W/LYTES INJ #48 | | spray refrigerated | <i>sodium chloride</i> | |
| | 89 | <i>desogest-eth estrad &</i> | <i>0.2%</i> | 89 |
| | | <i>eth estrad tab 0.15-</i> | <i>dextrose 5% w/</i> | |
| | | <i>0.02/0.01 mg(21/5)</i> | <i>sodium chloride</i> | |
| | | | <i>0.225%</i> | 90 |
| | | <i>desogestrel & ethinyl</i> | <i>dextrose 5% w/</i> | |
| | | <i>estradiol tab 0.15</i> | <i>sodium chloride</i> | |
| | | <i>mg-30 mcg</i> 67 | <i>0.3%</i> | 90 |
| | | <i>desvenlafaxine</i> | <i>dextrose 5% w/</i> | |
| | | <i>succinate</i> 47 | <i>sodium chloride</i> | |
| | | <i>dexamethasone</i> 72 | <i>0.45%</i> | 90 |

| | | | | | |
|----------------------------------------------------------|--------|----------------------------------------------------------------------------------------|----|------------------------------------------------------------------------------------------|-----|
| <i>dextrose 5% w/ sodium chloride 0.9%</i> | 90 | <i>diltiazem hcl coated beads</i> | 43 | <i>doxorubicin hcl liposomal</i> | 27 |
| DIACOMIT | 52 | <i>diltiazem hcl extended release beads</i> | 43 | doxy 100..... | 26 |
| <i>dalyvite</i> | 92 | <i>dilt-xr</i> | 43 | <i>doxycycline</i> <i>(monohydrate)</i> ... | 26 |
| DIALYVITE TAB 3000 | 92 | DIP/TET PED INJ 25- 5LFU..... | 88 | <i>doxycycline hyclate</i> 26 | |
| DIALYVITE TAB 5000 | 92 | <i>diphenhydramine hcl</i> | 98 | DRISDOL..... | 92 |
| DIALYVITE TAB SUPREM D..... | 92 | <i>diphenoxylate w/ atropine liq 2.5- 0.025 mg/5ml</i> | 80 | <i>dronabinol</i> | 77 |
| DIALYVITE/ TAB ZINC | 92 | <i>diphenoxylate w/ atropine tab 2.5- 0.025 mg</i> | 80 | <i>drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 67 |
| DIATRUST KIT COVID-19 | 16 | <i>dipyridamole</i> | 84 | <i>drospirenone-ethinyl estradiol tab 3-0.03 mg</i> | 67 |
| <i>diazepam</i> | 52, 53 | <i>disopyramide</i> <i>phosphate</i> | 41 | <i>drospirenone-ethinyl estradiol-levomefolate tab 3-0.03-0.451 mg</i> | 67 |
| <i>diazepam</i> (anticonvulsant) .53 | | <i>disulfiram</i> | 60 | DROXIA..... | 84 |
| <i>diazepam inj</i> | 53 | <i>divalproex sodium</i> .53 | | <i>droxidopa</i> | 45 |
| <i>diazepam intensol</i> ..53 | | <i>docetaxel</i> | 29 | DULERA AER 100- 5MCG | 102 |
| <i>diazoxide</i> | 73 | DOCETAXEL | 29 | DULERA AER 200- 5MCG | 102 |
| <i>diclofenac potassium</i> | 12 | <i>docusate calcium</i> .. | 79 | DULERA AER 50- 5MCG | 102 |
| <i>diclofenac sodium</i> ..12 | | <i>docusate sodium</i> ... 79 | | <i>duloxetine hcl</i> | 47 |
| <i>diclofenac sodium</i> (ophth)..... | 94 | <i>dofetilide</i> | 41 | DUPIXENT | 85 |
| <i>diclofenac sodium</i> (topical)..... | 106 | <i>donepezil</i> <i>hydrochloride</i> | 46 | <i>dutasteride</i> | 82 |
| <i>dicloxacillin sodium</i> 25 | | DOPTELET..... | 84 | <i>dutasteride-</i> <i>tamsulosin hcl cap</i> 0.5-0.4 mg | 82 |
| <i>dicyclomine hcl</i> | 78 | <i>dorzolamide hcl</i> | 95 | E | |
| <i>diethylpropion hcl</i> ..65 | | <i>dorzolamide hcl-</i> <i>timolol maleate</i> <i>ophth soln 2-0.5%</i> | 95 | e.e.s. 400..... | 24 |
| DIFFERIN | 103 | <i>dotti</i> | 71 | ec-naproxen | 12 |
| DIFICID..... | 24 | DOVATO TAB 50- 300MG | 21 | econtra ez | 67 |
| <i>diflunisal</i> | 12 | <i>doxazosin mesylate</i> 38 | | econtra one-step ... | 67 |
| <i>digoxin</i> | 44 | <i>doxepin hcl</i> | 47 | ed chlorped jr | 98 |
| <i>dihydroergotamine</i> mesylate..... | 58 | <i>doxepin hcl (sleep)</i> 57 | | ed-apap | 10 |
| DILANTIN | 53 | <i>doxorubicin hcl</i> | 27 | EDURANT | 20 |
| DILANTIN INFATABS | 53 | | | efavirenz | 20 |
| DILANTIN-125 | 53 | | | | |
| <i>diltiazem hcl</i> | 43 | | | | |

| | | |
|-------------------------------|--------------------------------|--------------------------------|
| <i>efavirenz-</i> | <i>enalapril maleate &</i> | <i>EPCLUSA TAB 200-</i> |
| <i>emtricitabine-</i> | <i>hydrochlorothiazide</i> | <i>50MG</i> 22 |
| <i>tenofovir df tab</i> | <i>tab 10-25 mg.....</i> 38 | |
| <i>600-200-300 mg</i> 21 | | |
| <i>efavirenz-lamivudine-</i> | <i>enalapril maleate &</i> | <i>EPCLUSA TAB 400-</i> |
| <i>tenofovir df tab</i> | <i>hydrochlorothiazide</i> | <i>100</i> 22 |
| <i>400-300-300 mg</i> 21 | <i>tab 5-12.5 mg....</i> 37 | <i>EPIDIOLEX</i> 53 |
| <i>efavirenz-lamivudine-</i> | <i>ENBREL</i> 85 | <i>epinephrine</i> |
| <i>tenofovir df tab</i> | <i>ENBREL MINI.....</i> 85 | <i>(anaphylaxis)</i> 45, |
| <i>600-300-300 mg</i> 21 | <i>ENBREL SURECLICK</i> | <i>100</i> 100 |
| <i>ELIGARD</i> 28 | <i>.....</i> 85 | <i>epitol</i> 53 |
| <i>elinest.....</i> 68 | <i>ENDARI</i> 84 | <i>eplerenone</i> 38 |
| <i>ELIQUIS</i> 83 | <i>endocet tab 10-</i> | <i>EPRONTIA</i> 53 |
| <i>ELIQUIS STARTER</i> | <i>325mg</i> 14 | <i>ergocalciferol</i> 92 |
| <i>PACK</i> 83 | <i>endocet tab 2.5-</i> | <i>ergotamine w/</i> |
| <i>ELLENCE</i> 27 | <i>325mg</i> 14 | <i>caffeine tab 1-100</i> |
| <i>ELLUME COV19 KIT</i> | <i>endocet tab 5-325mg</i> | <i>mg</i> 58 |
| <i>HOME TES.....</i> 16 | <i>.....</i> 14 | <i>ERIVEDGE</i> 31 |
| <i>eluryng</i> 68 | <i>endocet tab 7.5-</i> | <i>ERLEADA.....</i> 28 |
| <i>EMSAM.....</i> 47 | <i>325mg</i> 14 | <i>erlotinib hcl</i> 31 |
| <i>emtricitabine.....</i> 20 | <i>enema ready-to-use</i> | <i>errin</i> 68 |
| <i>emtricitabine-</i> | <i>.....</i> 79 | <i>ertapenem sodium.</i> 16 |
| <i>tenofovir disoproxil</i> | <i>ENGERIX-B</i> 88 | <i>ery</i> 103 |
| <i>fumarate tab 100-</i> | <i>enilloring</i> 68 | <i>ery-tab.....</i> 24 |
| <i>150 mg.....</i> 21 | <i>ENLYTE CAP</i> 92 | <i>ERYTHROCIN</i> |
| <i>emtricitabine-</i> | <i>enoxaparin sodium</i> 83 | <i>LACTOBIONATE ..</i> 24 |
| <i>tenofovir disoproxil</i> | <i>enpresso-28</i> 68 | <i>erythrocin stearate</i> 24 |
| <i>fumarate tab 133-</i> | <i>enskyce</i> 68 | <i>erythromycin (acne</i> |
| <i>200 mg.....</i> 21 | <i>ENSTILAR AER.....</i> 105 | <i>aid)</i> 103 |
| <i>emtricitabine-</i> | <i>entacapone</i> 49 | <i>erythromycin (ophth)</i> |
| <i>tenofovir disoproxil</i> | <i>entecevir</i> 22 | <i>.....</i> 94 |
| <i>fumarate tab 167-</i> | <i>ENTRESTO TAB 24-</i> | <i>erythromycin base.</i> 24 |
| <i>250 mg.....</i> 21 | <i>26MG.....</i> 39 | <i>erythromycin</i> |
| <i>emtricitabine-</i> | <i>ENTRESTO TAB 49-</i> | <i>ethylsuccinate</i> 24 |
| <i>tenofovir disoproxil</i> | <i>51MG.....</i> 39 | <i>erythromycin</i> |
| <i>fumarate tab 200-</i> | <i>ENTRESTO TAB 97-</i> | <i>lactobionate</i> 24 |
| <i>300 mg.....</i> 21 | <i>103MG</i> 39 | <i>escitalopram oxalate</i> |
| <i>EMTRIVA</i> 20 | <i>enulose.....</i> 79 | <i>.....</i> 47 |
| <i>EMVERM</i> 16 | <i>EPCLUSA PAK 150-</i> | <i>esomeprazole</i> |
| <i>enalapril maleate...38</i> | <i>37.5</i> 22 | <i>magnesium</i> 81 |
| | <i>EPCLUSA PAK 200-</i> | <i>estarrylla</i> 68 |
| | <i>50MG.....</i> 22 | <i>estradiol</i> 72 |
| | | <i>estradiol &</i> |
| | | <i>norethindrone</i> |

acetate tab 0.5-0.1
mg 72
estradiol &
norethindrone
acetate tab 1-0.5
mg 72
estradiol vaginal 72
estradiol valerate... 72
eszopiclone 57
ethambutol hcl 22
ethosuximide 53
ethynodiol diacetate
& *ethinyl estradiol*
tab 1 mg-35 mcg 68
ethynodiol diacetate
& *ethinyl estradiol*
tab 1 mg-50 mcg 68
etodolac 12
etonogestrel-ethinyl
estradiol va ring
0.12-0.015
mg/24hr 68
etoposide 29
etravirine 20
EULEXIN 28
euthyrox 75
everolimus..... 31
everolimus
(immunosuppressan
t) 88
EVOTAZ TAB 300-150
..... 21
exemestane 28
EXKIVITY 31
eye itch relief 95
EYSUVIS 94
ezetimibe 42
ezetimibe-simvastatin
tab 10-10 mg 42
ezetimibe-simvastatin
tab 10-20 mg 42

ezetimibe-simvastatin
tab 10-40 mg..... 42
ezetimibe-simvastatin
tab 10-80 mg..... 42
F
FABRAZYME 73
falmina 68
famciclovir 22
famotidine 78
famotidine in nacl
0.9% iv soln 20
mg/50ml 78
famotidine maximum
streng 78
famotidine original
stren..... 78
FANAPT 50
FANAPT PAK 50
FARXIGA..... 62
FASENRA 100
FASENRA PEN..... 100
felbamate 53
felodipine 43
fenofibrate 41
fenofibrate
micronized..... 41
fentanyl 14
fentanyl citrate 14
FETZIMA 47
FETZIMA CAP
TITRATIO 47
feverall adults..... 10
feverall childrens... 10
FEVERALL INFANTS 10
FEVERALL JUNIOR
STRENGTH 10
fexofenadine hcl ... 98
FIASP 64
FIASP FLEXTOUCH 64
FIASP PENFILL..... 64
FIASP PUMPCART.. 64

finasteride 82
fingolimod hcl 59
FINTEPLA 53
finzala 68
FIRMAGON 28
FIRST AID
ANTISEPTIC OINT
..... 106
flac 96
FLAREX 94
FLEBOGAMMA DIF . 87
flecainide acetate .. 41
FLEET ENE 79
FLEET ENE PED 79
FLORIVA CHW
0.25MG 92
FLORIVA CHW 0.5MG
..... 92
FLORIVA CHW 1MG 92
FLOWFLEX KIT TEST
..... 16
fluconazole 18
fluconazole in nacl
0.9% inj 200
mg/100ml 18
fluconazole in nacl
0.9% inj 400
mg/200ml 19
flucytosine 19
fludrocortisone
acetate 72
flunisolide (nasal) 101
fluocinolone acetonide
..... 105
fluocinolone acetonide
(otic) 96
fluocinonide 105
fluocinonide
emulsified base. 105
fluorometholone
(ophth) 95
fluorouracil 27

| | | |
|---------------------------------|--------------------------------|---------------------------------|
| <i>fluorouracil (topical)</i> | FREESTY LIBR MIS 2 | <i>gemcitabine hcl</i> |
| 106 | READER 108 | <i>gemfibrozil</i> 41 |
| <i>fluoxetine hcl</i> 47 | FREESTY LIBR MIS 3 | GEMTESA 82 |
| <i>fluphenazine</i> | READER 108 | <i>generlac</i> 79 |
| <i>decanoate</i> 50 | FREESTYLE KIT | <i>genograf</i> 88 |
| <i>fluphenazine hcl</i> 50 | SENSOR 108 | GENOTROPIN 73 |
| <i>flurbiprofen</i> 12 | FREESTYLE MIS | GENOTROPIN |
| <i>flurbiprofen sodium</i> 95 | READER 108 | <i>MINIQUICK</i> 73 |
| <i>fluticasone propionate</i> | FRUZAQLA 31 | <i>gentamicin in saline</i> |
| 105 | <i>fulvestrant</i> 28 | <i>inj 0.8 mg/ml</i> 16 |
| <i>fluticasone propionate</i> | FUNGOID TINCTURE | <i>gentamicin in saline</i> |
| (<i>nasal</i>) 101 | 104 | <i>inj 1 mg/ml</i> 17 |
| <i>fluticasone-salmeterol</i> | <i>furosemide</i> 44 | <i>gentamicin in saline</i> |
| <i>aer powder ba 100-</i> | <i>furosemide inj</i> 44 | <i>inj 1.2 mg/ml</i> 17 |
| <i>50 mcg/act</i> 102 | FUZEON 20 | <i>gentamicin in saline</i> |
| <i>fluticasone-salmeterol</i> | <i>fyavolv tab 0.5mg-</i> | <i>inj 1.6 mg/ml</i> 17 |
| <i>aer powder ba 250-</i> | <i>2.5mcg</i> 72 | <i>gentamicin in saline</i> |
| <i>50 mcg/act</i> 102 | <i>fyavolv tab 1mg-</i> | <i>inj 2 mg/ml</i> 17 |
| <i>fluticasone-salmeterol</i> | <i>5mcg</i> 72 | <i>gentamicin sulfate</i> . 17 |
| <i>aer powder ba 500-</i> | FYCOMPA 53 | <i>gentamicin sulfate</i> |
| <i>50 mcg/act</i> 102 | | (<i>ophth</i>) 94 |
| <i>fluvoxamine maleate</i> | | <i>gentamicin sulfate</i> |
| 46 | | (<i>topical</i>) 103 |
| <i>folic acid</i> 92 | | GENTEAL SEVERE |
| <i>FOLTRATE TAB</i> 92 | | TEARS 96 |
| <i>fondaparinux sodium</i> | | <i>genteal tears night-</i> |
| 83 | | <i>time</i> 96 |
| <i>fosamprenavir</i> | | <i>gentle laxative</i> 79 |
| <i>calcium</i> 20 | GAMMAGARD S/D | GENVOYA TAB..... 21 |
| <i>fosinopril sodium</i> ... 38 | IGA LESS TH..... 87 | GILOTrif 31 |
| <i>fosinopril sodium &</i> | GAMMAKED 87 | <i>glatiramer acetate</i> . 59 |
| <i>hydrochlorothiazide</i> | GAMMAPLEX 87 | <i>glatopa</i> 59 |
| <i>tab 10-12.5 mg</i> .. 38 | GAMUNEX-C 87 | GLEOSTINE.... 26, 27 |
| <i>fosinopril sodium &</i> | <i>ganciclovir sodium</i> 22 | <i>glimepiride</i> 62 |
| <i>hydrochlorothiazide</i> | GARDASIL 9 INJ ... 88 | <i>glipizide</i> 62 |
| <i>tab 20-12.5 mg</i> .. 38 | <i>gatifloxacin (ophth)</i> 94 | <i>glipizide xl</i> 62 |
| <i>FOTIVDA</i> 31 | GATTEX 80 | <i>glipizide-metformin</i> |
| <i>FREESTY LIBR KIT 2</i> | GAUZE PADS 2 64 | <i>hcl tab 2.5-250 mg</i> |
| <i>SENSOR</i> 108 | <i>gavilyte-c</i> 79 | 62 |
| <i>FREESTY LIBR KIT 3</i> | <i>gavilyte-g</i> 79 | <i>glipizide-metformin</i> |
| <i>SENSOR</i> 108 | GAVRETO 31 | <i>hcl tab 2.5-500 mg</i> |
| | <i>gefitinib</i> 31 | 62 |

| | |
|--------------------------------|------|
| <i>glipizide-metformin</i> | |
| <i>hcl tab 5-500 mg</i> | 62 |
| <i>glycopyrrolate</i> | 78 |
| <i>glydo</i> | 106 |
| <i>GLYXAMBI TAB</i> | 10-5 |
| <i>MG</i> | 62 |
| <i>GLYXAMBI TAB</i> | 25-5 |
| <i>MG</i> | 62 |
| <i>gnp 8 hour arthritis</i> | |
| <i>reli</i> | 10 |
| <i>gnp 8 hour pain relief</i> | |
| | 10 |
| <i>gnp 8 hour pain</i> | |
| <i>reliever</i> | 10 |
| <i>gnp acetaminophen</i> | 10 |
| <i>gnp acid reducer</i> | 78 |
| <i>gnp acid reducer</i> | |
| <i>maximum</i> | 78 |
| <i>gnp adult aspirin low</i> | |
| <i>str</i> | 10 |
| <i>gnp all day allergy</i> | .98 |
| <i>gnp all day allergy</i> | |
| <i>child</i> | 98 |
| <i>gnp allergy</i> | 98 |
| <i>gnp allergy relief</i> | 98 |
| <i>gnp allergy relief</i> | |
| <i>maximu</i> | 98 |
| <i>gnp antacid</i> | |
| <i>and anti-gas/</i> | 76 |
| <i>gnp antacid & anti-</i> | |
| <i>gas/re</i> | 76 |
| <i>gnp antacid anti-</i> | |
| <i>gas/maxi</i> | 76 |
| <i>gnp antacid extra</i> | |
| <i>strengt</i> | 76 |
| <i>gnp antacid/regular</i> | |
| <i>stren</i> | 76 |
| <i>gnp anti-diarrheal</i> | .77 |
| <i>gnp artificial tears</i> | .96 |
| <i>gnp aspirin</i> | 10 |
| <i>gnp aspirin low dose</i> | |
| | 10 |
| <i>gnp athletes foot..</i> | 104 |
| <i>gnp budesonide nasal</i> | |
| <i>spra</i> | 101 |
| <i>gnp childrens allergy</i> | |
| | 98 |
| <i>gnp childrens</i> | |
| <i>ibuprofen</i> | 12 |
| <i>gnp clearlax</i> | 79 |
| <i>gnp clotrimazole 3</i> | 82 |
| <i>gnp fiber powder...</i> | 79 |
| <i>gnp gentle laxative</i> | 79 |
| <i>gnp hydrocortisone</i> | |
| | 105 |
| <i>gnp hydrocortisone</i> | |
| <i>maximu</i> | 105 |
| <i>gnp hydrocortisone</i> | |
| <i>plus</i> | 105 |
| <i>gnp</i> | |
| <i>hydrocortisone/aloe</i> | |
| | 105 |
| <i>gnp ibuprofen</i> | 12 |
| <i>gnp ibuprofen</i> | |
| <i>childrens</i> | 12 |
| <i>gnp ibuprofen infants</i> | |
| | 12 |
| <i>gnp infants pain/fever</i> | |
| | 11 |
| <i>gnp lice treatment</i> | 107 |
| <i>gnp loperamide</i> | |
| <i>hydrochlor</i> | 77 |
| <i>gnp loratadine</i> | 98 |
| <i>gnp loratadine</i> | |
| <i>childrens</i> | 98 |
| <i>gnp lubricating plus</i> | |
| <i>eye</i> | 96 |
| <i>gnp miconazole 1</i> | |
| <i>combinat</i> | 82 |
| <i>gnp miconazole 3..</i> | 82 |
| <i>gnp miconazole 7..</i> | 82 |
| <i>gnp naproxen</i> | 12 |
| <i>gnp naproxen sodium</i> | |
| | 12 |
| <i>gnp nicotine gum ..</i> | 60 |
| <i>gnp nicotine mini</i> | |
| <i>lozenge</i> | 60 |
| <i>gnp nicotine</i> | |
| <i>polacrilex</i> | 60 |
| <i>gnp nicotine</i> | |
| <i>polacrilex m</i> | 60 |
| <i>gnp nicotine</i> | |
| <i>transdermal</i> | 60 |
| <i>gnp omeprazole</i> | .81 |
| <i>gnp pain & fever</i> | |
| <i>children</i> | 11 |
| <i>gnp pain relief.....</i> | 11 |
| <i>gnp pain relief extra</i> | |
| <i>str</i> | 11 |
| <i>gnp pink bismuth ..</i> | 77 |
| <i>gnp stomach relief.</i> | 77 |
| <i>gnp stool softener .</i> | 79 |
| <i>gnp tolnaftate ..</i> | 104 |
| <i>gnp triple antibiotic</i> | |
| | 103 |
| <i>gnp womens gentle</i> | |
| <i>laxativ</i> | 80 |
| <i>goodsense all day</i> | |
| <i>allergy</i> | .98 |
| <i>goodsense aller-ease</i> | |
| | 98 |
| <i>goodsense allergy</i> | |
| <i>relief</i> | .98 |
| <i>goodsense anti-</i> | |
| <i>diarrheal</i> | .77 |
| <i>goodsense arthritis</i> | |
| <i>pain</i> | 11 |
| <i>goodsense aspirin..</i> | 11 |
| <i>goodsense aspirin</i> | |
| <i>adults</i> | 11 |
| <i>goodsense first aid</i> | |
| <i>antib</i> | 103 |
| <i>goodsense ibuprofen</i> | |
| | 13 |
| <i>goodsense ibuprofen</i> | |
| <i>child</i> | 13 |

| | | | | | |
|--------------------------------------|--------|----------------------------------|----|----------------------------------|-----|
| <i>goodsense ibuprofen infan</i> | 13 | <i>haloette</i> | 68 | <i>hm all day allergy childr</i> | 98 |
| <i>goodsense lansoprazole</i> | 81 | <i>haloperidol</i> | 50 | <i>hm allergy relief</i> | 98 |
| <i>goodsense lice killing cr</i> | 107 | <i>haloperidol decanoate</i> | 50 | <i>hm allergy relief nasal s</i> | 101 |
| <i>goodsense lubricating plu</i> | 96 | <i>haloperidol lactate</i> | 50 | <i>hm antacid</i> | 76 |
| <i>goodsense naproxen sodium</i> | 13 | HARVONI PAK 33.75-150MG | 22 | <i>hm antacid anti-gas extra</i> | 76 |
| <i>goodsense nicotine</i> | 60 | HARVONI PAK 45-200MG | 22 | <i>hm antacid extra strength</i> | 76 |
| <i>goodsense nicotine gum</i> | 60 | HARVONI TAB 45-200MG | 22 | <i>hm aspirin</i> | 11 |
| <i>goodsense nicotine polacr</i> | 61 | HARVONI TAB 90-400MG | 22 | <i>hm aspirin ec low dose</i> | 11 |
| <i>goodsense pain & fever ch</i> | 11 | HAVRIX | 88 | <i>hm cetirizine hydrochlori</i> | 98 |
| <i>goodsense pain & fever in</i> | 11 | <i>healthylax</i> | 80 | <i>hm dual action complete</i> | 80 |
| <i>goodsense pain relief ext</i> | 11 | <i>heartburn relief</i> | 78 | <i>hm enema saline laxative</i> | 80 |
| <i>granisetron hcl</i> | 77, 78 | <i>heartburn relief extra st</i> | 76 | <i>hm gentle laxative</i> | 80 |
| <i>griseofulvin microsize</i> | 19 | <i>heartburn relief maximum</i> | 79 | <i>hm hydrocortisone plus</i> | 105 |
| <i>griseofulvin ultramicrosize</i> | 19 | <i>heather</i> | 68 | <i>hm hydrocortisone/aloem</i> | 105 |
| <i>guanfacine hcl</i> | 45 | HEP SOD/D5W INJ 20000UNT | 83 | <i>hm ibuprofen</i> | 13 |
| <i>guanfacine hcl (adhd)</i> | 57 | HEP SOD/D5W INJ 25000UNT | 83 | <i>hm ibuprofen childrens</i> | 13 |
| GVOKE HYPOPEN 2-PACK | 73 | HEP SOD/NACL INJ 12500UNT | 83 | <i>hm laxative</i> | 80 |
| GVOKE KIT | 73 | HEP SOD/NACL INJ 25000UNT | 83 | <i>hm loratadine</i> | 98 |
| GVOKE PFS | 73 | <i>heparin sodium (porcine)</i> | 83 | <i>hm naproxen sodium</i> | 13 |
| H | | HEPARIN/NACL INJ 25000UNT | 83 | <i>hm nicotine polacrilex</i> | 61 |
| HAEGARDA | 84 | HEPLISAV-B | 88 | <i>hm nicotine transdermal s</i> | 61 |
| <i>hailey 1.5/30</i> | 68 | HERCEPTIN | 31 | <i>hm omeprazole</i> | 81 |
| <i>hailey 24 fe</i> | 68 | HERZUMA | 31 | <i>hm pain reliever</i> | 11 |
| <i>halobetasol propionate</i> | 105 | HIBERIX | 88 | <i>hm stool softener</i> | 80 |
| 122 | | HISTEX | 98 | <i>hm triple antibiotic</i> | 103 |
| | | HISTEX PD | 98 | <i>HUMIRA</i> | 85 |
| | | <i>hm adult aspirin</i> | 11 | | |

| | | |
|-------------------------------|-----------------------------|------------------------------|
| HUMIRA PEDIA INJ | <i>hydrocortisone</i> | IHEALTH 40PK KIT |
| CROHNS | (rectal) | COVID-19 |
| HUMIRA PEDIATRIC | <i>hydrocortisone</i> | IHEALTH 5-PK KIT |
| CROHNS D | (topical) | COVID-19 |
| HUMIRA PEN | <i>hydrocortisone</i> | <i>imatinib mesylate</i> .. |
| HUMIRA PEN KIT | <i>maximum st</i> | IMBRUVICA |
| PS/UV..... | <i>hydrocortisone/aloe</i> | IMCIVREE |
| HUMIRA PEN- | <i>maxim</i> | <i>imipenem-cilastatin</i> |
| CD/UC/HS START | <i>hydromorphone hcl</i> 15 | <i>intravenous for soln</i> |
| HUMIRA PEN- | <i>hydroxocobalamin</i> | 250 mg..... |
| PEDIATRIC UC S . | <i>acetate</i> | <i>imipenem-cilastatin</i> |
| HUMIRA PEN-PS/UV | <i>hydroxychloroquine</i> | <i>intravenous for soln</i> |
| STARTER | <i>sulfate</i> | 500 mg..... |
| HUMULIN R U-500 | <i>hydroxyurea</i> | <i>imipramine hcl</i> .. |
| (CONCENTR | <i>hydroxyzine hcl</i> | <i>imiquimod</i> |
| HUMULIN R U-500 | <i>hydroxyzine pamoate</i> | IMOVAX RABIES |
| KWIKPEN | | (H.D.C.V.)..... |
| <i>hydralazine hcl</i> | HYSINGLA ER | INBRIJA |
| <i>hydrochlorothiazide</i> 44 | 14 | <i>incassia</i> |
| <i>hydrocodone</i> | | INCRELEX |
| <i>bitartrate</i> | | INCRUSE ELLIPTA.. |
| <i>hydrocodone-</i> | | <i>indapamide</i> |
| <i>acetaminophen soln</i> | | INDICAID KIT COVID- |
| 7.5-325 mg/15ml | | 19..... |
| <i>hydrocodone-</i> | | INFANRIX INJ |
| <i>acetaminophen tab</i> | | <i>infants ibuprofen</i> ... |
| 10-325 mg | | INFLIXIMAB |
| <i>hydrocodone-</i> | | INFUVITE INJ |
| <i>acetaminophen tab</i> | | INFUVITE INJ ADULT |
| 5-325 mg..... | | |
| <i>hydrocodone-</i> | | INFUVITE INJ |
| <i>acetaminophen tab</i> | | PEDIATRI..... |
| 7.5-325 mg | | INLYTA |
| <i>hydrocodone-</i> | | INQOVI TAB 35- |
| <i>ibuprofen tab 7.5-</i> | | 100MG |
| 200 mg..... | | INREBIC |
| <i>hydrocortisone</i> | IDACIO CROHN INJ | INSULIN PEN |
| HYDROCORTISONE | DISEASE | NEEDLES: |
| | IDACIO PLAQU INJ | BD/NOVO..... |
| <i>hydrocortisone</i> | PSORIASIS | INSULIN SAFETY |
| (<i>intrarectal</i>) | IDHIFA | NEEDLES |
| | IHEALTH 2-PK KIT | 64 |
| | COVID-19..... | |

| | | | | |
|--------------------------------|---------------|------------------------------|-------------------------------|-----|
| INSULIN SYRINGES: | IWILFIN | 29 | JYNNEOS | 88 |
| BD | 64 | | | |
| INTELENCE | 20 | | | |
| INTELISWAB KIT | | J | | |
| COVID-19 | 17 | | KADCYLA..... | 32 |
| INTRALIPID | 92 | JAKAFI..... | kaitlib fe | 68 |
| <i>introvale</i> | 68 | jantoven | KALYDECO..... | 100 |
| INVEGA HAFYERA .. | 50 | JANUMET TAB 50- | KANJINTI | 32 |
| INVEGA SUSTENNA 50 | | 1000..... | <i>kariva</i> | 68 |
| INVEGA TRINZA | 50 | JANUMET TAB 50- | <i>kcl 10 meq/l</i> | |
| IPOL INJ INACTIVE | 88 | 500MG | (0.075%) <i>in</i> | |
| <i>ipratropium bromide</i> | | JANUMET XR TAB | <i>dextrose 5% & nacl</i> | |
| | 97 | 100-1000 | 0.45% <i>inj</i> | 90 |
| <i>ipratropium bromide</i> | | JANUMET XR TAB 50- | <i>kcl 20 meq/l</i> | |
| (nasal) | 97 | 1000..... | (0.149%) <i>in nacl</i> | |
| <i>ipratropium-albuterol</i> | | JANUMET XR TAB 50- | 0.45% <i>inj</i> | 90 |
| <i>nebu soln 0.5-</i> | | 500MG | <i>kcl 20 meq/l (0.15%)</i> | |
| <i>2.5(3) mg/3ml</i> | 97 | JANUVIA | <i>in dextrose 5% &</i> | |
| <i>irbesartan</i> | 40 | JARDIANC..... | <i>nacl 0.2% inj</i> | 90 |
| <i>irbesartan-</i> | | <i>jasmiel</i> | <i>kcl 20 meq/l (0.15%)</i> | |
| <i>hydrochlorothiazide</i> | | <i>javygtor</i> | <i>in dextrose 5% &</i> | |
| <i>tab 150-12.5 mg.</i> 39 | | JAYPIRCA..... | <i>nacl 0.45% inj</i> | 90 |
| <i>irbesartan-</i> | | JENTADUETO TAB | <i>kcl 20 meq/l (0.15%)</i> | |
| <i>hydrochlorothiazide</i> | | 2.5-1000..... | <i>in dextrose 5% &</i> | |
| <i>tab 300-12.5 mg.</i> 39 | | JENTADUETO TAB | <i>nacl 0.9% inj</i> | 90 |
| <i>irinotecan hcl</i> | 29 | 2.5-500..... | <i>kcl 20 meq/l (0.15%)</i> | |
| ISENTRESS..... | 20 | JENTADUETO TAB | <i>in nacl 0.45% inj</i> 90 | |
| ISENTRESS HD..... | 20 | 2.5-850..... | <i>kcl 20 meq/l (0.15%)</i> | |
| <i>isibloom</i> | 68 | JENTADUETO TAB XR | <i>in nacl 0.9% inj</i> ..90 | |
| ISOLYTE-P INJ /D5W | | 2.5-1000MG | <i>kcl 30 meq/l</i> | |
| | 90 | JENTADUETO TAB XR | (0.224%) <i>in</i> | |
| ISOLYTE-S INJ | 90 | 5-1000MG | <i>dextrose 5% & nacl</i> | |
| ISOLYTE-S INJ PH 7.4 | | <i>jinteli</i> | 0.45% <i>inj</i> | 90 |
| | 90 | <i>jolessa</i> | <i>kcl 40 meq/l (0.3%)</i> | |
| <i>isoniazid</i> | 22 | <i>juleber</i> | <i>in dextrose 5% &</i> | |
| <i>isosorbide dinitrate</i> 45 | | JULUCA TAB 50-25MG | <i>nacl 0.45% inj</i> | 90 |
| <i>isosorbide</i> | | | <i>kcl 40 meq/l (0.3%)</i> | |
| <i>mononitrate</i> | 45 | 21 | <i>in dextrose 5% &</i> | |
| <i>isotretinooin</i> | 103 | <i>junel 1.5/30</i> | <i>nacl 0.9% inj</i> | 90 |
| <i>isradipine</i> | 43 | <i>junel 1/20</i> | <i>kcl 40 meq/l (0.3%)</i> | |
| <i>itraconazole</i> | 19 | <i>junel fe 1.5/30</i> | <i>in nacl 0.9% inj</i> ..90 | |
| <i>ivermectin</i> | 17 | <i>junel fe 1/20</i> | KCL/D5W/NACL INJ | |
| | | <i>junel fe 24</i> | 0.3/0.9% | 90 |

| | | | | | |
|---------------------------------------------------|-----|----------------------------------------------------|-----|---------------------------------------------------------------------|-----|
| <i>kelnor</i> 1/35..... | 68 | <i>lactated ringer's solution</i> | 90 | <i>LENVIMA CAP</i> 18 MG | 33 |
| <i>kelnor</i> 1/50..... | 68 | <i>lactic acid</i> (ammonium lactate) | 106 | <i>LENVIMA CAP</i> 24 MG | 33 |
| KERENDIA | 38 | <i>lactulose</i> | 80 | <i>lessina</i> | 68 |
| KESIMPTA | 59 | <i>lactulose</i> (encephalopathy) | 80 | <i>letrozole</i> | 28 |
| <i>ketoconazole</i> | 19 | <i>lamivudine</i> | 20 | <i>leucovorin calcium</i> .. | 37 |
| <i>ketoconazole</i> (topical) | 104 | <i>lamivudine</i> (hbv) .. | 22 | LEUKERAN | 27 |
| <i>ketorolac</i> <i>tromethamine</i> (ophth)..... | 95 | <i>lamivudine-</i> zidovudine tab 150-300 mg | 21 | <i>leuprolide acetate</i> .. | 28 |
| <i>ketotifen fumarate</i> (ophth)..... | 95 | <i>lamotrigine</i> | 54 | <i>levalbuterol hcl</i> ... | 100 |
| KEVZARA..... | 86 | <i>lansoprazole</i> | 81 | <i>levalbuterol tartrate</i> | 100 |
| KEYTRUDA..... | 32 | <i>lanthanum carbonate</i> | 74 | <i>levetiracetam</i> | 54 |
| KINRIX INJ | 89 | LANTUS | 64 | <i>levetiracetam in</i> sodium chloride iv soln 1000 mg/100ml | 54 |
| KISQALI 200 DOSE | 32 | LANTUS SOLOSTAR64 | | <i>levetiracetam in</i> sodium chloride iv soln 1500 mg/100ml | 54 |
| KISQALI 200 PAK FEMARA..... | 29 | <i>lapatinib ditosylate</i> | 32 | <i>levetiracetam in</i> sodium chloride iv soln 500 mg/100ml | 54 |
| KISQALI 400 DOSE | 32 | <i>larin</i> 1.5/30 | 68 | <i>levobunolol hcl</i> | 95 |
| KISQALI 400 PAK FEMARA..... | 29 | <i>larin</i> 1/20 | 68 | <i>levocarnitine</i> (metabolic modifiers) | 74 |
| KISQALI 600 DOSE | 32 | <i>larin</i> 24 fe | 68 | <i>levocetirizine</i> dihydrochloride | 99 |
| KISQALI 600 PAK FEMARA..... | 29 | <i>larin</i> fe 1.5/30 | 68 | <i>levofloxacin</i> | 24 |
| <i>klayesta</i> | 104 | <i>larin</i> fe 1/20 | 68 | <i>levofloxacin in</i> d5w iv soln 250 mg/50ml | 24 |
| <i>klor-con</i> | 91 | <i>latanoprost</i> | 95 | <i>levofloxacin in</i> d5w iv soln 500 mg/100ml | 24 |
| <i>klor-con</i> 10 | 91 | <i>layolis</i> fe | 68 | <i>levonest</i> | 68 |
| <i>klor-con</i> 8 | 91 | <i>leena</i> | 68 | | |
| <i>klor-con</i> m10 | 91 | <i>leflunomide</i> | 86 | | |
| <i>klor-con</i> m15 | 91 | <i>lenalidomide</i> | 28 | | |
| <i>klor-con</i> m20 | 91 | LENVIMA 10 MG DAILY DOSE | 33 | | |
| KORLYM | 73 | LENVIMA 12MG DAILY DOSE | 33 | | |
| KOSELUGO | 32 | LENVIMA 20 MG DAILY DOSE | 33 | | |
| <i>kourzeq</i> | 107 | LENVIMA 4 MG DAILY DOSE | 33 | | |
| K-PHOS | 92 | LENVIMA 8 MG DAILY DOSE | 33 | | |
| KRAZATI | 32 | LENVIMA CAP 14 MG | 33 | | |
| <i>kurvelo</i> | 68 | | | | |
| L | | | | | |
| <i>labetalol hcl</i> | 43 | | | | |
| <i>lacosamide</i> | 53 | | | | |
| <i>lacosamide oral</i> | 53 | | | | |

| | | |
|------------------------------------------------------------------|-----------------------------------------------------------------------|-----|
| <i>levonor-eth est tab</i> | <i>lidocaine hcl (local anesth.)</i> | 15 |
| 0.15- | | |
| 0.02/0.025/0.03 mg | | |
| ð est 0.01 mg | | |
| 69 | | |
| <i>levonorgestrel & ethinyl estradiol (91-day) tab</i> 0.15- | <i>lidocaine hcl (mouth-throat)</i> | 108 |
| 0.03 mg..... | | |
| 69 | | |
| <i>levonorgestrel & ethinyl estradiol tab</i> | <i>lidocaine-prilocaine cream</i> 2.5-2.5% | 106 |
| 0.1 mg-20 mcg...69 | | |
| <i>levonorgestrel & ethinyl estradiol tab</i> | <i>lidocan</i> | 106 |
| 0.15 mg-30 mcg .69 | | |
| <i>levonorgestrel (emergency oc)</i> ..69 | <i>linezolid</i> | 17 |
| <i>levonorgestrel-eth estra tab</i> 0.05- | LINEZOLID INJ | |
| 30/0.075-40/0.125- | 2MG/ML | 17 |
| 30mg-mcg | <i>LINZESS</i> | 80 |
| <i>levonorg-eth est tab</i> | <i>liothyronine sodium</i> 75 | |
| 0.1-0.02mg(84) & | | |
| <i>eth est tab</i> | <i>lisinopril</i> | 38 |
| 0.01mg(7) | <i>lisinopril &</i> | |
| 69 | <i>hydrochlorothiazide tab</i> 10-12.5 mg.. | 38 |
| <i>levonorg-eth est tab</i> | <i>hydrochlorothiazide tab</i> 20-12.5 mg.. | 38 |
| 0.15-0.03mg(84) & | <i>lisinopril &</i> | |
| <i>eth est tab</i> | <i>hydrochlorothiazide tab</i> 20-25 mg..... | 38 |
| 0.01mg(7) | <i>lithium</i> | 58 |
| 69 | <i>lithium carbonate</i> .. | 58 |
| <i>levora 0.15/30-28 .69</i> | <i>loestrin 1.5/30-21 .69</i> | |
| <i>levo-t</i> | <i>loestrin 1/20-21....69</i> | |
| <i>levothyroxine sodium</i> | <i>loestrin fe 1.5/30 ..69</i> | |
| 75 | <i>loestrin fe 1/20....69</i> | |
| <i>levoxyl</i> | <i>LOKELMA</i> | 66 |
| <i>LEXIVA</i> | <i>LOMAIRA</i> | 65 |
| <i>lice killing maximum stre</i> | LONSURF TAB 15- | |
| 107 | 6.14 | 27 |
| <i>lice killing shampoo</i> | LONSURF TAB 20- | |
| 107 | 8.19 | 27 |
| <i>lice treatment creme rins</i> | <i>loperamide hcl</i> .77, 80 | |
| 107 | <i>lopinavir-ritonavir soln</i> 400-100 | |
| | <i>mg/5ml (80-20 mg/ml)</i> | 21 |
| | <i>lopinavir-ritonavir tab</i> | |
| | 100-25 mg | 21 |
| | <i>lopinavir-ritonavir tab</i> | |
| | 200-50 mg..... | 21 |
| | <i>loratadine</i> | 99 |
| | <i>loratadine childrens</i> 99 | |
| | <i>lorazepam</i> | 46 |
| | <i>lorazepam intensol</i> 46 | |
| | <i>LORBRENA</i> | 33 |
| | <i>loryna</i> | 69 |
| | <i>losartan potassium</i> 40 | |
| | <i>losartan potassium & hydrochlorothiazide tab</i> 100-12.5 mg | 39 |
| | <i>losartan potassium & hydrochlorothiazide tab</i> 100-25 mg ... | 39 |
| | <i>losartan potassium & hydrochlorothiazide tab</i> 50-12.5 mg .. | 39 |
| | <i>LOTEMAX</i> | 95 |
| | <i>loteprednol etabonate</i> | 95 |
| | <i>lovastatin</i> | 41 |
| | <i>low-ogestrel</i> | 69 |
| | <i>loxapine succinate</i> .50 | |
| | <i>lubricant eye drops</i> 96 | |
| | <i>lubricant eye nighttime</i> | 96 |
| | <i>lubricating plus eye drop</i> | 96 |
| | <i>lubrifresh p.m.</i> | 96 |
| | LUCIRA CHECK KIT | |
| | COVID-19 | 17 |
| | <i>LUMAKRAS</i> | 33 |
| | <i>LUMIGAN</i> | 95 |
| | <i>LUMIZYME</i> | 74 |
| | <i>LUPRON DEPOT (1-MONTH)</i> | 28 |
| | <i>LUPRON DEPOT (3-MONTH)</i> | 28 |
| | <i>LUPRON DEPOT-PED (1-MONTH)</i> | 74 |

LUPRON DEPOT-PED
(3-MONTH).....74
LUPRON DEPOT-PED
(6-MONTH).....74
lurasidone hcl50
lutera69
lyleq69
lyllana72
LYNPARZA33
LYSODREN.....28
LYTGOBI (12 MG
DAILY DOSE).....33
LYTGOBI (16 MG
DAILY DOSE).....33
LYTGOBI (20 MG
DAILY DOSE).....33
lyza69

M

MAG-AL LIQ76
mag-al plus76
mag-al plus xs76
magnesium oxide ..76
magnesium sulfate 90
MAGNESIUM SULFATE
.....90
magnesium sulfate in
dextrose 5% iv soln
1 gm/100ml90
malathion107
manganese chloride
.....92
mapap11
mapap arthritis pain
.....11
mapap childrens....11
maraviroc.....20
marlissa69
MARPLAN47
MATULANE.....29
MAVYRET PAK 50-
20MG22

MAVYRET TAB 100-
40MG.....22
m-dryl99
meclizine hcl78
medroxyprogesterone
acetate75
medroxyprogesterone
acetate
(contraceptive) .. 69
mefloquine hcl..... 19
megestrol acetate 28,
75
megestrol acetate
(appetite) 75
MEKINIST33
MEKTOVI33
meloxicam13
memantine hcl..... 46
memantine hcl tab 28
x 5 mg & 21 x 10
mg titration pack 46
MENACTRA INJ89
MENQUADFI INJ.... 89
MENVEO INJ..... 89
MENVEO SOL..... 89
mercaptopurine 27
meropenem..... 17
mesalamine..... 79
mesalamine w/
cleanser 79
MESNEX..... 37
metformin hcl..... 62
methadone hcl..... 14
methadone
hydrochloride i ... 14
methazolamide 44
methenamine
hippurate 17
methimazole 75
methocarbamol 59, 60
methotrexate sodium
.....27, 86

methsuximide 54
methylphenidate hcl
.....57
methylprednisolone 72
methylprednisolone
acetate72
methylprednisolone
sod succ72
methyltestosterone 61
metoclopramide hcl 78
metolazone.....44
metoprolol &
hydrochlorothiazide
tab 100-25 mg ...42
metoprolol &
hydrochlorothiazide
tab 100-50 mg ...42
metoprolol &
hydrochlorothiazide
tab 50-25 mg42
metoprolol succinate
.....43
metoprolol tartrate 43
metronidazole17
metronidazole
(topical)..... 107
metronidazole vaginal
.....82
metyrosine45
MG SO4/D5W INJ
10MG/ML90
mibelas 24 fe69
micafungin sodium 19
miconazole 3
combination82
miconazole 3 combo
pack.....82
miconazole 783
miconazole nitrate
(topical)..... 104
miconazole nitrate
vaginal83

| | | | |
|---------------------------------|-----|--------------------------------|---------------------------------|
| <i>micotrin ac</i> | 104 | <i>moxifloxacin hcl</i> | NAMZARIC CAP 14- |
| <i>microgestin 1.5/30</i> 69 | | <i>(ophth)</i> | 10MG 46 |
| <i>microgestin 1/20</i> ... 69 | | <i>moxifloxacin hcl 400</i> | NAMZARIC CAP 21- |
| <i>microgestin 24 fe</i> ... 69 | | <i>mg/250ml in</i> | 10MG 46 |
| <i>microgestin fe 1.5/30</i> | 69 | <i>sodium chloride</i> | NAMZARIC CAP 28- |
| | | <i>0.8% inj</i> 24 | 10MG 46 |
| <i>microgestin fe 1/20</i> 69 | | <i>m-pap</i> | NAMZARIC CAP 7- |
| <i>midodrine hcl</i> | 45 | <i>MULTAQ</i> 41 | 10MG 46 |
| <i>MIEBO</i> | 96 | <i>multiple electrolytes</i> | NAMZARIC CAP PACK |
| <i>mifepristone</i> | | <i>ph 5.5</i> 90 | 46 |
| (<i>hyperglycemia</i>) .74 | | <i>multiple electrolytes</i> | <i>naproxen</i> 13 |
| <i>miglustat</i> 74 | | <i>ph 7.4</i> 90 | <i>naproxen sodium</i> ... 13 |
| <i>mil</i> | 69 | <i>multi-vit/iron/fluoride</i> | <i>naratriptan hcl</i> 58 |
| <i>mimvey</i> 72 | | 92 | NASCOBAL |
| <i>minocycline hcl</i> 26 | | <i>multivitamin with</i> | 93 |
| <i>minoxidil</i> | 45 | <i>fluorid</i> 92 | NATACYN |
| <i>mintox maximum</i> | | <i>multivitamin/fluoride</i> | <i>nateglinide</i> |
| <i>strength</i> 76 | | 93 | 63 |
| <i>mirtazapine</i> | 47 | <i>multi-vitamin/fluoride</i> | NATPARA..... 66 |
| <i>misoprostol</i> 80 | | <i>dr</i> 92 | NAYZILAM |
| <i>MITIGARE</i> 10 | | <i>multi-</i> | 54 |
| <i>M-M-R II INJ</i> | 89 | <i>vitamin/fluoride/ir</i> | <i>nebivolol hcl</i> |
| <i>M-NATAL PLUS TAB</i> 91 | | 92 | 43 |
| <i>modafinil</i> | 60 | <i>mupirocin</i> | <i>necon 0.5/35-28</i> ... 69 |
| <i>moexipril hcl</i> | 38 | <i>my choice</i> | <i>nefazodone hcl</i> 47 |
| <i>molindone hcl</i> | 50 | <i>my way</i> | <i>neomycin sulfate</i> ... 17 |
| <i>mometasone furoate</i> | | <i>mycophenolate</i> | <i>neomycin-bacitrac zn-</i> |
| 106 | | <i>mofetil</i> | <i>polymyx 5(3.5)mg-</i> |
| <i>MONJUVI</i> | 33 | <i>mycophenolate</i> | <i>400unt-10000unt</i> |
| <i>mono-linyah</i> | 69 | <i>sodium</i> 88 | <i>op oin</i> 94 |
| <i>montelukast sodium</i> | | <i>mycozyl ac</i> 104 | <i>neomycin-polymy-</i> |
| 100 | | <i>MYRBETRIQ</i> 82 | <i>gramcid op sol</i> |
| <i>morphine sulfate</i> ..14, | | | 1.75-10000- |
| 15 | | | 0.025mg-unt- |
| <i>MORPHINE SULFATE</i> | | | <i>mg/ml</i> |
| 15 | | | 94 |
| <i>MORPHINE</i> | | | <i>neomycin-polymyxin-</i> |
| <i>SULFATE/SODIUM C</i> | | | <i>dexamethasone</i> |
| 15 | | | <i>ophth oint 0.1%</i> .93 |
| <i>MOUNJARO</i> | 63 | | <i>neomycin-polymyxin-</i> |
| <i>MOVANTIK</i> 80 | | | <i>dexamethasone</i> |
| <i>moxifloxacin hcl</i> 24 | | | <i>ophth susp 0.1%</i> 93 |

| | | | | | |
|-------------------------------------------------------------------|-----|------------------------------------------------------------------------|-----|--------------------------------------------------------------------|----|
| <i>neomycin-polymyxin-hc otic susp 3.5 mg/ml-10000 unit/ml-1%</i> | 96 | <i>nitrofurantoin monohyd macro</i> | 17 | <i>norethindrone acetate-ethinyl estradiol tab 1 mg-5 mcg</i> | 72 |
| <i>neo-polycin 5(3.5)mg-400unt-1000unt op oin</i> | .94 | <i>nitroglycerin (intra-anal)</i> | 107 | <i>norethindrone acethinyl estrad-fe tab 1-20/1-30/1-35 mg-mcg</i> | 70 |
| <i>neo-polycin hc ophth oint 1%</i> | 93 | NIVA-FOL TAB | 93 | <i>norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 70 |
| NEPHPLEX RX TAB | .93 | <i>nizatidine</i> | 79 | <i>norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 70 |
| NERLYNX | 33 | <i>nora-be</i> | 69 | <i>norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 70 |
| NEUPRO | 49 | <i>norelgestromin-ethinyl estradiol td ptwk 150-35 mcg/24hr</i> | 70 | <i>norlyroc</i> | 70 |
| nevirapine | 20 | <i>norethindrone & ethinyl estradiol-fe chew tab 0.4 mg-35 mcg</i> | 70 | NORPACE CR | 41 |
| new day | 69 | <i>norethindrone & ethinyl estradiol-fe chew tab 0.8 mg-25 mcg</i> | 70 | <i>nortrel 0.5/35 (28)</i> | 70 |
| NEXAVAR | 33 | <i>norethindrone</i> | 70 | <i>nortrel 1/35 (21)</i> | 70 |
| niacin (antihyperlipidemic) | 42 | <i>(contraceptive)</i> | 70 | <i>nortrel 1/35 (28)</i> | 70 |
| nicardipine hcl | 43 | <i>norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg</i> | 70 | <i>nortrel 7/7/7</i> | 70 |
| nicotine | 61 | <i>norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 70 | <i>nortriptyline hcl</i> | 47 |
| nicotine mini lozenge | 61 | <i>norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 70 | NORVIR | 20 |
| nicotine polacrilex.. | 61 | <i>norethindrone ace-eth estradiol-fe chew tab 1 mg-20 mcg (24)</i> | 70 | NOVOLIN INJ 70/30 | 64 |
| nicotine polacrilex mini | 61 | <i>norethindrone acetate</i> | 75 | NOVOLIN INJ 70/30 | 64 |
| NICOTINE SYS KIT TRANSDER | 61 | <i>norethindrone acetate-ethinyl estradiol tab 0.5 mg-2.5 mcg</i> | 72 | FP | 64 |
| nicotine transdermal syst | 61 | <i>norethindrone acetate-ethinyl estradiol tab 0.5 mg-2.5 mcg</i> | 72 | NOVOLIN N | 64 |
| NICOTROL INHALER | 61 | <i>norethindrone acetate-ethinyl estradiol tab 0.5 mg-2.5 mcg</i> | 72 | NOVOLIN N FLEXPEN | 64 |
| NICOTROL NS | 61 | <i>norethindrone acetate-ethinyl estradiol tab 0.5 mg-2.5 mcg</i> | 72 | NOVOLIN R | 64 |
| nifedipine | 43 | <i>norethindrone acetate-ethinyl estradiol tab 0.5 mg-2.5 mcg</i> | 72 | NOVOLIN R FLEXPEN | 64 |
| nikki | 69 | <i>norethindrone acetate-ethinyl estradiol tab 0.5 mg-2.5 mcg</i> | 72 | NOVOLOG MIX INJ 70/30 | 64 |
| nilutamide | 28 | <i>norethindrone acetate-ethinyl estradiol tab 0.5 mg-2.5 mcg</i> | 72 | NOVOLOG MIX INJ FLEXPEN | 64 |
| nimodipine | 43 | <i>norethindrone acetate-ethinyl estradiol tab 0.5 mg-2.5 mcg</i> | 72 | NUBEQA | 28 |
| NINLARO | 33 | <i>norethindrone acetate-ethinyl estradiol tab 0.5 mg-2.5 mcg</i> | 72 | | |
| nitazoxanide | 17 | | | | |
| nitisinone | 74 | | | | |
| NITRO-BID | 45 | | | | |
| nitrofurantoin macrocrystal | 17 | | | | |

NUEDEXTA CAP 20-
 10MG 58
NULOJIX 88
NUPLAZID 50
NURTEC 58
NUTRILIPID 92
NUZYRA 26
nyamyc 104
nylia 1/35 70
nylia 7/7/7 70
NYMALIZE 43
nymyo 70
nystatin 19
nystatin (mouth-throat) 108
nystatin (topical) 104
nystop 104

O

ocella 70
OCTAGAM 87
octreotide acetate .. 74
ODEFSEY TAB 21
ODOMZO 34
OFEV 100
ofloxacin (ophth) ... 94
ofloxacin (otic) 96
OGIVRI 34
OGIVRI INJ 420MG 34
OGSIVEO 34
OJJAARA 34
olanzapine 50
olmesartan
 medoxomil 40
olmesartan
 medoxomil-hydrochlorothiazide
 tab 20-12.5 mg .. 39
olmesartan
 medoxomil-hydrochlorothiazide
 tab 40-12.5 mg .. 39

olmesartan
 medoxomil-hydrochlorothiazide
 tab 40-25 mg..... 39
olmesartan-
 amlodipine-hydrochlorothiazide
 *tab 20-5-12.5 mg*39
olmesartan-
 amlodipine-hydrochlorothiazide
 tab 40-10-12.5 mg
 40
olmesartan-
 amlodipine-hydrochlorothiazide
 tab 40-10-25 mg 40
olmesartan-
 amlodipine-hydrochlorothiazide
 *tab 40-5-12.5 mg*40
olmesartan-
 amlodipine-hydrochlorothiazide
 tab 40-5-25 mg.. 40
omega-3-acid ethyl esters cap 1 gm . 42
omeprazole 81
omeprazole
 magnesium..... 81
OMNIPOD 5 G6 KIT
 INTRO..... 64
OMNIPOD 5 G6 MIS
 PODS..... 64
OMNIPOD 5 G7 KIT
 INTRO..... 64
OMNIPOD 5 G7 MIS
 PODS..... 64
OMNIPOD DASH KIT
 INTRO..... 65
OMNIPOD DASH MIS
 PODS..... 65

OMNIPOD GO KIT
 10UNT/DY 65
OMNIPOD GO KIT
 15UNT/DY 65
OMNIPOD GO KIT
 20UNT/DY 65
OMNIPOD GO KIT
 25UNT/DY 65
OMNIPOD GO KIT
 30UNT/DY 65
OMNIPOD GO KIT
 35UNT/DY 65
OMNIPOD GO KIT
 40UNT/DY 65
OMNIPOD MIS
 CLASSIC 65
ON/GO COVID KIT
 ANTIGEN 17
ON/GO ONE KIT
 COVID-19 17
ondansetron 78
ondansetron hcl 78
ONTRUZANT 34
ONUREG 27
opcicon one-step ... 70
OPSUMIT 45
option 2 70
ORGOVYX 28
ORKAMBI GRA 100-
 125 100
ORKAMBI GRA 150-
 188 100
ORKAMBI GRA 75-
 94MG 100
ORKAMBI TAB 100-
 125 100
ORKAMBI TAB 200-
 125 100
orlistat 65
ORSERDU 28
oseltamivir phosphate
 22

OTEZLA 86
 OTEZLA TAB
 10/20/30 86
oxacillin sodium 25
oxaliplatin 27
oxcarbazepine 54
oxybutynin chloride 82
oxycodone hcl 15
oxycodone w/
 acetaminophen tab
 10-325 mg 15
oxycodone w/
 acetaminophen tab
 2.5-325 mg 15
oxycodone w/
 acetaminophen tab
 5-325 mg 15
oxycodone w/
 acetaminophen tab
 7.5-325 mg 15
OXYCONTIN 14
OZEMPIC (0.25 OR
 0.5 MG/DOSE) 63
OZEMPIC (0.25 OR
 0.5MG/DOSE) 63
OZEMPIC
 (1MG/DOSE) 63
OZEMPIC
 (2MG/DOSE) 63

P

pacerone 41
paclitaxel 29
paclitaxel protein-
 bound particles for
 iv susp 100 mg ... 29
pain & fever childrens
 11
pain & fever infants 11
paliperidone 50, 51
pamidronate disodium
 66

PAMIDRONATE
 DISODIUM 66
 PANRETIN 107
pantoprazole sodium
 81
 PANZYGA 87
paraplatin 27
paricalcitol 75
paroxetine hcl 47
 PAXLOVID TAB 150-
 100 22
 PAXLOVID TAB 300-
 100 22
pazopanib hcl 34
 PEDIACLEAR PD
 CHILDRENS 99
 PEDIARIX INJ 0.5ML
 89
 PEDVAX HIB 89
peg 3350-kcl-na
 bicarb-nacl-na
 sulfate for soln 236
 gm 80
peg 3350-kcl-sod
 bicarb-nacl for soln
 420 gm 80
 PEGASYS 22
 PEMAZYRE 34
pemetrexed disodium
 27
 PEN GK/DEXTR INJ
 40000/ML 25
 PEN GK/DEXTR INJ
 60000/ML 25
 PENBRAYA INJ 89
penicillamine 66
penicillin g potassium
 25
penicillin g sodium 25
penicillin v potassium
 26
 PENTACEL INJ 89

pentamidine
 isethionate inh 17
pentamidine
 isethionate inj 18
pentoxifylline 84
perindopril erbumine
 38
periogard 108
permethrin 107
perphenazine 51
 PERSERIS 51
pfizerpen 26
phendimetrazine
 tartrate 65
phenelzine sulfate .47
phenobarbital 54
phenobarbital sodium
 54
phentermine hcl 66
phenytek 54
phenytoin 54
phenytoin sodium .. 54
phenytoin sodium
 extended 54
 PHESGO SOL 34
philith 70
phospho-trin k500 .92
phytonadione 93
 PIFELTRO 20
pilocarpine hcl 95
pilocarpine hcl (oral)
 108
 PILOT COVID KIT
 HOME TES 18
pimozide 51
pimtrexa 70
pindolol 43
pioglitazone hcl 63
pioglitazone hcl-
 metformin hcl tab
 15-500 mg 63

| | |
|--------------------------------------------------------------------|-----|
| <i>pioglitazone hcl-</i> | |
| <i>metformin hcl tab</i> | |
| <i>15-850 mg</i> 63 | |
| <i>piperacillin sod-</i> | |
| <i>tazobactam na for inj 3.375 gm (3-0.375 gm)</i> 26 | |
| <i>piperacillin sod-</i> | |
| <i>tazobactam sod for inj 13.5 gm (12-1.5 gm)</i> 26 | |
| <i>piperacillin sod-</i> | |
| <i>tazobactam sod for inj 2.25 gm (2-0.25 gm)</i> 26 | |
| <i>piperacillin sod-</i> | |
| <i>tazobactam sod for inj 4.5 gm (4-0.5 gm)</i> 26 | |
| <i>piperacillin sod-</i> | |
| <i>tazobactam sod for inj 40.5 gm (36-4.5 gm)</i> 26 | |
| PIQRAY 200MG DAILY DOSE | 34 |
| PIQRAY 250MG TAB DOSE | 34 |
| PIQRAY 300MG DAILY DOSE | 34 |
| <i>pirfenidone</i> | 101 |
| <i>piroxicam</i> | 13 |
| PLASMA-LYTE INJ - 148 | 91 |
| PLASMA-LYTE INJ -A | 91 |
| <i>plenamine</i> | 92 |
| PLENUV SOL | 80 |
| <i>podofilox</i> | 107 |
| <i>polycin ophth oint</i> ..94 | |
| <i>Polyethylene glycol 3350</i> | 80 |
| <i>polymyxin b-</i> | |
| <i>trimethoprim ophth soln 10000 unit/ml-0.1%</i> | 94 |
| POLY-VI-FLOR CHW 0.25MG | 93 |
| POLY-VI-FLOR CHW 0.5MG..... 93 | |
| POLY-VI-FLOR CHW 1MG | 93 |
| POLY-VI-FLOR SUS /IRON | 93 |
| POLY-VI-FLOR SUS 0.25/ML | 93 |
| POMALYST | 29 |
| <i>portia-28</i> | 70 |
| <i>posaconazole</i> 19 | |
| POT CHL 20MEQ/L IN NACL 0.45% INJ. 91 | |
| POT CHL 20MEQ/L IN NACL 0.9% INJ .. 91 | |
| POT CHL 40MEQ/L IN NACL 0.9% INJ .. 91 | |
| <i>potassium chloride</i> 91 | |
| POTASSIUM CHLORIDE | 91 |
| <i>potassium chloride</i> 20 meq/l (0.15%) in dextrose 5% inj . 91 | |
| <i>potassium chloride</i> microencapsulated crystals er | 91 |
| <i>potassium citrate</i> (alkalinizer) | 82 |
| <i>povidone-iodine</i> ...107 | |
| <i>pramipexole</i> dihydrochloride .. 49 | |
| <i>prasugrel hcl</i> | 84 |
| <i>pravastatin sodium</i> 41 | |
| <i>praziquantel</i> | 18 |
| <i>prazosin hcl</i> | 38 |
| <i>prednisolone</i> | 72 |
| <i>prednisolone acetate (ophth)</i> 95 | |
| PREDNISOLONE SODIUM PHOSP..95 | |
| <i>prednisolone sodium phosphate</i> 73 | |
| <i>prednisone</i> | 73 |
| PREDNISONE INTENSOL..... 73 | |
| <i>pregabalin</i> | 54 |
| PREHEVBARIO | 89 |
| PREMASOL SOL 10% | 92 |
| PRENATAL TAB 27- 1MG | 91 |
| PRENATAL TAB PLUS | 91 |
| <i>prevalite</i> 42 | |
| PREVYMIS | 22 |
| PREZCOBIX TAB 800- 150 | 21 |
| PREZISTA | 20 |
| PRIFTIN | 22 |
| <i>primaquine</i> phosphate..... 19 | |
| PRIMAQUINE PHOSPHATE | 19 |
| <i>primidone</i> | 54 |
| PRIORIX INJ | 89 |
| PRIVIGEN | 87 |
| <i>probenecid</i> | 10 |
| <i>prochlorperazine</i> ...78 | |
| <i>prochlorperazine</i> edisylate | 78 |
| <i>prochlorperazine</i> maleate | 78 |
| PROCRT | 84 |
| <i>procto-med hc</i> 107 | |
| <i>proctosol hc</i> 107 | |
| <i>protozozone-hc</i> 107 | |

progesterone 75
PROGRAF 88
PROLASTIN-C..... 101
PROLENSA 95
PROLIA 66
PROMACTA 84
promethazine hcl... 78
propafenone hcl 41
proparacaine hcl.... 96
propranolol hcl 43
propylthiouracil 75
PROQUAD INJ 89
PROSOL INJ 20% .. 92
protriptyline hcl.... 47
PULMOZYME 101
PURIXAN 27
pyrazinamide 22
pyridostigmine
 bromide 58
pyridoxine hcl 93

Q

qc acetaminophen
 infants 11
qc allergy childrens 99
qc allergy relief ... 101
qc antacid..... 76
qc antacid/anti-gas 76
qc anti-diarrheal.... 77
qc antifungal cream
 104
qc anti-itch/aloe .. 106
qc aspirin 11
qc aspirin low dose 11
qc clotrimazole..... 83
qc enema 80
qc enteric aspirin... 11
qc gentle laxative .. 80
qc ibuprofen 13
qc lansoprazole 81
qc miconazole 7 83

qc naproxen sodium
 13
qc non-aspirin extra
 stre 11
qc pain relief 11
qc pain relief
 childrens 11
qc pain relief extra
 stre 11
qc povidone iodine
 107
qc stool softener ... 80
QINLOCK 34
QSYMIA CAP 11.25-
 69 66
QSYMIA CAP 15-
 92MG..... 66
QSYMIA CAP 3.75-23
 66
QSYMIA CAP 7.5-
 46MG..... 66
QUADRACEL INJ ... 89
QUADRACEL INJ
 0.5ML 89
quetiapine fumarate
 51
QUFLORA FE CHW . 93
QUFLORA FE DRO
 0.25-9.5..... 93
QUFLORA PED CHW
 0.25MG 93
QUFLORA PED CHW
 0.5MG 93
QUFLORA PED CHW
 1MG 93
QUFLORA PED DRO
 0.25MG 93
QUFLORA PED DRO
 0.5MG/ML..... 93
QUICKVUE HOM KIT
 COVID-19..... 18
quinapril hcl 38

quinidine sulfate 41
quinine sulfate 19
QULIPTA..... 58

R

RABAVERT INJ 89
*rabeprazole sodium*81
raloxifene hcl 74
ramipril 38
ranolazine 45
rasagiline mesylate 49
RAYALDEE 76
reclipsen 70
RECOMBIVAX HB... 89
RECTIV 107
refresh celluvisc 96
refresh lacri-lube ... 96
REFRESH LIQUIGEL96
REFRESH PLUS..... 96
REFRESH TEARS.... 96
REGRANEX 107
RELENZA DISKHALER
..... 23
RELISTOR..... 81
REMICADE 86
renal caps 93
RENFLEXIS 86
RENOVA 107
RENOVA PUMP 107
repaglinide 63
REPATHA..... 42
REPATHA
 PUSHTRONEX
 SYSTEM 42
REPATHA SURECLICK
..... 42
RESTASIS..... 96
RESTASIS
 MULTIDOSE 96
RETEVMO 34
REVLIMID 29
REXULTI..... 51

| | | | | |
|--------------------------------|--------|--------------------------------|--------|----------------------------------|
| REYATAZ | 20 | SANTYL | 107 | <i>sm allergy childrens</i> |
| REZLIDHIA | 34 | <i>sapropterin</i> | | 99 |
| REZUROCK | 88 | <i>dihydrochloride</i> .. | 74 | <i>sm allergy relief</i> 99 |
| RHOPRESSA..... | 95 | SAXENDA..... | 66 | <i>sm allergy relief</i> |
| <i>ribavirin (hepatitis c)</i> | | <i>childre</i> | 99 | <i>childre</i> |
| | 23 | SCEMBLIX..... | 34 | <i>sm allergy relief nasal</i> |
| <i>rifabutin</i> | 22 | scopolamine | 78 | 102 |
| <i>rifampin</i> | 22 | SECUADO | 51 | <i>sm antacid</i> 76 |
| <i>riluzole</i> | 59 | selegiline hcl | 49 | <i>sm antacid advanced</i> |
| <i>rimantadine</i> | | <i>selenium sulfide</i> ...104 | | 76 |
| <i>hydrochloride</i> | 23 | SELZENTRY | 20 | <i>sm antacid advanced</i> |
| RINVOQ | 86 | SEREVENT DISKUS | | 100 |
| <i>risedronate sodium</i> 66 | | <i>sertraline hcl</i> | 47 | <i>maxi</i> |
| <i>risperidone</i> | 51 | <i>setlakin</i> | 70 | 76 |
| <i>risperidone</i> | | <i>sevelamer carbonate</i> | | <i>sm antacid extra</i> |
| <i>microspheres</i> | 51 | | 74, 75 | <i>strength</i> |
| <i>ritonavir</i> | 20 | <i>sharobel</i> | 70 | 77 |
| <i>rivastigmine</i> | 46 | SHINGRIX | 89 | <i>sm antacid maximum</i> |
| <i>rivastigmine tartrate</i> | | SIGNIFOR | 74 | <i>streng</i> |
| | 46 | <i>sildenafil citrate</i> | | 77 |
| <i>rivelsa</i> | 70 | <i>(pulmonary</i> | | <i>sm anti-diarrheal</i> 77 |
| <i>rizatriptan benzoate</i> | | <i>hypertension)</i> | 45 | <i>sm antifungal</i> |
| | 58 | <i>silver sulfadiazine</i> 103 | | <i>clotrimazol</i> |
| ROCKLATAN DRO .. | 95 | SIMBRINZA SUS 1- | | 104 |
| <i>roflumilast</i> | 101 | 0.2% | 95 | <i>sm antifungal</i> |
| <i>ropinirole</i> | | <i>simliya</i> | 70 | <i>miconazole</i> 104 |
| <i>hydrochloride</i> | 49 | <i>simpesse</i> | 70 | <i>sm aspirin</i> |
| <i>rosuvastatin calcium</i> | | <i>simvastatin</i> | 41 | <i>adult low</i> |
| | 41 | <i>sirolimus</i> | 88 | <i>stre</i> |
| ROTARIX SUS | 89 | SIRTURO | 22 | 11 |
| ROTATEQ SOL..... | 89 | SIVEXTRO | 18 | <i>sm aspirin enteric</i> |
| <i>roweepra</i> | 54 | SKYRIZI..... | 86 | <i>coated</i> |
| ROZLYTREK | 34 | SKYRIZI PEN | 86 | 12 |
| RUBRACA | 34 | <i>sm 3-day vaginal</i> .. | 83 | <i>sm aspirin low dose</i> 12 |
| <i>rufinamide</i> | 54, 55 | <i>sm acid reducer</i> | 79 | <i>sm clotrimazole</i> |
| RUKOBIA..... | 20 | <i>sm acid reducer</i> | | <i>vaginal</i> |
| RYBELSUS | 63 | | 83 | 83 |
| RYDAPT..... | 34 | <i>sm adult aspirin</i> | 11 | <i>sm enema</i> |
| | | <i>sm all day allergy</i> .. | 99 | 80 |
| | | <i>sm all day allergy</i> | | <i>sm fexofenadine</i> |
| | | <i>childr</i> | 99 | <i>hydrochlo</i> 99 |
| | | <i>sm allergy 4 hour</i> .. | 99 | <i>sm gentle laxative</i> .80 |
| | | | | <i>sm hydrocortisone</i> 106 |
| | | | | <i>sm hydrocortisone</i> |
| | | | | <i>maximum</i> |
| | | | | 106 |
| | | | | <i>sm hydrocortisone</i> |
| | | | | <i>plus</i> 106 |
| | | | | <i>sm ibuprofen</i> |
| | | | | 13 |
| | | | | <i>sm ibuprofen ib</i> |
| | | | | 13 |

S

sajazir..... 84
 SANDIMMUNE

| | | |
|--------------------------------|---------------------------------|--------------------------------|
| <i>sm ibuprofen ib</i> | <i>sod sulfate-pot sulf-</i> | <i>STELARA</i> |
| <i>childrens.....13</i> | <i>mg sulf oral sol</i> | <i>STIVARGA</i> |
| <i>sm infants ibuprofen</i> | <i>17.5-3.13-1.6</i> | <i>stomach relief.....77</i> |
|13 | <i>gm/177ml</i> | <i>stomach relief extra</i> |
| <i>sm lansoprazole81</i> | <i>sodium bicarbonate</i> | <i>stre</i> |
| <i>sm lice killing</i> | <i>(antacid)</i> | <i>77</i> |
| <i>maximum s</i> | <i>sodium chloride91</i> | <i>stomach relief ultra 77</i> |
| <i>sm lice treatment 107</i> | <i>sodium chloride (gu</i> | <i>stool softener.....80</i> |
| <i>sm loratadine.....99</i> | <i>irrigant)</i> | <i>streptomycin sulfate</i> |
| <i>sm lubricating plus 96</i> | <i>sodium fluoride chew;</i> |18 |
| <i>sm miconazole 3 ...83</i> | <i>tab; 1.1 (0.5 f)</i> | <i>STRIBILD TAB.....21</i> |
| <i>sm miconazole 7 ...83</i> | <i>mg/ml soln</i> | <i>STROVITE ONE TAB</i> |
| <i>sm naproxen sodium</i> | <i>SODIUM OXYBATE 60</i> |93 |
|13 | <i>sodium</i> | <i>subvenite</i> |
| <i>sm nicotine61</i> | <i>phenylbutyrate... 74</i> | <i>sucralfate</i> |
| <i>sm nicotine polacrilex</i> | <i>sodium polystyrene</i> | <i>sulfacetamide sodium</i> |
|61 | <i>sulfonate powder 66</i> | <i>(acne)</i> |
| <i>sm nicotine</i> | <i>solifenacin succinate</i> | <i>sulfacetamide sodium</i> |
| <i>transdermal s</i> |82 | <i>(ophth).....94</i> |
| <i>sm omeprazole.....81</i> | <i>SOLIQUA INJ 100/33</i> | <i>sulfacetamide</i> |
| <i>sm pain & fever</i> |65 | <i>sodium-</i> |
| <i>childrens.....12</i> | <i>SOLTAMOX.....28</i> | <i>prednisolone ophth</i> |
| <i>sm pain & fever</i> | <i>SOLU-CORTEF73</i> | <i>soln 10-</i> |
| <i>infants</i> | <i>SOMATULINE DEPOT</i> | <i>0.23(0.25)%</i> |
| <i>sm pain relief extra</i> |74 | <i>sulfadiazine</i> |
| <i>stre</i> | <i>SOMAVERT.....74</i> | <i>sulfamethoxazole-</i> |
| <i>sm pain reliever12</i> | <i>sorafenib tosylate . 34</i> | <i>trimethoprim iv soln</i> |
| <i>sm pain reliever</i> | <i>sorine.....41</i> | <i>400-80 mg/5ml ..18</i> |
| <i>children</i> | <i>sotalol hcl</i> | <i>sulfamethoxazole-</i> |
| <i>sm pain reliever extra</i> | <i>sotalol hcl (afib/afl)41</i> | <i>trimethoprim susp</i> |
| <i>st.....12</i> | <i>SPEEDY SWAB KIT</i> | <i>200-40 mg/5ml ..18</i> |
| <i>sm povidone-iodine</i> | <i>COVID-19.....18</i> | <i>sulfamethoxazole-</i> |
|107 | <i>spironolactone</i> | <i>trimethoprim tab</i> |
| <i>sm stomach relief..77</i> | <i>spironolactone &</i> | <i>400-80 mg.....18</i> |
| <i>sm stomach relief</i> | <i>hydrochlorothiazide</i> | <i>sulfamethoxazole-</i> |
| <i>liquid.....77</i> | <i>tab 25-25 mg.....44</i> | <i>trimethoprim tab</i> |
| <i>sm stool softener...80</i> | <i>sprintec 28.....70</i> | <i>800-160 mg</i> |
| <i>sm tioconazole-1 ...83</i> | <i>SPRITAM.....55</i> | <i>SULFAMYLYON</i> |
| <i>sm triple antibiotic</i> | <i>SPRYCEL.....34, 35</i> | <i>sulfasalazine</i> |
| <i>orig</i> | <i>sps.....66</i> | <i>sulindac</i> |
| <i>smooth antacid extra</i> | <i>sronyx</i> | <i>sumatriptan</i> |
| <i>stre</i> | <i>ssd.....103</i> | <i>sumatriptan succinate</i> |

sunitinib malate 35
SUNLENCA..... 20
syeda..... 71
SYMDEKO TAB 100-
 150 101
SYMDEKO TAB 50-
 75MG 101
SYMPAZAN 55
SYMTUZA TAB..... 21
SYNAREL..... 71
SYNJARDY TAB 12.5-
 1000MG..... 63
SYNJARDY TAB 12.5-
 500 63
SYNJARDY TAB 5-
 1000MG..... 63
SYNJARDY TAB 5-
 500MG 63
SYNJARDY XR TAB
 10-1000 63
SYNJARDY XR TAB
 12.5-1000..... 63
SYNJARDY XR TAB
 25-1000 63
SYNJARDY XR TAB 5-
 1000MG..... 63
SYNTHROID..... 75
systane nighttime..96

T

TABLOID 27
TABRECTA 35
tacrolimus 88
tacrolimus (topical)
 107
TAFINLAR 35
TAGRISSO 35
TALTZ 86
TALZENNA 35
tamoxifen citrate ... 28
tamsulosin hcl..... 82
tarina 24 fe..... 71

tarina fe 1/20 eq... 71
TASIGNA 35
tasimelteon 57
tazarotene 104
tazicef 23
TAZORAC..... 104
taztia xt..... 43
TAZVERIK 35
TDVAX INJ 2-2 LF . 89
TECENTRIQ 35
TEFLARO..... 23
telmisartan 40
telmisartan-
 amlodipine tab 40-
 10 mg 40
telmisartan-
 amlodipine tab 40-5
 mg 40
telmisartan-
 amlodipine tab 80-
 10 mg 40
telmisartan-
 amlodipine tab 80-5
 mg 40
telmisartan-
 hydrochlorothiazide
 tab 40-12.5 mg.. 40
telmisartan-
 hydrochlorothiazide
 tab 80-12.5 mg.. 40
telmisartan-
 hydrochlorothiazide
 tab 80-25 mg.... 40
temazepam 57
TENIVAC INJ 5-2LF 89
tenofovir disoproxil
 fumarate 20
tension headache.. 12
TEPMETKO 35
terazosin hcl..... 38
terbinafine hcl 19
terbutaline sulfate 100

terconazole vaginal 83
TERIPARATIDE 66
testosterone 61
testosterone
 cypionate 61
testosterone
 enanthate 62
tetrabenazine..... 59
tetracycline hcl..... 26
THALOMID 29
theophylline 101
thiamine hcl 93
thioridazine hcl.... 51
thiothixene 51
tiadylt er 44
tiagabine hcl 55
TIBSOVO 35
TICOVAC 89
tigecycline 26
tilia fe 71
timolol maleate 43
timolol maleate
 (*ophth*) 95
tinidazole 18
tioconazole 1 83
TIVICAY 20
TIVICAY PD 20
tizanidine hcl 60
TOBRADEX OIN 0.3-
 0.1% 94
TOBRADEX ST SUS
 0.3-0.05 94
tobramycin 18
tobramycin (ophth) 94
tobramycin sulfate. 18
tobramycin-
 dexamethasone
 ophth susp 0.3-
 0.1% 94
tolnaftate 104
tolterodine tartrate 82
topiramate 55

| | | |
|-------------------------------------------------------------------|-------------------------------------------------------------------|-----------------------------------|
| <i>toremifene citrate</i> .. 28 | <i>triamterene & hydrochlorothiazide tab 37.5-25 mg</i> .. 44 | <i>trimipramine maleate</i> .. 48 |
| <i>torsemide</i> 44 | | TRINTELLIX 48 |
| TOUJEOL MAX | | <i>tri-nymyo</i> 71 |
| SOLOSTAR 65 | | <i>triphocaps</i> 93 |
| TOUJEOL SOLOSTAR 65 | | <i>triple antibiotic</i> 103 |
| TPN ELECTROL INJ. 91 | | <i>triprolidine hcl</i> 99 |
| TRADJENTA 63 | | <i>tri-sprintec</i> 71 |
| <i>tramadol hcl</i> 15 | | TRIUMEQ PD TAB .. 21 |
| <i>tramadol-</i> | | TRIUMEQ TAB 21 |
| <i>acetaminophen tab 37.5-325 mg</i> 15 | | TRI-VI-FLOR SUS |
| <i>trandolapril</i> 38 | | 0.25/ML..... 93 |
| <i>tranexamic acid</i> 84 | | TRI-VI-FLOR SUS |
| <i>tranylcyprromine sulfate</i> 47 | | 0.5MG/ML 93 |
| TRAVASOL INJ 10% | | <i>tri-vite/fluoride</i> 93 |
| 92 | | <i>trivora-28</i> 71 |
| TRAZIMERA 35 | | <i>tri-vylibra</i> 71 |
| <i>trazodone hcl</i> 48 | | <i>tri-vylibra lo</i> 71 |
| TRECATOR 22 | | TRIZIVIR TAB 21 |
| TRELEGY AER | | TROGARZO 20 |
| <i>ELLIPTA</i> 100-62.5- 25 MCG 97 | | TROPHAMINE INJ |
| TRELEGY AER | | 10%..... 92 |
| <i>ELLIPTA</i> 200-62.5- 25 MCG 97 | | <i>trospium chloride</i> .. 82 |
| <i>treprostинil</i> 45 | | TRUE METRIX KIT AIR |
| TRESIBA 65 | | 108 |
| TRESIBA FLEXTOUCH 65 | | TRUE METRIX KIT |
| <i>tretinoin</i> 103 | | METER..... 108 |
| <i>tretinoin</i> | | TRUE METRIX STRIPS |
| (<i>chemotherapy</i>) .. 29 | | 108 |
| <i>triamcinolone acetonide (mouth)</i> .. 108 | | TRULICITY 63 |
| <i>triamcinolone acetonide (topical)</i> .. 106 | | TRUMENBA INJ 89 |
| <i>triamterene & hydrochlorothiazide cap 37.5-25 mg</i> .. 44 | | TRUQAP 35 |
| | | TRUXIMA 35 |
| | | TUKYSA 35 |
| | | TURALIO 35 |
| | | <i>turqoz</i> 71 |
| | | TWINRIX INJ 89 |
| | | TYBOST 20 |
| | | <i>tydemy</i> 71 |
| | | YPHIM VI 89 |
| | | TYRVAYA 96 |

U

UBRELVY 58
unithroid 75
ursodiol 81

V

valacyclovir hcl..... 23
 VALCHLOR 107
valganciclovir hcl ... 23
valproate sodium... 55
valproic acid 55
valsartan 40
valsartan-
hydrochlorothiazide
tab 160-12.5 mg. 40
valsartan-
hydrochlorothiazide
tab 160-25 mg ... 40
valsartan-
hydrochlorothiazide
tab 320-12.5 mg. 40
valsartan-
hydrochlorothiazide
tab 320-25 mg ... 40
valsartan-
hydrochlorothiazide
tab 80-12.5 mg .. 40
 VALTOCO 10 MG
 DOSE 55
 VALTOCO 15 MG
 DOSE 55
 VALTOCO 20 MG
 DOSE 55
 VALTOCO 5 MG DOSE
 55
vancomycin hcl 18
 VANCOMYCIN INJ 1
 GM 18
 VANCOMYCIN INJ
 500MG 18

VANCOMYCIN INJ
 750MG 18
 VANFLYTA 35
 VAQTA 89
varenicline tartrate 61
varenicline tartrate
tab 11 x 0.5 mg &
42 x 1 mg start
pack 61
 VARIVAX 89
 VASCEPA 42
velivet 71
 VELPHORO 75
 VELTASSA 66
 VEMLIDY 23
 VENCLEXTA 35
 VENCLEXTA TAB
 START PK 36
venlafaxine hcl 48
 VENTAVIS 45
 VENTOLIN HFA 100
 VENTOLIN HFA
 (INSTITUTIONAL
 PACK) 100
verapamil hcl 44
 VERQUVO 45
 VERSACLOZ 51
 VERZENIO 36
vestura 71
 V-GO 20 KIT 65
 V-GO 30 KIT 65
 V-GO 40 KIT 65
vienna 71
vigabatrin 55
vigadron 55
vigpoder 55
vilazodone hcl 48
vincristine sulfate.. 29
vinorelbine tartrate 30
viorele 71
 VIRACEPT 20
 VIREAD 20

virt-caps 93
virt-gard 93
 VITAL-D RX TAB 93
vitamins
a/c/d/fluoride 93
 VITRAKVI 36
 VIVITROL 61
 VIZIMPRO 36
 VONJO 36
voriconazole 19
 VOSEVI TAB 23
 VRAYLAR 51
 VRAYLAR CAP 1.5-
 3MG 51
vyfemla 71
vylbra 71
 VYZULTA 95

W

warfarin sodium 83
water for irrigation,
sterile irrigation
soln 107
 WEGOVY 66
 WELIREG 29
wera 71
wescaps 93
wixela inhub 102
wymzya fe 71

X

XALKORI 36
 XARELTO 83
 XARELTO STAR TAB
 15/20MG 83
 XATMEP 86
 XCOPRI 55
 XCOPRI PAK 100-150
 55
 XCOPRI PAK 12.5-25
 55

| | | |
|---------------------|--------------------|-------------------------|
| XCOPRI PAK 150- | XPOVIO 60 MG ONCE | ZENPEP CAP |
| 200MG | WEEKLY 36 | 25000UNT.....81 |
| (MAINTENANCE) .55 | XPOVIO 60 MG | ZENPEP CAP |
| XCOPRI PAK 150- | TWICE WEEKLY.. 36 | 3000UNIT81 |
| 200MG | XPOVIO 80 MG ONCE | ZENPEP CAP |
| (TITRATION)56 | WEEKLY 36 | 40000UNT.....81 |
| XCOPRI PAK 50- | XPOVIO 80 MG | ZENPEP CAP |
| 100MG55 | TWICE WEEKLY.. 36 | 5000UNIT81 |
| XELJANZ | XTANDI | ZENPEP CAP |
| XELJANZ XR.....86 | xulane | 60000UNT.....81 |
| XENICAL.....66 | XULTOPHY INJ | ZERVIATE.....95 |
| XERMELO | 100/3.6..... 65 | zidovudine21 |
| XGEVA | Y | ZIEXTENZO84 |
| XHANCE | yargesa | ziprasidone hcl51 |
| XIFAXAN | YF-VAX INJ..... 89 | ziprasidone mesylate |
| XIGDUO XR TAB 10- | yuvaferm |52 |
| 1000 | Z | ZIRABEV |
| XIGDUO XR TAB 10- | ZADITOR | 36 |
| 500MG | zafemy | ZIRGAN.....94 |
| XIGDUO XR TAB 2.5- | zafirlukast | zoledronic acid66 |
| 1000 | zaleplon | ZOLINZA |
| XIGDUO XR TAB 5- | ZARXIO | zolpidem tartrate...57 |
| 1000MG.....63 | ZEJULA..... 36 | ZONISADE.....56 |
| XIGDUO XR TAB 5- | ZELBORA..... 36 | zonisamide56 |
| 500MG | ZEMAIRA | zovia 1/3571 |
| XIIDRA.....96 | zenatane.....103 | ZTALMY.....56 |
| XOFLUZA.....23 | ZENPEP CAP | zumandimine71 |
| XOLAIR | 10000UNT | ZURZUVAE |
| XOSPATA.....36 | ZENPEP CAP | 37 |
| XPOVIO 100 MG | 15000UNT | ZYKADIA |
| ONCE WEEKLY....36 | ZENPEP CAP | ZYLET SUS 0.5-0.3% |
| XPOVIO 40 MG ONCE | 20000UNT |94 |
| WEEKLY.....36 | | ZYPREXA RELPREVV |
| XPOVIO 40 MG | |52 |
| TWICE WEEKLY...36 | | |



Molina Dual Options

تقديم ملف كتيب الوصفات الدوائية المعتمد من HPMS رقم 00024165، النسخة 11

محذحة: 2024/05/01

للحصول على معلومات أحدث أو إذا كانت لديك أسئلة أخرى، اتصل بنا على الرقم 735-5604 (855)، وبالنسبة لمستخدمي الهاتف النصية "TTY" يمكنهم الاتصال على: 711، من الإثنين إلى الجمعة، من الساعة 8 صباحاً وحتى الساعة 8 مساءً بالتوقيت المحلي.

رسالة هامة بشأن ما تدفعه للا免疫 - تعتبر بعض اللقاحات مزايا طبية. تعتبر لقاحات أخرى أدوية تقع ضمن الجزء D. تغطي خطتنا معظم لقاحات الجزء D من دون أن تتحمل تكاليفها.