

2023

**Molina Healthcare of Washington
Apple Health (Medicaid)**

**Lista de
Medicamentos
Preferidos
(Formulario)**

N.º de pieza MHW 1239-2309
MHW-9/25/2023
31770FMLMDWAES 230926



Lista de Medicamentos Preferidos (Formulario) de Molina Healthcare of Washington Medicaid

Introducción

Nos complace proporcionarle la *Lista de Medicamentos Preferidos (Formulario) de Molina Healthcare of Washington Apple Health (Medicaid)* de 2023 como una herramienta de referencia e información útil. Este documento puede ayudar a los proveedores médicos a seleccionar productos rentables y clínicamente apropiados para sus pacientes.

Los medicamentos representados han sido revisados por el Comité de Farmacia y Terapéutica (Pharmacy and Therapeutics, P&T) y la Junta de Revisión de Utilización de Medicamentos (Drug Utilization Review, DUR) del Estado de Washington, y están aprobados para su inclusión. El documento refleja la práctica médica actual al momento de la fecha de revisión.

La información contenida en este documento y sus apéndices se proporciona únicamente en beneficio de los proveedores médicos. No garantizamos ni aseguramos la precisión de dicha información ni esta pretende ser de naturaleza exhaustiva. Toda la información del documento se proporciona como referencia para la selección del tratamiento farmacológico.

El documento está sujeto a las normas y regulaciones específicas del estado, incluidas, entre otras, aquellas relacionadas con la sustitución por medicamentos genéricos, los programas de administración de sustancias de dispensación controlada, la preferencia de marcas registradas y los medicamentos genéricos obligatorios cuando corresponda.

No asumimos ninguna responsabilidad por las acciones u omisiones de ningún proveedor médico que se base, en forma total o parcial, en la información contenida en este documento. El proveedor médico debe revisar la literatura médica del fabricante del medicamento o las referencias estándar para obtener información más detallada.

Prólogo

Este documento se organiza en secciones. Cada sección se divide en una clase de medicamento terapéutico principalmente definido por el mecanismo de acción. Los productos se enumeran por nombre genérico con el nombre de marca solo como referencia. A menos que el medicamento citado esté disponible como inyectable o se indique específicamente una excepción, por lo general, todas las formas de dosificación aplicables y las concentraciones del medicamento citado se incluyen en el documento.

Comité farmacéutico y Terapéutico (P&T)

Se utilizan los servicios de un Comité Farmacéutico y Terapéutico (“Comité P&T”) para aprobar tratamientos farmacológicos seguros y clínicamente eficaces. El Comité P&T es un organismo asesor de profesionales clínicos. Entre los miembros votantes del Comité P&T, se incluyen médicos y farmacéuticos que cuentan con una amplia experiencia clínica y académica en medicamentos recetados. Los miembros votantes del Comité P&T deben revelar cualquier relación financiera o conflicto de intereses que tengan con cualquier fabricante farmacéutico.

Descripciones de los productos de la lista de medicamentos.

Para ayudarle a comprender qué concentraciones y formas farmacéuticas (presentaciones) específicas del documento están cubiertas, a continuación presentamos algunos principios generales.

- En la primera columna de la tabla, se indica el nombre del medicamento. Los medicamentos de marca registrada aparecen en mayúsculas (p. ej., LIPITOR). Los medicamentos genéricos aparecen en minúsculas y cursiva (p. ej., atorvastatin).
- La columna (Requisitos/Límites) contiene cualquier requisito especial para la cobertura de su medicamento.
- Si las versiones de venta libre (OTC) y con receta médica del producto están cubiertas, se indicarán ambas.
- Los productos de liberación prolongada y retardada requieren su propia entrada.
- Las formas farmacéuticas del documento coincidirán con el uso y la categoría en que se encuentran.

Cantidades de la receta

Las recetas deben emitirse para un suministro terapéutico de medicamentos (la cantidad necesaria para tratar adecuadamente una afección médica) hasta un suministro máximo de 30 días. Se pueden usar cantidades de prueba al probar nuevos tratamientos, si corresponde. Los medicamentos enumerados con el indicador DS están cubiertos hasta un suministro de 90 días.

Sustitución de medicamentos genéricos

La sustitución por medicamentos genéricos es una medida de la farmacia donde se dispensa una versión genérica en lugar de un medicamento recetado de marca registrada. En este documento, las *minúsculas en cursiva* indican disponibilidad de la versión genérica. En la mayoría de los casos, un medicamento de marca para el cual se encuentra disponible un producto genérico dejará de ser preferido, con el producto genérico cubierto en su lugar, una vez que el producto genérico se lance al mercado. No obstante, este documento está sujeto a las normas y regulaciones específicas de cada estado para la sustitución por medicamentos genéricos. Asimismo, se aplicarán normas genéricas obligatorias cuando corresponda.

El precio de los medicamentos genéricos suele ser inferior al de sus equivalentes de marca registrada. Las características de los medicamentos genéricos con receta médica son las siguientes:

- Aprobados por la Administración de Drogas y Alimentos de los EE. UU. por su seguridad y eficacia, y se fabrican bajo los mismos estándares estrictos que se aplican a los medicamentos de marca.
- Se probaron en humanos para garantizar que el medicamento genérico se absorbe en el torrente sanguíneo en una proporción y medida similares a las del medicamento de marca registrada (bioequivalencia). Los medicamentos genéricos pueden ser diferentes a los de marca registrada en cuanto a tamaño, color y excipientes, pero esto no afecta su eficacia o capacidad de absorción igual al medicamento de marca.
- Se fabrican con la misma concentración y forma farmacéutica que los medicamentos de marca registrada.

Cuando se sustituye un medicamento genérico por un medicamento de marca registrada, el medicamento genérico debe producir el mismo efecto clínico y tener el mismo perfil de seguridad que el medicamento de marca registrada (equivalencia terapéutica).

Diseño del plan

El documento representa un diseño de plan de formulario cerrado y no tiene niveles. Los medicamentos enumerados en el documento están cubiertos por el plan tal como se representa. Ciertos medicamentos de la lista están cubiertos si se cumplen los criterios de administración de utilización (es decir, Terapia Progresiva, Autorización Previa, Límites de Cantidad, etc.); las solicitudes para el uso de dichos medicamentos fuera de los criterios enumerados se revisarán para determinar la necesidad médica. Si un medicamento no aparece en el documento, puede solicitar una excepción de formulario para su cobertura. Se revisarán las solicitudes de necesidad médica o de excepción de formulario según los criterios de autorización previa específicos de los medicamentos, o los criterios estándar de solicitud de medicamentos recetados fuera de formulario. Inicie sesión en [MolinaHealthcare.com](#) para verificar la cobertura.

Procedimiento de solicitud de autorización previa

Se pueden aprobar las recetas médicas para medicamentos que requieren autorización previa o para medicamentos no incluidos en el Formulario de Medicamentos de Molina cuando sean médicaamente necesario y se compruebe que las opciones del formulario demostraron ineffectiveness. Cuando ocurren estas situaciones excepcionales, el médico puede enviar por fax un formulario de autorización previa de medicamentos completo a Molina al (800) 869-7791. Los formularios se pueden obtener al iniciar sesión en el sitio web [MolinaHealthcare.com](#). Los ensayos de muestras farmacéuticas no se considerarán como justificación para aprobar una solicitud de autorización previa.

Beneficio PERDIDO, robado o destruido

Cubierto hasta un suministro de noventa (90) días como un resurtido anticipado de recetas para recetas perdidas, robadas o destruidas una vez por receta por período de 6 meses. La receta de reemplazo del período será por la misma cantidad y número de días de suministro que la receta perdida, robada o destruida. Se pueden conceder excepciones al período de 6 meses en circunstancias extremas (p. ej., incendio, inundación, desastre natural, etc.) a criterio de Molina.

Beneficio de vacaciones

Cubierto una vez cada 6 meses, hasta un suministro de noventa (90) días como un resurtido anticipado de recetas para vacaciones por cada receta que corresponda surtir durante el período de vacaciones.

Recomendaciones útiles para la autorización previa

Para garantizar una respuesta del Departamento de Farmacia de Molina Healthcare of Washington de la forma más rápida posible, proporcione información de relevancia junto con la solicitud de autorización previa. A continuación, se muestran algunos ejemplos:

Clase de Medicamento/Diagnóstico Información Clínica Solicitada

- | | |
|--|--|
| <ul style="list-style-type: none">• Reducción del colesterol• Diabetes• Medicamentos no preferidos/ fuera del formulario | <ul style="list-style-type: none">• Perfil lipídico, factores de riesgo cardiovascular• Informe de la A1c• Registro de Medicamentos o Notas de Evolución que documenten el uso previo de medicamentos del Formulario |
|--|--|

Anticonceptivos

Los anticonceptivos requieren un código EA. Consulte a continuación los códigos EA disponibles.

Medicamentos excluidos

Tenga en cuenta que ciertos medicamentos no están cubiertos. Entre estos se incluyen, entre otros:

- Supresores del apetito y otros medicamentos utilizados para bajar de peso.
- Medicamentos utilizados para el tratamiento de la infertilidad, la impotencia y la disfunción sexual.
- Medicamentos utilizados con fines cosméticos.
- Medicamentos experimentales o de investigación.
- Productos farmacéuticos determinados por la Administración Federal de Medicamentos (FDA) como ineficaces e idénticos, relacionados o similares (frecuentemente denominados como medicamentos “DESI 5 y 6”).
- Medicamentos de un etiquetador sin un acuerdo de reembolso federal.
- Agentes utilizados para el alivio sintomático de la tos y los resfriados no incluidos en la lista específica de HCA.
- Agentes utilizados para ayudar a morir.
- Medicamentos recetados específicamente para estudios médicos.
- Fórmulas para bebé estándar, nutrición enteral.
- Alimentos medicinales.
- Medicamentos no aprobados por la FDA o sin licencia para su uso en los Estados Unidos.
- Productos aprobados por la FDA como dispositivos médicos

Medicamentos no contratados (medicamentos cubiertos por el programa de Pago Por Servicio de Apple Health):

Los siguientes tipos de medicamentos están cubiertos directamente por el programa de Pago Por Servicio de Apple Health, incluso cuando el miembro está inscrito en la atención administrada de Molina. Si tiene preguntas sobre un beneficio o servicio enumerado aquí, llame al Servicio de atención al cliente de Apple Health al (800) 562-3022.

- Aducanumab-avwa (Aduhelm™)
- Afamelanotide (Scenesse®)
- Agalsidase Beta (Fabrazyme®)
- Alglucosidase Alfa (Lumizyme®)
- Allergeneic processed thymus tissue-agdc (Rethymic®)
- Vutrisiran (Amvuttra™)
- Alpelisib (Vijoice®)
- Tauroursodeoxycholic acid/sodium phenylbutyrate (Relyvrio)
- Asfotase Alfa (Strensiq®)
- Avacopan (Tavneos™)
- Avalglucosidase Alfa (Nexviazyme™)
- Axicabtagene ciloleucel (Yescarta®)
- Berotralstat Hcl (Orladeyo™)
- Betibeglogene autotemcel (Zynteglo)
- Brexucabtagene autoleucel (Tecartus™)
- Burosumab-twza (Crysvita®)
- C1 Esterase Inhibitor (Human) (Berinert®)

- C1 Esterase Inhibitor (Human) (Cinryze®)
- C1 Esterase Inhibitor (Human) (Haegarda®)
- C1 Esterase Inhibitor (Recombinant) (Ruconest®)
- Casimersen (Amondys 45™)
- Cenegermin-bkbj (Oxervate™)
- Cerliponase alfa (Brineura™)
- Ciltacabtagene autoleucel (Carvykti™)
- Citrulline (Urea Cycle) (Citrulline Easy)
- Crizanlizumab (Adakveo®)
- Cysteamine Bitartrate (Cystagon®)
- Cysteamine Bitartrate (Procysbi®)
- Donislecel (Lantidra™)
- Ecallantide (Kalbitor®)
- Eculizumab (Soliris®)
- Edaravone (Radicava™)
- Elapegademase-lvlr (Revcovi™)
- Elosulfase Alfa (Vimizim®)
- Emapalumab (Gamifant™)
- Eteplirsen (Exondys51™)
- Evinacumab (Evkeeza™)
- Fosdenopterin (Nulibry™)
- Galsulfase (Naglazyme®)
- Givosiran (Givlaari™)
- Glycerol Phenylbutyrate (Ravicti®)
- Golodirsen (Vyondys 53™)
- Productos para hemofílicos: factores sanguíneos antihemofílicos VII, VIII y IX, antiinhibidores y productos biológicos aprobados por la FDA con una indicación para su uso en el tratamiento de la hemofilia o la enfermedad de von Willebrand cuando se distribuyen para su administración en el hogar del afiliado u otro entorno ambulatorio.
- Icatibant Acetate (Firazyr®)
- Icatibant Acetate
- Icatibant Acetate (Sajazir™)
- Idecabtagene vicleucel (Abecma®)
- Idursulfase (Elaprase®)
- Moduladores del sistema inmune y medicamentos antivirales para tratar la Hepatitis C. Esta exclusión no aplica a ningún otro servicio contratado relacionado con el diagnóstico o tratamiento de la Hepatitis C.
- Inebilizumab-cdon (Uplinza®)
- Inotersen (Tegsedi®)
- Interferon Gamma-1B (Actimmune®)
- Lanadelumab-flyo (Takhzyro®)
- Laronidase (Aldurazyme®)
- Levoketoconazole (Recorlev®)
- Lisocabtagene maraleucel (Breyanzi®)
- Lonafarnib (Zokinvy™)
- Lumasiran (Oxlumo™)
- Luspatercept (Reblozyl®)
- Lutetium Lu 177 dotatate (Lutathera®)

- Lutetium Lu 177 vipivotide tetraxetan (PluvictoTM)
- Maralixibat Chloride (Livmarli[®])
- Metreleptin (Myalept[®])
- Nitisinone
- Migalastat (Galafold[®])
- Mitapivat sulfate (Pyrukynd[®])
- Nitisinone (Nityr[®])
- Nitisinone (Orfadin[®])
- Nusinersen (Spinraza[®])
- Odevixibat (BylvayTM)
- Onasemnogene abeparvovec-Xioi (Zolgensma[®])
- Osilodrostat phosphate (Isturisa[®])
- Patisiran (Onpattro[®])
- Pegcetacoplan (EmpaveliTM)
- Pegvaliase-pqpz (PalynziqTM)
- Plasminogen (Ryplazim[®])
- Ravulizumab-cwvz (Ultomiris[®])
- Risdiplam (EvrysdiTM)
- Sapropterin (Kuvan[®], Javygtor)
- Satralizumab-mwge (EnspryngTM)
- Sebelipase Alfa (Kanuma[®])
- Sodium Phenylbutyrate (Buphenyl[®])
- Sodium Phenylbutyrate (Pheburane[®])
- Sutimlimab (EnjaymoTM)
- Tafamidis (Vyndamax[®])
- Tafamidis meglumine (Vyndaqel[®])
- Teprotumumab-trbw (Teppeza[®])
- Tisagenlecleucel-t (KymriahTM)
- Triheptanoin (DojolviTM)
- Valoctocogene roxaparvovec (Roctavian)
- Viltolarsen (Viltepso[®])
- Vestronidase alfa (MepseviiTM)
- Voretigene neparvovec-rzyl (LuxturnaTM)
- Vosoritide (VoxzogoTM)
- Pyrimethamine (Daraprim[®])
- Pyrimethamine (Pyrimethamine)
- Teduglutide (RDNA) (Gattex[®])
- Pegloticase (Krystexxa[®])
- Eliglustat Tartrate (Cerdelga[®])
- Imiglucerase (Cerezyme[®])
- Taliglucerase Alfa (Elelyso[®])
- Miglustat (Miglustat)
- Velaglucerase Alfa (Vpriv[®])
- Miglustat (Zavesca[®])
- Olipudase Alfa-RPCP (XenpozymeTM)
- Omaveloxolone (Skyclarys)
- Teplizumab (TzieldTM)
- Efgartigimod Alfa-FCAB (Vyvgart[®])

- Sipuleucel-T (Provenge®)
- Ibalizumab-Uiyk (Trogarzo™)
- Enfuvirtide (Fuzeon®)
- Zidovudine (Retrovir IV Infusion)
- Cabotegravir (Apretude)
- Cabotegravir & Rilpivirine (Cabenuva)
- Elivaldogene Autotemcel (Skysona)
- Lecanemab-irmb (Leqembi)
- Velmanase Alfa-tycv (Lamzede)
- Ganaxolone (Ztalmy)
- Tofersen (Qalsody)
- Trofinetide (Daybue)
- Caplacizumab-yhdp (Cablivi)
- Leniolisib Phosphate (Joenja)
- Lenacapavir (Sunlenca)
- Beremagene geperpavec (Vyjuvek)
- Pegunigalsidase Alfa (Elfabrio)
- Pegzilarginase (AEB1102)
- Etranacogene Dezaparvovec (AMT-061)
- Vamorolone (VBP15)
- Copper Histidinate (CUTX-101)
- OTL-200 (Atidarsagene autotemcel)
- OMS721 (Narsoplimab)
- Filsuvez
- ATA-129 (tabelecleucel®)
- ATB200 (cipaglucosidase alfa)
- Bardoxolone methyl
- Donanemab (Donanemab)
- Bulevirtide (Myrcludex B)
- Concizumab
- Delandistrogene Moxeparvovec (Elevidys)
- Exagamglogene autotemcel
- Lifileucel
- Nedosiran
- Palovaroteno (Sohonos)
- Rozanolixizumab-noli (Rystiggo)
- Pozelimab-bbfg (Veopoz)

Recursos para proveedores de salud del comportamiento de Molina

Programa de Segunda Opinión

El Programa de Segunda Opinión está diseñado para mejorar las prácticas de recetado para niños de hasta 17 años. En colaboración con el Grupo Asesor de Salud Mental Pediátrica y la Junta de Revisión de Utilización de Medicamentos, la agencia estableció pautas de salud mental pediátrica para identificar a los niños que pueden estar en alto riesgo debido al consumo no indicado de medicamentos recetados, uso de múltiples medicamentos, dosis altas de medicamentos, o falta de coordinación entre múltiples proveedores de recetas.

Las pautas incluyen, entre otras, las siguientes:

- Límites de dosis y edad de los agonistas alfa.
- Duplicaciones de terapia con antidepresivos.
- Límites de dosis y edad de antipsicóticos.
- Duplicaciones de terapia con antipsicóticos.
- Límites de edad y dosis del trastorno por déficit de atención con hiperactividad (TDAH).
- Duplicaciones de la terapia del TDAH.
- Medicamentos para el insomnio.
- Polifarmacia de salud mental (la terapia con medicamentos incluye cinco o más medicamentos para la salud mental).

El Seattle Children's Hospital brinda revisiones de medicamentos de segunda opinión de salud mental pediátrica. Se requieren revisiones de segunda opinión cuando se receta un medicamento psiquiátrico fuera de las pautas establecidas por el Grupo de Trabajo de Salud Mental Pediátrica. Seattle Children's Hospital programa revisiones de segunda opinión entre sus psiquiatras y los médicos pediátricos dentro de la red de Molina después de que el programa Second Opinion Network (SON) de Seattle Children's Hospital reciba la información necesaria sobre el niño y la dosis solicitada del medicamento. Además, son responsables de enviar la revisión escrita de la segunda opinión a la Autoridad de Atención Médica del Estado de Washington (HCA).

Como parte del proceso de autorización, los recetadores deben participar en una consulta telefónica del SON. Si se requiere una revisión de SON, el equipo de SON llamará al recetador para programar una cita. Para recibir el pago por la consulta telefónica, utilice el código de procedimiento 99441 en la reclamación. Si es recetador y tiene alguna pregunta, comuníquese con Molina al (800) 869-7165.

Autoridad de Atención Médica (HCA) - Limitaciones de dosis y edad de los antipsicóticos

| Medicamento | Menos de 3 años* | 3-5 años* | 6-12 años* | 13-17 años* |
|---|-------------------------|------------------|-------------------|--------------------|
| Fórmulas inyectables: | | | | |
| Todos los productos inyectables de segunda generación | 0 | 0 | 0 | 0 |
| Fórmulas orales: | | | | |
| aripiprazole, Abilify | 0 | 5 mg por día | 20 mg por día | 30 mg por día |
| Caplyta (lumateperone) | 0 | 0 | 0 | 0 |
| clozapine, Clozaril, Fazaclor, Versacloz | 0 | 0 | 0 | 700 mg por día |
| Fanapt (iloperidone) | 0 | 0 | 0 | 0 |
| haloperidol, Haldol | 0 | 0 | 10 mg por día | 15 mg por día |
| Latuda (ilurasidone) | 0 | 0 | 40 mg por día | 80 mg por día |
| olanzapine, Zyprexa/ Zydis | 0 | 0 | 10 mg por día | 20 mg por día |

| Medicamento | Menos de 3 años* | 3-5 años* | 6-12 años* | 13-17 años* |
|----------------------------------|-------------------------|------------------|-------------------|--------------------|
| Lybalvi (olanzapine-samidorphan) | 0 | 0 | 0 | 0 |
| Nuplazid (pimavanserin tartate) | 0 | 0 | 0 | 0 |
| paliperidone, Invega | 0 | 0 | 0 | 0 |
| perphenazine, Trilafon | 0 | 0 | 12 mg por día | 24 mg por día |
| quetiapine/XR, Seroquel/XR | 0 | 0 | 400 mg por día | 800 mg por día |
| Rexulti (brexpiprazole) | 0 | 0 | 0 | 0 |
| risperidone, Risperdal/ M-Tab | 0 | 2 mg por día | 4 mg por día | 6 mg por día |
| Saphris (asenapine) | 0 | 0 | 0 | 0 |
| Vraylar (cariprazine) | 0 | 0 | 0 | 0 |
| ziprasidone, Geodon | 0 | 0 | 80 mg por día | 160 mg por día |

*Un cero indica la necesidad de una segunda opinión aprobada por HCA para cualquier dosis

Límites de dosis y edad de los agonistas alfa

| Medicamento | 0-3 años de edad | 4-5 años de edad | 6-8 años de edad | 9-17 años de edad |
|--------------------------|-------------------------|-------------------------|-------------------------|--------------------------|
| Catapres® (clonidine) | Requiere PA | 0.2 mg | 0.3 mg | 0.4 mg |
| Intuniv® (guanfacine SR) | Requiere PA | 2mg | 3 mg | 4 mg |
| Kapvay® (clonidine SR) | Requiere PA | 0.2 mg | 0.3 mg | 0.4 mg |
| Tenex® (guanfacine) | Requiere PA | 2mg | 3 mg | 4 mg |

Límites de edad y dosis del trastorno por déficit de atención con hiperactividad

| Medicamento | 0-4 años de edad | 5-8 años de edad | 9-11 años de edad | 12-17 años de edad |
|--------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Amphetamine | Requiere PA | 35 mg | 45 mg | 60 mg |
| Atomoxetine | Requiere PA | 120 mg | 120 mg | 120 mg |
| Clonidine IR y ER | Agonista alfa Edad/Dosis | Agonista alfa Edad/Dosis | Agonista alfa Edad/Dosis | Agonista alfa Edad/Dosis |

| Medicamento | 0-4 años de edad | 5-8 años de edad | 9-11 años de edad | 12-17 años de edad |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Dexmethylphenidate | Requiere PA | 35 mg | 45 mg | 60 mg |
| Guanfacine IR y ER | Agonista alfa Edad/Dosis | Agonista alfa Edad/Dosis | Agonista alfa Edad/Dosis | Agonista alfa Edad/Dosis |
| Lisdexamfetamine | Requiere PA | 60 mg | 75 mg | 100 mg |
| Methylphenidate | Requiere PA | 70 mg | 90 mg | 120 mg |
| Methylphenidate patch | Requiere PA | 35 mg | 45 mg | 60 mg |
| Modafinil | Requiere PA | Requiere PA | Requiere PA | Requiere PA |
| Serdexmethylphenidate-Dexmethylphenidate | Requiere PA | 39.2 mg | 52.3 mg | 52.3 mg |

| Medicamento | 0-5 años de edad | 6-8 años de edad | 9-11 años de edad | 12-17 años de edad |
|--------------------|-------------------------|-------------------------|--------------------------|---------------------------|
| Viloxazine | Requiere PA | 400mg | 400mg | 400mg |

Duplicación del trastorno por déficit de atención con hiperactividad para edades de 0 a 17 años

| MEDICAMENTO | amphetamine/dextroamphetamine | armodafinil / modafinil | atomoxetine | viloxazine | dexmethylphenidate | serdexmethylphenidate / dexmethylphenidate | lisdexamfetamine | methylphenidate |
|-------------------------------|--------------------------------------|--------------------------------|--------------------|-------------------|---------------------------|---|-------------------------|------------------------|
| amphetamine/dextroamphetamine | Requiere PA | Requiere PA | Requiere PA | Requiere PA | Requiere PA | Requiere PA | Requiere PA | Requiere PA |
| armodafinil/modafinil | Requiere PA | Requiere PA | Requiere PA | Requiere PA | Requiere PA | Requiere PA | Requiere PA | Requiere PA |
| atomoxetine | Requiere PA | Requiere PA | Requiere PA | Requiere PA | Requiere PA | Requiere PA | Requiere PA | Requiere PA |
| viloxazine | Requiere PA | Requiere PA | Requiere PA | Requiere PA | Requiere PA | Requiere PA | Requiere PA | Requiere PA |
| dexmethylphenidate | Requiere PA | Requiere PA | Requiere PA | Requiere PA | | | Requiere PA | |

| MEDICAMENTO | amphetamine/ dextroamphetamine | armodafnil / modafnil | atomoxetine | viloxazine | dexamfetamine | serdexmethylphenidate / dexmethylphenidate | lisdexamfetamine | methylphenidate |
|--|-----------------------------------|--------------------------|----------------|----------------|----------------|---|------------------|-----------------|
| serdexmethylphenidate/ dexmethylphenidate | Requiere PA | Requiere PA | Requiere PA | Requiere PA | | | Requiere PA | |
| lisdexamfetamine | | Requiere PA | Requiere PA | Requiere PA | Requiere PA | Requiere PA | | Requiere PA |
| methylphenidate | Requiere PA | Requiere PA | Requiere PA | Requiere PA | | | Requiere PA | |

Tabla de antidepresivos de segunda generación para edades de 0 a 17 años

| Clase | SSRI | TeCA | NDRI | SNRI | SM |
|--|------|------|------|------|----|
| SSRI (Inhibidor selectivo de la recaptación de serotonina) | PA | | | PA | PA |
| TeCA (antagonistas del receptor alfa-2 – tetracíclicos) | | PA | PA | PA | PA |
| NDRI (Inhibidor de la recaptación de dopamine/norepinefrina) | | PA | PA | | |
| SNRI (inhibidor de la recaptación de serotonina y norepinefrina) | PA | PA | | PA | PA |
| SMM (Modulador de serotonina - Varios) | PA | PA | | PA | PA |

| SSRI | TeCA | NDRI | SNRI | SM |
|---------------------------|---------------------------|---------------------------|------------------------------|------------------------------|
| Brisdelle (paroxetine) | Ludiomil (maprotiline) | Aplenzin (bupropion) | Cymbalta (duloxetina) | Serzone (nefazodone) |
| Celexa (citalopram) | Remeron (mirtazapine) | Forfivo (bupropion) | Desvenlafaxine ER | Trintellix (vortioxetine) |
| Lexapro (escitalopram) | | Wellbutrin (bupropion) | Effexor (venlafaxine) | Viibryd (vilazodone) |
| Luvox (fluvoxamine) | | | Fetzima (levomilnacipran) | |

| SSRI | TeCA | NDRI | SNRI | SM |
|------------------------------|------|------|-----------------------------|----|
| Paxil (paroxetine) | | | Pristiq (desvenlafaxine) | |
| Pexeva (paroxetine mesylate) | | | | |
| Prozac (fluoxetina) | | | | |
| Sarafem (fluoxetina) | | | | |
| Zoloft (sertralina) | | | | |

Otro: para edades 0-17

Cymbalta (duloxetina): 120 mg/día

Cualquier dosis para clientes menores de 18 años:

- Medicamentos para el insomnio.

Medicamentos para el insomnio- Requiere revisión de SON para menores de 18 años

- Ambien/CR® (*zolpidem tartrate*)
- Belsomra® (*suvorexant*)
- Dayvigo (*leborexant*)
- Doral (*quazepam*)
- Edluar® (*zolpidem tartrate*) sublingual
- estazolam
- eszopiclone
- flurazepam
- Hetlioz (*tasimelteon*)
- Intermezzo (*zolpidem tartrate SL*)
- Lunesta® (*eszopiclone*)
- Rozerem® (*ramelteon*)
- Sonata® (*zaleplon*)
- Silenor (*doxepin*)
- temazepam
- triazolam
- Xywav
- Zolpimist (*zolpidem tartrate, zolpidem tartrate ER*)

Línea de Acceso a la Asociación (PAL)

La Línea de Acceso a la Asociación es un programa de consulta proporcionado a través del Seattle Children's Hospital para médicos de atención primaria (PCP). La consulta es gratuita, financiada por la Legislatura del Estado de Washington y la Autoridad de Atención Médica del Estado de Washington. Cualquier médico de atención primaria, enfermera practicante o asistente médico en todo el estado de Washington puede llamar a esta línea para obtener ayuda con cualquier tipo de asesoramiento de salud mental infantil para cualquier niño que vea el médico. Para obtener ayuda llame al (866) 599-7257 de lunes a viernes, de 8 a. m. a 5 p. m. hora estándar del Pacífico o visite seattlechildrens.org/PAL.

Para obtener más información sobre el programa de segunda opinión y las pautas de salud mental pediátrica, consulte página web del [Programa de Segunda Opinión de HCA](#) en hca.wa.gov/billers-providers-partners/programs-and-services/apple-health-second-opinion-program.

Leyenda

| | |
|-------------|--|
| AGE | Límite de edad |
| AGE* | Consulte la tabla en el Prefacio para conocer el límite de edad |
| DS | Los productos con indicador de días de suministro se pueden surtir hasta para 90 días de suministro |
| EA | Autorización Acelerada |
| MME | Todos los productos que contienen opioides tienen un equivalente máximo de miligramos de morfina de 120, las dosis superiores a 120 están sujetas a la política de opioides MolinaHealthcare.com/~/media/Molina/PublicWebsite/PDF/providers/wa/medicaid/forms/opioid-attestation.pdf |
| OTC | Beneficio cubierto de venta libre con receta (solo etiquetadores cubiertos) |
| PA | Autorización Previa |
| QL | Límite de Cantidad |
| SP | Medicamentos de Especialidad; estos medicamentos se deben obtener a través de una farmacia especializada |
| ST | Terapia Progresiva |
| minúsculas | Indica disponibilidad de genérico |
| MAYÚSCULAS | Indica la disponibilidad de medicamento de marca |

¿Qué es la autorización acelerada (EA)?

El proceso de EA está diseñado para eliminar la necesidad de solicitar autorización. La intención es establecer criterios de autorización y asociar estos criterios con códigos específicos, lo que permite a las farmacias crear un número de "EA" cuando corresponda.

Recordatorio: Los números de EA son solo para los medicamentos enumerados en esta tabla.

Nota: El uso de un número de EA no exime a las reclamaciones de modificaciones, como los límites de recetado por mes calendario o los resurtidos anticipados.

Directrices de EA:

Diagnósticos: la información de diagnóstico se puede obtener del recetador, del cliente, del cuidador del cliente o de un miembro de la familia para cumplir con las condiciones de EA. Se rechazan las reclamaciones de medicamentos presentadas sin un código de diagnóstico/afeción adecuado para el medicamento despachado.

Documentación: los farmacéuticos dispensadores deben escribir los dos datos siguientes en la receta original:

- El nombre completo de la persona que proporcionó la información de diagnóstico.
- El diagnóstico/condición o el código de criterio de la tabla adjunta.

| Producto | Código de EA | Criterios |
|---|--------------|---|
| Buprenorphine | 85000000077 | Monoterapia con buprenorphine para clientes embarazadas |
| | 85000000078 | Monoterapia con buprenorphine para clientes no embarazadas mientras se inicia la autorización previa. Limitado a 32 mg por día, siete (7) días a la vez hasta catorce (14) días cada seis (6) meses. NOTA: Los proveedores (recetadores o farmacias) deben iniciar una autorización previa para resurtidos adicionales. |
| Productos de testosterona Aveed (testosterone undecanoate) AndroDerm (testosterone transdermal patch) testosterone cypionate IM testosterone transdermal gel 1 %, 1.62 % y 2 % Xyosted (testosterone enanthate) | 85000000102 | Para clientes mayores de 18 años: <ul style="list-style-type: none"> • Terapia con testosterona para el tratamiento de la disforia de género. Para clientes menores de 17 años: <ul style="list-style-type: none"> • Terapia con testosterona para el tratamiento de la disforia de género; • Un endocrinólogo pediátrico u otro médico con experiencia en la evaluación de la pubertad ha determinado que el tratamiento hormonal es apropiado. Este código no anulará la autorización previa para marcas con equivalentes genéricos o productos no preferidos a menos que el cliente haya cumplido con los criterios de prueba y error. |

| | | |
|---|-------------|---|
| Agonistas de la hormona liberadora de gonadotropina (GnRH) | 85000000103 | Terapia con GnRH para la supresión de la pubertad en adolescentes diagnosticados con disforia de género Y un endocrinólogo pediátrico u otro médico con experiencia en la evaluación de la pubertad ha determinado que el tratamiento hormonal es apropiado. |
| Eligard (<i>leuprolide</i>) Fensolvi (<i>leuprolide</i>) Lupron Depot/Depot-Ped (<i>leuprolide</i>) Suprelin LA (<i>histrelin</i>) Triptodur (<i>triptorelin</i>) Zoladex (<i>goserlín</i>) | | Este código no anulará la autorización previa para marcas con equivalentes genéricos o productos no preferidos a menos que el cliente haya cumplido con los criterios de prueba y error. |
| | 85000000104 | <p>Para clientes mayores de 18 años:</p> <ul style="list-style-type: none"> • Terapia con GnRH para el tratamiento de la disforia de género. <p>Para clientes menores de 17 años:</p> <ul style="list-style-type: none"> • Terapia con GnRH para el tratamiento de la disforia de género; • Y • Un endocrinólogo pediátrico u otro médico con experiencia en la evaluación de la pubertad ha determinado que el tratamiento hormonal es apropiado. <p>Este código no anulará la autorización previa para marcas con equivalentes genéricos o productos no preferidos, a menos que el cliente haya cumplido con los criterios de prueba y error..</p> |

| | | |
|--|-------------|--|
| oxandrolone | | Antes de que se permita cualquier código, debe haber una ausencia de todo lo siguiente: a) hipercalcemia; b) nefrosis; c) carcinoma de mama; d) carcinoma de próstata; y e) embarazo. |
| | 85000000110 | Tratamiento por pérdida de peso involuntaria en pacientes que se sometieron a cirugía extensiva, trauma severo, infecciones crónicas (como desgaste por SIDA) o que no logran mantener o aumentar de peso sin causa fisiopatológica concluyente. |
| | 85000000111 | Para compensar el catabolismo proteico debido al uso prolongado de corticosteroides. |
| | 85000000112 | Tratamiento del dolor óseo por osteoporosis. |
| Los productos opioides que contengan lo siguiente están sujetos a la política de opioides: | 85000000540 | El cliente está en tratamiento activo contra el cáncer, cuidados paliativos, atención de hospicio u otros cuidados para enfermos terminales. |
| <ul style="list-style-type: none"> • benzhydrocodone • buprenorphine (solo indicaciones de dolor) • butorphanol • codeine • dihydrocodeine • fentanyl • hydrocodone • hydromorphone • levorphanol • meperidine • methadone • morphine • oxycodone • oxymorphone • pentazocine • tapentadol • tramadol | 85000000541 | El recetador ha indicado "EXENTO" en la receta. No anula los límites de MME (equivalente de miligramos de morfina) |

[MolinaHealthcare.com/
providers/wa/medicaid/forms/PDF/
opioid-attestation.pdf](http://MolinaHealthcare.com/providers/wa/medicaid/forms/PDF/opioid-attestation.pdf)

| | | |
|---|-------------|--|
| Productos de metadona sujetos a la política de metadona | 85000000540 | El cliente está en tratamiento activo contra el cáncer, cuidados paliativos, atención de hospicio u otros cuidados para enfermos terminales. |
| Omeprazole Delayed Release Tab 20 mg Omeprazole Cap Delayed Release 20 mg Omeprazole Cap Delayed Release 40 mg- Pantoprazole Sodium EC Tab 20 mg (Base Equiv) Pantoprazole Sodium EC Tab 40 mg (Base Equiv) | 85000000079 | Diagnóstico de <i>H. pylori</i> con úlcera presente. Limitado a 30 unidades por 15 días para el surtido inicial. |

| | | |
|---|-------------|---|
| Anticonceptivos (orales, transdérmicos e intravaginales) | 85000000131 | Utilizados como anticonceptivo, dispensados como suministro para 12 meses. |
| | 85000000132 | Utilizados como anticonceptivo, dispensados para un suministro de menos de doce meses debido a UNO de los siguientes: |
| | | <ul style="list-style-type: none"> • El recetador no está dispuesto a cambiar la cantidad dispensada a un suministro de doce meses. • El paciente no quiere suministro de doce meses. • La farmacia no tiene suficiente stock. |
| | 85000000133 | Utilizados para otros diagnósticos no relacionados con la anticoncepción hasta un suministro de 91 días. |

Solicitud de cambios en el formulario

Si usted es un recetador y desea solicitar un cambio en el formulario, envíe su solicitud y justificación al Departamento de Farmacia de Molina con su información de contacto.

Fax: (800) 869-7791

Aviso

La información contenida en este documento es de propiedad exclusiva. La información no se puede copiar de manera parcial ni total sin el permiso por escrito. Copyright 2023. Todos los derechos reservados.

Este documento contiene referencias a medicamentos recetados de marca registrada que son marcas comerciales o marcas comerciales registradas de fabricantes farmacéuticos.

Table of Contents

| | | |
|---|--|-----|
| *Adhd/Anti-Narcolepsy/Anti-Obesity/Anorexiants* | - Drugs For The Nervous System..... | 21 |
| *Allergenic Extracts/Biologicals Misc* | - Biological Agents..... | 25 |
| *Amebicides* | - Drugs For Infections..... | 26 |
| *Aminoglycosides* | - Drugs For Infections..... | 26 |
| *Analgesics - Anti-Inflammatory* | - Drugs For Pain And Fever | 27 |
| *Analgesics - Nonnarcotic* | - Drugs For Pain And Fever..... | 39 |
| *Analgesics - Opioid* | - Drugs For Pain And Fever..... | 51 |
| *Androgens-Anabolic* | - Hormones..... | 58 |
| *Anorectal And Related Products* | - Rectal Preparations..... | 59 |
| *Antacids* | - Drugs For The Stomach..... | 60 |
| *Anthelmintics* | - Drugs For Infections..... | 62 |
| *Antiangular Agents* | - Drugs For The Heart..... | 63 |
| *Antianxiety Agents* | - Drugs For The Nervous System..... | 64 |
| *Antiarrhythmics* | - Drugs For The Heart..... | 66 |
| *Antiasthmatic And Bronchodilator Agents* | - Drugs For The Lungs..... | 67 |
| *Anticoagulants* | - Drugs For The Blood..... | 74 |
| *Anticonvulsants* | - Drugs For The Nervous System..... | 76 |
| *Antidepressants* | - Drugs For The Nervous System..... | 83 |
| *Antidiabetics* | - Hormones..... | 87 |
| *Antidiarrheal/Probiotic Agents* | - Drugs For The Stomach..... | 98 |
| *Antidotes And Specific Antagonists* | - Drugs For Overdose Or Poisoning..... | 101 |
| *Antiemetics* | - Drugs For The Stomach..... | 102 |
| *Antifungals* | - Drugs For Infections..... | 104 |
| *Antihistamines* | - Drugs For The Lungs..... | 107 |
| *Antihyperlipidemics* | - Drugs For The Heart..... | 115 |
| *Antihypertensives* | - Drugs For The Heart..... | 119 |
| *Anti-Infective Agents - Misc.* | - Drugs For Infections..... | 125 |
| *Antimalarials* | - Drugs For Infections..... | 128 |
| *Antimyasthenic/Cholinergic Agents* | - Drugs For Nerves And Muscles..... | 129 |
| *Antimycobacterial Agents* | - Drugs For Infections..... | 130 |
| *Antineoplastics And Adjunctive Therapies* | - Drugs For Cancer..... | 130 |
| *Antiparkinson And Related Therapy Agents* | - Drugs For The Nervous System..... | 142 |
| *Antipsychotics/Antimanic Agents* | - Drugs For The Nervous System..... | 145 |
| *Antivirals* | - Drugs For Infections..... | 150 |
| *Beta Blockers* | - Drugs For The Heart..... | 158 |
| *Calcium Channel Blockers* | - Drugs For The Heart..... | 161 |
| *Cardiotonics* | - Drugs For The Heart..... | 164 |
| *Cardiovascular Agents - Misc.* | - Drugs For The Heart..... | 165 |
| *Cephalosporins* | - Drugs For Infections..... | 168 |
| *Chemicals* | | 170 |
| *Contraceptives* | - Drugs For Women | 171 |
| *Corticosteroids* | - Hormones..... | 182 |
| *Cough/Cold/Allergy* | - Drugs For The Lungs..... | 186 |
| *Dermatologicals* | - Drugs For The Skin..... | 193 |
| *Diagnostic Products* | | 224 |
| *Digestive Aids* | - Drugs For The Stomach..... | 226 |
| *Diuretics* | - Drugs For The Heart..... | 227 |
| *Endocrine And Metabolic Agents - Misc.* | - Hormones..... | 229 |

| | |
|--|-----|
| *Estrogens* - Hormones..... | 238 |
| *Fluoroquinolones* - Drugs For Infections..... | 241 |
| *Gastrointestinal Agents - Misc.* - Drugs For The Stomach..... | 241 |
| *Genitourinary Agents - Miscellaneous* - Drugs For The Urinary System..... | 249 |
| *Gout Agents* - Drugs For Pain And Fever..... | 251 |
| *Hematological Agents - Misc.* - Drugs For The Blood..... | 252 |
| *Hematopoietic Agents* - Drugs For Nutrition..... | 258 |
| *Hemostatics* - Drugs For The Blood..... | 265 |
| *Hypnotics/Sedatives/Sleep Disorder Agents* - Drugs For The Nervous System..... | 265 |
| *Laxatives* - Drugs For The Stomach..... | 267 |
| *Macrolides* - Drugs For Infections..... | 278 |
| *Medical Devices And Supplies* - Medical Supplies And Durable Medical Equipment..... | 279 |
| *Migraine Products* - Drugs For The Nervous System..... | 302 |
| *Minerals & Electrolytes* - Drugs For Nutrition..... | 305 |
| *Miscellaneous Therapeutic Classes* - Vitamins And Minerals..... | 310 |
| *Mouth/Throat/Dental Agents* - Drugs For The Mouth And Throat..... | 313 |
| *Multivitamins* - Drugs For Nutrition..... | 315 |
| *Musculoskeletal Therapy Agents* - Drugs For Muscles, Ligaments, Tendons, And Bones..... | 321 |
| *Nasal Agents - Systemic And Topical* - Drugs For The Nose..... | 323 |
| *Neuromuscular Agents* - Drugs For Nerves And Muscles..... | 327 |
| *Nutrients* - Drugs For Nutrition..... | 331 |
| *Ophthalmic Agents* - Drugs For The Eye..... | 331 |
| *Otic Agents* - Drugs For The Ear..... | 344 |
| *Oxytocics* - Hormones..... | 346 |
| *Passive Immunizing And Treatment Agents* - Biological Agents..... | 346 |
| *Penicillins* - Drugs For Infections..... | 346 |
| *Pharmaceutical Adjuvants* | 348 |
| *Progestins* - Hormones..... | 348 |
| *Psychotherapeutic And Neurological Agents - Misc.* - Drugs For The Nervous System..... | 349 |
| *Respiratory Agents - Misc.* - Drugs For The Lungs | 359 |
| *Sulfonamides* - Drugs For Infections..... | 360 |
| *Tetracyclines* - Drugs For Infections..... | 361 |
| *Thyroid Agents* - Hormones | 363 |
| *Ulcer Drugs/Antispasmodics/Anticholinergics* - Drugs For The Stomach..... | 364 |
| *Urinary Antispasmodics* - Drugs For The Urinary System..... | 371 |
| *Vaccines* - Biological Agents..... | 373 |
| *Vaginal And Related Products* - Drugs For Women..... | 375 |
| *Vasopressors* - Drugs For The Heart..... | 377 |
| *Vitamins* - Drugs For Nutrition..... | 378 |

| Drug | Status | Notes |
|--|---------------|--|
| *Adhd/Anti-Narcolepsy/Anti-Obesity/Anorexiants* - Drugs For The Nervous System | | |
| *Adhd Agent - Selective Alpha Adrenergic Agonists*** - Drugs For Attention Deficit Disorder | | |
| INTUNIV ORAL TABLET EXTENDED RELEASE 24 HOUR 1 MG, 2 MG, 3 MG, 4 MG | Non Preferred | PA; NOTES (AGE*) |
| KAPVAY ORAL TABLET EXTENDED RELEASE 12 HOUR 0.1 MG | Non Preferred | PA; NOTES (AGE*) |
| clonidine hcl er oral tablet extended release 12 hour 0.1 mg | Preferred | NOTES (AGE*) |
| guanfacine hcl er oral tablet extended release 24 hour 1 mg, 2 mg, 3 mg, 4 mg | Preferred | NOTES (AGE*) |
| *Adhd Agent - Selective Norepinephrine Reuptake Inhibitor*** - Drugs For Attention Deficit Disorder | | |
| QUELBREE ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100 MG, 150 MG, 200 MG | Preferred | PA; QL (60 EA per 24 days); NOTES (AGE*) |
| STRATTERA ORAL CAPSULE 10 MG, 100 MG, 18 MG, 25 MG, 40 MG, 60 MG, 80 MG | Non Preferred | PA; NOTES (AGE*) |
| atomoxetine hcl oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg | Preferred | NOTES (AGE*) |
| *Amphetamine Mixtures*** - Drugs For Attention Deficit Disorder | | |
| ADDERALL ORAL TABLET 10 MG, 12.5 MG, 15 MG, 20 MG, 30 MG, 5 MG, 7.5 MG | Non Preferred | PA; NOTES (AGE*) |
| ADDERALL XR ORAL CAPSULE EXTENDED RELEASE 24 HOUR 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 5 MG | Preferred | NOTES (AGE*) |
| MYDAYIS ORAL CAPSULE EXTENDED RELEASE 24 HOUR 12.5 MG, 25 MG, 37.5 MG, 50 MG | Non Preferred | PA; NOTES (AGE*) |
| amphetamine-dextroamphet er oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg | Preferred | NOTES (AGE*) |
| amphetamine-dextroamphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg | Preferred | NOTES (AGE*) |

| Drug | Status | Notes |
|---|---------------|------------------|
| amphet-dextroamphet 3-bead er oral capsule extended release 24 hour 12.5 mg, 25 mg, 37.5 mg, 50 mg | Non Preferred | PA |
| *Amphetamines*** - Drugs For Attention Deficit Disorder | | |
| ADZENYS XR-ODT ORAL TABLET EXTENDED RELEASE DISPERSIBLE 12.5 MG, 15.7 MG, 18.8 MG, 3.1 MG, 6.3 MG, 9.4 MG | Non Preferred | PA; NOTES (AGE*) |
| DESOXYN ORAL TABLET 5 MG | Non Preferred | PA |
| DEXEDRINE ORAL CAPSULE EXTENDED RELEASE 24 HOUR 10 MG, 15 MG | Non Preferred | PA; NOTES (AGE*) |
| DYANAVEL XR ORAL SUSPENSION EXTENDED RELEASE 2.5 MG/ML | Non Preferred | PA; NOTES (AGE*) |
| DYANAVEL XR ORAL TABLET CHEWABLE EXTENDED RELEASE 10 MG, 15 MG, 20 MG, 5 MG | Non Preferred | PA; NOTES (AGE*) |
| EVEKEO ODT ORAL TABLET DISPERSIBLE 10 MG, 15 MG, 20 MG, 5 MG | Non Preferred | PA; NOTES (AGE*) |
| EVEKEO ORAL TABLET 10 MG, 5 MG | Non Preferred | PA; NOTES (AGE*) |
| PROCENTRA ORAL SOLUTION 5 MG/5ML | Non Preferred | PA; NOTES (AGE*) |
| VYVANSE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG | Non Preferred | PA; NOTES (AGE*) |
| VYVANSE ORAL TABLET CHEWABLE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG | Preferred | NOTES (AGE*) |
| XELSTRYM TRANSDERMAL PATCH 13.5 MG/9HR, 18 MG/9HR, 4.5 MG/9HR, 9 MG/9HR | Non Preferred | PA |
| ZENZEDI ORAL TABLET 10 MG, 15 MG, 2.5 MG, 20 MG, 30 MG, 5 MG, 7.5 MG | Non Preferred | PA; NOTES (AGE*) |
| amphetamine sulfate oral tablet 10 mg, 5 mg | Non Preferred | PA; NOTES (AGE*) |
| dextroamphetamine sulfate er oral capsule extended release 24 hour 10 mg, 15 mg, 5 mg | Preferred | NOTES (AGE*) |
| dextroamphetamine sulfate oral solution 5 mg/5ml | Non Preferred | PA; NOTES (AGE*) |
| dextroamphetamine sulfate oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg | Non Preferred | PA; NOTES (AGE*) |
| lisdexamfetamine dimesylate oral capsule 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg | Preferred | NOTES (AGE*) |

| Drug | Status | Notes |
|---|---------------|--|
| lisdexamfetamine dimesylate oral tablet chewable 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg | Preferred | NOTES (AGE*) |
| methamphetamine hcl oral tablet 5 mg | Non Preferred | PA |
| *Analeptics*** - Drugs For The Nervous System | | |
| caffeine citrate oral solution 20 mg/ml, 60 mg/3ml | Preferred | NOTES (120 mL per lifetime) |
| *Dopamine And Norepinephrine Reuptake Inhibitors (Dnrts)*** - Drugs For Sleep Disorder | | |
| SUNOSI ORAL TABLET 150 MG, 75 MG | Non Preferred | PA |
| *Histamine H3-Receptor Antagonist/Inverse Agonists*** - Drugs For Sleep Disorder | | |
| WAKIX ORAL TABLET 17.8 MG, 4.45 MG | Non Preferred | PA; SP |
| *Stimulant Combinations*** - Drugs For Attention Deficit Disorder | | |
| AZSTARYS ORAL CAPSULE 26.1-5.2 MG, 39.2-7.8 MG, 52.3-10.4 MG | Non Preferred | PA; QL (1 EA per 1 day); NOTES (AGE*) |
| *Stimulants - Misc.*** - Drugs For Attention Deficit Disorder | | |
| APTENSIO XR ORAL CAPSULE EXTENDED RELEASE 24 HOUR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG | Non Preferred | PA; NOTES (AGE*) |
| CONCERTA ORAL TABLET EXTENDED RELEASE 18 MG, 27 MG, 36 MG, 54 MG | Preferred | NOTES (AGE*) |
| COTEMPLA XR-QDT ORAL TABLET EXTENDED RELEASE DISPERSIBLE 17.3 MG, 25.9 MG, 8.6 MG | Non Preferred | PA; NOTES (AGE*) |
| DAYTRANA TRANSDERMAL PATCH 10 MG/9HR, 15 MG/9HR, 20 MG/9HR, 30 MG/9HR | Non Preferred | PA; NOTES (AGE*) |
| FOCALIN ORAL TABLET 10 MG, 2.5 MG, 5 MG | Preferred | NOTES (AGE*) |
| FOCALIN XR ORAL CAPSULE EXTENDED RELEASE 24 HOUR 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG, 5 MG | Non Preferred | PA; NOTES (AGE*) |
| JORNAY PM ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100 MG, 20 MG, 40 MG, 60 MG, 80 MG | Non Preferred | PA; NOTES (AGE*) |

| Drug | Status | Notes |
|---|---------------|---|
| METHYLIN ORAL SOLUTION 10 MG/5ML, 5 MG/5ML | Preferred | NOTES (AGE*) |
| NUVIGIL ORAL TABLET 150 MG, 200 MG, 250 MG, 50 MG | Non Preferred | PA; NOTES (AGE*); AGE (Min 18 Years) |
| PROVIGIL ORAL TABLET 100 MG | Non Preferred | PA; QL (1 EA per 1 day); NOTES (AGE*); AGE (Min 18 Years) |
| PROVIGIL ORAL TABLET 200 MG | Non Preferred | PA; QL (2 EA per 1 day); NOTES (AGE*); AGE (Min 18 Years) |
| QUILLICHEW ER ORAL TABLET CHEWABLE EXTENDED RELEASE 20 MG, 30 MG, 40 MG | Non Preferred | PA; NOTES (AGE*) |
| QUILLIVANT XR ORAL SUSPENSION RECONSTITUTED ER 25 MG/5ML | Non Preferred | PA; NOTES (AGE*) |
| RELEXXII ORAL TABLET EXTENDED RELEASE 45 MG, 63 MG, 72 MG | Non Preferred | PA; NOTES (AGE*) |
| RITALIN LA ORAL CAPSULE EXTENDED RELEASE 24 HOUR 10 MG, 20 MG, 30 MG, 40 MG | Non Preferred | PA; NOTES (AGE*) |
| RITALIN ORAL TABLET 10 MG, 20 MG, 5 MG | Non Preferred | PA; NOTES (AGE*) |
| armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg | Preferred | PA; NOTES (AGE*); AGE (Min 18 Years) |
| dexmethylphenidate hcl er oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg | Preferred | NOTES (AGE*) |
| dexmethylphenidate hcl oral tablet 10 mg, 2.5 mg, 5 mg | Preferred | NOTES (AGE*) |
| methylphenidate hcl er (cd) oral capsule extended release 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg | Preferred | NOTES (AGE*) |
| methylphenidate hcl er (la) oral capsule extended release 24 hour 10 mg, 20 mg, 30 mg, 40 mg, 60 mg | Preferred | NOTES (AGE*) |
| methylphenidate hcl er (osm) oral tablet extended release 18 mg, 27 mg, 36 mg, 54 mg | Preferred | NOTES (AGE*) |
| methylphenidate hcl er (osm) oral tablet extended release 45 mg, 63 mg, 72 mg | Non Preferred | PA; NOTES (AGE*) |
| methylphenidate hcl er (xr) oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg | Non Preferred | PA; NOTES (AGE*) |

| Drug | Status | Notes |
|--|---------------|---|
| methylphenidate hcl er oral tablet extended release 10 mg, 20 mg | Preferred | NOTES (AGE*) |
| methylphenidate hcl er oral tablet extended release 24 hour 18 mg, 27 mg, 36 mg, 54 mg | Preferred | NOTES (AGE*) |
| methylphenidate hcl oral solution 10 mg/5ml, 5 mg/5ml | Preferred | NOTES (AGE*) |
| methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg | Preferred | NOTES (AGE*) |
| methylphenidate hcl oral tablet chewable 10 mg, 2.5 mg, 5 mg | Non Preferred | PA; NOTES (AGE*) |
| methylphenidate transdermal patch 10 mg/9hr, 15 mg/9hr, 20 mg/9hr, 30 mg/9hr | Non Preferred | PA; NOTES (AGE*) |
| modafinil oral tablet 100 mg | Preferred | PA; QL (1 EA per 1 day); NOTES (AGE*); AGE (Min 18 Years) |
| modafinil oral tablet 200 mg | Preferred | PA; QL (2 EA per 1 day); NOTES (AGE*); AGE (Min 18 Years) |

***Allergenic Extracts/Biologicals Misc* - Biological Agents**

Allergenic Extracts - Biological Agents**

| | | |
|--|-----------|--------|
| GRASTEK SUBLINGUAL TABLET SUBLINGUAL 2800 BAU | Preferred | PA |
| PALFORZIA (12 MG DAILY DOSE) ORAL 2 X 1 MG & 10 MG | Preferred | PA; SP |
| PALFORZIA (120 MG DAILY DOSE) ORAL 20 MG & 100 MG | Preferred | PA; SP |
| PALFORZIA (160 MG DAILY DOSE) ORAL 3 X 20 MG & 100 MG | Preferred | PA; SP |
| PALFORZIA (20 MG DAILY DOSE) ORAL 20 MG | Preferred | PA; SP |
| PALFORZIA (200 MG DAILY DOSE) ORAL 2 X 100 MG | Preferred | PA; SP |
| PALFORZIA (240 MG DAILY DOSE) ORAL 2 X 20 MG & 2 X 100 MG | Preferred | PA; SP |
| PALFORZIA (3 MG DAILY DOSE) ORAL 3 X 1 MG | Preferred | PA; SP |
| PALFORZIA (300 MG MAINTENANCE) ORAL PACKET 300 MG | Preferred | PA; SP |
| PALFORZIA (300 MG TITRATION) ORAL PACKET 300 MG | Preferred | PA; SP |

| Drug | Status | Notes |
|--|---------------|----------------------|
| PALFORZIA (40 MG DAILY DOSE) ORAL 2 X 20 MG | Preferred | PA; SP |
| PALFORZIA (6 MG DAILY DOSE) ORAL 6 X 1 MG | Preferred | PA; SP |
| PALFORZIA (80 MG DAILY DOSE) ORAL 4 X 20 MG | Preferred | PA; SP |
| PALFORZIA INITIAL ESCALATION ORAL 0.5 & 1 & 1.5 & 3 & 6 MG | Preferred | PA; SP |
| RAGWITEK SUBLINGUAL TABLET SUBLINGUAL 12 AMB A 1-U | Preferred | PA |
| *Mixed Allergenic Extracts*** - Biological Agents | | |
| ODACTRA SUBLINGUAL TABLET SUBLINGUAL 12 SQ-HDM | Preferred | PA |
| ORALAIR ADULT STARTER PACK SUBLINGUAL TABLET SUBLINGUAL 300 IR | Preferred | PA |
| ORALAIR CHILDRENS STARTER PACK SUBLINGUAL TABLET SUBLINGUAL 100 IR | Preferred | PA |
| ORALAIR SUBLINGUAL TABLET SUBLINGUAL 300 IR | Preferred | PA |
| *Amebicides* - Drugs For Infections | | |
| *Amebicides*** - Drugs For Parasites | | |
| SOLOSEC ORAL PACKET 2 GM | Preferred | PA |
| *Aminoglycosides* - Drugs For Infections | | |
| *Aminoglycosides*** - Antibiotics | | |
| ARIKAYCE INHALATION SUSPENSION 590 MG/8.4ML | Non Preferred | PA |
| BETHKIS INHALATION NEBULIZATION SOLUTION 300 MG/4ML | Preferred | PA; SP |
| HUMATIN ORAL CAPSULE 250 MG | Preferred | PA |
| KITABIS PAK INHALATION NEBULIZATION SOLUTION 300 MG/5ML | Preferred | PA; SP |
| TOBI INHALATION NEBULIZATION SOLUTION 300 MG/5ML | Non Preferred | PA; SP |
| TOBI PODHALER INHALATION CAPSULE 28 MG | Non Preferred | PA; SP |
| neomycin sulfate oral tablet 500 mg | Preferred | QL (24 EA per 1 day) |
| paromomycin sulfate oral capsule 250 mg | Preferred | |

| Drug | Status | Notes |
|---|---------------|--------|
| tobramycin inhalation nebulization solution 300 mg/4ml | Preferred | PA; SP |
| tobramycin inhalation nebulization solution 300 mg/5ml | Non Preferred | PA; SP |
| *Analgesics - Anti-Inflammatory* - Drugs For Pain And Fever | | |
| *Antirheumatic - Janus Kinase (Jak) Inhibitors*** - Arthritis And Pain Drugs | | |
| OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG | Non Preferred | PA; SP |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HOUR 15 MG, 30 MG, 45 MG | Non Preferred | PA; SP |
| XELJANZ ORAL SOLUTION 1 MG/ML | Non Preferred | PA; SP |
| XELJANZ ORAL TABLET 10 MG, 5 MG | Non Preferred | PA; SP |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR 11 MG, 22 MG | Non Preferred | PA; SP |
| *Antirheumatic Antimetabolites*** - Arthritis And Pain Drugs | | |
| OTREXUP SUBCUTANEOUS SOLUTION AUTO-INJECTOR 10 MG/0.4ML, 12.5 MG/0.4ML, 15 MG/0.4ML, 17.5 MG/0.4ML, 20 MG/0.4ML, 22.5 MG/0.4ML, 25 MG/0.4ML | Non Preferred | PA |
| RASUVO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 10 MG/0.2ML, 12.5 MG/0.25ML, 15 MG/0.3ML, 17.5 MG/0.35ML, 20 MG/0.4ML, 22.5 MG/0.45ML, 25 MG/0.5ML, 30 MG/0.6ML, 7.5 MG/0.15ML | Preferred | PA |
| REDITREX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10 MG/0.4ML, 12.5 MG/0.5ML, 15 MG/0.6ML, 17.5 MG/0.7ML, 20 MG/0.8ML, 22.5 MG/0.9ML, 25 MG/ML, 7.5 MG/0.3ML | Non Preferred | PA; SP |
| *Anti-Tnf-Alpha - Monoclonal Antibodies*** - Arthritis And Pain Drugs | | |
| AMJEVITA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 40 MG/0.8ML | Non Preferred | PA; SP |
| AMJEVITA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10 MG/0.2ML | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|-------------------------------|
| AMJEVITA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 20 MG/0.4ML, 40 MG/0.8ML | Non Preferred | PA; SP |
| CYLTEZO SUBCUTANEOUS AUTO-Injector KIT 40 MG/0.8ML | Non Preferred | PA |
| CYLTEZO SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.2ML, 20 MG/0.4ML, 40 MG/0.8ML | Non Preferred | PA |
| CYLTEZO-CD/UC/HS STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.8ML | Non Preferred | PA |
| CYLTEZO-PSORIASIS STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.8ML | Non Preferred | PA |
| HADLIMA PUSHTOUCH SUBCUTANEOUS SOLUTION AUTO-INJECTOR 40 MG/0.4ML, 40 MG/0.8ML | Non Preferred | PA |
| HADLIMA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/0.4ML, 40 MG/0.8ML | Non Preferred | PA |
| HULIO SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.8ML | Non Preferred | PA |
| HULIO SUBCUTANEOUS PREFILLED SYRINGE KIT 20 MG/0.4ML, 40 MG/0.8ML | Non Preferred | PA |
| HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS PREFILLED SYRINGE KIT 80 MG/0.8ML, 80 MG/0.8ML & 40MG/0.4ML | Preferred | PA; SP |
| HUMIRA PEN SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.4ML, 80 MG/0.8ML | Preferred | PA; SP |
| HUMIRA PEN SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML | Preferred | PA; QL (2 EA per 22 days); SP |
| HUMIRA PEN-CD/UC/HS STARTER SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML | Preferred | PA; QL (2 EA per 22 days); SP |
| HUMIRA PEN-CD/UC/HS STARTER SUBCUTANEOUS PEN-INJECTOR KIT 80 MG/0.8ML | Preferred | PA; SP |
| HUMIRA PEN-PEDIATRIC UC START SUBCUTANEOUS PEN-INJECTOR KIT 80 MG/0.8ML | Preferred | PA; SP |

| Drug | Status | Notes |
|--|---------------|-------------------------------|
| HUMIRA PEN-PS/UV/ADOL HS START SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML | Preferred | PA; QL (2 EA per 22 days); SP |
| HUMIRA PEN-PSOR/UVEIT STARTER SUBCUTANEOUS PEN-INJECTOR KIT 80 MG/0.8ML & 40MG/0.4ML | Preferred | PA; SP |
| HUMIRA SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML, 40 MG/0.4ML | Preferred | PA; SP |
| HUMIRA SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.8ML | Preferred | PA; QL (2 EA per 22 days); SP |
| HYRIMOZ SUBCUTANEOUS SOLUTION AUTO-INJECTOR 40 MG/0.4ML, 40 MG/0.8ML, 80 MG/0.8ML | Non Preferred | PA |
| HYRIMOZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10 MG/0.1 ML, 20 MG/0.2ML, 40 MG/0.4ML, 40 MG/0.8ML | Non Preferred | PA |
| HYRIMOZ-CROHNS/UC STARTER PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 80 MG/0.8ML | Non Preferred | PA |
| HYRIMOZ-PED CROHNS STARTER SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 80 MG/0.8ML, 80 MG/0.8ML & 40MG/0.4ML | Non Preferred | PA |
| HYRIMOZ-PLAQUE PSORIASIS START SUBCUTANEOUS SOLUTION AUTO-INJECTOR 80 MG/0.8ML & 40MG/0.4ML | Non Preferred | PA |
| IDACIO FOR CROHNS DISEASE/UC SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.8ML | Non Preferred | PA |
| IDACIO FOR PLAQUE PSORIASIS SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.8ML | Non Preferred | PA |
| IDACIO SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.8ML | Non Preferred | PA |
| IDACIO SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.8ML | Non Preferred | PA |
| SIMPONI ARIA INTRAVENOUS SOLUTION 50 MG/4ML | Non Preferred | PA; SP |
| SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML, 50 MG/0.5ML | Non Preferred | PA; SP |

| Drug | Status | Notes |
|--|---------------|--------|
| SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML, 50 MG/0.5ML | Non Preferred | PA; SP |
| YUFLYMA 1-PEN KIT SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.4ML | Non Preferred | PA |
| YUFLYMA 2-PEN KIT SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.4ML | Non Preferred | PA |
| YUFLYMA 2-SYRINGE KIT SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.4ML | Non Preferred | PA |
| YUFLYMA SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.4ML | Non Preferred | PA |
| YUSIMRY SUBCUTANEOUS SOLUTION PEN-INJECTOR 40 MG/0.8ML | Non Preferred | PA |
| adalimumab-adaz subcutaneous solution auto-injector 40 mg/0.4ml | Non Preferred | PA |
| adalimumab-adaz subcutaneous solution prefilled syringe 40 mg/0.4ml | Non Preferred | PA |
| adalimumab-adbm subcutaneous auto-injector kit 40 mg/0.8ml | Non Preferred | PA |
| adalimumab-adbm subcutaneous prefilled syringe kit 10 mg/0.2ml, 20 mg/0.4ml, 40 mg/0.8ml | Non Preferred | PA |
| adalimumab-fkjp subcutaneous auto-injector kit 40 mg/0.8ml | Non Preferred | PA |
| adalimumab-fkjp subcutaneous prefilled syringe kit 20 mg/0.4ml, 40 mg/0.8ml | Non Preferred | PA |
| *Cyclooxygenase 2 (Cox-2) Inhibitors*** - Arthritis And Pain Drugs | | |
| CELEBREX ORAL CAPSULE 100 MG, 200 MG, 400 MG, 50 MG | Non Preferred | PA |
| celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg | Non Preferred | PA |
| *Gold Compounds*** - Arthritis And Pain Drugs | | |
| RIDAURA ORAL CAPSULE 3 MG | Preferred | |
| *Interleukin-1 Blockers*** - Arthritis And Pain Drugs | | |
| ARCALYST SUBCUTANEOUS SOLUTION RECONSTITUTED 220 MG | Non Preferred | PA; SP |

| Drug | Status | Notes |
|---|---------------|--------|
| *Interleukin-1 Receptor Antagonist (Il-1Ra)*** | | |
| - Arthritis And Pain Drugs | | |
| KINERET SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/0.67ML | Non Preferred | PA; SP |
| *Interleukin-1Beta Blockers*** - Arthritis And Pain Drugs | | |
| ILARIS SUBCUTANEOUS SOLUTION 150 MG/ML | Non Preferred | PA; SP |
| *Interleukin-6 Receptor Inhibitors*** - Arthritis And Pain Drugs | | |
| ACTEMRA ACTPEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 162 MG/0.9ML | Non Preferred | PA; SP |
| ACTEMRA INTRAVENOUS SOLUTION 200 MG/10ML, 400 MG/20ML, 80 MG/4ML | Non Preferred | PA; SP |
| ACTEMRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 162 MG/0.9ML | Non Preferred | PA; SP |
| KEVZARA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/1.14ML, 200 MG/1.14ML | Non Preferred | PA; SP |
| KEVZARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/1.14ML, 200 MG/1.14ML | Non Preferred | PA; SP |
| *Nonsteroidal Anti-Inflammatory Agent Combinations*** - Arthritis And Pain Drugs | | |
| ARTHROTEC ORAL TABLET DELAYED RELEASE 50-0.2 MG, 75-0.2 MG | Non Preferred | PA |
| DUEXIS ORAL TABLET 800-26.6 MG | Non Preferred | PA |
| INFLAMMACIN COMBINATION THERAPY PACK 75 & 0.025 MG-% | Non Preferred | PA |
| INFLATHERM COMBINATION THERAPY PACK 75 & 3-3 MG & % | Non Preferred | PA |
| KETOROCaine-L INJECTION KIT 30 & 1 MG/ML-% | Preferred | PA |
| KETOROCaine-LM INJECTION KIT 30 & 0.25 & 1 MG/ML-%-% | Preferred | PA |
| NUDICLO TABPAK COMBINATION THERAPY PACK 75 & 0.025 MG-% | Non Preferred | PA |
| NUDROXIPAK COMBINATION THERAPY PACK 200 MG | Non Preferred | PA |
| PREVIDOLRX ANALGESIC COMBINATION THERAPY PACK 75-20-0.025 MG-MG-% | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| READYSHARP ANESTH + KETOROLAC INJECTION KIT 15 & 0.5 & 1 MG/ML-%-% | Preferred | PA |
| TORONOVA II SUIK COMBINATION KIT 30 MG/ML | Preferred | PA |
| TORONOVA SUIK COMBINATION KIT 30 MG/ML | Preferred | PA |
| VIMOVO ORAL TABLET DELAYED RELEASE 375-20 MG, 500-20 MG | Non Preferred | PA |
| diclofenac-misoprostol oral tablet delayed release 50-0.2 mg, 75-0.2 mg | Non Preferred | PA |
| ibuprofen-famotidine oral tablet 800-26.6 mg | Non Preferred | PA |
| inavix combination therapy pack 75 & 0.025 mg-% | Non Preferred | PA |
| naproxen-esomeprazole mg oral tablet delayed release 375-20 mg, 500-20 mg | Non Preferred | PA |
| previdolrx plus analgesic combination therapy pack 75 & 0.025 mg-% | Non Preferred | PA |
| *Nonsteroidal Anti-Inflammatory Agents (Nsaid)*** - Arthritis And Pain Drugs | | |
| ADVIL JUNIOR STRENGTH ORAL TABLET 100 MG | Preferred | QL (4 EA per 1 day) |
| ADVIL JUNIOR STRENGTH ORAL TABLET CHEWABLE 100 MG | Preferred | QL (6 EA per 1 day) |
| ANAPROX DS ORAL TABLET 550 MG | Non Preferred | PA |
| CATAFLAM ORAL TABLET 50 MG | Preferred | QL (4 EA per 1 day) |
| CHILDRENS MEDI-PROFEN ORAL SUSPENSION 100 MG/5ML | Preferred | QL (160 ML per 1 day) |
| DAYPRO ORAL TABLET 600 MG | Non Preferred | PA |
| EC-NAPROSYN ORAL TABLET DELAYED RELEASE 375 MG, 500 MG | Non Preferred | PA; QL (3 EA per 1 day) |
| FELDENE ORAL CAPSULE 10 MG, 20 MG | Non Preferred | PA |
| HYVEE IBUPROFEN CHILDRENS ORAL SUSPENSION 100 MG/5ML | Preferred | QL (160 ML per 1 day) |
| IBU ORAL TABLET 400 MG, 600 MG, 800 MG | Preferred | QL (4 EA per 1 day) |
| IBUPAK ORAL KIT 600 MG | Non Preferred | PA |
| INDOCIN ORAL SUSPENSION 25 MG/5ML | Non Preferred | PA |
| INDOCIN RECTAL SUPPOSITORY 50 MG | Preferred | |
| LODINE ORAL TABLET 400 MG | Non Preferred | PA |
| LOFENA ORAL TABLET 25 MG | Preferred | |

| Drug | Status | Notes |
|--|---------------|---------------------------|
| MEDI-FIRST IBUPROFEN ORAL TABLET 200 MG | Preferred | QL (4 EA per 1 day) |
| MEDI-PROFEN ORAL SUSPENSION 40 MG/ML | Preferred | QL (160 ML per 1 day) |
| MEDI-PROFEN ORAL TABLET 200 MG | Preferred | QL (4 EA per 1 day) |
| MEDIPROXEN ORAL TABLET 220 MG | Preferred | QL (3 EA per 1 day) |
| MOBIC ORAL TABLET 15 MG, 7.5 MG | Non Preferred | PA |
| MOTRIN CHILDRENS ORAL TABLET CHEWABLE 100 MG | Preferred | QL (6 EA per 1 day) |
| MOTRIN IB ORAL TABLET 200 MG | Preferred | QL (4 EA per 1 day) |
| NALFON ORAL CAPSULE 400 MG | Non Preferred | PA |
| NALFON ORAL TABLET 600 MG | Non Preferred | PA |
| NAPRELAN ORAL TABLET EXTENDED RELEASE 24 HOUR 375 MG, 500 MG, 750 MG | Non Preferred | PA |
| NAPROSYN ORAL SUSPENSION 125 MG/5ML | Non Preferred | PA; QL (100 ML per 1 day) |
| NAPROSYN ORAL TABLET 500 MG | Non Preferred | PA; QL (3 EA per 1 day) |
| NUDROXIPAK DSDR-50 COMBINATION KIT 50 MG | Non Preferred | PA |
| NUDROXIPAK DSDR-75 COMBINATION KIT 75 MG | Non Preferred | PA |
| NUDROXIPAK E-400 COMBINATION KIT 400 MG | Non Preferred | PA |
| NUDROXIPAK I-800 COMBINATION KIT 800 MG | Non Preferred | PA |
| NUDROXIPAK M-15 COMBINATION KIT 15 MG | Non Preferred | PA |
| NUDROXIPAK N-500 COMBINATION KIT 500 MG | Non Preferred | PA |
| PAMPRIN ALL DAY RELIEF MAX ST ORAL TABLET 220 MG | Preferred | QL (3 EA per 1 day) |
| PROVIL ORAL TABLET 200 MG | Preferred | QL (4 EA per 1 day) |
| RELAFEN DS ORAL TABLET 1000 MG | Non Preferred | PA |
| RELAFEN ORAL TABLET 500 MG, 750 MG | Preferred | QL (4 EA per 1 day) |
| SPRIX NASAL SOLUTION 15.75 MG/SPRAY | Non Preferred | PA |
| TIVORBEX ORAL CAPSULE 20 MG | Non Preferred | PA |
| WAL-PROFEN ORAL TABLET 200 MG | Preferred | QL (4 EA per 1 day) |
| ZIPSOR ORAL CAPSULE 25 MG | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|-----------------------|
| ZORVOLEX ORAL CAPSULE 18 MG, 35 MG | Non Preferred | PA |
| all day pain relief oral tablet 220 mg | Preferred | QL (3 EA per 1 day) |
| all day relief oral tablet 220 mg | Preferred | QL (3 EA per 1 day) |
| childrens ibuprofen 100 oral suspension 100 mg/5ml | Preferred | QL (160 ML per 1 day) |
| childrens ibuprofen oral suspension 100 mg/5ml | Preferred | QL (160 ML per 1 day) |
| cvs all day pain relief oral tablet 220 mg | Preferred | QL (3 EA per 1 day) |
| cvs childrens ibuprofen oral suspension 100 mg/5ml | Preferred | QL (160 ML per 1 day) |
| cvs ibuprofen childrens oral suspension 100 mg/5ml | Preferred | QL (160 ML per 1 day) |
| cvs ibuprofen childrens oral tablet chewable 100 mg | Preferred | QL (6 EA per 1 day) |
| cvs ibuprofen infants oral suspension 50 mg/1.25ml | Preferred | QL (160 ML per 1 day) |
| cvs ibuprofen junior strength oral tablet chewable 100 mg | Preferred | QL (6 EA per 1 day) |
| cvs ibuprofen oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| cvs naproxen sodium oral tablet 220 mg | Preferred | QL (3 EA per 1 day) |
| dfs dr/ms/menth/cap pak combination kit 75 mg | Non Preferred | PA |
| diclofenac oral capsule 35 mg | Non Preferred | PA |
| diclofenac potassium oral capsule 25 mg | Non Preferred | PA |
| diclofenac potassium oral tablet 25 mg | Preferred | |
| diclofenac potassium oral tablet 50 mg | Preferred | QL (4 EA per 1 day) |
| diclofenac sodium er oral tablet extended release 24 hour 100 mg | Preferred | |
| diclofenac sodium oral tablet delayed release 25 mg, 50 mg | Preferred | QL (3 EA per 1 day) |
| diclofenac sodium oral tablet delayed release 75 mg | Preferred | QL (2 EA per 1 day) |
| ec-naproxen oral tablet delayed release 375 mg, 500 mg | Preferred | QL (3 EA per 1 day) |
| eq all day pain relief oral tablet 220 mg | Preferred | QL (3 EA per 1 day) |
| eq ibuprofen childrens oral suspension 100 mg/5ml | Preferred | QL (160 ML per 1 day) |
| eq ibuprofen junior oral tablet chewable 100 mg | Preferred | QL (6 EA per 1 day) |
| eq ibuprofen oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |

| Drug | Status | Notes |
|---|---------------|-----------------------|
| eq naproxen sodium oral tablet 220 mg | Preferred | QL (3 EA per 1 day) |
| eql childrens ibuprofen oral suspension 100 mg/5ml | Preferred | QL (160 ML per 1 day) |
| eql ibuprofen infants oral suspension 50 mg/1.25ml | Preferred | QL (160 ML per 1 day) |
| eql ibuprofen oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| eql naproxen sodium oral tablet 220 mg | Preferred | QL (3 EA per 1 day) |
| etodolac er oral tablet extended release 24 hour 400 mg, 500 mg, 600 mg | Non Preferred | PA |
| etodolac oral capsule 200 mg, 300 mg | Non Preferred | PA |
| etodolac oral tablet 400 mg, 500 mg | Non Preferred | PA |
| fenoprofen calcium oral capsule 200 mg, 400 mg | Non Preferred | PA |
| fenoprofen calcium oral tablet 600 mg | Non Preferred | PA |
| flurbiprofen oral tablet 100 mg, 50 mg | Preferred | QL (4 EA per 1 day) |
| ft ibuprofen childrens oral suspension 100 mg/5ml | Preferred | QL (160 ML per 1 day) |
| gnp childrens ibuprofen oral suspension 100 mg/5ml | Preferred | QL (160 ML per 1 day) |
| gnp ibuprofen childrens oral tablet chewable 100 mg | Preferred | QL (6 EA per 1 day) |
| gnp ibuprofen infants oral suspension 50 mg/1.25ml | Preferred | QL (160 ML per 1 day) |
| gnp ibuprofen oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| gnp naproxen sodium oral tablet 220 mg | Preferred | QL (3 EA per 1 day) |
| goodsense ibuprofen childrens oral suspension 100 mg/5ml | Preferred | QL (160 ML per 1 day) |
| goodsense ibuprofen infants oral suspension 50 mg/1.25ml | Preferred | QL (160 ML per 1 day) |
| goodsense ibuprofen oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| goodsense naproxen sodium oral tablet 220 mg | Preferred | QL (3 EA per 1 day) |
| hm ibuprofen childrens oral suspension 100 mg/5ml | Preferred | QL (160 ML per 1 day) |
| hm ibuprofen ib oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| hm ibuprofen oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| hm naproxen sodium oral tablet 220 mg | Preferred | QL (3 EA per 1 day) |
| hy-vee all day relief oral tablet 220 mg | Preferred | QL (3 EA per 1 day) |
| ibu-200 oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| ibuprofen 100 junior strength oral tablet chewable 100 mg | Preferred | QL (6 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|---------------------------|
| ibuprofen childrens oral suspension 100 mg/5ml | Preferred | QL (160 ML per 1 day) |
| ibuprofen infants oral suspension 50 mg/1.25ml | Preferred | QL (160 ML per 1 day) |
| ibuprofen junior strength oral tablet chewable 100 mg | Preferred | QL (6 EA per 1 day) |
| ibuprofen oral suspension 100 mg/5ml | Preferred | QL (160 ML per 1 day) |
| ibuprofen oral tablet 200 mg, 400 mg, 600 mg, 800 mg | Preferred | QL (4 EA per 1 day) |
| ibuprofen oral tablet chewable 100 mg | Preferred | QL (6 EA per 1 day) |
| indomethacin er oral capsule extended release 75 mg | Non Preferred | PA |
| indomethacin oral capsule 20 mg | Non Preferred | PA |
| indomethacin oral capsule 25 mg, 50 mg | Preferred | QL (4 EA per 1 day) |
| indomethacin rectal suppository 100 mg, 50 mg | Preferred | |
| infants ibuprofen oral suspension 50 mg/1.25ml | Preferred | QL (160 ML per 1 day) |
| ketoprofen er oral capsule extended release 24 hour 200 mg | Non Preferred | PA |
| ketoprofen oral capsule 25 mg, 50 mg | Non Preferred | PA |
| ketorolac tromethamine injection solution 15 mg/ml, 30 mg/ml | Preferred | PA |
| ketorolac tromethamine intramuscular solution 60 mg/2ml | Preferred | PA |
| ketorolac tromethamine nasal solution 15.75 mg/spray | Non Preferred | PA |
| ketorolac tromethamine oral tablet 10 mg | Preferred | QL (4 EA per 1 day) |
| kls ibuprofen ib oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| kls ibuprofen oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| meclofenamate sodium oral capsule 100 mg, 50 mg | Non Preferred | PA |
| mefenamic acid oral capsule 250 mg | Non Preferred | PA |
| meijer ibuprofen oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| meloxicam oral capsule 10 mg, 5 mg | Non Preferred | PA |
| meloxicam oral tablet 15 mg, 7.5 mg | Preferred | |
| mm ibuprofen oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| nabumetone oral tablet 500 mg, 750 mg | Preferred | QL (4 EA per 1 day) |
| naproxen dr oral tablet delayed release 500 mg | Preferred | QL (3 EA per 1 day) |
| naproxen oral suspension 125 mg/5ml | Non Preferred | PA; QL (100 ML per 1 day) |
| naproxen oral tablet 250 mg, 375 mg, 500 mg | Preferred | QL (3 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|-----------------------|
| naproxen oral tablet delayed release 375 mg, 500 mg | Preferred | QL (3 EA per 1 day) |
| naproxen sodium er oral tablet extended release 24 hour 375 mg, 500 mg, 750 mg | Non Preferred | PA |
| naproxen sodium oral tablet 220 mg | Preferred | QL (3 EA per 1 day) |
| naproxen sodium oral tablet 275 mg, 550 mg | Non Preferred | PA |
| oxaprozin oral tablet 600 mg | Non Preferred | PA |
| piroxicam oral capsule 10 mg, 20 mg | Non Preferred | PA |
| px all day relief oral tablet 220 mg | Preferred | QL (3 EA per 1 day) |
| px childrens profen ib oral suspension 100 mg/5ml | Preferred | QL (160 ML per 1 day) |
| px ibuprofen junior strength oral tablet chewable 100 mg | Preferred | QL (6 EA per 1 day) |
| px ibuprofen oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| px infants profen ib oral suspension 50 mg/1.25ml | Preferred | QL (160 ML per 1 day) |
| qc childrens ibuprofen oral suspension 100 mg/5ml | Preferred | QL (160 ML per 1 day) |
| qc ibuprofen ib oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| qc ibuprofen oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| qc naproxen sodium oral tablet 220 mg | Preferred | QL (3 EA per 1 day) |
| ra ibuprofen childrens oral suspension 100 mg/5ml | Preferred | QL (160 ML per 1 day) |
| ra ibuprofen infants oral suspension 50 mg/1.25ml | Preferred | QL (160 ML per 1 day) |
| ra ibuprofen junior strength oral tablet chewable 100 mg | Preferred | QL (6 EA per 1 day) |
| ra ibuprofen oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| ra naproxen sodium oral tablet 220 mg | Preferred | QL (3 EA per 1 day) |
| ra pain relief ibuprofen oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| sb ibuprofen oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| sb infants ibuprofen oral suspension 50 mg/1.25ml | Preferred | QL (160 ML per 1 day) |
| sb naproxen sodium oral tablet 220 mg | Preferred | QL (3 EA per 1 day) |
| sm childrens ibuprofen oral suspension 100 mg/5ml | Preferred | QL (160 ML per 1 day) |
| sm ibuprofen ib childrens oral tablet chewable 100 mg | Preferred | QL (6 EA per 1 day) |
| sm ibuprofen ib oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| sm ibuprofen ib oral tablet chewable 100 mg | Preferred | QL (6 EA per 1 day) |

| Drug | Status | Notes |
|---|---------------|-------------------------------|
| sm ibuprofen jr oral tablet 100 mg | Preferred | QL (4 EA per 1 day) |
| sm ibuprofen oral tablet 200 mg | Preferred | QL (4 EA per 1 day) |
| sm infants ibuprofen oral suspension 50 mg/1.25ml | Preferred | QL (160 ML per 1 day) |
| sm naproxen sodium oral tablet 220 mg | Preferred | QL (3 EA per 1 day) |
| sulindac oral tablet 150 mg, 200 mg | Preferred | QL (3 EA per 1 day) |
| tolmetin sodium oral capsule 400 mg | Non Preferred | PA |
| tolmetin sodium oral tablet 600 mg | Non Preferred | PA |
| *Nsaid-Dietary Management Combinations*** | | |
| - Arthritis And Pain Drugs | | |
| PRASTERA ORAL KIT 200 & 400 MG | Non Preferred | PA |
| *Phosphodiesterase 4 (Pde4) Inhibitors*** - | | |
| Arthritis And Pain Drugs | | |
| OTEZLA ORAL TABLET 30 MG | Non Preferred | PA; SP |
| OTEZLA ORAL TABLET THERAPY PACK 10 & 20 & 30 MG | Non Preferred | PA; SP |
| *Pyrimidine Synthesis Inhibitors*** - Arthritis And Pain Drugs | | |
| ARAVA ORAL TABLET 10 MG, 20 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| leflunomide oral tablet 10 mg, 20 mg | Preferred | QL (1 EA per 1 day) |
| *Selective Costimulation Modulators*** - | | |
| Arthritis And Pain Drugs | | |
| ORENCIA CLICKJECT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 125 MG/ML | Non Preferred | PA; SP |
| ORENCIA INTRAVENOUS SOLUTION RECONSTITUTED 250 MG | Non Preferred | PA; SP |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 125 MG/ML, 50 MG/0.4ML, 87.5 MG/0.7ML | Non Preferred | PA; SP |
| *Soluble Tumor Necrosis Factor Receptor Agents*** - Arthritis And Pain Drugs | | |
| ENBREL MINI SUBCUTANEOUS SOLUTION CARTRIDGE 50 MG/ML | Non Preferred | PA; SP |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML | Preferred | PA; SP |
| ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 25 MG/0.5ML, 50 MG/ML | Preferred | PA; QL (4 ML per 22 days); SP |
| ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 50 MG/ML | Preferred | PA; QL (4 ML per 22 days); SP |

| Drug | Status | Notes |
|--|-----------|----------------------|
| *Analgesics - Nonnarcotic* - Drugs For Pain And Fever | | |
| *Analgesics Other*** - Arthritis And Pain Drugs | | |
| APHEN ORAL TABLET 325 MG | Preferred | QL (12 EA per 1 day) |
| CHILDRENS MEDI-TABS ORAL TABLET CHEWABLE 80 MG | Preferred | QL (6 EA per 1 day) |
| FEVERALL ADULTS RECTAL SUPPOSITORY 650 MG | Preferred | QL (6 EA per 1 day) |
| FEVERALL CHILDRENS RECTAL SUPPOSITORY 120 MG | Preferred | QL (34 EA per 1 day) |
| FEVERALL INFANTS RECTAL SUPPOSITORY 80 MG | Preferred | QL (50 EA per 1 day) |
| FEVERALL JUNIOR STRENGTH RECTAL SUPPOSITORY 325 MG | Preferred | QL (12 EA per 1 day) |
| HEALTHY MAMA SHAKE THAT ACHE ORAL TABLET 500 MG | Preferred | QL (8 EA per 1 day) |
| LITTLE REMEDIES FOR FEVER ORAL LIQUID 160 MG/5ML | Preferred | |
| MAPAP CHILDRENS ORAL TABLET CHEWABLE 160 MG, 80 MG | Preferred | QL (6 EA per 1 day) |
| MEDI-TABS EXTRA STRENGTH ORAL TABLET 500 MG | Preferred | QL (8 EA per 1 day) |
| MEDI-TABS JUNIOR STRENGTH ORAL TABLET CHEWABLE 160 MG | Preferred | QL (6 EA per 1 day) |
| MIDOL ORAL TABLET EXTENDED RELEASE 650 MG | Preferred | QL (6 EA per 1 day) |
| MM ACETAMINOPHEN EX STR ORAL TABLET 500 MG | Preferred | QL (8 EA per 1 day) |
| PANADOL CHILDRENS ORAL SUSPENSION 160 MG/5ML | Preferred | |
| PANADOL EXTRA STRENGTH ORAL TABLET 500 MG | Preferred | QL (8 EA per 1 day) |
| PANADOL INFANTS ORAL SUSPENSION 160 MG/5ML | Preferred | |
| PEDIACARE CHILDREN ORAL SUSPENSION 160 MG/5ML | Preferred | |
| PEDIACARE INFANT FEVER/PAIN ORAL SUSPENSION 160 MG/5ML | Preferred | |
| PEDIACARE INFANTS ORAL SUSPENSION 160 MG/5ML | Preferred | |

| Drug | Status | Notes |
|--|-----------|----------------------|
| PHARBETOL EXTRA STRENGTH ORAL TABLET 500 MG | Preferred | QL (8 EA per 1 day) |
| PHARBETOL ORAL TABLET 325 MG | Preferred | QL (12 EA per 1 day) |
| PHARBETOL ORAL TABLET 500 MG | Preferred | QL (8 EA per 1 day) |
| TYLENOL 8 HOUR ARTHRITIS PAIN ORAL TABLET EXTENDED RELEASE 650 MG | Preferred | QL (6 EA per 1 day) |
| TYLENOL 8 HOUR ORAL TABLET EXTENDED RELEASE 650 MG | Preferred | QL (6 EA per 1 day) |
| TYLENOL CHILDRENS CHEWABLES ORAL TABLET CHEWABLE 160 MG | Preferred | QL (6 EA per 1 day) |
| TYLENOL CHILDRENS ORAL SUSPENSION 160 MG/5ML | Preferred | |
| TYLENOL CHILDRENS PAIN + FEVER ORAL SUSPENSION 160 MG/5ML | Preferred | |
| TYLENOL EXTRA STRENGTH ORAL TABLET 500 MG | Preferred | QL (8 EA per 1 day) |
| TYLENOL FOR CHILDREN + ADULTS ORAL SUSPENSION 160 MG/5ML | Preferred | |
| TYLENOL INFANTS PAIN+FEVER ORAL SUSPENSION 160 MG/5ML | Preferred | |
| TYLENOL ORAL TABLET 325 MG | Preferred | QL (12 EA per 1 day) |
| 8 hour arthritis pain oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| 8 hour arthritis pain reliever oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| 8 hour pain reliever oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| 8 hr arthritis pain relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| acetaminophen 8 hour oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| acetaminophen childrens oral solution 160 mg/5ml | Preferred | |
| acetaminophen childrens oral suspension 160 mg/5ml | Preferred | |
| acetaminophen childrens oral tablet chewable 160 mg | Preferred | QL (6 EA per 1 day) |
| acetaminophen er oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| acetaminophen extra strength oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |

| Drug | Status | Notes |
|--|-----------|----------------------|
| acetaminophen infants oral suspension 160 mg/5ml | Preferred | |
| acetaminophen junior strength oral tablet dispersible 160 mg | Preferred | QL (25 EA per 1 day) |
| acetaminophen oral liquid 160 mg/5ml | Preferred | |
| acetaminophen oral solution 160 mg/5ml, 325 mg/10.15ml, 650 mg/20.3ml | Preferred | |
| acetaminophen oral suspension 160 mg/5ml, 325 mg/10.15ml, 650 mg/20.3ml, 80 mg/2.5ml | Preferred | |
| acetaminophen oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| acetaminophen oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| acetaminophen oral tablet chewable 160 mg, 80 mg | Preferred | QL (6 EA per 1 day) |
| acetaminophen oral tablet chewable 325 mg | Preferred | |
| acetaminophen rapid tabs child oral tablet dispersible 80 mg | Preferred | QL (50 EA per 1 day) |
| acetaminophen rectal suppository 120 mg | Preferred | QL (34 EA per 1 day) |
| acetaminophen rectal suppository 650 mg | Preferred | QL (6 EA per 1 day) |
| apap childrens oral suspension 160 mg/5ml | Preferred | |
| arthritis pain apap oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| arthritis pain relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| arthritis pain reliever oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| betatemp childrens oral suspension 160 mg/5ml | Preferred | |
| childrens acetaminophen oral suspension 160 mg/5ml | Preferred | |
| childrens apap oral tablet chewable 80 mg | Preferred | QL (6 EA per 1 day) |
| childrens non-aspirin oral suspension 160 mg/5ml | Preferred | |
| childrens non-aspirin oral tablet chewable 80 mg | Preferred | QL (6 EA per 1 day) |
| childrens pain reliever oral tablet chewable 80 mg | Preferred | QL (6 EA per 1 day) |
| childrens silapap oral liquid 160 mg/5ml | Preferred | |
| cvs 8hr arthritis pain relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| cvs 8hr muscle aches & pain oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| cvs acetaminophen ex st oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |

| Drug | Status | Notes |
|--|-----------|----------------------|
| cvs acetaminophen oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| cvs arthritis pain relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| cvs childs non-aspirin oral tablet chewable 80 mg | Preferred | QL (6 EA per 1 day) |
| cvs fever reducing childrens rectal suppository 120 mg | Preferred | QL (34 EA per 1 day) |
| cvs infants pain relief drops oral suspension 160 mg/5ml | Preferred | |
| cvs non-aspirin childrens oral tablet chewable 80 mg | Preferred | QL (6 EA per 1 day) |
| cvs non-aspirin extra strength oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| cvs pain & fever childrens oral suspension 160 mg/5ml | Preferred | |
| cvs pain & fever infants oral suspension 160 mg/5ml | Preferred | |
| cvs pain relief childrens oral tablet chewable 160 mg | Preferred | QL (6 EA per 1 day) |
| cvs pain relief extra strength oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| cvs pain relief oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| cvs pain relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| cvs pain relief regular st oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| ed-apap oral liquid 160 mg/5ml | Preferred | |
| eq 8hr arthritis pain relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| eq acetaminophen oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| eq acetaminophen oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| eq arthritis pain oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| eq pain & fever childrens oral suspension 160 mg/5ml | Preferred | |
| eq pain & fever childrens oral tablet chewable 160 mg | Preferred | QL (6 EA per 1 day) |
| eq pain & fever infants oral suspension 160 mg/5ml | Preferred | |
| eq pain reliever ex st oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| eq pain reliever oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| eq pain reliever oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |

| Drug | Status | Notes |
|---|-----------|----------------------|
| eql acetaminophen childrens oral suspension 160 mg/5ml | Preferred | |
| eql acetaminophen ex st oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| eql acetaminophen oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| ft 8 hour pain relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| ft children's pain/fever oral tablet chewable 160 mg | Preferred | |
| ft pain relief adult extra st oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| ft pain relief oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| gnp 8 hour arthritis relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| gnp 8 hour pain relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| gnp 8 hour pain reliever oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| gnp acetaminophen oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| gnp acetaminophen oral tablet chewable 160 mg | Preferred | QL (6 EA per 1 day) |
| gnp children's pain & fever oral suspension 160 mg/5ml | Preferred | |
| gnp infants pain/fever oral suspension 160 mg/5ml | Preferred | |
| gnp pain & fever childrens oral suspension 160 mg/5ml | Preferred | |
| gnp pain & fever infants oral suspension 160 mg/5ml | Preferred | |
| gnp pain relief extra strength oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| gnp pain relief oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| goodsense arthritis pain oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| goodsense pain & fever child oral suspension 160 mg/5ml | Preferred | |
| goodsense pain & fever infants oral suspension 160 mg/5ml | Preferred | |
| goodsense pain relief extra st oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| goodsense pain relief oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| hm acetaminophen childrens oral tablet chewable 160 mg | Preferred | QL (6 EA per 1 day) |

| Drug | Status | Notes |
|--|-----------|----------------------|
| hm arthritis pain relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| hm pain & fever childrens oral suspension 160 mg/5ml | Preferred | |
| hm pain & fever infants oral suspension 160 mg/5ml | Preferred | |
| hm pain relief extra strength oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| hm pain relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| hm pain relieve child dye-free oral suspension 160 mg/5ml | Preferred | |
| hm pain reliever childrens oral suspension 160 mg/5ml | Preferred | |
| hm pain reliever oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| infants pain & fever oral suspension 160 mg/5ml | Preferred | |
| kls acetaminophen ex st oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| liquid acetaminophen oral liquid 160 mg/5ml | Preferred | |
| liquid pain relief oral liquid 160 mg/5ml | Preferred | |
| mapap arthritis pain oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| mapap oral liquid 160 mg/5ml | Preferred | |
| mapap oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| mapap oral tablet chewable 80 mg | Preferred | QL (6 EA per 1 day) |
| meijer aspirin free oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| meijer aspirin free oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| meijer jr st aspirin free oral tablet chewable 160 mg | Preferred | QL (6 EA per 1 day) |
| mm arthritis pain oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| m-pap oral liquid 160 mg/5ml | Preferred | |
| non-aspirin extra strength oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| non-aspirin jr strength oral tablet chewable 160 mg | Preferred | QL (6 EA per 1 day) |
| non-aspirin oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| non-aspirin oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| non-aspirin pain relief oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| non-aspirin pain reliever oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| pain & fever childrens oral suspension 160 mg/5ml | Preferred | |

| Drug | Status | Notes |
|--|-----------|----------------------|
| pain & fever childrens oral tablet chewable 160 mg | Preferred | QL (6 EA per 1 day) |
| pain & fever infants oral suspension 160 mg/5ml | Preferred | |
| pain & fever kids oral suspension 160 mg/5ml | Preferred | |
| pain relief childrens oral suspension 160 mg/5ml | Preferred | |
| pain relief extra strength oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| pain relief regular strength oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| pain reliever extra strength oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| pain reliever for adults oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| pain reliever oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| pain reliever/fever reducer rectal suppository 120 mg | Preferred | QL (34 EA per 1 day) |
| px arthritis pain relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| px childrens pain relief oral suspension 160 mg/5ml | Preferred | |
| px pain relief extra strength oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| qc 8 hour pain relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| qc acetaminophen 8 hours oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| qc acetaminophen 8hr arth pain oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| qc acetaminophen 8hr musc ache oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| qc acetaminophen infants oral suspension 160 mg/5ml | Preferred | |
| qc arthritis pain relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| qc non-aspirin 8 hour oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| qc non-aspirin childrens oral suspension 160 mg/5ml | Preferred | |
| qc non-aspirin childrens oral tablet chewable 160 mg | Preferred | QL (6 EA per 1 day) |
| qc non-aspirin extra strength oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| qc pain relief childrens oral suspension 160 mg/5ml | Preferred | |

| Drug | Status | Notes |
|--|-----------|----------------------|
| qc pain relief extra strength oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| qc pain relief infants oral suspension 160 mg/5ml | Preferred | |
| qc pain relief oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| ra 8 hour pain relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| ra acetaminophen childrens oral tablet chewable 160 mg | Preferred | QL (6 EA per 1 day) |
| ra acetaminophen ex st oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| ra acetaminophen oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| ra arthritis pain relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| ra childrens fever/pain oral suspension 160 mg/5ml | Preferred | |
| ra fever reducer/pain reliever oral suspension 160 mg/5ml | Preferred | |
| ra pain relief acetaminophen oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| ra pain relief acetaminophen oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| sb arthritis pain relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| sb childrens non-aspirin oral tablet dispersible 80 mg | Preferred | QL (50 EA per 1 day) |
| sb non-aspirin extra strength oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| sb non-aspirin jr strength oral tablet dispersible 160 mg | Preferred | QL (25 EA per 1 day) |
| sb non-aspirin oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| sb non-aspirin oral tablet chewable 160 mg, 80 mg | Preferred | QL (6 EA per 1 day) |
| sb pain reliever childrens oral suspension 160 mg/5ml | Preferred | |
| sb pain reliever ex st oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| sm 8 hour pain relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| sm arthritis pain relief oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| sm arthritis pain reliever oral tablet extended release 650 mg | Preferred | QL (6 EA per 1 day) |
| sm pain & fever childrens oral suspension 160 mg/5ml | Preferred | |

| Drug | Status | Notes |
|--|---------------|-------------------------|
| sm pain & fever infants oral suspension 160 mg/5ml | Preferred | |
| sm pain relief extra strength oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| sm pain relief oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| sm pain reliever childrens oral suspension 160 mg/5ml | Preferred | |
| sm pain reliever ex st oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| sm pain reliever oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| sm rapid melts junior oral tablet dispersible 160 mg | Preferred | QL (25 EA per 1 day) |
| tactinal oral tablet 325 mg | Preferred | QL (12 EA per 1 day) |
| *Analgesics-Sedatives*** - Arthritis And Pain Drugs | | |
| ALLZITAL ORAL TABLET 25-325 MG | Non Preferred | PA |
| BAC ORAL TABLET 50-325-40 MG | Preferred | QL (6 EA per 1 day) |
| BUPAP ORAL TABLET 50-300 MG | Non Preferred | PA |
| ESGIC ORAL CAPSULE 50-325-40 MG | Non Preferred | PA |
| ESGIC ORAL TABLET 50-325-40 MG | Non Preferred | PA; QL (6 EA per 1 day) |
| FIORICET ORAL CAPSULE 50-300-40 MG | Non Preferred | PA |
| TENCON ORAL TABLET 50-325 MG | Non Preferred | PA |
| ZEBUTAL ORAL CAPSULE 50-325-40 MG | Non Preferred | PA |
| butalbital-acetaminophen oral capsule 50-300 mg | Non Preferred | PA |
| butalbital-acetaminophen oral tablet 50-300 mg, 50-325 mg | Non Preferred | PA |
| butalbital-apap-caffeine oral capsule 50-300-40 mg, 50-325-40 mg | Non Preferred | PA |
| butalbital-apap-caffeine oral tablet 50-325-40 mg | Preferred | QL (6 EA per 1 day) |
| butalbital-asa-caffeine oral capsule 50-325-40 mg | Non Preferred | PA |
| butalbital-aspirin-caffeine oral capsule 50-325-40 mg | Non Preferred | PA |
| *Salicylates*** - Arthritis And Pain Drugs | | |
| ASPIR-LOW ORAL TABLET DELAYED RELEASE 81 MG | Preferred | |
| BAYER ADVANCED ASPIRIN REG ST ORAL TABLET 325 MG | Preferred | |
| BAYER ASPIRIN EC LOW DOSE ORAL TABLET DELAYED RELEASE 81 MG | Preferred | |

| Drug | Status | Notes |
|---|-----------|----------------------|
| BAYER ASPIRIN ORAL TABLET 325 MG | Preferred | |
| BAYER ASPIRIN ORAL TABLET DELAYED RELEASE 325 MG | Preferred | QL (12 EA per 1 day) |
| BAYER LOW DOSE ORAL TABLET CHEWABLE 81 MG | Preferred | QL (2 EA per 1 day) |
| BAYER LOW DOSE ORAL TABLET DELAYED RELEASE 81 MG | Preferred | |
| ECOTRIN ARTHRTIS PAIN ORAL TABLET DELAYED RELEASE 325 MG | Preferred | QL (12 EA per 1 day) |
| ECOTRIN LOW STRENGTH ORAL TABLET DELAYED RELEASE 81 MG | Preferred | |
| ECOTRIN ORAL TABLET DELAYED RELEASE 325 MG | Preferred | QL (12 EA per 1 day) |
| ECPIRIN ORAL TABLET DELAYED RELEASE 325 MG | Preferred | QL (12 EA per 1 day) |
| MEDI-FIRST ASPIRIN ORAL TABLET 325 MG | Preferred | |
| MEDIQUE ASPIRIN ORAL TABLET 325 MG | Preferred | |
| ST JOSEPH ASPIRIN ORAL TABLET DELAYED RELEASE 81 MG | Preferred | |
| ST JOSEPH LOW DOSE ORAL TABLET CHEWABLE 81 MG | Preferred | QL (2 EA per 1 day) |
| ST JOSEPH LOW DOSE ORAL TABLET DELAYED RELEASE 81 MG | Preferred | |
| adult aspirin regimen oral tablet delayed release 81 mg | Preferred | |
| aspirin 81 oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| aspirin 81 oral tablet delayed release 81 mg | Preferred | |
| aspirin adult low dose oral tablet delayed release 81 mg | Preferred | |
| aspirin adult low strength oral tablet delayed release 81 mg | Preferred | |
| aspirin childrens oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| aspirin ec low dose oral tablet delayed release 81 mg | Preferred | |
| aspirin ec low strength oral tablet delayed release 81 mg | Preferred | |
| aspirin low dose oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| aspirin low dose oral tablet delayed release 81 mg | Preferred | |

| Drug | Status | Notes |
|--|---------------|----------------------|
| aspirin low strength oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| aspirin oral tablet 325 mg | Preferred | |
| aspirin oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| aspirin oral tablet delayed release 325 mg | Preferred | QL (12 EA per 1 day) |
| aspirin oral tablet delayed release 81 mg | Preferred | |
| aspirin regimen oral tablet delayed release 81 mg | Preferred | |
| childrens aspirin oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| cvs aspirin adult low dose oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| cvs aspirin adult low strength oral tablet delayed release 81 mg | Preferred | |
| cvs aspirin ec oral tablet delayed release 325 mg | Preferred | QL (12 EA per 1 day) |
| cvs aspirin ec oral tablet delayed release 81 mg | Preferred | |
| cvs aspirin low dose oral tablet delayed release 81 mg | Preferred | |
| cvs aspirin low strength oral tablet delayed release 81 mg | Preferred | |
| cvs aspirin oral tablet 325 mg | Preferred | |
| cvs genuine aspirin oral tablet 325 mg | Preferred | |
| diflunisal oral tablet 500 mg | Non Preferred | PA |
| eq aspirin adult low dose oral tablet delayed release 81 mg | Preferred | |
| eq aspirin low dose oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| eq aspirin oral tablet 325 mg | Preferred | |
| eql aspirin ec oral tablet delayed release 325 mg | Preferred | QL (12 EA per 1 day) |
| eql aspirin low dose oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| eql aspirin low dose oral tablet delayed release 81 mg | Preferred | |
| ft aspirin low dose oral tablet delayed release 81 mg | Preferred | |
| ft aspirin oral tablet 325 mg | Preferred | |
| ft enteric coated aspirin oral tablet delayed release 325 mg | Preferred | |
| genuine aspirin oral tablet 325 mg | Preferred | |
| gnp adult aspirin low strength oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| gnp aspirin low dose oral tablet delayed release 81 mg | Preferred | |

| Drug | Status | Notes |
|--|-----------|----------------------|
| gnp aspirin oral tablet 325 mg | Preferred | |
| gnp aspirin oral tablet delayed release 325 mg | Preferred | QL (12 EA per 1 day) |
| gnp aspirin oral tablet delayed release 81 mg | Preferred | |
| goodsense aspirin adults oral tablet 325 mg | Preferred | |
| goodsense aspirin low dose oral tablet delayed release 81 mg | Preferred | |
| goodsense aspirin oral tablet 325 mg | Preferred | |
| goodsense aspirin oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| goodsense aspirin oral tablet delayed release 325 mg | Preferred | QL (12 EA per 1 day) |
| h-e-b aspirin oral tablet delayed release 81 mg | Preferred | |
| hm adult aspirin oral tablet 325 mg | Preferred | |
| hm aspirin ec low dose oral tablet delayed release 81 mg | Preferred | |
| hm aspirin ec oral tablet delayed release 325 mg | Preferred | QL (12 EA per 1 day) |
| hm aspirin oral tablet 325 mg | Preferred | |
| hm aspirin oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| hm aspirin oral tablet delayed release 325 mg | Preferred | QL (12 EA per 1 day) |
| kls aspirin low dose oral tablet delayed release 81 mg | Preferred | |
| kp aspirin oral tablet delayed release 81 mg | Preferred | |
| meijer aspirin ec oral tablet delayed release 325 mg | Preferred | QL (12 EA per 1 day) |
| mm aspirin oral tablet delayed release 81 mg | Preferred | |
| px aspirin oral tablet 325 mg | Preferred | |
| px aspirin oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| px enteric aspirin oral tablet delayed release 325 mg | Preferred | QL (12 EA per 1 day) |
| px enteric aspirin oral tablet delayed release 81 mg | Preferred | |
| qc aspirin low dose oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| qc aspirin low dose oral tablet delayed release 81 mg | Preferred | |
| qc aspirin oral tablet 325 mg | Preferred | |
| qc aspirin oral tablet delayed release 325 mg | Preferred | QL (12 EA per 1 day) |
| qc childrens aspirin oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| qc enteric aspirin oral tablet delayed release 325 mg | Preferred | QL (12 EA per 1 day) |

| Drug | Status | Notes |
|---|---------------|----------------------|
| ra aspirin adult low dose oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| ra aspirin adult low strength oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| ra aspirin childrens oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| ra aspirin ec adult low st oral tablet delayed release 81 mg | Preferred | |
| ra aspirin ec oral tablet delayed release 325 mg | Preferred | QL (12 EA per 1 day) |
| ra aspirin ec oral tablet delayed release 81 mg | Preferred | |
| ra aspirin oral tablet 325 mg | Preferred | |
| ra pain relief aspirin oral tablet 325 mg | Preferred | |
| salsalate oral tablet 500 mg, 750 mg | Non Preferred | PA |
| sb aspirin ec oral tablet delayed release 325 mg | Preferred | QL (12 EA per 1 day) |
| sb aspirin oral tablet 325 mg | Preferred | |
| sb childrens aspirin oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| sb low dose asa ec oral tablet delayed release 81 mg | Preferred | |
| sm aspirin adult low strength oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| sm aspirin adult low strength oral tablet delayed release 81 mg | Preferred | |
| sm aspirin ec low strength oral tablet delayed release 81 mg | Preferred | |
| sm aspirin ec oral tablet delayed release 325 mg | Preferred | QL (12 EA per 1 day) |
| sm aspirin low dose oral tablet chewable 81 mg | Preferred | QL (2 EA per 1 day) |
| sm aspirin low dose oral tablet delayed release 81 mg | Preferred | |
| sm aspirin oral tablet 325 mg | Preferred | |

***Analgesics - Opioid* - Drugs For Pain And Fever**

Codeine Combinations - Arthritis And Pain Drugs**

| | | |
|---|---------------|---|
| ASCOMP-CODEINE ORAL CAPSULE 50-325-40-30 MG | Preferred | NOTES (QL, EA, MME); AGE (Min 21 Years) |
| FIORICET/CODEINE ORAL CAPSULE 50-300-40-30 MG | Non Preferred | PA; NOTES (MME); AGE (Min 21 Years) |
| acetaminophen-codeine oral solution 120-12 mg/5ml | Preferred | NOTES (QL, EA, MME); AGE (Min 21 Years) |
| acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg, 300-60 mg | Preferred | NOTES (QL, EA, MME); AGE (Min 21 Years) |

| Drug | Status | Notes |
|--|---------------|--|
| butalbital-apap-caff-cod oral capsule 50-300-40-30 mg, 50-325-40-30 mg | Preferred | NOTES (QL, EA, MME); AGE (Min 21 Years) |
| butalbital-asa-caff-codeine oral capsule 50-325-40-30 mg | Preferred | NOTES (QL, EA, MME); AGE (Min 21 Years) |
| *Dihydrocodeine Combinations*** - Arthritis And Pain Drugs | | |
| TREZIX ORAL CAPSULE 320.5-30-16 MG | Non Preferred | PA; NOTES (MME); AGE (Min 21 Years) |
| apap-caff-dihydrocodeine oral capsule 320.5-30-16 mg | Non Preferred | PA; NOTES (MME); AGE (Min 21 Years) |
| *Hydrocodone Combinations*** - Arthritis And Pain Drugs | | |
| LORTAB ORAL ELIXIR 10-300 MG/15ML | Non Preferred | PA |
| XODOL ORAL TABLET 5-300 MG | Non Preferred | PA; NOTES (MME) |
| hydrocodone-acetaminophen oral solution 2.5-108 mg/5ml, 5-217 mg/10ml, 7.5-325 mg/15ml | Preferred | NOTES (QL; EA; MME) |
| hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 5-300 mg, 5-325 mg, 7.5-300 mg, 7.5-325 mg | Preferred | NOTES (QL; EA; MME) |
| hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg | Preferred | NOTES (QL; EA; MME) |
| *Opioid Agonists*** - Arthritis And Pain Drugs | | |
| ACTIQ BUCCAL LOZENGE ON A HANDLE 1200 MCG, 1600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG | Non Preferred | PA; NOTES (MME) |
| CONZIP ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100 MG, 200 MG, 300 MG | Non Preferred | PA; NOTES (MME); AGE (Min 21 Years) |
| DILAUDID ORAL LIQUID 1 MG/ML | Non Preferred | PA; NOTES (MME) |
| DILAUDID ORAL TABLET 2 MG, 4 MG, 8 MG | Non Preferred | PA; NOTES (MME) |
| FENTORA BUCCAL TABLET 100 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG | Non Preferred | PA; NOTES (MME) |
| HYSINGLA ER ORAL TABLET ER 24 HOUR ABUSE-DETERRENT 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG | Non Preferred | PA; NOTES (MME) |
| LAZANDA NASAL SOLUTION 100 MCG/ACT, 400 MCG/ACT | Non Preferred | PA |
| METHADONE HCL INTENSOL ORAL CONCENTRATE 10 MG/ML | Non Preferred | PA; QL (2 ML per 1 day); NOTES (EA;MME) |
| METHADOSE ORAL CONCENTRATE 10 MG/ML | Non Preferred | PA; QL (2 ML per 1 day); NOTES (EA; MME) |

| Drug | Status | Notes |
|--|---------------|---|
| METHADOSE ORAL CONCENTRATE 5 MG/0.5ML | Non Preferred | PA; QL (2 EA per 1 day); NOTES (EA;MME) |
| METHADOSE ORAL TABLET SOLUBLE 40 MG | Non Preferred | PA; QL (0.5 EA per 1 day); NOTES (EA; MME) |
| METHADOSE SUGAR-FREE ORAL CONCENTRATE 10 MG/ML | Non Preferred | PA; QL (2 ML per 1 day); NOTES (EA; MME) |
| MS CONTIN ORAL TABLET EXTENDED RELEASE 100 MG, 200 MG, 30 MG, 60 MG | Non Preferred | PA; QL (3 EA per 1 day); NOTES (MME) |
| MS CONTIN ORAL TABLET EXTENDED RELEASE 15 MG | Non Preferred | PA; NOTES (MME) |
| NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HOUR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG | Non Preferred | PA; NOTES (MME) |
| NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG | Non Preferred | PA; NOTES (MME) |
| OXAYDO ORAL TABLET 5 MG, 7.5 MG | Non Preferred | PA; NOTES (MME) |
| OXYCONTIN ORAL TABLET ER 12 HOUR ABUSE-DETERRENT 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG | Non Preferred | PA; NOTES (MME) |
| QDOLO ORAL SOLUTION 5 MG/ML | Non Preferred | PA; NOTES (MME) |
| ROXICODONE ORAL TABLET 15 MG, 30 MG | Non Preferred | PA; NOTES (MME) |
| ROXYBOND ORAL TABLET ABUSE-DETERRENT 15 MG, 30 MG, 5 MG | Non Preferred | PA; NOTES (MME) |
| SUBSYS SUBLINGUAL LIQUID 100 MCG, 1200 (600 X 2) MCG, 1600 (800 X 2) MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG | Non Preferred | PA; NOTES (MME) |
| SYNAPRYN FUSEPAQ ORAL SUSPENSION RECONSTITUTED 10 MG/ML | Non Preferred | PA; NOTES (MME); AGE (Min 21 Years) |
| XTAMPZA ER ORAL CAPSULE ER 12 HOUR ABUSE-DETERRENT 13.5 MG, 18 MG, 27 MG, 36 MG, 9 MG | Non Preferred | PA; NOTES (MME) |
| codeine sulfate oral tablet 15 mg, 30 mg, 60 mg | Preferred | NOTES (QL, EA, MME); AGE (Min 21 Years) |
| fentanyl citrate buccal lozenge on a handle 1200 mcg, 1600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg | Non Preferred | PA; NOTES (MME) |
| fentanyl citrate buccal tablet 100 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg | Non Preferred | PA; NOTES (MME) |
| fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr | Preferred | PA; QL (0.34 EA per 1 day); NOTES (10 patches per month; EA; MME) |

| Drug | Status | Notes |
|--|---------------|---|
| fentanyl transdermal patch 72 hour 37.5 mcg/hr | Non Preferred | PA; QL (0.34 EA per 1 day); NOTES (MME;10 patches per month) |
| fentanyl transdermal patch 72 hour 62.5 mcg/hr, 87.5 mcg/hr | Non Preferred | PA; QL (0.34 EA per 1 day); NOTES (MME;10 patches per month) |
| hydrocodone bitartrate er oral capsule extended release 12 hour 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg | Non Preferred | PA; NOTES (MME) |
| hydrocodone bitartrate er oral tablet er 24 hour abuse-deterrant 100 mg, 120 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg | Non Preferred | PA; NOTES (MME) |
| hydromorphone hcl er oral tablet extended release 24 hour 12 mg, 16 mg, 32 mg, 8 mg | Non Preferred | PA; NOTES (MME) |
| hydromorphone hcl oral liquid 1 mg/ml | Non Preferred | PA; NOTES (MME) |
| hydromorphone hcl oral tablet 2 mg, 4 mg, 8 mg | Preferred | NOTES (QL; EA; MME) |
| hydromorphone hcl rectal suppository 3 mg | Preferred | NOTES (QL; EA; MME) |
| levorphanol tartrate oral tablet 2 mg, 3 mg | Non Preferred | PA; NOTES (MME) |
| meperidine hcl oral solution 50 mg/5ml | Non Preferred | PA; NOTES (MME) |
| meperidine hcl oral tablet 50 mg | Non Preferred | PA; NOTES (MME) |
| methadone hcl injection solution 10 mg/ml | Non Preferred | PA; NOTES (MME) |
| methadone hcl intravenous solution prefilled syringe 10 mg/ml | Non Preferred | PA; NOTES (MME) |
| methadone hcl oral concentrate 10 mg/ml | Non Preferred | PA; QL (2 EA per 1 day); NOTES (EA; MME) |
| methadone hcl oral solution 10 mg/5ml | Non Preferred | PA; QL (10 ML per 1 day); NOTES (EA; MME) |
| methadone hcl oral solution 5 mg/5ml | Non Preferred | PA; QL (20 ML per 1 day); NOTES (EA; MME) |
| methadone hcl oral tablet 10 mg | Non Preferred | PA; QL (2 EA per 1 day); NOTES (EA; MME) |
| methadone hcl oral tablet 5 mg | Non Preferred | PA; QL (4 EA per 1 day); NOTES (EA; MME) |
| methadone hcl oral tablet soluble 40 mg | Non Preferred | PA; QL (0.5 EA per 1 day); NOTES (EA; MME) |
| methadone hcl-nacl intravenous solution prefilled syringe 1-0.9 mg/ml-% | Non Preferred | PA; NOTES (MME) |
| methadone hcl-sodium chloride intravenous solution prefilled syringe 1-0.9 mg/ml-% | Non Preferred | PA; NOTES (MME) |

| Drug | Status | Notes |
|--|---------------|--|
| morphine sulfate (concentrate) oral solution 10 mg/0.5ml, 100 mg/5ml, 20 mg/ml | Non Preferred | PA; NOTES (MME) |
| morphine sulfate er beads oral capsule extended release 24 hour 120 mg, 30 mg, 45 mg, 60 mg, 75 mg, 90 mg | Non Preferred | PA; NOTES (MME) |
| morphine sulfate er oral capsule extended release 24 hour 10 mg, 100 mg, 20 mg, 30 mg, 50 mg, 60 mg, 80 mg | Non Preferred | PA; NOTES (MME) |
| morphine sulfate er oral tablet extended release 100 mg, 200 mg, 30 mg, 60 mg | Preferred | PA; QL (3 EA per 1 day); NOTES (EA; MME) |
| morphine sulfate er oral tablet extended release 15 mg | Preferred | PA; NOTES (EA; MME) |
| morphine sulfate oral solution 10 mg/5ml, 20 mg/5ml | Non Preferred | PA; NOTES (MME) |
| morphine sulfate oral tablet 15 mg, 30 mg | Preferred | NOTES (QL; EA; MME) |
| morphine sulfate rectal suppository 10 mg, 20 mg, 30 mg, 5 mg | Preferred | NOTES (QL; EA; MME) |
| oxycodone hcl er oral tablet er 12 hour abuse-deterrent 10 mg, 20 mg, 40 mg, 80 mg | Non Preferred | PA; NOTES (MME) |
| oxycodone hcl oral capsule 5 mg | Non Preferred | PA; NOTES (MME) |
| oxycodone hcl oral concentrate 10 mg/0.5ml, 100 mg/5ml | Non Preferred | PA; NOTES (MME) |
| oxycodone hcl oral solution 5 mg/5ml | Preferred | NOTES (QL; EA; MME) |
| oxycodone hcl oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg | Preferred | NOTES (QL; EA; MME) |
| oxymorphone hcl er oral tablet extended release 12 hour 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg | Non Preferred | PA; QL (2 EA per 1 day); NOTES (MME) |
| oxymorphone hcl oral tablet 10 mg, 5 mg | Non Preferred | PA; NOTES (MME) |
| tramadol hcl (er biphasic) oral capsule extended release 24 hour 100 mg, 200 mg, 300 mg | Non Preferred | PA; NOTES (MME); AGE (Min 21 Years) |
| tramadol hcl (er biphasic) oral tablet extended release 24 hour 100 mg, 200 mg, 300 mg | Non Preferred | PA; QL (1 EA per 1 day); NOTES (MME); AGE (Min 21 Years) |
| tramadol hcl er oral tablet extended release 24 hour 100 mg, 200 mg, 300 mg | Preferred | PA; QL (1 EA per 1 day); NOTES (QL; EA; MME); AGE (Min 21 Years) |
| tramadol hcl oral solution 5 mg/ml | Non Preferred | PA; NOTES (MME); AGE (Min 21 Years) |
| tramadol hcl oral tablet 100 mg | Non Preferred | PA; NOTES (MME); AGE (Min 21 Years) |

| Drug | Status | Notes |
|--|---------------|---|
| tramadol hcl oral tablet 50 mg | Preferred | NOTES (QL, EA, MME); AGE (Min 21 Years) |
| *Opioid Combinations*** - Arthritis And Pain Drugs | | |
| APADAZ ORAL TABLET 4.08-325 MG, 6.12-325 MG, 8.16-325 MG | Non Preferred | PA; NOTES (MME) |
| ENDOCET ORAL TABLET 10-325 MG, 2.5-325 MG, 5-325 MG, 7.5-325 MG | Preferred | NOTES (QL; EA; MME) |
| PERCOCET ORAL TABLET 10-325 MG, 2.5-325 MG, 5-325 MG, 7.5-325 MG | Non Preferred | PA; NOTES (MME) |
| PROLATE ORAL SOLUTION 10-300 MG/5ML | Non Preferred | PA; NOTES (MME) |
| PROLATE ORAL TABLET 10-300 MG, 5-300 MG, 7.5-300 MG | Non Preferred | PA; NOTES (MME) |
| benzhydrocodone-acetaminophen oral tablet 4.08-325 mg, 6.12-325 mg, 8.16-325 mg | Non Preferred | PA; NOTES (MME) |
| nalocet oral tablet 2.5-300 mg | Non Preferred | PA; NOTES (MME) |
| oxycodone-acetaminophen oral solution 10-300 mg/5ml, 5-325 mg/5ml | Non Preferred | PA; NOTES (MME) |
| oxycodone-acetaminophen oral tablet 10-300 mg, 2.5-300 mg, 5-300 mg, 7.5-300 mg | Non Preferred | PA; NOTES (MME) |
| oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg | Preferred | NOTES (QL; EA; MME) |
| *Opioid Partial Agonists*** - Arthritis And Pain Drugs | | |
| BELBUCA Buccal FILM 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG | Non Preferred | PA; NOTES (MME) |
| BRIXADI (WEEKLY) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 16 MG/0.32ML, 24 MG/0.48ML, 32 MG/0.64ML, 8 MG/0.16ML | Non Preferred | PA |
| BRIXADI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 128 MG/0.36ML, 64 MG/0.18ML, 96 MG/0.27ML | Non Preferred | PA |
| BUTTRANS TRANSDERMAL PATCH WEEKLY 10 MCG/HR, 15 MCG/HR, 20 MCG/HR, 5 MCG/HR, 7.5 MCG/HR | Preferred | NOTES (QL; EA; MME) |
| SUBLOCADE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/0.5ML | Preferred | QL (0.5 ML per 22 days); SP |

| Drug | Status | Notes |
|---|---------------|---|
| SUBLOCADE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 300 MG/1.5ML | Preferred | QL (1.5 ML per 22 days); SP |
| SUBOXONE SUBLINGUAL FILM 12-3 MG | Preferred | QL (2 EA per 1 day); NOTES (Max 32 mg / day) |
| SUBOXONE SUBLINGUAL FILM 2-0.5 MG | Preferred | QL (16 EA per 1 day); NOTES (Max 32 mg / day) |
| SUBOXONE SUBLINGUAL FILM 4-1 MG | Preferred | QL (8 EA per 1 day); NOTES (Max 32 mg / day) |
| SUBOXONE SUBLINGUAL FILM 8-2 MG | Preferred | QL (4 EA per 1 day); NOTES (Max 32 mg / day) |
| ZUBSOLV SUBLINGUAL TABLET SUBLINGUAL 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG, 8.6-2.1 MG | Non Preferred | PA |
| buprenorphine hcl sublingual tablet sublingual 2 mg | Non Preferred | PA; QL (16 EA per 1 day); NOTES (EA) |
| buprenorphine hcl sublingual tablet sublingual 8 mg | Non Preferred | PA; QL (4 EA per 1 day); NOTES (EA) |
| buprenorphine hcl-naloxone hcl sublingual film 12-3 mg | Non Preferred | PA; QL (2 EA per 1 day); NOTES (Max 32 mg / day) |
| buprenorphine hcl-naloxone hcl sublingual film 2-0.5 mg | Non Preferred | PA; QL (16 EA per 1 day); NOTES (Max 32 mg / day) |
| buprenorphine hcl-naloxone hcl sublingual film 4-1 mg | Non Preferred | PA; QL (8 EA per 1 day); NOTES (Max 32 mg / day) |
| buprenorphine hcl-naloxone hcl sublingual film 8-2 mg | Non Preferred | PA; QL (4 EA per 1 day); NOTES (Max 32 mg / day) |
| buprenorphine hcl-naloxone hcl sublingual tablet sublingual 2-0.5 mg | Preferred | QL (16 EA per 1 day) |
| buprenorphine hcl-naloxone hcl sublingual tablet sublingual 8-2 mg | Preferred | QL (4 EA per 1 day) |
| buprenorphine transdermal patch weekly 10 mcg/hr, 15 mcg/hr, 20 mcg/hr, 5 mcg/hr, 7.5 mcg/hr | Preferred | NOTES (QL; EA; MME) |
| butorphanol tartrate nasal solution 10 mg/ml | Non Preferred | PA; NOTES (MME) |
| pentazocine-naloxone hcl oral tablet 50-0.5 mg | Non Preferred | PA; NOTES (MME) |
| *Tramadol Combinations*** - Arthritis And Pain Drugs | | |
| SEGLENTIS ORAL TABLET 56-44 MG | Non Preferred | PA; NOTES (MME) |
| ULTRACET ORAL TABLET 37.5-325 MG | Non Preferred | PA |
| tramadol-acetaminophen oral tablet 37.5-325 mg | Preferred | NOTES (QL, EA, MME); AGE (Min 21 Years) |

| Drug | Status | Notes |
|--|---------------|----------------|
| *Androgens-Anabolic* - Hormones | | |
| *Anabolic Steroids*** - Drugs For Men | | |
| oxandrolone oral tablet 10 mg, 2.5 mg | Preferred | PA; NOTES (EA) |
| *Androgens*** - Drugs For Men | | |
| ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24HR, 4 MG/24HR | Preferred | PA; NOTES (EA) |
| ANDROGEL PUMP TRANSDERMAL GEL 20.25 MG/ACT (1.62%) | Non Preferred | PA |
| ANDROGEL TRANSDERMAL GEL 25 MG/2.5GM (1%) | Non Preferred | PA |
| AVEED INTRAMUSCULAR SOLUTION 750 MG/3ML | Non Preferred | PA; NOTES (EA) |
| DEPO-TESTOSTERONE INTRAMUSCULAR SOLUTION 100 MG/ML | Non Preferred | PA |
| DEPO-TESTOSTERONE INTRAMUSCULAR SOLUTION 200 MG/ML | Preferred | PA; NOTES (EA) |
| FORTESTA TRANSDERMAL GEL 10 MG/ACT (2%) | Non Preferred | PA |
| JATENZO ORAL CAPSULE 158 MG, 198 MG, 237 MG | Non Preferred | PA |
| KYZATREX ORAL CAPSULE 100 MG, 150 MG, 200 MG | Non Preferred | PA |
| NATESTO NASAL GEL 5.5 MG/ACT | Non Preferred | PA |
| TESTIM TRANSDERMAL GEL 50 MG/5GM (1%) | Preferred | PA |
| TESTOPEL IMPLANT PELLET 75 MG | Non Preferred | PA |
| TLANDO ORAL CAPSULE 112.5 MG | Non Preferred | PA |
| VOGELXO PUMP TRANSDERMAL GEL 12.5 MG/ACT (1%) | Non Preferred | PA |
| VOGELXO TRANSDERMAL GEL 50 MG/5GM (1%) | Non Preferred | PA |
| XYOSTED SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/0.5ML, 50 MG/0.5ML, 75 MG/0.5ML | Non Preferred | PA; NOTES (EA) |
| danazol oral capsule 100 mg, 200 mg, 50 mg | Preferred | |
| methitest oral tablet 10 mg | Non Preferred | PA |
| methyltestosterone oral capsule 10 mg | Non Preferred | PA |
| testosterone cypionate injection solution 200 mg/ml | Non Preferred | PA; NOTES (EA) |

| Drug | Status | Notes |
|---|---------------|------------------------|
| testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml | Preferred | PA; NOTES (EA) |
| testosterone enanthate intramuscular solution 200 mg/ml | Non Preferred | PA; NOTES (EA) |
| testosterone implant pellet 100 mg, 200 mg, 25 mg, 50 mg | Non Preferred | PA |
| testosterone transdermal gel 1.62 %, 10 mg/act (2%), 20.25 mg/1.25gm (1.62%), 20.25 mg/act (1.62%), 40.5 mg/2.5gm (1.62%) | Non Preferred | PA; NOTES (EA) |
| testosterone transdermal gel 12.5 mg/act (1%), 25 mg/2.5gm (1%), 50 mg/5gm (1%) | Preferred | PA; NOTES (EA) |
| testosterone transdermal solution 30 mg/act | Non Preferred | PA |
| *Anorectal And Related Products* - Rectal Preparations | | |
| *Intrarectal Steroids*** - Rectal Preparations | | |
| CORTENEMA RECTAL ENEMA 100 MG/60ML | Non Preferred | PA |
| CORTIFOAM EXTERNAL FOAM 10 % | Non Preferred | PA |
| UCERIS RECTAL FOAM 2 MG/ACT | Non Preferred | PA |
| budesonide rectal foam 2 mg | Non Preferred | PA |
| hydrocortisone rectal enema 100 mg/60ml | Preferred | |
| *Nitrate Vasodilating Agents*** - Rectal Preparations | | |
| RECTIV RECTAL OINTMENT 0.4 % | Preferred | PA |
| *Rectal Anesthetic/Steroids*** - Rectal Preparations | | |
| ANA-LEX RECTAL KIT 2-2 % | Non Preferred | PA |
| LIDOCORT EXTERNAL CREAM 3-0.5 % | Preferred | |
| PROCTOFOAM HC EXTERNAL FOAM 1- 1 % | Non Preferred | PA |
| hydrocortisone ace-pramoxine external cream 1-1 % | Preferred | QL (30 GM per 24 days) |
| hydrocort-pramoxine (perianal) external cream 2.5-1 % | Preferred | |
| lidocaine-hydrocort (perianal) external cream 3-0.5 % | Preferred | |
| lidocaine-hydrocortisone ace rectal gel 2.8-0.55 % | Non Preferred | PA |
| lidocaine-hydrocortisone ace rectal kit 2-2 %, 3-0.5 %, 3-1 %, 3-2.5 % | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|-------|
| *Rectal Steroids*** - Rectal Preparations | | |
| ANUSOL-HC EXTERNAL CREAM 2.5 % | Non Preferred | PA |
| PROCTOCARE-HC EXTERNAL CREAM 2.5 % | Preferred | |
| PROCTOCORT EXTERNAL CREAM 1 % | Non Preferred | PA |
| PROCTO-MED HC EXTERNAL CREAM 2.5 % | Preferred | |
| PROCTOSOL HC EXTERNAL CREAM 2.5 % | Preferred | |
| PROCTOZONE-HC EXTERNAL CREAM 2.5 % | Preferred | |
| hydrocortisone (perianal) external cream 1 %, 2.5 % | Preferred | |
| hydrocortisone acetate rectal suppository 25 mg, 30 mg | Preferred | |
| *Antacids* - Drugs For The Stomach | | |
| *Antacid Combinations*** - Drugs For Ulcers And Stomach Acid | | |
| mag-al oral liquid 200-200 mg/5ml | Preferred | |
| *Antacids - Bicarbonate*** - Drugs For Ulcers And Stomach Acid | | |
| sodium bicarbonate oral powder | Non Preferred | PA |
| *Antacids - Calcium Salts*** - Drugs For Ulcers And Stomach Acid | | |
| ALKA-SELTZER HEARTBURN ORAL TABLET CHEWABLE 750 MG | Preferred | |
| ANTACID FLAVOR CHEWS ORAL TABLET CHEWABLE 750 MG | Preferred | |
| CAL-GEST ANTACID ORAL TABLET CHEWABLE 500 MG | Preferred | |
| CVS CHEWY NOT CHALKY FLAVOR ORAL TABLET CHEWABLE 750 MG | Preferred | |
| HEALTHY MAMA TAME THE FLAME ORAL TABLET CHEWABLE 500 MG | Preferred | |
| TUMS SMOOTHIES ORAL TABLET CHEWABLE 750 MG | Preferred | |
| antacid calcium oral tablet chewable 500 mg | Preferred | |
| antacid calcium rich oral tablet chewable 500 mg | Preferred | |
| antacid extra strength oral tablet chewable 750 mg | Preferred | |

| Drug | Status | Notes |
|--|-----------|-------------------------|
| antacid maximum oral tablet chewable 1000 mg | Preferred | |
| antacid oral tablet chewable 500 mg, 750 mg | Preferred | |
| antacid regular strength oral tablet chewable 500 mg | Preferred | |
| antacid ultra strength oral tablet chewable 1000 mg | Preferred | |
| calcium antacid extra strength oral tablet chewable 750 mg | Preferred | |
| calcium antacid oral tablet chewable 500 mg | Preferred | |
| calcium carbonate antacid oral suspension 1250 mg/5ml | Preferred | QL (500 ML per 24 days) |
| calcium carbonate antacid oral tablet 648 mg | Preferred | QL (16 EA per 1 day) |
| calcium carbonate antacid oral tablet chewable 500 mg | Preferred | |
| cvs antacid extra strength oral tablet chewable 750 mg | Preferred | |
| cvs antacid kids oral tablet chewable 750 mg | Preferred | |
| cvs antacid maximum strength oral tablet chewable 1000 mg | Preferred | |
| cvs antacid ultra strength oral tablet chewable 1000 mg | Preferred | |
| cvs smooth antacid extra st oral tablet chewable 750 mg | Preferred | |
| eq antacid extra strength oral tablet chewable 750 mg | Preferred | |
| eq antacid oral tablet chewable 500 mg | Preferred | |
| eq antacid ultra strength oral tablet chewable 1000 mg | Preferred | |
| eql antacid oral tablet chewable 500 mg | Preferred | |
| eql antacid ultra strength oral tablet chewable 1000 mg | Preferred | |
| ft antacid extra strength oral tablet chewable 750 mg | Preferred | |
| ft antacid regular strength oral tablet chewable 500 mg | Preferred | |
| gnp antacid extra strength oral tablet chewable 750 mg | Preferred | |
| gnp antacid oral tablet chewable 500 mg | Preferred | |
| gnp antacid ultra strength oral tablet chewable 1000 mg | Preferred | |

| Drug | Status | Notes |
|--|-----------|-------|
| goodsense antacid oral tablet chewable 1000 mg, 500 mg, 750 mg | Preferred | |
| hm antacid extra strength oral tablet chewable 750 mg | Preferred | |
| hm antacid oral tablet chewable 500 mg | Preferred | |
| hm calcium antacid ex st oral tablet chewable 750 mg | Preferred | |
| long lasting antacid oral tablet chewable 500 mg | Preferred | |
| px antacid extra strength oral tablet chewable 750 mg | Preferred | |
| px antacid maximum strength oral tablet chewable 1000 mg | Preferred | |
| px calcium antacid oral tablet chewable 500 mg | Preferred | |
| qc antacid extra strength oral tablet chewable 750 mg | Preferred | |
| qc antacid oral tablet chewable 500 mg | Preferred | |
| qc antacid ultra strength oral tablet chewable 1000 mg | Preferred | |
| ra antacid oral tablet chewable 500 mg | Preferred | |
| ra antacid ultra strength oral tablet chewable 1000 mg | Preferred | |
| sb antacid extra strength oral tablet chewable 750 mg | Preferred | |
| sb antacid oral tablet chewable 500 mg | Preferred | |
| sm antacid oral tablet chewable 500 mg | Preferred | |
| sm calcium antacid ex st oral tablet chewable 750 mg | Preferred | |
| sm calcium antacid oral tablet chewable 500 mg | Preferred | |
| sm smooth antacid ex st oral tablet chewable 750 mg | Preferred | |
| smooth antacid extra strength oral tablet chewable 750 mg | Preferred | |

***Anthelmintics* - Drugs For Infections**

Anthelmintics - Drugs For Parasites**

| | | |
|------------------------------------|---------------|----|
| BILTRICIDE ORAL TABLET 600 MG | Non Preferred | PA |
| EGATEN ORAL TABLET 250 MG | Preferred | |
| EMVERM ORAL TABLET CHEWABLE 100 MG | Non Preferred | PA |
| STROMECTOL ORAL TABLET 3 MG | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|---------------------------|
| albendazole oral tablet 200 mg | Preferred | QL (4 EA per 24 days) |
| albendazole tablet 200 mg oral | Non Preferred | PA; QL (4 EA per 24 days) |
| benznidazole oral tablet 100 mg, 12.5 mg | Non Preferred | PA |
| cvs pinworm treatment oral suspension 144 (50 base) mg/ml | Preferred | QL (60 ML per 24 days) |
| ivermectin oral tablet 3 mg | Non Preferred | PA |
| pin-away oral suspension 144 (50 base) mg/ml | Preferred | QL (60 ML per 24 days) |
| pinworm medicine oral suspension 144 (50 base) mg/ml | Preferred | QL (60 ML per 24 days) |
| praziquantel oral tablet 600 mg | Non Preferred | PA |
| reeses pinworm medicine oral suspension 144 (50 base) mg/ml | Preferred | QL (60 ML per 24 days) |

Antiangular Agents - Drugs For The Heart

*Antiangulars-Other*** - Drugs For Angina

| | | |
|--|---------------|----|
| ASPRUZY SPRINKLE ORAL PACKET 1000 MG, 500 MG | Non Preferred | PA |
| RANEXA ORAL TABLET EXTENDED RELEASE 12 HOUR 1000 MG, 500 MG | Non Preferred | PA |
| ranolazine er oral tablet extended release 12 hour 1000 mg, 500 mg | Preferred | PA |

*Nitrates*** - Drugs For Angina

| | | |
|--|---------------|--------------------------|
| GONITRO SUBLINGUAL PACKET 400 MCG | Non Preferred | PA |
| ISORDIL TITRADOSE ORAL TABLET 40 MG | Non Preferred | PA |
| ISORDIL TITRADOSE ORAL TABLET 5 MG | Preferred | QL (4 EA per 1 day) |
| NITRO-BID TRANSDERMAL OINTMENT 2 % | Preferred | QL (2 GM per 1 day) |
| NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.1 MG/HR, 0.2 MG/HR, 0.4 MG/HR, 0.6 MG/HR | Non Preferred | PA; QL (1 EA per 1 day) |
| NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR | Preferred | |
| NITROLINGUAL TRANSLINGUAL SOLUTION 0.4 MG/SPRAY | Non Preferred | PA |
| NITROMIST TRANSLINGUAL AEROSOL SOLUTION 400 MCG/SPRAY | Non Preferred | PA |
| NITROSTAT SUBLINGUAL TABLET SUBLINGUAL 0.3 MG, 0.4 MG, 0.6 MG | Non Preferred | PA; QL (10 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|----------------------|
| NITRO-TIME ORAL CAPSULE EXTENDED RELEASE 2.5 MG, 6.5 MG | Preferred | QL (6 EA per 1 day) |
| NITRO-TIME ORAL CAPSULE EXTENDED RELEASE 9 MG | Preferred | QL (3 EA per 1 day) |
| isosorbide dinitrate oral tablet 10 mg, 30 mg, 5 mg | Preferred | QL (4 EA per 1 day) |
| isosorbide dinitrate oral tablet 20 mg | Preferred | QL (6 EA per 1 day) |
| isosorbide dinitrate oral tablet 40 mg | Preferred | |
| isosorbide mononitrate er oral tablet extended release 24 hour 120 mg, 30 mg, 60 mg | Preferred | QL (2 EA per 1 day) |
| isosorbide mononitrate oral tablet 10 mg | Preferred | QL (3 EA per 1 day) |
| isosorbide mononitrate oral tablet 20 mg | Preferred | QL (2 EA per 1 day) |
| nitroglycerin in d5w intravenous solution 100-5 mcg/ml-%, 200-5 mcg/ml-%, 400-5 mcg/ml-% | Preferred | PA |
| nitroglycerin intravenous solution 5 mg/ml | Non Preferred | PA |
| nitroglycerin sublingual tablet sublingual 0.3 mg, 0.4 mg, 0.6 mg | Preferred | QL (10 EA per 1 day) |
| nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr | Preferred | QL (1 EA per 1 day) |
| nitroglycerin translingual solution 0.4 mg/spray | Non Preferred | PA |

***Antianxiety Agents* - Drugs For The Nervous System**

Antianxiety Agents - Misc. - Drugs For Anxiety**

| | | |
|---|---------------|----|
| VISTARIL ORAL CAPSULE 25 MG, 50 MG | Non Preferred | PA |
| buspirone hcl oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg | Preferred | |
| droperidol injection solution 2.5 mg/ml | Preferred | |
| hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml | Preferred | |
| hydroxyzine hcl oral syrup 10 mg/5ml | Preferred | |
| hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg | Preferred | |
| hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg | Preferred | |
| meprobamate oral tablet 200 mg, 400 mg | Non Preferred | PA |

Benzodiazepines - Drugs For Seizures /Personality Disorder/Nerve Pain**

| | | |
|--|---------------|----|
| ALPRAZOLAM INTENSOL ORAL CONCENTRATE 1 MG/ML | Non Preferred | PA |
|--|---------------|----|

| Drug | Status | Notes |
|---|---------------|-------|
| ATIVAN INJECTION SOLUTION 2 MG/ML, 4 MG/ML | Non Preferred | PA |
| ATIVAN ORAL TABLET 0.5 MG, 1 MG, 2 MG | Non Preferred | PA |
| DIAZEPAM INTENSOL ORAL CONCENTRATE 5 MG/ML | Preferred | |
| LORAZEPAM INTENSOL ORAL CONCENTRATE 2 MG/ML | Preferred | |
| LOREEV XR ORAL CAPSULE ER 24 HOUR SPRINKLE 1 MG, 1.5 MG, 2 MG, 3 MG | Non Preferred | PA |
| TRANXENE-T ORAL TABLET 7.5 MG | Non Preferred | PA |
| VALIUM ORAL TABLET 10 MG, 2 MG, 5 MG | Non Preferred | PA |
| XANAX ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG | Non Preferred | PA |
| XANAX XR ORAL TABLET EXTENDED RELEASE 24 HOUR 0.5 MG, 1 MG, 2 MG, 3 MG | Non Preferred | PA |
| alprazolam er oral tablet extended release 24 hour 0.5 mg, 1 mg, 2 mg, 3 mg | Non Preferred | PA |
| alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg | Preferred | |
| alprazolam oral tablet dispersible 0.25 mg, 0.5 mg, 1 mg, 2 mg | Non Preferred | PA |
| alprazolam xr oral tablet extended release 24 hour 0.5 mg, 1 mg, 2 mg, 3 mg | Non Preferred | PA |
| chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg | Preferred | |
| clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg | Non Preferred | PA |
| diazepam injection solution 10 mg/2ml, 5 mg/ml | Preferred | |
| diazepam intramuscular solution auto-injector 10 mg/2ml | Preferred | |
| diazepam oral concentrate 5 mg/ml | Preferred | |
| diazepam oral solution 5 mg/5ml | Preferred | |
| diazepam oral tablet 10 mg, 2 mg, 5 mg | Preferred | |
| lorazepam injection solution 2 mg/ml, 4 mg/ml | Preferred | |
| lorazepam oral concentrate 1 mg/0.5ml, 2 mg/ml | Preferred | |
| lorazepam oral tablet 0.5 mg, 1 mg, 2 mg | Preferred | |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| oxazepam oral capsule 10 mg, 15 mg, 30 mg | Non Preferred | PA |
| *Antiarrhythmics - Drugs For The Heart | | |
| *Antiarrhythmics Type I-A*** - Drugs For Abnormal Heart Rhythms | | |
| NORPACE CR ORAL CAPSULE EXTENDED RELEASE 12 HOUR 100 MG, 150 MG | Non Preferred | PA |
| NORPACE ORAL CAPSULE 100 MG | Non Preferred | PA |
| NORPACE ORAL CAPSULE 150 MG | Non Preferred | PA; QL (5 EA per 1 day) |
| disopyramide phosphate oral capsule 100 mg | Preferred | |
| disopyramide phosphate oral capsule 150 mg | Preferred | QL (5 EA per 1 day) |
| procainamide hcl injection solution 100 mg/ml, 500 mg/ml | Preferred | PA |
| quinidine gluconate er oral tablet extended release 324 mg | Preferred | QL (6 EA per 1 day) |
| quinidine sulfate oral tablet 200 mg, 300 mg | Non Preferred | PA |
| *Antiarrhythmics Type I-B*** - Drugs For Abnormal Heart Rhythms | | |
| lidocaine hcl (cardiac) intravenous solution prefilled syringe 100 mg/10ml, 100 mg/5ml, 200 mg/10ml, 50 mg/5ml, 60 mg/3ml | Preferred | PA |
| lidocaine hcl (cardiac) pf intravenous solution 100 mg/5ml | Preferred | PA |
| lidocaine hcl (cardiac) pf intravenous solution prefilled syringe 100 mg/5ml, 50 mg/5ml | Preferred | PA |
| lidocaine in d5w intravenous solution 2-5 mg/ml-%, 4-5 mg/ml-%, 8-5 mg/ml-% | Preferred | PA |
| mexiletine hcl oral capsule 150 mg, 200 mg, 250 mg | Preferred | QL (6 EA per 1 day) |
| *Antiarrhythmics Type I-C*** - Drugs For Abnormal Heart Rhythms | | |
| RYTHMOL SR ORAL CAPSULE EXTENDED RELEASE 12 HOUR 225 MG, 325 MG, 425 MG | Non Preferred | PA |
| flecainide acetate oral tablet 100 mg | Preferred | QL (6 EA per 1 day) |
| flecainide acetate oral tablet 150 mg | Preferred | QL (3 EA per 1 day) |
| flecainide acetate oral tablet 50 mg | Preferred | QL (7 EA per 1 day) |
| propafenone hcl er oral capsule extended release 12 hour 225 mg, 325 mg, 425 mg | Preferred | |
| propafenone hcl oral tablet 150 mg | Preferred | QL (6 EA per 1 day) |
| propafenone hcl oral tablet 225 mg | Preferred | QL (3 EA per 1 day) |

| Drug | Status | Notes |
|---|---------------|---|
| propafenone hcl oral tablet 300 mg | Preferred | |
| *Antiarrhythmics Type III*** - Drugs For Abnormal Heart Rhythms | | |
| MULTAQ ORAL TABLET 400 MG | Non Preferred | PA |
| NEXTERONE INTRAVENOUS SOLUTION 150-4.21 MG/100ML-%, 360-4.14 MG/200ML-% | Preferred | PA |
| PACERONE ORAL TABLET 100 MG, 200 MG, 400 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| TIKOSYN ORAL CAPSULE 125 MCG, 250 MCG, 500 MCG | Non Preferred | PA |
| amiodarone hcl in dextrose intravenous solution 450-5 mg/250ml-%, 900-5 mg/500ml-% | Preferred | |
| amiodarone hcl intravenous solution 150 mg/3ml, 450 mg/9ml, 900 mg/18ml | Preferred | PA |
| amiodarone hcl oral tablet 100 mg, 200 mg, 400 mg | Preferred | QL (4 EA per 1 day) |
| dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg | Preferred | |
| *Antiasthmatic And Bronchodilator Agents* - Drugs For The Lungs | | |
| *5-Lipoxygenase Inhibitors*** - Drugs For Asthma/Copd | | |
| ZYFLO ORAL TABLET 600 MG | Non Preferred | PA |
| zileuton er oral tablet extended release 12 hour 600 mg | Non Preferred | PA |
| *Adrenergic Combinations*** - Drugs For Asthma/Copd | | |
| ADVAIR DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 100-50 MCG/ACT, 250-50 MCG/ACT, 500-50 MCG/ACT | Preferred | QL (2 EA per 1 day); NOTES (2 inhalations every 1 day); DS (90 DS) |
| ADVAIR HFA INHALATION AEROSOL 115-21 MCG/ACT, 230-21 MCG/ACT, 45-21 MCG/ACT | Preferred | QL (36 GM per 72 days); NOTES (3 inhalers every 3 months); DS (90 DS) |
| AIRDUO DIGIHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 113-14 MCG/ACT, 232-14 MCG/ACT, 55-14 MCG/ACT | Non Preferred | PA |
| AIRDUO RESPICLICK 113/14 INHALATION AEROSOL POWDER BREATH ACTIVATED 113-14 MCG/ACT | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|---|
| AIRDUO RESPICLICK 232/14 INHALATION AEROSOL POWDER BREATH ACTIVATED 232-14 MCG/ACT | Non Preferred | PA |
| AIRDUO RESPICLICK 55/14 INHALATION AEROSOL POWDER BREATH ACTIVATED 55-14 MCG/ACT | Non Preferred | PA |
| AIRSUPRA INHALATION AEROSOL 90-80 MCG/ACT | Non Preferred | PA |
| ANORO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5-25 MCG/ACT | Preferred | |
| BEVESPI AEROSPHERE INHALATION AEROSOL 9-4.8 MCG/ACT | Non Preferred | PA |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-25 MCG/ACT, 200-25 MCG/ACT, 50-25 MCG/INH | Non Preferred | PA |
| BREYNA INHALATION AEROSOL 160-4.5 MCG/ACT, 80-4.5 MCG/ACT | Preferred | QL (30.6 GM per 72 days); NOTES (3 inhalers every 3 months); DS (90 DS) |
| BREZTRI AEROSPHERE INHALATION AEROSOL 160-9-4.8 MCG/ACT | Non Preferred | PA |
| COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION 20-100 MCG/ACT | Preferred | |
| DUAKLIR PRESSAIR INHALATION AEROSOL POWDER BREATH ACTIVATED 400-12 MCG/ACT | Non Preferred | PA |
| DULERA INHALATION AEROSOL 100-5 MCG/ACT, 200-5 MCG/ACT | Preferred | QL (39 GM per 72 days); NOTES (3 inhalers every 3 months); DS (90 DS) |
| DULERA INHALATION AEROSOL 50-5 MCG/ACT | Preferred | QL (39 GM per 72 days); NOTES (3 inhalers every 3 months) |
| STIOLTO RESPIMAT INHALATION AEROSOL SOLUTION 2.5-2.5 MCG/ACT | Preferred | |
| SYMBICORT INHALATION AEROSOL 160-4.5 MCG/ACT, 80-4.5 MCG/ACT | Preferred | QL (30.6 GM per 72 days); NOTES (3 inhalers every 3 months); DS (90 DS) |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-62.5-25 MCG/ACT, 200-62.5-25 MCG/ACT | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|---|
| WIXELA INHUB INHALATION AEROSOL POWDER BREATH ACTIVATED 100-50 MCG/ACT, 250-50 MCG/ACT, 500-50 MCG/ACT | Non Preferred | PA; QL (2 EA per 1 day); NOTES (2 inhalations every 1 day) |
| budesonide-formoterol fumarate inhalation aerosol 160-4.5 mcg/act, 80-4.5 mcg/act | Preferred | QL (30.6 GM per 72 days); NOTES (3 inhalers every 3 months); DS (90 DS) |
| fluticasone furoate-vilanterol inhalation aerosol powder breath activated 100-25 mcg/act, 200-25 mcg/act | Non Preferred | PA |
| fluticasone-salmeterol inhalation aerosol 115-21 mcg/act, 230-21 mcg/act, 45-21 mcg/act | Preferred | QL (36 GM per 72 days); NOTES (3 inhalers every 3 months); DS (90 DS) |
| fluticasone-salmeterol inhalation aerosol powder breath activated 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act | Preferred | QL (2 EA per 1 day); NOTES (2 inhalations every 1 day); DS (90 DS) |
| fluticasone-salmeterol inhalation aerosol powder breath activated 113-14 mcg/act, 232-14 mcg/act, 55-14 mcg/act | Non Preferred | PA |
| ipratropium-albuterol inhalation solution 0.5-2.5 (3) mg/3ml | Preferred | QL (540 ML per 24 days); DS (90 DS) |
| *Anti-Ige Monoclonal Antibodies*** - Drugs For Asthma/Copd | | |
| XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML, 75 MG/0.5ML | Preferred | PA; SP |
| XOLAIR SUBCUTANEOUS SOLUTION RECONSTITUTED 150 MG | Preferred | PA; SP |
| *Anti-Inflammatory Agents*** - Drugs For Asthma/Copd | | |
| cromolyn sodium inhalation nebulization solution 20 mg/2ml | Preferred | QL (26 ML per 1 day); DS (90 DS) |
| *Beta Adrenergics*** - Drugs For Asthma/Copd | | |
| BROVANA INHALATION NEBULIZATION SOLUTION 15 MCG/2ML | Non Preferred | PA |
| PERFOROMIST INHALATION NEBULIZATION SOLUTION 20 MCG/2ML | Non Preferred | PA |
| PROAIR DIGITALER INHALATION AEROSOL POWDER BREATH ACTIVATED 108 (90 BASE) MCG/ACT | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|--|
| PROAIR RESPICLICK INHALATION AEROSOL POWDER BREATH ACTIVATED 108 (90 BASE) MCG/ACT | Non Preferred | PA |
| PROVENTIL HFA AEROSOL SOLUTION 108 (90 BASE) MCG/ACT INHALATION | Preferred | |
| PROVENTIL HFA INHALATION AEROSOL SOLUTION 108 (90 BASE) MCG/ACT | Non Preferred | PA |
| SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 50 MCG/ACT | Preferred | QL (2 EA per 1 day); NOTES (2 inhalations every 1 day); DS (90 DS) |
| STRIVERDI RESPIMAT INHALATION AEROSOL SOLUTION 2.5 MCG/ACT | Non Preferred | PA |
| VENTOLIN HFA INHALATION AEROSOL SOLUTION 108 (90 BASE) MCG/ACT | Non Preferred | PA |
| XOPENEX CONCENTRATE INHALATION NEBULIZATION SOLUTION 1.25 MG/0.5ML | Non Preferred | PA |
| XOPENEX HFA INHALATION AEROSOL 45 MCG/ACT | Non Preferred | PA |
| XOPENEX INHALATION NEBULIZATION SOLUTION 0.31 MG/3ML, 0.63 MG/3ML, 1.25 MG/3ML | Non Preferred | PA |
| albuterol sulfate hfa aerosol solution 108 (90 base) mcg/act inhalation | Non Preferred | PA |
| albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act | Preferred | |
| albuterol sulfate inhalation nebulization solution (2.5 mg/3ml) 0.083%, 0.63 mg/3ml, 1.25 mg/3ml | Preferred | QL (540 ML per 24 days); DS (90 DS) |
| albuterol sulfate inhalation nebulization solution (5 mg/ml) 0.5%, 2.5 mg/0.5ml | Preferred | QL (150 ML per 24 days); DS (90 DS) |
| albuterol sulfate oral syrup 2 mg/5ml | Preferred | QL (150 ML per 1 day); DS (90 DS) |
| albuterol sulfate oral tablet 2 mg | Preferred | QL (16 EA per 1 day); DS (90 DS) |
| albuterol sulfate oral tablet 4 mg | Preferred | QL (8 EA per 1 day); DS (90 DS) |
| arformoterol tartrate inhalation nebulization solution 15 mcg/2ml | Non Preferred | PA |
| formoterol fumarate inhalation nebulization solution 20 mcg/2ml | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|-------------------------------------|
| levalbuterol hcl inhalation nebulization solution 0.31 mg/3ml, 0.63 mg/3ml, 1.25 mg/0.5ml, 1.25 mg/3ml | Non Preferred | PA |
| levalbuterol tartrate inhalation aerosol 45 mcg/act | Non Preferred | PA |
| terbutaline sulfate injection solution 1 mg/ml | Non Preferred | PA |
| terbutaline sulfate oral tablet 2.5 mg, 5 mg | Non Preferred | PA |
| *Bronchodilators - Anticholinergics*** - Drugs For Asthma/Copd | | |
| ATROVENT HFA INHALATION AEROSOL SOLUTION 17 MCG/ACT | Preferred | |
| INCRUSE ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5 MCG/ACT | Non Preferred | PA |
| LONHALA MAGNAIR REFILL KIT INHALATION SOLUTION 25 MCG/ML | Non Preferred | PA |
| LONHALA MAGNAIR STARTER KIT INHALATION SOLUTION 25 MCG/ML | Non Preferred | PA |
| SPIRIVA HANDIHALER INHALATION CAPSULE 18 MCG | Preferred | QL (1 EA per 1 day) |
| SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION 1.25 MCG/ACT, 2.5 MCG/ACT | Non Preferred | PA |
| TUDORZA PRESSAIR INHALATION AEROSOL POWDER BREATH ACTIVATED 400 MCG/ACT | Non Preferred | PA |
| YUPELRI INHALATION SOLUTION 175 MCG/3ML | Non Preferred | PA |
| ipratropium bromide inhalation solution 0.02 % | Preferred | QL (540 ML per 24 days); DS (90 DS) |
| tiotropium bromide monohydrate inhalation capsule 18 mcg | Preferred | QL (1 EA per 1 day) |
| *Interleukin-5 Antagonists (Igg1 Kappa)*** - Drugs For Asthma/Copd | | |
| FASENRA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 30 MG/ML | Preferred | PA; SP |
| FASENRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 30 MG/ML | Preferred | PA; SP |
| NUCALA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML | Non Preferred | PA; SP |
| NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML, 40 MG/0.4ML | Non Preferred | PA; SP |

| Drug | Status | Notes |
|--|---------------|---------------------------------|
| NUCALA SUBCUTANEOUS SOLUTION RECONSTITUTED 100 MG | Non Preferred | PA; SP |
| *Interleukin-5 Antagonists (IgG4 Kappa)*** - Drugs For Asthma/Copd | | |
| CINQAIR INTRAVENOUS SOLUTION 100 MG/10ML | Preferred | PA; SP |
| *Leukotriene Receptor Antagonists*** - Drugs For Asthma/Copd | | |
| ACCOLATE ORAL TABLET 10 MG, 20 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| SINGULAIR ORAL PACKET 4 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| SINGULAIR ORAL TABLET 10 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| SINGULAIR ORAL TABLET CHEWABLE 4 MG, 5 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| montelukast sodium oral packet 4 mg | Preferred | QL (1 EA per 1 day) |
| montelukast sodium oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| montelukast sodium oral tablet chewable 4 mg, 5 mg | Preferred | QL (1 EA per 1 day) |
| zafirlukast oral tablet 10 mg, 20 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| *Selective Phosphodiesterase 4 (Pde4) Inhibitors*** - Drugs For Asthma/Copd | | |
| DALIRESP ORAL TABLET 250 MCG, 500 MCG | Non Preferred | PA |
| roflumilast oral tablet 250 mcg, 500 mcg | Preferred | PA |
| *Steroid Inhalants*** - Drugs For Asthma/Copd | | |
| ALVESCO INHALATION AEROSOL SOLUTION 160 MCG/ACT, 80 MCG/ACT | Non Preferred | PA |
| ARMONAIR DIGITALISER INHALATION AEROSOL POWDER BREATH ACTIVATED 113 MCG/ACT, 232 MCG/ACT, 55 MCG/ACT | Non Preferred | PA |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/ACT, 200 MCG/ACT, 50 MCG/ACT | Non Preferred | PA |
| ASMANEX (120 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220 MCG/ACT | Non Preferred | PA |
| ASMANEX (14 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220 MCG/ACT | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|---|
| ASMANEX (30 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 110 MCG/ACT, 220 MCG/ACT | Non Preferred | PA |
| ASMANEX (60 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220 MCG/ACT | Non Preferred | PA |
| ASMANEX HFA INHALATION AEROSOL 100 MCG/ACT, 200 MCG/ACT, 50 MCG/ACT | Non Preferred | PA |
| FLOVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/ACT, 250 MCG/ACT, 50 MCG/ACT | Preferred | QL (180 EA per 72 days); DS (90 DS) |
| FLOVENT HFA INHALATION AEROSOL 110 MCG/ACT, 220 MCG/ACT | Preferred | QL (36 GM per 72 days); NOTES (3 inhalers every 3 months); DS (90 DS) |
| FLOVENT HFA INHALATION AEROSOL 44 MCG/ACT | Preferred | QL (31.8 GM per 72 days); NOTES (3 inhalers every 3 months); DS (90 DS) |
| PULMICORT FLEXHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 180 MCG/ACT, 90 MCG/ACT | Preferred | QL (3 EA per 72 days); NOTES (3 inhalers every 3 months); DS (90 DS) |
| PULMICORT INHALATION SUSPENSION 0.25 MG/2ML, 0.5 MG/2ML, 1 MG/2ML | Non Preferred | PA; QL (120 ML per 24 days) |
| QVAR REDIHALER INHALATION AEROSOL BREATH ACTIVATED 40 MCG/ACT, 80 MCG/ACT | Non Preferred | PA |
| budesonide inhalation suspension 0.25 mg/2ml, 0.5 mg/2ml, 1 mg/2ml | Preferred | QL (120 ML per 24 days); DS (90 DS) |
| fluticasone propionate hfa inhalation aerosol 110 mcg/act, 220 mcg/act | Preferred | QL (36 GM per 72 days); NOTES (3 inhalers every 3 months); DS (90 DS) |
| fluticasone propionate hfa inhalation aerosol 44 mcg/act | Preferred | QL (31.8 GM per 72 days); NOTES (3 inhalers every 3 months); DS (90 DS) |
| *Thymic Stromal Lymphopoietin (Tslp) Antagonists*** - Drugs For Asthma/Copd | | |
| TEZSPIRE SUBCUTANEOUS SOLUTION AUTO-INJECTOR 210 MG/1.91ML | Non Preferred | PA; SP |
| TEZSPIRE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 210 MG/1.91ML | Non Preferred | PA; SP |

| Drug | Status | Notes |
|---|---------------|---------------------------------|
| *Xanthines*** - Drugs For Asthma/Copd | | |
| ELIXOPHYLLIN ORAL ELIXIR 80 MG/15ML | Non Preferred | PA |
| THEO-24 ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100 MG, 200 MG, 300 MG, 400 MG | Non Preferred | PA |
| aminophylline intravenous solution 25 mg/ml | Preferred | PA |
| theophylline er oral tablet extended release 12 hour 100 mg, 200 mg | Preferred | |
| theophylline er oral tablet extended release 12 hour 300 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| theophylline er oral tablet extended release 12 hour 450 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| theophylline er oral tablet extended release 24 hour 400 mg | Preferred | |
| theophylline er oral tablet extended release 24 hour 600 mg | Preferred | QL (3 EA per 1 day) |
| theophylline oral elixir 80 mg/15ml | Preferred | DS (90 DS) |
| theophylline oral solution 80 mg/15ml | Preferred | DS (90 DS) |
| *Anticoagulants* - Drugs For The Blood | | |
| *Coumarin Anticoagulants*** - Drugs To Prevent Blood Clots | | |
| JANTOVEN ORAL TABLET 1 MG, 10 MG, 2 MG, 2.5 MG, 3 MG, 4 MG, 5 MG, 6 MG, 7.5 MG | Preferred | QL (10 EA per 1 day) |
| warfarin sodium oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg | Preferred | QL (10 EA per 1 day) |
| *Direct Factor Xa Inhibitors*** - Drugs To Prevent Blood Clots | | |
| ELIQUIS DVT/PE STARTER PACK ORAL TABLET THERAPY PACK 5 MG | Preferred | |
| ELIQUIS ORAL TABLET 2.5 MG, 5 MG | Preferred | |
| SAVAYSA ORAL TABLET 15 MG, 30 MG, 60 MG | Non Preferred | PA |
| XARELTO ORAL SUSPENSION RECONSTITUTED 1 MG/ML | Non Preferred | PA |
| XARELTO ORAL TABLET 10 MG, 20 MG | Preferred | QL (1 EA per 1 day) |
| XARELTO ORAL TABLET 15 MG | Preferred | QL (2 EA per 1 day) |
| XARELTO ORAL TABLET 2.5 MG | Preferred | |
| XARELTO STARTER PACK ORAL TABLET THERAPY PACK 15 & 20 MG | Preferred | |

| Drug | Status | Notes |
|---|---------------|-------|
| *Heparins And Heparinoid-Like Agents*** - Drugs To Prevent Blood Clots | | |
| BD HEPARIN POSIFLUSH INTRAVENOUS SOLUTION 10 UNIT/ML, 100 UNIT/ML | Preferred | PA |
| heparin (porcine) in nacl intravenous solution 1000-0.9 ut/500ml-%, 12500-0.45 ut/250ml-%, 2000-0.9 unit/l-%, 2500-0.9 ut/500ml-%, 25000- 0.45 ut/250ml-%, 25000-0.45 ut/500ml-%, 30000-0.9 unit/l-%, 4000-0.9 unit/l-%, 500-0.9 ut/500ml-%, 5000-0.9 unit/l-%, 5000-0.9 ut/500ml-% | Preferred | PA |
| heparin (porcine) in nacl intravenous solution prefilled syringe 20-0.9 unt/20ml-%, 50-0.9 unt/50ml-% | Preferred | PA |
| heparin na (pork) lock flsh pf intravenous solution 1 unit/ml, 10 unit/ml, 100 unit/ml | Preferred | PA |
| heparin sod (porcine) in d5w intravenous solution 100 unit/ml, 25000-5 ut/500ml-%, 40-5 unit/ml-% | Preferred | PA |
| heparin sod (pork) lock flush intravenous solution 10 unit/ml, 100 unit/ml | Preferred | PA |
| heparin sodium (porcine) injection solution 1000 unit/ml, 10000 unit/ml, 20000 unit/ml, 5000 unit/ml | Preferred | PA |
| heparin sodium (porcine) injection solution prefilled syringe 5000 unit/0.5ml | Preferred | PA |
| heparin sodium (porcine) pf injection solution 5000 unit/0.5ml, 5000 unit/ml | Preferred | PA |
| hepmed combination kit 100&0.9&2.5-2.5 ut/ml | Preferred | PA |
| *Low Molecular Weight Heparins*** - Drugs To Prevent Blood Clots | | |
| FRAGMIN SUBCUTANEOUS SOLUTION 10000 UNIT/4ML, 95000 UNIT/3.8ML | Non Preferred | PA |
| FRAGMIN SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10000 UNIT/ML, 12500 UNIT/0.5ML, 15000 UNIT/0.6ML, 18000 UNT/0.72ML, 2500 UNIT/0.2ML, 5000 UNIT/0.2ML, 7500 UNIT/0.3ML | Non Preferred | PA |
| LOVENOX INJECTION SOLUTION 300 MG/3ML | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|-------|
| LOVENOX INJECTION SOLUTION PREFILLED SYRINGE 100 MG/ML, 120 MG/0.8ML, 150 MG/ML, 30 MG/0.3ML, 40 MG/0.4ML, 60 MG/0.6ML, 80 MG/0.8ML | Non Preferred | PA |
| enoxaparin sodium injection solution 150 mg/ml | Non Preferred | PA |
| enoxaparin sodium injection solution 300 mg/3ml | Preferred | |
| enoxaparin sodium injection solution prefilled syringe 100 mg/ml, 120 mg/0.8ml, 150 mg/ml, 30 mg/0.3ml, 40 mg/0.4ml, 60 mg/0.6ml, 80 mg/0.8ml | Preferred | |
| *Synthetic Heparinoid-Like Agents*** - Drugs To Prevent Blood Clots | | |
| ARIXTRA SUBCUTANEOUS SOLUTION 10 MG/0.8ML, 2.5 MG/0.5ML, 5 MG/0.4ML, 7.5 MG/0.6ML | Non Preferred | PA |
| fondaparinux sodium subcutaneous solution 10 mg/0.8ml, 2.5 mg/0.5ml, 5 mg/0.4ml, 7.5 mg/0.6ml | Non Preferred | PA |
| *Thrombin Inhibitors - Selective Direct & Reversible*** - Drugs To Prevent Blood Clots | | |
| PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG | Preferred | |
| PRADAXA ORAL PACKET 110 MG, 150 MG, 20 MG, 30 MG, 40 MG, 50 MG | Non Preferred | PA |
| dabigatran etexilate mesylate oral capsule 150 mg, 75 mg | Preferred | |
| *Anticonvulsants* - Drugs For The Nervous System | | |
| *Ampa Glutamate Receptor Antagonists*** - Drugs For Seizures /Personality Disorder/Nerve Pain | | |
| FYCOMPA ORAL SUSPENSION 0.5 MG/ML | Preferred | PA |
| FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG | Preferred | PA |
| *Anticonvulsants - Benzodiazepines*** - Drugs For Seizures /Personality Disorder/Nerve Pain | | |
| DIASTAT ACUDIAL RECTAL GEL 10 MG, 20 MG | Preferred | |
| DIASTAT PEDIATRIC RECTAL GEL 2.5 MG | Preferred | |

| Drug | Status | Notes |
|--|---------------|--------|
| KLONOPIN ORAL TABLET 0.5 MG, 1 MG, 2 MG | Non Preferred | PA |
| NAYZILAM NASAL SOLUTION 5 MG/0.1ML | Non Preferred | PA |
| ONFI ORAL SUSPENSION 2.5 MG/ML | Non Preferred | PA |
| ONFI ORAL TABLET 10 MG, 20 MG | Non Preferred | PA |
| SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG | Non Preferred | PA |
| VALTOCO 10 MG DOSE NASAL LIQUID 10 MG/0.1ML | Preferred | |
| VALTOCO 15 MG DOSE NASAL LIQUID THERAPY PACK 7.5 MG/0.1ML | Preferred | |
| VALTOCO 20 MG DOSE NASAL LIQUID THERAPY PACK 10 MG/0.1ML | Preferred | |
| VALTOCO 5 MG DOSE NASAL LIQUID 5 MG/0.1ML | Preferred | |
| clobazam oral suspension 2.5 mg/ml | Preferred | |
| clobazam oral tablet 10 mg, 20 mg | Preferred | |
| clonazepam oral tablet 0.5 mg, 1 mg, 2 mg | Preferred | |
| clonazepam oral tablet dispersible 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg | Non Preferred | PA |
| diazepam rectal gel 10 mg, 2.5 mg, 20 mg | Preferred | |
| *Anticonvulsants - Misc.*** - Drugs For Seizures /Personality Disorder/Nerve Pain | | |
| APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG, 800 MG | Non Preferred | PA |
| BANZEL ORAL SUSPENSION 40 MG/ML | Non Preferred | PA |
| BANZEL ORAL TABLET 200 MG, 400 MG | Non Preferred | PA |
| BRIVIACT INTRAVENOUS SOLUTION 50 MG/5ML | Preferred | PA |
| BRIVIACT ORAL SOLUTION 10 MG/ML | Non Preferred | PA |
| BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG | Non Preferred | PA |
| CARBATROL ORAL CAPSULE EXTENDED RELEASE 12 HOUR 100 MG, 200 MG, 300 MG | Preferred | |
| DIACOMIT ORAL CAPSULE 250 MG, 500 MG | Non Preferred | PA; SP |
| DIACOMIT ORAL PACKET 250 MG, 500 MG | Non Preferred | PA; SP |

| Drug | Status | Notes |
|---|---------------|--------------------------|
| ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HOUR 1000 MG, 1500 MG | Non Preferred | PA |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML | Non Preferred | PA; SP |
| EPITOL ORAL TABLET 200 MG | Preferred | |
| EPRONTIA ORAL SOLUTION 25 MG/ML | Non Preferred | PA |
| FANATREX FUSEPAQ ORAL SUSPENSION 25 MG/ML | Non Preferred | PA |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML | Non Preferred | PA |
| KEPPRA INTRAVENOUS SOLUTION 500 MG/5ML | Non Preferred | PA |
| KEPPRA ORAL SOLUTION 100 MG/ML | Non Preferred | PA |
| KEPPRA ORAL TABLET 1000 MG, 250 MG, 500 MG, 750 MG | Non Preferred | PA |
| KEPPRA XR ORAL TABLET EXTENDED RELEASE 24 HOUR 500 MG, 750 MG | Non Preferred | PA |
| LAMICTAL ODT ORAL KIT 21 X 25 MG & 7 X 50 MG, 25 & 50 & 100 MG, 42 X 50 MG & 14X100 MG | Non Preferred | PA |
| LAMICTAL ODT ORAL TABLET DISPERSIBLE 100 MG, 200 MG, 25 MG, 50 MG | Non Preferred | PA |
| LAMICTAL ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG | Non Preferred | PA |
| LAMICTAL ORAL TABLET CHEWABLE 25 MG, 5 MG | Non Preferred | PA |
| LAMICTAL STARTER ORAL KIT 35 X 25 MG, 42 X 25 MG & 7 X 100 MG, 84 X 25 MG & 14X100 MG | Non Preferred | PA |
| LAMICTAL XR ORAL KIT 21 X 25 MG & 7 X 50 MG, 25 & 50 & 100 MG, 50 & 100 & 200 MG | Non Preferred | PA |
| LAMICTAL XR ORAL TABLET EXTENDED RELEASE 24 HOUR 100 MG, 200 MG, 25 MG, 250 MG, 300 MG, 50 MG | Non Preferred | PA |
| LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG | Non Preferred | PA; QL (3 EA per 1 day) |
| LYRICA ORAL CAPSULE 225 MG, 300 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| LYRICA ORAL SOLUTION 20 MG/ML | Non Preferred | PA; QL (30 ML per 1 day) |

| Drug | Status | Notes |
|---|---------------|-------|
| MOTPOLY XR ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100 MG, 150 MG, 200 MG | Non Preferred | PA |
| MYSOLINE ORAL TABLET 250 MG, 50 MG | Non Preferred | PA |
| NEURONTIN ORAL CAPSULE 100 MG, 300 MG, 400 MG | Non Preferred | PA |
| NEURONTIN ORAL SOLUTION 250 MG/5ML | Non Preferred | PA |
| NEURONTIN ORAL TABLET 600 MG, 800 MG | Non Preferred | PA |
| OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HOUR 150 MG, 300 MG, 600 MG | Non Preferred | PA |
| QUDEXY XR ORAL CAPSULE ER 24 HOUR SPRINKLE 100 MG, 150 MG, 200 MG, 25 MG, 50 MG | Non Preferred | PA |
| ROWEEPRA ORAL TABLET 500 MG | Preferred | |
| SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 1000 MG, 250 MG, 500 MG, 750 MG | Non Preferred | PA |
| SUBVENITE ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG | Preferred | |
| SUBVENITE STARTER KIT-BLUE ORAL KIT 35 X 25 MG | Non Preferred | PA |
| SUBVENITE STARTER KIT-GREEN ORAL KIT 84 X 25 MG & 14X100 MG | Non Preferred | PA |
| SUBVENITE STARTER KIT-ORANGE ORAL KIT 42 X 25 MG & 7 X 100 MG | Non Preferred | PA |
| TEGRETOL ORAL SUSPENSION 100 MG/5ML | Preferred | |
| TEGRETOL ORAL TABLET 200 MG | Preferred | |
| TEGRETOL-XR ORAL TABLET EXTENDED RELEASE 12 HOUR 100 MG, 200 MG, 400 MG | Preferred | |
| TOPAMAX ORAL TABLET 100 MG, 200 MG, 25 MG, 50 MG | Non Preferred | PA |
| TOPAMAX SPRINKLE ORAL CAPSULE SPRINKLE 15 MG, 25 MG | Non Preferred | PA |
| TRILEPTAL ORAL SUSPENSION 300 MG/5ML | Preferred | |
| TRILEPTAL ORAL TABLET 150 MG, 300 MG, 600 MG | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|-------|
| TROKENDI XR ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100 MG, 200 MG, 25 MG, 50 MG | Non Preferred | PA |
| VIMPAT INTRAVENOUS SOLUTION 200 MG/20ML | Non Preferred | PA |
| VIMPAT ORAL SOLUTION 10 MG/ML | Non Preferred | PA |
| VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG | Non Preferred | PA |
| ZONEGRAN ORAL CAPSULE 100 MG, 25 MG | Non Preferred | PA |
| ZONISADE ORAL SUSPENSION 100 MG/5ML | Non Preferred | PA |
| ZTALMY ORAL SUSPENSION 50 MG/ML | Carve Out | |
| carbamazepine er oral capsule extended release 12 hour 100 mg, 200 mg, 300 mg | Preferred | |
| carbamazepine er oral tablet extended release 12 hour 100 mg, 200 mg, 400 mg | Preferred | |
| carbamazepine oral suspension 100 mg/5ml | Preferred | |
| carbamazepine oral tablet 200 mg | Preferred | |
| carbamazepine oral tablet chewable 100 mg | Preferred | |
| gabapentin oral capsule 100 mg, 300 mg, 400 mg | Preferred | |
| gabapentin oral solution 250 mg/5ml, 300 mg/6ml | Preferred | |
| gabapentin oral tablet 25 mg, 50 mg | Non Preferred | PA |
| gabapentin oral tablet 600 mg, 800 mg | Preferred | |
| lacosamide intravenous solution 200 mg/20ml | Non Preferred | PA |
| lacosamide oral solution 10 mg/ml | Preferred | |
| lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg | Preferred | |
| lamotrigine er oral tablet extended release 24 hour 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg | Non Preferred | PA |
| lamotrigine oral kit 21 x 25 mg & 7 x 50 mg, 25 & 50 & 100 mg, 42 x 50 mg & 14x100 mg | Non Preferred | PA |
| lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg | Preferred | |
| lamotrigine oral tablet chewable 25 mg, 5 mg | Non Preferred | PA |
| lamotrigine oral tablet dispersible 100 mg, 200 mg, 25 mg, 50 mg | Non Preferred | PA |
| lamotrigine starter kit-blue oral kit 35 x 25 mg | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|----------------------|
| lamotrigine starter kit-green oral kit 84 x 25 mg & 14x100 mg | Non Preferred | PA |
| lamotrigine starter kit-orange oral kit 42 x 25 mg & 7 x 100 mg | Non Preferred | PA |
| levetiracetam er oral tablet extended release 24 hour 500 mg, 750 mg | Preferred | |
| levetiracetam in nacl intravenous solution 1000 mg/100ml, 1500 mg/100ml, 250 mg/50ml, 500 mg/100ml | Preferred | PA |
| levetiracetam intravenous solution 500 mg/5ml | Preferred | PA |
| levetiracetam oral solution 100 mg/ml | Preferred | |
| levetiracetam oral tablet 1000 mg, 250 mg, 500 mg, 750 mg | Preferred | |
| oxcarbazepine oral suspension 300 mg/5ml | Preferred | |
| oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg | Preferred | |
| pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg | Preferred | QL (3 EA per 1 day) |
| pregabalin oral capsule 225 mg, 300 mg | Preferred | QL (2 EA per 1 day) |
| pregabalin oral solution 20 mg/ml | Preferred | QL (30 ML per 1 day) |
| primidone oral tablet 125 mg, 250 mg, 50 mg | Preferred | |
| rufinamide oral suspension 40 mg/ml | Non Preferred | PA |
| rufinamide oral tablet 200 mg, 400 mg | Non Preferred | PA |
| topiramate er oral capsule er 24 hour sprinkle 100 mg, 150 mg, 200 mg, 25 mg, 50 mg | Non Preferred | PA |
| topiramate er oral capsule extended release 24 hour 100 mg, 200 mg, 25 mg, 50 mg | Non Preferred | PA |
| topiramate oral capsule sprinkle 15 mg, 25 mg | Preferred | |
| topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg | Preferred | |
| zonisamide oral capsule 100 mg, 25 mg, 50 mg | Preferred | |

Carbamates - Drugs For Seizures**

/Personality Disorder/Nerve Pain

| | | |
|--|---------------|----|
| FELBATOL ORAL SUSPENSION 600 MG/5ML | Preferred | PA |
| FELBATOL ORAL TABLET 400 MG, 600 MG | Preferred | PA |
| XCOPRI (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 100 & 150 MG | Non Preferred | PA |
| XCOPRI (350 MG DAILY DOSE) ORAL TABLET THERAPY PACK 150 & 200 MG | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|--------------------------|
| XCOPRI ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG | Non Preferred | PA |
| XCOPRI ORAL TABLET THERAPY PACK 14 X 12.5 MG & 14 X 25 MG, 14 X 150 MG & 14 X200 MG, 14 X 50 MG & 14 X100 MG | Non Preferred | PA |
| felbamate oral suspension 600 mg/5ml | Preferred | PA |
| felbamate oral tablet 400 mg, 600 mg | Preferred | PA |
| *Gaba Modulators*** - Drugs For Seizures /Personality Disorder/Nerve Pain | | |
| GABITRIL ORAL TABLET 12 MG, 16 MG | Preferred | PA; QL (10 EA per 1 day) |
| GABITRIL ORAL TABLET 2 MG | Preferred | PA; QL (28 EA per 1 day) |
| GABITRIL ORAL TABLET 4 MG | Preferred | PA; QL (14 EA per 1 day) |
| SABRIL ORAL PACKET 500 MG | Non Preferred | PA; QL (6 EA per 1 day) |
| SABRIL ORAL TABLET 500 MG | Non Preferred | PA; QL (6 EA per 1 day) |
| VIGADRONE ORAL PACKET 500 MG | Non Preferred | PA; QL (6 EA per 1 day) |
| VIGADRONE ORAL TABLET 500 MG | Non Preferred | PA |
| tiagabine hcl oral tablet 12 mg, 16 mg | Preferred | PA; QL (10 EA per 1 day) |
| tiagabine hcl oral tablet 2 mg | Preferred | PA; QL (28 EA per 1 day) |
| tiagabine hcl oral tablet 4 mg | Preferred | PA; QL (14 EA per 1 day) |
| vigabatrin oral packet 500 mg | Non Preferred | PA; QL (6 EA per 1 day) |
| vigabatrin oral tablet 500 mg | Non Preferred | PA; QL (6 EA per 1 day) |
| *Hydantoins*** - Drugs For Seizures /Personality Disorder/Nerve Pain | | |
| CEREBYX INJECTION SOLUTION 100 MG PE/2ML, 500 MG PE/10ML | Non Preferred | PA |
| DILANTIN INFATABS ORAL TABLET CHEWABLE 50 MG | Non Preferred | PA; QL (5 EA per 1 day) |
| DILANTIN ORAL CAPSULE 100 MG | Non Preferred | PA; QL (6 EA per 1 day) |
| DILANTIN ORAL CAPSULE 30 MG | Preferred | QL (6 EA per 1 day) |
| DILANTIN ORAL SUSPENSION 125 MG/5ML | Non Preferred | PA; QL (20 ML per 1 day) |
| PHENYTEK ORAL CAPSULE 200 MG, 300 MG | Preferred | QL (6 EA per 1 day) |
| PHENYTOIN INFATABS ORAL TABLET CHEWABLE 50 MG | Preferred | QL (5 EA per 1 day) |
| fosphenytoin sodium injection solution 100 mg pe/2ml, 500 mg pe/10ml | Preferred | PA |
| phenytoin oral suspension 100 mg/4ml, 125 mg/5ml | Preferred | QL (20 ML per 1 day) |
| phenytoin oral tablet chewable 50 mg | Preferred | QL (5 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|--------------------------|
| phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg | Preferred | QL (6 EA per 1 day) |
| phenytoin sodium injection solution 50 mg/ml | Preferred | PA |
| *Succinimides*** - Drugs For Seizures | | |
| /Personality Disorder/Nerve Pain | | |
| CELONTIN ORAL CAPSULE 300 MG | Non Preferred | PA |
| ZARONTIN ORAL CAPSULE 250 MG | Non Preferred | PA; QL (6 EA per 1 day) |
| ZARONTIN ORAL SOLUTION 250 MG/5ML | Non Preferred | PA; QL (30 ML per 1 day) |
| ethosuximide oral capsule 250 mg | Preferred | QL (6 EA per 1 day) |
| ethosuximide oral solution 250 mg/5ml | Preferred | QL (30 ML per 1 day) |
| methsuximide oral capsule 300 mg | Non Preferred | PA |
| *Valproic Acid*** - Drugs For Seizures | | |
| /Personality Disorder/Nerve Pain | | |
| DEPAKOTE ER ORAL TABLET EXTENDED RELEASE 24 HOUR 250 MG | Non Preferred | PA; QL (10 EA per 1 day) |
| DEPAKOTE ER ORAL TABLET EXTENDED RELEASE 24 HOUR 500 MG | Non Preferred | PA |
| DEPAKOTE ORAL TABLET DELAYED RELEASE 125 MG, 250 MG, 500 MG | Non Preferred | PA |
| DEPAKOTE SPRINKLES ORAL CAPSULE DELAYED RELEASE SPRINKLE 125 MG | Preferred | QL (10 EA per 1 day) |
| divalproex sodium er oral tablet extended release 24 hour 250 mg | Preferred | QL (10 EA per 1 day) |
| divalproex sodium er oral tablet extended release 24 hour 500 mg | Preferred | |
| divalproex sodium oral capsule delayed release sprinkle 125 mg | Preferred | QL (10 EA per 1 day) |
| divalproex sodium oral tablet delayed release 125 mg, 250 mg, 500 mg | Preferred | |
| valproate sodium intravenous solution 100 mg/ml, 500 mg/5ml | Preferred | |
| valproic acid oral capsule 250 mg | Preferred | |
| valproic acid oral solution 250 mg/5ml | Preferred | QL (100 ML per 1 day) |
| *Antidepressants* - Drugs For The Nervous System | | |
| *Alpha-2 Receptor Antagonists | | |
| (Tetracyclines)*** - Drugs For Depression | | |
| REMERON ORAL TABLET 15 MG, 30 MG | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|------------|
| REMERON SOLTAB ORAL TABLET DISPERSIBLE 15 MG, 30 MG, 45 MG | Non Preferred | PA |
| mirtazapine oral tablet 15 mg, 30 mg, 45 mg, 7.5 mg | Preferred | DS (90 DS) |
| mirtazapine oral tablet dispersible 15 mg, 30 mg, 45 mg | Preferred | |
| *Antidepressant - Miscellaneous Combinations*** - Drugs For Depression | | |
| AUVELITY ORAL TABLET EXTENDED RELEASE 45-105 MG | Non Preferred | PA |
| *Antidepressants - Misc.*** - Drugs For Depression | | |
| APLENZIN ORAL TABLET EXTENDED RELEASE 24 HOUR 174 MG, 348 MG, 522 MG | Non Preferred | PA |
| FORFIVO XL ORAL TABLET EXTENDED RELEASE 24 HOUR 450 MG | Non Preferred | PA |
| WELLBUTRIN SR ORAL TABLET EXTENDED RELEASE 12 HOUR 100 MG, 150 MG, 200 MG | Non Preferred | PA |
| WELLBUTRIN XL ORAL TABLET EXTENDED RELEASE 24 HOUR 150 MG, 300 MG | Non Preferred | PA |
| bupropion hcl er (sr) oral tablet extended release 12 hour 100 mg, 150 mg, 200 mg | Preferred | DS (90 DS) |
| bupropion hcl er (xl) oral tablet extended release 24 hour 150 mg, 300 mg | Preferred | DS (90 DS) |
| bupropion hcl er (xl) oral tablet extended release 24 hour 450 mg | Non Preferred | PA |
| bupropion hcl oral tablet 100 mg, 75 mg | Preferred | DS (90 DS) |
| *Monoamine Oxidase Inhibitors (MAOIs)*** - Drugs For Depression | | |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24HR, 6 MG/24HR, 9 MG/24HR | Preferred | DS (90 DS) |
| MARPLAN ORAL TABLET 10 MG | Non Preferred | PA |
| NARDIL ORAL TABLET 15 MG | Non Preferred | PA |
| PARNATE ORAL TABLET 10 MG | Non Preferred | PA |
| phenelzine sulfate oral tablet 15 mg | Preferred | DS (90 DS) |
| tranylcypromine sulfate oral tablet 10 mg | Preferred | DS (90 DS) |

| Drug | Status | Notes |
|---|---------------|------------|
| *Selective Serotonin Reuptake Inhibitors (Ssris)*** - Drugs For Depression | | |
| CELEXA ORAL TABLET 10 MG, 20 MG, 40 MG | Non Preferred | PA |
| LEXAPRO ORAL TABLET 10 MG, 20 MG, 5 MG | Non Preferred | PA |
| PAXIL CR ORAL TABLET EXTENDED RELEASE 24 HOUR 12.5 MG, 25 MG, 37.5 MG | Non Preferred | PA |
| PAXIL ORAL SUSPENSION 10 MG/5ML | Non Preferred | PA |
| PAXIL ORAL TABLET 10 MG, 20 MG, 30 MG, 40 MG | Non Preferred | PA |
| PEXEVA ORAL TABLET 10 MG, 20 MG, 30 MG | Non Preferred | PA |
| PROZAC ORAL CAPSULE 10 MG, 20 MG, 40 MG | Non Preferred | PA |
| ZOLOFT ORAL CONCENTRATE 20 MG/ML | Non Preferred | PA |
| ZOLOFT ORAL TABLET 100 MG, 25 MG, 50 MG | Non Preferred | PA |
| citalopram hydrobromide oral capsule 30 mg | Non Preferred | PA |
| citalopram hydrobromide oral solution 10 mg/5ml | Non Preferred | PA |
| citalopram hydrobromide oral tablet 10 mg, 20 mg, 40 mg | Preferred | DS (90 DS) |
| escitalopram oxalate oral solution 5 mg/5ml | Non Preferred | PA |
| escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg | Preferred | DS (90 DS) |
| fluoxetine hcl oral capsule 10 mg, 20 mg, 40 mg | Preferred | DS (90 DS) |
| fluoxetine hcl oral capsule delayed release 90 mg | Non Preferred | PA |
| fluoxetine hcl oral solution 20 mg/5ml | Preferred | |
| fluoxetine hcl oral tablet 10 mg, 20 mg, 60 mg | Non Preferred | PA |
| fluvoxamine maleate er oral capsule extended release 24 hour 100 mg, 150 mg | Non Preferred | PA |
| fluvoxamine maleate oral tablet 100 mg, 25 mg, 50 mg | Preferred | DS (90 DS) |
| paroxetine hcl er oral tablet extended release 24 hour 12.5 mg, 25 mg, 37.5 mg | Non Preferred | PA |
| paroxetine hcl oral suspension 10 mg/5ml | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|--------------------------|
| paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg | Preferred | DS (90 DS) |
| sertraline hcl oral capsule 150 mg, 200 mg | Non Preferred | PA |
| sertraline hcl oral concentrate 20 mg/ml | Non Preferred | PA |
| sertraline hcl oral tablet 100 mg, 25 mg, 50 mg | Preferred | DS (90 DS) |
| *Serotonin Modulators*** - Drugs For Depression | | |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG | Non Preferred | PA |
| VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG | Non Preferred | PA |
| VIIBRYD STARTER PACK ORAL KIT 10 & 20 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| nefazodone hcl oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg | Non Preferred | PA |
| trazodone hcl oral tablet 100 mg, 150 mg, 300 mg, 50 mg | Preferred | DS (90 DS) |
| vilazodone hcl oral tablet 10 mg, 20 mg, 40 mg | Non Preferred | PA |
| *Serotonin-Norepinephrine Reuptake Inhibitors (Snrnis)*** - Drugs For Depression | | |
| CYMBALTA ORAL CAPSULE DELAYED RELEASE PARTICLES 20 MG, 30 MG, 60 MG | Non Preferred | PA; NOTES (AGE*) |
| EFFEXOR XR ORAL CAPSULE EXTENDED RELEASE 24 HOUR 150 MG, 37.5 MG, 75 MG | Non Preferred | PA |
| FETZIMA ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 20 MG, 40 MG, 80 MG | Non Preferred | PA |
| FETZIMA TITRATION ORAL CAPSULE ER 24 HOUR THERAPY PACK 20 & 40 MG | Non Preferred | PA |
| PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HOUR 100 MG, 25 MG, 50 MG | Non Preferred | PA |
| desvenlafaxine er oral tablet extended release 24 hour 100 mg, 50 mg | Non Preferred | PA |
| desvenlafaxine succinate er oral tablet extended release 24 hour 100 mg, 25 mg, 50 mg | Non Preferred | PA |
| duloxetine hcl oral capsule delayed release particles 20 mg, 30 mg, 60 mg | Preferred | NOTES (AGE*); DS (90 DS) |

| Drug | Status | Notes |
|--|---------------|---------------------------------|
| duloxetine hcl oral capsule delayed release particles 40 mg | Non Preferred | PA; NOTES (AGE*) |
| venlafaxine besylate er oral tablet extended release 24 hour 112.5 mg | Non Preferred | PA |
| venlafaxine hcl er oral capsule extended release 24 hour 150 mg, 37.5 mg, 75 mg | Preferred | |
| venlafaxine hcl er oral tablet extended release 24 hour 150 mg, 225 mg, 37.5 mg, 75 mg | Non Preferred | PA |
| venlafaxine hcl oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg | Preferred | |
| *Tricyclic Agents*** - Drugs For Depression | | |
| ANAFRANIL ORAL CAPSULE 25 MG, 50 MG, 75 MG | Non Preferred | PA |
| NORPRAMIN ORAL TABLET 10 MG, 25 MG | Non Preferred | PA |
| PAMELOR ORAL CAPSULE 10 MG, 25 MG, 50 MG, 75 MG | Non Preferred | PA |
| amitriptyline hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg | Preferred | DS (90 DS) |
| amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg | Preferred | DS (90 DS) |
| clomipramine hcl oral capsule 25 mg, 50 mg, 75 mg | Non Preferred | PA |
| desipramine hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg | Preferred | DS (90 DS) |
| doxepin hcl oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg | Preferred | DS (90 DS) |
| doxepin hcl oral concentrate 10 mg/ml | Preferred | |
| imipramine hcl oral tablet 10 mg, 25 mg, 50 mg | Preferred | DS (90 DS) |
| imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg | Non Preferred | PA |
| nortriptyline hcl oral capsule 10 mg, 25 mg, 50 mg, 75 mg | Preferred | DS (90 DS) |
| nortriptyline hcl oral solution 10 mg/5ml | Non Preferred | PA |
| protriptyline hcl oral tablet 10 mg, 5 mg | Non Preferred | PA |
| trimipramine maleate oral capsule 100 mg, 25 mg, 50 mg | Non Preferred | PA |
| *Antidiabetics* - Hormones | | |
| *Alpha-Glucosidase Inhibitors*** - Drugs For Diabetes | | |
| acarbose oral tablet 100 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |

| Drug | Status | Notes |
|---|---------------|---------------------------------|
| acarbose oral tablet 25 mg, 50 mg | Preferred | QL (3 EA per 1 day); DS (90 DS) |
| miglitol oral tablet 100 mg, 25 mg, 50 mg | Non Preferred | PA |
| *Antidiabetic - Allogeneic Cellular Therapy*** | | |
| - Hormones | | |
| LANTIDRA INTRAVENOUS SUSPENSION | Carve Out | |
| *Antidiabetic - Amylin Analogs*** - Drugs For Diabetes | | |
| SYMLINPEN 120 SUBCUTANEOUS SOLUTION PEN-INJECTOR 2700 MCG/2.7ML | Preferred | PA |
| SYMLINPEN 60 SUBCUTANEOUS SOLUTION PEN-INJECTOR 1500 MCG/1.5ML | Preferred | PA |
| *Antidiabetic-Anti-Cd3 Antibodies*** - Hormones | | |
| TZIELD INTRAVENOUS SOLUTION 2 MG/2ML | Carve Out | |
| *Biguanides*** - Drugs For Diabetes | | |
| GLUMETZA ORAL TABLET EXTENDED RELEASE 24 HOUR 1000 MG, 500 MG | Non Preferred | PA |
| RIOMET ORAL SOLUTION 500 MG/5ML | Non Preferred | PA |
| metformin hcl er (mod) oral tablet extended release 24 hour 1000 mg, 500 mg | Non Preferred | PA |
| metformin hcl er (osm) oral tablet extended release 24 hour 1000 mg, 500 mg | Non Preferred | PA |
| metformin hcl er oral tablet extended release 24 hour 500 mg, 750 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| metformin hcl oral solution 500 mg/5ml | Non Preferred | PA |
| metformin hcl oral tablet 1000 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| metformin hcl oral tablet 500 mg | Preferred | QL (5 EA per 1 day); DS (90 DS) |
| metformin hcl oral tablet 625 mg | Non Preferred | PA |
| metformin hcl oral tablet 850 mg | Preferred | QL (3 EA per 1 day); DS (90 DS) |
| *Diabetic Other*** - Drugs For Diabetes | | |
| BAQSIMI ONE PACK NASAL POWDER 3 MG/DOSE | Preferred | PA; QL (2 EA per 24 days) |
| BAQSIMI TWO PACK NASAL POWDER 3 MG/DOSE | Preferred | PA; QL (2 EA per 24 days) |
| DEX4 QUICK DISSOLVE GLUCOSE ORAL TABLET CHEWABLE 4 GM | Preferred | |

| Drug | Status | Notes |
|---|---------------|-------|
| GLUCAGEN HYPOKIT INJECTION SOLUTION RECONSTITUTED 1 MG | Preferred | |
| GLUCO TO GO ORAL TABLET CHEWABLE 4 GM | Preferred | |
| GVOKE HYPOPEN 1-PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.5 MG/0.1ML, 1 MG/0.2ML | Non Preferred | PA |
| GVOKE HYPOPEN 2-PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.5 MG/0.1ML, 1 MG/0.2ML | Non Preferred | PA |
| GVOKE KIT SUBCUTANEOUS SOLUTION 1 MG/0.2ML | Non Preferred | PA |
| GVOKE PFS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 0.5 MG/0.1ML, 1 MG/0.2ML | Non Preferred | PA |
| PROGLYCEM ORAL SUSPENSION 50 MG/ML | Preferred | |
| TRUEPLUS GLUCOSE ON THE GO ORAL TABLET CHEWABLE 4 GM | Preferred | |
| TRUEPLUS GLUCOSE ORAL TABLET CHEWABLE 4 GM | Preferred | |
| ZEGALOGUE SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.6 MG/0.6ML | Non Preferred | PA |
| ZEGALOGUE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 0.6 MG/0.6ML | Non Preferred | PA |
| cvs glucose oral tablet chewable 4 gm | Preferred | |
| cvs soft glucose oral tablet chewable 4 gm | Preferred | |
| diazoxide oral suspension 50 mg/ml | Preferred | |
| glucagon emergency injection kit 1 mg | Preferred | |
| glucagon emergency injection solution reconstituted 1 mg/ml | Non Preferred | PA |
| glucose oral tablet chewable 4 gm | Preferred | |
| gnp glucose oral tablet chewable 4 gm | Preferred | |
| gnp quick dissolve glucose oral tablet chewable 4 gm | Preferred | |
| leader quick dissolve glucose oral tablet chewable 4 gm | Preferred | |
| sm glucose oral tablet chewable 4 gm | Preferred | |
| walgreens glucose oral tablet chewable 4 gm | Preferred | |

| Drug | Status | Notes |
|--|---------------|-------|
| *Dipeptidyl Peptidase-4 (Dpp-4) Inhibitors*** - Drugs For Diabetes | | |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG | Preferred | |
| NESINA ORAL TABLET 12.5 MG, 25 MG, 6.25 MG | Non Preferred | PA |
| ONGLYZA ORAL TABLET 2.5 MG, 5 MG | Preferred | |
| TRADJENTA ORAL TABLET 5 MG | Preferred | |
| alogliptin benzoate oral tablet 12.5 mg, 25 mg, 6.25 mg | Non Preferred | PA |
| saxagliptin hcl oral tablet 2.5 mg, 5 mg | Preferred | |
| *Dipeptidyl Peptidase-4 Inhibitor-Biguanide Combinations*** - Drugs For Diabetes | | |
| JANUMET ORAL TABLET 50-1000 MG, 50-500 MG | Preferred | |
| JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 100-1000 MG, 50-1000 MG, 50-500 MG | Preferred | |
| JENTADUETO ORAL TABLET 2.5-1000 MG, 2.5-500 MG, 2.5-850 MG | Preferred | |
| JENTADUETO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 2.5-1000 MG, 5-1000 MG | Preferred | |
| KAZANO ORAL TABLET 12.5-1000 MG, 12.5-500 MG | Non Preferred | PA |
| KOMBIGLYZE XR ORAL TABLET EXTENDED RELEASE 24 HOUR 2.5-1000 MG, 5-1000 MG, 5-500 MG | Preferred | |
| alogliptin-metformin hcl oral tablet 12.5-1000 mg, 12.5-500 mg | Non Preferred | PA |
| saxagliptin-metformin er oral tablet extended release 24 hour 2.5-1000 mg, 5-1000 mg, 5-500 mg | Preferred | |
| *Dopamine Receptor Agonists - Ergot Derivatives*** - Drugs For Diabetes | | |
| CYCLOSET ORAL TABLET 0.8 MG | Non Preferred | PA |
| *Dpp-4 Inhibitor-Thiazolidinedione Combinations*** - Drugs For Diabetes | | |
| OSENI ORAL TABLET 12.5-30 MG, 25-15 MG, 25-30 MG, 25-45 MG | Non Preferred | PA |
| alogliptin-pioglitazone oral tablet 12.5-30 mg, 25-15 mg, 25-30 mg, 25-45 mg | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|---|
| *Human Insulin*** - Drugs For Diabetes | | |
| ADMELOG INJECTION SOLUTION 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days) |
| ADMELOG SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days); NOTES (10 pens per month) |
| AFREZZA INHALATION POWDER 12 UNIT, 4 UNIT, 60X4 & 60X8 & 60X12 UNIT, 8 UNIT, 90 X 4 UNIT & 90X8 UNIT, 90 X 8 UNIT & 90X12 UNIT | Non Preferred | PA |
| APIDRA INJECTION SOLUTION 100 UNIT/ML | Non Preferred | PA |
| APIDRA SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | Non Preferred | PA |
| BASAGLAR KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days); NOTES (10 pens per month) |
| BASAGLAR TEMPO PEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days); NOTES (10 pens per month) |
| FIASP FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | Non Preferred | PA |
| FIASP INJECTION SOLUTION 100 UNIT/ML | Non Preferred | PA |
| FIASP PENFILL SUBCUTANEOUS SOLUTION CARTRIDGE 100 UNIT/ML | Non Preferred | PA |
| FIASP PUMPCART SUBCUTANEOUS SOLUTION CARTRIDGE 100 UNIT/ML | Non Preferred | PA |
| HUMALOG INJECTION SOLUTION 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days) |
| HUMALOG JUNIOR KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | Preferred | QL (30 ML per 24 days); NOTES (10 pens per month) |
| HUMALOG KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | Preferred | QL (30 ML per 24 days); NOTES (10 pens per month) |
| HUMALOG KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 200 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days); NOTES (10 pens per month) |
| HUMALOG MIX 50/50 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (50-50) 100 UNIT/ML | Preferred | QL (30 ML per 24 days); NOTES (10 pens per month) |
| HUMALOG MIX 50/50 SUBCUTANEOUS SUSPENSION (50-50) 100 UNIT/ML | Preferred | QL (30 ML per 24 days) |

| Drug | Status | Notes |
|---|---------------|--|
| HUMALOG MIX 75/25 KWIKPEN SUBCUTANEOUS SUSPENSION PEN- INJECTOR (75-25) 100 UNIT/ML | Preferred | QL (30 ML per 24 days); NOTES (10 pens per month) |
| HUMALOG MIX 75/25 SUBCUTANEOUS SUSPENSION (75-25) 100 UNIT/ML | Preferred | QL (30 ML per 24 days) |
| HUMALOG SUBCUTANEOUS SOLUTION CARTRIDGE 100 UNIT/ML | Preferred | QL (30 ML per 24 days) |
| HUMALOG TEMPO PEN SUBCUTANEOUS SOLUTION PEN- INJECTOR 100 UNIT/ML | Non Preferred | PA |
| HUMULIN 70/30 KWIKPEN SUBCUTANEOUS SUSPENSION PEN- INJECTOR (70-30) 100 UNIT/ML | Preferred | QL (30 ML per 24 days); NOTES (10 pens per month) |
| HUMULIN 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML | Preferred | QL (30 ML per 24 days) |
| HUMULIN N KWIKPEN SUBCUTANEOUS SUSPENSION PEN- INJECTOR 100 UNIT/ML | Preferred | QL (30 ML per 24 days); NOTES (10 pens per month) |
| HUMULIN N SUBCUTANEOUS SUSPENSION 100 UNIT/ML | Preferred | QL (30 ML per 24 days) |
| HUMULIN R INJECTION SOLUTION 100 UNIT/ML | Preferred | QL (30 ML per 24 days) |
| HUMULIN R SOLUTION 100 UNIT/ML INJECTION | Non Preferred | PA; QL (30 ML per 24 days) |
| HUMULIN R U-500 (CONCENTRATED) SUBCUTANEOUS SOLUTION 500 UNIT/ML | Preferred | QL (20 ML per 24 days); NOTES (1 vial per month) |
| HUMULIN R U-500 KWIKPEN SUBCUTANEOUS SOLUTION PEN- INJECTOR 500 UNIT/ML | Preferred | QL (18 ML per 24 days) |
| LANTUS SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days); NOTES (10 pens per month) |
| LANTUS SUBCUTANEOUS SOLUTION 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days); NOTES (3 vials per month) |
| LEVEMIR FLEXPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | Preferred | QL (30 ML per 24 days); NOTES (10 pens per month) |
| LEVEMIR FLEXTOUCH SUBCUTANEOUS SOLUTION PEN- INJECTOR 100 UNIT/ML | Preferred | QL (30 ML per 24 days) |
| LEVEMIR SUBCUTANEOUS SOLUTION 100 UNIT/ML | Preferred | QL (30 ML per 24 days); NOTES (3 vials per month) |
| LYUMJEV INJECTION SOLUTION 100 UNIT/ML | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|---|
| LYUMJEV KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML, 200 UNIT/ML | Non Preferred | PA |
| LYUMJEV TEMPO PEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | Non Preferred | PA |
| NOVOLIN 70/30 FLEXPEN RELION SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days); NOTES (10 pens per month) |
| NOVOLIN 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days); NOTES (10 pens per month) |
| NOVOLIN 70/30 RELION SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days) |
| NOVOLIN 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days) |
| NOVOLIN N FLEXPEN RELION SUBCUTANEOUS SUSPENSION PEN-INJECTOR 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days); NOTES (10 pens per month) |
| NOVOLIN N FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days); NOTES (10 pens per month) |
| NOVOLIN N RELION SUBCUTANEOUS SUSPENSION 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days) |
| NOVOLIN N SUBCUTANEOUS SUSPENSION 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days) |
| NOVOLIN R INJECTION SOLUTION 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days); NOTES (3 vials per month) |
| NOVOLIN R RELION INJECTION SOLUTION 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days); NOTES (3 vials per month) |
| NOVOLOG 70/30 FLEXPEN RELION SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days); NOTES (10 pens per month) |
| NOVOLOG FLEXPEN RELION SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days); NOTES (10 pens per month) |
| NOVOLOG FLEXPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | Preferred | QL (30 ML per 24 days); NOTES (10 pens per month) |
| NOVOLOG INJECTION SOLUTION 100 UNIT/ML | Preferred | QL (30 ML per 24 days); NOTES (3 vials per month) |

| Drug | Status | Notes |
|--|---------------|--|
| NOVOLOG MIX 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN- INJECTOR (70-30) 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days); NOTES (10 pens per month) |
| NOVOLOG MIX 70/30 RELION SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML | Preferred | QL (30 ML per 24 days) |
| NOVOLOG MIX 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days) |
| NOVOLOG PENFILL SUBCUTANEOUS SOLUTION CARTRIDGE 100 UNIT/ML | Preferred | QL (30 ML per 24 days) |
| NOVOLOG RELION INJECTION SOLUTION 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days); NOTES (3 vials per month) |
| REZVOGLAR KWIKPEN SUBCUTANEOUS SOLUTION PEN- INJECTOR 100 UNIT/ML | Non Preferred | PA |
| SEMGLEE (YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML | Non Preferred | PA; NOTES (YFGN) |
| SEMGLEE (YFGN) SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | Non Preferred | PA; NOTES (YFGN) |
| SEMGLEE SUBCUTANEOUS SOLUTION 100 UNIT/ML | Non Preferred | PA; QL (30 ML per 24 days); NOTES (3 vials per month) |
| TOUJEO MAX SOLOSTAR SUBCUTANEOUS SOLUTION PEN- INJECTOR 300 UNIT/ML | Non Preferred | PA |
| TOUJEO SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 300 UNIT/ML | Non Preferred | PA |
| TRESIBA FLEXTOUCH SUBCUTANEOUS SOLUTION PEN- INJECTOR 100 UNIT/ML, 200 UNIT/ML | Non Preferred | PA |
| TRESIBA SUBCUTANEOUS SOLUTION 100 UNIT/ML | Non Preferred | PA |
| insulin asp prot & asp flexpen subcutaneous suspension pen-injector (70-30) 100 unit/ml | Preferred | QL (30 ML per 24 days); NOTES (10 pens per month) |
| insulin aspart flexpen subcutaneous solution pen-injector 100 unit/ml | Non Preferred | PA; QL (30 ML per 24 days); NOTES (10 pens per month) |
| insulin aspart injection solution 100 unit/ml | Non Preferred | PA; QL (30 ML per 24 days); NOTES (3 vials per month) |
| insulin aspart penfill subcutaneous solution cartridge 100 unit/ml | Non Preferred | PA; QL (30 ML per 24 days) |
| insulin aspart prot & aspart subcutaneous suspension (70-30) 100 unit/ml | Preferred | QL (30 ML per 24 days) |
| insulin degludec flextouch subcutaneous solution pen-injector 100 unit/ml, 200 unit/ml | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|--|
| insulin degludec subcutaneous solution 100 unit/ml | Non Preferred | PA |
| insulin glargine soloSTAR subcutaneous solution pen-injector 100 unit/ml | Preferred | QL (30 ML per 24 days); NOTES (10 pens per month) |
| insulin glargine subcutaneous solution 100 unit/ml | Preferred | QL (30 ML per 24 days); NOTES (3 vials per month) |
| insulin glargin-yfgn subcutaneous solution 100 unit/ml | Non Preferred | PA; NOTES (YFGN) |
| insulin glargin-yfgn subcutaneous solution pen-injector 100 unit/ml | Non Preferred | PA; NOTES (YFGN) |
| insulin lispro (1 unit dial) subcutaneous solution pen-injector 100 unit/ml | Preferred | QL (30 ML per 24 days); NOTES (10 pens per month) |
| insulin lispro injection solution 100 unit/ml | Preferred | QL (30 ML per 24 days) |
| insulin lispro junior kwikpen subcutaneous solution pen-injector 100 unit/ml | Preferred | QL (30 ML per 24 days); NOTES (10 pens per month) |
| insulin lispro prot & lispro subcutaneous suspension pen-injector (75-25) 100 unit/ml | Preferred | QL (30 ML per 24 days); NOTES (10 pens per month) |
| *Incretin Mimetic Agents (Gip & Glp-1 Receptor Agonists)*** - Drugs For Diabetes | | |
| MOUNJARO SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MG/0.5ML, 12.5 MG/0.5ML, 15 MG/0.5ML, 2.5 MG/0.5ML, 5 MG/0.5ML, 7.5 MG/0.5ML | Non Preferred | PA |
| *Incretin Mimetic Agents (Glp-1 Receptor Agonists)*** - Drugs For Diabetes | | |
| ADLYXIN STARTER PACK SUBCUTANEOUS PEN-INJECTOR KIT 10 & 20 MCG/0.2ML | Non Preferred | PA |
| ADLYXIN SUBCUTANEOUS SOLUTION PEN-INJECTOR 20 MCG/0.2ML | Non Preferred | PA |
| BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR 2 MG/0.85ML | Preferred | QL (3.4 ML per 22 days) |
| BYETTA 10 MCG PEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MCG/0.04ML | Preferred | QL (2.4 ML per 24 days) |
| BYETTA 5 MCG PEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 5 MCG/0.02ML | Preferred | QL (1.2 ML per 24 days) |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2 MG/1.5ML, 2 MG/3ML | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|---|
| OZEMPIK (1 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 4 MG/3ML | Non Preferred | PA |
| OZEMPIK (2 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 8 MG/3ML | Non Preferred | PA |
| RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG | Non Preferred | PA |
| TRULICITY SUBCUTANEOUS SOLUTION PEN-INJECTOR 0.75 MG/0.5ML, 1.5 MG/0.5ML, 3 MG/0.5ML, 4.5 MG/0.5ML | Non Preferred | PA |
| VICTOZA SUBCUTANEOUS SOLUTION PEN-INJECTOR 18 MG/3ML | Preferred | QL (0.3 ML per 1 day); NOTES (9 mL every month) |
| *Insulin-Incretin Mimetic Combinations*** - Drugs For Diabetes | | |
| SOLIQUA SUBCUTANEOUS SOLUTION PEN-INJECTOR 100-33 UNT-MCG/ML | Non Preferred | PA |
| XULTOPHY SUBCUTANEOUS SOLUTION PEN-INJECTOR 100-3.6 UNIT-MG/ML | Non Preferred | PA |
| *Meglitinide Analogues*** - Drugs For Diabetes | | |
| nateglinide oral tablet 120 mg, 60 mg | Preferred | DS (90 DS) |
| repaglinide oral tablet 0.5 mg, 1 mg, 2 mg | Preferred | QL (6 EA per 1 day); DS (90 DS) |
| *Progesterone Receptor Antagonists*** - Drugs For Diabetes | | |
| KORLYM ORAL TABLET 300 MG | Preferred | PA; SP |
| *Sglt2 Inhibitor - Dpp-4 Inhibitor - Biguanide Comb*** - Drugs For Diabetes | | |
| TRIJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-5-1000 MG, 12.5-2.5-1000 MG, 25-5-1000 MG, 5-2.5-1000 MG | Non Preferred | PA |
| *Sglt2 Inhibitor - Dpp-4 Inhibitor Combinations*** - Drugs For Diabetes | | |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG | Non Preferred | PA |
| QTERN ORAL TABLET 10-5 MG, 5-5 MG | Non Preferred | PA |
| STEGLUJAN ORAL TABLET 15-100 MG, 5-100 MG | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|---------------------------------|
| *Sodium-Glucose Co-Transporter 2 (Sglt2) Inhibitors*** - Drugs For Diabetes | | |
| | | |
| BRENZAVVY ORAL TABLET 20 MG | Non Preferred | PA |
| FARXIGA ORAL TABLET 10 MG, 5 MG | Preferred | |
| INVOKANA ORAL TABLET 100 MG, 300 MG | Preferred | |
| JARDIANCE ORAL TABLET 10 MG | Preferred | QL (2 EA per 1 day) |
| JARDIANCE ORAL TABLET 25 MG | Preferred | QL (1 EA per 1 day) |
| STEGLATRO ORAL TABLET 15 MG, 5 MG | Non Preferred | PA |
| *Sodium-Glucose Co-Transporter 2 Inhibitor-Biguanide Comb*** - Drugs For Diabetes | | |
| | | |
| INVOKAMET ORAL TABLET 150-1000 MG, 150-500 MG, 50-1000 MG, 50-500 MG | Preferred | |
| INVOKAMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 150-1000 MG, 150-500 MG, 50-1000 MG, 50-500 MG | Non Preferred | PA |
| SEGLUROMET ORAL TABLET 2.5-1000 MG, 2.5-500 MG, 7.5-1000 MG, 7.5-500 MG | Non Preferred | PA |
| SYNJARDY ORAL TABLET 12.5-1000 MG, 12.5-500 MG, 5-1000 MG, 5-500 MG | Preferred | |
| SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-1000 MG, 12.5-1000 MG, 25-1000 MG, 5-1000 MG | Non Preferred | PA |
| XIGDUO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-1000 MG, 10-500 MG, 2.5-1000 MG, 5-1000 MG, 5-500 MG | Preferred | |
| *Sulfonylurea-Biguanide Combinations*** - Drugs For Diabetes | | |
| | | |
| glipizide-metformin hcl oral tablet 2.5-250 mg, 2.5-500 mg, 5-500 mg | Preferred | DS (90 DS) |
| glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| glyburide-metformin oral tablet 5-500 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| *Sulfonylureas*** - Drugs For Diabetes | | |
| | | |
| AMARYL ORAL TABLET 1 MG | Non Preferred | PA; QL (3 EA per 1 day) |
| AMARYL ORAL TABLET 2 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| AMARYL ORAL TABLET 4 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| GLUCOTROL XL ORAL TABLET EXTENDED RELEASE 24 HOUR 10 MG, 2.5 MG, 5 MG | Non Preferred | PA; QL (2 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|---------------------------------|
| GLYNASE ORAL TABLET 1.5 MG, 3 MG, 6 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| glimepiride oral tablet 1 mg | Preferred | QL (3 EA per 1 day); DS (90 DS) |
| glimepiride oral tablet 2 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| glimepiride oral tablet 4 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| glipizide er oral tablet extended release 24 hour 10 mg, 2.5 mg, 5 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| glipizide oral tablet 10 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| glipizide oral tablet 5 mg | Preferred | QL (8 EA per 1 day); DS (90 DS) |
| glipizide xl oral tablet extended release 24 hour 10 mg, 2.5 mg, 5 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| *Sulfonylurea-Thiazolidinedione Combinations*** - Drugs For Diabetes | | |
| DUETACT ORAL TABLET 30-2 MG, 30-4 MG | Non Preferred | PA |
| pioglitazone hcl-glimepiride oral tablet 30-2 mg, 30-4 mg | Non Preferred | PA |
| *Thiazolidinedione-Biguanide Combinations*** - Drugs For Diabetes | | |
| ACTOPLUS MET ORAL TABLET 15-850 MG | Non Preferred | PA |
| pioglitazone hcl-metformin hcl oral tablet 15-500 mg, 15-850 mg | Non Preferred | PA |
| *Thiazolidinediones*** - Drugs For Diabetes | | |
| ACTOS ORAL TABLET 15 MG, 30 MG, 45 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| pioglitazone hcl oral tablet 15 mg, 30 mg, 45 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| * Antidiarrheal/Probiotic Agents* - Drugs For The Stomach | | |
| *Antidiarrheal - Chloride Channel Antagonists*** - Drugs For Diarrhea | | |
| MYTESI ORAL TABLET DELAYED RELEASE 125 MG | Non Preferred | PA |
| *Antidiarrheal/Probiotic Agents - Misc.*** - Drugs For Diarrhea | | |
| KAOPECTATE ORAL SUSPENSION 262 MG/15ML | Preferred | |

| Drug | Status | Notes |
|--|-----------|-------|
| KAOPECTATE ORAL TABLET 262 MG | Preferred | |
| SOOTHE ORAL SUSPENSION 262 MG/15ML, 525 MG/30ML | Preferred | |
| SOOTHE ORAL TABLET 262 MG | Preferred | |
| SOOTHE ORAL TABLET CHEWABLE 262 MG | Preferred | |
| bismatrol oral suspension 262 mg/15ml | Preferred | |
| bismatrol oral tablet chewable 262 mg | Preferred | |
| bismuth oral tablet chewable 262 mg | Preferred | |
| bismuth subsalicylate oral tablet chewable 262 mg | Preferred | |
| cvs anti-diarrheal oral suspension 262 mg/15ml | Preferred | |
| cvs stomach relief oral suspension 525 mg/30ml | Preferred | |
| cvs stomach relief oral tablet 262 mg | Preferred | |
| cvs stomach relief oral tablet chewable 262 mg | Preferred | |
| diarrhea oral suspension 262 mg/15ml | Preferred | |
| diotame instydose oral suspension 262 mg/15ml | Preferred | |
| eq pink-bismuth oral tablet chewable 262 mg | Preferred | |
| eq stomach relief oral suspension 262 mg/15ml | Preferred | |
| eql stomach relief oral suspension 262 mg/15ml | Preferred | |
| eql stomach relief oral tablet chewable 262 mg | Preferred | |
| ft stomach relief oral suspension 525 mg/30ml | Preferred | |
| ft stomach relief oral tablet chewable 262 mg | Preferred | |
| gnp pink bismuth oral tablet 262 mg | Preferred | |
| gnp pink bismuth oral tablet chewable 262 mg | Preferred | |
| gnp stomach relief oral suspension 525 mg/30ml | Preferred | |
| goodsense stomach relief oral suspension 525 mg/30ml | Preferred | |
| hm stomach relief oral suspension 525 mg/30ml | Preferred | |
| hm stomach relief oral tablet chewable 262 mg | Preferred | |
| medi-bismuth oral tablet chewable 262 mg | Preferred | |
| pink bismuth oral suspension 262 mg/15ml | Preferred | |
| px stomach relief oral suspension 262 mg/15ml | Preferred | |
| px stomach relief oral tablet chewable 262 mg | Preferred | |
| qc diarrhea relief oral suspension 262 mg/15ml | Preferred | |
| qc pink bismuth oral suspension 262 mg/15ml | Preferred | |

| Drug | Status | Notes |
|--|---------------|-------|
| qc pink bismuth oral tablet 262 mg | Preferred | |
| qc stomach relief oral suspension 525 mg/30ml | Preferred | |
| qc stomach relief oral tablet 262 mg | Preferred | |
| qc stomach relief oral tablet chewable 262 mg | Preferred | |
| ra stomach relief oral suspension 262 mg/15ml | Preferred | |
| sb bismuth oral tablet 262 mg | Preferred | |
| sm stomach relief oral suspension 262 mg/15ml, 525 mg/30ml | Preferred | |
| sm stomach relief oral tablet 262 mg | Preferred | |
| sm stomach relief oral tablet chewable 262 mg | Preferred | |
| stomach relief oral suspension 525 mg/30ml, 527 mg/30ml | Preferred | |
| stomach relief oral tablet 262 mg | Preferred | |
| stomach relief oral tablet chewable 262 mg | Preferred | |
| zelac oral capsule | Non Preferred | PA |

Antidiarrheal/Probiotic Combinations -**

Drugs For Diarrhea

| | | |
|------------------------------------|---------------|----|
| RESTORA RX ORAL CAPSULE 60-1.25 MG | Non Preferred | PA |
|------------------------------------|---------------|----|

Antiperistaltic Agents - Drugs For**

Diarrhea

| | | |
|---|---------------|-------------------------|
| LOMOTIL ORAL TABLET 2.5-0.025 MG | Non Preferred | PA; QL (8 EA per 1 day) |
| MOTOFEN ORAL TABLET 1-0.025 MG | Non Preferred | PA |
| anti-diarrheal oral tablet 2 mg | Preferred | |
| cvs anti-diarrheal oral tablet 2 mg | Preferred | |
| diamode oral tablet 2 mg | Preferred | |
| diphenoxylate-atropine oral liquid 2.5-0.025 mg/5ml | Non Preferred | PA |
| diphenoxylate-atropine oral tablet 2.5-0.025 mg | Non Preferred | PA; QL (8 EA per 1 day) |
| eq anti-diarrheal oral tablet 2 mg | Preferred | |
| eql anti-diarrheal oral tablet 2 mg | Preferred | |
| gnp anti-diarrheal oral tablet 2 mg | Preferred | |
| hm anti-diarrheal oral tablet 2 mg | Preferred | |
| loperamide hcl oral capsule 2 mg | Non Preferred | PA |
| loperamide hcl oral tablet 2 mg | Preferred | |
| meijer anti-diarrheal oral tablet 2 mg | Preferred | |
| opium oral tincture 10 mg/ml (1%) | Non Preferred | PA |
| px anti-diarrheal oral tablet 2 mg | Preferred | |

| Drug | Status | Notes |
|------------------------------------|-----------|-------|
| qc anti-diarrheal oral tablet 2 mg | Preferred | |
| ra anti-diarrheal oral tablet 2 mg | Preferred | |
| sb anti-diarrhea oral tablet 2 mg | Preferred | |
| sm anti-diarrheal oral tablet 2 mg | Preferred | |

***Antidotes And Specific Antagonists* - Drugs For Overdose Or Poisoning**

Antidotes - Chelating Agents - Drugs For Overdose Or Poisoning**

| | | |
|--|---------------|----|
| CHEMET ORAL CAPSULE 100 MG | Preferred | PA |
| EXJADE ORAL TABLET SOLUBLE 125 MG, 250 MG, 500 MG | Non Preferred | PA |
| FERRIPROX ORAL SOLUTION 100 MG/ML | Non Preferred | PA |
| FERRIPROX ORAL TABLET 1000 MG, 500 MG | Non Preferred | PA |
| FERRIPROX TWICE-A-DAY ORAL TABLET 1000 MG | Non Preferred | PA |
| JADENU ORAL TABLET 180 MG, 360 MG, 90 MG | Non Preferred | PA |
| JADENU SPRINKLE ORAL PACKET 180 MG, 360 MG, 90 MG | Non Preferred | PA |
| deferasirox granules oral packet 180 mg, 360 mg, 90 mg | Preferred | |
| deferasirox oral packet 180 mg, 360 mg, 90 mg | Preferred | |
| deferasirox oral tablet 180 mg, 360 mg, 90 mg | Preferred | |
| deferasirox oral tablet soluble 125 mg, 250 mg, 500 mg | Preferred | |
| deferiprone oral tablet 1000 mg, 500 mg | Non Preferred | PA |
| pentetate calcium trisodium combination solution 200 mg/ml | Non Preferred | PA |
| pentetate zinc trisodium combination solution 200 mg/ml | Non Preferred | PA |

Opioid Antagonists - Drugs For Overdose Or Poisoning**

| | | |
|--|---------------|-------------------------|
| KLOXXADO NASAL LIQUID 8 MG/0.1ML | Preferred | |
| NARCAN NASAL LIQUID 4 MG/0.1ML | Non Preferred | PA |
| OPVEE NASAL SOLUTION 2.7 MG/0.1ML | Preferred | |
| VIVITROL INTRAMUSCULAR SUSPENSION RECONSTITUTED 380 MG | Preferred | QL (0.036 EA per 1 day) |
| ZIMHI INJECTION SOLUTION PREFILLED SYRINGE 5 MG/0.5ML | Preferred | |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| naloxone hcl injection solution 0.4 mg/ml, 4 mg/10ml | Preferred | |
| naloxone hcl injection solution cartridge 0.4 mg/ml | Preferred | |
| naloxone hcl injection solution prefilled syringe 2 mg/2ml | Preferred | |
| naloxone hcl nasal liquid 4 mg/0.1ml | Preferred | |
| naltrexone hcl oral tablet 50 mg | Preferred | |
| *Antiemetics* - Drugs For The Stomach | | |
| *5-HT3 Receptor Antagonists*** - Drugs For Vomiting And Nausea | | |
| ANZEMET ORAL TABLET 50 MG | Non Preferred | PA |
| SANCUSO TRANSDERMAL PATCH 3.1 MG/24HR | Non Preferred | PA |
| SUSTOL SUBCUTANEOUS PREFILLED SYRINGE 10 MG/0.4ML | Non Preferred | PA |
| gransetron hcl intravenous solution 1 mg/ml, 4 mg/4ml | Non Preferred | PA |
| gransetron hcl oral tablet 1 mg | Non Preferred | PA; QL (2 EA per 1 day) |
| ondansetron hcl injection solution 4 mg/2ml, 40 mg/20ml | Preferred | |
| ondansetron hcl injection solution prefilled syringe 4 mg/2ml | Preferred | |
| ondansetron hcl oral solution 4 mg/5ml | Preferred | QL (30 ML per 1 day) |
| ondansetron hcl oral tablet 24 mg | Preferred | |
| ondansetron hcl oral tablet 4 mg, 8 mg | Preferred | QL (90 EA per 24 days) |
| ondansetron oral tablet dispersible 4 mg, 8 mg | Preferred | QL (90 EA per 24 days) |
| palonosetron hcl intravenous solution 0.25 mg/2ml, 0.25 mg/5ml | Non Preferred | PA |
| palonosetron hcl intravenous solution prefilled syringe 0.25 mg/5ml | Non Preferred | PA |
| *Antiemetic Combinations*** - Drugs For Vomiting And Nausea | | |
| AKYNZEO (READY-TO-USE) INTRAVENOUS SOLUTION 235-0.25 MG/20ML | Preferred | PA |
| AKYNZEO (TO-BE-DILUTED) INTRAVENOUS SOLUTION 235-0.25 MG/20ML | Preferred | PA |
| AKYNZEO INTRAVENOUS SOLUTION RECONSTITUTED 235-0.25 MG | Preferred | PA |

| Drug | Status | Notes |
|--|---------------|----------------------------|
| AKYNZEO ORAL CAPSULE 300-0.5 MG | Non Preferred | PA |
| BONJESTA ORAL TABLET EXTENDED RELEASE 20-20 MG | Non Preferred | PA |
| DICLEGIS ORAL TABLET DELAYED RELEASE 10-10 MG | Preferred | PA |
| doxylamine-pyridoxine oral tablet delayed release 10-10 mg | Preferred | PA |
| *Antiemetics - Anticholinergic*** - Drugs For Vomiting And Nausea | | |
| ANTIVERT ORAL TABLET 50 MG | Preferred | |
| BONINE ORAL TABLET CHEWABLE 25 MG | Preferred | QL (4 EA per 1 day) |
| DRAMAMINE LESS DROWSY ORAL TABLET 25 MG | Preferred | QL (4 EA per 1 day) |
| DRAMAMINE MOTION SICKNESS ORAL TABLET CHEWABLE 25 MG | Preferred | QL (4 EA per 1 day) |
| DRAMAMINE ORAL TABLET 25 MG | Preferred | QL (4 EA per 1 day) |
| MEDI-MECLIZINE ORAL TABLET 25 MG | Preferred | QL (4 EA per 1 day) |
| TIGAN INTRAMUSCULAR SOLUTION 100 MG/ML | Non Preferred | PA |
| TRANSDERM-SCOP TRANSDERMAL PATCH 72 HOUR 1 MG/3DAYS | Non Preferred | PA; QL (10 EA per 24 days) |
| cvs motion sickness ii oral tablet 25 mg | Preferred | QL (4 EA per 1 day) |
| cvs motion sickness less drows oral tablet 25 mg | Preferred | QL (4 EA per 1 day) |
| cvs motion sickness relief oral tablet chewable 25 mg | Preferred | QL (4 EA per 1 day) |
| dimenhydrinate injection solution 50 mg/ml | Non Preferred | PA |
| eql motion sickness relief oral tablet 25 mg | Preferred | QL (4 EA per 1 day) |
| ft motion sickness oral tablet 25 mg | Preferred | QL (4 EA per 1 day) |
| gnp motion sickness relief oral tablet 25 mg | Preferred | QL (4 EA per 1 day) |
| meclizine hcl oral tablet 12.5 mg, 25 mg | Preferred | QL (4 EA per 1 day) |
| meclizine hcl oral tablet 50 mg | Preferred | |
| meclizine hcl oral tablet chewable 25 mg | Preferred | QL (4 EA per 1 day) |
| meclizine hcl tablet chewable 25 mg oral (rx) | Non Preferred | PA; QL (4 EA per 1 day) |
| motion sickness relief oral tablet 25 mg | Preferred | QL (4 EA per 1 day) |
| motion sickness relief oral tablet chewable 25 mg | Preferred | QL (4 EA per 1 day) |
| motion-time oral tablet chewable 25 mg | Preferred | QL (4 EA per 1 day) |
| qc travel ease oral tablet chewable 25 mg | Preferred | QL (4 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|------------------------|
| ra motion sickness relief oral tablet chewable 25 mg | Preferred | QL (4 EA per 1 day) |
| scopolamine transdermal patch 72 hour 1 mg/3days | Preferred | QL (10 EA per 24 days) |
| sm motion sickness oral tablet 25 mg | Preferred | QL (4 EA per 1 day) |
| travel-ease oral tablet 25 mg | Preferred | QL (4 EA per 1 day) |
| trimethobenzamide hcl oral capsule 300 mg | Preferred | |
| *Antiemetics - Miscellaneous*** - Drugs For Vomiting And Nausea | | |
| MARINOL ORAL CAPSULE 2.5 MG | Non Preferred | PA |
| SYNDROS ORAL SOLUTION 5 MG/ML | Non Preferred | PA |
| dronabinol oral capsule 10 mg, 2.5 mg, 5 mg | Non Preferred | PA |
| *Substance P/Neurokinin 1 (Nk1) Receptor Antagonists*** - Drugs For Vomiting And Nausea | | |
| APONVIE INTRAVENOUS EMULSION 32 MG/4.4ML | Non Preferred | PA |
| CINVANTI INTRAVENOUS EMULSION 130 MG/18ML | Non Preferred | PA |
| EMEND INTRAVENOUS SOLUTION RECONSTITUTED 150 MG | Non Preferred | PA |
| EMEND ORAL CAPSULE 80 MG | Non Preferred | PA |
| EMEND ORAL SUSPENSION RECONSTITUTED 125 MG/5ML | Non Preferred | PA |
| EMEND TRI-PACK ORAL CAPSULE 80 & 125 MG | Non Preferred | PA |
| VARUBI (180 MG DOSE) ORAL TABLET THERAPY PACK 2 X 90 MG | Non Preferred | PA |
| aprepitant oral 80 & 125 mg | Non Preferred | PA |
| aprepitant oral capsule 125 mg, 40 mg, 80 mg | Preferred | |
| aprepitant oral capsule 80 & 125 mg | Non Preferred | PA |
| fosaprepitant dimeglumine intravenous solution reconstituted 150 mg | Non Preferred | PA |
| *Antifungals* - Drugs For Infections | | |
| *Antifungal - Glucan Synthesis Inhibitors (Echinocandins)*** - Drugs For Fungus | | |
| CANCIDAS INTRAVENOUS SOLUTION RECONSTITUTED 50 MG, 70 MG | Non Preferred | PA |
| ERAXIS INTRAVENOUS SOLUTION RECONSTITUTED 100 MG, 50 MG | Preferred | PA |

| Drug | Status | Notes |
|---|---------------|----------------------|
| MYCAMEINE INTRAVENOUS SOLUTION RECONSTITUTED 100 MG, 50 MG | Non Preferred | PA |
| REZZAYO INTRAVENOUS SOLUTION RECONSTITUTED 200 MG | Preferred | PA |
| caspofungin acetate intravenous solution reconstituted 50 mg, 70 mg | Preferred | PA |
| micafungin sodium intravenous solution reconstituted 100 mg, 50 mg | Preferred | PA |
| micafungin sodium solution reconstituted 100 mg intravenous | Non Preferred | PA |
| micafungin sodium solution reconstituted 50 mg intravenous | Non Preferred | PA |
| *Antifungal - Glucan Synthesis Inhibitors (Triterpenoids)*** - Antibiotics | | |
| BREXAFEMME ORAL TABLET 150 MG | Non Preferred | PA |
| *Antifungals*** - Drugs For Fungus | | |
| ABELCET INTRAVENOUS SUSPENSION 5 MG/ML | Preferred | PA |
| AMBISOME INTRAVENOUS SUSPENSION RECONSTITUTED 50 MG | Non Preferred | PA |
| ANCOBON ORAL CAPSULE 250 MG, 500 MG | Non Preferred | PA |
| amphotericin b intravenous solution reconstituted 50 mg | Preferred | PA |
| amphotericin b liposome intravenous suspension reconstituted 50 mg | Preferred | PA |
| flucytosine oral capsule 250 mg, 500 mg | Non Preferred | PA |
| griseofulvin microsize oral suspension 125 mg/5ml | Preferred | QL (40 ML per 1 day) |
| griseofulvin microsize oral tablet 500 mg | Non Preferred | PA |
| griseofulvin ultramicrosize oral tablet 125 mg, 250 mg | Non Preferred | PA |
| nystatin oral tablet 500000 unit | Preferred | QL (8 EA per 1 day) |
| terbinafine hcl oral tablet 250 mg | Preferred | QL (1 EA per 1 day) |
| *Imidazoles*** - Drugs For Fungus | | |
| ketoconazole oral tablet 200 mg | Non Preferred | PA |
| *Tetrazoles*** - Drugs For Fungus | | |
| VIVJOA ORAL CAPSULE THERAPY PACK 150 MG | Preferred | PA |

| Drug | Status | Notes |
|---|---------------|---------------------|
| *Triazoles*** - Drugs For Fungus | | |
| CRESEMBA INTRAVENOUS SOLUTION RECONSTITUTED 372 MG | Preferred | PA |
| CRESEMBA ORAL CAPSULE 186 MG, 74.5 MG | Non Preferred | PA |
| DIFLUCAN ORAL SUSPENSION RECONSTITUTED 10 MG/ML, 40 MG/ML | Non Preferred | PA |
| DIFLUCAN ORAL TABLET 100 MG, 150 MG, 200 MG | Non Preferred | PA |
| NOXAFL INTRAVENOUS SOLUTION 300 MG/16.7ML | Non Preferred | PA |
| NOXAFL ORAL PACKET 300 MG | Non Preferred | PA |
| NOXAFL ORAL SUSPENSION 40 MG/ML | Non Preferred | PA |
| NOXAFL ORAL TABLET DELAYED RELEASE 100 MG | Non Preferred | PA |
| SPORANOX ORAL CAPSULE 100 MG | Non Preferred | PA |
| SPORANOX ORAL SOLUTION 10 MG/ML | Non Preferred | PA |
| VFEND IV INTRAVENOUS SOLUTION RECONSTITUTED 200 MG | Non Preferred | PA |
| VFEND ORAL SUSPENSION RECONSTITUTED 40 MG/ML | Non Preferred | PA |
| VFEND ORAL TABLET 200 MG, 50 MG | Non Preferred | PA |
| fluconazole in sodium chloride intravenous solution 100-0.9 mg/50ml-%, 200-0.9 mg/100ml-%, 400-0.9 mg/200ml-% | Preferred | PA |
| fluconazole oral suspension reconstituted 10 mg/ml, 40 mg/ml | Preferred | |
| fluconazole oral tablet 100 mg, 150 mg, 200 mg | Preferred | |
| fluconazole oral tablet 50 mg | Preferred | QL (2 EA per 1 day) |
| itraconazole oral capsule 100 mg | Non Preferred | PA |
| itraconazole oral solution 10 mg/ml | Non Preferred | PA |
| posaconazole intravenous solution 300 mg/16.7ml | Preferred | PA |
| posaconazole oral suspension 40 mg/ml | Non Preferred | PA |
| posaconazole oral tablet delayed release 100 mg | Non Preferred | PA |
| tolsura oral capsule 65 mg | Non Preferred | PA |
| voriconazole intravenous solution reconstituted 200 mg | Preferred | PA |
| voriconazole oral suspension reconstituted 40 mg/ml | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|----------------------|
| voriconazole oral tablet 200 mg, 50 mg | Non Preferred | PA |
| *Antihistamines* - Drugs For The Lungs | | |
| *Antihistamines - Alkylamines*** - Drugs For Allergies | | |
| RYCLORA ORAL SOLUTION 2 MG/5ML | Non Preferred | PA |
| WAL-FINATE ORAL TABLET 4 MG | Preferred | |
| aller-chlor oral tablet 4 mg | Preferred | |
| allergy oral tablet 4 mg | Preferred | |
| allergy relief oral tablet 4 mg | Preferred | |
| chlorhist oral tablet 4 mg | Preferred | |
| chlorphen oral tablet 4 mg | Preferred | |
| chlorpheniramine maleate oral tablet 4 mg | Preferred | |
| cvs allergy relief oral tablet 4 mg | Preferred | |
| eq chlortabs oral tablet 4 mg | Preferred | |
| eql allergy oral tablet 4 mg | Preferred | |
| ft allergy relief oral tablet 4 mg | Preferred | |
| gnp allergy relief oral tablet 4 mg | Preferred | |
| goodsense allergy relief oral tablet 4 mg | Preferred | |
| hm allergy relief oral tablet 4 mg | Preferred | |
| pharbechlor oral tablet 4 mg | Preferred | |
| qc allergy relief oral tablet 4 mg | Preferred | |
| qc chlor-pheniramine oral tablet 4 mg | Preferred | |
| ra allergy relief oral tablet 4 mg | Preferred | |
| ra chlorpheniramine maleate oral tablet 4 mg | Preferred | |
| sb chlorpheniramine oral tablet 4 mg | Preferred | |
| sm allergy 4 hour oral tablet 4 mg | Preferred | |
| *Antihistamines - Ethanolamines*** - Drugs For Allergies | | |
| ALKA-SELTZER PLUS ALLERGY ORAL TABLET 25 MG | Preferred | QL (6 EA per 1 day) |
| BANOPHEN ORAL CAPSULE 25 MG, 50 MG | Preferred | QL (6 EA per 1 day) |
| BANOPHEN ORAL LIQUID 12.5 MG/5ML | Preferred | QL (80 ML per 1 day) |
| BANOPHEN ORAL TABLET 25 MG | Preferred | QL (6 EA per 1 day) |
| DICOPANOL FUSEPAQ ORAL SUSPENSION RECONSTITUTED 5 MG/ML | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|----------------------|
| DICOPANOL RAPIDPAQ ORAL SUSPENSION RECONSTITUTED 5 MG/ML | Non Preferred | PA |
| KARBINAL ER ORAL SUSPENSION EXTENDED RELEASE 4 MG/5ML | Non Preferred | PA |
| KINDERMED KIDS ALLERGY ORAL LIQUID 12.5 MG/5ML | Preferred | QL (80 ML per 1 day) |
| MEDI-PHEDRYL ORAL CAPSULE 25 MG | Preferred | QL (6 EA per 1 day) |
| MM ALLER-BEN ORAL TABLET 25 MG | Preferred | QL (6 EA per 1 day) |
| NARAMIN ORAL LIQUID 12.5 MG/5ML | Preferred | QL (80 ML per 1 day) |
| PEDIACARE CHILDRENS ALLERGY ORAL LIQUID 12.5 MG/5ML | Preferred | QL (80 ML per 1 day) |
| RA DIPHEDRYL ALLERGY ORAL LIQUID 12.5 MG/5ML | Preferred | QL (80 ML per 1 day) |
| RYVENT ORAL TABLET 6 MG | Non Preferred | PA |
| TOTAL ALLERGY MEDICINE ORAL LIQUID 12.5 MG/5ML | Preferred | QL (80 ML per 1 day) |
| WAL-DRYL ALLERGY CHILDRENS ORAL LIQUID 12.5 MG/5ML | Preferred | QL (80 ML per 1 day) |
| WAL-DRYL ALLERGY ORAL CAPSULE 25 MG | Preferred | QL (6 EA per 1 day) |
| WAL-DRYL ALLERGY ORAL LIQUID 12.5 MG/5ML | Preferred | QL (80 ML per 1 day) |
| WAL-DRYL ALLERGY ORAL TABLET 25 MG | Preferred | QL (6 EA per 1 day) |
| aler-cap oral capsule 25 mg | Preferred | QL (6 EA per 1 day) |
| alertab oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| allergy childrens oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| allergy relief childrens oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| allergy relief oral capsule 25 mg | Preferred | QL (6 EA per 1 day) |
| allergy relief oral liquid 25 mg/10ml | Preferred | QL (80 ML per 1 day) |
| allergy relief oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| anti-hist allergy oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| carbinoxamine maleate oral solution 4 mg/5ml | Non Preferred | PA |
| carbinoxamine maleate oral tablet 4 mg, 6 mg | Non Preferred | PA |
| clemastine fumarate oral syrup 0.67 mg/5ml | Non Preferred | PA |
| clemastine fumarate oral tablet 2.68 mg | Non Preferred | PA |
| complete allergy medicine oral capsule 25 mg | Preferred | QL (6 EA per 1 day) |
| complete allergy medicine oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| complete allergy relief oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |

| Drug | Status | Notes |
|---|-----------|----------------------|
| cvs allergy oral capsule 25 mg | Preferred | QL (6 EA per 1 day) |
| cvs allergy relief adult oral liquid 50 mg/20ml | Preferred | QL (80 ML per 1 day) |
| cvs allergy relief childrens oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| cvs allergy relief oral capsule 25 mg | Preferred | QL (6 EA per 1 day) |
| cvs allergy relief oral liquid 25 mg/10ml | Preferred | QL (80 ML per 1 day) |
| cvs allergy relief oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| cvs childrens allergy oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| diphen oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| diphenhist oral capsule 25 mg | Preferred | QL (6 EA per 1 day) |
| diphenhydramine hcl childrens oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| diphenhydramine hcl injection solution 50 mg/ml | Preferred | PA |
| diphenhydramine hcl oral capsule 25 mg, 50 mg | Preferred | QL (6 EA per 1 day) |
| diphenhydramine hcl oral elixir 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| diphenhydramine hcl oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| diphenhydramine hcl oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| eq allergy relief childrens oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| eq allergy relief oral capsule 25 mg | Preferred | QL (6 EA per 1 day) |
| eq allergy relief oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| eql allergy oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| eql allergy relief oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| eql childrens allergy oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| ft allergy relief childrens oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| ft allergy relief oral capsule 25 mg | Preferred | QL (6 EA per 1 day) |
| ft allergy relief oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| geri-dryl oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| geri-dryl oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| gnp allergy oral capsule 25 mg | Preferred | QL (6 EA per 1 day) |
| gnp allergy oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| gnp allergy relief max st oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| gnp allergy relief oral capsule 25 mg | Preferred | QL (6 EA per 1 day) |
| gnp allergy relief oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| gnp childrens allergy oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |

| Drug | Status | Notes |
|---|-----------|----------------------|
| goodsense allergy relief oral capsule 25 mg | Preferred | |
| h-e-b childrens allergy oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| hm allergy relief oral capsule 25 mg | Preferred | QL (6 EA per 1 day) |
| hm allergy relief oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| kls allergy medicine oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| kp diphenhydramine hcl oral capsule 50 mg | Preferred | QL (6 EA per 1 day) |
| liquid allergy relief oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| m-dryl oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| meijer antihistamine allergy oral capsule 25 mg | Preferred | QL (6 EA per 1 day) |
| pharbedryl oral capsule 25 mg, 50 mg | Preferred | QL (6 EA per 1 day) |
| px allergy oral capsule 25 mg | Preferred | QL (6 EA per 1 day) |
| px allergy oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| px allergy oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| qc allergy childrens oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| qc allergy relief oral capsule 25 mg | Preferred | QL (6 EA per 1 day) |
| qc allergy relief oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| qc complete allergy medicine oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| ra allergy medication oral capsule 25 mg | Preferred | QL (6 EA per 1 day) |
| ra allergy medication oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| ra allergy medication oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| ra allergy oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| ra allergy oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| ra allergy relief childrens oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| ra allergy relief oral capsule 25 mg | Preferred | QL (6 EA per 1 day) |
| ra complete allergy oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| sb allergy medicine oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| sb allergy medicine oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| sb allergy oral capsule 25 mg | Preferred | QL (6 EA per 1 day) |
| siladryl allergy oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| sm allergy relief childrens oral liquid 12.5 mg/5ml | Preferred | QL (80 ML per 1 day) |
| sm allergy relief oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |
| total allergy oral tablet 25 mg | Preferred | QL (6 EA per 1 day) |

Antihistamines - Non-Sedating - Drugs For Allergies**

| | | |
|---------------------------|---------------|----|
| CLARINEX ORAL TABLET 5 MG | Non Preferred | PA |
|---------------------------|---------------|----|

| Drug | Status | Notes |
|--|-----------|----------------------|
| CLARITIN ALLERGY CHILDRENS ORAL SOLUTION 5 MG/5ML | Preferred | QL (10 ML per 1 day) |
| KLS ALLERCLEAR ORAL TABLET 10 MG | Preferred | QL (1 EA per 1 day) |
| KLS ALLER-TEC CHILDRENS ORAL SOLUTION 5 MG/5ML | Preferred | QL (10 ML per 1 day) |
| KLS ALLER-TEC ORAL TABLET 10 MG | Preferred | QL (1 EA per 1 day) |
| WAL-ITIN CHILDRENS ORAL SOLUTION 5 MG/5ML | Preferred | QL (10 ML per 1 day) |
| WAL-ITIN ORAL SOLUTION 5 MG/5ML | Preferred | QL (10 ML per 1 day) |
| WAL-ITIN ORAL TABLET 10 MG | Preferred | QL (1 EA per 1 day) |
| WAL-ZYR ALL DAY ALLERGY CHILD ORAL SOLUTION 5 MG/5ML | Preferred | QL (10 ML per 1 day) |
| WAL-ZYR ALLERGY CHILDRENS ORAL SOLUTION 1 MG/ML | Preferred | QL (10 ML per 1 day) |
| WAL-ZYR CHILDRENS ORAL SOLUTION 1 MG/ML, 5 MG/5ML | Preferred | QL (10 ML per 1 day) |
| WAL-ZYR ORAL SOLUTION 5 MG/5ML | Preferred | QL (10 ML per 1 day) |
| WAL-ZYR ORAL TABLET 10 MG | Preferred | QL (1 EA per 1 day) |
| all day allergy childrens oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| all day allergy oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| all-day allergy childrens oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| allergy (cetirizine) oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| allergy 24hour indoor/outdoor oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| allergy childrens oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| allergy rel child (loratadine) oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| allergy relief (cetirizine) oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| allergy relief (loratadine) oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| allergy relief 24-hr oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| allergy relief cetirizine oral tablet 10 mg, 5 mg | Preferred | QL (1 EA per 1 day) |
| allergy relief childrens 24-hr oral solution 1 mg/ml | Preferred | QL (10 ML per 1 day) |
| allergy relief childrens oral solution 1 mg/ml, 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| allergy relief oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| allergy relief/indoor/outdoor oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| cetirizine hcl allergy child oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |

| Drug | Status | Notes |
|---|---------------|----------------------|
| cetirizine hcl childrens alrgy oral solution 1 mg/ml | Preferred | QL (10 ML per 1 day) |
| cetirizine hcl childrens oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| cetirizine hcl oral solution 1 mg/ml, 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| cetirizine hcl oral tablet 10 mg, 5 mg | Preferred | QL (1 EA per 1 day) |
| childrens 24 hour allergy oral solution 1 mg/ml | Preferred | QL (10 ML per 1 day) |
| childrens loratadine oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| cvs allerg rel child (lorat) oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| cvs allergy childrens oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| cvs allergy relief childrens oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| cvs allergy relief oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| cvs allergy relief(cetirizine) oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| cvs indoor/outdoor allergy rlf oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| desloratadine oral tablet 5 mg | Non Preferred | PA |
| desloratadine oral tablet dispersible 2.5 mg, 5 mg | Non Preferred | PA |
| eq allerg relief child (cetir) oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| eq allerg relief child (lorat) oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| eq allergy childrens oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| eq allergy relief (cetirizine) oral solution 1 mg/ml | Preferred | QL (10 ML per 1 day) |
| eq allergy relief (cetirizine) oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| eq allergy relief oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| eq loratadine oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| eql all day allergy childrens oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| eql all day allergy oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| eql allergy relief oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| ft all day allergy 24 hour oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| ft all day allergy oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| ft all day allergy relief oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| gnp all day allergy childrens oral solution 1 mg/ml, 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| gnp all day allergy oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |

| Drug | Status | Notes |
|---|---------------|----------------------|
| gnp loratadine childrens oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| gnp loratadine oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| gnp loratadine oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| goodsense all day allergy oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| goodsense all day allergy oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| goodsense allergy relief child oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| goodsense allergy relief oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| hm all day allergy childrens oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| hm all day allergy oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| hm all day allergy oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| hm allergy relief (cetirizine) oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| hm cetirizine hcl oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| hm loratadine childrens oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| hm loratadine oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| levocetirizine dihydrochloride oral solution 2.5 mg/5ml | Non Preferred | PA |
| levocetirizine dihydrochloride oral tablet 5 mg | Non Preferred | PA |
| loradamed oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| loratadine childrens oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| loratadine oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| loratadine oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| meijer allergy relief oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| meijer loratadine oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| px allergy relief cetirizine oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| px allergy relief loratadine oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| px childrens allergy oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| qc all day allergy oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| qc allergy relief childrens oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| qc allergy relief childrens oral syrup 1 mg/ml | Preferred | QL (10 ML per 1 day) |
| qc cetirizine allergy relief oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| qc childrens allergy oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| qc loratadine allergy relief oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| ra allergy relief (cetirizine) oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |

| Drug | Status | Notes |
|--|-----------|----------------------|
| ra allergy relief (loratadine) oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| ra allergy relief childrens oral solution 1 mg/ml, 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| ra allergy relief childrens oral syrup 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| ra loratadine oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| ra loratadine oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| sb allergy oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| sb cetirizine hcl childrens oral solution 1 mg/ml | Preferred | QL (10 ML per 1 day) |
| sb loratadine allergy relief oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| sb loratadine oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| sb loratadine oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| sm all day allergy childrens oral solution 1 mg/ml, 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| sm all day allergy oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| sm all day allergy relief oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| sm allergy childrens oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| sm childrens loratadine oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| sm loratadine oral solution 5 mg/5ml | Preferred | QL (10 ML per 1 day) |
| sm loratadine oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |

Antihistamines - Phenothiazines - Drugs**

For Allergies

| | | |
|--|---------------|--|
| PHENERGAN INJECTION SOLUTION 25 MG/ML, 50 MG/ML | Non Preferred | PA |
| PROMETHEGAN RECTAL SUPPOSITORY 12.5 MG, 25 MG | Preferred | QL (8 EA per 1 day); AGE (Min 2 Years) |
| PROMETHEGAN RECTAL SUPPOSITORY 50 MG | Non Preferred | PA; QL (6 EA per 1 day); AGE (Min 2 Years) |
| promethazine hcl injection solution 25 mg/ml, 50 mg/ml | Non Preferred | PA |
| promethazine hcl oral solution 6.25 mg/5ml | Preferred | QL (100 ML per 1 day); AGE (Min 2 Years) |
| promethazine hcl oral syrup 6.25 mg/5ml | Preferred | QL (100 ML per 1 day); AGE (Min 2 Years) |
| promethazine hcl oral tablet 12.5 mg, 50 mg | Preferred | QL (2 EA per 1 day); AGE (Min 2 Years) |
| promethazine hcl oral tablet 25 mg | Preferred | QL (6 EA per 1 day); AGE (Min 2 Years) |
| promethazine hcl rectal suppository 12.5 mg, 25 mg | Preferred | QL (8 EA per 1 day); AGE (Min 2 Years) |

| Drug | Status | Notes |
|---|---------------|----------------------------------|
| *Antihistamines - Piperidines*** - Drugs For Allergies | | |
| cyproheptadine hcl oral syrup 2 mg/5ml | Preferred | QL (20 ML per 1 day) |
| cyproheptadine hcl oral tablet 4 mg | Preferred | QL (6 EA per 1 day) |
| *Antihistamines W/ Corticosteroids*** - Drugs For Allergies | | |
| CLOBETEX COMBINATION THERAPY PACK 5 & 0.05 MG & % | Preferred | PA |
| *Antihyperlipidemics* - Drugs For The Heart | | |
| *Acl Inhib-Intestinal Cholesterol Absorption Inhib Comb*** - Drugs For Cholesterol | | |
| NEXLIZET ORAL TABLET 180-10 MG | Non Preferred | PA |
| *Adenosine Triphosphate-Citrate Lyase (Acl) Inhibitors*** - Drugs For Cholesterol | | |
| NEXLETOL ORAL TABLET 180 MG | Preferred | PA |
| *Angiopoietin-Like Protein 3 (Angptl3) Inhibitors*** - Drugs For Cholesterol | | |
| EVKEEZA INTRAVENOUS SOLUTION 1200 MG/8ML, 345 MG/2.3ML | Carve Out | |
| *Antihyperlipidemics - Misc.*** - Drugs For Cholesterol | | |
| LOVAZA ORAL CAPSULE 1 GM | Non Preferred | PA |
| VASCEPA ORAL CAPSULE 0.5 GM, 1 GM | Non Preferred | PA |
| icosapent ethyl oral capsule 0.5 gm, 1 gm | Non Preferred | PA |
| omega-3-acid ethyl esters oral capsule 1 gm | Non Preferred | PA |
| *Antihyperlipidemics Misc. Combinations*** - Drugs For Cholesterol | | |
| sure result o3d3 system oral kit 1 & 1000 gm & unit | Non Preferred | PA |
| *Bile Acid Sequestrants*** - Drugs For Cholesterol | | |
| COLESTID FLAVORED ORAL GRANULES 5 GM | Non Preferred | PA |
| COLESTID FLAVORED ORAL PACKET 5 GM | Non Preferred | PA |
| COLESTID ORAL GRANULES 5 GM | Non Preferred | PA |
| COLESTID ORAL PACKET 5 GM | Non Preferred | PA |
| COLESTID ORAL TABLET 1 GM | Non Preferred | PA; QL (16 EA per 1 day) |
| PREVALITE ORAL PACKET 4 GM | Preferred | QL (48 EA per 1 day); DS (90 DS) |

| Drug | Status | Notes |
|--|---------------|----------------------------------|
| PREVALITE ORAL POWDER 4 GM/DOSE | Preferred | QL (24 GM per 1 day); DS (90 DS) |
| QUESTRAN LIGHT ORAL POWDER 4 GM/DOSE | Non Preferred | PA; QL (24 GM per 1 day) |
| QUESTRAN ORAL PACKET 4 GM | Non Preferred | PA; QL (48 EA per 1 day) |
| QUESTRAN ORAL POWDER 4 GM/DOSE | Non Preferred | PA; QL (48 GM per 1 day) |
| WELCHOL ORAL PACKET 3.75 GM | Non Preferred | PA |
| WELCHOL ORAL TABLET 625 MG | Non Preferred | PA |
| cholestyramine light oral packet 4 gm | Preferred | QL (48 EA per 1 day); DS (90 DS) |
| cholestyramine light oral powder 4 gm/dose | Preferred | QL (24 GM per 1 day); DS (90 DS) |
| cholestyramine oral packet 4 gm | Preferred | QL (48 EA per 1 day); DS (90 DS) |
| cholestyramine oral powder 4 gm/dose | Preferred | QL (48 GM per 1 day); DS (90 DS) |
| colesevelam hcl oral packet 3.75 gm | Non Preferred | PA |
| colesevelam hcl oral tablet 625 mg | Non Preferred | PA |
| colestipol hcl oral granules 5 gm | Non Preferred | PA |
| colestipol hcl oral packet 5 gm | Non Preferred | PA |
| colestipol hcl oral tablet 1 gm | Preferred | QL (16 EA per 1 day); DS (90 DS) |

Fibric Acid Derivatives - Drugs For Cholesterol**

| | | |
|--|---------------|-------------------------|
| FENOGLIDE ORAL TABLET 120 MG, 40 MG | Non Preferred | PA |
| FIBRICOR ORAL TABLET 105 MG, 35 MG | Non Preferred | PA |
| LIPOFEN ORAL CAPSULE 150 MG, 50 MG | Non Preferred | PA |
| LOPID ORAL TABLET 600 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| TRICOR ORAL TABLET 145 MG | Non Preferred | PA |
| TRICOR ORAL TABLET 48 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| TRILIPIX ORAL CAPSULE DELAYED RELEASE 135 MG, 45 MG | Non Preferred | PA |
| fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 30 mg, 43 mg, 67 mg, 90 mg | Non Preferred | PA |
| fenofibrate oral capsule 134 mg, 150 mg, 200 mg, 50 mg, 67 mg | Non Preferred | PA |
| fenofibrate oral tablet 120 mg, 145 mg, 160 mg, 40 mg | Preferred | DS (90 DS) |

| Drug | Status | Notes |
|---|---------------|---------------------------------|
| fenofibrate oral tablet 48 mg, 54 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| fenofibric acid oral capsule delayed release 135 mg, 45 mg | Non Preferred | PA |
| fenofibric acid oral tablet 105 mg, 35 mg | Non Preferred | PA |
| gemfibrozil oral tablet 600 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| *Hmg Coa Reductase Inhibitors*** - Drugs For Cholesterol | | |
| ALTOPREV ORAL TABLET EXTENDED RELEASE 24 HOUR 20 MG, 40 MG, 60 MG | Non Preferred | PA |
| ATORVALIQ ORAL SUSPENSION 20 MG/5ML | Non Preferred | PA |
| CRESTOR ORAL TABLET 10 MG, 20 MG, 5 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| CRESTOR ORAL TABLET 40 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| EZALLOR SPRINKLE ORAL CAPSULE SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG | Non Preferred | PA |
| LESCOL XL ORAL TABLET EXTENDED RELEASE 24 HOUR 80 MG | Non Preferred | PA |
| LIPITOR ORAL TABLET 10 MG, 20 MG, 40 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| LIPITOR ORAL TABLET 80 MG | Non Preferred | PA |
| LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG | Non Preferred | PA |
| ZOCOR ORAL TABLET 10 MG, 20 MG, 40 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| ZYPITAMAG ORAL TABLET 2 MG, 4 MG | Non Preferred | PA |
| atorvastatin calcium oral tablet 10 mg, 20 mg, 40 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| atorvastatin calcium oral tablet 80 mg | Preferred | DS (90 DS) |
| flolipid oral suspension 20 mg/5ml, 40 mg/5ml | Preferred | PA |
| fluvastatin sodium er oral tablet extended release 24 hour 80 mg | Non Preferred | PA |
| fluvastatin sodium oral capsule 20 mg, 40 mg | Non Preferred | PA |
| lovastatin oral tablet 10 mg, 20 mg, 40 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| pravastatin sodium oral tablet 10 mg, 20 mg, 40 mg, 80 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| rosuvastatin calcium oral tablet 10 mg, 20 mg, 5 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| rosuvastatin calcium oral tablet 40 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg, 80 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |

| Drug | Status | Notes |
|---|---------------|---------------------------------|
| *Intest Cholest Absorp Inhib-Hmg Coa Reductase Inhib Comb*** - Drugs For Cholesterol | | |
| ROSZET ORAL TABLET 10-10 MG, 10-20 MG, 10-40 MG, 10-5 MG | Non Preferred | PA |
| VYTORIN ORAL TABLET 10-10 MG, 10-20 MG, 10-40 MG, 10-80 MG | Non Preferred | PA |
| ezetimibe-rosuvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-5 mg | Non Preferred | PA |
| ezetimibe-simvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg | Non Preferred | PA |
| *Intestinal Cholesterol Absorption Inhibitors*** - Drugs For Cholesterol | | |
| ZETIA ORAL TABLET 10 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| ezetimibe oral tablet 10 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| *Microsomal Triglyceride Transfer Protein Inhibitors*** - Drugs For Cholesterol | | |
| JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 5 MG | Preferred | PA; SP |
| *Nicotinic Acid Derivatives*** - Drugs For Cholesterol | | |
| NIACOR ORAL TABLET 500 MG | Non Preferred | PA |
| NIASPAN ORAL TABLET EXTENDED RELEASE 1000 MG | Non Preferred | PA |
| niacin (antihyperlipidemic) oral tablet 500 mg | Preferred | |
| niacin er (antihyperlipidemic) oral tablet extended release 1000 mg, 500 mg, 750 mg | Preferred | DS (90 DS) |
| *Pcsk9 Inhibitors*** - Drugs For Cholesterol | | |
| PRALUENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML, 75 MG/ML | Non Preferred | PA |
| REPATHA PUSHTRONEX SYSTEM SUBCUTANEOUS SOLUTION CARTRIDGE 420 MG/3.5ML | Preferred | PA |
| REPATHA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 140 MG/ML | Preferred | PA |
| REPATHA SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML | Preferred | PA |

| Drug | Status | Notes |
|---|---------------|---------------------------------|
| *Small Interfering Rna (Sirna) Pcsk9 Inhibitors*** - Drugs For Cholesterol | | |
| LEQVIO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 284 MG/1.5ML | Non Preferred | PA |
| *Antihypertensives* - Drugs For The Heart | | |
| *Ace Inhibitor & Calcium Channel Blocker Combinations*** - Drugs For High Blood Pressure | | |
| LOTREL ORAL CAPSULE 10-20 MG, 10-40 MG, 5-10 MG, 5-20 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| PRESTALIA ORAL TABLET 14-10 MG, 3.5-2.5 MG, 7-5 MG | Non Preferred | PA |
| amlodipine besy-benazepril hcl oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40 mg | Preferred | PA; QL (2 EA per 1 day) |
| amlodipine besy-benazepril hcl oral capsule 2.5-10 mg | Preferred | PA; QL (3 EA per 1 day) |
| trandolapril-verapamil hcl er oral tablet extended release 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg | Non Preferred | PA |
| *Ace Inhibitors & Thiazide/Thiazide-Like*** - Drugs For High Blood Pressure | | |
| ACCURETIC ORAL TABLET 10-12.5 MG, 20-12.5 MG, 20-25 MG | Non Preferred | PA |
| LOTENSIN HCT ORAL TABLET 10-12.5 MG, 20-12.5 MG, 20-25 MG | Non Preferred | PA |
| VASERETIC ORAL TABLET 10-25 MG | Non Preferred | PA |
| ZESTORETIC ORAL TABLET 10-12.5 MG, 20-12.5 MG, 20-25 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg | Preferred | DS (90 DS) |
| benazepril-hydrochlorothiazide oral tablet 5-6.25 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg | Non Preferred | PA |
| enalapril-hydrochlorothiazide oral tablet 10-25 mg, 5-12.5 mg | Preferred | DS (90 DS) |
| fosinopril sodium-hctz oral tablet 10-12.5 mg, 20-12.5 mg | Preferred | DS (90 DS) |
| lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| quinapril-hydrochlorothiazide oral tablet 10-12.5 mg | Preferred | |

| Drug | Status | Notes |
|--|---------------|---------------------------------|
| quinapril-hydrochlorothiazide oral tablet 20-12.5 mg, 20-25 mg | Preferred | DS (90 DS) |
| *Ace Inhibitors*** - Drugs For High Blood Pressure | | |
| ACCUPRIL ORAL TABLET 10 MG, 20 MG, 40 MG, 5 MG | Non Preferred | PA |
| ALTACE ORAL CAPSULE 1.25 MG, 10 MG, 2.5 MG, 5 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| EPANED ORAL SOLUTION 1 MG/ML | Non Preferred | PA |
| LOTENSIN ORAL TABLET 10 MG, 20 MG, 40 MG | Non Preferred | PA |
| MAVIK ORAL TABLET 4 MG | Non Preferred | PA |
| QBRELIS ORAL SOLUTION 1 MG/ML | Non Preferred | PA |
| VASOTEC ORAL TABLET 10 MG, 5 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| VASOTEC ORAL TABLET 2.5 MG | Non Preferred | PA |
| VASOTEC ORAL TABLET 20 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| ZESTRIL ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| ZESTRIL ORAL TABLET 30 MG, 40 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| benazepril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg | Preferred | DS (90 DS) |
| captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg | Preferred | DS (90 DS) |
| enalapril maleate oral solution 1 mg/ml | Non Preferred | PA |
| enalapril maleate oral tablet 10 mg, 5 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| enalapril maleate oral tablet 2.5 mg | Preferred | DS (90 DS) |
| enalapril maleate oral tablet 20 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| enalaprilat intravenous injectable 1.25 mg/ml | Preferred | |
| fosinopril sodium oral tablet 10 mg, 20 mg, 40 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| lisinopril oral tablet 30 mg, 40 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| moexipril hcl oral tablet 15 mg, 7.5 mg | Non Preferred | PA |
| perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg | Non Preferred | PA |
| quinapril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg | Preferred | |
| ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |

| Drug | Status | Notes |
|--|---------------|-------------------------|
| trandolapril oral tablet 1 mg, 2 mg, 4 mg | Non Preferred | PA |
| *Agents For Pheochromocytoma*** - Drugs For High Blood Pressure | | |
| DEMSEER ORAL CAPSULE 250 MG | Non Preferred | PA |
| DIBENZYLINE ORAL CAPSULE 10 MG | Non Preferred | PA |
| metyrosine oral capsule 250 mg | Non Preferred | PA |
| phenoxybenzamine hcl oral capsule 10 mg | Preferred | DS (90 DS) |
| phentolamine mesylate injection solution reconstituted 5 mg | Preferred | |
| *Angiotensin II Receptor Antag & Ca Channel Blocker Comb*** - Drugs For High Blood Pressure | | |
| AZOR ORAL TABLET 10-20 MG, 10-40 MG, 5-20 MG, 5-40 MG | Non Preferred | PA |
| EXFORGE ORAL TABLET 10-160 MG, 10-320 MG, 5-160 MG, 5-320 MG | Non Preferred | PA |
| amlodipine besylate-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg | Preferred | PA |
| amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg | Non Preferred | PA |
| telmisartanamlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg | Non Preferred | PA |
| *Angiotensin II Receptor Antag & Thiazide/Thiazide-Like*** - Drugs For High Blood Pressure | | |
| ATACAND HCT ORAL TABLET 16-12.5 MG, 32-12.5 MG, 32-25 MG | Non Preferred | PA |
| AVALIDE ORAL TABLET 150-12.5 MG, 300-12.5 MG | Non Preferred | PA |
| BENICAR HCT ORAL TABLET 20-12.5 MG, 40-12.5 MG, 40-25 MG | Non Preferred | PA |
| DIOVAN HCT ORAL TABLET 160-12.5 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| DIOVAN HCT ORAL TABLET 160-25 MG, 320-12.5 MG, 320-25 MG | Non Preferred | PA |
| DIOVAN HCT ORAL TABLET 80-12.5 MG | Non Preferred | PA; QL (3 EA per 1 day) |
| EDARBECYLOR ORAL TABLET 40-12.5 MG, 40-25 MG | Non Preferred | PA |
| HYZAAR ORAL TABLET 100-12.5 MG, 100-25 MG, 50-12.5 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| MICARDIS HCT ORAL TABLET 40-12.5 MG, 80-12.5 MG, 80-25 MG | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|---------------------------------|
| candesartan cilexetil-hctz oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg | Non Preferred | PA |
| irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg | Preferred | DS (90 DS) |
| losartan potassium-hctz oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| olmesartan medoxomil-hctz oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg | Preferred | DS (90 DS) |
| telmisartan-hctz oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg | Non Preferred | PA |
| valsartan-hydrochlorothiazide oral tablet 160-12.5 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| valsartan-hydrochlorothiazide oral tablet 160-25 mg, 320-12.5 mg, 320-25 mg | Preferred | DS (90 DS) |
| valsartan-hydrochlorothiazide oral tablet 80-12.5 mg | Preferred | QL (3 EA per 1 day); DS (90 DS) |

Angiotensin II Receptor Antagonists -**

Drugs For High Blood Pressure

| | | |
|--|---------------|---------------------------------|
| ATACAND ORAL TABLET 16 MG, 32 MG, 4 MG, 8 MG | Non Preferred | PA |
| AVAPRO ORAL TABLET 150 MG, 300 MG, 75 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| BENICAR ORAL TABLET 20 MG, 40 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| BENICAR ORAL TABLET 5 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| COZAAR ORAL TABLET 100 MG, 25 MG, 50 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| DIOVAN ORAL TABLET 160 MG, 40 MG, 80 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| DIOVAN ORAL TABLET 320 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| EDARBI ORAL TABLET 40 MG, 80 MG | Non Preferred | PA |
| MICARDIS ORAL TABLET 20 MG, 40 MG, 80 MG | Non Preferred | PA |
| candesartan cilexetil oral tablet 16 mg, 32 mg, 4 mg, 8 mg | Non Preferred | PA |
| irbesartan oral tablet 150 mg, 300 mg, 75 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| losartan potassium oral tablet 100 mg, 25 mg, 50 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| olmesartan medoxomil oral tablet 20 mg, 40 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| olmesartan medoxomil oral tablet 5 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| telmisartan oral tablet 20 mg, 40 mg, 80 mg | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|---------------------------------|
| valsartan oral solution 4 mg/ml | Non Preferred | PA |
| valsartan oral tablet 160 mg, 40 mg, 80 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| valsartan oral tablet 320 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| *Angiotensin II Receptor Ant-Ca Channel Blocker-Thiazides*** - Drugs For High Blood Pressure | | |
| EXFORGE HCT ORAL TABLET 10-160-12.5 MG, 10-160-25 MG, 10-320-25 MG, 5-160-12.5 MG, 5-160-25 MG | Non Preferred | PA |
| TRIBENZOR ORAL TABLET 20-5-12.5 MG, 40-10-12.5 MG, 40-10-25 MG, 40-5-12.5 MG, 40-5-25 MG | Non Preferred | PA |
| amlodipine-valsartan-hctz oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg | Non Preferred | PA |
| olmesartanamlodipine-hctz oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg | Non Preferred | PA |
| *Antidiuretics - Centrally Acting*** - Drugs For High Blood Pressure | | |
| CATAPRES-TTS-1 TRANSDERMAL PATCH WEEKLY 0.1 MG/24HR | Preferred | DS (90 DS) |
| CATAPRES-TTS-2 TRANSDERMAL PATCH WEEKLY 0.2 MG/24HR | Preferred | DS (90 DS) |
| CATAPRES-TTS-3 TRANSDERMAL PATCH WEEKLY 0.3 MG/24HR | Preferred | DS (90 DS) |
| NEXICLON XR ORAL TABLET EXTENDED RELEASE 24 HOUR 0.17 MG | Non Preferred | PA; NOTES (AGE*) |
| clonidine hcl er oral tablet extended release 24 hour 0.17 mg | Non Preferred | PA; NOTES (AGE*) |
| clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg | Preferred | NOTES (AGE*); DS (90 DS) |
| clonidine transdermal patch weekly 0.1 mg/24hr, 0.2 mg/24hr, 0.3 mg/24hr | Preferred | NOTES (AGE*); DS (90 DS) |
| guanfacine hcl oral tablet 1 mg, 2 mg | Preferred | NOTES (AGE*); DS (90 DS) |
| methyldopa oral tablet 250 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| methyldopa oral tablet 500 mg | Preferred | QL (6 EA per 1 day); DS (90 DS) |
| *Antidiuretics - Peripherally Acting*** - Drugs For High Blood Pressure | | |
| CARDURA ORAL TABLET 1 MG, 2 MG, 4 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| CARDURA ORAL TABLET 8 MG | Non Preferred | PA; QL (2 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|---------------------------------|
| MINIPRESS ORAL CAPSULE 1 MG, 2 MG, 5 MG | Non Preferred | PA |
| doxazosin mesylate oral tablet 1 mg, 2 mg, 4 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| doxazosin mesylate oral tablet 8 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| prazosin hcl oral capsule 1 mg, 2 mg, 5 mg | Preferred | DS (90 DS) |
| terazosin hcl oral capsule 1 mg, 5 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| terazosin hcl oral capsule 10 mg, 2 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| *Antihypertensives - Misc.*** - Drugs For High Blood Pressure | | |
| VECAMYL ORAL TABLET 2.5 MG | Non Preferred | PA |
| *Beta Blocker & Diuretic Combinations*** - Drugs For High Blood Pressure | | |
| TENORETIC 100 ORAL TABLET 100-25 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| TENORETIC 50 ORAL TABLET 50-25 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| ZIAC ORAL TABLET 10-6.25 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| ZIAC ORAL TABLET 2.5-6.25 MG, 5-6.25 MG | Non Preferred | PA; QL (3 EA per 1 day) |
| atenolol-chlorthalidone oral tablet 100-25 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| atenolol-chlorthalidone oral tablet 50-25 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| bisoprolol-hydrochlorothiazide oral tablet 2.5-6.25 mg, 5-6.25 mg | Preferred | QL (3 EA per 1 day); DS (90 DS) |
| metoprolol-hydrochlorothiazide oral tablet 100-25 mg, 100-50 mg, 50-25 mg | Preferred | DS (90 DS) |
| *Direct Renin Inhibitors & Thiazide/Thiazide-Like Comb*** - Drugs For High Blood Pressure | | |
| TEKTURNA HCT ORAL TABLET 150-12.5 MG, 300-12.5 MG, 300-25 MG | Non Preferred | PA |
| *Direct Renin Inhibitors*** - Drugs For High Blood Pressure | | |
| TEKTURNA ORAL TABLET 150 MG, 300 MG | Non Preferred | PA |
| aliskiren fumarate oral tablet 150 mg, 300 mg | Non Preferred | PA |
| *Selective Aldosterone Receptor Antagonists (Saras)*** - Drugs For High Blood Pressure | | |
| INSPRA ORAL TABLET 25 MG, 50 MG | Non Preferred | PA |
| eplerenone oral tablet 25 mg, 50 mg | Preferred | DS (90 DS) |

| Drug | Status | Notes |
|---|---------------|----------------------------------|
| *Vasodilators*** - Drugs For High Blood Pressure | | |
| NIPRIDE RTU INTRAVENOUS SOLUTION 20-0.9 MG/100ML-%, 50-0.9 MG/100ML-% | Preferred | PA |
| hydralazine hcl injection solution 20 mg/ml | Preferred | PA |
| hydralazine hcl oral tablet 10 mg | Preferred | QL (10 EA per 1 day); DS (90 DS) |
| hydralazine hcl oral tablet 100 mg | Preferred | QL (3 EA per 1 day); DS (90 DS) |
| hydralazine hcl oral tablet 25 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| hydralazine hcl oral tablet 50 mg | Preferred | QL (8 EA per 1 day); DS (90 DS) |
| minoxidil oral tablet 10 mg, 2.5 mg | Preferred | QL (5 EA per 1 day); DS (90 DS) |
| nitroprusside sodium intravenous solution 25 mg/ml | Preferred | PA |
| sodium nitroprusside intravenous solution 25 mg/ml, 50 mg/2ml | Preferred | PA |
| *Anti-Infective Agents - Misc.* - Drugs For Infections | | |
| *Anti-Infective Agents - Misc.*** - Drugs For Infections | | |
| AEMCOLO ORAL TABLET DELAYED RELEASE 194 MG | Non Preferred | PA |
| FIRST-METRONIDAZOLE ORAL SUSPENSION RECONSTITUTED 50 MG/ML | Non Preferred | PA |
| FLAGYL ORAL CAPSULE 375 MG | Non Preferred | PA |
| IMPAVIDO ORAL CAPSULE 50 MG | Non Preferred | PA |
| METRONIDAZOLE BENZO+SYRSPEND ORAL SUSPENSION RECONSTITUTED 50 MG/ML | Non Preferred | PA |
| NEBUPENT INHALATION SOLUTION RECONSTITUTED 300 MG | Preferred | PA |
| XIFAXAN ORAL TABLET 200 MG, 550 MG | Preferred | PA |
| metronidazole oral capsule 375 mg | Non Preferred | PA |
| metronidazole oral tablet 250 mg | Preferred | QL (8 EA per 1 day) |
| metronidazole oral tablet 500 mg | Preferred | QL (4 EA per 1 day) |
| pentamidine isethionate inhalation solution reconstituted 300 mg | Preferred | PA |
| tinidazole oral tablet 250 mg, 500 mg | Preferred | |
| trimethoprim oral tablet 100 mg | Preferred | QL (6 EA per 1 day) |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| *Anti-Infective Misc. - Combinations*** - | | |
| Antibiotics | | |
| BACTRIM DS ORAL TABLET 800-160 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| BACTRIM ORAL TABLET 400-80 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| SULFATRIM PEDIATRIC ORAL SUSPENSION 200-40 MG/5ML | Preferred | QL (40 ML per 1 day) |
| sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5ml | Preferred | PA |
| sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5ml | Preferred | QL (40 ML per 1 day) |
| sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg | Preferred | QL (4 EA per 1 day) |
| *Antiprotozoal Agents*** - Drugs For Parasites | | |
| ALINIA ORAL SUSPENSION RECONSTITUTED 100 MG/5ML | Non Preferred | PA |
| ALINIA ORAL TABLET 500 MG | Non Preferred | PA |
| LAMPIT ORAL TABLET 120 MG, 30 MG | Preferred | PA |
| MEPRON ORAL SUSPENSION 750 MG/5ML | Non Preferred | PA |
| atovaquone oral suspension 750 mg/5ml | Preferred | |
| nitazoxanide oral tablet 500 mg | Non Preferred | PA |
| *Beta-Lactamase Inhibitor - Combinations** - | | |
| Drugs For Infections | | |
| XACDURO INTRAVENOUS SOLUTION RECONSTITUTED 1-1 GM | Preferred | PA |
| *Glycopeptides*** - Antibiotics | | |
| FIRVANQ ORAL SOLUTION RECONSTITUTED 25 MG/ML, 50 MG/ML | Preferred | |
| VANCOCIN ORAL CAPSULE 125 MG, 250 MG | Non Preferred | PA |
| VANCOMYCIN+SYRSPEND SF ORAL SUSPENSION 50 MG/ML | Non Preferred | PA |
| vancomycin hcl oral capsule 125 mg, 250 mg | Preferred | |
| vancomycin hcl oral solution reconstituted 25 mg/ml, 250 mg/5ml, 50 mg/ml | Preferred | |
| *Leprostatics*** - Antibiotics | | |
| dapsone oral tablet 100 mg | Preferred | QL (3 EA per 1 day) |
| dapsone oral tablet 25 mg | Preferred | QL (4 EA per 1 day) |
| *Lincosamides*** - Antibiotics | | |
| CLEOCIN ORAL CAPSULE 150 MG | Non Preferred | PA; QL (8 EA per 1 day) |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| CLEOCIN ORAL CAPSULE 300 MG, 75 MG | Non Preferred | PA |
| CLEOCIN ORAL SOLUTION RECONSTITUTED 75 MG/5ML | Non Preferred | PA |
| LINCOGIN INJECTION SOLUTION 300 MG/ML | Preferred | PA |
| clindamycin hcl oral capsule 150 mg | Preferred | QL (8 EA per 1 day) |
| clindamycin hcl oral capsule 300 mg, 75 mg | Preferred | |
| clindamycin palmitate hcl oral solution reconstituted 75 mg/5ml | Preferred | |
| lincomycin hcl injection solution 300 mg/ml | Preferred | PA |
| *Monobactams*** - Antibiotics | | |
| CAYSTON INHALATION SOLUTION RECONSTITUTED 75 MG | Preferred | PA; SP |
| *Oxazolidinones*** - Antibiotics | | |
| SIVEXTRO ORAL TABLET 200 MG | Non Preferred | PA |
| ZYVOX ORAL SUSPENSION RECONSTITUTED 100 MG/5ML | Non Preferred | PA |
| ZYVOX ORAL TABLET 600 MG | Non Preferred | PA |
| linezolid oral suspension reconstituted 100 mg/5ml | Non Preferred | PA |
| linezolid oral tablet 600 mg | Preferred | |
| *Pleuromutilins*** - Antibiotics | | |
| XENLETA INTRAVENOUS SOLUTION 150 MG/15ML | Preferred | PA |
| XENLETA ORAL TABLET 600 MG | Preferred | PA |
| *Urinary Anti-Infectives*** - Antibiotics | | |
| HIPREX ORAL TABLET 1 GM | Non Preferred | PA; QL (2 EA per 1 day) |
| MACROBID ORAL CAPSULE 100 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| MACRODANTIN ORAL CAPSULE 100 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| MACRODANTIN ORAL CAPSULE 25 MG | Non Preferred | PA |
| MACRODANTIN ORAL CAPSULE 50 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| MONUROL ORAL PACKET 3 GM | Non Preferred | PA |
| fosfomycin tromethamine oral packet 3 gm | Non Preferred | PA |
| methenamine hippurate oral tablet 1 gm | Preferred | QL (2 EA per 1 day) |
| methenamine mandelate oral tablet 0.5 gm | Preferred | QL (8 EA per 1 day) |
| methenamine mandelate oral tablet 1 gm | Preferred | QL (4 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|---------------------|
| nitrofurantoin macrocrystal oral capsule 100 mg | Preferred | QL (4 EA per 1 day) |
| nitrofurantoin macrocrystal oral capsule 25 mg | Non Preferred | PA |
| nitrofurantoin macrocrystal oral capsule 50 mg | Preferred | QL (2 EA per 1 day) |
| nitrofurantoin monohyd macro oral capsule 100 mg | Preferred | QL (2 EA per 1 day) |
| nitrofurantoin oral suspension 25 mg/5ml, 50 mg/5ml | Non Preferred | PA |
| *Urinary Antiseptic-Antispasmodic &/Or Analgesics*** - Drugs For Infections | | |
| HYOPHEN ORAL TABLET 81.6 MG | Non Preferred | PA |
| PHOSPHASAL ORAL TABLET 81.6 MG | Non Preferred | PA |
| URETRON D/S ORAL TABLET 81.6 MG | Non Preferred | PA |
| URIBEL ORAL CAPSULE 118 MG | Non Preferred | PA |
| URIMAR-T ORAL CAPSULE 120 MG | Non Preferred | PA |
| URIMAR-T ORAL TABLET 120 MG | Non Preferred | PA |
| UROGESIC-BLUE ORAL TABLET 81.6 MG | Non Preferred | PA |
| USTELL ORAL CAPSULE 120 MG | Non Preferred | PA |
| UTIRA-C ORAL TABLET 81.6 MG | Non Preferred | PA |
| VILAMIT MB ORAL CAPSULE 118 MG | Non Preferred | PA |
| VILEVEV MB ORAL TABLET 81 MG | Non Preferred | PA |
| me/naphos(mb/hyo1 oral tablet 81.6 mg | Non Preferred | PA |
| urin ds oral tablet 81.6 mg | Non Preferred | PA |
| urneva oral capsule 120 mg | Non Preferred | PA |
| uro-458 oral tablet 81 mg | Non Preferred | PA |
| uro-mp oral capsule 118 mg | Non Preferred | PA |
| uro-sp oral capsule 118 mg | Non Preferred | PA |
| *Antimalarials* - Drugs For Infections | | |
| *Antimalarial Combinations*** - Drugs For Parasites | | |
| COARTEM ORAL TABLET 20-120 MG | Preferred | |
| MALARONE ORAL TABLET 250-100 MG, 62.5-25 MG | Non Preferred | PA |
| atovaquone-proguanil hcl oral tablet 250-100 mg, 62.5-25 mg | Preferred | |
| pyrimethamine-leucovorin oral capsule 12.5-2.5 mg, 25-10 mg, 25-5 mg, 50-10 mg, 50-20 mg, 50-25 mg, 75-25 mg | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|----------------------------|
| *Antimalarials*** - Drugs For Parasites | | |
| ARAKODA ORAL TABLET 100 MG | Non Preferred | PA |
| DARAPRIM ORAL TABLET 25 MG | Carve Out | |
| KRINTAFEL ORAL TABLET 150 MG | Non Preferred | PA |
| PLAQUENIL ORAL TABLET 200 MG | Non Preferred | PA; QL (3 EA per 1 day) |
| QUALAQIN ORAL CAPSULE 324 MG | Non Preferred | PA; QL (30 EA per 24 days) |
| chloroquine phosphate oral tablet 250 mg | Preferred | QL (10 EA per 2 days) |
| chloroquine phosphate oral tablet 500 mg | Preferred | QL (5 EA per 2 days) |
| hydroxychloroquine sulfate oral tablet 100 mg | Preferred | QL (6 EA per 1 day) |
| hydroxychloroquine sulfate oral tablet 200 mg | Preferred | QL (3 EA per 1 day) |
| hydroxychloroquine sulfate oral tablet 300 mg | Preferred | QL (2 EA per 1 day) |
| hydroxychloroquine sulfate oral tablet 400 mg | Preferred | QL (1.5 EA per 1 day) |
| mefloquine hcl oral tablet 250 mg | Preferred | QL (4 EA per 1 day) |
| primaquine phosphate oral tablet 26.3 (15 base) mg | Preferred | QL (4 EA per 1 day) |
| pyrimethamine oral tablet 25 mg | Carve Out | |
| quinine sulfate oral capsule 324 mg | Preferred | QL (30 EA per 24 days) |
| *Antimyasthenic/Cholinergic Agents* - Drugs For Nerves And Muscles | | |
| *Antimyasthenic/Cholinergic Agents*** - Drugs For Nerves And Muscles | | |
| BLOXIVERZ INTRAVENOUS SOLUTION 10 MG/10ML, 5 MG/10ML | Preferred | PA |
| FIRDAPSE ORAL TABLET 10 MG | Non Preferred | PA; SP |
| MESTINON ORAL SOLUTION 60 MG/5ML | Preferred | PA |
| MESTINON ORAL TABLET 60 MG | Non Preferred | PA; QL (6 EA per 1 day) |
| MESTINON ORAL TABLET EXTENDED RELEASE 180 MG | Non Preferred | PA; QL (6 EA per 1 day) |
| REGONOL INTRAVENOUS SOLUTION 10 MG/2ML | Preferred | PA |
| neostigmine methylsulfate intravenous solution 10 mg/10ml, 3 mg/3ml, 5 mg/10ml, 5 mg/5ml | Preferred | PA |
| neostigmine methylsulfate intravenous solution prefilled syringe 2 mg/2ml, 3 mg/3ml, 4 mg/4ml, 5 mg/5ml | Preferred | PA |
| pyridostigmine bromide er oral tablet extended release 180 mg | Preferred | QL (6 EA per 1 day) |
| pyridostigmine bromide oral solution 60 mg/5ml | Preferred | PA |

| Drug | Status | Notes |
|--|---------------|-----------------------------|
| pyridostigmine bromide oral tablet 30 mg | Preferred | |
| pyridostigmine bromide oral tablet 60 mg | Preferred | QL (6 EA per 1 day) |
| *Antimycobacterial Agents* - Drugs For Infections | | |
| *Antimycobacterial Agents*** - Antibiotics | | |
| MYAMBUTOL ORAL TABLET 400 MG | Non Preferred | PA; QL (5 EA per 1 day) |
| MYCOBUTIN ORAL CAPSULE 150 MG | Non Preferred | PA |
| PASER ORAL PACKET 4 GM | Non Preferred | PA |
| PRIFTIN ORAL TABLET 150 MG | Preferred | QL (32 EA per 24 days) |
| RIFAMPIN+SYRSPEND SF ORAL SUSPENSION 25 MG/ML | Non Preferred | PA |
| SIRTURO ORAL TABLET 100 MG, 20 MG | Preferred | |
| TRECATOR ORAL TABLET 250 MG | Preferred | |
| cycloserine oral capsule 250 mg | Preferred | |
| ethambutol hcl oral tablet 100 mg, 400 mg | Preferred | QL (5 EA per 1 day) |
| isoniazid oral syrup 50 mg/5ml | Preferred | QL (30 ML per 1 day) |
| isoniazid oral tablet 100 mg | Preferred | QL (6 EA per 1 day) |
| isoniazid oral tablet 300 mg | Preferred | QL (3 EA per 1 day) |
| pretomanid oral tablet 200 mg | Preferred | |
| pyrazinamide oral tablet 500 mg | Preferred | QL (6 EA per 1 day) |
| rifabutin oral capsule 150 mg | Preferred | |
| rifampin oral capsule 150 mg | Preferred | QL (8 EA per 1 day) |
| rifampin oral capsule 300 mg | Preferred | QL (4 EA per 1 day) |
| *Antineoplastics And Adjunctive Therapies* - Drugs For Cancer | | |
| *Alkylating Agents*** - Drugs For Cancer | | |
| MYLERAN ORAL TABLET 2 MG | Preferred | PA |
| *Androgen Biosynthesis Inhibitors*** - Drugs For Cancer | | |
| YONSA ORAL TABLET 125 MG | Non Preferred | PA; SP |
| ZYTIGA ORAL TABLET 250 MG | Non Preferred | PA; QL (4 EA per 1 day); SP |
| ZYTIGA ORAL TABLET 500 MG | Non Preferred | PA; SP |
| abiraterone acetate oral tablet 250 mg | Preferred | PA; QL (4 EA per 1 day); SP |
| abiraterone acetate oral tablet 500 mg | Non Preferred | PA; SP |
| *Antiadrenals*** - Drugs For Cancer | | |
| LYSODREN ORAL TABLET 500 MG | Preferred | PA; SP |
| *Antiandrogens*** - Drugs For Cancer | | |
| CASODEX ORAL TABLET 50 MG | Non Preferred | PA; QL (3 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|--|
| ERLEADA ORAL TABLET 240 MG | Preferred | PA; SP |
| ERLEADA ORAL TABLET 60 MG | Preferred | PA; QL (4 EA per 1 day); SP |
| EULEXIN ORAL CAPSULE 125 MG | Preferred | QL (6 EA per 1 day) |
| NILANDRON ORAL TABLET 150 MG | Non Preferred | PA |
| NUBEQA ORAL TABLET 300 MG | Preferred | PA; QL (4 EA per 1 day); SP |
| XTANDI ORAL CAPSULE 40 MG | Preferred | PA; QL (4 EA per 1 day); SP |
| XTANDI ORAL TABLET 40 MG | Preferred | PA; QL (4 EA per 1 day); SP |
| XTANDI ORAL TABLET 80 MG | Preferred | PA; QL (2 EA per 1 day); SP |
| bicalutamide oral tablet 50 mg | Preferred | QL (3 EA per 1 day) |
| flutamide oral capsule 125 mg | Preferred | QL (6 EA per 1 day) |
| nilutamide oral tablet 150 mg | Preferred | PA |
| *Antiestrogens*** - Drugs For Cancer | | |
| FARESTON ORAL TABLET 60 MG | Non Preferred | PA |
| SOLTAMOX ORAL SOLUTION 10 MG/5ML | Non Preferred | PA |
| tamoxifen citrate oral tablet 10 mg, 20 mg | Preferred | QL (2 EA per 1 day) |
| toremifene citrate oral tablet 60 mg | Non Preferred | PA |
| *Antimetabolites*** - Drugs For Cancer | | |
| ONUREG ORAL TABLET 200 MG, 300 MG | Preferred | PA; SP |
| PURIXAN ORAL SUSPENSION 2000 MG/100ML | Preferred | PA |
| TABLOID ORAL TABLET 40 MG | Preferred | QL (7 EA per 1 day) |
| TREXALL ORAL TABLET 10 MG, 15 MG, 5 MG, 7.5 MG | Preferred | |
| XATMEP ORAL SOLUTION 2.5 MG/ML | Preferred | |
| XELODA ORAL TABLET 150 MG, 500 MG | Non Preferred | PA; SP |
| capecitabine oral tablet 150 mg, 500 mg | Preferred | PA; SP |
| mercaptopurine oral tablet 50 mg | Preferred | QL (4 EA per 1 day) |
| methotrexate oral tablet 2.5 mg | Preferred | QL (24 EA per 1 day) |
| methotrexate sodium (pf) injection solution 1 gm/40ml, 50 mg/2ml | Preferred | QL (10 ML per 24 days) |
| methotrexate sodium (pf) injection solution 250 mg/10ml | Preferred | QL (10 ML per 24 days); NOTES (1 vial per month) |
| methotrexate sodium injection solution 1000 mg/40ml, 50 mg/2ml | Preferred | QL (10 ML per 24 days) |
| methotrexate sodium injection solution 250 mg/10ml | Preferred | QL (10 ML per 24 days); NOTES (1 vial per month) |
| methotrexate sodium injection solution reconstituted 1 gm | Preferred | |

| Drug | Status | Notes |
|--|-----------|-------------------------------|
| methotrexate sodium oral tablet 2.5 mg | Preferred | QL (24 EA per 1 day) |
| *Antineoplastic - Alk Inhibitors*** - Drugs For Cancer | | |
| ALECENSA ORAL CAPSULE 150 MG | Preferred | PA; SP |
| ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG | Preferred | PA; SP |
| ALUNBRIG ORAL TABLET THERAPY PACK 90 & 180 MG | Preferred | PA; SP |
| LORBRENA ORAL TABLET 100 MG, 25 MG | Preferred | PA; SP |
| XALKORI ORAL CAPSULE 200 MG, 250 MG | Preferred | PA; SP |
| ZYKADIA ORAL TABLET 150 MG | Preferred | PA; SP |
| *Antineoplastic - Anti-Her2 Agents*** - Drugs For Cancer | | |
| TUKYSA ORAL TABLET 150 MG, 50 MG | Preferred | PA; SP |
| *Antineoplastic - Autologous Cellular Immunotherapy*** - Drugs For Cancer | | |
| ABECMA INTRAVENOUS SUSPENSION 460000000 CELLS | Carve Out | |
| BREYANZI INTRAVENOUS SUSPENSION 70000000 CELLS/ML | Carve Out | |
| CARVYKTI INTRAVENOUS SUSPENSION 100000000 CELLS | Carve Out | |
| KYMRIAH INTRAVENOUS SUSPENSION 250000000 CELLS, 600000000 CELLS | Carve Out | |
| PROVENGE INTRAVENOUS SUSPENSION 50000000 CELLS | Carve Out | |
| TECARTUS INTRAVENOUS SUSPENSION 100000000 CELLS, 200000000 CELLS | Carve Out | |
| YESCARTA INTRAVENOUS SUSPENSION 200000000 CELLS | Carve Out | |
| *Antineoplastic - Bcl-2 Inhibitors*** - Drugs For Cancer | | |
| VENCLEXTA ORAL TABLET 10 MG, 50 MG | Preferred | PA; QL (4 EA per 1 day); SP |
| VENCLEXTA ORAL TABLET 100 MG | Preferred | PA; QL (6 EA per 1 day); SP |
| VENCLEXTA STARTING PACK ORAL TABLET THERAPY PACK 10 & 50 & 100 MG | Preferred | PA; QL (1.5 EA per 1 day); SP |

| Drug | Status | Notes |
|--|---------------|-----------------------------|
| *Antineoplastic - Bcr-Abl Kinase Inhibitors*** - Drugs For Cancer | | |
| BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG | | |
| BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG | Preferred | PA; SP |
| GLEEVEC ORAL TABLET 100 MG, 400 MG | Non Preferred | PA; SP |
| ICLUSIG ORAL TABLET 10 MG, 30 MG | Preferred | PA |
| ICLUSIG ORAL TABLET 15 MG, 45 MG | Preferred | PA; SP |
| SCEMBLIX ORAL TABLET 20 MG, 40 MG | Preferred | PA; SP |
| SPRYCEL ORAL TABLET 100 MG, 140 MG, 20 MG, 50 MG, 70 MG, 80 MG | Preferred | PA; QL (1 EA per 1 day); SP |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG | Preferred | PA; SP |
| imatinib mesylate oral tablet 100 mg, 400 mg | Preferred | PA; SP |
| *Antineoplastic - Braf Kinase Inhibitors*** - Drugs For Cancer | | |
| BRAFTOVI ORAL CAPSULE 75 MG | Preferred | PA; QL (6 EA per 1 day) |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG | Preferred | PA; QL (4 EA per 1 day); SP |
| TAFINLAR ORAL TABLET SOLUBLE 10 MG | Preferred | PA |
| ZELBORAF ORAL TABLET 240 MG | Preferred | PA; QL (8 EA per 1 day); SP |
| *Antineoplastic - Btk Inhibitors*** - Drugs For Cancer | | |
| BRUKINSA ORAL CAPSULE 80 MG | Preferred | PA; SP |
| CALQUENCE ORAL CAPSULE 100 MG | Preferred | PA |
| CALQUENCE ORAL TABLET 100 MG | Preferred | PA |
| IMBRUVCICA ORAL CAPSULE 140 MG, 70 MG | Preferred | PA; SP |
| IMBRUVCICA ORAL SUSPENSION 70 MG/ML | Non Preferred | PA |
| IMBRUVCICA ORAL TABLET 140 MG, 280 MG, 420 MG | Preferred | PA; SP |
| IMBRUVCICA ORAL TABLET 560 MG | Preferred | PA |
| JAYPIRCA ORAL TABLET 100 MG, 50 MG | Preferred | PA; SP |
| *Antineoplastic - Egfr Inhibitors*** - Drugs For Cancer | | |
| EXKIVITY ORAL CAPSULE 40 MG | Preferred | PA; SP |
| GILOTTRIF ORAL TABLET 20 MG, 30 MG, 40 MG | Preferred | PA; SP |

| Drug | Status | Notes |
|--|---------------|-----------------------------|
| IRESSA ORAL TABLET 250 MG | Non Preferred | PA; SP |
| TAGRISSO ORAL TABLET 40 MG | Preferred | PA; QL (2 EA per 1 day); SP |
| TAGRISSO ORAL TABLET 80 MG | Preferred | PA; QL (1 EA per 1 day); SP |
| TARCEVA ORAL TABLET 100 MG, 150 MG, 25 MG | Non Preferred | PA; SP |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG | Preferred | PA; SP |
| erlotinib hcl oral tablet 100 mg, 150 mg, 25 mg | Preferred | PA; SP |
| gefitinib oral tablet 250 mg | Preferred | PA; SP |
| *Antineoplastic - Fgfr Kinase Inhibitors*** - Drugs For Cancer | | |
| BALVERSA ORAL TABLET 3 MG | Preferred | PA; QL (3 EA per 1 day); SP |
| BALVERSA ORAL TABLET 4 MG | Preferred | PA; QL (2 EA per 1 day); SP |
| BALVERSA ORAL TABLET 5 MG | Preferred | PA; QL (1 EA per 1 day); SP |
| LYTGOBI (12 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG | Preferred | PA; SP |
| LYTGOBI (16 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG | Preferred | PA; SP |
| LYTGOBI (20 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG | Preferred | PA; SP |
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG | Preferred | PA; SP |
| TRUSELTIQ (100MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 100 MG | Preferred | PA |
| TRUSELTIQ (125MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 100 & 25 MG | Preferred | PA |
| TRUSELTIQ (50MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 25 MG | Preferred | PA |
| TRUSELTIQ (75MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 25 MG | Preferred | PA |
| *Antineoplastic - Gene Therapy Agents*** - Drugs For Cancer | | |
| adstiladrin intravesical suspension 300000000000 vp/ml | Carve Out | |
| *Antineoplastic - Hedgehog Pathway Inhibitors*** - Drugs For Cancer | | |
| DAURISMO ORAL TABLET 100 MG | Preferred | PA; QL (1 EA per 1 day); SP |
| DAURISMO ORAL TABLET 25 MG | Preferred | PA; QL (2 EA per 1 day); SP |
| ERIVEDGE ORAL CAPSULE 150 MG | Preferred | PA; QL (1 EA per 1 day); SP |
| ODOMZO ORAL CAPSULE 200 MG | Preferred | PA; QL (1 EA per 1 day); SP |

| Drug | Status | Notes |
|--|-----------|-----------------------------|
| *Antineoplastic - Hif-2-Alpha Inhibitors*** - Drugs For Cancer | | |
| WELIREG ORAL TABLET 40 MG | | |
| WELIREG ORAL TABLET 40 MG | Preferred | PA; SP |
| *Antineoplastic - Histone Deacetylase Inhibitors*** - Drugs For Cancer | | |
| ZOLINZA ORAL CAPSULE 100 MG | Preferred | PA; QL (4 EA per 1 day); SP |
| *Antineoplastic - Hormonal And Related Agent Combinations*** - Drugs For Cancer | | |
| AKEEGA ORAL TABLET 100-500 MG, 50-500 MG | Preferred | PA |
| leuprolide acetate-bupivacaine intramuscular solution 25-5 mg/ml | Preferred | PA |
| *Antineoplastic - Immunomodulators*** - Drugs For Cancer | | |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG | Preferred | PA; SP |
| *Antineoplastic - Kras Inhibitors*** - Drugs For Cancer | | |
| KRAZATI ORAL TABLET 200 MG | Preferred | PA; SP |
| LUMAKRAS ORAL TABLET 120 MG, 320 MG | Preferred | PA; SP |
| *Antineoplastic - Mek Inhibitors*** - Drugs For Cancer | | |
| COTELLIC ORAL TABLET 20 MG | Preferred | PA; SP |
| KOSELUGO ORAL CAPSULE 10 MG | Preferred | PA; QL (8 EA per 1 day); SP |
| KOSELUGO ORAL CAPSULE 25 MG | Preferred | PA; QL (4 EA per 1 day); SP |
| MEKINIST ORAL SOLUTION RECONSTITUTED 0.05 MG/ML | Preferred | PA |
| MEKINIST ORAL TABLET 0.5 MG | Preferred | PA; QL (3 EA per 1 day); SP |
| MEKINIST ORAL TABLET 2 MG | Preferred | PA; QL (1 EA per 1 day); SP |
| MEKTOVI ORAL TABLET 15 MG | Preferred | PA; QL (6 EA per 1 day) |
| *Antineoplastic - Met Inhibitors*** - Drugs For Cancer | | |
| TABRECTA ORAL TABLET 150 MG, 200 MG | Preferred | PA; SP |
| TEPMETKO ORAL TABLET 225 MG | Preferred | PA; QL (2 EA per 1 day) |
| *Antineoplastic - Methyltransferase Inhibitors*** - Drugs For Cancer | | |
| TAZVERIK ORAL TABLET 200 MG | Preferred | PA; SP |

| Drug | Status | Notes |
|---|---------------|-----------------------------|
| *Antineoplastic - Mtor Kinase Inhibitors*** - | | |
| Drugs For Cancer | | |
| AFINITOR DISPERZ ORAL TABLET SOLUBLE 2 MG, 3 MG, 5 MG | Non Preferred | PA; SP |
| AFINITOR ORAL TABLET 10 MG, 2.5 MG, 5 MG, 7.5 MG | Non Preferred | PA; SP |
| everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg | Preferred | PA; SP |
| everolimus oral tablet soluble 2 mg, 3 mg, 5 mg | Preferred | PA; SP |
| *Antineoplastic - Multikinase Inhibitors*** - | | |
| Drugs For Cancer | | |
| CABOMETYX ORAL TABLET 20 MG | Preferred | PA; QL (3 EA per 1 day); SP |
| CABOMETYX ORAL TABLET 40 MG, 60 MG | Preferred | PA; QL (1 EA per 1 day); SP |
| CAPRELSA ORAL TABLET 100 MG, 300 MG | Preferred | PA; SP |
| COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG | Preferred | PA; SP |
| COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG | Preferred | PA; SP |
| COMETRIQ (60 MG DAILY DOSE) ORAL KIT 20 MG | Preferred | PA; SP |
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG | Preferred | PA; SP |
| NERLYNX ORAL TABLET 40 MG | Preferred | PA; SP |
| NEXAVAR ORAL TABLET 200 MG | Preferred | PA; QL (4 EA per 1 day); SP |
| QINLOCK ORAL TABLET 50 MG | Preferred | PA; SP |
| RYDAPT ORAL CAPSULE 25 MG | Preferred | PA; SP |
| STIVARGA ORAL TABLET 40 MG | Preferred | PA; SP |
| SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG | Preferred | PA; QL (1 EA per 1 day); SP |
| TURALIO ORAL CAPSULE 125 MG, 200 MG | Preferred | PA |
| TYKERB ORAL TABLET 250 MG | Preferred | PA; QL (6 EA per 1 day); SP |
| VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG | Preferred | PA |
| VOTRIENT ORAL TABLET 200 MG | Preferred | PA; SP |
| XOSPATA ORAL TABLET 40 MG | Preferred | PA; SP |
| lapatinib ditosylate oral tablet 250 mg | Preferred | PA; QL (6 EA per 1 day); SP |
| sorafenib tosylate oral tablet 200 mg | Preferred | PA; QL (4 EA per 1 day); SP |

| Drug | Status | Notes |
|---|---------------|-----------------------------|
| sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg | Preferred | PA; QL (1 EA per 1 day); SP |
| *Antineoplastic - Pdgfr-Alpha Inhibitors*** - Drugs For Cancer | | |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG | Preferred | PA; SP |
| *Antineoplastic - Proteasome Inhibitors*** - Drugs For Cancer | | |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG | Preferred | PA; SP |
| *Antineoplastic - Ret Inhibitors*** - Drugs For Cancer | | |
| GAVRETO ORAL CAPSULE 100 MG | Preferred | PA |
| RETEVMO ORAL CAPSULE 40 MG, 80 MG | Preferred | PA; SP |
| *Antineoplastic - Tropomyosin Receptor Kinase Inhibitors*** - Drugs For Cancer | | |
| ROZLYTREK ORAL CAPSULE 100 MG | Preferred | PA; QL (1 EA per 1 day); SP |
| ROZLYTREK ORAL CAPSULE 200 MG | Preferred | PA; QL (3 EA per 1 day); SP |
| VITRAKVI ORAL CAPSULE 100 MG | Preferred | PA; QL (2 EA per 1 day); SP |
| VITRAKVI ORAL CAPSULE 25 MG | Preferred | PA; QL (6 EA per 1 day); SP |
| VITRAKVI ORAL SOLUTION 20 MG/ML | Preferred | PA; SP |
| *Antineoplastic - Xpo1 Inhibitors*** - Drugs For Cancer | | |
| XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG | Preferred | PA |
| XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG | Preferred | PA |
| XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG | Preferred | PA |
| XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG | Preferred | PA |
| XPOVIO (60 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG | Preferred | PA; SP |
| XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG | Preferred | PA |
| XPOVIO (80 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG | Preferred | PA; SP |
| *Antineoplastic Combinations*** - Drugs For Cancer | | |
| INQOVI ORAL TABLET 35-100 MG | Preferred | PA; SP |

| Drug | Status | Notes |
|---|---------------|-----------------------------|
| KISQALI FEMARA (200 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG | Preferred | PA; SP |
| KISQALI FEMARA (400 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG | Preferred | PA; SP |
| KISQALI FEMARA (600 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG | Preferred | PA; SP |
| LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG | Preferred | PA; SP |
| *Antineoplastic Radiopharmaceuticals*** - Drugs For Cancer | | |
| LUTATHERA INTRAVENOUS SOLUTION 370 MBQ/ML | Carve Out | |
| PLUVICTO INTRAVENOUS SOLUTION 1000 MBQ/ML | Carve Out | |
| *Antineoplastics Misc.*** - Drugs For Cancer | | |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 2000000 UNIT/0.5ML | Carve Out | |
| BESREMI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 500 MCG/ML | Preferred | PA; SP |
| HYDREA ORAL CAPSULE 500 MG | Non Preferred | PA; QL (24 EA per 1 day) |
| MATULANE ORAL CAPSULE 50 MG | Non Preferred | PA; SP |
| hydroxyurea oral capsule 500 mg | Preferred | QL (24 EA per 1 day) |
| *Aromatase Inhibitors*** - Drugs For Cancer | | |
| ARIMIDEX ORAL TABLET 1 MG | Non Preferred | PA |
| AROMASIN ORAL TABLET 25 MG | Non Preferred | PA |
| FEMARA ORAL TABLET 2.5 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| anastrozole oral tablet 1 mg | Preferred | |
| exemestane oral tablet 25 mg | Preferred | |
| letrozole oral tablet 2.5 mg | Preferred | QL (1 EA per 1 day) |
| *Cyclin-Dependent Kinases (Cdk) Inhibitors*** - Drugs For Cancer | | |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG | Preferred | PA; QL (1 EA per 1 day); SP |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG | Preferred | PA; QL (1 EA per 1 day); SP |
| KISQALI (200 MG DOSE) ORAL TABLET THERAPY PACK 200 MG | Preferred | PA; SP |
| KISQALI (400 MG DOSE) ORAL TABLET THERAPY PACK 200 MG | Preferred | PA; SP |
| KISQALI (600 MG DOSE) ORAL TABLET THERAPY PACK 200 MG | Preferred | PA; SP |

| Drug | Status | Notes |
|---|---------------|-----------------------------|
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG | Preferred | PA; QL (2 EA per 1 day); SP |
| *Estrogens-Antineoplastic*** - Drugs For Cancer | | |
| EMCYT ORAL CAPSULE 140 MG | Preferred | PA |
| *Folic Acid Antagonists Rescue Agents*** - Drugs For Cancer | | |
| leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg | Preferred | |
| leucovorin calcium oral tablet 5 mg | Preferred | QL (8 EA per 1 day) |
| *Gonadotropin Releasing Hormone (Gnrh) Antagonists*** - Drugs For Cancer | | |
| ORGOVYX ORAL TABLET 120 MG | Preferred | PA; SP |
| *Imidazotetrazines*** - Drugs For Cancer | | |
| TEMODAR ORAL CAPSULE 250 MG | Non Preferred | PA |
| temozolomide oral capsule 100 mg, 140 mg, 180 mg, 20 mg, 250 mg, 5 mg | Preferred | PA; SP |
| *Isocitrate Dehydrogenase-1 (Idh1) Inhibitors*** - Drugs For Cancer | | |
| REZLIDHIA ORAL CAPSULE 150 MG | Preferred | PA; SP |
| TIBSOVO ORAL TABLET 250 MG | Preferred | PA; QL (2 EA per 1 day); SP |
| *Isocitrate Dehydrogenase-2 (Idh2) Inhibitors*** - Drugs For Cancer | | |
| IDHIFA ORAL TABLET 100 MG, 50 MG | Preferred | PA; QL (1 EA per 1 day); SP |
| *Janus Associated Kinase (Jak) Inhibitors*** - Drugs For Cancer | | |
| INREBIC ORAL CAPSULE 100 MG | Preferred | PA; QL (4 EA per 1 day); SP |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG | Preferred | PA; QL (2 EA per 1 day); SP |
| OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG | Preferred | PA |
| VONJO ORAL CAPSULE 100 MG | Preferred | PA; SP |
| *Lhrh Analogs*** - Drugs For Cancer | | |
| CAMCEVI SUBCUTANEOUS PREFILLED SYRINGE 42 MG | Preferred | PA; SP |
| ELIGARD SUBCUTANEOUS KIT 22.5 MG, 30 MG, 45 MG, 7.5 MG | Preferred | PA; NOTES (EA) |
| LUPRON DEPOT (1-MONTH) INTRAMUSCULAR KIT 3.75 MG, 7.5 MG | Preferred | PA; NOTES (EA) |

| Drug | Status | Notes |
|--|---------------|-----------------------------|
| LUPRON DEPOT (3-MONTH) INTRAMUSCULAR KIT 11.25 MG, 22.5 MG | Preferred | PA; NOTES (EA) |
| LUPRON DEPOT (4-MONTH) INTRAMUSCULAR KIT 30 MG | Preferred | PA; NOTES (EA) |
| LUPRON DEPOT (6-MONTH) INTRAMUSCULAR KIT 45 MG | Preferred | PA; NOTES (EA) |
| TRELSTAR MIXJECT INTRAMUSCULAR SUSPENSION RECONSTITUTED 11.25 MG, 22.5 MG, 3.75 MG | Preferred | PA |
| ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG | Preferred | PA; NOTES (EA); SP |
| leuprolide acetate (3 month) intramuscular injectable 22.5 mg | Preferred | PA |
| leuprolide acetate injection kit 1 mg/0.2ml | Preferred | PA; NOTES (EA) |
| *Mitotic Inhibitors*** - Drugs For Cancer | | |
| etoposide oral capsule 50 mg | Preferred | PA |
| *Nitrogen Mustards And Related Analogues*** - Drugs For Cancer | | |
| ALKERAN ORAL TABLET 2 MG | Non Preferred | PA |
| LEUKERAN ORAL TABLET 2 MG | Preferred | PA; QL (8 EA per 1 day) |
| cyclophosphamide oral capsule 25 mg, 50 mg | Preferred | QL (16 EA per 1 day); SP |
| cyclophosphamide oral tablet 25 mg, 50 mg | Preferred | |
| melphalan oral tablet 2 mg | Preferred | |
| *Nitrosoureas*** - Drugs For Cancer | | |
| GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG | Preferred | PA |
| *Phosphatidylinositol 3-Kinase (Pi3k) Inhibitors*** - Drugs For Cancer | | |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG | Preferred | PA; QL (2 EA per 1 day); SP |
| PIQRAY (200 MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 MG | Preferred | PA; QL (1 EA per 1 day); SP |
| PIQRAY (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 & 50 MG | Preferred | PA; QL (2 EA per 1 day); SP |
| PIQRAY (300 MG DAILY DOSE) ORAL TABLET THERAPY PACK 2 X 150 MG | Preferred | PA; QL (2 EA per 1 day); SP |
| ZYDELIG ORAL TABLET 100 MG, 150 MG | Preferred | PA; QL (2 EA per 1 day); SP |

| Drug | Status | Notes |
|--|---------------|-----------------------------|
| *Poly (Adp-Ribose) Polymerase (Parp) Inhibitors*** - Drugs For Cancer | | |
| LYNPARZA ORAL TABLET 100 MG, 150 MG | Preferred | PA; QL (4 EA per 1 day); SP |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG | Preferred | PA; QL (4 EA per 1 day); SP |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.35 MG | Preferred | PA |
| TALZENNA ORAL CAPSULE 0.25 MG | Preferred | PA; QL (3 EA per 1 day); SP |
| TALZENNA ORAL CAPSULE 0.5 MG, 0.75 MG | Preferred | PA; SP |
| TALZENNA ORAL CAPSULE 1 MG | Preferred | PA; QL (1 EA per 1 day); SP |
| ZEJULA ORAL CAPSULE 100 MG | Preferred | PA; QL (3 EA per 1 day); SP |
| ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG | Preferred | PA |
| *Progestins-Antineoplastic*** - Drugs For Cancer | | |
| hydroxyprogesterone caproate intramuscular solution 1.25 gm/5ml | Preferred | PA |
| megestrol acetate oral suspension 40 mg/ml, 400 mg/10ml, 800 mg/20ml | Preferred | QL (40 ML per 1 day) |
| megestrol acetate oral tablet 20 mg | Preferred | QL (40 EA per 1 day) |
| megestrol acetate oral tablet 40 mg | Preferred | QL (20 EA per 1 day) |
| *Retinoids*** - Drugs For Cancer | | |
| tretinoin oral capsule 10 mg | Preferred | PA |
| *Selective Estrogen Receptor Degraders*** - Drugs For Cancer | | |
| ORSERDU ORAL TABLET 345 MG, 86 MG | Preferred | PA; SP |
| *Selective Retinoid X Receptor Agonists*** - Drugs For Cancer | | |
| TARGETIN ORAL CAPSULE 75 MG | Non Preferred | PA; SP |
| bexarotene oral capsule 75 mg | Preferred | PA; SP |
| *Topoisomerase I Inhibitors*** - Drugs For Cancer | | |
| HYCAMTIN ORAL CAPSULE 0.25 MG, 1 MG | Preferred | PA; SP |
| *Urinary Tract Protective Agents*** - Drugs For Cancer | | |
| MESNEX ORAL TABLET 400 MG | Preferred | |

| Drug | Status | Notes |
|--|---------------|--------|
| *Vascular Endothelial Growth Factor (Vegf) Inhibitors*** - Drugs For Cancer | | |
| INLYTA ORAL TABLET 1 MG, 5 MG | Preferred | PA; SP |
| LENVIMA (10 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG | Preferred | PA; SP |
| LENVIMA (12 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 3 X 4 MG | Preferred | PA; SP |
| LENVIMA (14 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 & 4 MG | Preferred | PA; SP |
| LENVIMA (18 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG & 2 X 4 MG | Preferred | PA; SP |
| LENVIMA (20 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG | Preferred | PA; SP |
| LENVIMA (24 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG & 4 MG | Preferred | PA; SP |
| LENVIMA (4 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 4 MG | Preferred | PA; SP |
| LENVIMA (8 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 4 MG | Preferred | PA; SP |
| *Antiparkinson And Related Therapy Agents* - Drugs For The Nervous System | | |
| *Adenosine Receptor Antagonist*** - Drugs For Parkinson | | |
| NOURIANZ ORAL TABLET 20 MG, 40 MG | Preferred | PA |
| *Antiparkinson Anticholinergics*** - Drugs For Parkinson | | |
| benztropine mesylate injection solution 1 mg/ml | Preferred | |
| benztropine mesylate oral tablet 0.5 mg, 1 mg, 2 mg | Preferred | |
| trihexyphenidyl hcl oral solution 0.4 mg/ml | Preferred | |
| trihexyphenidyl hcl oral tablet 2 mg, 5 mg | Preferred | |
| *Antiparkinson Dopaminergics*** - Drugs For Parkinson | | |
| GOCOVRI ORAL CAPSULE EXTENDED RELEASE 24 HOUR 137 MG, 68.5 MG | Non Preferred | PA; SP |
| INBRIJA INHALATION CAPSULE 42 MG | Non Preferred | PA; SP |
| OSMOLEX ER ORAL TABLET ER 24 HOUR THERAPY PACK 129 & 193 MG | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|--------|
| OSMOLEX ER ORAL TABLET EXTENDED RELEASE 24 HOUR 129 MG, 193 MG | Non Preferred | PA |
| PARLODEL ORAL CAPSULE 5 MG | Non Preferred | PA |
| PARLODEL ORAL TABLET 2.5 MG | Non Preferred | PA |
| amantadine hcl oral capsule 100 mg | Preferred | |
| amantadine hcl oral solution 50 mg/5ml | Preferred | |
| amantadine hcl oral tablet 100 mg | Non Preferred | PA |
| bromocriptine mesylate oral capsule 5 mg | Non Preferred | PA |
| bromocriptine mesylate oral tablet 2.5 mg | Non Preferred | PA |
| *Antiparkinson Monoamine Oxidase Inhibitors*** - Drugs For Parkinson | | |
| AZILECT ORAL TABLET 0.5 MG, 1 MG | Non Preferred | PA |
| XADAGO ORAL TABLET 100 MG, 50 MG | Non Preferred | PA |
| ZELAPAR ORAL TABLET DISPERSIBLE 1.25 MG | Non Preferred | PA |
| rasagiline mesylate oral tablet 0.5 mg, 1 mg | Non Preferred | PA |
| selegiline hcl oral capsule 5 mg | Preferred | |
| selegiline hcl oral tablet 5 mg | Preferred | |
| *Central/Peripheral Comt Inhibitors*** - Drugs For Parkinson | | |
| TASMAR ORAL TABLET 100 MG | Non Preferred | PA |
| tolcapone oral tablet 100 mg | Non Preferred | PA |
| *Decarboxylase Inhibitors*** - Drugs For Parkinson | | |
| LODOSYN ORAL TABLET 25 MG | Non Preferred | PA |
| carbidopa oral tablet 25 mg | Preferred | |
| *Levodopa Combinations*** - Drugs For Parkinson | | |
| DUOPA ENTERAL SUSPENSION 4.63-20 MG/ML | Non Preferred | PA; SP |
| RYTARY ORAL CAPSULE EXTENDED RELEASE 23.75-95 MG, 36.25-145 MG, 48.75-195 MG, 61.25-245 MG | Non Preferred | PA |
| SINEMET ORAL TABLET 10-100 MG, 25-100 MG | Non Preferred | PA |
| STALEVO 100 ORAL TABLET 25-100-200 MG | Non Preferred | PA |
| STALEVO 125 ORAL TABLET 31.25-125-200 MG | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|--------|
| STALEVO 150 ORAL TABLET 37.5-150-200 MG | Non Preferred | PA |
| STALEVO 200 ORAL TABLET 50-200-200 MG | Non Preferred | PA |
| STALEVO 50 ORAL TABLET 12.5-50-200 MG | Non Preferred | PA |
| STALEVO 75 ORAL TABLET 18.75-75-200 MG | Non Preferred | PA |
| carbidopa-levodopa er oral tablet extended release 25-100 mg, 50-200 mg | Preferred | |
| carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg | Preferred | |
| carbidopa-levodopa oral tablet dispersible 10-100 mg, 25-100 mg, 25-250 mg | Non Preferred | PA |
| carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg | Non Preferred | PA |
| *Nonergoline Dopamine Receptor Agonists*** - Drugs For Parkinson | | |
| APOKYN SUBCUTANEOUS SOLUTION CARTRIDGE 30 MG/3ML | Non Preferred | PA; SP |
| KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | Non Preferred | PA; SP |
| KYNMOBI TITRATION KIT SUBLINGUAL KIT 10&15&20&25 | Non Preferred | PA; SP |
| MIRAPEX ER ORAL TABLET EXTENDED RELEASE 24 HOUR 0.375 MG, 0.75 MG, 1.5 MG, 2.25 MG, 3 MG, 3.75 MG, 4.5 MG | Non Preferred | PA |
| NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24HR, 2 MG/24HR, 3 MG/24HR, 4 MG/24HR, 6 MG/24HR, 8 MG/24HR | Non Preferred | PA |
| apomorphine hcl subcutaneous solution cartridge 30 mg/3ml | Non Preferred | PA; SP |
| pramipexole dihydrochloride er oral tablet extended release 24 hour 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg | Non Preferred | PA |
| pramipexole dihydrochloride oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg | Preferred | |
| ropinirole hcl er oral tablet extended release 24 hour 12 mg, 2 mg, 4 mg, 6 mg, 8 mg | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|--------------------------------------|
| ropinirole hcl oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg | Preferred | |
| *Peripheral Comt Inhibitors*** - Drugs For Parkinson | | |
| COMTAN ORAL TABLET 200 MG | Non Preferred | PA; QL (8 EA per 1 day) |
| ONGENTYS ORAL CAPSULE 25 MG, 50 MG | Non Preferred | PA |
| entacapone oral tablet 200 mg | Preferred | QL (8 EA per 1 day) |
| *Antipsychotics/Antimanic Agents* - Drugs For The Nervous System | | |
| *Antimanic Agents*** - Drugs For Severe Mental Disorders | | |
| LITHOBID ORAL TABLET EXTENDED RELEASE 300 MG | Non Preferred | PA |
| lithium carbonate er oral tablet extended release 300 mg, 450 mg | Preferred | |
| lithium carbonate oral capsule 150 mg, 300 mg, 600 mg | Preferred | |
| lithium carbonate oral tablet 300 mg | Preferred | |
| lithium oral solution 8 meq/5ml | Preferred | |
| *Antipsychotics - Misc.*** - Drugs For Severe Mental Disorders | | |
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG | Non Preferred | PA |
| CAPLYTA ORAL CAPSULE 42 MG | Non Preferred | PA; NOTES (AGE*) |
| EQUETRO ORAL CAPSULE EXTENDED RELEASE 12 HOUR 100 MG, 200 MG, 300 MG | Preferred | PA |
| GEODON INTRAMUSCULAR SOLUTION RECONSTITUTED 20 MG | Preferred | NOTES (AGE*) |
| GEODON ORAL CAPSULE 20 MG, 40 MG, 60 MG, 80 MG | Non Preferred | PA; NOTES (AGE*) |
| LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG, 80 MG | Non Preferred | PA; NOTES (AGE*) |
| NUPLAZID ORAL CAPSULE 34 MG | Preferred | PA; SP |
| NUPLAZID ORAL TABLET 10 MG | Preferred | PA; SP |
| VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG | Preferred | PA; NOTES (AGE*); AGE (Min 18 Years) |
| VRAYLAR ORAL CAPSULE THERAPY PACK 1.5 & 3 MG | Preferred | PA; NOTES (AGE*) |

| Drug | Status | Notes |
|--|---------------|--|
| lurasidone hcl oral tablet 120 mg, 20 mg, 40 mg, 60 mg, 80 mg | Preferred | NOTES (AGE*) |
| ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg | Preferred | NOTES (AGE*); DS (90 DS) |
| ziprasidone mesylate intramuscular solution reconstituted 20 mg | Preferred | NOTES (AGE*) |
| *Benzisoxazoles*** - Drugs For Severe Mental Disorders | | |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG | Non Preferred | PA; NOTES (AGE*) |
| FANAPT TITRATION PACK ORAL TABLET 1 & 2 & 4 & 6 MG | Non Preferred | PA; NOTES (AGE*) |
| INVEGA HAFYERA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1092 MG/3.5ML, 1560 MG/5ML | Preferred | PA; NOTES (AGE*) |
| INVEGA ORAL TABLET EXTENDED RELEASE 24 HOUR 1.5 MG, 3 MG, 6 MG, 9 MG | Non Preferred | PA; NOTES (AGE*) |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 117 MG/0.75ML, 156 MG/ML, 234 MG/1.5ML, 39 MG/0.25ML, 78 MG/0.5ML | Preferred | NOTES (AGE*) |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 273 MG/0.88ML | Preferred | QL (0.88 ML per 67 days); NOTES (AGE*) |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 410 MG/1.32ML | Preferred | QL (1.4 ML per 67 days); NOTES (AGE*) |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 546 MG/1.75ML | Preferred | QL (1.8 ML per 67 days); NOTES (AGE*) |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 819 MG/2.63ML | Preferred | QL (2.7 ML per 67 days); NOTES (AGE*) |
| PERSERIS SUBCUTANEOUS PREFILLED SYRINGE 120 MG, 90 MG | Non Preferred | PA; NOTES (AGE*) |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 12.5 MG, 25 MG, 37.5 MG, 50 MG | Preferred | NOTES (AGE*) |
| RISPERDAL ORAL SOLUTION 1 MG/ML | Non Preferred | PA; NOTES (AGE*) |
| RISPERDAL ORAL TABLET 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG | Non Preferred | PA; NOTES (AGE*) |

| Drug | Status | Notes |
|--|---------------|--------------------------|
| RYKINDO INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 25 MG, 37.5 MG, 50 MG | Preferred | NOTES (AGE*) |
| UZEDY SUBCUTANEOUS SUSPENSION PREFILLED SYRINGE 100 MG/0.28ML, 125 MG/0.35ML, 150 MG/0.42ML, 200 MG/0.56ML, 250 MG/0.7ML, 50 MG/0.14ML, 75 MG/0.21ML | Non Preferred | PA; NOTES (AGE*) |
| paliperidone er oral tablet extended release 24 hour 1.5 mg, 3 mg, 6 mg, 9 mg | Non Preferred | PA; NOTES (AGE*) |
| risperidone oral solution 1 mg/ml | Preferred | NOTES (AGE*); DS (90 DS) |
| risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg | Preferred | NOTES (AGE*) |
| risperidone oral tablet dispersible 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg | Preferred | NOTES (AGE*); DS (90 DS) |
| *Butyrophenones*** - Drugs For Severe Mental Disorders | | |
| HALDOL DECANOATE INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/ML | Non Preferred | PA; NOTES (AGE*) |
| haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml | Preferred | NOTES (AGE*) |
| haloperidol lactate injection solution 5 mg/ml | Preferred | NOTES (AGE*) |
| haloperidol lactate oral concentrate 2 mg/ml | Preferred | NOTES (AGE*) |
| haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg | Preferred | NOTES (AGE*); DS (90 DS) |
| *Dibenzodiazepines*** - Drugs For Severe Mental Disorders | | |
| CLOZARIL ORAL TABLET 100 MG, 200 MG, 25 MG, 50 MG | Non Preferred | PA; NOTES (AGE*) |
| VERSACLOZ ORAL SUSPENSION 50 MG/ML | Non Preferred | PA; NOTES (AGE*) |
| clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg | Preferred | NOTES (AGE*); DS (90 DS) |
| clozapine oral tablet dispersible 100 mg, 12.5 mg, 150 mg, 200 mg, 25 mg | Non Preferred | PA; NOTES (AGE*) |
| *Dibenzo-Oxepino Pyrroles*** - Drugs For Severe Mental Disorders | | |
| SAPHRIS SUBLINGUAL TABLET SUBLINGUAL 10 MG, 2.5 MG, 5 MG | Non Preferred | PA; NOTES (AGE*) |
| SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24HR, 5.7 MG/24HR, 7.6 MG/24HR | Non Preferred | PA; NOTES (AGE*) |

| Drug | Status | Notes |
|---|---------------|--------------------------|
| asenapine maleate sublingual tablet sublingual 10 mg, 2.5 mg, 5 mg | Non Preferred | PA; NOTES (AGE*) |
| *Dibenzothiazepines*** - Drugs For Severe Mental Disorders | | |
| SEROQUEL ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 400 MG, 50 MG | Non Preferred | PA; NOTES (AGE*) |
| SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HOUR 150 MG, 200 MG, 300 MG, 400 MG, 50 MG | Non Preferred | PA; NOTES (AGE*) |
| quetiapine fumarate er oral tablet extended release 24 hour 150 mg, 200 mg, 300 mg, 400 mg, 50 mg | Preferred | NOTES (AGE*) |
| quetiapine fumarate oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg | Preferred | NOTES (AGE*) |
| quetiapine fumarate oral tablet 150 mg | Non Preferred | PA; NOTES (AGE*) |
| *Dibenzoxazepines*** - Drugs For Severe Mental Disorders | | |
| ADASUVE INHALATION AEROSOL POWDER BREATH ACTIVATED 10 MG | Non Preferred | PA |
| loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg | Preferred | DS (90 DS) |
| *Dihydroindolones*** - Drugs For Severe Mental Disorders | | |
| molindone hcl oral tablet 10 mg, 25 mg, 5 mg | Preferred | DS (90 DS) |
| *Phenothiazines*** - Drugs For Severe Mental Disorders | | |
| COMPRO RECTAL SUPPOSITORY 25 MG | Non Preferred | PA |
| chlorpromazine hcl injection solution 25 mg/ml, 50 mg/2ml | Preferred | |
| chlorpromazine hcl oral concentrate 100 mg/ml, 30 mg/ml | Non Preferred | PA |
| chlorpromazine hcl oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg | Preferred | DS (90 DS) |
| fluphenazine decanoate injection solution 25 mg/ml | Preferred | |
| fluphenazine hcl injection solution 2.5 mg/ml | Preferred | |
| fluphenazine hcl oral concentrate 5 mg/ml | Preferred | |
| fluphenazine hcl oral elixir 2.5 mg/5ml | Preferred | |
| fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg | Preferred | DS (90 DS) |
| perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg | Preferred | NOTES (AGE*); DS (90 DS) |

| Drug | Status | Notes |
|--|---------------|---------------------------------------|
| prochlorperazine edisylate injection solution 10 mg/2ml | Preferred | PA |
| prochlorperazine maleate oral tablet 10 mg, 5 mg | Preferred | |
| prochlorperazine rectal suppository 25 mg | Non Preferred | PA |
| thioridazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg | Preferred | DS (90 DS) |
| trifluoperazine hcl oral tablet 1 mg, 10 mg, 2 mg, 5 mg | Preferred | DS (90 DS) |
| *Quinolinone Derivatives*** - Drugs For Severe Mental Disorders | | |
| ABILIFY ASIMTUFII INTRAMUSCULAR PREFILLED SYRINGE 720 MG/2.4ML, 960 MG/3.2ML | Non Preferred | PA; NOTES (AGE*) |
| ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE 300 MG, 400 MG | Preferred | NOTES (AGE*) |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 300 MG, 400 MG | Preferred | NOTES (AGE*) |
| ABILIFY MYCITE MAINTENANCE KIT ORAL TABLET THERAPY PACK 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG | Non Preferred | PA; NOTES (AGE*) |
| ABILIFY MYCITE STARTER KIT ORAL TABLET THERAPY PACK 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG | Non Preferred | PA; NOTES (AGE*) |
| ABILIFY ORAL TABLET 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG | Non Preferred | PA; NOTES (AGE*) |
| ARISTADA INITIO INTRAMUSCULAR PREFILLED SYRINGE 675 MG/2.4ML | Non Preferred | PA; NOTES (AGE*) |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 1064 MG/3.9ML | Preferred | QL (4 ML per 44 days); NOTES (AGE*) |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 441 MG/1.6ML, 662 MG/2.4ML | Preferred | NOTES (AGE*) |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 882 MG/3.2ML | Preferred | QL (3.2 ML per 24 days); NOTES (AGE*) |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG | Non Preferred | NOTES (AGE*) |
| ariPIPRAZOLE oral solution 1 mg/ml | Non Preferred | PA; NOTES (AGE*) |
| ariPIPRAZOLE oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg | Preferred | NOTES (AGE*); DS (90 DS) |

| Drug | Status | Notes |
|--|---------------|--------------------------|
| aripiprazole oral tablet dispersible 10 mg, 15 mg | Non Preferred | PA; NOTES (AGE*) |
| *Thienbenzodiazepines*** - Drugs For Severe Mental Disorders | | |
| ZYPREXA INTRAMUSCULAR SOLUTION RECONSTITUTED 10 MG | Non Preferred | PA; NOTES (AGE*) |
| ZYPREXA ORAL TABLET 10 MG, 15 MG, 2.5 MG, 20 MG, 5 MG, 7.5 MG | Non Preferred | PA; NOTES (AGE*) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 210 MG, 300 MG, 405 MG | Non Preferred | PA; NOTES (AGE*) |
| ZYPREXA ZYDIS ORAL TABLET DISPERSIBLE 10 MG, 15 MG, 20 MG, 5 MG | Non Preferred | PA; NOTES (AGE*) |
| olanzapine intramuscular solution reconstituted 10 mg | Preferred | NOTES (AGE*) |
| olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg | Preferred | NOTES (AGE*); DS (90 DS) |
| olanzapine oral tablet dispersible 10 mg, 15 mg, 20 mg, 5 mg | Preferred | NOTES (AGE*) |
| *Thioxanthenes*** - Drugs For Severe Mental Disorders | | |
| thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg | Preferred | DS (90 DS) |
| *Antivirals* - Drugs For Infections | | |
| *Antiretroviral Combinations*** - Drugs For Viral Infections | | |
| ATRIPLA ORAL TABLET 600-200-300 MG | Preferred | QL (1 EA per 1 day) |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG | Preferred | QL (1 EA per 1 day) |
| CIMDUO ORAL TABLET 300-300 MG | Preferred | QL (1 EA per 1 day) |
| COMBIVIR ORAL TABLET 150-300 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| COMPLERA ORAL TABLET 200-25-300 MG | Preferred | QL (1 EA per 1 day) |
| DELSTRIGO ORAL TABLET 100-300-300 MG | Preferred | QL (1 EA per 1 day) |
| DESCOVY ORAL TABLET 120-15 MG, 200-25 MG | Preferred | QL (1 EA per 1 day) |
| DOVATO ORAL TABLET 50-300 MG | Preferred | QL (1 EA per 1 day) |
| EPZICOM ORAL TABLET 600-300 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| EVOTAZ ORAL TABLET 300-150 MG | Preferred | QL (1 EA per 1 day) |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| GENVOYA ORAL TABLET 150-150-200-10 MG | Preferred | QL (1 EA per 1 day) |
| JULUCA ORAL TABLET 50-25 MG | Preferred | QL (1 EA per 1 day) |
| KALETRA ORAL SOLUTION 400-100 MG/5ML | Preferred | QL (16 ML per 1 day) |
| KALETRA ORAL TABLET 100-25 MG | Preferred | QL (12 EA per 1 day) |
| KALETRA ORAL TABLET 200-50 MG | Preferred | QL (6 EA per 1 day) |
| ODEFSEY ORAL TABLET 200-25-25 MG | Preferred | QL (1 EA per 1 day) |
| PREZCOBIX ORAL TABLET 800-150 MG | Preferred | QL (1 EA per 1 day) |
| STRIBILD ORAL TABLET 150-150-200-300 MG | Preferred | QL (1 EA per 1 day) |
| SYMFI LO ORAL TABLET 400-300-300 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| SYMFI ORAL TABLET 600-300-300 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| SYMTUZA ORAL TABLET 800-150-200-10 MG | Preferred | QL (1 EA per 1 day) |
| TRIUMEQ ORAL TABLET 600-50-300 MG | Preferred | QL (1 EA per 1 day) |
| TRIUMEQ PD ORAL TABLET SOLUBLE 60-5-30 MG | Preferred | QL (6 EA per 1 day) |
| TRIZIVIR ORAL TABLET 300-150-300 MG | Preferred | QL (2 EA per 1 day) |
| TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| abacavir sulfate-lamivudine oral tablet 600-300 mg | Preferred | QL (1 EA per 1 day) |
| cabenuva intramuscular suspension extended release 400 & 600 mg/2ml, 600 & 900 mg/3ml | Carve Out | |
| efavirenz-emtricitab-tenofo df oral tablet 600-200-300 mg | Preferred | QL (1 EA per 1 day) |
| efavirenz-lamivudine-tenofovir oral tablet 400-300-300 mg, 600-300-300 mg | Preferred | QL (1 EA per 1 day) |
| emtricitabine-tenofovir df oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg | Preferred | QL (1 EA per 1 day) |
| lamivudine-zidovudine oral tablet 150-300 mg | Preferred | QL (2 EA per 1 day) |
| lopinavir-ritonavir oral solution 400-100 mg/5ml | Preferred | QL (16 ML per 1 day) |
| lopinavir-ritonavir oral tablet 100-25 mg | Preferred | QL (12 EA per 1 day) |
| lopinavir-ritonavir oral tablet 200-50 mg | Preferred | QL (6 EA per 1 day) |
| *Antiretrovirals - Capsid Inhibitors*** - Drugs For Viral Infections | | |
| SUNLENCA ORAL TABLET THERAPY PACK 4 X 300 MG, 5 X 300 MG | Preferred | |

| Drug | Status | Notes |
|--|-----------|----------------------|
| SUNLENCA SUBCUTANEOUS SOLUTION 463.5 MG/1.5ML | Carve Out | |
| *Antiretrovirals - Ccr5 Antagonists (Entry Inhibitor)*** - Drugs For Viral Infections | | |
| SELZENTRY ORAL SOLUTION 20 MG/ML | Preferred | |
| SELZENTRY ORAL TABLET 150 MG, 300 MG | Preferred | QL (2 EA per 1 day) |
| SELZENTRY ORAL TABLET 25 MG, 75 MG | Preferred | |
| maraviroc oral tablet 150 mg, 300 mg | Preferred | QL (2 EA per 1 day) |
| *Antiretrovirals - Cd4-Directed Post-Attachment Inhibitor*** - Drugs For Viral Infections | | |
| TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33ML | Carve Out | |
| *Antiretrovirals - Fusion Inhibitors*** - Drugs For Viral Infections | | |
| FUZEON SUBCUTANEOUS SOLUTION RECONSTITUTED 90 MG | Carve Out | |
| *Antiretrovirals - Gp120-Directed Attachment Inhibitor*** - Drugs For Viral Infections | | |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HOUR 600 MG | Preferred | |
| *Antiretrovirals - Integrase Inhibitors*** - Drugs For Viral Infections | | |
| APRETUDE INTRAMUSCULAR SUSPENSION EXTENDED RELEASE 600 MG/3ML | Carve Out | |
| ISENTRESS HD ORAL TABLET 600 MG | Preferred | |
| ISENTRESS ORAL PACKET 100 MG | Preferred | |
| ISENTRESS ORAL TABLET 400 MG | Preferred | QL (2 EA per 1 day) |
| ISENTRESS ORAL TABLET CHEWABLE 100 MG | Preferred | QL (12 EA per 1 day) |
| ISENTRESS ORAL TABLET CHEWABLE 25 MG | Preferred | |
| TIVICAY ORAL TABLET 10 MG, 25 MG | Preferred | |
| TIVICAY ORAL TABLET 50 MG | Preferred | QL (2 EA per 1 day) |
| TIVICAY PD ORAL TABLET SOLUBLE 5 MG | Preferred | |
| vocabria oral tablet 30 mg | Preferred | |

| Drug | Status | Notes |
|--|---------------|--------------------------|
| *Antiretrovirals - Protease Inhibitors*** - Drugs For Viral Infections | | |
| | | |
| APTIVUS ORAL CAPSULE 250 MG | Preferred | |
| LEXIVA ORAL SUSPENSION 50 MG/ML | Preferred | |
| LEXIVA ORAL TABLET 700 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| NORVIR ORAL PACKET 100 MG | Preferred | |
| NORVIR ORAL SOLUTION 80 MG/ML | Preferred | |
| NORVIR ORAL TABLET 100 MG | Non Preferred | PA; QL (12 EA per 1 day) |
| PREZISTA ORAL SUSPENSION 100 MG/ML | Preferred | QL (8 ML per 1 day) |
| PREZISTA ORAL TABLET 150 MG, 75 MG | Preferred | |
| PREZISTA ORAL TABLET 600 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| PREZISTA ORAL TABLET 800 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| REYATAZ ORAL CAPSULE 200 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| REYATAZ ORAL CAPSULE 300 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| REYATAZ ORAL PACKET 50 MG | Preferred | |
| VIRACEPT ORAL TABLET 250 MG | Preferred | QL (10 EA per 1 day) |
| VIRACEPT ORAL TABLET 625 MG | Preferred | QL (4 EA per 1 day) |
| atazanavir sulfate oral capsule 150 mg, 200 mg | Preferred | QL (2 EA per 1 day) |
| atazanavir sulfate oral capsule 300 mg | Preferred | QL (1 EA per 1 day) |
| darunavir oral tablet 600 mg | Preferred | QL (2 EA per 1 day) |
| darunavir oral tablet 800 mg | Preferred | QL (1 EA per 1 day) |
| fosamprenavir calcium oral tablet 700 mg | Preferred | QL (4 EA per 1 day) |
| ritonavir oral tablet 100 mg | Preferred | QL (12 EA per 1 day) |
| *Antiretrovirals - Rti-Non-Nucleoside Analogues*** - Drugs For Viral Infections | | |
| | | |
| EDURANT ORAL TABLET 25 MG | Preferred | QL (1 EA per 1 day) |
| INTELENCE ORAL TABLET 100 MG | Preferred | QL (4 EA per 1 day) |
| INTELENCE ORAL TABLET 200 MG | Preferred | QL (2 EA per 1 day) |
| INTELENCE ORAL TABLET 25 MG | Preferred | |
| PIFELTRO ORAL TABLET 100 MG | Preferred | |
| SUSTIVA ORAL CAPSULE 200 MG, 50 MG | Non Preferred | PA |
| SUSTIVA ORAL TABLET 600 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| efavirenz oral capsule 200 mg | Preferred | QL (3 EA per 1 day) |
| efavirenz oral capsule 50 mg | Preferred | QL (12 EA per 1 day) |
| efavirenz oral tablet 600 mg | Preferred | QL (1 EA per 1 day) |
| etravirine oral tablet 100 mg | Preferred | QL (4 EA per 1 day) |
| etravirine oral tablet 200 mg | Preferred | QL (2 EA per 1 day) |

| Drug | Status | Notes |
|---|---------------|--------------------------|
| nevirapine er oral tablet extended release 24 hour 100 mg | Preferred | |
| nevirapine er oral tablet extended release 24 hour 400 mg | Preferred | QL (2 EA per 1 day) |
| nevirapine oral suspension 50 mg/5ml | Preferred | QL (40 ML per 1 day) |
| nevirapine oral tablet 200 mg | Preferred | QL (2 EA per 1 day) |
| *Antiretrovirals - Rti-Nucleoside Analogues- | | |
| Purines*** - Drugs For Viral Infections | | |
| ZIAGEN ORAL SOLUTION 20 MG/ML | Non Preferred | PA; QL (30 ML per 1 day) |
| ZIAGEN ORAL TABLET 300 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| abacavir sulfate oral solution 20 mg/ml | Preferred | QL (30 ML per 1 day) |
| abacavir sulfate oral tablet 300 mg | Preferred | QL (2 EA per 1 day) |
| *Antiretrovirals - Rti-Nucleoside Analogues- | | |
| Pyrimidines*** - Drugs For Viral Infections | | |
| EMTRIVA ORAL CAPSULE 200 MG | Preferred | QL (1 EA per 1 day) |
| EMTRIVA ORAL SOLUTION 10 MG/ML | Preferred | QL (24 ML per 1 day) |
| EPIVIR ORAL SOLUTION 10 MG/ML | Non Preferred | PA; QL (30 ML per 1 day) |
| EPIVIR ORAL TABLET 150 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| EPIVIR ORAL TABLET 300 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| emtricitabine oral capsule 200 mg | Preferred | QL (1 EA per 1 day) |
| lamivudine oral solution 10 mg/ml | Preferred | QL (30 ML per 1 day) |
| lamivudine oral tablet 150 mg | Preferred | QL (2 EA per 1 day) |
| lamivudine oral tablet 300 mg | Preferred | QL (1 EA per 1 day) |
| *Antiretrovirals - Rti-Nucleoside Analogues- | | |
| Thymidines*** - Drugs For Viral Infections | | |
| RETROVIR INTRAVENOUS SOLUTION 10 MG/ML | Carve Out | |
| RETROVIR ORAL CAPSULE 100 MG | Non Preferred | PA; QL (6 EA per 1 day) |
| RETROVIR ORAL SYRUP 50 MG/5ML | Non Preferred | PA; QL (60 ML per 1 day) |
| stavudine oral capsule 15 mg | Preferred | |
| stavudine oral capsule 20 mg, 30 mg, 40 mg | Preferred | QL (2 EA per 1 day) |
| zidovudine oral capsule 100 mg | Preferred | QL (6 EA per 1 day) |
| zidovudine oral syrup 50 mg/5ml | Preferred | QL (60 ML per 1 day) |
| zidovudine oral tablet 300 mg | Preferred | QL (2 EA per 1 day) |
| *Antiretrovirals - Rti-Nucleotide Analogues*** | | |
| - Drugs For Viral Infections | | |
| VIREAD ORAL POWDER 40 MG/GM | Preferred | QL (7.5 GM per 1 day) |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | Preferred | QL (1 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|-------------------------|
| VIREAD ORAL TABLET 300 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| tenofovir disoproxil fumarate oral tablet 300 mg | Preferred | QL (1 EA per 1 day) |
| *Antiretrovirals Adjuvants*** - Drugs For Viral Infections | | |
| TYBOST ORAL TABLET 150 MG | Preferred | QL (1 EA per 1 day) |
| *Antiviral Combinations*** - Drugs For Infections | | |
| PAXLOVID (300/100) ORAL TABLET THERAPY PACK 20 X 150 MG & 10 X 100MG | Preferred | |
| acyclovix combination therapy pack 200-10 mg-% | Non Preferred | PA |
| *Cmv Agents*** - Drugs For Viral Infections | | |
| FOSCAVIR INTRAVENOUS SOLUTION 6000 MG/250ML | Preferred | PA |
| LIVTENCITY ORAL TABLET 200 MG | Non Preferred | PA; SP |
| PREVYMIS INTRAVENOUS SOLUTION 240 MG/12ML, 480 MG/24ML | Preferred | PA |
| PREVYMIS ORAL TABLET 240 MG, 480 MG | Preferred | PA |
| VALCYTE ORAL SOLUTION RECONSTITUTED 50 MG/ML | Non Preferred | PA |
| VALCYTE ORAL TABLET 450 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| cidofovir intravenous solution 75 mg/ml | Preferred | PA |
| foscarnet sodium intravenous solution 6000 mg/250ml | Preferred | PA |
| ganciclovir intravenous solution 500 mg/250ml | Preferred | PA |
| ganciclovir sodium intravenous solution 500 mg/10ml | Non Preferred | PA |
| ganciclovir sodium intravenous solution reconstituted 500 mg | Preferred | PA |
| valganciclovir hcl oral solution reconstituted 50 mg/ml | Preferred | |
| valganciclovir hcl oral tablet 450 mg | Preferred | QL (4 EA per 1 day) |
| *Hepatitis B Agents*** - Drugs For Viral Infections | | |
| BARACLUDE ORAL SOLUTION 0.05 MG/ML | Non Preferred | PA |
| BARACLUDE ORAL TABLET 0.5 MG, 1 MG | Non Preferred | PA; QL (1 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|-------------------------|
| EPIVIR HBV ORAL SOLUTION 5 MG/ML | Non Preferred | PA |
| EPIVIR HBV ORAL TABLET 100 MG | Preferred | QL (3 EA per 1 day) |
| VEMLIDY ORAL TABLET 25 MG | Non Preferred | PA |
| adefovir dipivoxil oral tablet 10 mg | Non Preferred | PA; QL (1 EA per 1 day) |
| entecavir oral tablet 0.5 mg, 1 mg | Preferred | QL (1 EA per 1 day) |
| lamivudine oral tablet 100 mg | Preferred | QL (3 EA per 1 day) |
| *Hepatitis C Agent - Combinations*** - Drugs For Viral Infections | | |
| EPCLUSA ORAL PACKET 150-37.5 MG, 200-50 MG | Carve Out | |
| EPCLUSA ORAL TABLET 200-50 MG, 400-100 MG | Carve Out | |
| HARVONI ORAL PACKET 33.75-150 MG, 45-200 MG | Carve Out | |
| HARVONI ORAL TABLET 45-200 MG, 90-400 MG | Carve Out | |
| MAVYRET ORAL PACKET 50-20 MG | Carve Out | |
| MAVYRET ORAL TABLET 100-40 MG | Carve Out | |
| VIEKIRA PAK ORAL TABLET THERAPY PACK 12.5-75-50 | Carve Out | |
| VOSEVI ORAL TABLET 400-100-100 MG | Carve Out | |
| ZEPATIER ORAL TABLET 50-100 MG | Carve Out | |
| ledipasvir-sofosbuvir oral tablet 90-400 mg | Carve Out | |
| sofosbuvir-velpatasvir oral tablet 400-100 mg | Carve Out | |
| *Hepatitis C Agents*** - Drugs For Viral Infections | | |
| DAKLINZA ORAL TABLET 30 MG, 60 MG | Carve Out | |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML | Non Preferred | PA; SP |
| PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 180 MCG/0.5ML | Non Preferred | PA; SP |
| SOVALDI ORAL PACKET 150 MG, 200 MG | Carve Out | |
| SOVALDI ORAL TABLET 200 MG, 400 MG | Carve Out | |
| ribavirin oral capsule 200 mg | Preferred | SP |
| ribavirin oral tablet 200 mg | Preferred | SP |

| Drug | Status | Notes |
|---|---------------|--|
| *Herpes Agents - Purine Analogues*** - Drugs For Viral Infections | | |
| SITAVIG BUCCAL TABLET 50 MG | Non Preferred | PA |
| VALTREX ORAL TABLET 1 GM, 500 MG | Non Preferred | PA; QL (8 EA per 1 day) |
| ZOVIRAX ORAL SUSPENSION 200 MG/5ML | Non Preferred | PA |
| acyclovir oral capsule 200 mg | Preferred | QL (5 EA per 1 day) |
| acyclovir oral suspension 200 mg/5ml | Preferred | QL (25 ML per 1 day) |
| acyclovir oral tablet 400 mg, 800 mg | Preferred | QL (5 EA per 1 day) |
| acyclovir sodium intravenous solution 50 mg/ml | Preferred | PA |
| valacyclovir hcl oral tablet 1 gm, 500 mg | Preferred | QL (8 EA per 1 day) |
| *Herpes Agents - Thymidine Analogues*** - Drugs For Viral Infections | | |
| famciclovir oral tablet 125 mg, 250 mg, 500 mg | Preferred | QL (3 EA per 1 day) |
| *Influenza Agents*** - Drugs For Viral Infections | | |
| rimantadine hcl oral tablet 100 mg | Preferred | QL (2 EA per 1 day) |
| *Misc. Antivirals*** - Drugs For Viral Infections | | |
| LAGEVRIO ORAL CAPSULE 200 MG | Preferred | |
| TEMBEXA ORAL SUSPENSION 10 MG/ML | Preferred | |
| TEMBEXA ORAL TABLET 100 MG | Preferred | |
| VEKLURY INTRAVENOUS SOLUTION RECONSTITUTED 100 MG | Preferred | |
| remdesivir intravenous solution reconstituted 100 mg | Preferred | |
| *Neuraminidase Inhibitors*** - Drugs For Viral Infections | | |
| RAPIVAB INTRAVENOUS SOLUTION 200 MG/20ML | Preferred | PA |
| RELENZA DISKHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 5 MG/ACT | Non Preferred | PA |
| TAMIFLU ORAL CAPSULE 30 MG, 45 MG, 75 MG | Non Preferred | PA; QL (2 EA per 1 day); NOTES (Max Days Supply = 10) |
| TAMIFLU ORAL SUSPENSION RECONSTITUTED 6 MG/ML | Non Preferred | PA; QL (25 ML per 1 day); NOTES (Max Days Supply = 10); AGE (Max 12 Years) |

| Drug | Status | Notes |
|--|---------------|--|
| oseltamivir phosphate oral capsule 30 mg, 45 mg, 75 mg | Preferred | QL (2 EA per 1 day); NOTES (Max Days Supply = 10) |
| oseltamivir phosphate oral suspension reconstituted 6 mg/ml | Preferred | QL (25 ML per 1 day); NOTES (Max Days Supply = 10); AGE (Max 12 Years) |
| *Pa Endonuclease Inhibitors*** - Drugs For Viral Infections | | |
| XOFLUZA (40 MG DOSE) ORAL TABLET THERAPY PACK 1 X 40 MG | Non Preferred | PA |
| XOFLUZA (80 MG DOSE) ORAL TABLET THERAPY PACK 1 X 80 MG | Non Preferred | PA |
| *Rsv Agents - Nucleoside Analogues*** - Drugs For Viral Infections | | |
| VIRAZOLE INHALATION SOLUTION RECONSTITUTED 6 GM | Non Preferred | PA |
| ribavirin inhalation solution reconstituted 6 gm | Preferred | PA |
| *Beta Blockers* - Drugs For The Heart | | |
| *Alpha-Beta Blockers*** - Drugs For High Blood Pressure | | |
| COREG CR ORAL CAPSULE EXTENDED RELEASE 24 HOUR 10 MG, 20 MG, 40 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| COREG CR ORAL CAPSULE EXTENDED RELEASE 24 HOUR 80 MG | Non Preferred | PA |
| COREG ORAL TABLET 12.5 MG, 25 MG, 3.125 MG, 6.25 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| carvedilol phosphate er oral capsule extended release 24 hour 10 mg, 20 mg, 40 mg | Non Preferred | PA; QL (2 EA per 1 day) |
| carvedilol phosphate er oral capsule extended release 24 hour 80 mg | Non Preferred | PA |
| labetalol hcl intravenous solution 5 mg/ml | Preferred | PA |
| labetalol hcl intravenous solution prefilled syringe 10 mg/2ml, 20 mg/4ml | Preferred | PA |
| labetalol hcl oral tablet 100 mg, 200 mg | Preferred | QL (6 EA per 1 day); DS (90 DS) |
| labetalol hcl oral tablet 300 mg | Preferred | QL (8 EA per 1 day); DS (90 DS) |
| labetalol hcl-sodium chloride intravenous solution 100-0.72 mg/100ml-%, 200-0.72 mg/200ml-%, 300-0.72 mg/300ml-% | Preferred | PA |

| Drug | Status | Notes |
|--|---------------|----------------------------------|
| *Beta Blockers Cardio-Selective*** - Drugs For High Blood Pressure | | |
| ATENOLOL+SYRSPEND SF ORAL SUSPENSION 1 MG/ML | Non Preferred | PA |
| BREVIBLOC IN NACL INTRAVENOUS SOLUTION 2000 MG/100ML, 2500 MG/250ML | Non Preferred | PA |
| BREVIBLOC INTRAVENOUS SOLUTION 100 MG/10ML | Non Preferred | PA |
| BREVIBLOC PREMIXED DS INTRAVENOUS SOLUTION 2000 MG/100ML | Non Preferred | PA |
| BREVIBLOC PREMIXED INTRAVENOUS SOLUTION 2500 MG/250ML | Non Preferred | PA |
| BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG | Non Preferred | PA |
| KAPSPARGO SPRINKLE ORAL CAPSULE ER 24 HOUR SPRINKLE 100 MG, 200 MG, 25 MG, 50 MG | Non Preferred | PA |
| LOPRESSOR ORAL TABLET 100 MG, 50 MG | Non Preferred | PA; QL (3 EA per 1 day) |
| TENORMIN ORAL TABLET 100 MG, 25 MG, 50 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| TOPROL XL ORAL TABLET EXTENDED RELEASE 24 HOUR 100 MG, 25 MG | Non Preferred | PA; QL (3 EA per 1 day) |
| TOPROL XL ORAL TABLET EXTENDED RELEASE 24 HOUR 200 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| TOPROL XL ORAL TABLET EXTENDED RELEASE 24 HOUR 50 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| acebutolol hcl oral capsule 200 mg, 400 mg | Preferred | QL (16 EA per 1 day); DS (90 DS) |
| atenolol oral tablet 100 mg, 25 mg, 50 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| betaxolol hcl oral tablet 10 mg, 20 mg | Preferred | DS (90 DS) |
| bisoprolol fumarate oral tablet 10 mg, 5 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| esmolol hcl intravenous solution 100 mg/10ml, 2000 mg/100ml, 2500 mg/250ml | Preferred | PA |
| esmolol hcl intravenous solution prefilled syringe 100 mg/10ml | Preferred | PA |
| esmolol hcl-sodium chloride intravenous solution 2000 mg/100ml, 2500 mg/250ml | Preferred | |
| metoprolol succinate er oral tablet extended release 24 hour 100 mg, 25 mg | Preferred | QL (3 EA per 1 day); DS (90 DS) |

| Drug | Status | Notes |
|---|---------------|---------------------------------|
| metoprolol succinate er oral tablet extended release 24 hour 200 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| metoprolol succinate er oral tablet extended release 24 hour 50 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| metoprolol tartrate intravenous solution 5 mg/5ml | Preferred | PA |
| metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg | Preferred | QL (3 EA per 1 day); DS (90 DS) |
| metoprolol tartrate oral tablet 37.5 mg | Preferred | DS (90 DS) |
| metoprolol tartrate oral tablet 75 mg | Preferred | QL (6 EA per 1 day); DS (90 DS) |
| nebivolol hcl oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg | Non Preferred | PA |

Beta Blockers Non-Selective - Drugs For High Blood Pressure**

| | | |
|---|---------------|---------------------------------|
| BETAPACE AF ORAL TABLET 120 MG, 80 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| BETAPACE AF ORAL TABLET 160 MG | Non Preferred | PA |
| BETAPACE ORAL TABLET 120 MG, 160 MG, 80 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| CORGARD ORAL TABLET 20 MG, 40 MG | Non Preferred | PA; QL (3 EA per 1 day) |
| CORGARD ORAL TABLET 80 MG | Non Preferred | PA |
| HEMANGEOL ORAL SOLUTION 4.28 MG/ML | Non Preferred | PA |
| INDERAL LA ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 60 MG | Non Preferred | PA; QL (3 EA per 1 day) |
| INDERAL LA ORAL CAPSULE EXTENDED RELEASE 24 HOUR 160 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| INDERAL LA ORAL CAPSULE EXTENDED RELEASE 24 HOUR 80 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| INDERAL XL ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 80 MG | Non Preferred | PA |
| INNOPRAN XL ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 80 MG | Non Preferred | PA |
| SORINE ORAL TABLET 120 MG, 160 MG, 240 MG, 80 MG | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| SOTYLIZE ORAL SOLUTION 5 MG/ML | Non Preferred | PA |
| nadolol oral tablet 20 mg, 40 mg | Preferred | QL (3 EA per 1 day); DS (90 DS) |
| nadolol oral tablet 80 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |

| Drug | Status | Notes |
|--|---------------|---------------------------------|
| pindolol oral tablet 10 mg, 5 mg | Non Preferred | PA |
| propranolol hcl er oral capsule extended release 24 hour 120 mg, 60 mg | Preferred | QL (3 EA per 1 day); DS (90 DS) |
| propranolol hcl er oral capsule extended release 24 hour 160 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| propranolol hcl er oral capsule extended release 24 hour 80 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| propranolol hcl intravenous solution 1 mg/ml | Preferred | PA |
| propranolol hcl oral solution 20 mg/5ml | Preferred | QL (20 ML per 1 day) |
| propranolol hcl oral solution 40 mg/5ml | Preferred | |
| propranolol hcl oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg | Preferred | QL (6 EA per 1 day); DS (90 DS) |
| sotalol hcl (af) oral tablet 120 mg, 80 mg | Preferred | QL (2 EA per 1 day) |
| sotalol hcl (af) oral tablet 160 mg | Preferred | |
| sotalol hcl intravenous solution 150 mg/10ml | Preferred | |
| sotalol hcl oral tablet 120 mg, 160 mg, 240 mg, 80 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| timolol maleate oral tablet 10 mg, 20 mg, 5 mg | Non Preferred | PA |

***Calcium Channel Blockers* - Drugs For The Heart**

Calcium Channel Blockers - Drugs For High Blood Pressure**

| | | |
|---|---------------|-------------------------|
| AMLODIPINE BES+SYRSPEND SF ORAL SUSPENSION 1 MG/ML | Non Preferred | PA |
| CALAN SR ORAL TABLET EXTENDED RELEASE 120 MG, 240 MG | Non Preferred | PA; QL (3 EA per 1 day) |
| CALAN SR ORAL TABLET EXTENDED RELEASE 180 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| CARDENE IV INTRAVENOUS SOLUTION 20-0.86 MG/200ML-%, 40-0.83 MG/200ML-% | Preferred | PA |
| CARDIZEM CD ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 240 MG, 300 MG, 360 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| CARDIZEM CD ORAL CAPSULE EXTENDED RELEASE 24 HOUR 180 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| CARDIZEM LA ORAL TABLET EXTENDED RELEASE 24 HOUR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG, 420 MG | Non Preferred | PA |
| CARDIZEM ORAL TABLET 120 MG, 60 MG | Non Preferred | PA; QL (4 EA per 1 day) |

| Drug | Status | Notes |
|---|---------------|---------------------------------|
| CARDIZEM ORAL TABLET 30 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| CARTIA XT CAPSULE EXTENDED RELEASE 24 HOUR 120 MG ORAL | Non Preferred | PA; QL (1 EA per 1 day) |
| CARTIA XT ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| CARTIA XT ORAL CAPSULE EXTENDED RELEASE 24 HOUR 180 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| CARTIA XT ORAL CAPSULE EXTENDED RELEASE 24 HOUR 240 MG, 300 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| CLEVIPREX INTRAVENOUS EMULSION 25 MG/50ML, 50 MG/100ML | Preferred | PA |
| CONJUPRI ORAL TABLET 2.5 MG, 5 MG | Non Preferred | PA |
| KATERZIA ORAL SUSPENSION 1 MG/ML | Non Preferred | PA |
| MATZIM LA ORAL TABLET EXTENDED RELEASE 24 HOUR 180 MG, 240 MG, 300 MG, 360 MG, 420 MG | Non Preferred | PA |
| NORLIQVA ORAL SOLUTION 1 MG/ML | Non Preferred | PA |
| NORVASC ORAL TABLET 10 MG, 2.5 MG, 5 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| NYMALIZE ORAL SOLUTION 6 MG/ML | Non Preferred | PA |
| PROCARDIA XL ORAL TABLET EXTENDED RELEASE 24 HOUR 30 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| PROCARDIA XL ORAL TABLET EXTENDED RELEASE 24 HOUR 60 MG, 90 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| SULAR ORAL TABLET EXTENDED RELEASE 24 HOUR 17 MG, 34 MG, 8.5 MG | Non Preferred | PA |
| TAZTIA XT ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| TIADYLT ER ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| TIADYLT ER ORAL CAPSULE EXTENDED RELEASE 24 HOUR 420 MG | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| TIAZAC ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| TIAZAC ORAL CAPSULE EXTENDED RELEASE 24 HOUR 420 MG | Non Preferred | PA; QL (1 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|---------------------------------|
| VERELAN ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 180 MG, 240 MG, 360 MG | Non Preferred | PA |
| VERELAN PM ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100 MG, 200 MG, 300 MG | Non Preferred | PA |
| amlodipine besylate oral tablet 10 mg, 2.5 mg, 5 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| diltiazem hcl er beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| diltiazem hcl er beads oral capsule extended release 24 hour 420 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| diltiazem hcl er coated beads oral capsule extended release 24 hour 120 mg, 240 mg, 300 mg, 360 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| diltiazem hcl er coated beads oral capsule extended release 24 hour 180 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| diltiazem hcl er oral capsule extended release 12 hour 120 mg | Preferred | QL (2 EA per 1 day) |
| diltiazem hcl er oral capsule extended release 12 hour 60 mg, 90 mg | Preferred | QL (3 EA per 1 day) |
| diltiazem hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| diltiazem hcl er oral tablet extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg | Non Preferred | PA |
| diltiazem hcl intravenous solution 125 mg/25ml, 25 mg/5ml, 50 mg/10ml | Preferred | PA |
| diltiazem hcl intravenous solution reconstituted 100 mg | Preferred | PA |
| diltiazem hcl oral tablet 120 mg, 60 mg, 90 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| diltiazem hcl oral tablet 30 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| dilt-xr oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| felodipine er oral tablet extended release 24 hour 10 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| felodipine er oral tablet extended release 24 hour 2.5 mg, 5 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| isradipine oral capsule 2.5 mg, 5 mg | Non Preferred | PA |
| levamlodipine maleate oral tablet 2.5 mg, 5 mg | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|---------------------------------|
| nicardipine hcl in nacl intravenous solution 20-0.9 mg/200ml-%, 40-0.9 mg/200ml-% | Preferred | PA |
| nicardipine hcl in nacl intravenous solution prefilled syringe 1-0.9 mg/10ml-% | Preferred | PA |
| nicardipine hcl intravenous solution 2.5 mg/ml | Preferred | PA |
| nicardipine hcl oral capsule 20 mg, 30 mg | Non Preferred | PA |
| nifedipine er oral tablet extended release 24 hour 30 mg, 60 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| nifedipine er oral tablet extended release 24 hour 90 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| nifedipine er osmotic release oral tablet extended release 24 hour 30 mg | Preferred | QL (1 EA per 1 day); DS (90 DS) |
| nifedipine er osmotic release oral tablet extended release 24 hour 60 mg, 90 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| nifedipine oral capsule 10 mg, 20 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| nimodipine oral capsule 30 mg | Non Preferred | PA |
| nisoldipine er oral tablet extended release 24 hour 17 mg, 20 mg, 25.5 mg, 30 mg, 34 mg, 40 mg, 8.5 mg | Non Preferred | PA |
| verapamil hcl er oral capsule extended release 24 hour 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg, 360 mg | Non Preferred | PA |
| verapamil hcl er oral tablet extended release 120 mg, 240 mg | Preferred | QL (3 EA per 1 day); DS (90 DS) |
| verapamil hcl er oral tablet extended release 180 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| verapamil hcl intravenous solution 2.5 mg/ml | Preferred | PA |
| verapamil hcl oral tablet 120 mg | Preferred | QL (3 EA per 1 day); DS (90 DS) |
| verapamil hcl oral tablet 40 mg, 80 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| *Cardiotonics* - Drugs For The Heart | | |
| *Cardiac Glycosides*** - Drugs For The Heart | | |
| DIGITEK ORAL TABLET 125 MCG, 250 MCG | Preferred | QL (1 EA per 1 day) |
| DIGOX ORAL TABLET 125 MCG, 250 MCG | Preferred | QL (1 EA per 1 day) |
| LANOXIN INJECTION SOLUTION 0.25 MG/ML | Non Preferred | PA |
| LANOXIN ORAL TABLET 125 MCG, 250 MCG | Non Preferred | PA; QL (1 EA per 1 day) |
| LANOXIN ORAL TABLET 62.5 MCG | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|---------------------|
| LANOXIN PEDIATRIC INJECTION SOLUTION 0.1 MG/ML | Non Preferred | PA |
| digoxin injection solution 0.25 mg/ml | Preferred | |
| digoxin oral solution 0.05 mg/ml | Preferred | |
| digoxin oral tablet 125 mcg, 250 mcg | Preferred | QL (1 EA per 1 day) |
| digoxin oral tablet 62.5 mcg | Non Preferred | PA |
| *Inotropes*** - Drugs For Serious Allergic Reaction | | |
| milrinone lactate in dextrose intravenous solution 20-5 mg/100ml-%, 40-5 mg/200ml-% | Preferred | PA |
| milrinone lactate intravenous solution 10 mg/10ml, 20 mg/20ml, 50 mg/50ml | Preferred | PA |
| *Cardiovascular Agents - Misc.* - Drugs For The Heart | | |
| *Calcium Channel Blocker & Hmg Coa Reductase Inhibit Comb*** - Drugs For Cholesterol | | |
| CADUET ORAL TABLET 10-10 MG, 10-20 MG, 10-40 MG, 10-80 MG, 5-10 MG, 5-20 MG, 5-40 MG, 5-80 MG | Non Preferred | PA |
| amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg | Non Preferred | PA |
| *Cardiac Myosin Inhibitors*** - Drugs For The Heart | | |
| CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG | Preferred | PA |
| *Cardiovascular Anti-Inflammatory/Immune Modulators*** - Drugs For The Heart | | |
| LODOCOCO ORAL TABLET 0.5 MG | Preferred | |
| *Cardiovascular Sglt2 Inhibitors** - Drugs For The Heart | | |
| INPEFA ORAL TABLET 200 MG | Non Preferred | PA |
| *Neprilysin Inhib (Arni)-Angiotensin II Recept Antag Comb*** - Drugs For High Blood Pressure | | |
| ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG | Preferred | |
| *Nitrate & Vasodilator Combinations*** - Drugs For High Blood Pressure | | |
| BIDIL ORAL TABLET 20-37.5 MG | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|-----------------------------|
| isosorb dinitrate-hydralazine oral tablet 20-37.5 mg | Non Preferred | PA |
| *Prostaglandin Vasodilators*** - Drugs For High Blood Pressure | | |
| ORENITRAM MONTH 1 ORAL TABLET EXTENDED RELEASE THERAPY PACK 0.125 & 0.25 MG | Non Preferred | PA; SP |
| ORENITRAM MONTH 2 ORAL TABLET EXTENDED RELEASE THERAPY PACK 0.125 & 0.25 MG | Non Preferred | PA; SP |
| ORENITRAM MONTH 3 ORAL TABLET EXTENDED RELEASE THERAPY PACK 0.125 & 0.25 | Non Preferred | PA; SP |
| ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG, 0.25 MG, 1 MG, 2.5 MG, 5 MG | Non Preferred | PA; SP |
| TYVASO DPI MAINTENANCE KIT INHALATION POWDER 112 X 32MCG & 112 X48MCG | Preferred | PA |
| TYVASO DPI MAINTENANCE KIT INHALATION POWDER 16 MCG, 32 MCG, 48 MCG, 64 MCG | Preferred | PA; SP |
| TYVASO DPI TITRATION KIT INHALATION POWDER 112 X 16MCG & 84 X 32MCG, 16 & 32 & 48 MCG | Preferred | PA; SP |
| TYVASO INHALATION SOLUTION 0.6 MG/ML | Preferred | PA; SP |
| TYVASO REFILL INHALATION SOLUTION 0.6 MG/ML | Preferred | PA; SP |
| TYVASO STARTER INHALATION SOLUTION 0.6 MG/ML | Preferred | PA; SP |
| VENTAVIS INHALATION SOLUTION 10 MCG/ML, 20 MCG/ML | Preferred | PA; SP |
| *Pulm Hyperten-Soluble Guanylate Cyclase Stimulator (Sgc)*** - Drugs For High Blood Pressure | | |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG | Preferred | PA; SP |
| *Pulmonary Hypertension - Endothelin Receptor Antagonists*** - Drugs For High Blood Pressure | | |
| LETAIRIS ORAL TABLET 10 MG, 5 MG | Non Preferred | PA; QL (1 EA per 1 day); SP |
| OPSUMIT ORAL TABLET 10 MG | Non Preferred | PA; SP |

| Drug | Status | Notes |
|---|---------------|-----------------------------|
| TRACLEER ORAL TABLET 125 MG, 62.5 MG | Non Preferred | PA; QL (2 EA per 1 day); SP |
| TRACLEER ORAL TABLET SOLUBLE 32 MG | Preferred | PA; SP |
| ambrisentan oral tablet 10 mg, 5 mg | Preferred | PA; QL (1 EA per 1 day); SP |
| bosentan oral tablet 125 mg, 62.5 mg | Preferred | PA; QL (2 EA per 1 day); SP |
| *Pulmonary Hypertension - Phosphodiesterase Inhibitors*** - Drugs For High Blood Pressure | | |
| ADCIRCA ORAL TABLET 20 MG | Non Preferred | PA; QL (2 EA per 1 day); SP |
| ALYQ ORAL TABLET 20 MG | Preferred | PA; QL (2 EA per 1 day); SP |
| LIQREV ORAL SUSPENSION 10 MG/ML | Non Preferred | PA |
| REVATIO ORAL SUSPENSION RECONSTITUTED 10 MG/ML | Non Preferred | PA; SP |
| REVATIO ORAL TABLET 20 MG | Non Preferred | PA; SP |
| TADLIQ ORAL SUSPENSION 20 MG/5ML | Non Preferred | PA; SP |
| sildenafil citrate oral suspension reconstituted 10 mg/ml | Non Preferred | PA; SP |
| sildenafil citrate oral tablet 20 mg | Preferred | PA; SP |
| tadalafil (pah) oral tablet 20 mg | Preferred | PA; QL (2 EA per 1 day); SP |
| *Pulmonary Hypertension - Prostacyclin Receptor Agonist*** - Drugs For High Blood Pressure | | |
| UPTRAVI INTRAVENOUS SOLUTION RECONSTITUTED 1800 MCG | Non Preferred | PA; SP |
| UPTRAVI ORAL TABLET 1000 MCG, 1200 MCG, 1400 MCG, 1600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG | Non Preferred | PA; SP |
| UPTRAVI ORAL TABLET THERAPY PACK 200 & 800 MCG | Non Preferred | PA; SP |
| *Selective Cgmp Phosphodiesterase Type 5 Inhibitors*** - Drugs For The Heart | | |
| CIALIS ORAL TABLET 5 MG | Non Preferred | PA |
| tadalafil oral tablet 5 mg | Non Preferred | PA |
| *Sinus Node Inhibitors** - Drugs For High Blood Pressure | | |
| CORLANOR ORAL SOLUTION 5 MG/5ML | Non Preferred | PA |
| CORLANOR ORAL TABLET 5 MG, 7.5 MG | Preferred | PA |

| Drug | Status | Notes |
|--|---------------|---------------------|
| *Transthyretin Stabilizers*** - Drugs For The Heart | | |
| VYNDAMAX ORAL CAPSULE 61 MG | Carve Out | |
| VYNDAQEL ORAL CAPSULE 20 MG | Carve Out | |
| *Vasoactive Soluble Guanylate Cyclase Stimulator (Sgc)*** - Drugs For Angina | | |
| VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG | Preferred | PA |
| *Cephalosporins* - Drugs For Infections | | |
| *Cephalosporins - 1St Generation*** - Antibiotics | | |
| cefadroxil oral capsule 500 mg | Preferred | |
| cefadroxil oral suspension reconstituted 250 mg/5ml, 500 mg/5ml | Preferred | |
| cefadroxil oral tablet 1 gm | Preferred | |
| cefazolin in sodium chloride intravenous solution 2-0.9 gm/100ml-%, 3-0.9 gm/100ml-% | Preferred | PA |
| cefazolin sodium injection solution prefilled syringe 3 gm/30ml | Preferred | PA |
| cefazolin sodium injection solution reconstituted 1 gm, 10 gm, 100 gm, 2 gm, 300 gm, 500 mg | Preferred | PA |
| cefazolin sodium intravenous solution prefilled syringe 1 gm/10ml, 2 gm/20ml | Preferred | PA |
| cefazolin sodium intravenous solution reconstituted 1 gm, 2 gm, 3 gm | Preferred | PA |
| cefazolin sodium-dextrose intravenous solution 1-4 gm/50ml-%, 2-4 gm/100ml-%, 2-5 gm/100ml-% | Preferred | PA |
| cefazolin sodium-dextrose intravenous solution reconstituted 1-4 gm-%(50ml), 2-3 gm-%(50ml) | Preferred | PA |
| cephalexin oral capsule 250 mg | Preferred | QL (6 EA per 1 day) |
| cephalexin oral capsule 500 mg | Preferred | QL (8 EA per 1 day) |
| cephalexin oral capsule 750 mg | Preferred | |
| cephalexin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml | Preferred | |
| cephalexin oral tablet 250 mg, 500 mg | Non Preferred | PA |
| *Cephalosporins - 2Nd Generation*** - Antibiotics | | |
| cefaclor er oral tablet extended release 12 hour 500 mg | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|--------------------------|
| cefaclor oral capsule 250 mg | Preferred | QL (6 EA per 1 day) |
| cefaclor oral capsule 500 mg | Preferred | QL (4 EA per 1 day) |
| cefaclor oral suspension reconstituted 125 mg/5ml, 375 mg/5ml | Non Preferred | PA; QL (40 ML per 1 day) |
| cefaclor oral suspension reconstituted 250 mg/5ml | Non Preferred | PA; QL (60 ML per 1 day) |
| cefotetan disodium injection solution reconstituted 1 gm, 2 gm | Preferred | PA |
| cefoxitin sodium intravenous solution reconstituted 1 gm, 10 gm, 2 gm | Preferred | PA |
| cefoxitin sodium-dextrose intravenous solution reconstituted 1-4 gm-%(50ml), 2-2.2 gm-%(50ml) | Preferred | PA |
| cefprozil oral suspension reconstituted 125 mg/5ml, 250 mg/5ml | Preferred | |
| cefprozil oral tablet 250 mg | Preferred | QL (4 EA per 1 day) |
| cefprozil oral tablet 500 mg | Preferred | QL (2 EA per 1 day) |
| cefuroxime axetil oral tablet 250 mg, 500 mg | Preferred | QL (2 EA per 1 day) |
| cefuroxime sodium injection solution reconstituted 750 mg | Preferred | PA |
| cefuroxime sodium intravenous solution reconstituted 1.5 gm | Preferred | PA |
| *Cephalosporins - 3Rd Generation*** - Antibiotics | | |
| TAZICEF INJECTION SOLUTION RECONSTITUTED 1 GM | Preferred | PA |
| TAZICEF INTRAVENOUS SOLUTION 1 GM/50ML | Preferred | PA |
| TAZICEF INTRAVENOUS SOLUTION RECONSTITUTED 1 GM, 2 GM, 6 GM | Preferred | PA |
| cefdinir oral capsule 300 mg | Preferred | |
| cefdinir oral suspension reconstituted 125 mg/5ml, 250 mg/5ml | Preferred | |
| cefixime oral capsule 400 mg | Preferred | |
| cefixime oral suspension reconstituted 100 mg/5ml, 200 mg/5ml | Non Preferred | PA |
| cefotaxime sodium injection solution reconstituted 1 gm, 2 gm | Preferred | PA |
| cefpodoxime proxetil oral suspension reconstituted 100 mg/5ml | Non Preferred | PA; QL (40 ML per 1 day) |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| cefpodoxime proxetil oral suspension reconstituted 50 mg/5ml | Non Preferred | PA |
| cefpodoxime proxetil oral tablet 100 mg, 200 mg | Non Preferred | PA; QL (2 EA per 1 day) |
| ceftazidime and dextrose intravenous solution reconstituted 1-5 gm-%(50ml), 2-5 gm-%(50ml) | Preferred | PA |
| ceftazidime injection solution reconstituted 1 gm, 6 gm | Preferred | PA |
| ceftazidime intravenous solution reconstituted 2 gm | Preferred | PA |
| ceftriaxone sodium in dextrose intravenous solution 20 mg/ml, 40 mg/ml | Preferred | PA |
| ceftriaxone sodium injection solution reconstituted 1 gm, 100 gm, 2 gm, 250 mg, 500 mg | Preferred | PA |
| ceftriaxone sodium intravenous solution reconstituted 1 gm, 10 gm, 2 gm | Preferred | PA |
| ceftriaxone sodium-dextrose intravenous solution reconstituted 1-3.74 gm-%(50ml), 2-2.22 gm-%(50ml) | Preferred | PA |
| *Cephalosporins - 4Th Generation*** - Antibiotics | | |
| cefepime hcl injection solution reconstituted 1 gm | Preferred | PA |
| cefepime hcl intravenous solution 1 gm/50ml, 2 gm/100ml | Preferred | PA |
| cefepime hcl intravenous solution reconstituted 100 gm, 2 gm | Preferred | PA |
| cefepime-dextrose intravenous solution reconstituted 1-5 gm-%(50ml), 2-5 gm-%(50ml) | Preferred | PA |
| *Cephalosporins - Siderophores*** - Antibiotics | | |
| FETROJA INTRAVENOUS SOLUTION RECONSTITUTED 1 GM | Preferred | PA |
| *Chemicals* | | |
| *Liquids*** | | |
| glycerin liquid | Preferred | |
| glycerine liquid | Preferred | |
| glycerol formal liquid | Preferred | |

| Drug | Status | Notes |
|--|-----------|------------|
| *Contraceptives* - Drugs For Women | | |
| *Biphasic Contraceptives - Oral*** - Birth Control Pills | | |
| AZURETTE ORAL TABLET 0.15-0.02/0.01 MG (21/5) | Preferred | NOTES (EA) |
| KARIVA ORAL TABLET 0.15-0.02/0.01 MG (21/5) | Preferred | NOTES (EA) |
| LO LOESTRIN FE ORAL TABLET 1 MG-10 MCG / 10 MCG | Preferred | NOTES (EA) |
| MIRCETTE ORAL TABLET 0.15-0.02/0.01 MG (21/5) | Preferred | NOTES (EA) |
| PIMTREA ORAL TABLET 0.15-0.02/0.01 MG (21/5) | Preferred | NOTES (EA) |
| SIMLIYA ORAL TABLET 0.15-0.02/0.01 MG (21/5) | Preferred | NOTES (EA) |
| VOLNEA ORAL TABLET 0.15-0.02/0.01 MG (21/5) | Preferred | NOTES (EA) |
| desogestrel-ethynodiol oral tablet 0.15-0.02/0.01 mg (21/5) | Preferred | NOTES (EA) |
| viorele oral tablet 0.15-0.02/0.01 mg (21/5) | Preferred | NOTES (EA) |
| *Combination Contraceptives - Oral*** - Birth Control Pills | | |
| AFIRMELLE ORAL TABLET 0.1-20 MG-MCG | Preferred | NOTES (EA) |
| ALTAVERA ORAL TABLET 0.15-30 MG-MCG | Preferred | NOTES (EA) |
| APRI ORAL TABLET 0.15-30 MG-MCG | Preferred | NOTES (EA) |
| AUBRA EQ ORAL TABLET 0.1-20 MG-MCG | Preferred | NOTES (EA) |
| AUBRA ORAL TABLET 0.1-20 MG-MCG | Preferred | NOTES (EA) |
| AUROVELA 1.5/30 ORAL TABLET 1.5-30 MG-MCG | Preferred | NOTES (EA) |
| AUROVELA 1/20 ORAL TABLET 1-20 MG-MCG | Preferred | NOTES (EA) |
| AUROVELA 24 FE ORAL TABLET 1-20 MG-MCG(24) | Preferred | NOTES (EA) |
| AUROVELA FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG | Preferred | NOTES (EA) |
| AUROVELA FE 1/20 ORAL TABLET 1-20 MG-MCG | Preferred | NOTES (EA) |
| AVIANE ORAL TABLET 0.1-20 MG-MCG | Preferred | NOTES (EA) |

| Drug | Status | Notes |
|--|-----------|------------|
| AYUNA ORAL TABLET 0.15-30 MG-MCG | Preferred | NOTES (EA) |
| BALCOLTRA ORAL TABLET 0.1-20 MG-MCG(21) | Preferred | NOTES (EA) |
| BALZIVA ORAL TABLET 0.4-35 MG-MCG | Preferred | NOTES (EA) |
| BEYAZ ORAL TABLET 3-0.02-0.451 MG | Preferred | NOTES (EA) |
| BLISOVI 24 FE ORAL TABLET 1-20 MG-MCG(24) | Preferred | NOTES (EA) |
| BLISOVI FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG | Preferred | NOTES (EA) |
| BLISOVI FE 1/20 ORAL TABLET 1-20 MG-MCG | Preferred | NOTES (EA) |
| CHARLOTTE 24 FE ORAL TABLET CHEWABLE 1-20 MG-MCG(24) | Preferred | NOTES (EA) |
| CHATEAL EQ ORAL TABLET 0.15-30 MG-MCG | Preferred | NOTES (EA) |
| CHATEAL ORAL TABLET 0.15-30 MG-MCG | Preferred | NOTES (EA) |
| CRYSELLE-28 ORAL TABLET 0.3-30 MG-MCG | Preferred | NOTES (EA) |
| CYRED EQ ORAL TABLET 0.15-30 MG-MCG | Preferred | NOTES (EA) |
| CYRED ORAL TABLET 0.15-30 MG-MCG | Preferred | NOTES (EA) |
| DASETTA 1/35 ORAL TABLET 1-35 MG-MCG | Preferred | NOTES (EA) |
| DELYLA ORAL TABLET 0.1-20 MG-MCG | Preferred | NOTES (EA) |
| ELINEST ORAL TABLET 0.3-30 MG-MCG | Preferred | NOTES (EA) |
| ENSKYCE ORAL TABLET 0.15-30 MG-MCG | Preferred | NOTES (EA) |
| ESTARYLLA ORAL TABLET 0.25-35 MG-MCG | Preferred | NOTES (EA) |
| FALMINA ORAL TABLET 0.1-20 MG-MCG | Preferred | NOTES (EA) |
| FEMYNOR ORAL TABLET 0.25-35 MG-MCG | Preferred | NOTES (EA) |
| FINZALA ORAL TABLET CHEWABLE 1-20 MG-MCG(24) | Preferred | NOTES (EA) |
| GEMMILY ORAL CAPSULE 1-20 MG-MCG(24) | Preferred | NOTES (EA) |
| GENERESS FE ORAL TABLET CHEWABLE 0.8-25 MG-MCG | Preferred | NOTES (EA) |

| Drug | Status | Notes |
|---|-----------|------------|
| HAILEY 1.5/30 ORAL TABLET 1.5-30 MG-MCG | Preferred | NOTES (EA) |
| HAILEY 24 FE ORAL TABLET 1-20 MG-MCG(24) | Preferred | NOTES (EA) |
| HAILEY FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG | Preferred | NOTES (EA) |
| HAILEY FE 1/20 ORAL TABLET 1-20 MG-MCG | Preferred | NOTES (EA) |
| ISIBLOOM ORAL TABLET 0.15-30 MG-MCG | Preferred | NOTES (EA) |
| JASMIEL ORAL TABLET 3-0.02 MG | Preferred | NOTES (EA) |
| JOYEAUX ORAL TABLET 0.1-20 MG-MCG(21) | Preferred | NOTES (EA) |
| JULEBER ORAL TABLET 0.15-30 MG-MCG | Preferred | NOTES (EA) |
| JUNEL 1.5/30 ORAL TABLET 1.5-30 MG-MCG | Preferred | NOTES (EA) |
| JUNEL 1/20 ORAL TABLET 1-20 MG-MCG | Preferred | NOTES (EA) |
| JUNEL FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG | Preferred | NOTES (EA) |
| JUNEL FE 1/20 ORAL TABLET 1-20 MG-MCG | Preferred | NOTES (EA) |
| JUNEL FE 24 ORAL TABLET 1-20 MG-MCG(24) | Preferred | NOTES (EA) |
| KAITLIB FE ORAL TABLET CHEWABLE 0.8-25 MG-MCG | Preferred | NOTES (EA) |
| KALLIGA ORAL TABLET 0.15-30 MG-MCG | Preferred | NOTES (EA) |
| KELNOR 1/35 ORAL TABLET 1-35 MG-MCG | Preferred | NOTES (EA) |
| KELNOR 1/50 ORAL TABLET 1-50 MG-MCG | Preferred | NOTES (EA) |
| KURVELO ORAL TABLET 0.15-30 MG-MCG | Preferred | NOTES (EA) |
| LARIN 1.5/30 ORAL TABLET 1.5-30 MG-MCG | Preferred | NOTES (EA) |
| LARIN 1/20 ORAL TABLET 1-20 MG-MCG | Preferred | NOTES (EA) |
| LARIN 24 FE ORAL TABLET 1-20 MG-MCG(24) | Preferred | NOTES (EA) |
| LARIN FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG | Preferred | NOTES (EA) |

| Drug | Status | Notes |
|--|-----------|------------|
| LARIN FE 1/20 ORAL TABLET 1-20 MG-MCG | Preferred | NOTES (EA) |
| LAYOLIS FE ORAL TABLET CHEWABLE 0.8-25 MG-MCG | Preferred | NOTES (EA) |
| LESSINA ORAL TABLET 0.1-20 MG-MCG | Preferred | NOTES (EA) |
| LEVORA 0.15/30 (28) ORAL TABLET 0.15-30 MG-MCG | Preferred | NOTES (EA) |
| LOESTRIN 1.5/30 (21) ORAL TABLET 1.5-30 MG-MCG | Preferred | NOTES (EA) |
| LOESTRIN 1/20 (21) ORAL TABLET 1-20 MG-MCG | Preferred | NOTES (EA) |
| LOESTRIN FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG | Preferred | NOTES (EA) |
| LOESTRIN FE 1/20 ORAL TABLET 1-20 MG-MCG | Preferred | NOTES (EA) |
| LORYNA ORAL TABLET 3-0.02 MG | Preferred | NOTES (EA) |
| LOW-OGESTREL ORAL TABLET 0.3-30 MG-MCG | Preferred | NOTES (EA) |
| LO-ZUMANDIMINE ORAL TABLET 3-0.02 MG | Preferred | NOTES (EA) |
| LUTERA ORAL TABLET 0.1-20 MG-MCG | Preferred | NOTES (EA) |
| MERZEE ORAL CAPSULE 1-20 MG-MCG(24) | Preferred | NOTES (EA) |
| MIBELAS 24 FE ORAL TABLET CHEWABLE 1-20 MG-MCG(24) | Preferred | NOTES (EA) |
| MICROGESTIN 1.5/30 ORAL TABLET 1.5-30 MG-MCG | Preferred | NOTES (EA) |
| MICROGESTIN 1/20 ORAL TABLET 1-20 MG-MCG | Preferred | NOTES (EA) |
| MICROGESTIN 24 FE ORAL TABLET 1-20 MG-MCG | Preferred | NOTES (EA) |
| MICROGESTIN FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG | Preferred | NOTES (EA) |
| MICROGESTIN FE 1/20 ORAL TABLET 1-20 MG-MCG | Preferred | NOTES (EA) |
| MILI ORAL TABLET 0.25-35 MG-MCG | Preferred | NOTES (EA) |
| MINASTRIN 24 FE ORAL TABLET CHEWABLE 1-20 MG-MCG(24) | Preferred | NOTES (EA) |
| MONO-LINYAH ORAL TABLET 0.25-35 MG-MCG | Preferred | NOTES (EA) |
| NECON 0.5/35 (28) ORAL TABLET 0.5-35 MG-MCG | Preferred | NOTES (EA) |

| Drug | Status | Notes |
|---|-----------|------------|
| NECON 1/35 (28) ORAL TABLET 1-35 MG-MCG | Preferred | NOTES (EA) |
| NEXTSTELLIS ORAL TABLET 3-14.2 MG | Preferred | NOTES (EA) |
| NIKKI ORAL TABLET 3-0.02 MG | Preferred | NOTES (EA) |
| NORTREL 0.5/35 (28) ORAL TABLET 0.5-35 MG-MCG | Preferred | NOTES (EA) |
| NORTREL 1/35 (21) ORAL TABLET 1-35 MG-MCG | Preferred | NOTES (EA) |
| NORTREL 1/35 (28) ORAL TABLET 1-35 MG-MCG | Preferred | NOTES (EA) |
| NYLIA 1/35 ORAL TABLET 1-35 MG-MCG | Preferred | NOTES (EA) |
| NYMYO ORAL TABLET 0.25-35 MG-MCG | Preferred | NOTES (EA) |
| OCELLA ORAL TABLET 3-0.03 MG | Preferred | NOTES (EA) |
| ORSYTHIA ORAL TABLET 0.1-20 MG-MCG | Preferred | NOTES (EA) |
| PHILITH ORAL TABLET 0.4-35 MG-MCG | Preferred | NOTES (EA) |
| PIRMELLA 1/35 ORAL TABLET 1-35 MG-MCG | Preferred | NOTES (EA) |
| PORTIA-28 ORAL TABLET 0.15-30 MG-MCG | Preferred | NOTES (EA) |
| RECLIPSEN ORAL TABLET 0.15-30 MG-MCG | Preferred | NOTES (EA) |
| SAFYRAL ORAL TABLET 3-0.03-0.451 MG | Preferred | NOTES (EA) |
| SOLIA ORAL TABLET 0.15-30 MG-MCG | Preferred | NOTES (EA) |
| SPRINTEC 28 ORAL TABLET 0.25-35 MG-MCG | Preferred | NOTES (EA) |
| SRONYX ORAL TABLET 0.1-20 MG-MCG | Preferred | NOTES (EA) |
| SYEDA ORAL TABLET 3-0.03 MG | Preferred | NOTES (EA) |
| TARINA 24 FE ORAL TABLET 1-20 MG-MCG(24) | Preferred | NOTES (EA) |
| TARINA FE 1/20 EQ ORAL TABLET 1-20 MG-MCG | Preferred | NOTES (EA) |
| TARINA FE 1/20 ORAL TABLET 1-20 MG-MCG | Preferred | NOTES (EA) |
| TAYSOFY ORAL CAPSULE 1-20 MG-MCG(24) | Preferred | NOTES (EA) |
| TAYTULLA ORAL CAPSULE 1-20 MG-MCG(24) | Preferred | NOTES (EA) |
| TYBLUME ORAL TABLET CHEWABLE 0.1-20 MG-MCG | Preferred | NOTES (EA) |
| TYDEMY ORAL TABLET 3-0.03-0.451 MG | Preferred | NOTES (EA) |

| Drug | Status | Notes |
|---|-----------|------------|
| VESTURA ORAL TABLET 3-0.02 MG | Preferred | NOTES (EA) |
| VIENVA ORAL TABLET 0.1-20 MG-MCG | Preferred | NOTES (EA) |
| VYFEMLA ORAL TABLET 0.4-35 MG-MCG | Preferred | NOTES (EA) |
| VYLIBRA ORAL TABLET 0.25-35 MG-MCG | Preferred | NOTES (EA) |
| WERA ORAL TABLET 0.5-35 MG-MCG | Preferred | NOTES (EA) |
| WYMZYA FE ORAL TABLET CHEWABLE 0.4-35 MG-MCG | Preferred | NOTES (EA) |
| YASMIN 28 ORAL TABLET 3-0.03 MG | Preferred | NOTES (EA) |
| YAZ ORAL TABLET 3-0.02 MG | Preferred | NOTES (EA) |
| ZOVIA 1/35 (28) ORAL TABLET 1-35 MG-MCG | Preferred | NOTES (EA) |
| ZUMANDIMINE ORAL TABLET 3-0.03 MG | Preferred | NOTES (EA) |
| alyacen 1/35 oral tablet 1-35 mg-mcg | Preferred | NOTES (EA) |
| briellyn oral tablet 0.4-35 mg-mcg | Preferred | NOTES (EA) |
| desogestrel-ethinyl estradiol oral tablet 0.15-30 mg-mcg | Preferred | NOTES (EA) |
| drospirenil-eth estrad-levomefol oral tablet 3-0.02-0.451 mg, 3-0.03-0.451 mg | Preferred | NOTES (EA) |
| drospirenone-ethinyl estradiol oral tablet 3-0.02 mg, 3-0.03 mg | Preferred | NOTES (EA) |
| ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg, 1-50 mg-mcg | Preferred | NOTES (EA) |
| levonorgestrel-eth estradiol-iron oral tablet 0.1-20 mg-mcg(21) | Preferred | NOTES (EA) |
| levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-30 mg-mcg | Preferred | NOTES (EA) |
| marlissa oral tablet 0.15-30 mg-mcg | Preferred | NOTES (EA) |
| norethin ace-eth estrad-fe oral capsule 1-20 mg-mcg(24) | Preferred | NOTES (EA) |
| norethin ace-eth estrad-fe oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg | Preferred | NOTES (EA) |
| norethin ace-eth estrad-fe oral tablet chewable 1-20 mg-mcg(24) | Preferred | NOTES (EA) |
| norethindrone acet-ethinyl est oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg | Preferred | NOTES (EA) |
| norethin-eth estradiol-fe oral tablet chewable 0.4-35 mg-mcg, 0.8-25 mg-mcg | Preferred | NOTES (EA) |

| Drug | Status | Notes |
|---|-----------|------------|
| norgestimate-eth estradiol oral tablet 0.25-35 mg-mcg | Preferred | NOTES (EA) |
| *Combination Contraceptives - Transdermal*** - Birth Control Pills | | |
| TWIRLA TRANSDERMAL PATCH WEEKLY 120-30 MCG/24HR | Preferred | NOTES (EA) |
| XULANE TRANSDERMAL PATCH WEEKLY 150-35 MCG/24HR | Preferred | NOTES (EA) |
| ZAFEMY TRANSDERMAL PATCH WEEKLY 150-35 MCG/24HR | Preferred | NOTES (EA) |
| *Combination Contraceptives - Vaginal*** - Birth Control Pills | | |
| ANNOVERA VAGINAL RING 0.013-0.15 MG/24HR | Preferred | NOTES (EA) |
| ELURYNG VAGINAL RING 0.12-0.015 MG/24HR | Preferred | NOTES (EA) |
| ENILLORING VAGINAL RING 0.12-0.015 MG/24HR | Preferred | NOTES (EA) |
| HALOETTE VAGINAL RING 0.12-0.015 MG/24HR | Preferred | NOTES (EA) |
| NUVARING VAGINAL RING 0.12-0.015 MG/24HR | Preferred | NOTES (EA) |
| etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24hr | Preferred | NOTES (EA) |
| *Continuous Contraceptives - Oral*** - Birth Control Pills | | |
| AMETHYST ORAL TABLET 90-20 MCG | Preferred | NOTES (EA) |
| DOLISHALE ORAL TABLET 90-20 MCG | Preferred | NOTES (EA) |
| levonorgestrel-ethinyl estrad oral tablet 90-20 mcg | Preferred | NOTES (EA) |
| *Copper Contraceptives - Iud*** - Birth Control Pills | | |
| PARAGARD INTRAUTERINE COPPER INTRAUTERINE INTRAUTERINE DEVICE | Preferred | |
| *Emergency Contraceptives*** - Birth Control Pills | | |
| AFTERA ORAL TABLET 1.5 MG | Preferred | |
| AFTERPILL ORAL TABLET 1.5 MG | Preferred | |
| CURAE ORAL TABLET 1.5 MG | Preferred | |
| ECONTRA EZ ORAL TABLET 1.5 MG | Preferred | |

| Drug | Status | Notes |
|---|-----------|------------|
| ECONTRA ONE-STEP ORAL TABLET 1.5 MG | Preferred | |
| ELLA ORAL TABLET 30 MG | Preferred | |
| HER STYLE ORAL TABLET 1.5 MG | Preferred | |
| MY CHOICE ORAL TABLET 1.5 MG | Preferred | |
| MY WAY ORAL TABLET 1.5 MG | Preferred | |
| NEW DAY ORAL TABLET 1.5 MG | Preferred | |
| OPCICON ONE-STEP ORAL TABLET 1.5 MG | Preferred | |
| OPTION 2 ORAL TABLET 1.5 MG | Preferred | |
| PLAN B ONE-STEP ORAL TABLET 1.5 MG | Preferred | |
| REACT ORAL TABLET 1.5 MG | Preferred | |
| TAKE ACTION ORAL TABLET 1.5 MG | Preferred | |
| levonorgestrel oral tablet 1.5 mg | Preferred | |
| *Extended-Cycle Contraceptives - Oral*** - Birth Control Pills | | |
| AMETHIA ORAL TABLET 0.15-0.03 &0.01 MG | Preferred | NOTES (EA) |
| ASHLYNA ORAL TABLET 0.15-0.03 &0.01 MG | Preferred | NOTES (EA) |
| CAMRESE LO ORAL TABLET 0.1-0.02 & 0.01 MG | Preferred | NOTES (EA) |
| CAMRESE ORAL TABLET 0.15-0.03 &0.01 MG | Preferred | NOTES (EA) |
| DAYSEE ORAL TABLET 0.15-0.03 &0.01 MG | Preferred | NOTES (EA) |
| FAYOSIM ORAL TABLET 42-21-21-7 DAYS | Preferred | NOTES (EA) |
| ICLEVIA ORAL TABLET 0.15-0.03 MG | Preferred | NOTES (EA) |
| INTROVALE ORAL TABLET 0.15-0.03 MG | Preferred | NOTES (EA) |
| JAIMIESS ORAL TABLET 0.15-0.03 &0.01 MG | Preferred | NOTES (EA) |
| JOLESSA ORAL TABLET 0.15-0.03 MG | Preferred | NOTES (EA) |
| LOJAIMIESS ORAL TABLET 0.1-0.02 & 0.01 MG | Preferred | NOTES (EA) |
| LOSEASONIQUE ORAL TABLET 0.1-0.02 & 0.01 MG | Preferred | NOTES (EA) |
| QUARTETTE ORAL TABLET 42-21-21-7 DAYS | Preferred | NOTES (EA) |

| Drug | Status | Notes |
|--|---------------|--------------|
| RIVELSA ORAL TABLET 42-21-21-7 DAYS | Preferred | NOTES (EA) |
| SEASONIQUE ORAL TABLET 0.15-0.03 &0.01 MG | Preferred | NOTES (EA) |
| SETLAKIN ORAL TABLET 0.15-0.03 MG | Preferred | NOTES (EA) |
| SIMPESSE ORAL TABLET 0.15-0.03 &0.01 MG | Preferred | NOTES (EA) |
| levonorgest-eth est & eth est oral tablet 42-21-21-7 days | Preferred | NOTES (EA) |
| levonorgest-eth estrad 91-day oral tablet 0.1-0.02 & 0.01 mg, 0.15-0.03 &0.01 mg, 0.15-0.03 mg | Preferred | NOTES (EA) |
| *Four Phase Contraceptives - Oral*** - Birth Control Pills | | |
| NATAZIA ORAL TABLET 3/2-2/2-3/1 MG | Preferred | NOTES (EA) |
| *Progestin Contraceptives - Implants*** - Birth Control Pills | | |
| NEXPLANON SUBCUTANEOUS IMPLANT 68 MG | Preferred | |
| *Progestin Contraceptives - Injectable*** - Birth Control Pills | | |
| DEPO-PROVERA INTRAMUSCULAR SUSPENSION 150 MG/ML | Preferred | |
| DEPO-PROVERA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 150 MG/ML | Preferred | |
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SUSPENSION PREFILLED SYRINGE 104 MG/0.65ML | Preferred | |
| medroxyprogesterone acetate intramuscular suspension 150 mg/ml | Preferred | |
| medroxyprogesterone acetate intramuscular suspension prefilled syringe 150 mg/ml | Preferred | |
| *Progestin Contraceptives - Iud*** - Birth Control Pills | | |
| KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 19.5 MG | Preferred | |
| LILETTA (52 MG) INTRAUTERINE INTRAUTERINE DEVICE 20.1 MCG/DAY | Preferred | |
| MIRENA (52 MG) INTRAUTERINE INTRAUTERINE DEVICE 20 MCG/DAY | Preferred | |
| SKYLA INTRAUTERINE INTRAUTERINE DEVICE 13.5 MG | Preferred | |

| Drug | Status | Notes |
|--|-----------|------------|
| *Progestin Contraceptives - Oral*** - Birth Control Pills | | |
| CAMILA ORAL TABLET 0.35 MG | Preferred | NOTES (EA) |
| DEBLITANE ORAL TABLET 0.35 MG | Preferred | NOTES (EA) |
| ERRIN ORAL TABLET 0.35 MG | Preferred | NOTES (EA) |
| HEATHER ORAL TABLET 0.35 MG | Preferred | NOTES (EA) |
| INCASSIA ORAL TABLET 0.35 MG | Preferred | NOTES (EA) |
| JENCYCLA ORAL TABLET 0.35 MG | Preferred | NOTES (EA) |
| LYLEQ ORAL TABLET 0.35 MG | Preferred | NOTES (EA) |
| LYZA ORAL TABLET 0.35 MG | Preferred | NOTES (EA) |
| NORA-BE ORAL TABLET 0.35 MG | Preferred | NOTES (EA) |
| NORLYDA ORAL TABLET 0.35 MG | Preferred | NOTES (EA) |
| NORLYROC ORAL TABLET 0.35 MG | Preferred | NOTES (EA) |
| SHAROBEL ORAL TABLET 0.35 MG | Preferred | NOTES (EA) |
| SLYND ORAL TABLET 4 MG | Preferred | NOTES (EA) |
| norethindrone oral tablet 0.35 mg | Preferred | NOTES (EA) |
| *Triphasic Contraceptives - Oral*** - Birth Control Pills | | |
| ARANELLE ORAL TABLET 0.5/1/0.5-35 MG-MCG | Preferred | NOTES (EA) |
| DASSETTA 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG | Preferred | NOTES (EA) |
| ENPRESSE-28 ORAL TABLET 50-30/75-40/125-30 MCG | Preferred | NOTES (EA) |
| LEENA ORAL TABLET 0.5/1/0.5-35 MG-MCG | Preferred | NOTES (EA) |
| LEVONEST ORAL TABLET 50-30/75-40/125-30 MCG | Preferred | NOTES (EA) |
| NORTREL 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG | Preferred | NOTES (EA) |
| NYLIA 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG | Preferred | NOTES (EA) |
| ORTHO TRI-CYCLEN LO ORAL TABLET 0.18/0.215/0.25 MG-25 MCG | Preferred | NOTES (EA) |
| PIRMELLA 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG | Preferred | NOTES (EA) |
| TILIA FE ORAL TABLET 1-20/1-30/1-35 MG-MCG | Preferred | NOTES (EA) |
| TRI FEMYNOR ORAL TABLET 0.18/0.215/0.25 MG-35 MCG | Preferred | NOTES (EA) |

| Drug | Status | Notes |
|--|-----------|------------|
| TRI-ESTARYLLA ORAL TABLET 0.18/0.215/0.25 MG-35 MCG | Preferred | NOTES (EA) |
| TRI-LEGEST FE ORAL TABLET 1-20/1-30/1-35 MG-MCG | Preferred | NOTES (EA) |
| TRI-LINYAH ORAL TABLET 0.18/0.215/0.25 MG-35 MCG | Preferred | NOTES (EA) |
| TRI-LO-ESTARYLLA ORAL TABLET 0.18/0.215/0.25 MG-25 MCG | Preferred | NOTES (EA) |
| TRI-LO-MARZIA ORAL TABLET 0.18/0.215/0.25 MG-25 MCG | Preferred | NOTES (EA) |
| TRI-LO-MILI ORAL TABLET 0.18/0.215/0.25 MG-25 MCG | Preferred | NOTES (EA) |
| TRI-LO-SPRINTEC ORAL TABLET 0.18/0.215/0.25 MG-25 MCG | Preferred | NOTES (EA) |
| TRI-MILI ORAL TABLET 0.18/0.215/0.25 MG-35 MCG | Preferred | NOTES (EA) |
| TRINESSA (28) ORAL TABLET 0.18/0.215/0.25 MG-35 MCG | Preferred | NOTES (EA) |
| TRI-NYMYO ORAL TABLET 0.18/0.215/0.25 MG-35 MCG | Preferred | NOTES (EA) |
| TRI-SPRINTEC ORAL TABLET 0.18/0.215/0.25 MG-35 MCG | Preferred | NOTES (EA) |
| TRIVORA (28) ORAL TABLET 50-30/75-40/ 125-30 MCG | Preferred | NOTES (EA) |
| TRI-VYLIBRA LO ORAL TABLET 0.18/0.215/0.25 MG-25 MCG | Preferred | NOTES (EA) |
| TRI-VYLIBRA ORAL TABLET 0.18/0.215/0.25 MG-35 MCG | Preferred | NOTES (EA) |
| VELIVET ORAL TABLET 0.1/0.125/0.15 - 0.025 MG | Preferred | NOTES (EA) |
| alyacen 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg | Preferred | NOTES (EA) |
| levonorg-eth estrad triphasic oral tablet 50-30/75-40/ 125-30 mcg | Preferred | NOTES (EA) |
| norethindron-ethinyl estrad-fe oral tablet 1-20/1-30/1-35 mg-mcg | Preferred | NOTES (EA) |
| norgestim-eth estrad triphasic oral tablet 0.18/0.215/0.25 mg-25 mcg, 0.18/0.215/0.25 mg-35 mcg | Preferred | NOTES (EA) |

| Drug | Status | Notes |
|---|---------------|--------------------------|
| *Corticosteroids* - Hormones | | |
| *Glucocorticosteroids*** - Drugs For Inflammation | | |
| ALKINDI SPRINKLE ORAL CAPSULE SPRINKLE 0.5 MG, 1 MG, 2 MG, 5 MG | Non Preferred | PA; SP |
| CORTEF ORAL TABLET 10 MG | Non Preferred | PA; QL (12 EA per 1 day) |
| CORTEF ORAL TABLET 20 MG | Non Preferred | PA; QL (6 EA per 1 day) |
| CORTEF ORAL TABLET 5 MG | Non Preferred | PA; QL (24 EA per 1 day) |
| DEPO-MEDROL INJECTION SUSPENSION 20 MG/ML | Preferred | PA |
| DEPO-MEDROL INJECTION SUSPENSION 40 MG/ML, 80 MG/ML | Non Preferred | PA |
| DEXAMETHASONE INTENSOL ORAL CONCENTRATE 1 MG/ML | Preferred | |
| DEXONTO 0.4% IONTOPHORESIS SOLUTION 20 MG/5ML | Preferred | PA |
| DOUBLEDEX INJECTION KIT 10 MG/ML | Preferred | PA |
| DXEVO 11-DAY ORAL TABLET THERAPY PACK 1.5 MG | Non Preferred | PA |
| EMFLAZA ORAL SUSPENSION 22.75 MG/ML | Non Preferred | PA; SP |
| EMFLAZA ORAL TABLET 18 MG, 30 MG, 36 MG, 6 MG | Non Preferred | PA; SP |
| HEMADY ORAL TABLET 20 MG | Non Preferred | PA |
| HIDEX 6-DAY ORAL TABLET THERAPY PACK 1.5 MG (21) | Non Preferred | PA |
| KENALOG INJECTION SUSPENSION 10 MG/ML | Preferred | PA |
| KENALOG INJECTION SUSPENSION 40 MG/ML | Non Preferred | PA |
| KENALOG-40 INJECTION SUSPENSION 40 MG/ML | Non Preferred | PA |
| KENALOG-80 INJECTION SUSPENSION 80 MG/ML | Preferred | PA |
| MAS CARE-PAK INJECTION KIT 10 MG/ML | Preferred | PA |
| MEDROL ORAL TABLET 16 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| MEDROL ORAL TABLET 2 MG, 8 MG | Non Preferred | PA |
| MEDROL ORAL TABLET 4 MG | Non Preferred | PA; QL (12 EA per 1 day) |
| MEDROL ORAL TABLET THERAPY PACK 4 MG | Non Preferred | PA; QL (12 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|---------------------|
| MILLIPRED ORAL TABLET 5 MG | Non Preferred | PA |
| ORAPRED ODT ORAL TABLET DISPERSIBLE 10 MG, 15 MG, 30 MG | Non Preferred | PA |
| ORTIKOS ORAL CAPSULE EXTENDED RELEASE 24 HOUR 6 MG, 9 MG | Non Preferred | PA |
| PEDIAPRED ORAL SOLUTION 6.7 (5 BASE) MG/5ML | Non Preferred | PA |
| PREDNISONE INTENSOL ORAL CONCENTRATE 5 MG/ML | Preferred | |
| PRO-C-DURE 5 INJECTION KIT 2 X 40 MG/ML | Preferred | PA |
| PRO-C-DURE 6 INJECTION KIT 3 X 40 MG/ML | Preferred | PA |
| RAYOS ORAL TABLET DELAYED RELEASE 1 MG, 2 MG, 5 MG | Non Preferred | PA |
| SOLU-CORTEF INJECTION SOLUTION RECONSTITUTED 100 MG, 1000 MG, 250 MG, 500 MG | Preferred | PA |
| SOLU-MEDROL (PF) INJECTION SOLUTION RECONSTITUTED 1000 MG, 125 MG, 40 MG, 500 MG | Non Preferred | PA |
| SOLU-MEDROL INJECTION SOLUTION RECONSTITUTED 1000 MG, 2 GM, 500 MG | Non Preferred | PA |
| TAPERDEX 12-DAY ORAL TABLET THERAPY PACK 1.5 MG (49) | Non Preferred | PA |
| TAPERDEX 6-DAY ORAL TABLET THERAPY PACK 1.5 MG, 1.5 MG (21) | Non Preferred | PA |
| TAPERDEX 7-DAY ORAL TABLET THERAPY PACK 1.5 MG (27) | Non Preferred | PA |
| TARPEYO ORAL CAPSULE DELAYED RELEASE 4 MG | Preferred | PA |
| UCERIS ORAL TABLET EXTENDED RELEASE 24 HOUR 9 MG | Preferred | QL (1 EA per 1 day) |
| ZILRETTA INTRA-ARTICULAR SUSPENSION RECONSTITUTED ER 32 MG | Non Preferred | PA |
| betamethasone sodium phosphate injection solution 12 mg/2ml, 6 mg/ml | Preferred | PA |
| budesonide er oral tablet extended release 24 hour 9 mg | Preferred | QL (1 EA per 1 day) |
| budesonide oral capsule delayed release particles 3 mg | Preferred | |

| Drug | Status | Notes |
|--|---------------|----------------------|
| cortisone acetate oral tablet 25 mg | Preferred | |
| dexabliss oral tablet therapy pack 1.5 mg (39) | Non Preferred | PA |
| dexamethasone (la) injection suspension 16 mg/ml, 8 mg/ml | Preferred | PA |
| dexamethasone oral elixir 0.5 mg/5ml | Preferred | QL (60 ML per 1 day) |
| dexamethasone oral solution 0.5 mg/5ml | Preferred | PA |
| dexamethasone oral tablet 0.5 mg | Preferred | QL (12 EA per 1 day) |
| dexamethasone oral tablet 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg | Preferred | QL (10 EA per 1 day) |
| dexamethasone oral tablet therapy pack 1.5 mg (21), 1.5 mg (35), 1.5 mg (51) | Non Preferred | PA |
| dexamethasone sod phos-nacl intravenous solution 6-0.9 mg/25ml-% | Preferred | PA |
| dexamethasone sod phosphate pf injection solution 10 mg/ml | Preferred | PA |
| dexamethasone sod phosphate pf injection solution prefilled syringe 10 mg/ml | Preferred | PA |
| dexamethasone sodium phosphate injection solution 10 mg/ml, 100 mg/10ml, 120 mg/30ml, 20 mg/5ml, 4 mg/ml | Preferred | PA |
| hydrocortisone oral tablet 10 mg | Preferred | QL (12 EA per 1 day) |
| hydrocortisone oral tablet 20 mg | Preferred | QL (6 EA per 1 day) |
| hydrocortisone oral tablet 5 mg | Preferred | QL (24 EA per 1 day) |
| methylprednisolone acetate injection suspension 40 mg/ml, 50 mg/ml, 80 mg/ml | Preferred | PA |
| methylprednisolone oral tablet 16 mg | Preferred | QL (4 EA per 1 day) |
| methylprednisolone oral tablet 32 mg, 4 mg | Preferred | QL (12 EA per 1 day) |
| methylprednisolone oral tablet 8 mg | Preferred | |
| methylprednisolone oral tablet therapy pack 4 mg | Preferred | QL (12 EA per 1 day) |
| methylprednisolone sodium succ injection solution reconstituted 1000 mg, 125 mg, 40 mg, 500 mg | Preferred | |
| p-care k40 injection kit 40 mg/ml | Preferred | PA |
| p-care k80 injection kit 2 x 40 mg/ml | Preferred | PA |
| pod-care 100k injection kit 40 mg/ml | Preferred | PA |
| prednisolone oral solution 15 mg/5ml | Preferred | QL (60 ML per 1 day) |
| prednisolone oral tablet 5 mg | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|--------------------------|
| prednisolone sodium phosphate oral solution 10 mg/5ml, 20 mg/5ml, 25 mg/5ml, 6.7 (5 base) mg/5ml | Preferred | |
| prednisolone sodium phosphate oral solution 15 mg/5ml | Preferred | QL (50 ML per 1 day) |
| prednisolone sodium phosphate oral tablet dispersible 10 mg, 15 mg, 30 mg | Preferred | |
| prednisone oral solution 5 mg/5ml | Non Preferred | PA; QL (60 ML per 1 day) |
| prednisone oral tablet 1 mg | Preferred | QL (10 EA per 1 day) |
| prednisone oral tablet 10 mg | Preferred | QL (9 EA per 1 day) |
| prednisone oral tablet 2.5 mg | Preferred | QL (8 EA per 1 day) |
| prednisone oral tablet 20 mg | Preferred | QL (6 EA per 1 day) |
| prednisone oral tablet 5 mg | Preferred | QL (16 EA per 1 day) |
| prednisone oral tablet 50 mg | Preferred | QL (3 EA per 1 day) |
| prednisone oral tablet therapy pack 10 mg (21), 10 mg (48), 5 mg (21), 5 mg (48) | Preferred | |
| topidex injection kit 10 mg/ml | Preferred | PA |
| triamcinolone acetonide injection suspension 40 mg/ml | Preferred | |
| triamcinolone acetonide injection suspension 50 mg/ml | Preferred | PA |
| triamcinolone diacetate injection suspension 40 mg/ml, 80 mg/ml | Preferred | PA |
| zcort 7-day oral tablet therapy pack 1.5 mg (25) | Non Preferred | PA |
| *Mineralocorticoids*** - Drugs For Inflammation | | |
| fludrocortisone acetate oral tablet 0.1 mg | Preferred | QL (5 EA per 1 day) |
| *Steroid Combinations*** - Drugs For Inflammation | | |
| CELESTONE SOLUSPAN INJECTION SUSPENSION 6 (3-3) MG/ML | Non Preferred | PA |
| CONTRAST ALLERGY PREMED PACK ORAL KIT 3 X 50 MG & 1 X 50 MG | Non Preferred | PA |
| betamethasone combo injection suspension 6 (3-3) mg/ml | Non Preferred | PA |
| betamethasone sod phos & acet injection suspension 6 (3-3) mg/ml | Preferred | PA |

| Drug | Status | Notes |
|---|-----------|-------------------------|
| *Cough/Cold/Allergy* - Drugs For The Lungs | | |
| *Antitussive - Nonnarcotic*** - Drugs For Allergies | | |
| WAL-TUSSIN COUGH LONG ACTING ORAL SYRUP 15 MG/5ML | Preferred | |
| cvs tussin maximum strength oral syrup 15 mg/5ml | Preferred | |
| daytime cough oral liquid 15 mg/15ml | Preferred | |
| eql tussin cough long-acting oral syrup 15 mg/5ml | Preferred | |
| gnp tussin cough long acting oral syrup 15 mg/5ml | Preferred | |
| px tussin max oral syrup 15 mg/5ml | Preferred | |
| sm cough relief oral syrup 15 mg/5ml | Preferred | |
| tussin cough oral syrup 15 mg/5ml | Preferred | |
| *Antitussive-Expectorant*** - Drugs For Cough And Cold | | |
| DIABETIC TUSSIN DM ORAL LIQUID 100-10 MG/5ML | Preferred | QL (240 ML per 24 days) |
| GILTUSS COUGH & CHEST CHILDREN ORAL LIQUID 10-100 MG/5ML | Preferred | QL (240 ML per 24 days) |
| GILTUSS COUGH & CHEST ORAL LIQUID 20-200 MG/10ML | Preferred | QL (240 ML per 24 days) |
| GILTUSS DIABETIC COUGH & COLD ORAL LIQUID 10-100 MG/5ML | Preferred | QL (240 ML per 24 days) |
| GILTUSS HONEY CGH/CHEST CONGES ORAL LIQUID 20-200 MG/10ML | Preferred | QL (240 ML per 24 days) |
| GILTUSS HONEY CGH/CHST CHILD ORAL LIQUID 10-100 MG/5ML | Preferred | QL (240 ML per 24 days) |
| MAX TUSSIN DM COUGH&CHEST CONG ORAL LIQUID 20-200 MG/10ML | Preferred | QL (240 ML per 24 days) |
| ROBAFEN DM CGH/CHEST CONGEST ORAL LIQUID 10-100 MG/5ML | Preferred | QL (240 ML per 24 days) |
| ROBAFEN DM COUGH CLEAR ORAL SYRUP 100-10 MG/5ML | Preferred | QL (240 ML per 24 days) |
| SAFE TUSSIN DM ORAL LIQUID 100-10 MG/5ML | Preferred | QL (240 ML per 24 days) |
| SAFETUSSIN DM COUGH/CHEST CONG ORAL LIQUID 10-100 MG/5ML | Preferred | QL (240 ML per 24 days) |
| SORBUGEN NR ORAL LIQUID 15-150 MG/7.5ML | Preferred | QL (240 ML per 24 days) |

| Drug | Status | Notes |
|---|-----------|-------------------------|
| WAL-TUSSIN COUGH/CHEST DM ORAL SYRUP 100-10 MG/5ML | Preferred | QL (240 ML per 24 days) |
| WAL-TUSSIN DM CGH/CHEST CONG ORAL LIQUID 100-10 MG/5ML | Preferred | QL (240 ML per 24 days) |
| altarussin dm oral syrup 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |
| biocotron oral liquid 10-100 mg/5ml | Preferred | QL (240 ML per 24 days) |
| chest congestion relief dm oral syrup 10-100 mg/5ml | Preferred | QL (240 ML per 24 days) |
| cvs tussin dm oral liquid 10-100 mg/5ml, 20-200 mg/10ml, 200-20 mg/10ml | Preferred | QL (240 ML per 24 days) |
| dextromethorphan-guaifenesin oral liquid 10-100 mg/5ml | Preferred | QL (240 ML per 24 days) |
| dextromethorphan-guaifenesin oral syrup 10-100 mg/5ml | Preferred | QL (240 ML per 24 days) |
| diabetic siltussin-dm oral liquid 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |
| eq tussin dm cough/chest oral syrup 10-100 mg/5ml | Preferred | QL (240 ML per 24 days) |
| eql tussin dm cough/chest cong oral syrup 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |
| geri-tussin dm oral liquid 10-100 mg/5ml | Preferred | QL (240 ML per 24 days) |
| geri-tussin dm oral syrup 10-100 mg/5ml | Preferred | QL (240 ML per 24 days) |
| gnp tussin dm cough oral liquid 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |
| guaiasorb dm oral liquid 10-100 mg/5ml, 20-200 mg/10ml | Preferred | QL (240 ML per 24 days) |
| guaicon dms oral syrup 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |
| guaifenesin-dm oral liquid 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |
| guaifenesin-dm oral syrup 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |
| maxi-tuss g oral liquid 10-100 mg/5ml | Preferred | QL (240 ML per 24 days) |
| medi-tussin dm oral syrup 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |
| px tussin dm oral liquid 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |
| qc tussin dm cough/congestion oral liquid 10-100 mg/5ml, 20-200 mg/10ml | Preferred | QL (240 ML per 24 days) |
| q-tussin dm oral syrup 10-100 mg/5ml | Preferred | QL (240 ML per 24 days) |
| ra tussin cgh/chest congest dm oral liquid 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |
| ra tussin cough dm sugar free oral syrup 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |
| ra tussin cough oral liquid 10-100 mg/5ml | Preferred | QL (240 ML per 24 days) |
| ra tussin dm oral liquid 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |
| robafen dm clear oral syrup 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| siltussin dm das oral liquid 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |
| siltussin-dm alcohol free oral syrup 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |
| sm tussin cough/chest congest oral liquid 20-200 mg/10ml | Preferred | QL (240 ML per 24 days) |
| sm tussin cough/chest congest oral syrup 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |
| sm tussin dm oral syrup 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |
| sorbutuss nr oral liquid 10-100 mg/5ml | Preferred | QL (240 ML per 24 days) |
| tusnel diabetic oral liquid 10-100 mg/5ml | Preferred | QL (240 ML per 24 days) |
| tussin cough+chest cong dm sf oral liquid 10-100 mg/5ml | Preferred | QL (240 ML per 24 days) |
| tussin cough+chest congest dm oral liquid 10-100 mg/5ml | Preferred | QL (240 ML per 24 days) |
| tussin dm cough + chest oral liquid 10-100 mg/5ml | Preferred | QL (240 ML per 24 days) |
| tussin dm oral liquid 10-100 mg/5ml, 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |
| tussin dm oral syrup 10-100 mg/5ml, 100-10 mg/5ml | Preferred | QL (240 ML per 24 days) |
| *Decongestant & Antihistamine*** - Drugs For Cough And Cold | | |
| ALAVERT ALLERGY/SINUS ORAL TABLET EXTENDED RELEASE 12 HOUR 5-120 MG | Preferred | QL (2 EA per 1 day) |
| ALAVERT D-12 HOUR ALLERGY/CONG ORAL TABLET EXTENDED RELEASE 12 HOUR 5-120 MG | Preferred | QL (2 EA per 1 day) |
| CLARINEX-D 12 HOUR ORAL TABLET EXTENDED RELEASE 12 HOUR 2.5-120 MG | Non Preferred | PA |
| EQ ALLERGY RELIEF NASAL DECONG ORAL TABLET EXTENDED RELEASE 24 HOUR 10-240 MG | Preferred | QL (1 EA per 1 day) |
| KLS ALLERCLEAR D-12HR ORAL TABLET EXTENDED RELEASE 12 HOUR 5-120 MG | Preferred | QL (2 EA per 1 day) |
| KLS ALLERCLEAR D-24HR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-240 MG | Preferred | QL (1 EA per 1 day) |
| KLS ALLER-TEC D ORAL TABLET EXTENDED RELEASE 12 HOUR 5-120 MG | Preferred | QL (2 EA per 1 day) |

| Drug | Status | Notes |
|---|-----------|---------------------|
| WAL-ITIN D 24 HOUR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-240 MG | Preferred | QL (1 EA per 1 day) |
| WAL-ITIN D ORAL TABLET EXTENDED RELEASE 12 HOUR 5-120 MG | Preferred | QL (2 EA per 1 day) |
| WAL-ZYR D ORAL TABLET EXTENDED RELEASE 12 HOUR 5-120 MG | Preferred | QL (2 EA per 1 day) |
| 12 hour allergy-d oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| all day allergy d oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| all day allergy-d oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| allergy d-12 oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| allergy relief d oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| allergy relief d oral tablet extended release 24 hour 10-240 mg | Preferred | QL (1 EA per 1 day) |
| allergy relief d12 oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| allergy relief d-12 oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| allergy relief d-24 oral tablet extended release 24 hour 10-240 mg | Preferred | QL (1 EA per 1 day) |
| allergy relief/nasal decongest oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| allergy relief/nasal decongest oral tablet extended release 24 hour 10-240 mg | Preferred | QL (1 EA per 1 day) |
| allergy relief-d oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| allergy relief-d oral tablet extended release 24 hour 10-240 mg | Preferred | QL (1 EA per 1 day) |
| allergy/congestion relief oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| cetirizine-pseudoephedrine er oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| cvs allergy relief d oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| cvs allergy relief-d oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |

| Drug | Status | Notes |
|---|-----------|---------------------|
| cvs allergy relief-d oral tablet extended release 24 hour 10-240 mg | Preferred | QL (1 EA per 1 day) |
| cvs allergy relief-d12 oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| eq allergy & congestion relief oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| eq allergy relief oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| eql allergy/congestion relief oral tablet extended release 24 hour 10-240 mg | Preferred | QL (1 EA per 1 day) |
| gnp all day allergy-d oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| gnp allergy & congestion oral tablet extended release 24 hour 10-240 mg | Preferred | QL (1 EA per 1 day) |
| gnp allergy/congestion relief oral tablet extended release 24 hour 10-240 mg | Preferred | QL (1 EA per 1 day) |
| goodsense all day allergy-d oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| hm allergy & congestion oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| hm allergy complete-d oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| hm allergy relief/nasal decong oral tablet extended release 24 hour 10-240 mg | Preferred | QL (1 EA per 1 day) |
| loratadine-d 12hr oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| loratadine-d 24hr oral tablet extended release 24 hour 10-240 mg | Preferred | QL (1 EA per 1 day) |
| meijer allergy relief-d oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| px allergy relief d (loratid) oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| px allergy relief d oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| px allergy relief d oral tablet extended release 24 hour 10-240 mg | Preferred | QL (1 EA per 1 day) |
| qc loratadine-d oral tablet extended release 24 hour 10-240 mg | Preferred | QL (1 EA per 1 day) |
| ra allergy rlef & nasal decong oral tablet extended release 24 hour 10-240 mg | Preferred | QL (1 EA per 1 day) |
| ra allergy rlf/nasal decongest oral tablet extended release 24 hour 10-240 mg | Preferred | QL (1 EA per 1 day) |

| Drug | Status | Notes |
|---|-----------|---------------------|
| ra allergy/congestion relief oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| ra allergy/congestion relief-d oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| ra cetiri-d oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| ra lorata-d oral tablet extended release 24 hour 10-240 mg | Preferred | QL (1 EA per 1 day) |
| sb allergy relief/nasal decong oral tablet extended release 24 hour 10-240 mg | Preferred | QL (1 EA per 1 day) |
| sm all day allergy-d oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| sm loratadine d 12hr oral tablet extended release 12 hour 5-120 mg | Preferred | QL (2 EA per 1 day) |
| sm lorata-dine d oral tablet extended release 24 hour 10-240 mg | Preferred | QL (1 EA per 1 day) |
| *Expectorants*** - Drugs For Cough And Cold | | |
| BUCKLEYS CHEST CONGESTION ORAL LIQUID 100 MG/5ML | Preferred | AGE (Min 4 Years) |
| DIABETIC TUSSIN CHEST/CONGEST ORAL LIQUID 100 MG/5ML | Preferred | AGE (Min 4 Years) |
| DIABETIC TUSSIN EX ORAL LIQUID 100 MG/5ML | Preferred | AGE (Min 4 Years) |
| MAX TUSSIN MUCUS & CHEST CONG ORAL LIQUID 200 MG/10ML | Preferred | AGE (Min 4 Years) |
| MUCINEX FAST-MAX CHEST CONG MS ORAL LIQUID 400 MG/20ML | Preferred | AGE (Min 4 Years) |
| ROBAFEN MUCUS/CHEST CONGESTION ORAL LIQUID 200 MG/10ML | Preferred | AGE (Min 4 Years) |
| TUSNEL-EX ORAL LIQUID 100 MG/5ML | Preferred | AGE (Min 4 Years) |
| WAL-TUSSIN CHEST CONGESTION ORAL LIQUID 100 MG/5ML | Preferred | AGE (Min 4 Years) |
| altarussin oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| chest congestion childrens oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| chest congestion relief child oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| chest congestion relief oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| cvs tussin adult chest congest oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |

| Drug | Status | Notes |
|---|-----------|-------------------|
| eql tussin mucus/chest congest oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| ft tussin adult oral liquid 200 mg/10ml | Preferred | AGE (Min 4 Years) |
| geri-tussin oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| geri-tussin oral syrup 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| gnp tussin mucus & chest cong oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| guaifenesin oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| mucus & chest congestion oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| mucus relief chest congestion oral liquid 400 mg/20ml | Preferred | AGE (Min 4 Years) |
| mucus+chest congestion oral liquid 200 mg/10ml | Preferred | AGE (Min 4 Years) |
| px tussin oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| qc medifin mucus relief child oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| qc mucus relief childrens oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| qc tussin expectorant adult oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| qc tussin mucus/congestion oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| ra tussin chest congestion oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| ra tussin oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| sb cough control oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| scot-tussin expectorant oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| siltussin sa oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| sm mucus relief childrens oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| sm tussin mucus+chest congest oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| tussin mucus & chest congest oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |
| tussin mucus+chest congest sf oral liquid 200 mg/10ml | Preferred | AGE (Min 4 Years) |
| tussin mucus+chest congestion oral liquid 100 mg/5ml | Preferred | AGE (Min 4 Years) |

| Drug | Status | Notes |
|--|---------------|----------------------------|
| *Misc. Respiratory Inhalants*** - Drugs For Allergies | | |
| HYPERSAL INHALATION NEBULIZATION SOLUTION 3.5 %, 7 % | Non Preferred | PA |
| NEBUSAL INHALATION NEBULIZATION SOLUTION 3 % | Preferred | |
| NEBUSAL INHALATION NEBULIZATION SOLUTION 6 % | Non Preferred | PA |
| PULMOSAL INHALATION NEBULIZATION SOLUTION 7 % | Preferred | |
| sodium chloride inhalation nebulization solution 0.9 %, 10 %, 3 %, 7 % | Preferred | |
| *Mucolytics*** - Drugs For The Lungs | | |
| acetylcysteine inhalation solution 10 % | Preferred | |
| acetylcysteine inhalation solution 20 % | Preferred | QL (120 ML per 1 day) |
| *Dermatologicals* - Drugs For The Skin | | |
| *Acne Antibiotics*** - Drugs For The Skin | | |
| ACZONE EXTERNAL GEL 5 %, 7.5 % | Non Preferred | PA |
| AMZEEQ EXTERNAL FOAM 4 % | Non Preferred | PA |
| CLEOCIN-T EXTERNAL LOTION 1 % | Non Preferred | PA; QL (60 ML per 24 days) |
| CLINDACIN ETZ EXTERNAL SWAB 1 % | Non Preferred | PA; QL (60 EA per 24 days) |
| CLINDACIN EXTERNAL FOAM 1 % | Non Preferred | PA |
| CLINDACIN-P EXTERNAL SWAB 1 % | Non Preferred | PA; QL (60 EA per 24 days) |
| CLINDAGEL EXTERNAL GEL 1 % | Non Preferred | PA; QL (60 ML per 24 days) |
| ERYGEL EXTERNAL GEL 2 % | Non Preferred | PA |
| EVOCLIN EXTERNAL FOAM 1 % | Non Preferred | PA |
| KLARON EXTERNAL LOTION 10 % | Non Preferred | PA |
| clindamycin phosphate external foam 1 % | Non Preferred | PA |
| clindamycin phosphate external gel 1 % | Non Preferred | PA; QL (60 GM per 24 days) |
| clindamycin phosphate external lotion 1 % | Non Preferred | PA; QL (60 ML per 24 days) |
| clindamycin phosphate external solution 1 % | Preferred | QL (60 ML per 24 days) |
| clindamycin phosphate external swab 1 % | Non Preferred | PA; QL (60 EA per 24 days) |
| dapsone external gel 5 %, 7.5 % | Non Preferred | PA |
| ery external pad 2 % | Non Preferred | PA |
| erythromycin external gel 2 % | Non Preferred | PA |
| erythromycin external solution 2 % | Preferred | QL (120 ML per 24 days) |
| sulfacetamide sodium (acne) external lotion 10 % | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|-----------------------------|
| *Acne Combinations*** - Drugs For The Skin | | |
| ACANYA EXTERNAL GEL 1.2-2.5 % | Non Preferred | PA; QL (50 GM per 24 days) |
| AVAR CLEANSER EXTERNAL LIQUID 10-5 % | Preferred | QL (340.2 GM per 24 days) |
| AVAR LS CLEANSER EXTERNAL LIQUID 10-2 % | Non Preferred | PA; QL (227 GM per 24 days) |
| AVAR-E EMOLlient EXTERNAL CREAM 10-5 % | Non Preferred | PA |
| AVAR-E GREEN EXTERNAL CREAM 10-5 % | Non Preferred | PA |
| AVAR-E LS EXTERNAL CREAM 10-2 % | Non Preferred | PA |
| BENZAMYCIN EXTERNAL GEL 5-3 % | Non Preferred | PA |
| CLENIA PLUS EXTERNAL SUSPENSION 9-4.25 % | Non Preferred | PA |
| EPIDUO EXTERNAL GEL 0.1-2.5 % | Non Preferred | PA; QL (45 GM per 24 days) |
| EPIDUO FORTE EXTERNAL GEL 0.3-2.5 % | Non Preferred | PA |
| NEUAC EXTERNAL GEL 1.2-5 % | Preferred | QL (45 GM per 24 days) |
| ONEXTON EXTERNAL GEL 1.2-3.75 % | Non Preferred | PA |
| PLEXION CLEANSER EXTERNAL LIQUID 9.8-4.8 % | Non Preferred | PA |
| PLEXION CLEANSING CLOTH EXTERNAL PAD 9.8-4.8 % | Non Preferred | PA |
| PLEXION EXTERNAL CREAM 9.8-4.8 % | Non Preferred | PA |
| PLEXION EXTERNAL LOTION 9.8-4.8 % | Non Preferred | PA |
| SULFACEANSE 8/4 EXTERNAL SUSPENSION 8-4 % | Non Preferred | PA |
| SUMADAN WASH EXTERNAL LIQUID 9-4.5 % | Non Preferred | PA |
| SUMAXIN EXTERNAL PAD 10-4 % | Non Preferred | PA |
| TWYNEO EXTERNAL CREAM 0.1-3 % | Non Preferred | PA |
| VELTIN EXTERNAL GEL 1.2-0.025 % | Non Preferred | PA |
| ZIANA EXTERNAL GEL 1.2-0.025 % | Non Preferred | PA |
| ZMA CLEAR EXTERNAL SUSPENSION 9-4.5 % | Non Preferred | PA |
| aciociaiy external cream 15-4 % | Non Preferred | PA |
| adainzde external gel 0.3-2.5-1 % | Non Preferred | PA |
| adainzoxia external gel 0.3-2.5-4 % | Non Preferred | PA |
| adapalene-benzoyl peroxide external gel 0.1-2.5 % | Preferred | QL (45 GM per 24 days) |

| Drug | Status | Notes |
|--|---------------|------------------------|
| adapalene-benzoyl peroxide external gel 0.3-2.5 % | Non Preferred | PA |
| benzoyl peroxide-erythromycin external gel 5-3 % | Preferred | |
| bp 10-1 external emulsion 10-1 % | Non Preferred | PA |
| bp cleansing wash external emulsion 10-4 % | Non Preferred | PA |
| clindamycin phos-benzoyl perox external gel 1.2-3.75 % | Non Preferred | PA |
| clindamycin phos-benzoyl perox external gel 1.2-5 % | Preferred | QL (45 GM per 24 days) |
| clindamycin phos-benzoyl perox external gel 1-5 %, 1.2-2.5 % | Preferred | QL (50 GM per 24 days) |
| clindamycin-tretinoin external gel 1.2-0.025 % | Non Preferred | PA |
| clindavix external kit 1 & 1.8-2 % | Non Preferred | PA |
| deoxia external gel 1-4 % | Non Preferred | PA |
| deoxia external lotion 1-4 % | Non Preferred | PA |
| deoxiademtar external gel 1-4-2-0.025 % | Non Preferred | PA |
| diadimaxia external gel 6-2-5 % | Non Preferred | PA |
| diaoxia external gel 6-4 % | Non Preferred | PA |
| diasdimaxia external gel 8.5-2-5 % | Non Preferred | PA |
| diasoxia external gel 8.5-4 % | Non Preferred | PA |
| dimoxia external gel 4-5 % | Non Preferred | PA |
| draxace lotion cleanser external suspension 2-8 % | Non Preferred | PA |
| draxacey external suspension 2-8 % | Non Preferred | PA |
| drixece external suspension 5-10 % | Non Preferred | PA |
| ethoxia external cream 4-0.05 % | Non Preferred | PA |
| inzdeoxia external gel 2.5-1-4 % | Non Preferred | PA |
| ithoxia external cream 4-0.1 % | Non Preferred | PA |
| onzdeoxia external gel 1-5-4 % | Non Preferred | PA |
| oxiatar external cream 4-0.025 % | Non Preferred | PA |
| oxiavar external cream 4-0.05 % | Non Preferred | PA |
| oxiavarrry external cream 4-0.05 % | Non Preferred | PA |
| saroxia external cream 4-0.05 % | Non Preferred | PA |
| sss 10-5 external cream 10-5 % | Non Preferred | PA |
| sss 10-5 external foam 10-5 % | Non Preferred | PA |
| sulfacetamide sodium-sulfur external cream 10-2 %, 10-5 %, 9.8-4.8 % | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|---|
| sulfacetamide sodium-sulfur external liquid 10-2 % | Preferred | QL (227 GM per 24 days) |
| sulfacetamide sodium-sulfur external liquid 10-5 % | Preferred | QL (340.2 GM per 24 days) |
| sulfacetamide sodium-sulfur external liquid 9-4 %, 9-4.5 %, 9.8-4.8 % | Non Preferred | PA |
| sulfacetamide sodium-sulfur external lotion 10-5 %, 9.8-4.8 % | Non Preferred | PA |
| sulfacetamide sodium-sulfur external pad 10-4 %, 9.8-4.8 % | Non Preferred | PA |
| sulfacetamide sodium-sulfur external suspension 10-5 %, 8-4 %, 9-4.25 % | Non Preferred | PA |
| sulfacetamide sodium-sulfur wash external liquid 9-4 %, 9-4.5 % | Non Preferred | PA |
| sulfacetamide-sulfur in urea external emulsion 10-5 % | Non Preferred | PA |
| sulfamez wash external emulsion 10-1 % | Non Preferred | PA |
| tardimaxia external gel 2-5-0.025 % | Non Preferred | PA |
| taroxia external cream 4-0.025 % | Non Preferred | PA |
| taroxia external gel 4-0.025 % | Non Preferred | PA |
| vardimaxia external gel 2-5-0.05 % | Non Preferred | PA |
| varoxia external cream 4-0.05 % | Non Preferred | PA |
| varoxia external gel 4-0.05 % | Non Preferred | PA |
| *Acne Products*** - Drugs For The Skin | | |
| ABSORICA LD ORAL CAPSULE 16 MG, 24 MG, 32 MG, 8 MG | Non Preferred | PA |
| ABSORICA ORAL CAPSULE 10 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG | Non Preferred | PA |
| ACCUTANE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG | Preferred | PA |
| AKLIEF EXTERNAL CREAM 0.005 % | Non Preferred | PA |
| ALTRENO EXTERNAL LOTION 0.05 % | Non Preferred | PA |
| AMNESTEEM ORAL CAPSULE 10 MG, 20 MG, 40 MG | Preferred | PA |
| ARAZLO EXTERNAL LOTION 0.045 % | Non Preferred | PA |
| ATRALIN EXTERNAL GEL 0.05 % | Non Preferred | PA; QL (45 GM per 24 days); AGE (Min 10 Years and Max 35 Years) |
| AVITA EXTERNAL CREAM 0.025 % | Preferred | QL (45 GM per 24 days); AGE (Min 10 Years and Max 35 Years) |

| Drug | Status | Notes |
|--|---------------|---|
| AVITA EXTERNAL GEL 0.025 % | Preferred | QL (45 GM per 24 days); AGE (Min 10 Years and Max 35 Years) |
| AZELEX EXTERNAL CREAM 20 % | Non Preferred | PA |
| CLARAVIS ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG | Preferred | PA |
| DIFFERIN EXTERNAL CREAM 0.1 % | Preferred | |
| DIFFERIN EXTERNAL GEL 0.1 %, 0.3 % | Preferred | QL (45 GM per 24 days) |
| DIFFERIN EXTERNAL LOTION 0.1 % | Preferred | |
| FABIOR EXTERNAL FOAM 0.1 % | Non Preferred | PA |
| MYORISAN ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG | Preferred | PA |
| RETIN-A EXTERNAL CREAM 0.025 %, 0.05 %, 0.1 % | Non Preferred | PA; QL (45 GM per 24 days); AGE (Min 10 Years and Max 35 Years) |
| RETIN-A EXTERNAL GEL 0.01 %, 0.025 % | Preferred | QL (45 GM per 24 days); AGE (Min 10 Years and Max 35 Years) |
| RETIN-A MICRO EXTERNAL GEL 0.04 %, 0.1 % | Non Preferred | PA |
| RETIN-A MICRO PUMP EXTERNAL GEL 0.04 %, 0.06 %, 0.08 %, 0.1 % | Non Preferred | PA |
| WINLEVI EXTERNAL CREAM 1 % | Non Preferred | PA |
| ZENATANE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG | Preferred | PA |
| adapalene external cream 0.1 % | Preferred | |
| adapalene external gel 0.1 %, 0.3 % | Preferred | QL (45 GM per 24 days) |
| adapalene external pad 0.1 % | Non Preferred | PA |
| adapalene external solution 0.1 % | Non Preferred | PA |
| isotretinoin oral capsule 10 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg | Preferred | PA |
| tazarotene external foam 0.1 % | Non Preferred | PA |
| tretinooin external cream 0.025 %, 0.05 %, 0.1 % | Preferred | QL (45 GM per 24 days); AGE (Min 10 Years and Max 35 Years) |
| tretinooin external gel 0.01 %, 0.025 %, 0.05 % | Preferred | QL (45 GM per 24 days); AGE (Min 10 Years and Max 35 Years) |
| tretinooin microsphere external gel 0.04 %, 0.1 % | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|-------|
| tretinoin microsphere pump external gel 0.04 %, 0.08 %, 0.1 % | Non Preferred | PA |
| *Agents For External Genital And Perianal Warts*** - Drugs For The Skin | | |
| VEREGEN EXTERNAL OINTMENT 15 % | | |
| *Alopecia Agents - Janus Kinus (Jak) Inhibitors*** - Drugs For The Skin | | |
| LITFULO ORAL CAPSULE 50 MG | Non Preferred | PA |
| *Analgesic Combinations - Topical*** - Drugs For The Skin | | |
| A.A.G.C. KIT IN TERODERM EXTERNAL CREAM 8-4-10-4 % | Non Preferred | PA |
| *Analgesics - Topical*** - Drugs For The Skin | | |
| NEURAPTINE EXTERNAL CREAM 10 % | Non Preferred | PA |
| enovarx-baclofen external cream 1 % | Non Preferred | PA |
| enovarx-tramadol external cream 5 % | Non Preferred | PA |
| *Antibiotic Mixtures Topical*** - Drugs For The Skin | | |
| NEOSPORIN EXTERNAL OINTMENT 500-10000 UNIT/GM | Preferred | |
| bacitracin-polymyxin b external ointment 500-10000 unit/gm | Preferred | |
| cvs poly bacitracin external ointment 500-10000 unit/gm | Preferred | |
| double antibiotic external ointment 500-10000 unit/gm | Preferred | |
| hm double antibiotic external ointment 500-10000 unit/gm | Preferred | |
| kp double antibiotic external ointment 500-10000 unit/gm | Preferred | |
| poly bacitracin external ointment 500-10000 unit/gm | Preferred | |
| ra double antibiotic external ointment 500-10000 unit/gm | Preferred | |
| sm double antibiotic external ointment 500-10000 unit/gm | Preferred | |
| wal-sporin external ointment 500-100000 unit/gm | Preferred | |

| Drug | Status | Notes |
|--|---------------|------------------------|
| *Antibiotic Steroid Combinations - Topical*** - | | |
| Drugs For The Skin | | |
| NEO-SYNALAR EXTERNAL CREAM 0.5-0.025 % | Non Preferred | PA |
| NEO-SYNALAR EXTERNAL KIT 0.5-0.025 % | Non Preferred | PA |
| *Antibiotics - Topical*** - Drugs For The Skin | | |
| ALTABAX EXTERNAL OINTMENT 1 % | Non Preferred | PA |
| BACITRACYCIN PLUS EXTERNAL OINTMENT 500 UNIT/GM | Preferred | QL (10 GM per 1 day) |
| CENTANY AT EXTERNAL KIT 2 % | Non Preferred | PA |
| CENTANY EXTERNAL OINTMENT 2 % | Non Preferred | PA |
| XEPI EXTERNAL CREAM 1 % | Non Preferred | PA |
| antibiotic external ointment 500 unit/gm | Preferred | QL (10 GM per 1 day) |
| bacitracin external ointment 500 unit/gm | Preferred | QL (10 EA per 1 day) |
| bacitracin zinc external ointment 500 unit/gm | Preferred | |
| bacitracin zinc-aloe external ointment 500 unit/gm | Preferred | |
| cvs bacitracin external ointment 500 unit/gm | Preferred | |
| cvs bacitracin zinc external ointment 500 unit/gm | Preferred | |
| eq bacitracin zinc external ointment 500 unit/gm | Preferred | |
| eql bacitracin zinc external ointment 500 unit/gm | Preferred | |
| gentamicin sulfate external cream 0.1 % | Preferred | |
| gentamicin sulfate external ointment 0.1 % | Preferred | QL (30 GM per 24 days) |
| gnp bacitracin zinc external ointment 500 unit/gm | Preferred | |
| hm bacitracin zinc external ointment 500 unit/gm | Preferred | |
| mupirocin calcium external cream 2 % | Non Preferred | PA |
| mupirocin external ointment 2 % | Preferred | QL (44 GM per 24 days) |
| qc bacitracin external ointment 500 unit/gm | Preferred | QL (10 GM per 1 day) |
| ra bacitracin external ointment 500 unit/gm | Preferred | |
| ra bacitracin zinc first aid external ointment 500 unit/gm | Preferred | |
| sb bacitracin external ointment 500 unit/gm | Preferred | QL (10 GM per 1 day) |
| sm antibiotic external ointment 500 unit/gm | Preferred | |

| Drug | Status | Notes |
|--|---------------|-------|
| *Antifungals - Topical Combinations*** - Drugs For The Skin | | |
| DERMACINRX THERAZOLE PAK EXTERNAL THERAPY PACK 1-0.05 & 20 % | Non Preferred | PA |
| EXODERM EXTERNAL LOTION 25-1 % | Non Preferred | PA |
| ONYCHO-MED EXTERNAL KIT 2-250 %- MG | Non Preferred | PA |
| RECURA EXTERNAL CREAM | Non Preferred | PA |
| VUSION EXTERNAL OINTMENT 0.25-15- 81.35 % | Non Preferred | PA |
| VYTONE EXTERNAL CREAM 1-1.9 % | Non Preferred | PA |
| XOLEGEL COREPAK EXTERNAL KIT 2 & 1 % | Non Preferred | PA |
| XOLEGEL DUO/HEAD & SHOULDERS EXTERNAL KIT 2 & 1 % | Non Preferred | PA |
| XOLEGEL DUO/XOLEX EXTERNAL KIT 2 & 1 % | Non Preferred | PA |
| ZOLPAK EXTERNAL KIT 1 % | Non Preferred | PA |
| clotrimazole-betamethasone external cream 1-0.05 % | Preferred | |
| clotrimazole-betamethasone external lotion 1-0.05 % | Non Preferred | PA |
| difmetioxime external solution 4-2-1-4 % | Non Preferred | PA |
| fungimez external solution | Non Preferred | PA |
| imioxia external cream 1-4 % | Non Preferred | PA |
| iodoquinol-hydrocortisone-aloe external cream 1-1.9 % | Non Preferred | PA |
| miconazole-zinc oxide-petrolat external ointment 0.25-15-81.35 % | Non Preferred | PA |
| nystatin-triamcinolone external cream 100000-0.1 unit/gm-% | Preferred | |
| nystatin-triamcinolone external ointment 100000-0.1 unit/gm-% | Preferred | |
| pedizolpak external therapy pack 2 & 2 % | Non Preferred | PA |
| pheodoyo external cream 1-2.5-2 % | Non Preferred | PA |
| pheyo external cream 2.5-2 % | Non Preferred | PA |
| *Antifungals - Topical*** - Drugs For The Skin | | |
| CICLODAN EXTERNAL SOLUTION 8 % | Non Preferred | PA |
| LOPROX EXTERNAL CREAM 0.77 % | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|------------------------|
| LOPROX EXTERNAL KIT 0.77 %, 0.77 % (SUSP) | Non Preferred | PA |
| LOPROX EXTERNAL SHAMPOO 1 % | Non Preferred | PA |
| LOPROX EXTERNAL SUSPENSION 0.77 % | Non Preferred | PA |
| MENTAX EXTERNAL CREAM 1 % | Non Preferred | PA |
| NAFTIN EXTERNAL GEL 1 %, 2 % | Non Preferred | PA |
| NYAMYC EXTERNAL POWDER 100000 UNIT/GM | Preferred | QL (30 GM per 24 days) |
| NYSTOP EXTERNAL POWDER 100000 UNIT/GM | Preferred | QL (30 GM per 24 days) |
| antifungal (tolnaftate) external cream 1 % | Preferred | |
| ciclopirox external gel 0.77 % | Non Preferred | PA |
| ciclopirox external shampoo 1 % | Preferred | |
| ciclopirox external solution 8 % | Non Preferred | PA |
| ciclopirox olamine external cream 0.77 % | Preferred | QL (20 GM per 1 day) |
| ciclopirox olamine external suspension 0.77 % | Preferred | |
| ciclopirox treatment external kit 8 % | Non Preferred | PA |
| cvs athletes foot (tolnaftate) external cream 1 % | Preferred | |
| eq athletes foot (tolnaftate) external cream 1 % | Preferred | |
| ft antifungal external cream 1 % | Preferred | |
| fungi-guard external cream 1 % | Preferred | |
| gnp tolnaftate external cream 1 % | Preferred | |
| naftifine hcl external cream 1 %, 2 % | Non Preferred | PA |
| naftifine hcl external gel 2 % | Non Preferred | PA |
| nystatin external cream 100000 unit/gm | Preferred | QL (90 GM per 24 days) |
| nystatin external ointment 100000 unit/gm | Preferred | QL (90 GM per 24 days) |
| nystatin external powder 100000 unit/gm | Preferred | QL (30 GM per 24 days) |
| qc antifungal (tolnaftate) external cream 1 % | Preferred | |
| qc tolnaftate external cream 1 % | Preferred | |
| ra foot care (tolnaftate) external cream 1 % | Preferred | |
| sb anti-fungal external cream 1 % | Preferred | |
| sm antifungal tolnaftate external cream 1 % | Preferred | |
| tolnaftate antifungal external cream 1 % | Preferred | |
| tolnaftate external cream 1 % | Preferred | |

| Drug | Status | Notes |
|---|---------------|--------------------------|
| *Anti-Inflammatory Agents - Topical*** - | | |
| Drugs For The Skin | | |
| DICLOFONO EXTERNAL GEL 1.6 % | Non Preferred | PA |
| FLECTOR EXTERNAL PATCH 1.3 % | Non Preferred | PA |
| FROTEK EXTERNAL CREAM 10 % | Non Preferred | PA |
| KETOPHENE RAPIDPAQ EXTERNAL CREAM 20 % | Non Preferred | PA |
| LICART EXTERNAL PATCH 24 HOUR 1.3 % | Non Preferred | PA |
| PENNSAID EXTERNAL SOLUTION 2 % | Non Preferred | PA |
| VOLTAREN EXTERNAL GEL 1 % | Non Preferred | PA; QL (32 GM per 1 day) |
| diclofenac epolamine external patch 1.3 % | Non Preferred | PA |
| diclofenac sodium external gel 1 % | Preferred | QL (32 GM per 1 day) |
| diclofenac sodium external solution 1.5 % | Preferred | QL (300 ML per 24 days) |
| diclofenac sodium external solution 2 % | Non Preferred | PA |
| enovarx-diclofenac sodium external cream 2.5 % | Non Preferred | PA |
| enovarx-ibuprofen external cream 10 % | Non Preferred | PA |
| enovarx-naproxen external cream 10 % | Non Preferred | PA |
| napro external cream 15 % | Non Preferred | PA |
| *Anti-Inflammatory Combinations - Topical*** | | |
| - Drugs For The Skin | | |
| DERMACINRX LEXITRAL PHARMAPAK EXTERNAL THERAPY PACK 1.5 & 0.025 % | Non Preferred | PA |
| DICLOSAICIN EXTERNAL THERAPY PACK 1.5-0.025 % | Non Preferred | PA |
| DICLOTREX EXTERNAL THERAPY PACK 1.5 & 4-10 % | Non Preferred | PA |
| DICLOTREX II EXTERNAL THERAPY PACK 1.5 & 4-10 % | Non Preferred | PA |
| FENOVAR EXTERNAL KIT 1.5-10-15 % | Non Preferred | PA |
| ICLOFENAC CP EXTERNAL THERAPY PACK 0.025-1.5 % | Non Preferred | PA |
| K.B.G.L IN TERODERM EXTERNAL CREAM 15-4-10-2 % | Non Preferred | PA |
| LEXITRAL PHARMAPAK II EXTERNAL THERAPY PACK 1.5 & 0.025 % | Non Preferred | PA |
| LEXTOL EXTERNAL THERAPY PACK 1.5 & 0.025 % | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|-------|
| NUDICLO SOLUPAK EXTERNAL THERAPY PACK 1.5 & 0.025 % | Non Preferred | PA |
| PROFINAC EXTERNAL THERAPY PACK 1.5 % | Non Preferred | PA |
| VAROPHEN EXTERNAL KIT 1.5-10-15 % | Non Preferred | PA |
| XRYLIX EXTERNAL THERAPY PACK 1.5 % | Non Preferred | PA |
| XRYLIX II EXTERNAL THERAPY PACK 1.5 % | Non Preferred | PA |
| ZICLOPRO EXTERNAL THERAPY PACK 1.5 & 0.025 % | Non Preferred | PA |
| capsfenac pak external therapy pack 1.5 & 0.025 % | Non Preferred | PA |
| capsinac external therapy pack 0.025-1.5 % | Non Preferred | PA |
| dfs/ms/ment/cap pak external kit 1.5 % | Non Preferred | PA |
| diclopr external kit 1 & 10-30 % | Non Preferred | PA |
| diclostream external therapy pack 1.5-10 % | Non Preferred | PA |
| diclovix external kit 1.5 & 2-2.5-4 % | Non Preferred | PA |
| diclovix m external therapy pack 1.5-8 % | Non Preferred | PA |
| dimentho external therapy pack 1.5 & 10 % | Non Preferred | PA |
| dual complex formula 1 kit external cream | Non Preferred | PA |
| fbl kit external cream 15-4-5 % | Non Preferred | PA |
| pennsaicin external therapy pack 1.5 & 0.025 % | Non Preferred | PA |
| sure result dss premium pack external therapy pack 1.5 & 0.025 % | Non Preferred | PA |
| triple complex formula 3 kit external cream 20-2-10 % | Non Preferred | PA |
| vp fc kit external cream | Non Preferred | PA |
| vp gkl kit external cream 20-2-10 % | Non Preferred | PA |
| ziclocin external therapy pack 1.5 & 0.025 % | Non Preferred | PA |
| *Antineoplastic Alkylating Agents - Topical*** | | |
| - Drugs For The Skin | | |
| VALCHLOR EXTERNAL GEL 0.016 % | Preferred | PA |
| *Antineoplastic Antimetabolites - Topical*** - | | |
| Drugs For The Skin | | |
| CARAC EXTERNAL CREAM 0.5 % | Non Preferred | PA |
| EFUDEX EXTERNAL CREAM 5 % | Non Preferred | PA |
| TOLAK EXTERNAL CREAM 4 % | Preferred | PA |
| fluorouracil external cream 0.5 % | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|--------------|
| fluorouracil external cream 5 % | Preferred | |
| fluorouracil external solution 2 %, 5 % | Preferred | PA |
| *Antineoplastic Or Premalignant Lesion Agent - Comb*** - Drugs For The Skin | | |
| ORMECA COMBINATION KIT 3 & 46-0.4-1.1 %-MG | Preferred | PA |
| quihoxaxia external gel 5-1-2 % | Non Preferred | PA |
| quihoxvar external gel 5-1-0.05 % | Non Preferred | PA |
| solaravix external therapy pack 3 % | Preferred | PA |
| *Antineoplastic Or Premalignant Lesions - Topical Nsaid's*** - Drugs For The Skin | | |
| diclofenac sodium external gel 3 % | Preferred | PA |
| *Antineoplastic Retinoids - Topical*** - Drugs For The Skin | | |
| PANRETIN EXTERNAL GEL 0.1 % | Preferred | PA |
| *Antipruritics - Topical*** - Drugs For The Skin | | |
| PRUDOXIN EXTERNAL CREAM 5 % | Non Preferred | PA |
| ZONALON EXTERNAL CREAM 5 % | Non Preferred | PA |
| doxepin hcl external cream 5 % | Preferred | PA |
| *Antipsoriatic Combinations*** - Drugs For The Skin | | |
| NUDERMRXPAK 120 EXTERNAL THERAPY PACK 0.005-5 % | Non Preferred | PA |
| NUDERMRXPAK 60 EXTERNAL THERAPY PACK 0.005-5 % | Non Preferred | PA |
| *Antipsoriatics - Systemic*** - Drugs For The Skin | | |
| COSENTYX (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML | Non Preferred | PA; SP |
| COSENTYX INTRAVENOUS SOLUTION 125 MG/5ML | Non Preferred | PA |
| COSENTYX SENSOREADY (300 MG) SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML | Non Preferred | PA; SP |
| COSENTYX SENSOREADY PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML | Non Preferred | PA; SP |

| Drug | Status | Notes |
|---|---------------|--------|
| COSENTYX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML, 75 MG/0.5ML | Non Preferred | PA; SP |
| COSENTYX UNOREADY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML | Non Preferred | PA |
| ILUMYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML | Non Preferred | PA; SP |
| SILIQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 210 MG/1.5ML | Non Preferred | PA; SP |
| SKYRIZI (150 MG DOSE) SUBCUTANEOUS PREFILLED SYRINGE KIT 75 MG/0.83ML | Non Preferred | PA |
| SKYRIZI PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML | Non Preferred | PA; SP |
| SKYRIZI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML | Non Preferred | PA; SP |
| SOTYKTU ORAL TABLET 6 MG | Non Preferred | PA; SP |
| SPEVIGO INTRAVENOUS SOLUTION 450 MG/7.5ML | Preferred | PA; SP |
| STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML | Non Preferred | PA; SP |
| STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 45 MG/0.5ML, 90 MG/ML | Non Preferred | PA; SP |
| TALTZ SUBCUTANEOUS SOLUTION AUTO-INJECTOR 80 MG/ML | Non Preferred | PA; SP |
| TALTZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 80 MG/ML | Non Preferred | PA; SP |
| TREMFYA SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 MG/ML | Non Preferred | PA; SP |
| TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML | Non Preferred | PA; SP |
| acitretin oral capsule 10 mg, 17.5 mg, 25 mg | Preferred | |
| methoxsalen rapid oral capsule 10 mg | Non Preferred | PA |
| *Antipsoriatics*** - Drugs For The Skin | | |
| CALCITRENE EXTERNAL OINTMENT 0.005 % | Preferred | |
| SORILUX EXTERNAL FOAM 0.005 % | Non Preferred | PA |
| TAZORAC EXTERNAL CREAM 0.05 %, 0.1 % | Non Preferred | PA |
| TAZORAC EXTERNAL GEL 0.05 %, 0.1 % | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|------------------------|
| VECTICAL EXTERNAL OINTMENT 3 MCG/GM | Non Preferred | PA |
| VTAMA EXTERNAL CREAM 1 % | Non Preferred | PA |
| ZITHRANOL EXTERNAL SHAMPOO 1 % | Non Preferred | PA |
| ZORYVE EXTERNAL CREAM 0.3 % | Non Preferred | PA |
| calcipotriene external cream 0.005 % | Preferred | QL (60 GM per 24 days) |
| calcipotriene external foam 0.005 % | Non Preferred | PA |
| calcipotriene external ointment 0.005 % | Preferred | |
| calcipotriene external solution 0.005 % | Preferred | |
| calcitriol external ointment 3 mcg/gm | Non Preferred | PA |
| tazarotene external cream 0.1 % | Non Preferred | PA |
| tazarotene external gel 0.05 %, 0.1 % | Non Preferred | PA |
| *Antiseborrheic Combinations*** - Drugs For The Skin | | |
| haxchlo external shampoo 0.77-0.05 % | Non Preferred | PA |
| haxchlodrex external shampoo 0.77-0.05-3 % | Non Preferred | PA |
| haxdrax external shampoo 0.77-2 % | Non Preferred | PA |
| *Antiseborrheic Products*** - Drugs For The Skin | | |
| selenium sulfide external lotion 2.5 % | Preferred | |
| sodium sulfacetamide wash external liquid 10 % | Preferred | |
| sulfacetamide sodium external liquid 10 % | Preferred | |
| *Antiviral Topical Combinations*** - Drugs For The Skin | | |
| XERESE EXTERNAL CREAM 5-1 % | Non Preferred | PA |
| *Antivirals - Topical*** - Drugs For The Skin | | |
| DENAVIR EXTERNAL CREAM 1 % | Non Preferred | PA |
| ZOVIRAX EXTERNAL CREAM 5 % | Non Preferred | PA |
| ZOVIRAX EXTERNAL OINTMENT 5 % | Non Preferred | PA |
| acyclovir external cream 5 % | Non Preferred | PA |
| acyclovir external ointment 5 % | Non Preferred | PA |
| penciclovir external cream 1 % | Non Preferred | PA |
| *Atopic Dermatitis - Janus Kinase (Jak) Inhibitors*** - Drugs For The Skin | | |
| CIBINQO ORAL TABLET 100 MG, 200 MG, 50 MG | Preferred | PA |
| OPZELURA EXTERNAL CREAM 1.5 % | Preferred | PA |

| Drug | Status | Notes |
|---|---------------|--------|
| *Atopic Dermatitis - Monoclonal Antibodies*** | | |
| - Drugs For The Skin | | |
| ADBRY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML | Non Preferred | PA; SP |
| DUPIXENT SUBCUTANEOUS SOLUTION PEN-INJECTOR 200 MG/1.14ML, 300 MG/2ML | Preferred | PA; SP |
| DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/0.67ML, 200 MG/1.14ML, 300 MG/2ML | Preferred | PA; SP |
| *Burn Products*** - Drugs For The Skin | | |
| SILVADENE EXTERNAL CREAM 1 % | Non Preferred | PA |
| SSD (SILVER SULFADIAZINE) EXTERNAL CREAM 1 % | Preferred | |
| SSD EXTERNAL CREAM 1 % | Preferred | |
| SULFAMYLON EXTERNAL CREAM 85 MG/GM | Preferred | PA |
| SULFAMYLON EXTERNAL PACKET 5 % | Non Preferred | PA |
| THERMAZENE EXTERNAL CREAM 1 % | Preferred | |
| mafenide acetate external packet 5 % | Preferred | PA |
| silver sulfadiazine external cream 1 % | Preferred | |
| *Corticosteroids - Topical*** - Drugs For The Skin | | |
| ADVANCED ALLERGY COLLECTION EXTERNAL KIT 2.5 % | Non Preferred | PA |
| ALA SCALP EXTERNAL LOTION 2 % | Non Preferred | PA |
| APEXICON E EXTERNAL CREAM 0.05 % | Non Preferred | PA |
| AQUANIL HC EXTERNAL LOTION 1 % | Non Preferred | PA |
| AQUAPHOR ITCH RELIEF CHILDREN EXTERNAL OINTMENT 1 % | Preferred | |
| AQUAPHOR ITCH RELIEF MAX STR EXTERNAL OINTMENT 1 % | Preferred | |
| AVEENO ANTI-ITCH MAX ST EXTERNAL CREAM 1 % | Preferred | |
| BRYHALI EXTERNAL LOTION 0.01 % | Non Preferred | PA |
| CAPEX EXTERNAL SHAMPOO 0.01 % | Non Preferred | PA |
| CLOBEX EXTERNAL LOTION 0.05 % | Non Preferred | PA |
| CLOBEX EXTERNAL SHAMPOO 0.05 % | Non Preferred | PA |
| CLOBEX SPRAY EXTERNAL LIQUID 0.05 % | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|----------------------------|
| CLODAN EXTERNAL SHAMPOO 0.05 % | Non Preferred | PA |
| CLODERM EXTERNAL CREAM 0.1 % | Non Preferred | PA |
| CORDRAN EXTERNAL CREAM 0.025 %, 0.05 % | Non Preferred | PA |
| CORDRAN EXTERNAL LOTION 0.05 % | Non Preferred | PA |
| CORDRAN EXTERNAL OINTMENT 0.05 % | Non Preferred | PA |
| CORDRAN EXTERNAL TAPE 4 MCG/SQCM | Non Preferred | PA |
| CORTIZONE-10 DIABETICS SKIN EXTERNAL LOTION 1 % | Non Preferred | PA |
| CORTIZONE-10 ECZEMA EXTERNAL LOTION 1 % | Non Preferred | PA |
| CORTIZONE-10 EXTERNAL OINTMENT 1 % | Preferred | |
| CORTIZONE-10 FEMININE ITCH EXTERNAL CREAM 1 % | Preferred | |
| CORTIZONE-10 HYDRATENSIVE EXTERNAL LOTION 1 % | Non Preferred | PA |
| CORTIZONE-10 INTENSVE MOISTURE EXTERNAL CREAM 1 % | Preferred | |
| CORTIZONE-10 OVERNIGHT EXTERNAL CREAM 1 % | Preferred | |
| CORTIZONE-10 OVERNIGHT ITCH EXTERNAL CREAM 1 % | Preferred | |
| CORTIZONE-10 PSORIASIS EXTERNAL LOTION 1 % | Non Preferred | PA |
| CORTIZONE-10 SENSITIVE SKIN EXTERNAL CREAM 1 % | Preferred | |
| CORTIZONE-10 SOOTHING ALOE EXTERNAL CREAM 1 % | Preferred | |
| CORTIZONE-10 ULTRA SOOTHING EXTERNAL CREAM 1 % | Preferred | |
| CORTIZONE-10 WATER RESISTANT EXTERNAL OINTMENT 1 % | Preferred | |
| DERMAREST ECZEMA EXTERNAL LOTION 1 % | Non Preferred | PA |
| DERMA-SMOOTH/FS BODY EXTERNAL OIL 0.01 % | Non Preferred | PA |
| DERMA-SMOOTH/FS SCALP EXTERNAL OIL 0.01 % | Non Preferred | PA |
| DESOWEN EXTERNAL CREAM 0.05 % | Non Preferred | PA; QL (60 GM per 24 days) |

| Drug | Status | Notes |
|---|---------------|-------|
| DESRX EXTERNAL GEL 0.05 % | Non Preferred | PA |
| DIPROLENE EXTERNAL OINTMENT 0.05 % | Non Preferred | PA |
| GYNECORT 10 EXTERNAL CREAM 1 % | Preferred | |
| HALOG EXTERNAL CREAM 0.1 % | Non Preferred | PA |
| HALOG EXTERNAL OINTMENT 0.1 % | Non Preferred | PA |
| HALOG EXTERNAL SOLUTION 0.1 % | Non Preferred | PA |
| IMPEKLO EXTERNAL LOTION 0.15 MG/ACT (0.05%) | Non Preferred | PA |
| IMPOYZ EXTERNAL CREAM 0.025 % | Preferred | |
| KENALOG EXTERNAL AEROSOL SOLUTION 0.147 MG/GM | Non Preferred | PA |
| KERICORT 10 EXTERNAL CREAM 1 % | Preferred | |
| LANACORT 10 EXTERNAL CREAM 1 % | Preferred | |
| LEXETTE EXTERNAL FOAM 0.05 % | Non Preferred | PA |
| LOCOID EXTERNAL LOTION 0.1 % | Non Preferred | PA |
| LOCOID LIPOCREAM EXTERNAL CREAM 0.1 % | Non Preferred | PA |
| LUXIQ EXTERNAL FOAM 0.12 % | Non Preferred | PA |
| MEDPURA HYDROCORTISONE EXTERNAL CREAM 1 % | Preferred | |
| NUCORT EXTERNAL LOTION 2 % | Non Preferred | PA |
| OLUX EXTERNAL FOAM 0.05 % | Non Preferred | PA |
| OLUX-E EXTERNAL FOAM 0.05 % | Non Preferred | PA |
| PANDEL EXTERNAL CREAM 0.1 % | Non Preferred | PA |
| PREPARATION H EXTERNAL CREAM 1 % | Preferred | |
| SARNOL-HC EXTERNAL LOTION 1 % | Non Preferred | PA |
| SERNIVO EXTERNAL EMULSION 0.05 % | Non Preferred | PA |
| SYNALAR EXTERNAL CREAM 0.025 % | Non Preferred | PA |
| SYNALAR EXTERNAL OINTMENT 0.025 % | Non Preferred | PA |
| SYNALAR EXTERNAL SOLUTION 0.01 % | Non Preferred | PA |
| TASOPROL EXTERNAL KIT 0.05 % | Non Preferred | PA |
| TEXACORT EXTERNAL SOLUTION 2.5 % | Non Preferred | PA |
| TOPICORT EXTERNAL CREAM 0.05 %, 0.25 % | Non Preferred | PA |
| TOPICORT EXTERNAL GEL 0.05 % | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|----------------------------|
| TOPICORT EXTERNAL OINTMENT 0.05 %, 0.25 % | Non Preferred | PA |
| TOPICORT SPRAY EXTERNAL LIQUID 0.25 % | Non Preferred | PA |
| TOVET EXTERNAL FOAM 0.05 % | Non Preferred | PA |
| TOVET EXTERNAL KIT 0.05 % | Non Preferred | PA |
| TRIANEX EXTERNAL OINTMENT 0.05 % | Non Preferred | PA |
| TRIDERM EXTERNAL CREAM 0.5 % | Preferred | |
| TRIDESILON EXTERNAL CREAM 0.05 % | Non Preferred | PA; QL (60 GM per 24 days) |
| TRITOCIN EXTERNAL OINTMENT 0.05 % | Preferred | |
| ULTRAVATE EXTERNAL LOTION 0.05 % | Non Preferred | PA |
| VAGISIL EXTERNAL CREAM 1 % | Preferred | |
| VANOS EXTERNAL CREAM 0.1 % | Non Preferred | PA |
| VERDESO EXTERNAL FOAM 0.05 % | Non Preferred | PA |
| ala-cort external cream 1 % | Preferred | |
| alclometasone dipropionate external cream 0.05 % | Non Preferred | PA |
| alclometasone dipropionate external ointment 0.05 % | Non Preferred | PA |
| amcinonide external cream 0.1 % | Non Preferred | PA |
| amcinonide external lotion 0.1 % | Non Preferred | PA |
| amcinonide external ointment 0.1 % | Non Preferred | PA |
| anti-itch maximum strength external cream 1 % | Preferred | |
| beta hc external lotion 1 % | Non Preferred | PA |
| betamethasone dipropionate aug external cream 0.05 % | Non Preferred | PA |
| betamethasone dipropionate aug external gel 0.05 % | Non Preferred | PA |
| betamethasone dipropionate aug external lotion 0.05 % | Non Preferred | PA |
| betamethasone dipropionate aug external ointment 0.05 % | Non Preferred | PA |
| betamethasone dipropionate external cream 0.05 % | Non Preferred | PA |
| betamethasone dipropionate external lotion 0.05 % | Preferred | |
| betamethasone dipropionate external ointment 0.05 % | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|------------------------|
| betamethasone valerate external cream 0.1 % | Preferred | |
| betamethasone valerate external foam 0.12 % | Non Preferred | PA |
| betamethasone valerate external lotion 0.1 % | Preferred | QL (60 ML per 24 days) |
| betamethasone valerate external ointment 0.1 % | Preferred | |
| clobetasol prop emollient base external cream 0.05 % | Non Preferred | PA |
| clobetasol propionate e external cream 0.05 % | Non Preferred | PA |
| clobetasol propionate emulsion external foam 0.05 % | Non Preferred | PA |
| clobetasol propionate external cream 0.05 % | Preferred | |
| clobetasol propionate external foam 0.05 % | Non Preferred | PA |
| clobetasol propionate external gel 0.05 % | Preferred | |
| clobetasol propionate external liquid 0.05 % | Non Preferred | PA |
| clobetasol propionate external lotion 0.05 % | Non Preferred | PA |
| clobetasol propionate external ointment 0.05 % | Preferred | |
| clobetasol propionate external shampoo 0.05 % | Non Preferred | PA |
| clobetasol propionate external solution 0.05 % | Preferred | |
| clocortolone pivalate external cream 0.1 % | Non Preferred | PA |
| cvs anti-itch maximum strength external cream 1 % | Preferred | |
| cvs cortisone intense healing external cream 1 % | Preferred | |
| cvs cortisone maximum strength external cream 1 % | Preferred | |
| cvs cortisone maximum strength external lotion 1 % | Non Preferred | PA |
| cvs cortisone maximum strength external ointment 1 % | Preferred | |
| cvs eczema anti-itch external cream 1 % | Preferred | |
| cvs hydrocortisone anti-itch external cream 0.5 %, 1 % | Preferred | |
| cvs hydrocortisone max st external cream 1 % | Preferred | |
| desonide external cream 0.05 % | Preferred | QL (60 GM per 24 days) |
| desonide external gel 0.05 % | Non Preferred | PA |
| desonide external lotion 0.05 % | Non Preferred | PA |
| desonide external ointment 0.05 % | Preferred | |
| desoximetasone external cream 0.05 %, 0.25 % | Non Preferred | PA |
| desoximetasone external gel 0.05 % | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|-------|
| desoximetasone external liquid 0.25 % | Non Preferred | PA |
| desoximetasone external ointment 0.05 %, 0.25 % | Non Preferred | PA |
| diflorasone diacetate external cream 0.05 % | Non Preferred | PA |
| diflorasone diacetate external ointment 0.05 % | Non Preferred | PA |
| eq hydrocortisone external cream 1 % | Preferred | |
| eq hydrocortisone max st external cream 1 % | Preferred | |
| eql anti-itch intensive heal external cream 1 % | Preferred | |
| eql anti-itch maximum strength external cream 1 % | Preferred | |
| eql anti-itch maximum strength external ointment 1 % | Preferred | |
| fluocinolone acetonide body external oil 0.01 % | Non Preferred | PA |
| fluocinolone acetonide external cream 0.01 %, 0.025 % | Non Preferred | PA |
| fluocinolone acetonide external ointment 0.025 % | Non Preferred | PA |
| fluocinolone acetonide external solution 0.01 % | Non Preferred | PA |
| fluocinolone acetonide scalp external oil 0.01 % | Non Preferred | PA |
| fluocinonide emulsified base external cream 0.05 % | Non Preferred | PA |
| fluocinonide external cream 0.05 %, 0.1 % | Non Preferred | PA |
| fluocinonide external gel 0.05 % | Non Preferred | PA |
| fluocinonide external ointment 0.05 % | Non Preferred | PA |
| fluocinonide external solution 0.05 % | Non Preferred | PA |
| flurandrenolide external cream 0.05 % | Non Preferred | PA |
| flurandrenolide external lotion 0.05 % | Non Preferred | PA |
| fluticasone propionate external cream 0.05 % | Preferred | |
| fluticasone propionate external lotion 0.05 % | Non Preferred | PA |
| fluticasone propionate external ointment 0.005 % | Preferred | |
| gnp hydrocortisone external cream 0.5 % | Preferred | |
| gnp hydrocortisone max st external ointment 1 % | Preferred | |
| gnp hydrocortisone plus external cream 1 % | Preferred | |
| goodsense anti-itch max str external cream 1 % | Preferred | |
| goodsense anti-itch maximum st external ointment 1 % | Preferred | |

| Drug | Status | Notes |
|---|---------------|------------------------|
| halcinonide external cream 0.1 % | Non Preferred | PA |
| halobetasol propionate external cream 0.05 % | Preferred | |
| halobetasol propionate external foam 0.05 % | Non Preferred | PA |
| halobetasol propionate external ointment 0.05 % | Preferred | |
| hydrocort lotion complete kit external kit 2 % | Non Preferred | PA |
| hydrocortisone acetate external cream 1 % | Preferred | |
| hydrocortisone anti-itch external cream 1 % | Preferred | |
| hydrocortisone butyr lipo base external cream 0.1 % | Non Preferred | PA |
| hydrocortisone butyrate external cream 0.1 % | Non Preferred | PA |
| hydrocortisone butyrate external lotion 0.1 % | Non Preferred | PA |
| hydrocortisone butyrate external ointment 0.1 % | Non Preferred | PA |
| hydrocortisone butyrate external solution 0.1 % | Non Preferred | PA |
| hydrocortisone external cream 0.5 %, 1 % | Preferred | |
| hydrocortisone external cream 2.5 % | Preferred | QL (60 GM per 24 days) |
| hydrocortisone external lotion 1 %, 2.5 % | Non Preferred | PA |
| hydrocortisone external ointment 0.5 %, 1 % | Preferred | |
| hydrocortisone external ointment 2.5 % | Preferred | QL (60 GM per 24 days) |
| hydrocortisone max st external cream 1 % | Preferred | |
| hydrocortisone max st external ointment 1 % | Preferred | |
| hydrocortisone max st/12 moist external cream 1 % | Preferred | |
| hydrocortisone plus external cream 1 % | Preferred | |
| hydrocortisone valerate external cream 0.2 % | Non Preferred | PA |
| hydrocortisone valerate external ointment 0.2 % | Non Preferred | PA |
| hydrocortisone/aloe max str external cream 1 % | Preferred | |
| instacort 5 external cream 0.5 % | Preferred | |
| meijer hydrocortisone external cream 1 % | Preferred | |
| mometasone furoate external cream 0.1 % | Preferred | QL (60 GM per 24 days) |
| mometasone furoate external ointment 0.1 % | Preferred | QL (60 GM per 24 days) |
| mometasone furoate external solution 0.1 % | Preferred | |
| prednicarbate external ointment 0.1 % | Non Preferred | PA |
| px hydrocream external cream 1 % | Preferred | |
| qc hydrocortisone max st external cream 1 % | Preferred | |

| Drug | Status | Notes |
|---|---------------|-----------------------------|
| ra anti-itch maximum strength external cream 1 % | Preferred | |
| ra anti-itch maximum strength external ointment 1 % | Preferred | |
| ra hydrocortisone plus 12 external cream 1 % | Preferred | |
| sb hydrocortisone external cream 1 % | Preferred | |
| sb hydrocortisone max st external ointment 1 % | Preferred | |
| sm hydrocortisone external cream 0.5 %, 1 % | Preferred | |
| sm hydrocortisone external ointment 0.5 % | Preferred | |
| sm hydrocortisone max st external ointment 1 % | Preferred | |
| triamcinolone acetonide external aerosol solution 0.147 mg/gm | Non Preferred | PA |
| triamcinolone acetonide external cream 0.025 %, 0.1 %, 0.5 % | Preferred | |
| triamcinolone acetonide external lotion 0.025 %, 0.1 % | Preferred | |
| triamcinolone acetonide external ointment 0.025 %, 0.05 %, 0.1 %, 0.5 % | Preferred | |
| triamcinolone in absorbase external ointment 0.05 % | Preferred | |
| *Emollient/Keratolytic Agents*** - Drugs For The Skin | | |
| CEROVEL EXTERNAL LOTION 40 % | Preferred | QL (240 ML per 24 days) |
| urea external cream 40 % | Preferred | PA; QL (85 GM per 24 days) |
| urea external lotion 40 % | Preferred | QL (240 GM per 24 days) |
| uremez-40 external cream 40 % | Non Preferred | PA; QL (85 GM per 24 days) |
| *Emollients*** - Drugs For The Skin | | |
| ammonium lactate external cream 12 % | Preferred | PA; QL (280 GM per 24 days) |
| ammonium lactate external lotion 12 % | Preferred | PA; QL (225 GM per 24 days) |
| lactic acid external lotion 10 % | Preferred | PA |
| *Enzymes - Topical*** - Drugs For The Skin | | |
| NEXOBRID EXTERNAL GEL 8.8 % | Non Preferred | PA |
| SANTYL EXTERNAL OINTMENT 250 UNIT/GM | Non Preferred | PA |
| *Imidazole-Related Antifungals - Topical*** - Drugs For The Skin | | |
| CAVILON EXTERNAL CREAM 2 % | Preferred | QL (150 GM per 24 days) |
| DESENEX EXTERNAL CREAM 1 % | Preferred | |

| Drug | Status | Notes |
|---|---------------|-----------------------------|
| ECOZA EXTERNAL FOAM 1 % | Non Preferred | PA |
| ERTACZO EXTERNAL CREAM 2 % | Non Preferred | PA |
| EXELDERM EXTERNAL CREAM 1 % | Non Preferred | PA |
| EXELDERM EXTERNAL SOLUTION 1 % | Non Preferred | PA |
| EXTINA EXTERNAL FOAM 2 % | Non Preferred | PA |
| JUBLIA EXTERNAL SOLUTION 10 % | Non Preferred | PA |
| KETODAN EXTERNAL FOAM 2 % | Non Preferred | PA |
| KETODAN EXTERNAL KIT 2 % | Non Preferred | PA |
| LUZU EXTERNAL CREAM 1 % | Non Preferred | PA |
| MICATIN EXTERNAL CREAM 2 % | Non Preferred | PA; QL (150 GM per 24 days) |
| MICOTRIN AC EXTERNAL CREAM 1 % | Preferred | |
| OXISTAT EXTERNAL CREAM 1 % | Non Preferred | PA |
| OXISTAT EXTERNAL LOTION 1 % | Non Preferred | PA |
| TINEACIDE EXTERNAL CREAM 2 % | Preferred | QL (150 GM per 24 days) |
| XOLEGEL EXTERNAL GEL 2 % | Non Preferred | PA |
| antifungal (clotrimazole) external cream 1 % | Preferred | |
| antifungal clotrimazole external cream 1 % | Preferred | |
| anti-fungal external cream 1 % | Preferred | |
| antifungal external cream 2 % | Preferred | QL (150 GM per 24 days) |
| athletes foot (clotrimazole) external cream 1 % | Preferred | |
| baza antifungal external cream 2 % | Preferred | QL (150 GM per 24 days) |
| clotrimazole af external cream 1 % | Preferred | |
| clotrimazole anti-fungal external cream 1 % | Preferred | |
| clotrimazole athletes foot external cream 1 % | Preferred | |
| clotrimazole external cream 1 % | Preferred | |
| clotrimazole external solution 1 % | Preferred | |
| cvs clotrimazole external cream 1 % | Preferred | |
| cvs clotrimazole external solution 1 % | Preferred | |
| cvs itch relief external cream 1 % | Preferred | |
| cvs ringworm external cream 1 % | Preferred | |
| econazole nitrate external cream 1 % | Non Preferred | PA |
| eq antifungal external cream 1 % | Preferred | |
| eq athletes foot external cream 1 % | Preferred | |
| eq jock itch external cream 1 % | Preferred | |
| eql athletes foot external cream 1 % | Preferred | |
| ft antifungal external cream 2 % | Preferred | QL (150 GM per 24 days) |
| ft athletes foot (clotrimaz) external cream 1 % | Preferred | |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| gnp athletes foot external cream 1 % | Preferred | |
| goodsense athletes foot external cream 1 % | Preferred | |
| jock itch external cream 1 % | Preferred | |
| jock itch relief external cream 1 % | Preferred | |
| ketoconazole external cream 2 % | Preferred | QL (60 GM per 24 days) |
| ketoconazole external foam 2 % | Non Preferred | PA |
| ketoconazole external shampoo 2 % | Preferred | QL (120 ML per 24 days) |
| luliconazole external cream 1 % | Non Preferred | PA |
| micaderm external cream 2 % | Preferred | QL (150 GM per 24 days) |
| miconazole antifungal external cream 2 % | Preferred | QL (150 GM per 24 days) |
| miconazole nitrate external cream 2 % | Preferred | QL (150 GM per 24 days) |
| oxiconazole nitrate external cream 1 % | Non Preferred | PA |
| pro-ex antifungal external cream 1 % | Preferred | |
| px athletic foot external cream 1 % | Preferred | |
| qc clotrimazole external cream 1 % | Preferred | |
| ra athletes foot external cream 1 % | Preferred | |
| ra clotrimazole external cream 1 % | Preferred | |
| ra jock itch external cream 1 % | Preferred | |
| sb clotrimazole foot external cream 1 % | Preferred | |
| sm antifungal clotrimazole external cream 1 % | Preferred | |
| sm antifungal miconazole external cream 2 % | Preferred | QL (150 GM per 24 days) |
| sulconazole nitrate external cream 1 % | Non Preferred | PA |
| sulconazole nitrate external solution 1 % | Non Preferred | PA |
| tm-clotrimazole external cream 1 % | Preferred | |

***Immunomodulators Imidazoquinolinamines -**

Topical* - Drugs For The Skin**

| | | |
|---|---------------|------------------------|
| ZYCLARA EXTERNAL CREAM 3.75 % | Non Preferred | PA |
| ZYCLARA PUMP EXTERNAL CREAM 2.5 %, 3.75 % | Non Preferred | PA |
| imiquimod external cream 3.75 % | Non Preferred | PA |
| imiquimod external cream 5 % | Preferred | QL (24 EA per 24 days) |
| imiquimod pump external cream 3.75 % | Non Preferred | PA |

Immunosuppressive Agents - Topical Combinations - Drugs For The Skin**

| | | |
|--|---------------|-------------------------|
| oxianujo external ointment 4-0.1 % | Non Preferred | PA |
| *Keratolytic/Antimitotic Agents*** - Drugs For The Skin | | |
| KERALYT EXTERNAL SHAMPOO 6 % | Preferred | QL (177 ML per 24 days) |

| Drug | Status | Notes |
|-------------------------------------|---------------|-------------------------|
| podofilox external solution 0.5 % | Preferred | QL (3.5 ML per 24 days) |
| salicylic acid external foam 6 % | Preferred | QL (200 GM per 24 days) |
| salicylic acid external shampoo 6 % | Preferred | QL (177 ML per 24 days) |
| salimez external cream 6 % | Preferred | QL (454 GM per 24 days) |

Local Anesthetics - Topical - Drugs For The Skin**

| | | |
|---|---------------|-------------------------|
| 7T LIDO EXTERNAL GEL 2 % | Non Preferred | PA |
| ANACAIN External Ointment 10 % | Non Preferred | PA |
| ASTERO EXTERNAL GEL 4 % | Non Preferred | PA |
| GLYDO EXTERNAL PREFILLED SYRINGE 2 % | Preferred | |
| LDO PLUS EXTERNAL GEL 4 % | Non Preferred | PA |
| LIDOCAN EXTERNAL PATCH 5 % | Preferred | QL (3 EA per 1 day) |
| LIDODERM EXTERNAL PATCH 5 % | Non Preferred | PA; QL (3 EA per 1 day) |
| LIDO-SORB EXTERNAL LOTION 3 % | Preferred | |
| LIDOTRAL EXTERNAL CREAM 3.88 % | Non Preferred | PA |
| LIDOTRAN EXTERNAL CREAM 3.88 % | Non Preferred | PA |
| LIDTOPIC MAX EXTERNAL CREAM 10 % | Non Preferred | PA |
| LYDEXA EXTERNAL CREAM 4.12 % | Non Preferred | PA |
| PRAMOX EXTERNAL GEL 1 % | Non Preferred | PA |
| QUTENZA (2 PATCH) EXTERNAL KIT 8 % | Non Preferred | PA; SP |
| QUTENZA (4 PATCH) EXTERNAL KIT 8 % | Non Preferred | PA; SP |
| QUTENZA EXTERNAL KIT 8 % | Non Preferred | PA; SP |
| ZTLIDO EXTERNAL PATCH 1.8 % | Non Preferred | PA |
| eha external lotion 4 % | Non Preferred | PA |
| enovarx-lidocaine hcl external cream 10 %, 5 % | Non Preferred | PA |
| gen7t external lotion 3.5 % | Non Preferred | PA |
| lidocaine external ointment 5 % | Preferred | QL (50 GM per 24 days) |
| lidocaine external patch 5 % | Preferred | QL (3 EA per 1 day) |
| lidocaine hcl external cream 3 % | Preferred | |
| lidocaine hcl external cream 4.12 % | Non Preferred | PA |
| lidocaine hcl external lotion 3 % | Preferred | |
| lidocaine hcl external solution 4 % | Preferred | |
| lidocaine hcl urethral/mucosal external gel 2 % | Preferred | |

| Drug | Status | Notes |
|---|---------------|---|
| lidocaine hcl urethral/mucosal external prefilled syringe 2 % | Preferred | |
| lidopin external cream 3 % | Preferred | |
| lidopin external cream 3.25 % | Non Preferred | PA |
| lidorx external gel 3 % | Non Preferred | PA |
| premium lidocaine external ointment 5 % | Preferred | QL (50 GM per 24 days) |
| zionodil 100 external lotion 3 % | Preferred | |
| zionodil external lotion 3 % | Preferred | |
| *Macrolide Immunosuppressants - Topical*** - Drugs For The Skin | | |
| ELIDEL EXTERNAL CREAM 1 % | Non Preferred | PA; QL (30 GM per 22 days); AGE (Min 2 Years) |
| HYFTOR EXTERNAL GEL 0.2 % | Preferred | PA |
| nuju external cream 0.1 % | Non Preferred | PA |
| pimecrolimus external cream 1 % | Non Preferred | PA; QL (30 GM per 22 days); AGE (Min 2 Years) |
| tacrolimus external ointment 0.03 %, 0.1 % | Preferred | PA |
| *Melanocortin Receptor Agonists (Uv Protective)*** - Drugs For The Skin | | |
| SCENESSE SUBCUTANEOUS IMPLANT 16 MG | Carve Out | |
| *Microtubule Inhibitors - Topical*** - Drugs For The Skin | | |
| KLISYRI EXTERNAL OINTMENT 1 % | Non Preferred | PA |
| *Misc. Topical*** - Drugs For The Skin | | |
| DRYSOL EXTERNAL SOLUTION 20 % | Preferred | |
| *Oxaborole-Related Antifungals - Topical*** - Drugs For The Skin | | |
| KERYDIN EXTERNAL SOLUTION 5 % | Non Preferred | PA |
| tavaborole external solution 5 % | Non Preferred | PA |
| *Phosphodiesterase 4 (Pde4) Inhibitors - Topical*** - Drugs For The Skin | | |
| EUCRISA EXTERNAL OINTMENT 2 % | Preferred | |
| *Photodynamic Therapy Agents - Topical*** - Drugs For The Skin | | |
| AMELUZ EXTERNAL GEL 10 % | Preferred | PA |
| LEVULAN KERASTICK EXTERNAL SOLUTION RECONSTITUTED 20 % | Preferred | PA |
| *Rosacea Agents*** - Drugs For The Skin | | |
| FINACEA EXTERNAL FOAM 15 % | Preferred | |

| Drug | Status | Notes |
|--|---------------|-------|
| FINACEA EXTERNAL GEL 15 % | Preferred | |
| METROCREAM EXTERNAL CREAM 0.75 % | Non Preferred | PA |
| METROGEL EXTERNAL GEL 1 % | Non Preferred | PA |
| METROLOTION EXTERNAL LOTION 0.75 % | Non Preferred | PA |
| MIRVASO EXTERNAL GEL 0.33 % | Non Preferred | PA |
| NORITATE EXTERNAL CREAM 1 % | Non Preferred | PA |
| ORACEA ORAL CAPSULE DELAYED RELEASE 40 MG | Non Preferred | PA |
| RHOFADE EXTERNAL CREAM 1 % | Non Preferred | PA |
| ROSADAN EXTERNAL CREAM 0.75 % | Preferred | |
| ROSADAN EXTERNAL GEL 0.75 % | Preferred | |
| ROSADAN EXTERNAL KIT 0.75 % CREAM, 0.75 % GEL | Non Preferred | PA |
| SOOLANTRA EXTERNAL CREAM 1 % | Non Preferred | PA |
| ZILXI EXTERNAL FOAM 1.5 % | Non Preferred | PA |
| azelaic acid external gel 15 % | Preferred | |
| brimonidine tartrate external gel 0.33 % | Non Preferred | PA |
| doxycycline oral capsule delayed release 40 mg | Non Preferred | PA |
| ivermectin external cream 1 % | Non Preferred | PA |
| metronidazole external cream 0.75 % | Preferred | |
| metronidazole external gel 0.75 %, 1 % | Preferred | |
| metronidazole external lotion 0.75 % | Preferred | |
| *Rosacea Combinations*** - Drugs For The Skin | | |
| aveidaoxia external gel 1-1-4 % | Non Preferred | PA |
| *Scabicide Combinations*** - Drugs For The Skin | | |
| RID LICE KILLING SHAMPOO EXTERNAL SHAMPOO 0.33-4 % | Preferred | |
| cvs lice killing external shampoo 0.33-4 % | Preferred | |
| eq lice killing max st external shampoo 0.33-4 % | Preferred | |
| eql lice killing max st external shampoo 0.33-4 % | Preferred | |
| gnp lice treatment external shampoo 0.33-4 % | Preferred | |
| lice killing external shampoo 0.33-4 %, 4-0.33 % | Preferred | |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| lice killing maximum strength external shampoo 0.33-4 % | Preferred | |
| ra lice maximum strength external shampoo 0.33-4 % | Preferred | |
| sb lice killing max st external shampoo 0.33-4 % | Preferred | |
| sb lice treatment external liquid 0.3-3 % | Preferred | |
| sm lice killing max strength external shampoo 0.33-4 % | Preferred | |
| *Scabicides & Pediculicides*** - Drugs For The Skin | | |
| CROTAN EXTERNAL LOTION 10 % | Non Preferred | PA |
| NATROBA EXTERNAL SUSPENSION 0.9 % | Preferred | |
| NIX CREME RINSE EXTERNAL LIQUID 1 % | Preferred | |
| NIX LICE KILLING SPRAY LIQUID 0.25 % | Preferred | |
| OVIDE EXTERNAL LOTION 0.5 % | Non Preferred | PA |
| cvs lice treatment external liquid 1 % | Preferred | |
| gnp lice treatment external liquid 1 % | Preferred | |
| goodsense lice killing external liquid 1 % | Preferred | |
| ivermectin external lotion 0.5 % | Non Preferred | PA |
| lice treatment creme rinse external liquid 1 % | Preferred | |
| lice treatment external liquid 1 % | Preferred | |
| lice treatment external lotion 1 % | Preferred | |
| lindane external shampoo 1 % | Non Preferred | PA |
| malathion external lotion 0.5 % | Non Preferred | PA |
| permethrin external cream 5 % | Preferred | QL (120 GM per 24 days) |
| ra lice treatment external lotion 1 % | Preferred | |
| sb lice treatment external liquid 1 % | Preferred | |
| sm lice treatment external lotion 1 % | Preferred | |
| spinosad external suspension 0.9 % | Preferred | |
| sulfurated lime external solution | Non Preferred | PA |
| *Steroid-Local Anesthetic Combinations*** - Drugs For The Skin | | |
| EPIFOAM EXTERNAL FOAM 1-1 % | Non Preferred | PA |
| RADIAURA EXTERNAL CREAM 3-0.5 % | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|--------------|
| hydrocortisone ace-pramoxine external cream 2.5-1 % | Non Preferred | PA |
| lidocaine-hydrocortisone ace external cream 1-1 % | Non Preferred | PA |
| *Topical Anesthetic Combinations*** - Drugs For The Skin | | |
| | | |
| 1ST MEDX-PATCH/ LIDOCAINE EXTERNAL PATCH 4-0.0375-5-20 % | Non Preferred | PA |
| ACCUCAINE COMBINATION KIT 1 % | Non Preferred | PA |
| APRIZIO PAK EXTERNAL KIT 2.5-2.5 % | Non Preferred | PA |
| CADIRAMD EXTERNAL KIT 2.5-2.5 % | Non Preferred | PA |
| DERMACINRX PHN EXTERNAL THERAPY PACK 5 & 5 % | Non Preferred | PA |
| DERMACINRX ZRM EXTERNAL THERAPY PACK 5 % | Non Preferred | PA |
| L.E.T. EXTERNAL GEL 4-0.05-0.5 % | Non Preferred | PA |
| LIDO BDK EXTERNAL KIT 2.5-2.5 % | Non Preferred | PA |
| LIDOPURE PATCH EXTERNAL KIT 5 % | Non Preferred | PA |
| LIDOTHOL EXTERNAL GEL 4.5-5 % | Non Preferred | PA |
| LIDOTHOL EXTERNAL PATCH 4.5-5 % | Non Preferred | PA |
| LIDOTOR EXTERNAL KIT 2.5-2.5 % | Non Preferred | PA |
| LIVIXIL PAK EXTERNAL KIT 2.5-2.5 % | Non Preferred | PA |
| LMR PLUS EXTERNAL KIT 5 & 0.5-0.5 % | Non Preferred | PA |
| PLIAGLIS EXTERNAL CREAM 7-7 % | Non Preferred | PA |
| PRILO PATCH EXTERNAL KIT 2.5 % | Non Preferred | PA |
| RELADOR PAK EXTERNAL KIT 2.5-2.5 % | Non Preferred | PA |
| RELADOR PAK PLUS EXTERNAL KIT 2.5-2.5 % | Non Preferred | PA |
| SKYADERM-LP EXTERNAL KIT 2.5-2.5 % | Non Preferred | PA |
| SOOTHEE EXTERNAL PATCH 0.5-0.0375-5-2 % | Non Preferred | PA |
| SX1 MEDICATED POST-OPERATIVE EXTERNAL KIT 2 % | Non Preferred | PA |
| SYNERA EXTERNAL PATCH 70-70 MG | Non Preferred | PA |
| VENIPUNCTURE PX1 PHLEBOTOMY EXTERNAL KIT 2 % | Non Preferred | PA |
| XYLIDERM EXTERNAL KIT 5 % | Non Preferred | PA |
| ZILACAINE PATCH EXTERNAL THERAPY PACK 5 % | Non Preferred | PA |
| agoneaze external kit 2.5-2.5 % | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|------------------------|
| anodyne lpt external kit 2.5-2.5 % | Non Preferred | PA |
| dermalid external therapy pack 5 % | Non Preferred | PA |
| enznonutry external ointment 20-10-10 % | Non Preferred | PA |
| gen7t plus external lotion 3.5-7 % | Non Preferred | PA |
| gen7t plus external patch 3.5-7 % | Non Preferred | PA |
| l.e.t. external solution 4-0.05-0.5 % | Non Preferred | PA |
| levatio external patch 0.03-5 % | Non Preferred | PA |
| lidocaine-prilocaine external cream 2.5-2.5 % | Preferred | QL (60 GM per 24 days) |
| lidocaine-prilocaine external kit 2.5-2.5 % | Non Preferred | PA |
| lido-epinephrine-tetracaine external solution 4-0.05-0.5 % | Non Preferred | PA |
| lidostream external kit 5 & 10 % | Non Preferred | PA |
| paingo kft external kit 2.5-2.5-10-30 % | Non Preferred | PA |
| prepiv supply combination kit 2.5-2.5 & 0.9 % | Non Preferred | PA |
| prilovix external kit 2.5-2.5 % | Non Preferred | PA |
| prilovix lite external kit 2.5-2.5 % | Non Preferred | PA |
| prilovix lite plus external kit 2.5-2.5 % | Non Preferred | PA |
| prilovix plus external kit 2.5-2.5 % | Non Preferred | PA |
| prilovix ultralite external kit 2.5-2.5 % | Non Preferred | PA |
| prilovix ultralite plus external kit 2.5-2.5 % | Non Preferred | PA |
| prilovixil external kit 2.5-2.5 % | Non Preferred | PA |
| wpr plus wound healing system external therapy pack 4 & 10-30 % | Non Preferred | PA |
| zeruvia external patch 4-1 % | Non Preferred | PA |

Topical Anesthetic Gases - Drugs For The Skin**

| | | |
|---|---------------|----|
| CRYODOSE TA EXTERNAL AEROSOL | Non Preferred | PA |
| GEBAUERS PAIN EASE EXTERNAL AEROSOL | Non Preferred | PA |
| GEBAUERS SPRAY AND STRETCH EXTERNAL AEROSOL | Non Preferred | PA |
| ethyl chloride external aerosol | Non Preferred | PA |

Topical Selective Retinoid X Receptor Agonists - Drugs For The Skin**

| | | |
|-----------------------------|---------------|--------|
| TARGRETIN EXTERNAL GEL 1 % | Non Preferred | PA; SP |
| bexarotene external gel 1 % | Preferred | PA; SP |

Topical Steroid Combinations - Drugs For The Skin**

| | | |
|----------------------------|---------------|----|
| CLODAN EXTERNAL KIT 0.05 % | Non Preferred | PA |
|----------------------------|---------------|----|

| Drug | Status | Notes |
|---|---------------|-------|
| DUOBRII EXTERNAL LOTION 0.01-0.045 % | Non Preferred | PA |
| ENSTILAR EXTERNAL FOAM 0.005-0.064 % | Non Preferred | PA |
| FLUOPAR EXTERNAL KIT 0.1 & 5 % | Non Preferred | PA |
| MOMETACURE EXTERNAL THERAPY PACK 0.1 & 5 % | Non Preferred | PA |
| NUTRIARX CREAMPAK EXTERNAL KIT 0.1 & 5 % | Non Preferred | PA |
| QUINIXIL EXTERNAL THERAPY PACK 0.1 & 5 % | Non Preferred | PA |
| SCALACORT DK EXTERNAL KIT 2 & 2-2 % | Non Preferred | PA |
| SCARZEN SKIN REPAIR EXTERNAL KIT 0.1 & 5 % (LOTION) | Non Preferred | PA |
| SILA III EXTERNAL THERAPY PACK 0.1 % | Non Preferred | PA |
| SYNALAR (CREAM) EXTERNAL KIT 0.025 % | Non Preferred | PA |
| SYNALAR (OINTMENT) EXTERNAL KIT 0.025 % | Non Preferred | PA |
| SYNALAR TS EXTERNAL KIT 0.01 % | Non Preferred | PA |
| TACLONEX EXTERNAL OINTMENT 0.005-0.064 % | Non Preferred | PA |
| TACLONEX EXTERNAL SUSPENSION 0.005-0.064 % | Non Preferred | PA |
| TRIASIL EXTERNAL THERAPY PACK 0.1 % | Non Preferred | PA |
| TRIVIX EXTERNAL KIT 0.1 & 5 % | Non Preferred | PA |
| WYNZORA EXTERNAL CREAM 0.005-0.064 % | Non Preferred | PA |
| calcipotriene-betameth diprop external ointment 0.005-0.064 % | Preferred | |
| calcipotriene-betameth diprop external suspension 0.005-0.064 % | Non Preferred | PA |
| chlohx external shampoo 0.05-2 % | Non Preferred | PA |
| chlooxia external cream 0.05-4 % | Non Preferred | PA |
| chlooxia external ointment 0.05-4 % | Non Preferred | PA |
| chlooxia external solution 0.05-4 % | Non Preferred | PA |
| clobetavix external kit 0.05 % | Non Preferred | PA |
| diochloy external solution 0.005-0.05 % | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|---|
| fluovix external therapy pack 0.1 % | Non Preferred | PA |
| fluovix plus external therapy pack 0.1 % | Non Preferred | PA |
| oxiachlo external solution 0.05-4 % | Non Preferred | PA |
| sanadermrx skin repair external kit 0.1 & 5 % | Non Preferred | PA |
| tetoxia external cream 0.01-4 % | Non Preferred | PA |
| triadime external kit 0.1 & 5 % | Non Preferred | PA |
| *Wound Care - Growth Factor Agents*** - | | |
| Drugs For The Skin | | |
| REGRANEX EXTERNAL GEL 0.01 % | Preferred | PA |
| *Wound Treatment - Gene Therapy*** - Drugs | | |
| For The Skin | | |
| VYJUVEK EXTERNAL GEL 5000000000 PFU/2.5ML | Carve Out | |
| *Diagnostic Products* | | |
| *Diagnostic Tests*** | | |
| CHEMSTRIP K IN VITRO STRIP | Preferred | |
| KETOSTIX IN VITRO STRIP | Preferred | |
| RELION KETONE TEST IN VITRO STRIP | Preferred | |
| RELION TRUE METRIX TEST STRIPS STRIP IN VITRO | Preferred | NOTES (Max of #100 / month for non-insulin users; Max of #200 / month for insulin users and pregnant members filling prenatal vitamins) |
| TRUE METRIX BLOOD GLUCOSE TEST STRIP IN VITRO | Preferred | NOTES (Max of #100 / month for non-insulin users; Max of #200 / month for insulin users and pregnant members filling prenatal vitamins) |
| ketone test in vitro strip | Preferred | |
| *Infection Tests*** | | |
| ACCUA SARS-COV-2 IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| BD VERITOR SYSTEM SARS-COV-2 IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| BINAXNOW COVID-19 AG CARD IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| BINAXNOW COVID-19 AG HOME TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| CARESTART COVID-19 HOME TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| CLEARDETECT COVID-19 AG HOME IN VITRO KIT | Preferred | QL (2 EA per 24 days) |

| Drug | Status | Notes |
|---|-----------|-----------------------|
| CLINITEST RAPID COVID-19 TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| COBAS LIAT SARS-COV-2 ASSAY IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| COBAS LIAT SARS-COV-2 CONTROL IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| DIATRUST COVID-19 HOME TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| DXTERITY COVID-19 HOME TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| EVERLYWELL COVID-19 HOME TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| FLOWFLEX COVID-19 AG HOME TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| GENABIO COVID-19 RAPID TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| ID NOW COVID-19 2.0 CONTROL IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| ID NOW COVID-19 2.0 TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| ID NOW COVID-19 CONTROL IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| ID NOW COVID-19 IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| IHEALTH COVID-19 RAPID TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| INDICAID COVID-19 RAPID TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| INTELISWAB COVID-19 RAPID TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| LUCIRA CHECK IT COVID-19 TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| LUCIRA COVID-19 ALL-IN-ONE IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| LYRA DIRECT SARS-COV-2 ASSAY IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| LYRA SARS-COV-2 ASSAY IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| ON/GO COVID-19 ANTIGEN TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| ON/GO ONE COVID-19 HOME TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| PILOT COVID-19 AT-HOME TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |

| Drug | Status | Notes |
|--|---------------|------------------------|
| PIXEL COVID-19 PCR HOME TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| QUICKVUE AT-HOME COVID-19 TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| QUICKVUE SARS ANTIGEN TEST IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| RAPID RESPONSE COVID-19 IN VITRO KIT | Preferred | QL (1 EA per 292 days) |
| SIMPLICITY COVID-19 AT-HOME IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| SOFIA SARS ANTIGEN FIA IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| SOFIA2 SARS ANTIGEN FIA IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| SPEEDY SWAB COVID-19 ANTIGEN IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| XPERT XPRESS SARS-COV-2 IN VITRO KIT | Preferred | QL (2 EA per 24 days) |
| covid-19 at-home test in vitro kit | Preferred | QL (2 EA per 24 days) |
| covid-19 otc antigen 1-pack in vitro kit | Preferred | QL (2 EA per 24 days) |
| covid-19 otc antigen 2-pack in vitro kit | Preferred | QL (2 EA per 24 days) |
| covid-19 specimen collection kit | Preferred | QL (2 EA per 24 days) |
| covid-19 testing by pharmacist kit | Preferred | QL (2 EA per 24 days) |
| cvs covid-19 at home test kit in vitro kit | Preferred | QL (2 EA per 24 days) |
| ellume covid-19 home test in vitro kit | Preferred | QL (2 EA per 24 days) |
| *Digestive Aids* - Drugs For The Stomach | | |
| *Digestive Enzymes*** - Drugs For The Stomach | | |
| CREON ORAL CAPSULE DELAYED RELEASE PARTICLES 12000-38000 UNIT, 24000-76000 UNIT, 3000-9500 UNIT, 6000-19000 UNIT | Preferred | QL (6 EA per 1 day) |
| CREON ORAL CAPSULE DELAYED RELEASE PARTICLES 36000-114000 UNIT | Preferred | |
| PANCREAZE ORAL CAPSULE DELAYED RELEASE PARTICLES 10500-35500 UNIT, 16800-56800 UNIT, 21000-54700 UNIT, 2600-8800 UNIT, 37000-97300 UNIT, 4200-14200 UNIT | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|---------------------------------|
| PERTZYE ORAL CAPSULE DELAYED RELEASE PARTICLES 16000-57500 UNIT, 24000-86250 UNIT, 4000-14375 UNIT, 8000-28750 UNIT | Non Preferred | PA |
| VIOKACE ORAL TABLET 10440-39150 UNIT, 20880-78300 UNIT | Non Preferred | PA |
| ZENPEP ORAL CAPSULE DELAYED RELEASE PARTICLES 10000-32000 UNIT, 15000-47000 UNIT, 20000-63000 UNIT, 25000-79000 UNIT, 3000-10000 UNIT, 40000-126000 UNIT, 5000-24000 UNIT | Preferred | |
| *Diuretics* - Drugs For The Heart | | |
| *Carbonic Anhydrase Inhibitors*** - Drugs For High Blood Pressure | | |
| KEVEYIS ORAL TABLET 50 MG | Non Preferred | PA; SP |
| acetazolamide er oral capsule extended release 12 hour 500 mg | Preferred | QL (4 EA per 1 day) |
| acetazolamide oral tablet 125 mg, 250 mg | Preferred | QL (4 EA per 1 day) |
| acetazolamide sodium injection solution reconstituted 500 mg | Preferred | PA |
| dichlorphenamide oral tablet 50 mg | Non Preferred | PA; SP |
| methazolamide oral tablet 25 mg, 50 mg | Preferred | QL (6 EA per 1 day); DS (90 DS) |
| *Diuretic Combinations*** - Drugs For High Blood Pressure | | |
| ALDACTAZIDE ORAL TABLET 25-25 MG | Non Preferred | PA; QL (3 EA per 1 day) |
| MAXZIDE ORAL TABLET 75-50 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| MAXZIDE-25 ORAL TABLET 37.5-25 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| amiloride-hydrochlorothiazide oral tablet 5-50 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| spironolactone-hctz oral tablet 25-25 mg | Preferred | QL (3 EA per 1 day); DS (90 DS) |
| triamterene-hctz oral capsule 37.5-25 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| triamterene-hctz oral tablet 37.5-25 mg, 75-50 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| *Loop Diuretics*** - Drugs For High Blood Pressure | | |
| BUMEX ORAL TABLET 0.5 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| EDECIN ORAL TABLET 25 MG | Non Preferred | PA |
| FUROSCIX SUBCUTANEOUS CARTRIDGE KIT 80 MG/10ML | Non Preferred | PA |
| LASIX ORAL TABLET 20 MG, 40 MG, 80 MG | Non Preferred | PA; QL (6 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|---------------------------------|
| SOAANZ ORAL TABLET 20 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| SOAANZ ORAL TABLET 40 MG, 60 MG | Non Preferred | PA |
| SODIUM EDECRIN INTRAVENOUS SOLUTION RECONSTITUTED 50 MG | Non Preferred | PA |
| bumetanide injection solution 0.25 mg/ml | Preferred | PA |
| bumetanide oral tablet 0.5 mg, 1 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| bumetanide oral tablet 2 mg | Preferred | QL (5 EA per 1 day); DS (90 DS) |
| ethacrynat sodium intravenous solution reconstituted 50 mg | Preferred | PA |
| ethacrynic acid oral tablet 25 mg | Non Preferred | PA |
| furosemide injection solution 10 mg/ml | Preferred | PA |
| furosemide oral solution 10 mg/ml, 8 mg/ml | Preferred | DS (90 DS) |
| furosemide oral tablet 20 mg, 40 mg, 80 mg | Preferred | QL (6 EA per 1 day); DS (90 DS) |
| torsemide oral tablet 10 mg, 20 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| torsemide oral tablet 100 mg, 5 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |

Potassium Sparing Diuretics - Drugs For High Blood Pressure**

| | | |
|---|---------------|------------|
| ALDACTONE ORAL TABLET 100 MG, 25 MG, 50 MG | Non Preferred | PA |
| CAROSPIR ORAL SUSPENSION 25 MG/5ML | Non Preferred | PA |
| DYRENIUM ORAL CAPSULE 100 MG, 50 MG | Non Preferred | PA |
| amiloride hcl oral tablet 5 mg | Preferred | DS (90 DS) |
| spironolactone oral tablet 100 mg, 25 mg, 50 mg | Preferred | DS (90 DS) |
| triamterene oral capsule 100 mg, 50 mg | Non Preferred | PA |

Thiazides And Thiazide-Like Diuretics - Drugs For High Blood Pressure**

| | | |
|---|---------------|---------------------------------|
| DIURIL ORAL SUSPENSION 250 MG/5ML | Non Preferred | PA |
| SODIUM DIURIL INTRAVENOUS SOLUTION RECONSTITUTED 500 MG | Non Preferred | PA |
| THALITONE ORAL TABLET 15 MG | Preferred | |
| chlorothiazide sodium intravenous solution reconstituted 500 mg | Preferred | PA |
| chlorthalidone oral tablet 25 mg, 50 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| hydrochlorothiazide oral capsule 12.5 mg | Preferred | QL (2 EA per 1 day) |
| hydrochlorothiazide oral tablet 12.5 mg, 25 mg | Preferred | QL (8 EA per 1 day); DS (90 DS) |
| hydrochlorothiazide oral tablet 50 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |

| Drug | Status | Notes |
|---|---------------|---|
| indapamide oral tablet 1.25 mg, 2.5 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| metolazone oral tablet 10 mg | Preferred | QL (2 EA per 1 day); DS (90 DS) |
| metolazone oral tablet 2.5 mg, 5 mg | Preferred | QL (4 EA per 1 day); DS (90 DS) |
| *Endocrine And Metabolic Agents - Misc.* - Hormones | | |
| *Abortifacient - Progesterone Receptor Antagonists*** - Drugs For Women | | |
| MIFEPREX ORAL TABLET 200 MG | Non Preferred | PA |
| mifepristone oral tablet 200 mg | Preferred | |
| *Acid Sphingomyelinase Deficiency (Asmd) - Agents*** - Drugs For Menopause And Bone Loss | | |
| XENPOZYME INTRAVENOUS SOLUTION RECONSTITUTED 20 MG, 4 MG | Carve Out | |
| *Adenosine Deaminase Scid Treatment - Agents*** - Drugs For Menopause And Bone Loss | | |
| REVCORI INTRAMUSCULAR SOLUTION 2.4 MG/1.5ML | Carve Out | |
| *Alpha-Mannosidosis Treatment - Agents*** - Drugs For Menopause And Bone Loss | | |
| LAMZED INTRAVENOUS SOLUTION RECONSTITUTED 10 MG | Carve Out | |
| *Bisphosphonates*** - Drugs For Menopause And Bone Loss | | |
| ACTONEL ORAL TABLET 150 MG, 35 MG | Non Preferred | PA |
| ATELVIA ORAL TABLET DELAYED RELEASE 35 MG | Non Preferred | PA |
| BINOSTO ORAL TABLET EFFERVESCENT 70 MG | Non Preferred | PA |
| FOSAMAX ORAL TABLET 70 MG | Non Preferred | PA; QL (0.143 EA per 1 day); NOTES (4 tabs per month) |
| FOSAMAX PLUS D ORAL TABLET 70-2800 MG-UNIT, 70-5600 MG-UNIT | Non Preferred | PA |
| RECLAST INTRAVENOUS SOLUTION 5 MG/100ML | Non Preferred | PA |
| alendronate sodium oral solution 70 mg/75ml | Preferred | |
| alendronate sodium oral tablet 10 mg | Preferred | QL (1 EA per 1 day) |
| alendronate sodium oral tablet 35 mg, 70 mg | Preferred | QL (0.143 EA per 1 day); NOTES (4 tabs per month) |

| Drug | Status | Notes |
|---|---------------|---|
| alendronate sodium oral tablet 5 mg | Preferred | QL (8 EA per 1 day) |
| ibandronate sodium intravenous solution 3 mg/3ml | Non Preferred | PA |
| ibandronate sodium oral tablet 150 mg | Preferred | QL (0.036 EA per 1 day); NOTES (1 tab every month) |
| pamidronate disodium intravenous solution 30 mg/10ml, 6 mg/ml, 90 mg/10ml | Non Preferred | PA |
| risedronate sodium oral tablet 150 mg, 30 mg, 35 mg, 5 mg | Non Preferred | PA |
| risedronate sodium oral tablet delayed release 35 mg | Non Preferred | PA |
| zoledronic acid intravenous concentrate 4 mg/5ml | Preferred | PA |
| zoledronic acid intravenous solution 4 mg/100ml, 5 mg/100ml | Preferred | PA |
| *Calcimimetic Agents*** - Drugs For Menopause And Bone Loss | | |
| SENSIPAR ORAL TABLET 30 MG, 60 MG, 90 MG | Preferred | |
| cinacalcet hcl oral tablet 30 mg, 60 mg, 90 mg | Preferred | |
| *Calcitonins*** - Drugs For Menopause And Bone Loss | | |
| MIACALCIN INJECTION SOLUTION 200 UNIT/ML | Non Preferred | PA |
| calcitonin (salmon) injection solution 200 unit/ml | Preferred | PA |
| calcitonin (salmon) nasal solution 200 unit/act | Preferred | QL (1 ML per 1 day) |
| *Carnitine Replenisher - Agents*** - Drugs For Menopause And Bone Loss | | |
| CARNITOR ORAL SOLUTION 1 GM/10ML | Non Preferred | PA; QL (60 ML per 1 day) |
| CARNITOR ORAL TABLET 330 MG | Non Preferred | PA; QL (18 EA per 1 day) |
| CARNITOR SF ORAL SOLUTION 1 GM/10ML | Non Preferred | PA; QL (60 ML per 1 day) |
| levocarnitine oral solution 1 gm/10ml | Preferred | QL (60 ML per 1 day) |
| levocarnitine oral tablet 330 mg | Preferred | QL (18 EA per 1 day) |
| levocarnitine sf oral solution 1 gm/10ml | Preferred | QL (60 ML per 1 day) |
| *Corticotropin*** - Hormones | | |
| ACTHAR INJECTION GEL 80 UNIT/ML | Preferred | PA; SP |
| CORTROPHIN INJECTION GEL 80 UNIT/ML | Preferred | PA; SP |

| Drug | Status | Notes |
|--|-----------|------------------------|
| *Cortisol Synthesis Inhibitors*** - Hormones | | |
| ISTURISA ORAL TABLET 1 MG, 10 MG, 5 MG | Carve Out | |
| RECORLEV ORAL TABLET 150 MG | Carve Out | |
| *Dopamine Receptor Agonists*** - Drugs For Women | | |
| cabergoline oral tablet 0.5 mg | Preferred | QL (0.57 EA per 1 day) |
| *Fabry Disease - Agents*** - Drugs For Menopause And Bone Loss | | |
| ELFABRIO INTRAVENOUS SOLUTION 20 MG/10ML | Carve Out | |
| FABRAZYME INTRAVENOUS SOLUTION RECONSTITUTED 35 MG, 5 MG | Carve Out | |
| GALAFOLD ORAL CAPSULE 123 MG | Carve Out | |
| *Gaa Deficiency Treatment - Agents*** - Drugs For Menopause And Bone Loss | | |
| LUMIZYME INTRAVENOUS SOLUTION RECONSTITUTED 50 MG | Carve Out | |
| NEXVIAZYME INTRAVENOUS SOLUTION RECONSTITUTED 100 MG | Carve Out | |
| OPFOLDA ORAL CAPSULE 65 MG | Carve Out | |
| POMBILITI INTRAVENOUS SOLUTION RECONSTITUTED 105 MG | Carve Out | |
| *Gnrh/Lhrh Antagonists*** - Drugs For Women | | |
| ORILISSA ORAL TABLET 150 MG, 200 MG | Preferred | PA |
| *Growth Hormone Receptor Antagonists*** - Drugs For Growth | | |
| SOMAVERT SUBCUTANEOUS SOLUTION RECONSTITUTED 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | Preferred | PA; SP |
| *Growth Hormone Releasing Hormones (Ghrh)*** - Drugs For Growth | | |
| EGRIFTA SV SUBCUTANEOUS SOLUTION RECONSTITUTED 2 MG | Preferred | PA; SP |
| *Growth Hormones*** - Drugs For Growth | | |
| GENOTROPIN MINIQUICK SUBCUTANEOUS PREFILLED SYRINGE 0.2 MG, 0.4 MG, 0.6 MG, 0.8 MG, 1 MG, 1.2 MG, 1.4 MG, 1.6 MG, 1.8 MG, 2 MG | Preferred | PA; SP |

| Drug | Status | Notes |
|--|---------------|--------|
| GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG, 5 MG | Preferred | PA; SP |
| HUMATROPE INJECTION CARTRIDGE 12 MG, 24 MG, 6 MG | Non Preferred | PA; SP |
| NGENLA SUBCUTANEOUS SOLUTION PEN-INJECTOR 24 MG/1.2ML, 60 MG/1.2ML | Non Preferred | PA |
| NORDITROPIN FLEXPRO SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MG/1.5ML, 15 MG/1.5ML, 30 MG/3ML, 5 MG/1.5ML | Preferred | PA; SP |
| NUTROPIN AQ NUSPIN 10 SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MG/2ML | Non Preferred | PA; SP |
| NUTROPIN AQ NUSPIN 20 SUBCUTANEOUS SOLUTION PEN-INJECTOR 20 MG/2ML | Non Preferred | PA; SP |
| NUTROPIN AQ NUSPIN 5 SUBCUTANEOUS SOLUTION PEN-INJECTOR 5 MG/2ML | Non Preferred | PA; SP |
| OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE 10 MG/1.5ML, 5 MG/1.5ML | Non Preferred | PA; SP |
| OMNITROPE SUBCUTANEOUS SOLUTION RECONSTITUTED 5.8 MG | Non Preferred | PA; SP |
| SAIZEN INJECTION SOLUTION RECONSTITUTED 5 MG, 8.8 MG | Non Preferred | PA; SP |
| SAIZENPREP INJECTION SOLUTION RECONSTITUTED 8.8 MG | Non Preferred | PA; SP |
| SEROSTIM SUBCUTANEOUS SOLUTION RECONSTITUTED 4 MG, 5 MG, 6 MG | Non Preferred | PA; SP |
| SKYTROFA SUBCUTANEOUS CARTRIDGE 11 MG, 13.3 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG, 7.6 MG, 9.1 MG | Non Preferred | PA; SP |
| SOGROYA SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MG/1.5ML, 15 MG/1.5ML, 5 MG/1.5ML | Non Preferred | PA |
| ZOMACTON SUBCUTANEOUS SOLUTION RECONSTITUTED 10 MG, 5 MG | Non Preferred | PA; SP |
| ZORBTIVE SUBCUTANEOUS SOLUTION RECONSTITUTED 8.8 MG | Non Preferred | PA; SP |

| Drug | Status | Notes |
|--|---------------|-------------------------|
| *Hereditary Orotic Aciduria Treatment - Agents** - Drugs For Menopause And Bone Loss | | |
| XURIDEN ORAL PACKET 2 GM | Preferred | PA; SP |
| *Hereditary Tyrosinemia Type 1 (Ht-1) Treatment - Agents*** - Drugs For Menopause And Bone Loss | | |
| NITYR ORAL TABLET 10 MG, 2 MG, 5 MG | Carve Out | |
| ORFADIN ORAL CAPSULE 10 MG, 2 MG, 20 MG, 5 MG | Carve Out | |
| ORFADIN ORAL SUSPENSION 4 MG/ML | Carve Out | |
| nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg | Carve Out | |
| *Homocystinuria Treatment - Agents*** - Drugs For Menopause And Bone Loss | | |
| CYSTADANE ORAL POWDER | Non Preferred | PA; SP |
| betaine oral powder | Preferred | PA; SP |
| *Hyperammonemia Treatment - Agents*** - Drugs For Menopause And Bone Loss | | |
| CARBAGLU ORAL TABLET SOLUBLE 200 MG | Non Preferred | PA; SP |
| carglumic acid oral tablet soluble 200 mg | Preferred | PA; SP |
| *Hyperparathyroid Treatment - Vitamin D Analogs*** - Drugs For Menopause And Bone Loss | | |
| RAYALDEE ORAL CAPSULE EXTENDED RELEASE 30 MCG | Non Preferred | PA |
| ROCALTROL ORAL CAPSULE 0.25 MCG, 0.5 MCG | Non Preferred | PA; QL (4 EA per 1 day) |
| ROCALTROL ORAL SOLUTION 1 MCG/ML | Non Preferred | PA |
| ZEMPLAR ORAL CAPSULE 1 MCG, 2 MCG | Non Preferred | PA |
| calcitriol oral capsule 0.25 mcg, 0.5 mcg | Preferred | QL (4 EA per 1 day) |
| calcitriol oral solution 1 mcg/ml | Preferred | |
| doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg | Non Preferred | PA |
| paricalcitol oral capsule 1 mcg, 2 mcg, 4 mcg | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|--------------------------------|
| *Hypophosphatasia (Hpp) Agents*** - Drugs For Menopause And Bone Loss | | |
| STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45ML, 28 MG/0.7ML, 40 MG/ML, 80 MG/0.8ML | Carve Out | |
| *Insulin-Like Growth Factor-1 Receptor Inhibitors(Igf-1R)*** - Drugs For Thyroid | | |
| TEPEZZA INTRAVENOUS SOLUTION RECONSTITUTED 500 MG | Carve Out | |
| *Insulin-Like Growth Factors (Somatomedins)*** - Hormones | | |
| INCRELEX SUBCUTANEOUS SOLUTION 40 MG/4ML | Preferred | PA; SP |
| *Leptin Analogues*** - Hormones | | |
| MYALEPT SUBCUTANEOUS SOLUTION RECONSTITUTED 11.3 MG | Carve Out | |
| *Lhrh/Gnrh Agonist Analog Pituitary Suppressants*** - Drugs For Women | | |
| FENSOLVI (6 MONTH) SUBCUTANEOUS KIT 45 MG | Preferred | PA; NOTES (EA) |
| LUPRON DEPOT-PED (1-MONTH) INTRAMUSCULAR KIT 11.25 MG, 15 MG, 7.5 MG | Preferred | PA; NOTES (EA) |
| LUPRON DEPOT-PED (3-MONTH) INTRAMUSCULAR KIT 11.25 MG (PED), 30 MG | Preferred | PA; NOTES (EA) |
| LUPRON DEPOT-PED (6-MONTH) INTRAMUSCULAR KIT 45 MG | Preferred | PA |
| SUPPRELIN LA SUBCUTANEOUS KIT 50 MG | Preferred | PA; NOTES (EA); SP |
| SYNAREL NASAL SOLUTION 2 MG/ML | Preferred | PA; QL (32 ML per 22 days); SP |
| TRIPTODUR INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 22.5 MG | Non Preferred | PA; NOTES (EA); SP |
| *Lysosomal Acid Lipase (Lal) Deficiency - Agents*** - Drugs For Menopause And Bone Loss | | |
| KANUMA INTRAVENOUS SOLUTION 20 MG/10ML | Carve Out | |

| Drug | Status | Notes |
|---|-----------|-------|
| *Molybdenum Cofactor Deficiency (Mocd) - Agents*** - Drugs For Menopause And Bone Loss | | |
| NULIBRY INTRAVENOUS SOLUTION RECONSTITUTED 9.5 MG | Carve Out | |
| *Mucopolysaccharidosis I (Mps I) - Agents*** - Drugs For Menopause And Bone Loss | | |
| ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5ML | Carve Out | |
| *Mucopolysaccharidosis II (Mps II) - Agents*** - Drugs For Menopause And Bone Loss | | |
| ELAPRASE INTRAVENOUS SOLUTION 6 MG/3ML | Carve Out | |
| *Mucopolysaccharidosis IV (Mps IV) - Agents*** - Drugs For Menopause And Bone Loss | | |
| VIMIZIM INTRAVENOUS SOLUTION 5 MG/5ML | Carve Out | |
| *Mucopolysaccharidosis VI (Mps VI) - Agents*** - Drugs For Menopause And Bone Loss | | |
| NAGLAZYME INTRAVENOUS SOLUTION 1 MG/ML | Carve Out | |
| *Mucopolysaccharidosis VII (Mps VII) - Agents*** - Drugs For Menopause And Bone Loss | | |
| MEPSEVII INTRAVENOUS SOLUTION 10 MG/5ML | Carve Out | |
| *Natriuretic Peptides*** - Drugs For Menopause And Bone Loss | | |
| VOXZOGO SUBCUTANEOUS SOLUTION RECONSTITUTED 0.4 MG, 0.56 MG, 1.2 MG | Carve Out | |
| *Neurokinin 3 (Nk3) Receptor Antagonists*** - Hormones | | |
| VEOZAH ORAL TABLET 45 MG | Preferred | PA |
| *Non-Steroidal Mineralocorticoid Receptor Antagonists*** - Hormones | | |
| KERENDIA ORAL TABLET 10 MG, 20 MG | Preferred | PA |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| *Parathyroid Hormone And Derivatives*** - Drugs For Menopause And Bone Loss | | |
| | | |
| FORTEO SUBCUTANEOUS SOLUTION PEN-INJECTOR 600 MCG/2.4ML | Preferred | PA; SP |
| TYMLOS SUBCUTANEOUS SOLUTION PEN-INJECTOR 3120 MCG/1.56ML | Non Preferred | PA; SP |
| teriparatide (recombinant) subcutaneous solution pen-injector 620 mcg/2.48ml | Preferred | PA; SP |
| *Phenylketonuria Treatment - Agents*** - Drugs For Menopause And Bone Loss | | |
| | | |
| JAVYGTOR ORAL PACKET 100 MG, 500 MG | Carve Out | |
| JAVYGTOR ORAL TABLET 100 MG | Carve Out | |
| KUVAN ORAL PACKET 100 MG, 500 MG | Carve Out | |
| KUVAN ORAL TABLET 100 MG | Carve Out | |
| PALYNZIQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10 MG/0.5ML, 2.5 MG/0.5ML, 20 MG/ML | Carve Out | |
| sapropterin dihydrochloride oral packet 100 mg, 500 mg | Carve Out | |
| sapropterin dihydrochloride oral tablet 100 mg | Carve Out | |
| *Rank Ligand (Rankl) Inhibitors*** - Drugs For Menopause And Bone Loss | | |
| | | |
| PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 60 MG/ML | Preferred | PA; SP |
| XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7ML | Preferred | PA; SP |
| *Sclerostin Inhibitors*** - Drugs For Menopause And Bone Loss | | |
| | | |
| EVENITY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 105 MG/1.17ML | Non Preferred | PA; SP |
| *Selective Estrogen Receptor Modulators (Serms)*** - Drugs For Menopause And Bone Loss | | |
| | | |
| EVISTA ORAL TABLET 60 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| OSPHENA ORAL TABLET 60 MG | Non Preferred | PA |
| raloxifene hcl oral tablet 60 mg | Preferred | QL (1 EA per 1 day) |
| *Selective Vasopressin V2-Receptor Antagonists*** - Hormones | | |
| | | |
| JYNARQUE ORAL TABLET 15 MG, 30 MG | Preferred | PA; SP |

| Drug | Status | Notes |
|--|---------------|--------|
| JYNARQUE ORAL TABLET THERAPY PACK 15 MG, 30 & 15 MG, 45 & 15 MG, 60 & 30 MG, 90 & 30 MG | Preferred | PA; SP |
| SAMSCA ORAL TABLET 15 MG | Non Preferred | PA; SP |
| SAMSCA ORAL TABLET 30 MG | Preferred | PA; SP |
| tolvaptan oral tablet 15 mg, 30 mg | Preferred | PA; SP |
| *Somatostatic Agents*** - Drugs For Growth | | |
| MYCAPSSA ORAL CAPSULE DELAYED RELEASE 20 MG | Preferred | PA; SP |
| SANDOSTATIN INJECTION SOLUTION 100 MCG/ML, 50 MCG/ML, 500 MCG/ML | Non Preferred | PA; SP |
| SANDOSTATIN LAR DEPOT INTRAMUSCULAR KIT 10 MG, 20 MG, 30 MG | Non Preferred | PA; SP |
| SIGNIFOR LAR INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 10 MG, 20 MG, 30 MG, 40 MG, 60 MG | Non Preferred | PA; SP |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML, 0.6 MG/ML, 0.9 MG/ML | Preferred | PA; SP |
| octreotide acetate injection solution 100 mcg/ml, 1000 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml | Preferred | PA; SP |
| octreotide acetate subcutaneous solution prefilled syringe 100 mcg/ml, 50 mcg/ml, 500 mcg/ml | Preferred | PA; SP |
| *Tripeptidyl Peptidase 1 Deficiency Treatment - Agents*** - Drugs For Menopause And Bone Loss | | |
| BRINEURA KIT 2 X 150 MG/5ML | Carve Out | |
| *Urea Cycle Disorder - Agents*** - Drugs For Menopause And Bone Loss | | |
| BUPHENYL ORAL POWDER 3 GM/TSP | Carve Out | |
| BUPHENYL ORAL TABLET 500 MG | Carve Out | |
| OLPRUVA (2 GM DOSE) ORAL THERAPY PACK 2 GM | Carve Out | |
| OLPRUVA (3 GM DOSE) ORAL THERAPY PACK 3 GM | Carve Out | |
| OLPRUVA (4 GM DOSE) ORAL THERAPY PACK 2 & 2 GM | Carve Out | |
| OLPRUVA (5 GM DOSE) ORAL THERAPY PACK 2 & 3 GM | Carve Out | |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| OLPRUVA (6 GM DOSE) ORAL THERAPY PACK 3 & 3 GM | Carve Out | |
| OLPRUVA (6.67 GM DOSE) ORAL THERAPY PACK 3 & 3.67 GM | Carve Out | |
| PHEBURANE ORAL PELLET 483 MG/GM | Carve Out | |
| RAVICTI ORAL LIQUID 1.1 GM/ML | Carve Out | |
| citrulline easy oral tablet extended release 1 gm | Carve Out | |
| sodium phenylbutyrate oral powder 3 gm/tsp | Carve Out | |
| sodium phenylbutyrate oral tablet 500 mg | Carve Out | |
| *Vasopressin*** - Hormones | | |
| DDAVP INJECTION SOLUTION 4 MCG/ML | Non Preferred | PA |
| DDAVP ORAL TABLET 0.1 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| DDAVP ORAL TABLET 0.2 MG | Non Preferred | PA; QL (5 EA per 1 day) |
| DDAVP PF INJECTION SOLUTION 4 MCG/ML | Non Preferred | PA |
| NOCDURNA SUBLINGUAL TABLET SUBLINGUAL 27.7 MCG, 55.3 MCG | Non Preferred | PA |
| TERLIVAZ INTRAVENOUS SOLUTION RECONSTITUTED 0.85 MG | Preferred | PA |
| desmopressin ace spray refrigerated nasal solution 0.01 % | Preferred | |
| desmopressin acetate injection solution 4 mcg/ml | Preferred | PA |
| desmopressin acetate nasal solution 1.5 mg/ml | Non Preferred | PA; SP |
| desmopressin acetate oral tablet 0.1 mg | Preferred | QL (4 EA per 1 day) |
| desmopressin acetate oral tablet 0.2 mg | Preferred | QL (5 EA per 1 day) |
| desmopressin acetate pf injection solution 4 mcg/ml | Preferred | PA |
| desmopressin acetate spray nasal solution 0.01 % | Preferred | |
| *X-Linked Hypophosphatemia (XLH) Treatment - Agents*** - Drugs For Menopause And Bone Loss | | |
| CRYSVITA SUBCUTANEOUS SOLUTION 10 MG/ML, 20 MG/ML, 30 MG/ML | Carve Out | |
| *Estrogens* - Hormones | | |
| *Estrogen & Androgen*** - Drugs For Women | | |
| est estrogens-methyltest ds oral tablet 1.25-2.5 mg | Preferred | |

| Drug | Status | Notes |
|--|---------------|-------|
| est estrogens-methyltest hs oral tablet 0.625-1.25 mg | Preferred | |
| est estrogens-methyltest oral tablet 1.25-2.5 mg | Preferred | |
| *Estrogen & Progestin*** - Drugs For Women | | |
| ACTIVELLA ORAL TABLET 1-0.5 MG | Non Preferred | PA |
| AMABELZ ORAL TABLET 0.5-0.1 MG, 1-0.5 MG | Preferred | |
| ANGELIQ ORAL TABLET 0.25-0.5 MG, 0.5-1 MG | Preferred | |
| BIJUVA ORAL CAPSULE 1-100 MG | Non Preferred | PA |
| CLIMARA PRO TRANSDERMAL PATCH WEEKLY 0.045-0.015 MG/DAY | Preferred | |
| COMBIPATCH TRANSDERMAL PATCH TWICE WEEKLY 0.05-0.14 MG/DAY, 0.05-0.25 MG/DAY | Preferred | |
| FYAVOLV ORAL TABLET 0.5-2.5 MG-MCG, 1-5 MG-MCG | Preferred | |
| JINTELI ORAL TABLET 1-5 MG-MCG | Preferred | |
| MIMVEY ORAL TABLET 1-0.5 MG | Preferred | |
| PREFEST ORAL TABLET 1/1-0.09 MG (15/15) | Non Preferred | PA |
| PREMPHASE ORAL TABLET 0.625-5 MG | Preferred | |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG | Preferred | |
| estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg | Preferred | |
| norethindrone-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg | Preferred | |
| *Estrogen-Progestin-GnRH Antagonist*** - Drugs For Woman | | |
| MYFEMBREE ORAL TABLET 40-1-0.5 MG | Preferred | PA |
| ORIAHNN ORAL CAPSULE THERAPY PACK 300-1-0.5 & 300 MG | Preferred | PA |
| *Estrogens*** - Drugs For Women | | |
| ALORA TRANSDERMAL PATCH TWICE WEEKLY 0.025 MG/24HR, 0.075 MG/24HR, 0.1 MG/24HR | Non Preferred | PA |
| CLIMARA TRANSDERMAL PATCH WEEKLY 0.025 MG/24HR, 0.0375 MG/24HR, 0.05 MG/24HR, 0.06 MG/24HR, 0.075 MG/24HR, 0.1 MG/24HR | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|-------|
| DELESTROGEN INTRAMUSCULAR OIL 10 MG/ML, 20 MG/ML, 40 MG/ML | Non Preferred | PA |
| DEPO-ESTRADIOL INTRAMUSCULAR OIL 5 MG/ML | Preferred | |
| DIVIGEL TRANSDERMAL GEL 0.25 MG/0.25GM, 0.5 MG/0.5GM, 0.75 MG/0.75GM, 1 MG/GM, 1.25 MG/1.25GM | Non Preferred | PA |
| DOTTI TRANSDERMAL PATCH TWICE WEEKLY 0.025 MG/24HR, 0.0375 MG/24HR, 0.05 MG/24HR, 0.075 MG/24HR, 0.1 MG/24HR | Preferred | |
| ELESTRIN TRANSDERMAL GEL 0.52 MG/0.87 GM (0.06%) | Non Preferred | PA |
| ESTRACE ORAL TABLET 0.5 MG, 1 MG, 2 MG | Non Preferred | PA |
| ESTROGEL TRANSDERMAL GEL 0.75 MG/1.25 GM (0.06%) | Non Preferred | PA |
| EVAMIST TRANSDERMAL SOLUTION 1.53 MG/SPRAY | Non Preferred | PA |
| LYLLANA TRANSDERMAL PATCH TWICE WEEKLY 0.025 MG/24HR, 0.0375 MG/24HR, 0.05 MG/24HR, 0.075 MG/24HR, 0.1 MG/24HR | Preferred | |
| MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG | Preferred | |
| MENOSTAR TRANSDERMAL PATCH WEEKLY 14 MCG/24HR | Non Preferred | PA |
| MINIVELLE TRANSDERMAL PATCH TWICE WEEKLY 0.025 MG/24HR, 0.0375 MG/24HR, 0.05 MG/24HR, 0.075 MG/24HR, 0.1 MG/24HR | Non Preferred | PA |
| PREMARIN INJECTION SOLUTION RECONSTITUTED 25 MG | Non Preferred | PA |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG | Preferred | |
| VIVELLE-DOT TRANSDERMAL PATCH TWICE WEEKLY 0.025 MG/24HR, 0.0375 MG/24HR, 0.05 MG/24HR, 0.075 MG/24HR, 0.1 MG/24HR | Non Preferred | PA |
| ec-rx estradiol transdermal cream 0.4 %, 0.6 % | Non Preferred | PA |
| estradiol oral tablet 0.5 mg, 1 mg, 2 mg | Preferred | |

| Drug | Status | Notes |
|--|---------------|--|
| estradiol transdermal gel 0.25 mg/0.25gm, 0.5 mg/0.5gm, 0.75 mg/0.75gm, 1 mg/gm, 1.25 mg/1.25gm | Non Preferred | PA |
| estradiol transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr | Preferred | |
| estradiol transdermal patch weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.06 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr | Preferred | |
| estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml | Preferred | |
| *Estrogen-Selective Estrogen Receptor Modulator Comb*** - Drugs For Women | | |
| DUAVEE ORAL TABLET 0.45-20 MG | Preferred | PA |
| *Fluoroquinolones* - Drugs For Infections | | |
| *Fluoroquinolones*** - Antibiotics | | |
| BAXDELA ORAL TABLET 450 MG | Non Preferred | PA |
| CIPRO ORAL SUSPENSION RECONSTITUTED 250 MG/5ML (5%) | Preferred | QL (20 ML per 1 day); AGE (Max 12 Years) |
| CIPRO ORAL SUSPENSION RECONSTITUTED 500 MG/5ML (10%) | Preferred | QL (12 ML per 1 day) |
| CIPRO ORAL TABLET 250 MG, 500 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| LEVAQUIN ORAL TABLET 250 MG, 750 MG | Non Preferred | PA |
| ciprofloxacin hcl oral tablet 100 mg, 250 mg, 500 mg, 750 mg | Preferred | QL (2 EA per 1 day) |
| ciprofloxacin oral suspension reconstituted 250 mg/5ml (5%) | Preferred | QL (20 EA per 1 day) |
| ciprofloxacin oral suspension reconstituted 500 mg/5ml (10%) | Preferred | QL (12 ML per 1 day) |
| levofloxacin oral solution 25 mg/ml | Non Preferred | PA |
| levofloxacin oral tablet 250 mg, 500 mg, 750 mg | Preferred | |
| moxifloxacin hcl oral tablet 400 mg | Non Preferred | PA |
| ofloxacin oral tablet 300 mg, 400 mg | Non Preferred | PA |
| *Gastrointestinal Agents - Misc.* - Drugs For The Stomach | | |
| *5-HT4 Receptor Agonists*** - Drugs For The Stomach | | |
| MOTEGRITY ORAL TABLET 1 MG, 2 MG | Non Preferred | PA |

| Drug | Status | Notes |
|--|-----------|-------|
| *Antiflatulents*** - Drugs For The Stomach | | |
| GAS-X EXTRA STRENGTH ORAL CAPSULE 125 MG | Preferred | |
| LITTLE REMEDIES FOR TUMMYS ORAL SUSPENSION 20 MG/0.3ML | Preferred | |
| LITTLE REMEDIES GAS RELIEF ORAL SUSPENSION 20 MG/0.3ML | Preferred | |
| MOMMY'S BLISS GAS RELIEF DROPS ORAL SUSPENSION 20 MG/0.3ML | Preferred | |
| PEDIACARE INFANTS GAS RELIEF ORAL SUSPENSION 20 MG/0.3ML | Preferred | |
| PHAZYME ORAL TABLET CHEWABLE 125 MG | Preferred | |
| cvs gas relief extra strength oral tablet chewable 125 mg | Preferred | |
| cvs gas relief infants oral suspension 20 mg/0.3ml | Preferred | |
| cvs gas relief oral tablet chewable 80 mg | Preferred | |
| cvs infants gas relief oral suspension 20 mg/0.3ml | Preferred | |
| drxchoice gas relief oral tablet chewable 80 mg | Preferred | |
| eq gas relief extra strength oral capsule 125 mg | Preferred | |
| eq gas relief extra strength oral tablet chewable 125 mg | Preferred | |
| eq gas relief oral capsule 125 mg | Preferred | |
| eq infants gas relief oral suspension 20 mg/0.3ml, 40 mg/0.6ml | Preferred | |
| eql gas gone oral tablet chewable 125 mg | Preferred | |
| eql gas relief oral capsule 125 mg | Preferred | |
| eql infants gas relief oral suspension 20 mg/0.3ml | Preferred | |
| ft gas relief extra strength oral capsule 125 mg | Preferred | |
| ft gas relief extra strength oral tablet chewable 125 mg | Preferred | |
| ft gas relief infants oral suspension 20 mg/0.3ml | Preferred | |
| ft gas relief oral tablet chewable 80 mg | Preferred | |
| gas relief extra strength oral capsule 125 mg | Preferred | |
| gas relief extra strength oral tablet chewable 125 mg | Preferred | |
| gas relief infants oral suspension 20 mg/0.3ml, 40 mg/0.6ml | Preferred | |

| Drug | Status | Notes |
|---|-----------|-------|
| gas relief oral tablet chewable 80 mg | Preferred | |
| gnp gas relief extra strength oral capsule 125 mg | Preferred | |
| gnp gas relief extra strength oral tablet chewable 125 mg | Preferred | |
| gnp gas relief oral tablet chewable 80 mg | Preferred | |
| gnp infant gas relief oral suspension 20 mg/0.3ml | Preferred | |
| goodsense gas relief oral tablet chewable 125 mg | Preferred | |
| heartland gas relief oral tablet chewable 80 mg | Preferred | |
| hm gas relief infants drops oral suspension 20 mg/0.3ml | Preferred | |
| hm gas relief oral tablet chewable 125 mg, 80 mg | Preferred | |
| infants gas relief oral suspension 20 mg/0.3ml, 40 mg/0.6ml | Preferred | |
| px gas relief extra strength oral capsule 125 mg | Preferred | |
| px gas relief infants oral suspension 20 mg/0.3ml | Preferred | |
| qc gas relief extra strength oral capsule 125 mg | Preferred | |
| qc gas relief extra strength oral tablet chewable 125 mg | Preferred | |
| qc gas relief infants oral suspension 20 mg/0.3ml | Preferred | |
| qc gas relief oral tablet chewable 80 mg | Preferred | |
| ra gas relief extra strength oral tablet chewable 125 mg | Preferred | |
| ra gas relief oral capsule 125 mg | Preferred | |
| ra gas relief oral tablet chewable 80 mg | Preferred | |
| sb gas relief oral suspension 40 mg/0.6ml | Preferred | |
| sb gas relief oral tablet chewable 125 mg | Preferred | |
| simeped oral suspension 40 mg/0.6ml | Preferred | |
| simethicone drops infants oral suspension 20 mg/0.3ml | Preferred | |
| simethicone extra strength oral capsule 125 mg | Preferred | |
| simethicone oral capsule 125 mg | Preferred | |
| simethicone oral suspension 40 mg/0.6ml | Preferred | |
| simethicone oral tablet chewable 125 mg, 80 mg | Preferred | |

| Drug | Status | Notes |
|--|---------------|------------------------------|
| sm gas relief extra strength oral capsule 125 mg | Preferred | |
| sm gas relief infants drops oral suspension 40 mg/0.6ml | Preferred | |
| sm gas relief infants oral suspension 20 mg/0.3ml | Preferred | |
| sm gas relief oral tablet chewable 125 mg, 80 mg | Preferred | |
| teeny tummy gas relief drops oral suspension 20 mg/0.3ml | Preferred | |
| *Bile Acid Synthesis Disorder Agents*** - Drugs For The Stomach | | |
| CHOLBAM ORAL CAPSULE 250 MG, 50 MG | Non Preferred | PA; SP |
| *Cic Agents - Guanylate Cyclase-C (Gc-C) Agonists*** - Drugs For Constipation | | |
| TRULANCE ORAL TABLET 3 MG | Non Preferred | PA |
| *Farnesoid X Receptor (Fxr) Agonists*** - Drugs For The Stomach | | |
| OCALIVA ORAL TABLET 10 MG, 5 MG | Non Preferred | PA; SP |
| *Gallstone Solubilizing Agents*** - Drugs For The Stomach | | |
| CHENODAL ORAL TABLET 250 MG | Non Preferred | PA; SP |
| RELTONE ORAL CAPSULE 200 MG, 400 MG | Non Preferred | PA |
| URSO 250 ORAL TABLET 250 MG | Non Preferred | PA; QL (12 EA per 1 day) |
| URSO FORTE ORAL TABLET 500 MG | Non Preferred | PA; QL (6 EA per 1 day) |
| URSODIOL+SYRSPEND SF ORAL SUSPENSION 30 MG/ML | Non Preferred | PA |
| ursodiol oral capsule 200 mg, 400 mg | Non Preferred | PA |
| ursodiol oral capsule 300 mg | Preferred | QL (10 EA per 1 day) |
| ursodiol oral tablet 250 mg | Preferred | QL (12 EA per 1 day) |
| ursodiol oral tablet 500 mg | Preferred | QL (6 EA per 1 day) |
| *Gastrointestinal Antiallergy Agents*** - Drugs For The Stomach | | |
| GASTROCROM ORAL CONCENTRATE 100 MG/5ML | Non Preferred | PA; QL (1200 ML per 24 days) |
| cromolyn sodium oral concentrate 100 mg/5ml | Non Preferred | PA; QL (1200 ML per 24 days) |

| Drug | Status | Notes |
|--|---------------|-------------------------|
| *Gastrointestinal Chloride Channel Activators*** - Drugs For Irritable Bowel Syndrome | | |
| AMITIZA ORAL CAPSULE 24 MCG, 8 MCG | | |
| lubiprostone oral capsule 24 mcg, 8 mcg | Preferred | PA |
| *Gastrointestinal Stimulants*** - Drugs For The Stomach | | |
| GIMOTI NASAL SOLUTION 15 MG/ACT | Non Preferred | PA |
| REGLAN ORAL TABLET 10 MG, 5 MG | Non Preferred | PA; QL (6 EA per 1 day) |
| metoclopramide hcl injection solution 5 mg/ml | Non Preferred | PA |
| metoclopramide hcl oral solution 10 mg/10ml, 5 mg/5ml | Preferred | |
| metoclopramide hcl oral tablet 10 mg, 5 mg | Preferred | QL (6 EA per 1 day) |
| metoclopramide hcl oral tablet dispersible 5 mg | Preferred | |
| *Glucagon-Like Peptide-2 (Glp-2) Analogs*** - Drugs For The Stomach | | |
| GATTEX SUBCUTANEOUS KIT 5 MG | Carve Out | |
| *Ibs Agent - Guanylate Cyclase-C (Gc-C) Agonists*** - Drugs For Constipation | | |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG | Preferred | PA |
| *Ibs Agent - Mu-Opioid Receptor Agonists*** - Drugs For Irritable Bowel Syndrome | | |
| VIBERZI ORAL TABLET 100 MG, 75 MG | Non Preferred | PA |
| *Ibs Agent - Selective 5-HT3 Receptor Antagonists*** - Drugs For Irritable Bowel Syndrome | | |
| LOTRONEX ORAL TABLET 0.5 MG, 1 MG | Non Preferred | PA |
| alosetron hcl oral tablet 0.5 mg, 1 mg | Non Preferred | PA |
| *Ibs Agent - Sodium/Hydrogen Exchanger 3 (Nhe3) Inhibitor*** - Drugs For Irritable Bowel Syndrome | | |
| IBSRELA ORAL TABLET 50 MG | Non Preferred | PA |
| *Ileal Bile Acid Transporter (Ibat) Inhibitors*** - Drugs For The Stomach | | |
| BYLVAY (PELLETS) ORAL CAPSULE SPRINKLE 200 MCG, 600 MCG | Carve Out | |
| BYLVAY ORAL CAPSULE 1200 MCG, 400 MCG | Carve Out | |
| LIVMARLI ORAL SOLUTION 9.5 MG/ML | Carve Out | |

| Drug | Status | Notes |
|---|---------------|--------------------------|
| *Inflammatory Bowel Agents*** - Drugs For Inflammatory Bowel Disease | | |
| APRISO ORAL CAPSULE EXTENDED RELEASE 24 HOUR 0.375 GM | Preferred | QL (4 EA per 1 day) |
| ASACOL HD ORAL TABLET DELAYED RELEASE 800 MG | Non Preferred | PA |
| AZULFIDINE EN-TABS ORAL TABLET DELAYED RELEASE 500 MG | Non Preferred | PA; QL (8 EA per 1 day) |
| AZULFIDINE ORAL TABLET 500 MG | Non Preferred | PA; QL (10 EA per 1 day) |
| CANASA RECTAL SUPPOSITORY 1000 MG | Preferred | QL (2 EA per 1 day) |
| COLAZAL ORAL CAPSULE 750 MG | Non Preferred | PA |
| DELZICOL ORAL CAPSULE DELAYED RELEASE 400 MG | Preferred | |
| DIPENTUM ORAL CAPSULE 250 MG | Non Preferred | PA |
| LIALDA ORAL TABLET DELAYED RELEASE 1.2 GM | Preferred | |
| PENTASA ORAL CAPSULE EXTENDED RELEASE 250 MG | Preferred | QL (16 EA per 1 day) |
| PENTASA ORAL CAPSULE EXTENDED RELEASE 500 MG | Preferred | QL (8 EA per 1 day) |
| ROWASA RECTAL KIT 4 GM | Non Preferred | PA |
| SFROWASA RECTAL ENEMA 4 GM/60ML | Non Preferred | PA |
| balsalazide disodium oral capsule 750 mg | Preferred | |
| mesalamine er oral capsule extended release 24 hour 0.375 gm | Preferred | QL (4 EA per 1 day) |
| mesalamine er oral capsule extended release 500 mg | Preferred | QL (8 EA per 1 day) |
| mesalamine oral capsule delayed release 400 mg | Preferred | |
| mesalamine oral tablet delayed release 1.2 gm | Preferred | |
| mesalamine oral tablet delayed release 800 mg | Non Preferred | PA |
| mesalamine rectal enema 4 gm | Preferred | QL (60 ML per 1 day) |
| mesalamine rectal suppository 1000 mg | Preferred | QL (2 EA per 1 day) |
| mesalamine-cleanser rectal kit 4 gm | Non Preferred | PA |
| sulfasalazine oral tablet 500 mg | Preferred | QL (10 EA per 1 day) |
| sulfasalazine oral tablet delayed release 500 mg | Preferred | QL (8 EA per 1 day) |

| Drug | Status | Notes |
|---|---------------|-----------------------|
| *Integrin Receptor Antagonists*** - Drugs For Inflammatory Bowel Disease | | |
| ENTYVIO INTRAVENOUS SOLUTION RECONSTITUTED 300 MG | Non Preferred | PA; SP |
| ENTYVIO SUBCUTANEOUS SOLUTION PEN-INJECTOR 108 MG/0.68ML | Non Preferred | PA |
| *Interleukin Antagonists*** - Drugs For Inflammatory Bowel Disease | | |
| SKYRIZI INTRAVENOUS SOLUTION 600 MG/10ML | Non Preferred | PA; SP |
| SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE 180 MG/1.2ML, 360 MG/2.4ML | Non Preferred | PA; SP |
| STELARA INTRAVENOUS SOLUTION 130 MG/26ML | Non Preferred | PA; SP |
| *Intestinal Acidifiers*** - Drugs For The Stomach | | |
| enulose oral solution 10 gm/15ml | Preferred | QL (180 ML per 1 day) |
| generlac oral solution 10 gm/15ml | Preferred | QL (180 ML per 1 day) |
| lactulose encephalopathy oral solution 10 gm/15ml | Preferred | QL (180 ML per 1 day) |
| *Live Fecal Microbiota (Human)** - Drugs For The Stomach | | |
| VOWST ORAL CAPSULE | Preferred | |
| *Peripheral Opioid Receptor Antagonists*** - Drugs For The Stomach | | |
| ENTEREG ORAL CAPSULE 12 MG | Non Preferred | PA |
| MOVANTIK ORAL TABLET 12.5 MG, 25 MG | Preferred | PA |
| RELISTOR ORAL TABLET 150 MG | Non Preferred | PA |
| RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6ML, 8 MG/0.4ML | Non Preferred | PA |
| SYMPROIC ORAL TABLET 0.2 MG | Non Preferred | PA |
| alvimopan oral capsule 12 mg | Non Preferred | PA |
| *Phosphate Binder Agents*** - Drugs For The Stomach | | |
| AURYXIA ORAL TABLET 1 GM 210 MG(FE) | Non Preferred | PA |
| FOSRENOL ORAL PACKET 1000 MG, 750 MG | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|--------|
| FOSRENOL ORAL TABLET CHEWABLE 1000 MG, 500 MG, 750 MG | Non Preferred | PA |
| PHOSLYRA ORAL SOLUTION 667 MG/5ML | Preferred | |
| RENAGEL ORAL TABLET 800 MG | Non Preferred | PA |
| RENVELA ORAL PACKET 0.8 GM, 2.4 GM | Non Preferred | PA |
| RENVELA ORAL TABLET 800 MG | Non Preferred | PA |
| VELPHORO ORAL TABLET CHEWABLE 500 MG | Non Preferred | PA |
| calcium acetate (phos binder) oral capsule 667 mg | Preferred | |
| calcium acetate (phos binder) oral tablet 667 mg | Non Preferred | PA |
| calcium acetate oral tablet 667 mg | Non Preferred | PA |
| lanthanum carbonate oral tablet chewable 1000 mg, 500 mg, 750 mg | Non Preferred | PA |
| sevelamer carbonate oral packet 0.8 gm, 2.4 gm | Non Preferred | PA |
| sevelamer carbonate oral tablet 800 mg | Preferred | |
| sevelamer hcl oral tablet 400 mg, 800 mg | Non Preferred | PA |
| *Tryptophan Hydroxylase Inhibitors*** - Drugs For Diarrhea | | |
| XERMELO ORAL TABLET 250 MG | Preferred | PA; SP |
| *Tumor Necrosis Factor Alpha Blockers*** - Drugs For Inflammatory Bowel Disease | | |
| AVSOLA INTRAVENOUS SOLUTION RECONSTITUTED 100 MG | Non Preferred | PA; SP |
| CIMZIA STARTER KIT SUBCUTANEOUS PREFILLED SYRINGE KIT 6 X 200 MG/ML | Non Preferred | PA; SP |
| CIMZIA SUBCUTANEOUS KIT 2 X 200 MG | Non Preferred | PA; SP |
| CIMZIA SUBCUTANEOUS PREFILLED SYRINGE KIT 2 X 200 MG/ML | Non Preferred | PA; SP |
| INFLECTRA INTRAVENOUS SOLUTION RECONSTITUTED 100 MG | Non Preferred | PA; SP |
| REMICADE INTRAVENOUS SOLUTION RECONSTITUTED 100 MG | Non Preferred | PA; SP |
| RENFLEXIS INTRAVENOUS SOLUTION RECONSTITUTED 100 MG | Non Preferred | PA; SP |

| Drug | Status | Notes |
|--|---------------|--------------------------|
| infliximab intravenous solution reconstituted 100 mg | Non Preferred | PA; SP |
| *Genitourinary Agents - Miscellaneous* - Drugs For The Urinary System | | |
| *5-Alpha Reductase Inhibitors*** - Drugs For The Prostate | | |
| AVODART ORAL CAPSULE 0.5 MG | Non Preferred | PA |
| PROSCAR ORAL TABLET 5 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| dutasteride oral capsule 0.5 mg | Preferred | |
| finasteride oral tablet 5 mg | Preferred | QL (1 EA per 1 day) |
| *Alpha 1-Adrenoceptor Antagonists*** - Drugs For The Prostate | | |
| CARDURA XL ORAL TABLET EXTENDED RELEASE 24 HOUR 4 MG, 8 MG | Non Preferred | PA |
| FLOMAX ORAL CAPSULE 0.4 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| RAPAFLO ORAL CAPSULE 4 MG, 8 MG | Non Preferred | PA |
| UROXATRAL ORAL TABLET EXTENDED RELEASE 24 HOUR 10 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| alfuzosin hcl er oral tablet extended release 24 hour 10 mg | Preferred | QL (1 EA per 1 day) |
| silodosin oral capsule 4 mg, 8 mg | Non Preferred | PA |
| tamsulosin hcl oral capsule 0.4 mg | Preferred | QL (2 EA per 1 day) |
| *Citrates*** - Drugs For Infections | | |
| ORACIT ORAL SOLUTION 490-640 MG/5ML | Non Preferred | PA |
| UROCIT-K 10 ORAL TABLET EXTENDED RELEASE 10 MEQ (1080 MG) | Non Preferred | PA; QL (10 EA per 1 day) |
| UROCIT-K 15 ORAL TABLET EXTENDED RELEASE 15 MEQ (1620 MG) | Non Preferred | PA; QL (6 EA per 1 day) |
| UROCIT-K 5 ORAL TABLET EXTENDED RELEASE 5 MEQ (540 MG) | Non Preferred | PA; QL (20 EA per 1 day) |
| cytra k crystals oral packet 3300-1002 mg | Preferred | QL (4 EA per 1 day) |
| pot & sod cit-cit ac oral solution 550-500-334 mg/5ml | Preferred | QL (4 ML per 1 day) |
| potassium citrate er oral tablet extended release 10 meq (1080 mg) | Preferred | QL (10 EA per 1 day) |
| potassium citrate er oral tablet extended release 15 meq (1620 mg) | Preferred | QL (6 EA per 1 day) |
| potassium citrate er oral tablet extended release 5 meq (540 mg) | Preferred | QL (20 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|-----------------------|
| potassium citrate-citric acid oral solution 1100-334 mg/5ml | Preferred | |
| sod citrate-citric acid oral solution 1.5-1 gm/15ml, 3-2 gm/30ml, 500-334 mg/5ml | Preferred | QL (120 ML per 1 day) |
| tricitrates oral solution 550-500-334 mg/5ml | Preferred | QL (4 ML per 1 day) |
| *Cystinosis Agents*** - Drugs For The Urinary System | | |
| CYSTAGON ORAL CAPSULE 150 MG, 50 MG | Carve Out | |
| PROCYSB1 ORAL CAPSULE DELAYED RELEASE 25 MG, 75 MG | Carve Out | |
| PROCYSB1 ORAL PACKET 300 MG, 75 MG | Carve Out | |
| *Genitourinary Irrigants*** - Drugs For The Urinary System | | |
| acetic acid irrigation solution 0.25 % | Preferred | |
| sodium chloride irrigation solution 0.9 % | Preferred | |
| *Igan Agents - Endothelin & Angiotensin II Receptor Antag*** - Drugs For The Urinary System | | |
| FILSPARI ORAL TABLET 200 MG, 400 MG | Preferred | PA |
| *Interstitial Cystitis Agents*** - Drugs For The Urinary System | | |
| ELMIRON ORAL CAPSULE 100 MG | Preferred | PA |
| RIMSO-50 INTRAVESICAL SOLUTION 50 % | Preferred | PA |
| pentosan polysulfate sodium oral capsule delayed release 150 mg, 200 mg | Preferred | PA |
| *Phosphates*** - Drugs For Infections | | |
| K-PHOS NO 2 ORAL TABLET 305-700 MG | Preferred | |
| *Prostatic Hypertrophy Agent Combinations*** - Drugs For The Prostate | | |
| ENTADFI ORAL CAPSULE 5-5 MG | Non Preferred | PA |
| JALYN ORAL CAPSULE 0.5-0.4 MG | Non Preferred | PA |
| dutasteride-tamsulosin hcl oral capsule 0.5-0.4 mg | Non Preferred | PA |
| *Small Interfering Ribonucleic Acid Agents (Sirna)*** - Drugs For The Urinary System | | |
| OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5ML | Carve Out | |

| Drug | Status | Notes |
|--|---------------|-------------------------|
| *Urinary Analgesics*** - Drugs For Infections | | |
| PHENAZO ORAL TABLET 200 MG | Preferred | QL (3 EA per 1 day) |
| PYRIDIUM ORAL TABLET 100 MG, 200 MG | Non Preferred | PA; QL (3 EA per 1 day) |
| phenazopyridine hcl oral tablet 100 mg, 200 mg | Preferred | QL (3 EA per 1 day) |
| *Urinary Stone Agents*** - Drugs For The Urinary System | | |
| LITHOSTAT ORAL TABLET 250 MG | Preferred | PA |
| THIOLA EC ORAL TABLET DELAYED RELEASE 100 MG, 300 MG | Preferred | PA |
| THIOLA ORAL TABLET 100 MG | Non Preferred | PA |
| tiopronin oral tablet 100 mg | Preferred | PA |
| *Gout Agents* - Drugs For Pain And Fever | | |
| *Gout Agent Combinations*** - Gout Drugs | | |
| colchicine-probenecid oral tablet 0.5-500 mg | Preferred | QL (3 EA per 1 day) |
| *Gout Agents*** - Gout Drugs | | |
| ALOPRIM INTRAVENOUS SOLUTION RECONSTITUTED 500 MG | Preferred | PA |
| COLCRYS ORAL TABLET 0.6 MG | Non Preferred | PA |
| KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML | Carve Out | |
| MITIGARE ORAL CAPSULE 0.6 MG | Non Preferred | PA; QL (3 EA per 1 day) |
| ULORIC ORAL TABLET 40 MG, 80 MG | Non Preferred | PA |
| ZYLOPRIM ORAL TABLET 100 MG | Non Preferred | PA; QL (6 EA per 1 day) |
| ZYLOPRIM ORAL TABLET 300 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| allopurinol oral tablet 100 mg | Preferred | QL (6 EA per 1 day) |
| allopurinol oral tablet 200 mg | Non Preferred | PA |
| allopurinol oral tablet 300 mg | Preferred | QL (4 EA per 1 day) |
| allopurinol sodium intravenous solution reconstituted 500 mg | Preferred | PA |
| colchicine oral capsule 0.6 mg | Non Preferred | PA; QL (3 EA per 1 day) |
| colchicine oral tablet 0.6 mg | Preferred | |
| febuxostat oral tablet 40 mg, 80 mg | Non Preferred | PA |
| *Uricosurics*** - Gout Drugs | | |
| probenecid oral tablet 500 mg | Preferred | QL (3 EA per 1 day) |

| Drug | Status | Notes |
|---|-----------|-------|
| *Hematological Agents - Misc.* - Drugs For The Blood | | |
| *Aminolevulinate Synthase 1-Directed Sirna*** - Drugs For The Blood | | |
| GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML | Carve Out | |
| *Antihemophilic Products - Gene Therapy Agents*** - Drugs To Prevent Bleeding | | |
| HEMGENIX INTRAVENOUS SUSPENSION THERAPY PACK 10 X 10 ML, 11 X 10 ML, 12 X 10 ML, 13 X 10 ML, 14 X 10 ML, 15 X 10 ML, 16 X 10 ML, 17 X 10 ML, 18 X 10 ML, 19 X 10 ML, 20 X 10 ML, 21 X 10 ML, 22 X 10 ML, 23 X 10 ML, 24 X 10 ML, 25 X 10 ML, 26 X 10 ML, 27 X 10 ML, 28 X 10 ML, 29 X 10 ML, 30 X 10 ML, 31 X 10 ML, 32 X 10 ML, 33 X 10 ML, 34 X 10 ML, 35 X 10 ML, 36 X 10 ML, 37 X 10 ML, 38 X 10 ML, 39 X 10 ML, 40 X 10 ML, 41 X 10 ML, 42 X 10 ML, 43 X 10 ML, 44 X 10 ML, 45 X 10 ML, 46 X 10 ML, 47 X 10 ML, 48 X 10 ML | Carve Out | |
| ROCTAVIAN INTRAVENOUS SUSPENSION 2000000000000 VG/ML | Carve Out | |
| *Antihemophilic Products - Monoclonal Antibodies*** - Drugs For The Blood | | |
| HEMLIBRA SUBCUTANEOUS SOLUTION 105 MG/0.7ML, 150 MG/ML, 30 MG/ML, 60 MG/0.4ML | Carve Out | |
| *Antihemophilic Products*** - Drugs To Prevent Bleeding | | |
| ADVATE INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1500 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 4000 UNIT, 500 UNIT | Carve Out | |
| AFSTYLA INTRAVENOUS KIT 1000 UNIT, 1500 UNIT, 2000 UNIT, 250 UNIT, 2500 UNIT, 3000 UNIT, 500 UNIT | Carve Out | |
| ALPHANATE INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1500 UNIT, 2000 UNIT, 250 UNIT, 500 UNIT | Carve Out | |

| Drug | Status | Notes |
|---|-----------|-------|
| ALPHANATE/VWF COMPLEX/HUMAN INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1500 UNIT, 2000 UNIT, 250 UNIT, 500 UNIT | Carve Out | |
| ALPHANINE SD INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1500 UNIT, 500 UNIT | Carve Out | |
| ALPROLIX INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 4000 UNIT, 500 UNIT | Carve Out | |
| ALTUVIPIO INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 4000 UNIT, 500 UNIT | Carve Out | |
| BENEFIX INTRAVENOUS KIT 1000 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 500 UNIT | Carve Out | |
| COAGADEX INTRAVENOUS SOLUTION RECONSTITUTED 250 UNIT, 500 UNIT | Carve Out | |
| CORIFACT INTRAVENOUS KIT 1000-1600 UNIT | Carve Out | |
| ELOCTATE INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1500 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 4000 UNIT, 500 UNIT, 5000 UNIT, 6000 UNIT, 750 UNIT | Carve Out | |
| ESPEROCT INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1500 UNIT, 2000 UNIT, 3000 UNIT, 500 UNIT | Carve Out | |
| FEIBA INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 2500 UNIT, 500 UNIT | Carve Out | |
| FIBRYGA INTRAVENOUS SOLUTION RECONSTITUTED | Carve Out | |
| HELIXATE FS INTRAVENOUS KIT 1000 UNIT, 3000 UNIT, 500 UNIT | Carve Out | |
| HEMOFIL M INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1700 UNIT, 250 UNIT, 500 UNIT | Carve Out | |
| HUMATE-P INTRAVENOUS SOLUTION RECONSTITUTED 1000-2400 UNIT, 250-600 UNIT, 500-1200 UNIT | Carve Out | |

| Drug | Status | Notes |
|---|-----------|-------|
| IDEVION INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 2000 UNIT, 250 UNIT, 3500 UNIT, 500 UNIT | Carve Out | |
| IXINITY INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1500 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 500 UNIT | Carve Out | |
| JIVI INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 2000 UNIT, 3000 UNIT, 500 UNIT | Carve Out | |
| KCENTRA INTRAVENOUS KIT 1000 UNIT, 500 UNIT | Carve Out | |
| KOATE INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 250 UNIT, 500 UNIT | Carve Out | |
| KOATE-DVI INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 250 UNIT, 500 UNIT | Carve Out | |
| KOGENATE FS INTRAVENOUS KIT 1000 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 500 UNIT | Carve Out | |
| KOVALTRY INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 500 UNIT | Carve Out | |
| MONONINE INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT | Carve Out | |
| NOVOEIGHT INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1500 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 500 UNIT | Carve Out | |
| NOVOSEVEN RT INTRAVENOUS SOLUTION RECONSTITUTED 1 MG, 2 MG, 5 MG, 8 MG | Carve Out | |
| NUWIQ INTRAVENOUS KIT 1000 UNIT, 1500 UNIT, 2000 UNIT, 250 UNIT, 2500 UNIT, 3000 UNIT, 4000 UNIT, 500 UNIT | Carve Out | |
| NUWIQ INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1500 UNIT, 2000 UNIT, 250 UNIT, 2500 UNIT, 3000 UNIT, 4000 UNIT, 500 UNIT | Carve Out | |
| PROFILNINE INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1500 UNIT, 500 UNIT | Carve Out | |

| Drug | Status | Notes |
|--|-----------|-------|
| REBINYN INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 2000 UNIT, 3000 UNIT, 500 UNIT | Carve Out | |
| RECOMBINATE INTRAVENOUS SOLUTION RECONSTITUTED 1241-1800 UNIT, 1801-2400 UNIT, 220-400 UNIT, 401-800 UNIT, 801-1240 UNIT | Carve Out | |
| RIASTAP INTRAVENOUS SOLUTION RECONSTITUTED | Carve Out | |
| SEVENFACT INTRAVENOUS SOLUTION RECONSTITUTED 1 MG, 5 MG | Carve Out | |
| TRETTON INTRAVENOUS SOLUTION RECONSTITUTED 2000-3125 UNIT, 2500 UNIT | Carve Out | |
| VONVENDI INTRAVENOUS SOLUTION RECONSTITUTED 1300 UNIT, 650 UNIT | Carve Out | |
| WILATE INTRAVENOUS KIT 1000-1000 UNIT, 500-500 UNIT | Carve Out | |
| XYNTHA INTRAVENOUS KIT 1000 UNIT, 2000 UNIT, 250 UNIT, 500 UNIT | Carve Out | |
| XYNTHA SOLOFUSE INTRAVENOUS KIT 1000 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 500 UNIT | Carve Out | |
| adynovate intravenous solution reconstituted 1000 unit, 1500 unit, 2000 unit, 250 unit, 3000 unit, 500 unit, 750 unit | Carve Out | |
| obizur intravenous solution reconstituted 500 unit | Carve Out | |
| rixubis intravenous solution reconstituted 1000 unit, 2000 unit, 250 unit, 3000 unit, 500 unit | Carve Out | |
| *Anti-Von Willebrand Factor Agents*** - Drugs For The Blood | | |
| CABLIVI INJECTION KIT 11 MG | Carve Out | |
| *Bradykinin B2 Receptor Antagonists*** - Drugs For The Blood | | |
| FIRAZYR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 30 MG/3ML | Carve Out | |
| SAJAZIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 30 MG/3ML | Carve Out | |
| icatibant acetate subcutaneous solution prefilled syringe 30 mg/3ml | Carve Out | |

| Drug | Status | Notes |
|--|---------------|---------------------|
| *C1 Esterase Inhibitors*** - Drugs For The Blood | | |
| BERINERT INTRAVENOUS KIT 500 UNIT | Carve Out | |
| CINRYZE INTRAVENOUS SOLUTION RECONSTITUTED 500 UNIT | Carve Out | |
| HAEGARDA SUBCUTANEOUS SOLUTION RECONSTITUTED 2000 UNIT, 3000 UNIT | Carve Out | |
| RUCONEST INTRAVENOUS SOLUTION RECONSTITUTED 2100 UNIT | Carve Out | |
| *Complement C1 Inhibitors*** - Drugs For The Blood | | |
| ENJAYMO INTRAVENOUS SOLUTION 1100 MG/22ML | Carve Out | |
| *Complement C3 Inhibitors*** - Drugs For The Blood | | |
| EMPAVELI SUBCUTANEOUS SOLUTION 1080 MG/20ML | Carve Out | |
| *Complement C5 Inhibitors*** - Drugs For The Blood | | |
| SOLIRIS INTRAVENOUS SOLUTION 300 MG/30ML | Carve Out | |
| ULTOMIRIS INTRAVENOUS SOLUTION 1100 MG/11ML, 300 MG/30ML, 300 MG/3ML | Carve Out | |
| VEOPOZ INJECTION SOLUTION 400 MG/2ML | Carve Out | |
| *Complement C5a Receptor Inhibitors*** - Drugs For The Blood | | |
| TAVNEOS ORAL CAPSULE 10 MG | Carve Out | |
| *Direct-Acting P2y12 Inhibitors*** - Drugs For The Blood | | |
| BRILINTA ORAL TABLET 60 MG, 90 MG | Preferred | |
| KENGREAL INTRAVENOUS SOLUTION RECONSTITUTED 50 MG | Non Preferred | PA |
| *Hematorheologic Agents*** - Drugs For The Blood | | |
| pentoxifylline er oral tablet extended release 400 mg | Preferred | QL (4 EA per 1 day) |

| Drug | Status | Notes |
|---|---------------|----------------------|
| *Hemin*** - Drugs For The Blood | | |
| PANHEMATIN INTRAVENOUS SOLUTION RECONSTITUTED 350 MG | Preferred | PA |
| *Human Protein C*** - Drugs For The Blood | | |
| CEPROTIN INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 500 UNIT | Preferred | PA; SP |
| *Phosphodiesterase Iii Inhibitors*** - Drugs For The Blood | | |
| cilostazol oral tablet 100 mg, 50 mg | Preferred | |
| *Plasma Kallikrein Inhibitors - Monoclonal Antibodies*** - Drugs For The Blood | | |
| TAKHYRO SUBCUTANEOUS SOLUTION 300 MG/2ML | Carve Out | |
| TAKHYRO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML, 300 MG/2ML | Carve Out | |
| *Plasma Kallikrein Inhibitors*** - Drugs For The Blood | | |
| KALBITOR SUBCUTANEOUS SOLUTION 10 MG/ML | Carve Out | |
| ORLADEYO ORAL CAPSULE 110 MG, 150 MG | Carve Out | |
| *Plasma Proteins*** - Drugs For The Blood | | |
| RYPLAZIM INTRAVENOUS SOLUTION RECONSTITUTED 68.8 MG | Carve Out | |
| *Platelet Aggregation Inhibitor Combinations*** - Drugs For The Blood | | |
| YOSPRALA ORAL TABLET DELAYED RELEASE 325-40 MG, 81-40 MG | Non Preferred | PA |
| aspirin-dipyridamole er oral capsule extended release 12 hour 25-200 mg | Preferred | |
| *Platelet Aggregation Inhibitors*** - Drugs For The Blood | | |
| DURLAZA ORAL CAPSULE EXTENDED RELEASE 24 HOUR 162.5 MG | Non Preferred | PA |
| dipyridamole oral tablet 25 mg | Preferred | QL (10 EA per 1 day) |
| dipyridamole oral tablet 50 mg | Preferred | QL (8 EA per 1 day) |
| dipyridamole oral tablet 75 mg | Preferred | QL (4 EA per 1 day) |
| *Protamine*** - Drugs For The Blood | | |
| protamine sulfate intravenous solution 10 mg/ml | Preferred | PA |

| Drug | Status | Notes |
|--|---------------|-------------------------|
| *Protease-Activated Receptor-1 (Par-1) Antagonists*** - Drugs For The Blood | | |
| ZONTIVITY ORAL TABLET 2.08 MG | Non Preferred | PA |
| *Pyruvate Kinase Activators*** - Drugs For The Blood | | |
| PYRUKYND ORAL TABLET 20 MG, 5 MG, 50 MG | Carve Out | |
| PYRUKYND TAPER PACK ORAL TABLET THERAPY PACK 5 MG, 7 X 20 MG & 7 X 5 MG, 7 X 50 MG & 7 X 20 MG | Carve Out | |
| *Quinazoline Agents*** - Drugs For The Blood | | |
| AGRYLIN ORAL CAPSULE 0.5 MG | Non Preferred | PA |
| anagrelide hcl oral capsule 0.5 mg, 1 mg | Preferred | |
| *Spleen Tyrosine Kinase (Syk) Inhibitors*** - Drugs For The Blood | | |
| TAVALISSE ORAL TABLET 100 MG, 150 MG | Non Preferred | PA; SP |
| *Thienopyridine Derivatives*** - Drugs For The Blood | | |
| EFFIENT ORAL TABLET 10 MG, 5 MG | Non Preferred | PA |
| PLAVIX ORAL TABLET 75 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| clopidogrel bisulfate oral tablet 300 mg | Preferred | QL (2 EA per 1 day) |
| clopidogrel bisulfate oral tablet 75 mg | Preferred | QL (1 EA per 1 day) |
| prasugrel hcl oral tablet 10 mg, 5 mg | Preferred | |
| *Tissue Plasminogen Activators*** - Drugs For The Blood | | |
| ACTIVASE INTRAVENOUS SOLUTION RECONSTITUTED 100 MG, 50 MG | Preferred | PA |
| CATHFLO ACTIVASE INJECTION SOLUTION RECONSTITUTED 2 MG | Preferred | PA |
| RETAVASE HALF-KIT INTRAVENOUS KIT 1 X 10 UNIT | Non Preferred | PA |
| RETAVASE INTRAVENOUS KIT 2 X 10 UNIT | Non Preferred | PA |
| TNKASE INTRAVENOUS KIT 50 MG | Preferred | PA |
| *Hematopoietic Agents* - Drugs For Nutrition | | |
| *Agents For Gaucher Disease*** - Drugs For Nutrition | | |
| CERDELGA ORAL CAPSULE 84 MG | Carve Out | |
| CEREZYME INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT | Carve Out | |

| Drug | Status | Notes |
|---|-----------|--------|
| ELELYSO INTRAVENOUS SOLUTION RECONSTITUTED 200 UNIT | Carve Out | |
| VPRIV INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT | Carve Out | |
| YARGESA ORAL CAPSULE 100 MG | Carve Out | |
| ZAVESCA ORAL CAPSULE 100 MG | Carve Out | |
| miglustat oral capsule 100 mg | Carve Out | |
| *Amino Acids*** - Drugs For Nutrition | | |
| ENDARI ORAL PACKET 5 GM | Preferred | PA; SP |
| *Cobalamin Combinations*** - Drugs For Nutrition | | |
| lipo-b intramuscular solution | Preferred | PA |
| *Cobalamins*** - Drugs For Nutrition | | |
| DODEX INJECTION SOLUTION 1000 MCG/ML | Preferred | |
| cyanocobalamin injection solution 1000 mcg/ml, 2000 mcg/ml | Preferred | |
| hydroxocobalamin acetate intramuscular solution 1000 mcg/ml | Preferred | PA |
| methylcobalamin injection solution 150 mg/30ml, 30 mg/30ml, 300 mg/30ml | Preferred | PA |
| methylcobalamin injection solution reconstituted 10000 mcg, 50000 mcg | Preferred | PA |
| physicians ez use b-12 injection kit 1000 mcg/ml | Preferred | PA |
| vitamin deficiency system-b12 injection kit 1000 mcg/ml | Preferred | PA |
| *Cxcr4 Receptor Antagonist*** - Drugs For Nutrition | | |
| APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED 62 MG | Preferred | PA |
| *Cytotoxic Agents*** - Drugs For Nutrition | | |
| DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG | Preferred | |
| SIKLOS ORAL TABLET 100 MG, 1000 MG | Preferred | PA; SP |
| *Erythroid Maturation Agents*** - Drugs For Nutrition | | |
| REBLOZYL SUBCUTANEOUS SOLUTION RECONSTITUTED 25 MG, 75 MG | Carve Out | |

| Drug | Status | Notes |
|---|---------------|---------------------|
| *Erythropoiesis-Stimulating Agents (Esas)*** - Drugs For Nutrition | | |
| | | |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 25 MCG/ML, 40 MCG/ML, 60 MCG/ML | Preferred | PA |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 10 MCG/0.4ML, 100 MCG/0.5ML, 150 MCG/0.3ML, 200 MCG/0.4ML, 25 MCG/0.42ML, 300 MCG/0.6ML, 40 MCG/0.4ML, 500 MCG/ML, 60 MCG/0.3ML | Preferred | PA |
| EPOGEN INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML | Non Preferred | PA |
| MIRCERA INJECTION SOLUTION PREFILLED SYRINGE 100 MCG/0.3ML, 120 MCG/0.3ML, 150 MCG/0.3ML, 200 MCG/0.3ML, 30 MCG/0.3ML, 50 MCG/0.3ML, 75 MCG/0.3ML | Non Preferred | PA |
| PROCRIT INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML, 40000 UNIT/ML | Non Preferred | PA |
| RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML, 40000 UNIT/ML | Preferred | PA |
| *Folic Acid/Folates*** - Drugs For Nutrition | | |
| FA-8 ORAL CAPSULE 0.8 MG | Preferred | |
| cvs folic acid oral tablet 800 mcg | Preferred | QL (5 EA per 1 day) |
| folic acid injection solution 5 mg/ml | Preferred | PA |
| folic acid oral capsule 0.8 mg | Preferred | |
| folic acid oral tablet 1 mg, 800 mcg | Preferred | QL (5 EA per 1 day) |
| kp folic acid oral tablet 1 mg, 800 mcg | Preferred | QL (5 EA per 1 day) |
| qc folic acid oral tablet 800 mcg | Preferred | QL (5 EA per 1 day) |
| ra folic acid oral tablet 800 mcg | Preferred | QL (5 EA per 1 day) |
| *Granulocyte Colony-Stimulating Factors (G-Csf)*** - Drugs For Nutrition | | |
| FULPHILA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML | Non Preferred | PA |
| FYLNETRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|-------|
| GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6ML | Preferred | PA |
| GRANIX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 300 MCG/0.5ML, 480 MCG/0.8ML | Preferred | PA |
| NEULASTA ONPRO SUBCUTANEOUS PREFILLED SYRINGE KIT 6 MG/0.6ML | Non Preferred | PA |
| NEULASTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML | Non Preferred | PA |
| NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6ML | Preferred | PA |
| NEUPOGEN INJECTION SOLUTION PREFILLED SYRINGE 300 MCG/0.5ML, 480 MCG/0.8ML | Preferred | PA |
| NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6ML | Non Preferred | PA |
| NIVESTYM INJECTION SOLUTION PREFILLED SYRINGE 300 MCG/0.5ML, 480 MCG/0.8ML | Non Preferred | PA |
| NYVEPRIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML | Non Preferred | PA |
| RELEUKO INJECTION SOLUTION 300 MCG/ML | Non Preferred | PA |
| ROLVEDON SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 13.2 MG/0.6ML | Non Preferred | PA |
| STIMUFEND SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML | Non Preferred | PA |
| UDENYCA SUBCUTANEOUS SOLUTION AUTO-Injector 6 MG/0.6ML | Non Preferred | PA |
| UDENYCA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML | Non Preferred | PA |
| ZARXIO INJECTION SOLUTION PREFILLED SYRINGE 300 MCG/0.5ML, 480 MCG/0.8ML | Non Preferred | PA |
| ZIEXTENZO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML | Non Preferred | PA |
| releuko injection solution 480 mcg/1.6ml | Non Preferred | PA |
| releuko subcutaneous solution prefilled syringe 300 mcg/0.5ml, 480 mcg/0.8ml | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|---------------------|
| *Granulocyte/Macrophage Colony-Stimulating Factor(Gm-Csf)*** - Drugs For Nutrition | | |
| LEUKINE INJECTION SOLUTION RECONSTITUTED 250 MCG | Non Preferred | PA |
| *Hematopoietic Autologous Cellular Gene Therapy** - Drugs For Nutrition | | |
| ZYNTEGLO INTRAVENOUS SUSPENSION | Carve Out | |
| *Hemoglobin S (Hbs) Polymerization Inhibitors*** - Drugs For Nutrition | | |
| OXBRYTA ORAL TABLET 300 MG, 500 MG | Non Preferred | PA; SP |
| OXBRYTA ORAL TABLET SOLUBLE 300 MG | Non Preferred | PA; SP |
| *Hypoxia-Inducible Factor Prolyl Hydroxylase Inhibitors*** - Drugs For Nutrition | | |
| JESDUVROQ ORAL TABLET 1 MG, 2 MG, 4 MG, 6 MG, 8 MG | Preferred | PA |
| *Iron Combinations*** - Drugs For Nutrition | | |
| ABATRON AF ORAL TABLET 150-1 MG | Preferred | QL (1 EA per 1 day) |
| FERREX 150 FORTE ORAL CAPSULE 150-0.025-1 MG | Preferred | |
| FERROCITE PLUS ORAL TABLET 106-1 MG | Preferred | QL (1 EA per 1 day) |
| HEMATOGEN FORTE ORAL CAPSULE 460-60-0.01-1 MG | Preferred | QL (1 EA per 1 day) |
| HEMATOGEN ORAL CAPSULE | Preferred | |
| HEMATRON-AF ORAL TABLET 150-1 MG | Preferred | |
| HEMAX EZY-DOSE ORAL TABLET 150-1 MG | Preferred | |
| HEMAX ORAL TABLET 150-1 MG | Preferred | QL (1 EA per 1 day) |
| IFEREX 150 FORTE ORAL CAPSULE 150-25-1 MG-MCG-MG | Preferred | |
| K-TAN PLUS ORAL CAPSULE 162-115.2-1 MG | Preferred | QL (1 EA per 1 day) |
| TANDEM PLUS ORAL CAPSULE 162-115.2-1 MG | Preferred | QL (1 EA per 1 day) |
| TRICON ORAL CAPSULE | Preferred | QL (2 EA per 1 day) |
| fe c tab oral tablet 100-250 mg | Preferred | QL (1 EA per 1 day) |
| fe c tab plus oral tablet 100-250-0.025-1 mg | Preferred | QL (1 EA per 1 day) |

| Drug | Status | Notes |
|--|-----------|----------------------|
| ferocon oral capsule | Preferred | QL (2 EA per 1 day) |
| ferottrinsic oral capsule | Preferred | QL (2 EA per 1 day) |
| foltrin oral capsule | Preferred | QL (2 EA per 1 day) |
| gentle iron oral capsule 28-60-0.008-0.4 mg | Preferred | |
| hematinic plus vit/minerals oral tablet 106-1 mg | Preferred | QL (1 EA per 1 day) |
| iron 100 plus oral tablet 100-250-0.025-1 mg | Preferred | QL (1 EA per 1 day) |
| iron 100/c oral tablet 100-250 mg | Preferred | QL (1 EA per 1 day) |
| iron complex oral capsule | Preferred | |
| iron-vitamin c oral tablet 100-250 mg | Preferred | QL (1 EA per 1 day) |
| poly-iron 150 forte oral capsule 150-25-1 mg-mcg-mg | Preferred | |
| polysaccharide iron forte oral capsule 150-25-1 mg-mcg-mg | Preferred | |
| purevit dualfe plus oral capsule 162-115.2-1 mg | Preferred | QL (1 EA per 1 day) |
| se-tan plus oral capsule 162-115.2-1 mg | Preferred | QL (1 EA per 1 day) |
| trigels-f forte oral capsule 460-60-0.01-1 mg | Preferred | QL (1 EA per 1 day) |
| *Iron*** - Drugs For Nutrition | | |
| BPROTECTED PEDIA IRON ORAL SOLUTION 75 (15 FE) MG/ML | Preferred | |
| FEROSUL ORAL TABLET 325 (65 FE) MG | Preferred | QL (3 EA per 1 day) |
| GOODSENSE IRON ORAL TABLET 325 MG | Preferred | QL (3 EA per 1 day) |
| INFED INJECTION SOLUTION 50 MG/ML | Preferred | PA |
| INJECTAFER INTRAVENOUS SOLUTION 100 MG/2ML, 750 MG/15ML | Preferred | PA |
| ONE VITE FERROUS SULFATE ORAL SOLUTION 220 (44 FE) MG/5ML | Preferred | |
| VENOFER INTRAVENOUS SOLUTION 20 MG/ML | Preferred | PA |
| cvs iron oral tablet 325 (65 fe) mg | Preferred | QL (3 EA per 1 day) |
| eql iron supplement therapy oral tablet 325 mg | Preferred | QL (3 EA per 1 day) |
| fe tabs oral tablet delayed release 325 (65 fe) mg | Preferred | |
| ferrous gluconate oral tablet 324 (37.5 fe) mg | Preferred | |
| ferrous sulfate oral elixir 220 (44 fe) mg/5ml | Preferred | QL (35 ML per 1 day) |
| ferrous sulfate oral liquid 220 (44 fe) mg/5ml | Preferred | |
| ferrous sulfate oral solution 220 (44 fe) mg/5ml, 300 mg/6.8ml, 75 (15 fe) mg/ml | Preferred | |

| Drug | Status | Notes |
|--|---------------|----------------------|
| ferrous sulfate oral syrup 300 (60 fe) mg/5ml | Preferred | |
| ferrous sulfate oral tablet 325 (65 fe) mg | Preferred | QL (3 EA per 1 day) |
| ferrous sulfate oral tablet delayed release 324 (65 fe) mg, 324 mg, 325 (65 fe) mg | Preferred | |
| fe-vite iron oral solution 75 (15 fe) mg/ml | Preferred | |
| iron (ferrous sulfate) oral solution 75 (15 fe) mg/ml | Preferred | |
| iron (ferrous sulfate) oral tablet 325 (65 fe) mg | Preferred | QL (3 EA per 1 day) |
| iron high-potency oral tablet 325 mg | Preferred | QL (3 EA per 1 day) |
| iron infant & toddler oral solution 75 (15 fe) mg/ml | Preferred | |
| iron infant/toddler oral solution 75 (15 fe) mg/ml | Preferred | |
| iron oral tablet 325 (65 fe) mg | Preferred | QL (3 EA per 1 day) |
| iron supplement childrens oral solution 75 (15 fe) mg/ml | Preferred | |
| iron supplement oral elixir 220 (44 fe) mg/5ml | Preferred | QL (35 ML per 1 day) |
| iron supplement oral solution 220 (44 fe) mg/5ml, 75 (15 fe) mg/ml | Preferred | |
| kp ferrous gluconate oral tablet 324 (37.5 fe) mg | Preferred | |
| kp ferrous sulfate oral tablet 325 (65 fe) mg | Preferred | QL (3 EA per 1 day) |
| meijer ferrous sulfate oral tablet 325 (65 fe) mg | Preferred | QL (3 EA per 1 day) |
| nat-rul iron oral tablet 325 mg | Preferred | QL (3 EA per 1 day) |
| pc pediatric iron drops oral solution 75 (15 fe) mg/ml | Preferred | |
| qc ferrous sulfate oral tablet 325 (65 fe) mg | Preferred | QL (3 EA per 1 day) |
| ra iron oral tablet 325 (65 fe) mg | Preferred | QL (3 EA per 1 day) |
| sm iron oral tablet 325 (65 fe) mg | Preferred | QL (3 EA per 1 day) |
| sv iron oral tablet 325 mg | Preferred | QL (3 EA per 1 day) |
| *Selectin Blockers*** - Drugs For Nutrition | | |
| ADAKVEO INTRAVENOUS SOLUTION 100 MG/10ML | Carve Out | |
| *Thrombopoietin (Tpo) Receptor Agonists*** - Drugs For Nutrition | | |
| DOPTELET ORAL TABLET 20 MG | Non Preferred | PA; SP |
| MULPLETA ORAL TABLET 3 MG | Non Preferred | PA; SP |
| NPLATE SUBCUTANEOUS SOLUTION RECONSTITUTED 125 MCG, 250 MCG, 500 MCG | Non Preferred | PA; SP |

| Drug | Status | Notes |
|---|---------------|----------------------|
| PROMACTA ORAL PACKET 12.5 MG, 25 MG | Non Preferred | PA; SP |
| PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG | Preferred | PA; SP |
| *Hemostatics* - Drugs For The Blood | | |
| *Hemostatics - Systemic*** - Drugs To Prevent Bleeding | | |
| AMICAR ORAL SOLUTION 0.25 GM/ML | Non Preferred | PA |
| AMICAR ORAL TABLET 1000 MG, 500 MG | Non Preferred | PA |
| CYKLOKAPRON INTRAVENOUS SOLUTION 1000 MG/10ML | Preferred | PA |
| LYSTEDA ORAL TABLET 650 MG | Non Preferred | PA |
| aminocaproic acid intravenous solution 250 mg/ml | Preferred | PA |
| aminocaproic acid oral solution 0.25 gm/ml | Preferred | |
| aminocaproic acid oral tablet 1000 mg, 500 mg | Preferred | |
| tranexamic acid intravenous solution 1000 mg/10ml | Preferred | PA |
| tranexamic acid oral tablet 650 mg | Preferred | |
| tranexamic acid-nacl intravenous solution 1000-0.7 mg/100ml-% | Preferred | PA |
| *Hypnotics/Sedatives/Sleep Disorder Agents* - Drugs For The Nervous System | | |
| *Barbiturate Hypnotics*** - Drugs For Insomnia | | |
| AMYTAL SODIUM INJECTION SOLUTION RECONSTITUTED 500 MG | Preferred | PA |
| NEMBUTAL INJECTION SOLUTION 50 MG/ML | Preferred | PA |
| SEZABY INTRAVENOUS SOLUTION RECONSTITUTED 100 MG | Preferred | PA |
| pentobarbital sodium injection solution 50 mg/ml | Preferred | PA |
| phenobarbital oral elixir 20 mg/5ml | Preferred | QL (50 ML per 1 day) |
| phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 97.2 mg | Preferred | QL (2 EA per 1 day) |
| phenobarbital oral tablet 64.8 mg | Preferred | QL (3 EA per 1 day) |
| *Benzodiazepine Hypnotics*** - Drugs For Seizures /Personality Disorder/Nerve Pain | | |
| DORAL ORAL TABLET 15 MG | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|------------------|
| HALCION ORAL TABLET 0.25 MG | Non Preferred | PA; NOTES (AGE*) |
| MIDAZOLAM+SYRSPEND SF ORAL SUSPENSION 1 MG/ML | Non Preferred | PA |
| RESTORIL ORAL CAPSULE 15 MG, 22.5 MG, 30 MG, 7.5 MG | Non Preferred | PA; NOTES (AGE*) |
| estazolam oral tablet 1 mg, 2 mg | Non Preferred | PA; NOTES (AGE*) |
| flurazepam hcl oral capsule 15 mg, 30 mg | Non Preferred | PA |
| midazolam hcl (pf) injection solution 10 mg/2ml, 2 mg/2ml, 5 mg/5ml, 5 mg/ml | Preferred | |
| midazolam hcl injection solution 10 mg/10ml, 10 mg/2ml, 2 mg/2ml, 25 mg/5ml, 5 mg/5ml, 5 mg/ml, 50 mg/10ml | Preferred | |
| midazolam hcl intravenous solution 150 mg/30ml | Preferred | |
| midazolam hcl oral syrup 2 mg/ml | Non Preferred | PA |
| midazolam hcl-sodium chloride intravenous solution prefilled syringe 2-0.9 mg/2ml-%, 30-0.9 mg/30ml-%, 5-0.9 mg/5ml-%, 50-0.9 mg/50ml-%, 55-0.9 mg/55ml-%, 60-0.9 mg/30ml-% | Non Preferred | PA |
| quazepam oral tablet 15 mg | Non Preferred | PA |
| temazepam oral capsule 15 mg, 22.5 mg, 30 mg, 7.5 mg | Preferred | NOTES (AGE*) |
| triazolam oral tablet 0.125 mg, 0.25 mg | Preferred | NOTES (AGE*) |
| *Hypnotics - Tricyclic Agents*** - Drugs For Insomnia | | |
| SILENOR ORAL TABLET 3 MG, 6 MG | Non Preferred | PA; NOTES (AGE*) |
| doxepin hcl oral tablet 3 mg, 6 mg | Non Preferred | PA; NOTES (AGE*) |
| *Non-Benzodiazepine - Gaba-Receptor Modulators*** - Drugs For Insomnia | | |
| AMBIEN CR ORAL TABLET EXTENDED RELEASE 12.5 MG, 6.25 MG | Non Preferred | PA |
| AMBIEN ORAL TABLET 10 MG, 5 MG | Non Preferred | PA |
| EDLUAR SUBLINGUAL TABLET SUBLINGUAL 10 MG, 5 MG | Non Preferred | PA; NOTES (AGE*) |
| LUNESTA ORAL TABLET 1 MG, 2 MG, 3 MG | Non Preferred | PA; NOTES (AGE*) |
| ZOLPIMIST ORAL SOLUTION 5 MG/ACT | Non Preferred | PA |
| eszopiclone oral tablet 1 mg, 2 mg, 3 mg | Non Preferred | PA; NOTES (AGE*) |
| zaleplon oral capsule 10 mg, 5 mg | Non Preferred | PA; NOTES (AGE*) |

| Drug | Status | Notes |
|---|---------------|---|
| zolpidem tartrate er oral tablet extended release 12.5 mg, 6.25 mg | Preferred | NOTES (AGE*) |
| zolpidem tartrate oral capsule 7.5 mg | Non Preferred | PA |
| zolpidem tartrate oral tablet 10 mg, 5 mg | Preferred | NOTES (AGE*) |
| zolpidem tartrate sublingual tablet sublingual 1.75 mg, 3.5 mg | Non Preferred | PA; NOTES (AGE*) |
| *Orexin Receptor Antagonists*** - Drugs For Insomnia | | |
| BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG | Non Preferred | PA; NOTES (AGE*) |
| DAYVIGO ORAL TABLET 10 MG, 5 MG | Non Preferred | PA; NOTES (AGE*) |
| QUVIVIQ ORAL TABLET 25 MG, 50 MG | Non Preferred | PA |
| *Selective Alpha2-Adrenoreceptor Agonist Sedatives*** - Drugs For Insomnia | | |
| IGALMI SUBLINGUAL FILM 120 MCG, 180 MCG | Preferred | PA |
| *Selective Melatonin Receptor Agonists*** - Drugs For Insomnia | | |
| HETLIOZ LQ ORAL SUSPENSION 4 MG/ML | Non Preferred | PA |
| HETLIOZ ORAL CAPSULE 20 MG | Non Preferred | PA; SP |
| ROZEREM ORAL TABLET 8 MG | Non Preferred | PA; QL (1 EA per 1 day); NOTES (AGE*); AGE (Min 18 Years) |
| ramelteon oral tablet 8 mg | Preferred | PA; QL (1 EA per 1 day); NOTES (AGE*); AGE (Min 18 Years) |
| tasimelteon oral capsule 20 mg | Non Preferred | PA; SP |
| *Laxatives* - Drugs For The Stomach | | |
| *Bowel Evacuant Combinations*** - Drugs To Prevent Constipation | | |
| CLENPIQ ORAL SOLUTION 10-3.5-12 MG-GM -GM/160ML, 10-3.5-12 MG-GM -GM/175ML | Non Preferred | PA |
| GAVILYTE-C ORAL SOLUTION RECONSTITUTED 240 GM | Preferred | QL (4000 ML per 1 day) |
| GAVILYTE-G ORAL SOLUTION RECONSTITUTED 236 GM | Preferred | QL (4000 ML per 1 day) |
| GOLYTELY ORAL SOLUTION RECONSTITUTED 236 GM | Non Preferred | PA; QL (4000 ML per 1 day) |
| MOVIPREP ORAL SOLUTION RECONSTITUTED 100 GM | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|------------------------|
| PEG-PREP ORAL KIT 5-210 MG-GM | Non Preferred | PA |
| PLENNU ORAL SOLUTION RECONSTITUTED 140 GM | Non Preferred | PA |
| SUFLAVE ORAL SOLUTION RECONSTITUTED 178.7 GM | Non Preferred | PA |
| SUPREP BOWEL PREP KIT ORAL SOLUTION 17.5-3.13-1.6 GM/177ML | Non Preferred | PA |
| SUTAB ORAL TABLET 1479-225-188 MG | Non Preferred | PA |
| na sulfate-k sulfate-mg sulf oral solution 17.5-3.13-1.6 gm/177ml | Non Preferred | PA |
| peg 3350-kcl-na bicarb-nacl oral solution reconstituted 420 gm | Preferred | QL (4000 ML per 1 day) |
| peg-3350/electrolytes oral solution reconstituted 236 gm | Preferred | QL (4000 ML per 1 day) |
| peg-3350/electrolytes/ascorbat oral solution reconstituted 100 gm | Non Preferred | PA |
| peg-kcl-nacl-nasulf-na asc-c oral solution reconstituted 100 gm | Non Preferred | PA |

Bulk Laxatives - Drugs To Prevent Constipation**

| | | |
|--|-----------|--|
| KONSYL DAILY PSYLLIUM FIBER ORAL POWDER 25 % | Preferred | |
| METAMUCIL SMOOTH TEXTURE ORAL POWDER 28.3 %, 58.6 % | Preferred | |
| ONELAX FIBER THERAPY ORAL POWDER 25 % | Preferred | |
| REGULOID ORAL POWDER 28.3 %, 43 %, 48.57 %, 51.7 % | Preferred | |
| WAL-MUCIL ORAL POWDER 100 %, 28.3 %, 43 %, 48.57 %, 51.7 %, 58.6 % | Preferred | |
| cvs natural daily fiber oral powder 48.57 %, 58.6 % | Preferred | |
| cvs natural fiber supplement oral powder 100 % | Preferred | |
| daily fiber oral powder 43 %, 51.7 % | Preferred | |
| eq daily fiber oral powder 25 %, 51.7 % | Preferred | |
| eql natural fiber oral powder 28.3 %, 58.6 % | Preferred | |
| eql smooth texture fiber oral powder 51.7 % | Preferred | |
| fiber oral powder 28.3 % | Preferred | |
| geri-mucil oral powder 25 %, 51.7 % | Preferred | |
| gnp fiber oral powder 43 % | Preferred | |

| Drug | Status | Notes |
|---|-----------|-------|
| gnp natural fiber oral powder 28.3 % | Preferred | |
| goodsense psyllium fiber oral powder 51.7 % | Preferred | |
| hm fiber powder oral powder 25 %, 43 % | Preferred | |
| konsyl daily fiber oral powder 28.3 % | Preferred | |
| natural fiber laxative oral powder 28.3 %, 58.6 % | Preferred | |
| natural fiber oral powder 58.6 % | Preferred | |
| natural fiber therapy oral powder 30 % | Preferred | |
| natural psyllium seed oral powder 100 % | Preferred | |
| natural vegetable fiber oral powder 48.57 % | Preferred | |
| psyldex oral powder 30 % | Preferred | |
| qc fiber therapy oral powder 25 %, 51.7 % | Preferred | |
| qc natural vegetable oral powder 95 % | Preferred | |
| qc psyllium fiber oral powder 43 % | Preferred | |
| ra multihealth fiber oral powder 48.57 %, 58.6 % | Preferred | |
| sb fib lax orange oral powder 30 %, 33 % | Preferred | |
| sb natural fiber laxative oral powder 49 % | Preferred | |
| sm fiber powder oral powder 25 % | Preferred | |

Laxatives - Miscellaneous - Drugs To Prevent Constipation**

| | | |
|--|---------------|----|
| AVEDANA GLYCERIN (ADULT) RECTAL SUPPOSITORY 2 GM | Preferred | |
| CLEARLAX ORAL POWDER 17 GM/SCOOP | Preferred | |
| CVS PURELAX ORAL POWDER 17 GM/SCOOP | Preferred | |
| EQ CLEARLAX ORAL POWDER 17 GM/SCOOP | Preferred | |
| EQL CLEARLAX ORAL POWDER 17 GM/SCOOP | Preferred | |
| GIALAX ORAL KIT | Non Preferred | PA |
| GLYCOLAX ORAL POWDER 17 GM/SCOOP | Preferred | |
| GNP CLEARLAX ORAL POWDER 17 GM/SCOOP | Preferred | |
| GOODSENSE CLEARLAX ORAL POWDER 17 GM/SCOOP | Preferred | |
| HM CLEARLAX ORAL POWDER 17 GM/SCOOP | Preferred | |

| Drug | Status | Notes |
|---|---------------|-----------------------|
| KLS LAXACLEAR ORAL POWDER 17 GM/SCOOP | Preferred | |
| KRISTALOSE ORAL PACKET 10 GM, 20 GM | Non Preferred | PA |
| MM CLEARLAX ORAL POWDER 17 GM/SCOOP | Preferred | |
| SM CLEARLAX ORAL POWDER 17 GM/SCOOP | Preferred | |
| SMOOTH LAX ORAL POWDER 17 GM/SCOOP | Preferred | |
| constulose oral solution 10 gm/15ml | Preferred | QL (180 ML per 1 day) |
| cvs glycerin adult rectal suppository 2 gm, 2.1 gm | Preferred | |
| cvs glycerin child rectal suppository 1 gm | Preferred | |
| ft clearlax oral powder 17 gm/scoop | Preferred | |
| gavilax oral powder 17 gm/scoop | Preferred | |
| gentlelax oral powder 17 gm/scoop | Preferred | |
| glycerin (adult) rectal suppository 2 gm, 2.1 gm | Preferred | |
| glycerin (child) rectal suppository 1.2 gm | Preferred | |
| glycerin (infants & children) rectal suppository 1 gm, 1.2 gm | Preferred | |
| glycerin (pediatric) rectal suppository 1.2 gm | Preferred | |
| glycerin adult rectal suppository 2 gm | Preferred | |
| glycerin childrens rectal suppository 1 gm | Preferred | |
| gnp glycerin (adult) rectal suppository 2.1 gm | Preferred | |
| gnp glycerin child rectal suppository 1.2 gm | Preferred | |
| lactulose oral packet 10 gm | Non Preferred | PA |
| lactulose oral solution 10 gm/15ml, 20 gm/30ml | Preferred | QL (180 ML per 1 day) |
| peg 3350 oral powder 17 gm/scoop | Preferred | |
| polyethylene glycol 3350 oral powder 17 gm/scoop | Preferred | |
| px glycerin rectal suppository 2.1 gm | Preferred | |
| qc natura-lax oral powder 17 gm/scoop | Preferred | |
| ra glycerin adult rectal suppository 80.7 % | Preferred | |
| ra glycerin child rectal suppository 80.7 % | Preferred | |
| ra laxative oral powder 17 gm/scoop | Preferred | |
| sb glycerin adult rectal suppository 2.1 gm | Preferred | |
| sb glycerin pediatric rectal suppository 1.2 gm | Preferred | |

| Drug | Status | Notes |
|---|---------------|-------|
| sb polyethylene glycol 3350 oral powder 17 gm/scoop | Preferred | |
| sm glycerin pediatric rectal suppository 1.2 gm, 80.7 % | Preferred | |
| *Lubricant Laxatives*** - Drugs To Prevent Constipation | | |
| mineral oil heavy oral oil | Non Preferred | PA |
| *Saline Laxative Mixtures*** - Drugs To Prevent Constipation | | |
| OSMOPREP ORAL TABLET 1.102-0.398 GM | Non Preferred | PA |
| cvs enema disposable rectal enema 19-7 gm/118ml | Preferred | |
| cvs enema ready-to-use rectal enema 7-19 gm/118ml | Preferred | |
| enema disposable rectal enema | Preferred | |
| enema pediatric rectal enema 3.5-9.5 gm/59ml | Preferred | |
| enema ready-to-use rectal enema 7-19 gm/118ml | Preferred | |
| enema rectal enema , 7-19 gm/118ml | Preferred | |
| eq enema rectal enema 19-7 gm/118ml | Preferred | |
| eql ready-to-use enema rectal enema , 7-19 gm/118ml | Preferred | |
| goodsense enema rectal enema 19-7 gm/118ml, 7-19 gm/118ml | Preferred | |
| hm enema rectal enema 7-19 gm/118ml | Preferred | |
| qc enema rectal enema 16-6 gm/133ml | Preferred | |
| ra enema rectal enema 7-19 gm/118ml | Preferred | |
| ra saline enema rectal enema 19-7 gm/118ml | Preferred | |
| sm enema rectal enema , 7-19 gm/118ml | Preferred | |
| *Saline Laxatives*** - Drugs To Prevent Constipation | | |
| CITROMA ORAL SOLUTION 1.745 GM/30ML | Preferred | |
| DULCOLAX MILK OF MAGNESIA ORAL SUSPENSION 400 MG/5ML | Preferred | |
| DULCOLAX ORAL SUSPENSION 1200 MG/15ML | Preferred | |
| ONELAX MAGNESIUM CITRATE ORAL SOLUTION 1.745 GM/30ML | Preferred | |

| Drug | Status | Notes |
|--|-----------|-------|
| PHILLIPS MILK OF MAGNESIA ORAL SUSPENSION 400 MG/5ML | Preferred | |
| citrato de magnesio oral solución | Preferred | |
| cvs magnesio citrato oral solución 1.745 gm/30ml | Preferred | |
| cvs leche de magnesio oral suspensión 1200 mg/15ml, 400 mg/5ml | Preferred | |
| eq magnesio citrato oral solución 1.745 gm/30ml | Preferred | |
| eql leche de magnesio oral suspensión 1200 mg/15ml, 400 mg/5ml | Preferred | |
| ft magnesio citrato oral solución 1.745 gm/30ml | Preferred | |
| ft leche de magnesio oral suspensión 1200 mg/15ml | Preferred | |
| gnp magnesio citrato oral solución 1.745 gm/30ml | Preferred | |
| gnp leche de magnesio oral suspensión 1200 mg/15ml | Preferred | |
| goodsense magnesio citrato oral solución 1.745 gm/30ml | Preferred | |
| goodsense leche de magnesio oral suspensión 1200 mg/15ml | Preferred | |
| hm magnesio citrato oral solución 1.745 gm/30ml | Preferred | |
| hm leche de magnesio oral suspensión 1200 mg/15ml | Preferred | |
| magnesio citrato oral solución 1.745 gm/30ml | Preferred | |
| leche de magnesio oral suspensión 1200 mg/15ml, 2400 mg/30ml, 400 mg/5ml, 7.75 % | Preferred | |
| px leche de magnesio oral suspensión 1200 mg/15ml | Preferred | |
| qc magnesio citrato oral solución 1.745 gm/30ml | Preferred | |
| qc leche de magnesio oral suspensión 400 mg/5ml | Preferred | |
| ra magnesio citrato oral solución 1.745 gm/30ml | Preferred | |
| ra leche de magnesio oral suspensión 400 mg/5ml | Preferred | |
| sb magnesio citrato oral solución 1.745 gm/30ml | Preferred | |

| Drug | Status | Notes |
|--|-----------|---------------------|
| sb milk of magnesia oral suspension 400 mg/5ml | Preferred | |
| sm magnesium citrate oral solution 1.745 gm/30ml | Preferred | |
| sm milk of magnesia oral suspension 1200 mg/15ml | Preferred | |
| *Stimulant Laxatives*** - Drugs To Prevent Constipation | | |
| ALOPHEN ORAL TABLET DELAYED RELEASE 5 MG | Preferred | QL (3 EA per 1 day) |
| EVAC-U-GEN ORAL TABLET 8.6 MG | Preferred | |
| EX-LAX MAXIMUM STRENGTH ORAL TABLET 25 MG | Preferred | |
| EX-LAX ULTRA ORAL TABLET DELAYED RELEASE 5 MG | Preferred | QL (3 EA per 1 day) |
| FEENAMINT ORAL TABLET DELAYED RELEASE 5 MG | Preferred | QL (3 EA per 1 day) |
| MEDI-LAX ORAL TABLET 15 MG | Preferred | |
| ONELAX RECTAL SUPPOSITORY 10 MG | Preferred | QL (1 EA per 1 day) |
| ONELAX SENNA ORAL SYRUP 8.8 MG/5ML | Preferred | |
| PERDIEM OVERNIGHT RELIEF ORAL TABLET 15 MG | Preferred | |
| SENNΑ SMOOTH ORAL TABLET 15 MG | Preferred | |
| SENOKOT EXTRA STRENGTH ORAL TABLET 17.2 MG | Preferred | |
| SENOKOT ORAL TABLET 8.6 MG | Preferred | |
| THE MAGIC BULLET RECTAL SUPPOSITORY 10 MG | Preferred | QL (1 EA per 1 day) |
| bisacodyl ec oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| bisacodyl laxative rectal suppository 10 mg | Preferred | QL (1 EA per 1 day) |
| bisacodyl oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| bisacodyl rectal suppository 10 mg | Preferred | QL (1 EA per 1 day) |
| cvs c-lax laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| cvs gentle laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| cvs gentle laxative rectal suppository 10 mg | Preferred | QL (1 EA per 1 day) |
| cvs gentle laxative womens oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| cvs laxative pills max st oral tablet 25 mg | Preferred | |

| Drug | Status | Notes |
|---|-----------|---------------------|
| cvs senna oral tablet 8.6 mg | Preferred | |
| cvs senna-extra oral tablet 17.2 mg | Preferred | |
| eq gentle laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| eq laxative maximum strength oral tablet 25 mg | Preferred | |
| eq natural laxative oral tablet 8.6 mg | Preferred | |
| eq natural vegetable laxative oral tablet 8.6 mg | Preferred | |
| eq vegetable laxative oral tablet 8.6 mg | Preferred | |
| eql gentle laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| eql laxative maximum strength oral tablet 25 mg | Preferred | |
| eql laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| eql senna laxative oral tablet 8.6 mg | Preferred | |
| ft gentle laxative rectal suppository 10 mg | Preferred | QL (1 EA per 1 day) |
| ft laxative oral tablet delayed release 5 mg | Preferred | |
| ft senna laxatives oral tablet 8.6 mg | Preferred | |
| gentle laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| gentle laxative rectal suppository 10 mg | Preferred | QL (1 EA per 1 day) |
| geri-kot oral tablet 8.6 mg | Preferred | |
| gnp gentle laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| gnp gentle laxative rectal suppository 10 mg | Preferred | QL (1 EA per 1 day) |
| gnp senna lax oral tablet 8.6 mg | Preferred | |
| gnp womens gentle laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| goodsense bisacodyl ec oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| goodsense bisacodyl laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| goodsense laxative pills oral tablet 25 mg | Preferred | |
| goodsense senna laxative oral tablet 8.6 mg | Preferred | |
| goodsense womens laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| hm gentle laxative rectal suppository 10 mg | Preferred | QL (1 EA per 1 day) |
| hm laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| hm senna oral tablet 8.6 mg | Preferred | |
| kp bisacodyl oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |

| Drug | Status | Notes |
|--|-----------|---------------------|
| kp senna oral tablet 8.6 mg | Preferred | |
| laxative max str oral tablet 25 mg | Preferred | |
| laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| laxative pills oral tablet 15 mg | Preferred | |
| laxative rectal suppository 10 mg | Preferred | QL (1 EA per 1 day) |
| laxative regular strength oral tablet 15 mg | Preferred | |
| medi-natural oral tablet 8.6 mg | Preferred | |
| natural senna laxative oral tablet 8.6 mg | Preferred | |
| px laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| px vegetable laxative oral tablet 8.6 mg | Preferred | |
| qc gentle laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| qc gentle laxative rectal suppository 10 mg | Preferred | QL (1 EA per 1 day) |
| qc gentle laxative womens oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| qc laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| qc senna oral tablet 8.6 mg | Preferred | |
| qc vegetable laxative oral tablet 8.6 mg | Preferred | |
| ra fast relief laxative rectal suppository 10 mg | Preferred | QL (1 EA per 1 day) |
| ra laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| ra womens laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| sb bisacodyl laxative ec oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| sb gentle lax-women oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| sb laxative rectal suppository 10 mg | Preferred | QL (1 EA per 1 day) |
| sb senna-lax oral tablet 8.6 mg | Preferred | |
| senexon oral liquid 8.8 mg/5ml | Preferred | |
| senna lax oral tablet 8.6 mg | Preferred | |
| senna laxative oral tablet 8.6 mg | Preferred | |
| senna oral liquid 8.8 mg/5ml | Preferred | |
| senna oral syrup 8.8 mg/5ml | Preferred | |
| senna oral tablet 8.6 mg | Preferred | |
| senna-lax oral tablet 8.6 mg | Preferred | |
| senna-tabs oral tablet 8.6 mg | Preferred | |
| senna-time oral tablet 8.6 mg | Preferred | |
| sennazon oral syrup 8.8 mg/5ml | Preferred | |

| Drug | Status | Notes |
|---|-----------|---------------------|
| sennosides oral tablet 8.6 mg | Preferred | |
| sm gentle laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| sm laxative rectal suppository 10 mg | Preferred | QL (1 EA per 1 day) |
| sm senna laxative oral tablet 8.6 mg | Preferred | |
| womans laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| womens laxative oral tablet delayed release 5 mg | Preferred | QL (3 EA per 1 day) |
| *Surfactant Laxatives*** - Drugs To Prevent Constipation | | |
| CORRECTOL EXTRA GENTLE ORAL CAPSULE 100 MG | Preferred | QL (6 EA per 1 day) |
| DOCU LIQUID ORAL LIQUID 100 MG/10ML | Preferred | |
| DOCUSOL PLUS MINI-ENEMA RECTAL ENEMA 20-283 MG | Preferred | |
| DOK ORAL CAPSULE 100 MG | Preferred | QL (6 EA per 1 day) |
| DOK ORAL TABLET 100 MG | Preferred | |
| DQZATE ORAL CAPSULE 100 MG | Preferred | QL (6 EA per 1 day) |
| DULCOLAX PINK STOOL SOFTENER ORAL CAPSULE 100 MG | Preferred | QL (6 EA per 1 day) |
| DULCOLAX STOOL SOFTENER ORAL CAPSULE 100 MG | Preferred | QL (6 EA per 1 day) |
| ENEMEEZ PLUS RECTAL ENEMA 20-283 MG | Preferred | |
| HEALTHY MAMA MOVE IT ALONG ORAL TABLET 100 MG | Preferred | |
| ONELAX DOCUSATE SODIUM ORAL LIQUID 50 MG/5ML | Preferred | |
| PHILLIPS STOOL SOFTENER ORAL CAPSULE 100 MG | Preferred | QL (6 EA per 1 day) |
| PROMOLAXIN ORAL TABLET 100 MG | Preferred | |
| SURFAK ORAL CAPSULE 240 MG | Preferred | QL (2 EA per 1 day) |
| cvs mini enema kids rectal enema 100 mg/5ml | Preferred | |
| cvs mini enema rectal enema 20-283 mg | Preferred | |
| cvs stool softener oral capsule 100 mg, 250 mg | Preferred | QL (6 EA per 1 day) |
| cvs stool softener oral capsule 240 mg | Preferred | QL (2 EA per 1 day) |
| docqlace oral capsule 100 mg | Preferred | QL (6 EA per 1 day) |
| docu oral liquid 50 mg/5ml | Preferred | |

| Drug | Status | Notes |
|---|-----------|---------------------|
| docuprene oral tablet 100 mg | Preferred | |
| docusate calcium oral capsule 240 mg | Preferred | QL (2 EA per 1 day) |
| docusate sodium oral capsule 100 mg, 250 mg | Preferred | QL (6 EA per 1 day) |
| docusate sodium oral liquid 100 mg/10ml, 150 mg/15ml, 50 mg/5ml | Preferred | |
| docusate sodium oral syrup 60 mg/15ml | Preferred | |
| docusate sodium oral tablet 100 mg | Preferred | |
| dss oral capsule 100 mg, 250 mg | Preferred | QL (6 EA per 1 day) |
| easy-lax oral capsule 100 mg | Preferred | QL (6 EA per 1 day) |
| eq stool softener oral capsule 100 mg, 250 mg | Preferred | QL (6 EA per 1 day) |
| eql stool softener oral capsule 100 mg | Preferred | QL (6 EA per 1 day) |
| ft stool softener oral capsule 100 mg, 250 mg | Preferred | QL (6 EA per 1 day) |
| ft stool softener oral tablet 100 mg | Preferred | |
| gnp stool softener ex st oral capsule 250 mg | Preferred | QL (6 EA per 1 day) |
| gnp stool softener oral capsule 100 mg, 250 mg | Preferred | QL (6 EA per 1 day) |
| gnp stool softener oral capsule 240 mg | Preferred | QL (2 EA per 1 day) |
| goodsense stool softener oral capsule 100 mg | Preferred | QL (6 EA per 1 day) |
| hm stool softener oral capsule 100 mg, 250 mg | Preferred | QL (6 EA per 1 day) |
| cls stool softener oral capsule 100 mg | Preferred | QL (6 EA per 1 day) |
| mm stool softener laxative oral capsule 100 mg | Preferred | QL (6 EA per 1 day) |
| px docusate sodium oral capsule 100 mg | Preferred | QL (6 EA per 1 day) |
| qc docusate calcium oral capsule 240 mg | Preferred | QL (2 EA per 1 day) |
| qc stool softener oral capsule 100 mg, 250 mg | Preferred | QL (6 EA per 1 day) |
| ra col-rite oral capsule 100 mg, 250 mg | Preferred | QL (6 EA per 1 day) |
| ra stool softener oral capsule 100 mg | Preferred | QL (6 EA per 1 day) |
| sb docusate sodium oral capsule 100 mg | Preferred | QL (6 EA per 1 day) |
| sb stool softener oral capsule 240 mg | Preferred | QL (2 EA per 1 day) |
| silace oral liquid 150 mg/15ml | Preferred | |
| sm docusate calcium oral capsule 240 mg | Preferred | QL (2 EA per 1 day) |
| sm stool softener oral capsule 100 mg, 250 mg | Preferred | QL (6 EA per 1 day) |
| sm stool softener oral tablet 100 mg | Preferred | |
| stool softener laxative oral capsule 100 mg | Preferred | QL (6 EA per 1 day) |
| stool softener oral capsule 100 mg, 250 mg | Preferred | QL (6 EA per 1 day) |
| stool softener oral capsule 240 mg | Preferred | QL (2 EA per 1 day) |
| stool softener oral liquid 50 mg/5ml | Preferred | |
| stool softener oral tablet 100 mg | Preferred | |

| Drug | Status | Notes |
|---|---------------|----------------------------|
| *Macrolides* - Drugs For Infections | | |
| *Azithromycin*** - Antibiotics | | |
| ZITHROMAX ORAL PACKET 1 GM | Non Preferred | PA; QL (2 EA per 24 days) |
| ZITHROMAX ORAL SUSPENSION RECONSTITUTED 100 MG/5ML, 200 MG/5ML | Non Preferred | PA |
| ZITHROMAX ORAL TABLET 250 MG, 500 MG | Non Preferred | PA; QL (13 EA per 24 days) |
| ZITHROMAX TRI-PAK ORAL TABLET 500 MG | Non Preferred | PA; QL (13 EA per 24 days) |
| ZITHROMAX Z-PAK ORAL TABLET 250 MG | Non Preferred | PA; QL (13 EA per 24 days) |
| azithromycin oral packet 1 gm | Preferred | PA; QL (2 EA per 24 days) |
| azithromycin oral suspension reconstituted 100 mg/5ml, 200 mg/5ml | Preferred | |
| azithromycin oral tablet 250 mg, 500 mg | Preferred | QL (13 EA per 24 days) |
| azithromycin oral tablet 600 mg | Preferred | QL (2 EA per 1 day) |
| *Clarithromycin*** - Antibiotics | | |
| clarithromycin er oral tablet extended release 24 hour 500 mg | Non Preferred | PA |
| clarithromycin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml | Preferred | |
| clarithromycin oral tablet 250 mg, 500 mg | Preferred | |
| *Erythromycins*** - Antibiotics | | |
| E.E.S. 400 ORAL TABLET 400 MG | Non Preferred | PA; QL (6 EA per 1 day) |
| E.E.S. GRANULES ORAL SUSPENSION RECONSTITUTED 200 MG/5ML | Non Preferred | PA |
| ERYPED 200 ORAL SUSPENSION RECONSTITUTED 200 MG/5ML | Non Preferred | PA |
| ERYPED 400 ORAL SUSPENSION RECONSTITUTED 400 MG/5ML | Non Preferred | PA; QL (30 ML per 1 day) |
| ERY-TAB ORAL TABLET DELAYED RELEASE 250 MG | Preferred | QL (8 EA per 1 day) |
| ERY-TAB ORAL TABLET DELAYED RELEASE 333 MG | Preferred | QL (6 EA per 1 day) |
| ERY-TAB ORAL TABLET DELAYED RELEASE 500 MG | Preferred | QL (4 EA per 1 day) |
| ERYTHROCIN STEARATE ORAL TABLET 250 MG | Non Preferred | PA |
| erythromycin base oral capsule delayed release particles 250 mg | Preferred | QL (8 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|--------------------------|
| erythromycin base oral tablet 250 mg, 500 mg | Non Preferred | PA |
| erythromycin base oral tablet delayed release 250 mg | Preferred | QL (8 EA per 1 day) |
| erythromycin base oral tablet delayed release 333 mg | Preferred | QL (6 EA per 1 day) |
| erythromycin base oral tablet delayed release 500 mg | Preferred | QL (4 EA per 1 day) |
| erythromycin base tablet delayed release 333 mg oral | Preferred | QL (6 EA per 1 day) |
| erythromycin base tablet delayed release 500 mg oral | Preferred | QL (4 EA per 1 day) |
| erythromycin ethylsuccinate oral suspension reconstituted 200 mg/5ml | Preferred | |
| erythromycin ethylsuccinate oral suspension reconstituted 400 mg/5ml | Non Preferred | PA; QL (30 ML per 1 day) |
| erythromycin ethylsuccinate oral tablet 400 mg | Preferred | QL (6 EA per 1 day) |
| erythromycin oral tablet delayed release 250 mg | Preferred | QL (8 EA per 1 day) |
| erythromycin oral tablet delayed release 333 mg | Preferred | QL (6 EA per 1 day) |
| erythromycin oral tablet delayed release 500 mg | Preferred | QL (4 EA per 1 day) |
| erythromycin stearate oral tablet 250 mg | Non Preferred | PA |
| erythromycin tablet delayed release 250 mg oral | Preferred | QL (8 EA per 1 day) |
| erythromycin tablet delayed release 500 mg oral | Preferred | QL (4 EA per 1 day) |
| *Fidaxomicin*** - Antibiotics | | |
| DIFICID ORAL SUSPENSION RECONSTITUTED 40 MG/ML | Non Preferred | PA |
| DIFICID ORAL TABLET 200 MG | Non Preferred | PA |
| *Medical Devices And Supplies* - Medical Supplies And Durable Medical Equipment | | |
| *Applicators,Cotton Balls,Etc*** - Medical Supplies And Durable Medical Equipment | | |
| BD SWAB SINGLE USE REGULAR PAD | Preferred | QL (200 EA per 24 days) |
| COMFORT TOUCH ALCOHOL PREP PAD 70 % | Preferred | QL (200 EA per 24 days) |
| CURITY ALCOHOL PREPS PAD 70 % | Preferred | QL (200 EA per 24 days) |
| DROPSAFE ALCOHOL PREP PAD 70 % | Preferred | QL (200 EA per 24 days) |

| Drug | Status | Notes |
|--|-----------|-------------------------|
| EASY TOUCH ALCOHOL PREP MEDIUM PAD 70 % | Preferred | QL (200 EA per 24 days) |
| ULTICARE ALCOHOL SWABS PAD | Preferred | QL (200 EA per 24 days) |
| WEBCOL ALCOHOL PREP LARGE PAD 70 % | Preferred | QL (200 EA per 24 days) |
| WEBCOL ALCOHOL PREP MEDIUM PAD 70 % | Preferred | QL (200 EA per 24 days) |
| alcohol prep pad , 70 % | Preferred | QL (200 EA per 24 days) |
| alcohol swabs pad | Preferred | QL (200 EA per 24 days) |
| cvs prep pad 70 % | Preferred | QL (200 EA per 24 days) |
| eql alcohol swabs pad 70 % | Preferred | QL (200 EA per 24 days) |
| gnp alcohol swabs pad 70 % | Preferred | QL (200 EA per 24 days) |
| h-e-b incontrol alcohol pad | Preferred | QL (200 EA per 24 days) |
| hm sterile alcohol prep pad | Preferred | QL (200 EA per 24 days) |
| pure comfort alcohol prep pad | Preferred | QL (200 EA per 24 days) |
| qc alcohol swabs pad 70 % | Preferred | QL (200 EA per 24 days) |
| ra alcohol swabs pad 70 % | Preferred | QL (200 EA per 24 days) |
| reality swabs pad | Preferred | QL (200 EA per 24 days) |
| saps health alcohol prep pad | Preferred | QL (200 EA per 24 days) |
| sb alcohol prep pad 70 % | Preferred | QL (200 EA per 24 days) |
| sm alcohol prep pad 70 % | Preferred | QL (200 EA per 24 days) |
| sure comfort alcohol prep pad 70 % | Preferred | QL (200 EA per 24 days) |
| true comfort pro alcohol prep pad 70 % | Preferred | QL (200 EA per 24 days) |
| ultilet alcohol swabs pad | Preferred | QL (200 EA per 24 days) |
| zevrx sterile alcohol prep pad 70 % | Preferred | QL (200 EA per 24 days) |
| *Cervical Caps*** - Medical Supplies And Durable Medical Equipment | | |
| FEMCAP VAGINAL DEVICE 22 MM, 26 MM, 30 MM | Preferred | |
| *Condoms - Female*** - Medical Supplies And Durable Medical Equipment | | |
| FC2 FEMALE CONDOM | Preferred | |
| *Condoms - Male*** - Medical Supplies And Durable Medical Equipment | | |
| DUREX EXTRA SENSITIVE THIN DEVICE | Preferred | |
| DUREX REALFEEL DEVICE | Preferred | |
| FANTASY LUBRICATED | Preferred | |
| FANTASY LUBRICATED/SPERMICIDE | Preferred | |

| Drug | Status | Notes |
|--------------------------------------|-----------|-------|
| KAMELEON LUBRICATED | Preferred | |
| KIMONO COLORS DEVICE | Preferred | |
| KIMONO SPECIAL DEVICE | Preferred | |
| K-Y ME & YOU EXTRA LUBRICATED DEVICE | Preferred | |
| K-Y ME & YOU INTENSE DEVICE | Preferred | |
| REALITY LATEX CONDOMS | Preferred | |
| REALITY LATEX/ULTRA TEXTURED DEVICE | Preferred | |
| REALITY LATEX/ULTRA THIN DEVICE | Preferred | |
| TRUSTEX COLOR CONDOMS + LUBE | Preferred | |
| TRUSTEX LUB/RIBBED/STUDDED | Preferred | |
| TRUSTEX LUB/SPERMICIDE EX ST | Preferred | |
| TRUSTEX LUB/SPERMICIDE XL | Preferred | |
| TRUSTEX LUBRICATED | Preferred | |
| TRUSTEX LUBRICATED EX LARGE | Preferred | |
| TRUSTEX LUBRICATED EXTRA ST | Preferred | |
| TRUSTEX LUBRICATED/SPERMICIDE | Preferred | |
| TRUSTEX NATURAL CONDOMS + LUBE | Preferred | |
| TRUSTEX NON-LUBRICATED | Preferred | |
| TRUSTEX RIA LUB/SPERMICIDE | Preferred | |
| TRUSTEX RIA LUBRICATED | Preferred | |
| TRUSTEX RIA NON-LUBRICATED | Preferred | |
| TRUSTEX-NONOXYNOL-9/RIB/STUD | Preferred | |
| aimsco lubricated | Preferred | |
| condoms | Preferred | |
| kimono | Preferred | |
| kimono micro thin | Preferred | |
| kimono micro thin plus | Preferred | |
| kimono plus | Preferred | |
| kimono ps | Preferred | |
| kimono ps plus | Preferred | |
| kimono sensation | Preferred | |
| kimono sensation plus | Preferred | |
| maxx | Preferred | |
| maxx plus | Preferred | |

| Drug | Status | Notes |
|--|-----------|-------|
| *Diaphragms*** - Medical Supplies And Durable Medical Equipment | | |
| CAYA VAGINAL DIAPHRAGM | Preferred | |
| OMNIFLEX DIAPHRAGM VAGINAL DIAPHRAGM | Preferred | |
| WIDE-SEAL DIAPHRAGM 60 VAGINAL DIAPHRAGM 2 % | Preferred | |
| WIDE-SEAL DIAPHRAGM 65 VAGINAL DIAPHRAGM 2 % | Preferred | |
| WIDE-SEAL DIAPHRAGM 70 VAGINAL DIAPHRAGM 2 % | Preferred | |
| WIDE-SEAL DIAPHRAGM 75 VAGINAL DIAPHRAGM 2 % | Preferred | |
| WIDE-SEAL DIAPHRAGM 80 VAGINAL DIAPHRAGM 2 % | Preferred | |
| WIDE-SEAL DIAPHRAGM 85 VAGINAL DIAPHRAGM 2 % | Preferred | |
| WIDE-SEAL DIAPHRAGM 90 VAGINAL DIAPHRAGM 2 % | Preferred | |
| WIDE-SEAL DIAPHRAGM 95 VAGINAL DIAPHRAGM 2 % | Preferred | |
| *Glucose Monitoring Test Supplies*** - Medical Supplies And Durable Medical Equipment | | |
| ACCU-CHEK FASTCLIX LANCETS | Preferred | |
| ACCU-CHEK SOFTCLIX LANCETS | Preferred | |
| ADVOCATE LANCETS 30G | Preferred | |
| AGAMATRIX ULTRA-THIN LANCETS | Preferred | |
| AIMSCO TWIST LANCETS 33G | Preferred | |
| BD LANCET ULTRAFINE 30G | Preferred | |
| BD LANCET ULTRAFINE 33G | Preferred | |
| CARESENS LANCETS | Preferred | |
| CARETOUCH SAFETY LANCETS | Preferred | |
| CARETOUCH SAFETY LANCETS 26G | Preferred | |
| CARETOUCH TWIST LANCETS 28G | Preferred | |
| CARETOUCH TWIST LANCETS 30G | Preferred | |
| CARETOUCH TWIST MC LANCETS 30G | Preferred | |
| CLEANLET LANCETS 28G | Preferred | |
| CLEVER CHEK LANCETS | Preferred | |
| COMFORT TOUCH LANCETS 31G | Preferred | |

| Drug | Status | Notes |
|--------------------------------------|-----------|----------------------------|
| COMFORT TOUCH PLUS LANCETS 28G | Preferred | |
| COMFORT TOUCH PLUS LANCETS 30G | Preferred | |
| DEXCOM G6 RECEIVER DEVICE | Preferred | PA; QL (1 EA per 292 days) |
| DEXCOM G6 SENSOR | Preferred | PA; QL (3 EA per 24 days) |
| DEXCOM G6 TRANSMITTER | Preferred | PA; QL (1 EA per 72 days) |
| DEXCOM G7 RECEIVER DEVICE | Preferred | PA; QL (1 EA per 292 days) |
| DEXCOM G7 SENSOR | Preferred | PA; QL (3 EA per 24 days) |
| DIATHRIVE LANCET ULTRA THIN 30 | Preferred | |
| DIATHRIVE LANCETS | Preferred | |
| DROPLET LANCETS ULTRA THIN 30G | Preferred | |
| DROPLET PERSONAL LANCETS 30G | Preferred | |
| EASY TOUCH LANCETS 21G | Preferred | |
| EASY TOUCH LANCETS 23G | Preferred | |
| EASY TOUCH LANCETS 26G | Preferred | |
| EASY TOUCH LANCETS 28G | Preferred | |
| EASY TOUCH LANCETS 30G/TWIST | Preferred | |
| EASY TOUCH LANCETS 32G | Preferred | |
| EASY TOUCH LANCETS 33G/TWIST | Preferred | |
| EMBRACE PRESSURE ACTIVATED 21G | Preferred | |
| EMBRACE PRESSURE ACTIVATED 28G | Preferred | |
| E-Z JECT LANCET MICRO-THIN 33G | Preferred | |
| E-Z JECT LANCET SUPER THIN 30G | Preferred | |
| E-Z JECT LANCETS | Preferred | |
| E-Z JECT LANCETS 21G | Preferred | |
| E-Z JECT LANCETS THIN 26G | Preferred | |
| EZ-LETS LANCETS 21G | Preferred | |
| EZ-LETS LANCETS 26G | Preferred | |
| EZ-LETS LANCETS 28G | Preferred | |
| EZ-LETS LANCETS 30G | Preferred | |
| FORA LANCETS | Preferred | |
| FREESTYLE LIBRE 14 DAY READER DEVICE | Preferred | PA; QL (1 EA per 292 days) |
| FREESTYLE LIBRE 14 DAY SENSOR | Preferred | PA; QL (2 EA per 24 days) |
| FREESTYLE LIBRE 2 READER DEVICE | Preferred | PA; QL (1 EA per 292 days) |
| FREESTYLE LIBRE 2 SENSOR | Preferred | PA; QL (2 EA per 24 days) |
| FREESTYLE LIBRE READER DEVICE | Preferred | PA; QL (1 EA per 292 days) |
| GENTEEL BUTTERFLY TOUCH LANCET | Preferred | |

| Drug | Status | Notes |
|--------------------------------|-----------|-------|
| GENTLE-LET GP LANCETS | Preferred | |
| GENTLE-LET LANCETS | Preferred | |
| GLUCOCOM LANCETS 28G | Preferred | |
| GLUCOCOM LANCETS 30G | Preferred | |
| GLUCOCOM LANCETS 33G | Preferred | |
| GOJJI STERILE LANCETS | Preferred | |
| HY-VEE LANCETS | Preferred | |
| KROGER HEALTHPRO LANCET 26G | Preferred | |
| LANCETS ULTRA THIN | Preferred | |
| LITETOUCH LANCETS | Preferred | |
| MEDLANCE PLUS EXTRA 21G | Preferred | |
| MEDLANCE PLUS LANCETS | Preferred | |
| MEDLANCE PLUS LITE 25G | Preferred | |
| MEDLANCE PLUS SPECIAL 0.8MM | Preferred | |
| MEDLANCE PLUS SUPERLITE 30G | Preferred | |
| MEDLANCE PLUS UNIVERSAL 21G | Preferred | |
| MEIJER LANCETS THIN | Preferred | |
| MEIJER LANCETS UNIVERSAL 21G | Preferred | |
| MEIJER LANCETS UNIVERSAL 30G | Preferred | |
| MEIJER LANCETS UNIVERSAL 33G | Preferred | |
| MEIJER SUPER THIN LANCETS | Preferred | |
| MICROLET LANCETS | Preferred | |
| MONOLET LANCETS | Preferred | |
| MONOLET OPD LANCETS | Preferred | |
| MYGLUCOHEALTH LANCETS 30G | Preferred | |
| NOVA SUREFLEX LANCETS | Preferred | |
| ONETOUCH DELICA PLUS LANCET30G | Preferred | |
| ONETOUCH DELICA PLUS LANCET33G | Preferred | |
| PERFECT LANCETS 28G | Preferred | |
| PERFECT LANCETS 30G | Preferred | |
| PHARMACIST CHOICE LANCETS | Preferred | |
| PHARMACY COUNTER LANCETS | Preferred | |
| PRODIGY SAFETY LANCETS 26G | Preferred | |
| PRODIGY TWIST TOP LANCETS 28G | Preferred | |
| PSS SELECT GP LANCETS | Preferred | |
| PSS SELECT SAFETY LANCETS | Preferred | |
| RA E-ZJECT LANCETS 28G | Preferred | |

| Drug | Status | Notes |
|---|-----------|--|
| RA E-ZJECT LANCETS THIN 26G | Preferred | |
| RA E-ZJECT LANCETS THIN 28G | Preferred | |
| RA E-ZJECT LANCETS ULTRA THIN | Preferred | |
| READYLANCE SAFETY LANCETS | Preferred | |
| RELION LANCETS MICRO-THIN 33G | Preferred | |
| RELION LANCETS THIN 26G | Preferred | |
| RELION LANCETS ULTRA-THIN 30G | Preferred | |
| RELION TRUE MET AIR GLUC METER KIT W/DEVICE | Preferred | PA; NOTES (1/ year; Pharmacy: see instructions on claim) |
| RELION ULTRA THIN LANCETS 30G | Preferred | |
| RELION ULTRA THIN PLUS LANCETS | Preferred | |
| RIGHTEST GL300 LANCETS | Preferred | |
| SAFE-T-LANCE | Preferred | |
| SMART SENSE COLOR LANCETS 33G | Preferred | |
| SMART SENSE STANDARD LANCETS | Preferred | |
| SMART SENSE SUPER THIN LANCETS | Preferred | |
| SMART SENSE THIN LANCETS 26G | Preferred | |
| SOLUS V2 TWIST LANCETS 30G | Preferred | |
| STERILANCE TL | Preferred | |
| SURELITE LANCETS | Preferred | |
| THINLETS GP LANCETS | Preferred | |
| TRUE METRIX AIR GLUCOSE METER KIT W/DEVICE | Preferred | PA; NOTES (1/ year; Pharmacy: see instructions on claim) |
| TRUE METRIX METER KIT W/DEVICE | Preferred | PA; NOTES (1/ year; Pharmacy: see instructions on claim) |
| TRUEPLUS LANCETS 26G | Preferred | |
| TRUEPLUS LANCETS 28G | Preferred | |
| TRUEPLUS LANCETS 30G | Preferred | |
| TRUEPLUS LANCETS 33G | Preferred | |
| ULTILET CLASSIC LANCETS | Preferred | |
| ULTILET LANCETS | Preferred | |
| ULTRA-THIN II LANCETS | Preferred | |
| UNILET COMFORTOUCH LANCET | Preferred | |
| UNILET EXCELITE | Preferred | |
| UNILET EXCELITE II | Preferred | |
| UNILET G.P. LANCET | Preferred | |
| UNILET G.P. SUPERLITE LANCET | Preferred | |
| UNILET GP 28 ULTRA THIN | Preferred | |

| Drug | Status | Notes |
|--------------------------------|-----------|---------------------------|
| UNILET LANCET | Preferred | |
| UNILET MICRO-THIN 33G | Preferred | |
| UNILET SUPERLITE LANCET | Preferred | |
| UNILET SUPER-THIN 30G | Preferred | |
| UNILET ULTRA-THIN 28G | Preferred | |
| UNIVERSAL 1 LANCETS THIN 26G | Preferred | |
| UNIVERSAL 1 LANCETS THIN 33G | Preferred | |
| UNIVERSAL 1 LANCETS ULTRA THIN | Preferred | |
| VIVAGUARD LANCETS | Preferred | |
| WALGREENS LANCETS | Preferred | |
| WALGREENS THIN LANCETS | Preferred | |
| WALGREENS ULTRA THIN LANCETS | Preferred | |
| 1st tier unilet comfortouch | Preferred | |
| acti-lance 28g | Preferred | |
| acti-lance lite lancets 28g | Preferred | |
| acti-lance special lancets 17g | Preferred | |
| acti-lance universal 23g | Preferred | |
| aimsco twist lancets 32g | Preferred | |
| aurora lancet super thin 30g | Preferred | |
| aurora lancet thin 23g | Preferred | |
| careone lancet thin 23g | Preferred | |
| comfort assured lancets 28g | Preferred | |
| comfort assured lancets 33g | Preferred | |
| comfort lancets | Preferred | |
| cvs lancets 21g | Preferred | |
| cvs lancets micro thin 33g | Preferred | |
| cvs lancets original | Preferred | |
| cvs lancets thin 26g | Preferred | |
| cvs lancets ultra thin 30g | Preferred | |
| cvs lancets ultra-thin 30g | Preferred | |
| cvs ultra thin lancets | Preferred | |
| drug mart lancets thin 26g | Preferred | |
| eql color lancets 21g | Preferred | |
| eql color lancets micro 33g | Preferred | |
| eql super thin lancets 30g | Preferred | |
| eql thin lancets 26g | Preferred | |
| freestyle libre 3 sensor | Preferred | PA; QL (2 EA per 24 days) |

| Drug | Status | Notes |
|--------------------------------|-----------|-------|
| gnp lancets 21g | Preferred | |
| gnp lancets thin 26g | Preferred | |
| gnp sterile lancets 28g | Preferred | |
| gnp sterile lancets 30g | Preferred | |
| gnp sterile lancets 33g | Preferred | |
| goodsense lancets 26g univ | Preferred | |
| goodsense lancets 30g univ | Preferred | |
| goodsense lancets 33g univ | Preferred | |
| healthy accents unilet lancets | Preferred | |
| h-e-b incontrol lancets 28g | Preferred | |
| h-e-b incontrol lancets 30g | Preferred | |
| h-e-b incontrol lancets 33g | Preferred | |
| hy-vee thin lancets | Preferred | |
| kinney lancets | Preferred | |
| kinney thin lancets | Preferred | |
| kroger lancets | Preferred | |
| kroger lancets micro thin 33g | Preferred | |
| kroger lancets super thin | Preferred | |
| kroger lancets thin | Preferred | |
| lancets | Preferred | |
| lancets 30g | Preferred | |
| lancets 33g | Preferred | |
| lancets micro thin 33g | Preferred | |
| lancets thin | Preferred | |
| lite touch lancets | Preferred | |
| live better lancet ultra thin | Preferred | |
| longs lancets standard | Preferred | |
| longs lancets thin | Preferred | |
| longs lancets ultra thin | Preferred | |
| medichoice safety lancet norm | Preferred | |
| mpd safety lancet 21g | Preferred | |
| mpd safety lancet 23g | Preferred | |
| mpd safety lancet 28g | Preferred | |
| mpd safety lancet 30g | Preferred | |
| pc lancets super thin 30g | Preferred | |
| pip lancets 28g | Preferred | |
| pip lancets 30g | Preferred | |

| Drug | Status | Notes |
|--------------------------------|-----------|-------|
| preferred plus lancets colored | Preferred | |
| preferred plus lancets thin | Preferred | |
| pure comfort lancets 30g | Preferred | |
| px lancets microthin 33g | Preferred | |
| px lancets ultra thin | Preferred | |
| qc lancets super thin 30g | Preferred | |
| qc lancets ultra thin | Preferred | |
| qc unilet lancets 28g | Preferred | |
| qc unilet lancets micro thin | Preferred | |
| reality lancets | Preferred | |
| reality trigger lancets | Preferred | |
| safety lancet 30g/pressure act | Preferred | |
| saps health plus lancets | Preferred | |
| saps twist top lancets | Preferred | |
| sb lancets thin | Preferred | |
| sb lancets ultra thin | Preferred | |
| sm lancets 33g | Preferred | |
| sure comfort lancets 28g | Preferred | |
| tgt lancet micro thin 33g | Preferred | |
| tgt lancet thin 26g | Preferred | |
| tgt lancet ultra thin 30g | Preferred | |
| topcare lancets micro-thin 33g | Preferred | |
| true comfort twist top lancets | Preferred | |
| ultra thin lancets 31g | Preferred | |
| value plus lancet standard 21g | Preferred | |
| value plus lancets super thin | Preferred | |
| valumark lancet ultra thin 28g | Preferred | |
| walgreens lancets micro thin | Preferred | |
| walgreens lancets super thin | Preferred | |
| zevrx twist top lancets 30g | Preferred | |

Medical Waste Disposal Systems - Medical Supplies And Durable Medical Equipment**

| | | |
|--------------------------------|-----------|-----------------------|
| bd sharps container home | Preferred | QL (1 EA per 24 days) |
| cvs needle collection/disposal | Preferred | QL (1 EA per 24 days) |

Misc. Devices - Medical Supplies And Durable Medical Equipment**

| | | |
|----------------------------|-----------|--|
| LMA MAD NASAL | Preferred | |
| mucosal atomization device | Preferred | |

| Drug | Status | Notes |
|--|-----------|-------|
| *Nebulizers*** - Medical Supplies And Durable Medical Equipment | | |
| AEROECLIPSE II NEBULIZER | Preferred | |
| AIRS DISPOSABLE NEBULIZER | Preferred | |
| CLEVER CHOICE NEBULIZER | Preferred | |
| CLEVER CHOICE WHIS AIR PED NEB | Preferred | |
| CLEVER CHOICE WHISPER AIRE NEB | Preferred | |
| CLEVER CHOICE WHISPER AIRE PED | Preferred | |
| COMP AIR COMPRESSOR NEBULIZER | Preferred | |
| COMP A-I-R NEBULIZER | Preferred | |
| COMPMIST COMPRESSOR NEBULIZER | Preferred | |
| FLYP NEBULIZER | Preferred | |
| HOMENEB WITH SIDESTREAM | Preferred | |
| INNOSPIRE ELEGANCE NEBULIZER | Preferred | |
| INNOSPIRE GO PORTABLE MESH NEB | Preferred | |
| LUMINEB II PISTON NEBULIZER | Preferred | |
| MABIS COMPXP NEBULIZER | Preferred | |
| MABIS COSMOCOMP NEBULIZER | Preferred | |
| MARGO MOO COMPRESSOR NEBULIZER | Preferred | |
| MICROAIR VIBRATING MESH NEBUL | Preferred | |
| MICRONEB | Preferred | |
| MINI COMPRESSOR | Preferred | |
| MINIBREEZE ULTRASONIC NEBULIZE | Preferred | |
| PARI ALTERA NEBULIZER SYSTEM | Preferred | |
| PARI BABY DEVICE | Preferred | |
| PARI ERAPID NEBULIZER SYSTEM | Preferred | |
| PARI LC PLUS | Preferred | |
| PARI LC PLUS NEBULIZER | Preferred | |
| PARI LC PLUS VIOS PRO NEB | Preferred | |
| PARI LC SPRINT NEBULIZER SET | Preferred | |
| PARI LC STAR | Preferred | |
| PARI PRONEB MAX LC PLUS | Preferred | |
| PARI PRONEB MAX LC SPRINT | Preferred | |
| PARI SINUS AEROSOL SYSTEM | Preferred | |
| PARI TREK S W/12V DC ADAPTOR DEVICE | Preferred | |
| PARI VIOS PRO LC PLUS SYSTEM | Preferred | |

| Drug | Status | Notes |
|--------------------------------|-----------|-------|
| PARI VIOS PRO LC SPRINT SYSTEM | Preferred | |
| PHILLIPS WILLIS THE WHALE NEB | Preferred | |
| PROCARE COMPRESSOR NEBULIZER | Preferred | |
| PRODIGY MINI-MIST NEBULIZIER | Preferred | |
| PULMONEB LT | Preferred | |
| SIDESTREAM NEBULIZER-REUSABLE | Preferred | |
| SIDESTREAM PLUS NEBULIZER | Preferred | |
| VIOS AEROSOL DELIVERY SYSTEM | Preferred | |
| VIOS LC PLUS | Preferred | |
| VIOS LC PLUS DELUXE | Preferred | |
| VIOS LC PLUS PEDIATRIC | Preferred | |
| VIOS LC SPRINT PEDIATRIC | Preferred | |
| aeriva concentrator nebulizer | Preferred | |
| aura portaneb | Preferred | |
| bentley the bear ped nebulizer | Preferred | |
| captain eagle ped nebulizer | Preferred | |
| compressor nebulizer | Preferred | |
| compressor/nebulizer | Preferred | |
| easy air compressor nebulizer | Preferred | |
| easy neb | Preferred | |
| elite compressor nebulizer | Preferred | |
| medneb nebuliz-reuse-disp kit | Preferred | |
| medneb nebuliz-reuse-disp-bag | Preferred | |
| medneb neb-with dispo neb kit | Preferred | |
| neb-rite4 | Preferred | |
| nebulizer | Preferred | |
| nebulizer ped frog kit | Preferred | |
| nebulizer system all-in-one | Preferred | |
| pediatric compressor nebulizer | Preferred | |
| portable compressor nebulizer | Preferred | |
| pure air mini nebulizer | Preferred | |
| smart neb compressor nebulizer | Preferred | |
| soothe neb mesh nebulizer | Preferred | |
| sootheneb compressor nebulizer | Preferred | |
| sparky the dog ped nebulizer | Preferred | |
| ultrasonic mini nebulizer | Preferred | |

| Drug | Status | Notes |
|--|-----------|-------|
| *Needles & Syringes*** - Medical Supplies And Durable Medical Equipment | | |
| BARDIA BULB IRRIGATION SYRINGE 60 ML | Preferred | |
| BARDIA PISTON IRRIGATION SYR 60 ML | Preferred | |
| BD ALLERGIST TRAY KIT 27G X 1/2" 1 ML | Preferred | |
| BD ALLERGY SYRINGE 28G X 1/2" 1 ML | Preferred | |
| BD BLUNT FILL NEEDLE 18G X 1-1/2" | Preferred | |
| BD CONTROL SYRING LUER-LOK 10 ML | Preferred | |
| BD DISP NEEDLE 23G X 1" | Preferred | |
| BD DISP NEEDLES 16G X 1-1/2" , 18G X 1- 1/2" , 19G X 1" , 20G X 1" , 20G X 1-1/2" , 21G X 1-1/2" , 22G X 1-1/2" , 25G X 7/8" , 27G X 1/2" , 30G X 1/2" | Preferred | |
| BD ECLIPSE LUER-LOK NEEDLE 30G X 1/2" | Preferred | |
| BD ECLIPSE NEEDLE 21G X 1" , 21G X 1- 1/2" , 23G X 1" , 25G X 1" , 25G X 1-1/2" , 25G X 5/8" | Preferred | |
| BD ECLIPSE SHIELDED NEEDLE 18G X 1-1/2" | Preferred | |
| BD ECLIPSE SYRINGE 27G X 1/2" 1 ML | Preferred | |
| BD ECLIPSE SYRINGE 30G X 1/2" 1 ML | Preferred | |
| BD ECLIPSE SYRINGE/NEEDLE 22G X 1" 3 ML, 23G X 1" 3 ML, 25G X 5/8" 3 ML | Preferred | |
| BD FILTER NEEDLE/5 MICRON | Preferred | |
| BD HYPODERMIC NEEDLE 16G X 1" , 18G X 1" , 18G X 1-1/2" , 19G X 1" , 19G X 1- 1/2" , 21G X 1" , 21G X 2" , 22G X 1" , 22G X 1-1/2" , 23G X 1" , 23G X 3/4" , 25G X 1-1/2" , 26G X 1/2" | Preferred | |
| BD INSULIN SYRINGE U-500 31G X 6MM 0.5 ML | Preferred | |
| BD INTEGRA SYRINGE 25G X 1" 3 ML | Preferred | |

| Drug | Status | Notes |
|--|-----------|-------|
| BD LUER-LOK SYRINGE 10 ML , 18G X 1-1/2" 3 ML, 20G X 1" 1 ML, 20G X 1" 10 ML, 20G X 1" 3 ML, 20G X 1" 5 ML, 20G X 1-1/2" 10 ML, 20G X 1-1/2" 5 ML, 21G X 1" 10 ML, 21G X 1" 3 ML, 21G X 1" 5 ML, 21G X 1-1/2" 10 ML, 21G X 1-1/2" 3 ML, 21G X 1-1/2" 5 ML, 22G X 1" 10 ML, 22G X 1" 5 ML, 22G X 1-1/2" 3 ML, 22G X 1-1/2" 5 ML, 23G X 1" 3 ML, 23G X 1-1/2" 3 ML, 25G X 1" 3 ML, 25G X 1-1/2" 3 ML, 25G X 5/8" 3 ML, 26G X 5/8" 3 ML | Preferred | |
| BD PLASTIPAK SYRINGE 21G X 1" 3 ML, 3 ML | Preferred | |
| BD PRECISIONGLIDE NEEDLE 23G X 1-1/2" , 27G X 1-1/2" | Preferred | |
| BD SAFETYGLIDE NEEDLE 21G X 1" , 25G X 5/8" | Preferred | |
| BD SAFETYGLIDE SHIELDED NEEDLE 21G X 1-1/2" , 22G X 1-1/2" , 23G X 1" | Preferred | |
| BD SAFETYGLIDE SYRINGE/NEEDLE 27G X 5/8" 1 ML | Preferred | |
| BD SYRINGE DUAL CANNULA 10 ML | Preferred | |
| BD SYRINGE LUER SLIP TIP 5 ML | Preferred | |
| BD SYRINGE LUER-LOK 1 ML , 20 ML , 3 ML , 30 ML , 5 ML | Preferred | |
| BD SYRINGE SLIP TIP 1 ML , 10 ML , 25G X 5/8" 1 ML, 26G X 3/8" 1 ML, 26G X 5/8" 1 ML, 3 ML | Preferred | |
| BD TB SYRINGE 26G X 3/8" 1 ML | Preferred | |
| CAREPOINT SAFETY1ST SYR/NEEDLE 23G X 1" 1 ML, 23G X 1" 3 ML, 25G X 1" 1 ML, 25G X 1" 3 ML, 25G X 5/8" 3 ML | Preferred | |
| CAREPOINT SYRINGE LUER LOCK 20G X 1" 3 ML, 20G X 1-1/2" 3 ML, 22G X 1" 3 ML, 22G X 1-1/2" 3 ML, 23G X 1" 3 ML, 25G X 1" 3 ML | Preferred | |
| CARETOUCH HYPODERMIC NEEDLE 18G X 1-1/2" , 20G X 1" , 22G X 1" , 23G X 1" , 23G X 1-1/2" , 25G X 1" , 25G X 1-1/2" , 25G X 5/8" , 27G X 1-1/2" | Preferred | |
| CARETOUCH LUER LOCK 1 ML , 10 ML , 23G X 1" 3 ML, 3 ML , 5 ML | Preferred | |

| Drug | Status | Notes |
|--|-----------|-------|
| CARETOUCH LUER LOCK SYR/NEEDLE 22G X 1" 3 ML, 22G X 1-1/2" 3 ML, 23G X 1-1/2" 3 ML, 25G X 1" 3 ML, 25G X 1-1/2" 3 ML, 25G X 5/8" 3 ML | Preferred | |
| CARETOUCH LUER SLIP 1 ML , 10 ML , 5 ML | Preferred | |
| EASY GLIDE LUER LOCK SYRINGE 1 ML , 10 ML , 20 ML , 3 ML , 30 ML , 5 ML | Preferred | |
| EASY TOUCH ALLERGY SYRINGE 26G X 3/8" 1 ML, 27G X 1/2" 1 ML | Preferred | |
| EASY TOUCH FLIPLOCK NEEDLES 18G X 1" , 18G X 1-1/2" , 19G X 1" , 19G X 1-1/2" , 20G X 1" , 20G X 1-1/2" , 21G X 1" , 21G X 1-1/2" , 22G X 1" , 22G X 1-1/2" , 22G X 3/4" , 23G X 1" , 23G X 1-1/2" , 23G X 5/8" , 25G X 1" , 25G X 1-1/2" , 25G X 5/8" , 26G X 1/2" , 27G X 1" , 27G X 1/2" , 28G X 1/2" , 29G X 1/2" , 30G X 1/2" , 30G X 5/16" , 31G X 5/16" | Preferred | |
| EASY TOUCH FLIPLOCK SAFETY SYR 18G X 1" 10 ML, 18G X 1" 3 ML, 18G X 1" 5 ML, 18G X 1-1/2" 3 ML, 18G X 1.5" 10 ML, 19G X 1" 3 ML, 19G X 1.5" 3 ML, 25G X 1" 10 ML, 25G X 1" 5 ML, 25G X 5/8" 5 ML | Preferred | |
| EASY TOUCH HYPODERMIC NEEDLE 16G X 1" , 16G X 1-1/2" , 18G X 1.25" , 19G X 1" , 19G X 1-1/2" , 23G X 1-1/4" , 23G X 3/4" , 24G X 1" , 24G X 1.25" , 26G X 3/8" , 26G X 5/8" , 27G X 1-1/4" , 30G X 1" , 30G X 1/2" , 31G X 5/16" , 32G X 5/16" | Preferred | |
| EASY TOUCH SYRINGE BARREL 10ML | Preferred | |
| EASY TOUCH SYRINGE BARREL 1ML | Preferred | |
| EASY TOUCH SYRINGE BARREL 20 ML , 60 ML | Preferred | |
| EASY TOUCH SYRINGE BARREL 3ML | Preferred | |
| EASY TOUCH SYRINGE BARREL 5ML | Preferred | |
| EASY TOUCH TB FLIPLOCK SYRINGE 26G X 5/8" 1 ML, 28G X 1/2" 1 ML | Preferred | |
| EASY TOUCH TB SHEATHLOCK SYR 26G X 5/8" 1 ML | Preferred | |
| EASYPPOINT NEEDLE 18G X 1" , 18G X 1-1/2" , 20G X 1" , 20G X 1-1/2" , 21G X 1" , 21G X 1-1/2" , 22G X 1" , 22G X 1-1/2" , 23G X 1" , 25G X 1" , 25G X 1-1/2" , 25G X 5/8" | Preferred | |

| Drug | Status | Notes |
|---|-----------|-------|
| EASYPOINT NEEDLE/SYRINGE 18G X 1" 3 ML, 18G X 1-1/2" 3 ML | Preferred | |
| LUER LOCK SAFETY SYRINGES 21G X 1-1/2" 3 ML, 3 ML | Preferred | |
| MAGELLAN SYRINGE-SAFETY NEEDLE 23G X 1" 1 ML | Preferred | |
| MAGELLAN TUBERCULIN SYRINGE 27G X 1/2" 1 ML, 28G X 1/2" 1 ML | Preferred | |
| MONOJECT ALLERGIST TRAY KIT 27G X 1/2" 1 ML, 28G X 1/2" 0.5 ML, 28G X 1/2" 1 ML | Preferred | |
| MONOJECT BLUNTIP CANNULA 20G X 1-1/2" , 21G X 1" | Preferred | |
| MONOJECT BLUNTIP SYR/CANNULA 3 ML , 6 ML | Preferred | |
| MONOJECT CONTROL SYRINGE 12 ML | Preferred | |
| MONOJECT FILTER ASPIRATOR | Preferred | |
| MONOJECT HYPODERMIC NEEDLE 14G X 1" , 14G X 1-1/2" , 14G X 2" , 16G X 1" , 16G X 1-1/2" , 16G X 3/4" , 16G X 5/8" , 18G X 1" , 18G X 1-1/2" , 19G X 1" , 19G X 1-1/2" , 20G X 1" , 20G X 1-1/2" , 21G X 1" , 21G X 1-1/2" , 21G X 2" , 22G X 1" , 22G X 1-1/2" , 23G X 1" , 23G X 3/4" , 25G X 1" , 25G X 1-1/2" , 25G X 1-1/4" , 25G X 2" , 25G X 5/8" , 26G X 1-1/2" , 26G X 1/2" , 27G X 1-1/2" , 27G X 1-1/4" , 27G X 1/2" , 30G X 3/4" | Preferred | |
| MONOJECT INTRODUCER NEEDLE 18G X 1-1/4" | Preferred | |
| MONOJECT MAGELLAN SYRINGE 18G X 1" 6 ML, 20G X 1-1/2" 12 ML, 20G X 1-1/2" 3 ML, 20G X 1-1/2" 6 ML, 21G X 1" 12 ML, 21G X 1" 3 ML, 21G X 1" 6 ML, 21G X 1-1/2" 12 ML, 21G X 1-1/2" 3 ML, 21G X 1-1/2" 6 ML, 22G X 1-1/2" 12 ML, 22G X 1-1/2" 3 ML, 22G X 1-1/2" 6 ML, 25G X 5/8" 1 ML | Preferred | |
| MONOJECT PHARMACY TRAY 1 ML , 12 ML , 20 ML , 3 ML , 35 ML , 6 ML , 60 ML | Preferred | |
| MONOJECT PISTON SYRINGE 140 ML | Preferred | |
| MONOJECT SOFTPACK/CATHTIP 35 ML | Preferred | |
| MONOJECT SOFTPACK/LLOCK 20 ML , 35 ML , 60 ML | Preferred | |
| MONOJECT SOFTPACK/LTIP 20 ML | Preferred | |

| Drug | Status | Notes |
|---|-----------|-------|
| MONOJECT SOFTPACK/RG LOCK 35 ML | Preferred | |
| MONOJECT SOFTPACK/RG LUER 60 ML | Preferred | |
| MONOJECT SYRINGE 12 ML , 18G X 1" 12 ML, 20G X 1" 3 ML, 20G X 1-1/2" 12 ML, 20G X 1-1/2" 3 ML, 20G X 1-1/2" 6 ML, 20G X 3/4" 3 ML, 21G X 1" 3 ML, 21G X 1" 6 ML, 21G X 1-1/2" 3 ML, 21G X 1-1/2" 6 ML, 22G X 1" 3 ML, 22G X 1-1/2" 3 ML, 23G X 1" 3 ML, 25G X 1" 3 ML, 25G X 1-1/4" 3 ML, 25G X 5/8" 3 ML, 27G X 1-1/4" 3 ML, 3 ML , 6 ML | Preferred | |
| MONOJECT SYRINGE CATH TIP 35 ML , 60 ML | Preferred | |
| MONOJECT SYRINGE ECC LUER 20 ML , 35 ML | Preferred | |
| MONOJECT SYRINGE ECCENTRIC TIP 60 ML | Preferred | |
| MONOJECT SYRINGE LUER LOCK 20 ML , 35 ML , 6 ML , 60 ML | Preferred | |
| MONOJECT SYRINGE LUER-LOCK TIP 140 ML , 60 ML | Preferred | |
| MONOJECT SYRINGE PHARMACY TRAY 1 ML | Preferred | |
| MONOJECT SYRINGE REG LUER 12 ML , 20 ML , 3 ML , 35 ML , 6 ML | Preferred | |
| MONOJECT SYRINGE REGULAR TIP 20 ML , 3 ML , 6 ML , 60 ML | Preferred | |
| MONOJECT SYRINGE TOOMEY TYPE 60 ML | Preferred | |
| MONOJECT TB SYRINGE 1 ML , 25G X 5/8" 1 ML, 26G X 3/8" 1 ML, 28G X 1/2" 0.5 ML | Preferred | |
| NORM-JECT LUER LOCK SYRINGE 10 ML , 20 ML | Preferred | |
| NORM-JECT LUER SLIP SYRINGE 1 ML | Preferred | |
| PATIENT SAFE SYRINGE 10 ML , 20 ML , 3 ML , 30 ML , 5 ML , 60 ML | Preferred | |
| SECURESAFE HYPODERMIC NEEDLE 19G X 1" , 19G X 1-1/2" , 21G X 1-1/2" , 22G X 1" , 25G X 1-1/2" , 26G X 1/2" , 27G X 1/2" | Preferred | |

| Drug | Status | Notes |
|---|-----------|-------|
| SECURESAFE SYRINGE/NEEDLE 20G X 1" 3 ML, 20G X 1-1/2" 3 ML, 21G X 1-1/2" 3 ML, 22G X 1-1/2" 3 ML, 25G X 1-1/2" 1 ML, 25G X 5/8" 3 ML, 27G X 1/2" 1 ML | Preferred | |
| TECHLITE PEN NEEDLES 29G X 10MM | Preferred | |
| TECHLITE PEN NEEDLES 29G X 12MM | Preferred | |
| TECHLITE PEN NEEDLES 31G X 5 MM | Preferred | |
| TECHLITE PEN NEEDLES 31G X 6 MM | Preferred | |
| TECHLITE PEN NEEDLES 31G X 8 MM | Preferred | |
| TECHLITE PEN NEEDLES 32G X 4 MM | Preferred | |
| TECHLITE PEN NEEDLES 32G X 6 MM | Preferred | |
| TECHLITE PEN NEEDLES 32G X 8 MM | Preferred | |
| TRUEPLUS 5-BEVEL PEN NEEDLES 29G X 12.7MM | Preferred | |
| TRUEPLUS 5-BEVEL PEN NEEDLES 31G X 5 MM | Preferred | |
| TRUEPLUS 5-BEVEL PEN NEEDLES 31G X 6 MM | Preferred | |
| TRUEPLUS 5-BEVEL PEN NEEDLES 31G X 8 MM | Preferred | |
| TRUEPLUS 5-BEVEL PEN NEEDLES 32G X 4 MM | Preferred | |
| TRUEPLUS INSULIN SYRINGE 28G X 1/2" 0.5 ML | Preferred | |
| TRUEPLUS INSULIN SYRINGE 28G X 1/2" 1 ML | Preferred | |
| TRUEPLUS INSULIN SYRINGE 29G X 1/2" 0.3 ML | Preferred | |
| TRUEPLUS INSULIN SYRINGE 29G X 1/2" 0.5 ML | Preferred | |
| TRUEPLUS INSULIN SYRINGE 29G X 1/2" 1 ML | Preferred | |
| TRUEPLUS INSULIN SYRINGE 30G X 5/16" 0.3 ML | Preferred | |
| TRUEPLUS INSULIN SYRINGE 30G X 5/16" 0.5 ML | Preferred | |
| TRUEPLUS INSULIN SYRINGE 30G X 5/16" 1 ML | Preferred | |
| TRUEPLUS INSULIN SYRINGE 31G X 5/16" 0.3 ML | Preferred | |

| Drug | Status | Notes |
|---|-----------|-------|
| TRUEPLUS INSULIN SYRINGE 31G X 5/16" 0.5 ML | Preferred | |
| TRUEPLUS INSULIN SYRINGE 31G X 5/16" 1 ML | Preferred | |
| ULTICARE SYRINGE 22G X 1-1/2" 1 ML, 22G X 1-1/2" 3 ML | Preferred | |
| ULTICARE TUBERCULIN SAFETY SYR 25G X 1" 1 ML, 27G X 1/2" 1 ML, 27G X 5/8" 1 ML, 28G X 1/2" 1 ML | Preferred | |
| ULTICARE TUBERCULIN SAFETY SYR 27G X 1/2" 1 ML | Preferred | |
| VANISHPOINT ALLERGY TRAY KIT 27G X 1/2" 1 ML | Preferred | |
| VANISHPOINT SAFETY SYRINGE 21G X 1" 5 ML, 22G X 1-1/2" 5 ML | Preferred | |
| VANISHPOINT SYRINGE 21G X 1" 3 ML, 21G X 1-1/2" 10 ML, 21G X 1-1/2" 5 ML, 22G X 1" 3 ML, 23G X 1" 3 ML, 23G X 1-1/2" 3 ML, 25G X 1" 1 ML, 25G X 1" 3 ML, 25G X 1-1/2" 3 ML | Preferred | |
| VANISHPOINT TUBERCULIN SYRINGE 25G X 5/8" 1 ML, 27G X 1/2" 1 ML | Preferred | |
| YALE DISP NEEDLES 21G X 1-1/4" | Preferred | |
| caretouch catheter tip syringe 60 ml | Preferred | |
| crono syringe 19g x 1-1/2" 10 ml, 19g x 1-1/2" 20 ml | Preferred | |
| easy glide cath tip syringe 60 ml | Preferred | |
| hypodermic needle 18g x 1" , 20g x 1-1/2" , 21g x 1" , 21g x 1-1/2" , 22g x 1-1/2" , 26g x 1/2" , 27g x 1-1/2" , 27g x 1/2" | Preferred | |
| poly hub needle 18g x 1" , 18g x 1-1/2" , 21g x 1" , 21g x 1-1/2" , 22g x 1" , 22g x 1-1/2" , 23g x 1" , 23g x 1-1/2" , 25g x 1" , 25g x 1-1/2" , 25g x 5/8" , 27g x 1-1/4" , 27g x 1/2" , 30g x 1/2" | Preferred | |
| syringe disposable 10 ml | Preferred | |
| syringe eccentric tip 10 ml | Preferred | |
| syringe luer lock 10 ml , 20 ml , 20g x 1" 10 ml, 20g x 1" 5 ml, 20g x 1-1/2" 10 ml, 20g x 1-1/2" 5 ml, 21g x 1" 10 ml, 21g x 1" 5 ml, 22g x 1" 10 ml, 22g x 1" 3 ml, 22g x 1-1/2" 10 ml, 30 ml , 60 ml | Preferred | |
| syringe luer slip 1 ml , 25g x 5/8" 1 ml, 26g x 3/8" 1 ml, 3 ml , 35 ml , 60 ml | Preferred | |

| Drug | Status | Notes |
|--|-----------|-------|
| syringe/hypodermic safety 18g x 1" 12 ml | Preferred | |
| techlite insulin syringe 29g x 1/2" 0.3 ml | Preferred | |
| techlite insulin syringe 29g x 1/2" 0.5 ml | Preferred | |
| techlite insulin syringe 29g x 1/2" 1 ml | Preferred | |
| techlite insulin syringe 30g x 1/2" 0.5 ml | Preferred | |
| techlite insulin syringe 30g x 1/2" 1 ml | Preferred | |
| techlite insulin syringe 30g x 5/16" 0.3 ml | Preferred | |
| techlite insulin syringe 30g x 5/16" 0.5 ml | Preferred | |
| techlite insulin syringe 31g x 15/64" 0.3 ml | Preferred | |
| techlite insulin syringe 31g x 15/64" 0.5 ml | Preferred | |
| techlite insulin syringe 31g x 15/64" 1 ml | Preferred | |
| techlite insulin syringe 31g x 5/16" 0.3 ml | Preferred | |
| techlite insulin syringe 31g x 5/16" 0.5 ml | Preferred | |
| techlite insulin syringe 31g x 5/16" 1 ml | Preferred | |
| toomey syringe 70 ml | Preferred | |

Peak Flow Meters - Medical Supplies And Durable Medical Equipment**

| | | |
|---------------------------------------|-----------|------------------------|
| AIRZONE PEAK FLOW METER DEVICE | Preferred | QL (1 EA per 292 days) |
| ASSESS PEAK FLOW METER DEVICE | Preferred | QL (1 EA per 292 days) |
| CLEVER CHOICE PEAK FLOW METER DEVICE | Preferred | QL (1 EA per 292 days) |
| MICROLIFE DIGITAL PEAK FLOW DEVICE | Preferred | QL (1 EA per 292 days) |
| MINI WRIGHT PEAK FLOW METER DEVICE | Preferred | QL (1 EA per 292 days) |
| PEAK AIR PEAK FLOW METER DEVICE | Preferred | QL (1 EA per 292 days) |
| PERSONAL BEST FULL RANGE DEVICE | Preferred | QL (1 EA per 292 days) |
| PIKO 1 DEVICE | Preferred | QL (1 EA per 292 days) |
| POCKET PEAK FLOW METER DEVICE | Preferred | QL (1 EA per 292 days) |
| POCKETPEAK PEAK FLOW METER DEVICE | Preferred | QL (1 EA per 292 days) |
| TRUZONE PEAK FLOW METER DEVICE | Preferred | QL (1 EA per 292 days) |
| breathe ease peak flow meter device | Preferred | QL (1 EA per 292 days) |
| lung perform peak flow meter device | Preferred | QL (1 EA per 292 days) |
| peak a-i-r flow meter device | Preferred | QL (1 EA per 292 days) |
| peak flow meter universal rang device | Preferred | QL (1 EA per 292 days) |
| pure comfort flow meter adult device | Preferred | QL (1 EA per 292 days) |
| pure comfort flow meter child device | Preferred | QL (1 EA per 292 days) |

| Drug | Status | Notes |
|--|-----------|------------------------|
| *Respiratory Therapy Supplies*** - Medical Supplies And Durable Medical Equipment | | |
| ACE AEROSOL CLOUD ENHANCER | Preferred | QL (1 EA per 292 days) |
| ACTIVITY POUCH | Preferred | QL (1 EA per 292 days) |
| AEROTRACH PLUS | Preferred | QL (1 EA per 292 days) |
| AIRS PEDIATRIC AEROSOL MASK | Preferred | QL (1 EA per 292 days) |
| ALL FLOW 1000 PFT FILTER | Preferred | QL (1 EA per 292 days) |
| BUBBLES THE FISH II PEDI MASK | Preferred | QL (1 EA per 292 days) |
| CARETOUCH 2 CPAP HOSE HANGER | Preferred | QL (1 EA per 292 days) |
| CARETOUCH CPAP & BIPAP HOSE | Preferred | QL (1 EA per 292 days) |
| CARETOUCH CPAP MASK WIPES | Preferred | QL (1 EA per 292 days) |
| CARETOUCH CPAP PRE-WASH SOLN | Preferred | QL (1 ML per 292 days) |
| CARETOUCH CPAP TUBE BRUSH | Preferred | QL (1 EA per 292 days) |
| CARETOUCH UNIVERSL CPAP FILTER | Preferred | QL (1 EA per 292 days) |
| EASY FLOW 300 MM HOSE | Preferred | QL (1 EA per 292 days) |
| EASY FLOW 400 MM HOSE | Preferred | QL (1 EA per 292 days) |
| EASY FLOW AIR NOZZLE | Preferred | QL (1 EA per 292 days) |
| EASY FLOW HEPA FILTER | Preferred | QL (1 EA per 292 days) |
| EBASE CONTROLLER KIT | Preferred | QL (1 EA per 292 days) |
| FLYP HYPERSONIQ CARTRIDGE | Preferred | QL (1 EA per 292 days) |
| HUDSON RCI AEROSOL MASK ADULT | Preferred | QL (1 EA per 292 days) |
| MINIELITE FILTER REPLACEMENTS | Preferred | QL (1 EA per 292 days) |
| PARI ALTERA NEBULIZER HANDSET | Preferred | QL (1 EA per 292 days) |
| PARI BABY CONVERSION KIT | Preferred | QL (1 EA per 292 days) |
| PARI ERAPID NEBULIZER HANDSET | Preferred | QL (1 EA per 292 days) |
| PARI EXPIRATORY FILTER SET DEVICE | Preferred | QL (1 EA per 292 days) |
| PARI MASK SET | Preferred | QL (1 EA per 292 days) |
| PARI SMARTMASK BABY/ELBOW | Preferred | QL (1 EA per 292 days) |
| PARI SOFT PLASTIC ADULT MASK | Preferred | QL (1 EA per 292 days) |
| PARI SOFT PLASTIC PED MASK | Preferred | QL (1 EA per 292 days) |
| PFLEX | Preferred | QL (1 EA per 292 days) |
| PRONEB ULTRA FILTER SET | Preferred | QL (1 EA per 292 days) |
| SIDESTREAM ADULT FACE MASK | Preferred | QL (1 EA per 292 days) |
| SIDESTREAM PEDIATRIC FACE MASK | Preferred | QL (1 EA per 292 days) |
| SIDESTREAM PLS ADULT FACE MASK | Preferred | QL (1 EA per 292 days) |
| THRESHOLD IMT | Preferred | QL (1 EA per 292 days) |
| WINDMILL TRAINER | Preferred | QL (1 EA per 292 days) |

| Drug | Status | Notes |
|-------------------------------|-----------|------------------------|
| adult aerosol mask | Preferred | QL (1 EA per 292 days) |
| adult mask large | Preferred | QL (1 EA per 292 days) |
| breathe ease neb mask/child | Preferred | QL (1 EA per 292 days) |
| breathe ease neb mask/infant | Preferred | QL (1 EA per 292 days) |
| co monitor replacement pieces | Preferred | QL (1 EA per 292 days) |
| filter air pp | Preferred | QL (1 EA per 292 days) |
| full kit nebulizer set | Preferred | QL (1 EA per 292 days) |
| nebulizer air tube/plugs | Preferred | QL (1 EA per 292 days) |
| nebulizer mask adult | Preferred | QL (1 EA per 292 days) |
| nebulizer mask child | Preferred | QL (1 EA per 292 days) |
| nose clip | Preferred | QL (1 EA per 292 days) |
| pediatric mouthpiece | Preferred | QL (1 EA per 292 days) |
| pharmacist choice mask wipes | Preferred | QL (1 EA per 292 days) |
| pillow mask/adult | Preferred | QL (1 EA per 292 days) |
| pillow mask/child | Preferred | QL (1 EA per 292 days) |
| pillow mask/pediatric | Preferred | QL (1 EA per 292 days) |
| replacement air filter | Preferred | QL (1 EA per 292 days) |
| replacement filters | Preferred | QL (1 EA per 292 days) |
| silicone mask/adult | Preferred | QL (1 EA per 292 days) |
| silicone mask/infant | Preferred | QL (1 EA per 292 days) |
| silicone mask/pediatric | Preferred | QL (1 EA per 292 days) |
| sootheneb nbl 100 child mask | Preferred | QL (1 EA per 292 days) |
| sootheneb nbl 100 med cup | Preferred | QL (1 EA per 292 days) |
| sootheneb nbl 100 mesh cap | Preferred | QL (1 EA per 292 days) |
| tubing/wing tip | Preferred | QL (1 EA per 292 days) |

Spacer/Aerosol-Holding Chambers & Supplies - Medical Supplies And Durable Medical Equipment**

| | | |
|---------------------------------|-----------|------------------------|
| AEROCHAMBER MINI CHAMBER DEVICE | Preferred | QL (2 EA per 292 days) |
| AEROCHAMBER MV | Preferred | QL (2 EA per 292 days) |
| AEROCHAMBER PLUS FLO-VU | Preferred | QL (2 EA per 292 days) |
| AEROCHAMBER PLUS FLO-VU LARGE | Preferred | QL (2 EA per 292 days) |
| AEROCHAMBER PLUS FLO-VU MEDIUM | Preferred | QL (2 EA per 292 days) |
| AEROCHAMBER PLUS FLO-VU SMALL | Preferred | QL (2 EA per 292 days) |
| AEROCHAMBER PLUS FLO-VU W/MASK | Preferred | QL (2 EA per 292 days) |

| Drug | Status | Notes |
|---------------------------------------|-----------|------------------------|
| AEROCHAMBER W/FLOWSIGNAL | Preferred | QL (2 EA per 292 days) |
| AEROCHAMBER Z-STAT PLUS CHAMBR | Preferred | QL (2 EA per 292 days) |
| AEROVENT PLUS DEVICE | Preferred | QL (2 EA per 292 days) |
| CLEVER CHOICE HOLDING CHAMBER DEVICE | Preferred | QL (2 EA per 292 days) |
| COMPACT SPACE CHAMBER DEVICE | Preferred | QL (2 EA per 292 days) |
| COMPACT SPACE CHAMBER/LG MASK DEVICE | Preferred | QL (2 EA per 292 days) |
| COMPACT SPACE CHAMBER/MED MASK DEVICE | Preferred | QL (2 EA per 292 days) |
| COMPACT SPACE CHAMBER/SM MASK DEVICE | Preferred | QL (2 EA per 292 days) |
| EASIVENT | Preferred | QL (2 EA per 292 days) |
| EASIVENT MASK LARGE | Preferred | QL (2 EA per 292 days) |
| EASIVENT MASK MEDIUM | Preferred | QL (2 EA per 292 days) |
| EASIVENT MASK SMALL | Preferred | QL (2 EA per 292 days) |
| FLEXICHAMBER DEVICE | Preferred | QL (2 EA per 292 days) |
| INSPIRACHAMBER/LARGE DEVICE | Preferred | QL (2 EA per 292 days) |
| INSPIRACHAMBER/MEDIUM DEVICE | Preferred | QL (2 EA per 292 days) |
| INSPIRACHAMBER/MOUTHPIECE DEVICE | Preferred | QL (2 EA per 292 days) |
| INSPIRACHAMBER/SMALL DEVICE | Preferred | QL (2 EA per 292 days) |
| INSPIREASE | Preferred | QL (2 EA per 292 days) |
| MICROCHAMBER DEVICE | Preferred | QL (2 EA per 292 days) |
| MICROSPACER | Preferred | QL (2 EA per 292 days) |
| OPTICHAMBER DIAMOND-SM MASK | Preferred | QL (2 EA per 292 days) |
| PARI VORTEX ADULT MASK | Preferred | QL (1 EA per 292 days) |
| POCKET CHAMBER DEVICE | Preferred | QL (2 EA per 292 days) |
| POCKET SPACER DEVICE | Preferred | QL (2 EA per 292 days) |
| RITEFLO DEVICE | Preferred | QL (2 EA per 292 days) |
| VORTEX HOLD CHMBR/MASK/CHILD DEVICE | Preferred | |
| VORTEX VALVED HOLDING CHAMBER DEVICE | Preferred | QL (2 EA per 292 days) |
| breathe comfort chamber/adult device | Preferred | QL (2 EA per 292 days) |
| breathe comfort chamber/child device | Preferred | QL (2 EA per 292 days) |
| breathe ease large device | Preferred | QL (2 EA per 292 days) |
| breathe ease medium device | Preferred | QL (2 EA per 292 days) |

| Drug | Status | Notes |
|---------------------------------------|-----------|------------------------|
| breathe ease small device | Preferred | QL (2 EA per 292 days) |
| eq space chamber anti-static device | Preferred | QL (2 EA per 292 days) |
| eq space chamber anti-static l device | Preferred | QL (2 EA per 292 days) |
| eq space chamber anti-static m device | Preferred | QL (2 EA per 292 days) |
| eq space chamber anti-static s device | Preferred | QL (2 EA per 292 days) |
| pro comfort spacer adult | Preferred | QL (2 EA per 292 days) |
| pro comfort spacer child | Preferred | QL (2 EA per 292 days) |
| pro comfort spacer infant device | Preferred | QL (2 EA per 292 days) |
| procare spacer/adult mask device | Preferred | QL (2 EA per 292 days) |
| procare spacer/child mask device | Preferred | QL (2 EA per 292 days) |
| pure comfort spacer chamber device | Preferred | QL (2 EA per 292 days) |

***Migraine Products* - Drugs For The Nervous System**

***Calcitonin Gene-Related Peptide Receptor**

Antag (Cgrp)* - Drugs For Migraine Headaches**

| | | |
|---|---------------|----|
| NURTEC ORAL TABLET DISPERSIBLE 75 MG | Non Preferred | PA |
| QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG | Non Preferred | PA |
| UBRELVY ORAL TABLET 100 MG, 50 MG | Preferred | PA |
| ZAVZPRET NASAL SOLUTION 10 MG/ACT | Non Preferred | PA |

Cgrp Receptor Antagonists - Monocolonal Antibodies - Drugs For Migraine Headaches**

| | | |
|--|---------------|--------|
| AIMOVIG SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML, 70 MG/ML | Preferred | PA |
| AJOVY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 225 MG/1.5ML | Preferred | PA |
| AJOVY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 225 MG/1.5ML | Preferred | PA |
| EMGALITY (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML | Preferred | PA |
| EMGALITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 120 MG/ML | Preferred | PA |
| EMGALITY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 120 MG/ML | Preferred | PA |
| VYEPTI INTRAVENOUS SOLUTION 100 MG/ML | Non Preferred | PA; SP |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| *Ergot Combinations*** - Drugs For Migraine Headaches | | |
| CAFERGOT ORAL TABLET 1-100 MG | Non Preferred | PA; QL (6 EA per 1 day) |
| MIGERGOT RECTAL SUPPOSITORY 2-100 MG | Preferred | |
| ergotamine-caffeine oral tablet 1-100 mg | Preferred | QL (6 EA per 1 day) |
| *Migraine Combinations*** - Drugs For Migraine Headaches | | |
| MIGRANOW COMBINATION THERAPY PACK 50 & 4-10 MG & % | Non Preferred | PA |
| *Migraine Products - Cyclooxygenase 2 (Cox-2) Inhibitors*** - Drugs For Migraine Headaches | | |
| ELYXYB ORAL SOLUTION 120 MG/4.8ML | Preferred | PA |
| *Migraine Products - Nsaids*** - Drugs For Migraine Headaches | | |
| CAMBIA ORAL PACKET 50 MG | Preferred | PA |
| diclofenac potassium(migraine) oral packet 50 mg | Preferred | PA |
| *Migraine Products*** - Drugs For Migraine Headaches | | |
| ERGOMAR SUBLINGUAL TABLET SUBLINGUAL 2 MG | Preferred | |
| MIGRALAN NASAL SOLUTION 4 MG/ML | Non Preferred | PA |
| TRUDHESA NASAL AEROSOL SOLUTION 0.725 MG/ACT | Non Preferred | PA |
| dihydroergotamine mesylate injection solution 1 mg/ml | Preferred | PA |
| dihydroergotamine mesylate nasal solution 4 mg/ml | Preferred | PA |
| *Selective Serotonin Agonist-Nsaid Combinations*** - Drugs For Migraine Headaches | | |
| TREXIMET ORAL TABLET 85-500 MG | Non Preferred | PA |
| sumatriptan-naproxen sodium oral tablet 85-500 mg | Non Preferred | PA |
| *Selective Serotonin Agonists 5-HT(1)*** - Drugs For Migraine Headaches | | |
| FROVA ORAL TABLET 2.5 MG | Non Preferred | PA |
| IMITREX NASAL SOLUTION 20 MG/ACT, 5 MG/ACT | Preferred | QL (12 EA per 24 days) |

| Drug | Status | Notes |
|---|---------------|----------------------------|
| IMITREX ORAL TABLET 100 MG, 25 MG, 50 MG | Non Preferred | PA; QL (12 EA per 24 days) |
| IMITREX STATDOSE REFILL SUBCUTANEOUS SOLUTION CARTRIDGE 4 MG/0.5ML, 6 MG/0.5ML | Non Preferred | PA; QL (4 ML per 24 days) |
| IMITREX STATDOSE SYSTEM SUBCUTANEOUS SOLUTION AUTO-INJECTOR 4 MG/0.5ML, 6 MG/0.5ML | Non Preferred | PA; QL (4 ML per 24 days) |
| MAXALT ORAL TABLET 10 MG | Non Preferred | PA; QL (12 EA per 24 days) |
| MAXALT-MLT ORAL TABLET DISPERSIBLE 10 MG | Non Preferred | PA; QL (12 EA per 24 days) |
| ONZETRA XSAIL NASAL EXHALER POWDER 11 MG/NOSEPC | Non Preferred | PA |
| RELPAX ORAL TABLET 20 MG, 40 MG | Non Preferred | PA |
| TOSYMRA NASAL SOLUTION 10 MG/ACT | Non Preferred | PA |
| ZEMBRACE SYMTOUCH SUBCUTANEOUS SOLUTION AUTO-INJECTOR 3 MG/0.5ML | Non Preferred | PA |
| ZOMIG NASAL SOLUTION 2.5 MG, 5 MG | Non Preferred | PA |
| ZOMIG ORAL TABLET 2.5 MG, 5 MG | Non Preferred | PA |
| almotriptan malate oral tablet 12.5 mg, 6.25 mg | Non Preferred | PA |
| eletriptan hydrobromide oral tablet 20 mg, 40 mg | Non Preferred | PA |
| frovatriptan succinate oral tablet 2.5 mg | Non Preferred | PA |
| naratriptan hcl oral tablet 1 mg, 2.5 mg | Preferred | QL (12 EA per 24 days) |
| rizatriptan benzoate oral tablet 10 mg, 5 mg | Preferred | QL (12 EA per 24 days) |
| rizatriptan benzoate oral tablet dispersible 10 mg, 5 mg | Preferred | QL (12 EA per 24 days) |
| sumatriptan nasal solution 20 mg/act, 5 mg/act | Preferred | QL (12 EA per 24 days) |
| sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg | Preferred | QL (12 EA per 24 days) |
| sumatriptan succinate refill subcutaneous solution cartridge 4 mg/0.5ml, 6 mg/0.5ml | Non Preferred | PA; QL (4 ML per 24 days) |
| sumatriptan succinate subcutaneous solution 6 mg/0.5ml | Preferred | QL (4 ML per 24 days) |
| sumatriptan succinate subcutaneous solution auto-injector 4 mg/0.5ml, 6 mg/0.5ml | Non Preferred | PA; QL (4 ML per 24 days) |
| zolmitriptan nasal solution 2.5 mg, 5 mg | Non Preferred | PA |
| zolmitriptan oral tablet 2.5 mg, 5 mg | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|-------|
| zolmitriptan oral tablet dispersible 2.5 mg, 5 mg | Non Preferred | PA |
| *Selective Serotonin Agonists 5-HT(1F)*** - Drugs For Migraine Headaches | | |
| REYVOW ORAL TABLET 100 MG, 50 MG | Non Preferred | PA |
| *Minerals & Electrolytes* - Drugs For Nutrition | | |
| *Calcium Combinations*** - Drugs For Nutrition | | |
| CAL-QUICK ORAL LIQUID 500-10 MG-MCG/5ML | Preferred | PA |
| OS-CAL CALCIUM + D3 ORAL TABLET 500-5 MG-MCG | Preferred | |
| OYSCO 500+D ORAL TABLET 500-5 MG-MCG | Preferred | |
| RA HI CAL ORAL TABLET 500-5 MG-MCG | Preferred | |
| calcium + vitamin d3 oral tablet 500-5 mg-mcg, 600-10 mg-mcg, 600-5 mg-mcg | Preferred | |
| calcium 500 + d oral tablet 500-5 mg-mcg | Preferred | |
| calcium 500 + d3 oral tablet 500-5 mg-mcg | Preferred | |
| calcium 500/d oral tablet 500-5 mg-mcg | Preferred | |
| calcium 500+d high potency oral tablet 500-10 mg-mcg | Preferred | |
| calcium 500+d oral tablet 500-10 mg-mcg, 500-5 mg-mcg | Preferred | |
| calcium 500+d3 oral tablet 500-10 mg-mcg, 500-5 mg-mcg | Preferred | |
| calcium 600 + d oral tablet 600-5 mg-mcg | Preferred | |
| calcium 600 +d high potency oral tablet 600-10 mg-mcg | Preferred | |
| calcium 600/vitamin d oral tablet 600-10 mg-mcg | Preferred | |
| calcium 600/vitamin d oral tablet chewable 600-10 mg-mcg | Preferred | PA |
| calcium 600+d high potency oral tablet 600-10 mg-mcg | Preferred | |
| calcium 600+d oral tablet 600-10 mg-mcg, 600-5 mg-mcg | Preferred | |
| calcium 600+d plus minerals oral tablet chewable 600-400 mg-unit | Preferred | |

| Drug | Status | Notes |
|---|-----------|-------|
| calcium 600+d3 oral tablet 600-10 mg-mcg, 600-5 mg-mcg | Preferred | |
| calcium carb-cholecalciferol oral tablet 500-10 mg-mcg, 500-5 mg-mcg, 600-10 mg-mcg, 600-5 mg-mcg | Preferred | |
| calcium carb-cholecalciferol oral tablet chewable 500-10 mg-mcg | Preferred | |
| calcium carbonate-vitamin d oral tablet 600-5 mg-mcg | Preferred | |
| calcium creamies oral tablet chewable 600-10 mg-mcg | Preferred | PA |
| calcium high potency/vitamin d oral tablet 600-5 mg-mcg | Preferred | |
| calcium plus vitamin d oral tablet 500-5 mg-mcg | Preferred | |
| calcium+d3 oral tablet 500-10 mg-mcg | Preferred | |
| calcium-vitamin d-minerals oral tablet chewable 600-400 mg-unit | Preferred | |
| eq calcium 500+d oral tablet 500-5 mg-mcg | Preferred | |
| eql calcium/vitamin d oral tablet 600-10 mg-mcg | Preferred | |
| kp calcium 600+d oral tablet 600-10 mg-mcg | Preferred | |
| oyster calcium/d3 oral tablet 500-5 mg-mcg | Preferred | |
| oyster shell calcium + d oral tablet 500-10 mg-mcg, 500-5 mg-mcg | Preferred | |
| oyster shell calcium + d3 oral tablet 500-10 mg-mcg | Preferred | |
| oyster shell calcium 500+d oral tablet chewable 500-10 mg-mcg | Preferred | |
| oyster shell calcium oral tablet 500-10 mg-mcg | Preferred | |
| oyster shell calcium plus d oral tablet 500-5 mg-mcg | Preferred | |
| oyster shell calcium w/d oral tablet 500-5 mg-mcg | Preferred | |
| oyster shell calcium/d oral tablet 500-10 mg-mcg, 500-5 mg-mcg | Preferred | |
| oyster shell calcium/d3 oral tablet 500-10 mg-mcg, 500-5 mg-mcg | Preferred | |
| oyster shell calcium/vit d oral tablet 500-5 mg-mcg | Preferred | |
| oyster shell calcium/vit d3 oral tablet 500-5 mg-mcg | Preferred | |

| Drug | Status | Notes |
|--|-----------|---------------------|
| oyster shell calcium/vitamin d oral tablet 500-5 mg-mcg | Preferred | |
| px calcium&d oral tablet 600-10 mg-mcg | Preferred | |
| qc calcium 500mg-d3 oral tablet 500-5 mg-mcg | Preferred | |
| ra calcium 600/vit d/minerals oral tablet chewable 600-400 mg-unit | Preferred | |
| ra calcium 600/vitamin d-3 oral tablet 600-10 mg-mcg | Preferred | |
| ra calcium plus vitamin d oral tablet 600-10 mg-mcg, 600-5 mg-mcg | Preferred | |
| ra calcium plus vitamin d3 oral tablet 600-10 mg-mcg | Preferred | |
| sb calcium + d oral tablet 600-5 mg-mcg | Preferred | |
| sm calcium 500/vitamin d3 oral tablet 500-10 mg-mcg | Preferred | |
| sm calcium 600/vitamin d oral tablet 600-10 mg-mcg | Preferred | |
| sm calcium/vitamin d oral tablet 500-5 mg-mcg | Preferred | |
| sm calcium-vitamin d oral tablet 500-5 mg-mcg, 600-10 mg-mcg | Preferred | |
| sm oyster shell calcium/vit d oral tablet 500-10 mg-mcg | Preferred | |
| sm oyster shell calcium/vit d3 oral tablet 500-10 mg-mcg | Preferred | |
| super calcium 600 + d 400 oral tablet 600-10 mg-mcg | Preferred | |
| super calcium 600 + d3 oral tablet 600-10 mg-mcg | Preferred | |
| *Calcium*** - Drugs For Nutrition | | |
| calcium 600 high potency oral tablet 600 mg | Preferred | |
| calcium 600 oral tablet 1500 (600 ca) mg, 600 mg | Preferred | |
| calcium carbonate oral tablet 1250 (500 ca) mg, 1500 (600 ca) mg, 600 mg | Preferred | |
| calcium carbonate oral tablet chewable 1250 (500 ca) mg | Preferred | QL (2 EA per 1 day) |
| calcium high potency oral tablet 1500 (600 ca) mg | Preferred | |
| calcium oral tablet 500 mg | Preferred | |
| calcium oyster shell oral tablet 1250 (500 ca) mg, 500 mg | Preferred | |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| cvs calcium carbonate oral tablet 1250 (500 ca) mg | Preferred | |
| cvs calcium oral tablet 600 mg | Preferred | |
| gnp calcium oral tablet 1500 (600 ca) mg | Preferred | |
| hm calcium oral tablet 1500 (600 ca) mg | Preferred | |
| oyster calcium oral tablet 500 mg | Preferred | |
| oyster shell calcium oral tablet 500 mg | Preferred | |
| pure calcium carbonate oral tablet 1500 (600 ca) mg | Preferred | |
| qc calcium fast dissolution oral tablet 1500 (600 ca) mg | Preferred | |
| ra calcium 600 oral tablet 1500 (600 ca) mg | Preferred | |
| ra calcium high potency oral tablet 600 mg | Preferred | |
| ra calcium oral tablet 500 mg | Preferred | |
| sb oyster shell calcium oral tablet 500 mg | Preferred | |
| super calcium oral tablet 1500 (600 ca) mg | Preferred | |
| *Fluoride*** - Drugs For Nutrition | | |
| NAFRINSE DROPS ORAL SOLUTION 0.275 (0.125 F) MG/DROP | Preferred | QL (2 ML per 1 day) |
| NAFRINSE ORAL TABLET CHEWABLE 2.2 (1 F) MG | Preferred | QL (1 EA per 1 day) |
| fluoritab oral solution 0.275 (0.125 f) mg/drop | Preferred | |
| sodium fluoride oral solution 1.1 (0.5 f) mg/ml | Preferred | QL (50 ML per 24 days) |
| sodium fluoride oral tablet 1.1 (0.5 f) mg, 2.2 (1 f) mg | Preferred | |
| sodium fluoride oral tablet chewable 0.55 (0.25 f) mg, 1.1 (0.5 f) mg, 2.2 (1 f) mg | Preferred | QL (1 EA per 1 day) |
| *Phosphate*** - Drugs For Nutrition | | |
| K-PHOS ORAL TABLET 500 MG | Preferred | QL (8 EA per 1 day) |
| K-PHOS-NEUTRAL ORAL TABLET 155-852-130 MG | Non Preferred | PA; QL (8 EA per 1 day) |
| PHOSPHA 250 NEUTRAL ORAL TABLET 155-852-130 MG | Preferred | QL (8 EA per 1 day) |
| PHOSPHO-TRIN 250 NEUTRAL ORAL TABLET 155-852-130 MG | Preferred | QL (8 EA per 1 day) |
| PHOSPHO-TRIN K500 ORAL TABLET 500 MG | Preferred | QL (8 EA per 1 day) |
| phosphorous oral tablet 155-852-130 mg | Preferred | QL (8 EA per 1 day) |
| wes-phos 250 neutral oral tablet 155-852-130 mg | Preferred | |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| *Potassium Combinations*** - Drugs For Nutrition | | |
| EFFER-K ORAL TABLET EFFERVESCENT 10 MEQ, 20 MEQ | Preferred | |
| *Potassium*** - Drugs For Nutrition | | |
| EFFER-K ORAL TABLET EFFERVESCENT 25 MEQ | Non Preferred | PA; QL (4 EA per 1 day) |
| KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ | Preferred | QL (4 EA per 1 day) |
| KLOR-CON M10 ORAL TABLET EXTENDED RELEASE 10 MEQ | Preferred | QL (4 EA per 1 day) |
| KLOR-CON M15 ORAL TABLET EXTENDED RELEASE 15 MEQ | Preferred | QL (6 EA per 1 day) |
| KLOR-CON M20 ORAL TABLET EXTENDED RELEASE 20 MEQ | Preferred | QL (5 EA per 1 day) |
| KLOR-CON ORAL PACKET 20 MEQ | Non Preferred | PA |
| KLOR-CON ORAL TABLET EXTENDED RELEASE 8 MEQ | Preferred | QL (4 EA per 1 day) |
| KLOR-CON/EF ORAL TABLET EFFERVESCENT 25 MEQ | Non Preferred | PA; QL (4 EA per 1 day) |
| K-PRIME ORAL TABLET EFFERVESCENT 25 MEQ | Non Preferred | PA; QL (4 EA per 1 day) |
| K-TAB ORAL TABLET EXTENDED RELEASE 10 MEQ | Non Preferred | PA; QL (4 EA per 1 day) |
| K-TAB ORAL TABLET EXTENDED RELEASE 20 MEQ | Non Preferred | PA |
| POKONZA ORAL PACKET 10 MEQ | Non Preferred | PA |
| potassium acetate intravenous solution 2 meq/ml | Preferred | PA |
| potassium chloride crys er oral tablet extended release 10 meq | Preferred | QL (4 EA per 1 day) |
| potassium chloride crys er oral tablet extended release 15 meq | Preferred | QL (6 EA per 1 day) |
| potassium chloride crys er oral tablet extended release 20 meq | Preferred | QL (5 EA per 1 day) |
| potassium chloride er oral capsule extended release 10 meq, 8 meq | Preferred | QL (4 EA per 1 day) |
| potassium chloride er oral tablet extended release 10 meq, 8 meq | Preferred | QL (4 EA per 1 day) |
| potassium chloride er oral tablet extended release 20 meq | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|--------|
| potassium chloride intravenous solution 10 meq/100ml, 10 meq/50ml, 2 meq/ml, 20 meq/100ml, 20 meq/50ml, 40 meq/100ml | Preferred | PA |
| potassium chloride intravenous solution prefilled syringe 100 meq/50ml | Preferred | PA |
| potassium chloride oral packet 20 meq | Non Preferred | PA |
| potassium chloride oral solution 10 %, 20 meq/15ml (10%) | Preferred | |
| potassium chloride oral solution 40 meq/15ml (20%) | Preferred | PA |
| *Miscellaneous Therapeutic Classes* - Vitamins And Minerals | | |
| *Activated Phosphoinositide 3-Kinase Delta Syndrome Agent*** - Vitamins And Minerals | | |
| JOENJA ORAL TABLET 70 MG | Carve Out | |
| *Allogeneic Thymus Tissue*** - Vitamins And Minerals | | |
| RETHYMIC INTRAMUSCULAR IMPLANT | Carve Out | |
| *Antileprotics*** - Vitamins And Minerals | | |
| THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG | Preferred | PA; SP |
| *B-Lymphocyte Stimulator (Blys)-Specific Inhibitors*** - Vitamins And Minerals | | |
| BENLYSTA INTRAVENOUS SOLUTION RECONSTITUTED 120 MG, 400 MG | Preferred | PA; SP |
| BENLYSTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/ML | Preferred | PA; SP |
| BENLYSTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/ML | Preferred | PA; SP |
| *Chelating Agents*** - Vitamins And Minerals | | |
| CUPRIMINE ORAL CAPSULE 250 MG | Non Preferred | PA |
| CUVRIOR ORAL TABLET 300 MG | Non Preferred | PA |
| DEPEN TITRATABS ORAL TABLET 250 MG | Preferred | PA |
| SYPRINE ORAL CAPSULE 250 MG | Non Preferred | PA |
| penicillamine oral capsule 250 mg | Preferred | PA |
| penicillamine oral tablet 250 mg | Preferred | PA |
| trientine hcl oral capsule 250 mg, 500 mg | Preferred | PA |

| Drug | Status | Notes |
|---|---------------|-----------------------------|
| *Cyclosporine Analogs*** - Vitamins And Minerals | | |
| GENGRAF ORAL CAPSULE 100 MG | Preferred | QL (10 EA per 1 day) |
| GENGRAF ORAL CAPSULE 25 MG | Preferred | QL (15 EA per 1 day) |
| GENGRAF ORAL SOLUTION 100 MG/ML | Preferred | QL (10 ML per 1 day) |
| LUPKYNIS ORAL CAPSULE 7.9 MG | Non Preferred | PA |
| NEORAL ORAL CAPSULE 100 MG | Non Preferred | PA; QL (10 EA per 1 day) |
| NEORAL ORAL CAPSULE 25 MG | Non Preferred | PA; QL (15 EA per 1 day) |
| NEORAL ORAL SOLUTION 100 MG/ML | Non Preferred | PA; QL (10 ML per 1 day) |
| SANDIMMUNE ORAL CAPSULE 100 MG | Non Preferred | PA; QL (5 EA per 1 day) |
| SANDIMMUNE ORAL CAPSULE 25 MG | Non Preferred | PA; QL (16 EA per 1 day) |
| SANDIMMUNE ORAL SOLUTION 100 MG/ML | Non Preferred | PA |
| cyclosporine modified oral capsule 100 mg | Preferred | QL (10 EA per 1 day) |
| cyclosporine modified oral capsule 25 mg | Preferred | QL (15 EA per 1 day) |
| cyclosporine modified oral capsule 50 mg | Non Preferred | PA |
| cyclosporine modified oral solution 100 mg/ml | Preferred | QL (10 ML per 1 day) |
| cyclosporine oral capsule 100 mg | Preferred | QL (5 EA per 1 day) |
| cyclosporine oral capsule 25 mg | Preferred | QL (16 EA per 1 day) |
| *Farnesyltransferase Inhibitors*** - Vitamins And Minerals | | |
| ZOKINVY ORAL CAPSULE 50 MG, 75 MG | Carve Out | |
| *Immunomodulators - Combinations*** - Vitamins And Minerals | | |
| VYVGART HYTRULO SUBCUTANEOUS SOLUTION 180-2000 MG-UNIT/ML | Carve Out | |
| *Immunomodulators For Myelodysplastic Syndromes*** - Vitamins And Minerals | | |
| REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG | Non Preferred | PA; QL (1 EA per 1 day); SP |
| lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg | Preferred | PA; QL (1 EA per 1 day); SP |
| *Inosine Monophosphate Dehydrogenase Inhibitors*** - Vitamins And Minerals | | |
| CELLCEPT ORAL CAPSULE 250 MG | Non Preferred | PA; QL (12 EA per 1 day) |
| CELLCEPT ORAL SUSPENSION RECONSTITUTED 200 MG/ML | Preferred | |
| CELLCEPT ORAL TABLET 500 MG | Non Preferred | PA; QL (8 EA per 1 day) |
| MYFORTIC ORAL TABLET DELAYED RELEASE 180 MG, 360 MG | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|--------------------------|
| mycophenolate mofetil oral capsule 250 mg | Preferred | QL (12 EA per 1 day) |
| mycophenolate mofetil oral suspension reconstituted 200 mg/ml | Preferred | |
| mycophenolate mofetil oral tablet 500 mg | Preferred | QL (8 EA per 1 day) |
| mycophenolate sodium oral tablet delayed release 180 mg, 360 mg | Non Preferred | PA |
| *Irrigation Solutions*** - Vitamins And Minerals | | |
| sterile water for irrigation irrigation solution | Preferred | |
| *Macrolide Immunosuppressants*** - Vitamins And Minerals | | |
| ASTAGRAF XL ORAL CAPSULE EXTENDED RELEASE 24 HOUR 0.5 MG, 1 MG, 5 MG | Non Preferred | PA |
| ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HOUR 0.75 MG, 1 MG, 4 MG | Non Preferred | PA |
| PROGRAF INTRAVENOUS SOLUTION 5 MG/ML | Preferred | PA |
| PROGRAF ORAL CAPSULE 0.5 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| PROGRAF ORAL CAPSULE 1 MG | Non Preferred | PA; QL (14 EA per 1 day) |
| PROGRAF ORAL CAPSULE 5 MG | Non Preferred | PA |
| PROGRAF ORAL PACKET 0.2 MG, 1 MG | Non Preferred | PA |
| RAPAMUNE ORAL SOLUTION 1 MG/ML | Preferred | PA |
| RAPAMUNE ORAL TABLET 0.5 MG, 1 MG, 2 MG | Preferred | |
| ZORTRESS ORAL TABLET 0.25 MG, 0.5 MG, 0.75 MG, 1 MG | Non Preferred | PA |
| everolimus oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg | Non Preferred | PA |
| sirolimus oral solution 1 mg/ml | Preferred | PA |
| sirolimus oral tablet 0.5 mg, 1 mg, 2 mg | Preferred | |
| tacrolimus oral capsule 0.5 mg | Preferred | QL (2 EA per 1 day) |
| tacrolimus oral capsule 1 mg | Preferred | QL (14 EA per 1 day) |
| tacrolimus oral capsule 5 mg | Preferred | |
| *Monoclonal Antibodies*** - Vitamins And Minerals | | |
| ENSPRYNG SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 120 MG/ML | Carve Out | |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| GAMIFANT INTRAVENOUS SOLUTION 10 MG/2ML, 100 MG/20ML, 50 MG/10ML | Carve Out | |
| UPLIZNA INTRAVENOUS SOLUTION 100 MG/10ML | Carve Out | |
| *Neonatal Fc Receptor (Fcrn) Antagonists*** - Vitamins And Minerals | | |
| RYSTIGGO SUBCUTANEOUS SOLUTION 280 MG/2ML | Carve Out | |
| VYVGART INTRAVENOUS SOLUTION 400 MG/20ML | Carve Out | |
| *Pik3ca-Related Overgrowth Spectrum Agents - Pi3k Inhib*** - Vitamins And Minerals | | |
| VIJOICE ORAL TABLET THERAPY PACK 125 MG, 200 & 50 MG, 50 MG | Carve Out | |
| *Potassium Removing Agents*** - Vitamins And Minerals | | |
| LOKELMA ORAL PACKET 10 GM, 5 GM | Preferred | |
| SPS ORAL SUSPENSION 15 GM/60ML | Preferred | |
| VELTASSA ORAL PACKET 16.8 GM, 25.2 GM, 8.4 GM | Non Preferred | PA |
| sodium polystyrene sulfonate oral powder | Preferred | |
| *Purine Analogs*** - Vitamins And Minerals | | |
| AZASAN ORAL TABLET 100 MG, 75 MG | Non Preferred | PA |
| IMURAN ORAL TABLET 50 MG | Non Preferred | PA; QL (8 EA per 1 day) |
| azathioprine oral tablet 100 mg, 75 mg | Non Preferred | PA |
| azathioprine oral tablet 50 mg | Preferred | QL (8 EA per 1 day) |
| *Rock Inhibitors*** - Vitamins And Minerals | | |
| REZUROCK ORAL TABLET 200 MG | Preferred | PA; SP |
| *Mouth/Throat/Dental Agents* - Drugs For The Mouth And Throat | | |
| *Anesthetics Topical Oral*** - Drugs For The Mouth And Throat | | |
| lidocaine viscous hcl mouth/throat solution 2 % | Preferred | |
| *Anti-Infectives - Throat*** - Drugs For The Mouth And Throat | | |
| clotrimazole mouth/throat troche 10 mg | Preferred | QL (5 EA per 1 day) |
| nystatin mouth/throat suspension 100000 unit/ml | Preferred | QL (120 ML per 1 day) |

| Drug | Status | Notes |
|--|---------------|-------|
| *Antiseptics - Mouth/Throat*** - Drugs For The Mouth And Throat | | |
| chlorhexidine gluconate mouth/throat solution 0.12 % | Preferred | |
| *Dry Mouth Agents And Artificial Saliva*** - Drugs For The Mouth And Throat | | |
| AQUORAL MOUTH/THROAT SOLUTION | Preferred | |
| BIOTENE DRY MOUTH MOISTURIZING MOUTH/THROAT SOLUTION | Preferred | |
| BOCASAL MOUTH/THROAT PACKET | Non Preferred | PA |
| CAPHOSOL MOUTH/THROAT SOLUTION | Preferred | |
| MOI-STIR MOUTH/THROAT SOLUTION | Preferred | |
| MOUTH KOTE MOUTH/THROAT SOLUTION | Preferred | |
| MOUTH KOTE REMINT MOUTH/THROAT SOLUTION | Preferred | |
| MUCOSITISRX MOUTH/THROAT PACKET | Non Preferred | PA |
| NEUTRASAL MOUTH/THROAT PACKET | Non Preferred | PA |
| NUMOISYN MOUTH/THROAT LIQUID | Preferred | |
| NUMOISYN MOUTH/THROAT LOZENGE | Non Preferred | PA |
| SALIVAMAX MOUTH/THROAT PACKET | Non Preferred | PA |
| XEROSTOMIA RELIEF SPRAY MOUTH/THROAT SOLUTION | Preferred | |
| cvs dry mouth mouth/throat solution | Preferred | |
| eql dry mouth oral rinse mouth/throat solution | Preferred | |
| oral relief spray mouth/throat solution | Preferred | |
| ra dry mouth mouth/throat solution | Preferred | |
| *Fluoride Dental Products*** - Drugs For The Mouth And Throat | | |
| DENTA 5000 PLUS DENTAL CREAM 1.1 % | Preferred | |
| DENTAGEL DENTAL GEL 1.1 % | Preferred | |
| sf 5000 plus dental cream 1.1 % | Preferred | |
| sf dental gel 1.1 % | Preferred | |
| sodium fluoride 5000 plus dental cream 1.1 % | Preferred | |
| sodium fluoride 5000 ppm dental cream 1.1 % | Preferred | |
| sodium fluoride dental gel 1.1 % | Preferred | |

| Drug | Status | Notes |
|--|---------------|---------------------|
| *Saliva Stimulants*** - Drugs For The Mouth And Throat | | |
| EVOXAC ORAL CAPSULE 30 MG | Non Preferred | PA |
| SALAGEN ORAL TABLET 5 MG, 7.5 MG | Non Preferred | PA |
| cevimeline hcl oral capsule 30 mg | Preferred | |
| pilocarpine hcl oral tablet 5 mg, 7.5 mg | Preferred | |
| *Steroids - Mouth/Throat/Dental*** - Drugs For The Mouth And Throat | | |
| ORALONE MOUTH/THROAT PASTE 0.1 % | Preferred | |
| triamcinolone acetonide mouth/throat paste 0.1 % | Preferred | |
| *Multivitamins* - Drugs For Nutrition | | |
| *B-Complex W/ C & Folic Acid*** - Drugs For Nutrition | | |
| DEXIFOL ORAL TABLET 5 MG | Preferred | |
| DIALYVITE ORAL TABLET | Preferred | |
| GENICIN VITA-S ORAL TABLET 1 MG | Preferred | |
| MYNEPHRON ORAL CAPSULE 1 MG | Preferred | QL (2 EA per 1 day) |
| NEPHRONEX ORAL TABLET | Preferred | |
| RENAL ORAL CAPSULE 1 MG | Preferred | QL (2 EA per 1 day) |
| activite oral tablet 1 mg | Preferred | |
| b-plex oral tablet | Preferred | |
| folbee plus oral tablet | Preferred | |
| hylavite oral tablet | Preferred | |
| reno caps oral capsule 1 mg | Preferred | QL (2 EA per 1 day) |
| tm-vite rx oral tablet 1 mg | Preferred | |
| triphrocaps oral capsule 1 mg | Preferred | QL (2 EA per 1 day) |
| tronvite oral tablet 1 mg | Preferred | |
| virt-caps oral capsule 1 mg | Preferred | QL (2 EA per 1 day) |
| vitasure oral tablet 1 mg | Preferred | |
| vp-vite rx oral tablet 1 mg | Preferred | |
| wescaps oral capsule 1 mg | Preferred | QL (2 EA per 1 day) |
| xvite oral tablet 1 mg | Preferred | |
| *Ped Multi Vitamins W/Fl & Fe*** - Drugs For Nutrition | | |
| QUFLORA FE PEDIATRIC ORAL LIQUID 0.25-9.5 MG/ML | Preferred | QL (2 ML per 1 day) |

| Drug | Status | Notes |
|--|-----------|---------------------|
| multi-vit/iron/fluoride oral solution 0.25-10 mg/ml | Preferred | QL (2 ML per 1 day) |
| multivitamin/fluoride/iron oral solution 0.25-10 mg/ml | Preferred | QL (2 ML per 1 day) |
| multi-vitamin/fluoride/iron oral solution 0.25-10 mg/ml | Preferred | QL (2 ML per 1 day) |
| *Ped Multiple Vitamins W/ Minerals*** - Drugs For Nutrition | | |
| ALIVE GUMMIES FOR CHILDREN ORAL TABLET CHEWABLE | Preferred | |
| ALIVE MULTI-VITAMIN CHILDRENS ORAL TABLET CHEWABLE | Preferred | |
| FLINTSTONES GUMMIES BONE BUILD ORAL TABLET CHEWABLE | Preferred | |
| GUMMI BEAR MULTIVITAMIN/MIN ORAL TABLET CHEWABLE | Preferred | |
| MVW COMPLETE FORMULATION D3000 ORAL TABLET CHEWABLE | Preferred | |
| MVW COMPLETE FORMULATION D5000 ORAL TABLET CHEWABLE | Preferred | |
| MVW COMPLETE FORMULATION ORAL TABLET CHEWABLE | Preferred | |
| SMARTY PANTS KIDS COMPLETE ORAL TABLET CHEWABLE | Preferred | |
| SPONGEBOB SQUAREPANTS GUMMIES ORAL TABLET CHEWABLE | Preferred | |
| ZOO FRIENDS MULTI GUMMIES ORAL TABLET CHEWABLE | Preferred | |
| childrens gummies oral tablet chewable | Preferred | |
| cvs gummy dinos oral tablet chewable | Preferred | |
| cvs gummy multivitamin kids oral tablet chewable | Preferred | |
| eq multivitamin gummies oral tablet chewable | Preferred | |
| eq multivitamins gummy child oral tablet chewable | Preferred | |
| eql gummies childrens oral tablet chewable | Preferred | |
| multivit-min gummies childrens oral tablet chewable | Preferred | |
| vitachew multiple vitamin oral tablet chewable | Preferred | |

| Drug | Status | Notes |
|--|-----------|---------------------|
| *Ped Mv W/ Fluoride*** - Drugs For Nutrition | | |
| MULTI-VIT-FLOR ORAL TABLET CHEWABLE 0.25 MG, 1 MG | Preferred | QL (1 EA per 1 day) |
| POLY-VI-FLOR ORAL TABLET CHEWABLE 0.25 MG, 1 MG | Preferred | QL (1 EA per 1 day) |
| multivitamin w/fluoride oral tablet chewable 0.25 mg, 1 mg | Preferred | QL (1 EA per 1 day) |
| multivitamin/fluoride oral solution 0.25 mg/ml, 0.5 mg/ml | Preferred | QL (2 ML per 1 day) |
| multi-vitamin/fluoride oral solution 0.25 mg/ml, 0.5 mg/ml | Preferred | QL (2 ML per 1 day) |
| multivitamin/fluoride oral tablet chewable 0.25 mg, 0.5 mg, 1 mg | Preferred | QL (1 EA per 1 day) |
| poly-vitamin/fluoride oral solution 0.5 mg/ml | Preferred | QL (2 ML per 1 day) |
| *Ped Mv W/ Iron*** - Drugs For Nutrition | | |
| BPROTECTED PEDIA POLY-VITE/FE ORAL SOLUTION 10 MG/ML | Preferred | QL (2 EA per 1 day) |
| CEROVITE JR ORAL TABLET CHEWABLE 18 MG | Preferred | |
| FLINTSTONES COMPLETE ORAL TABLET CHEWABLE 10 MG, 18 MG | Preferred | |
| FLINTSTONES PLUS EXTRA IRON ORAL TABLET CHEWABLE 18 MG | Preferred | |
| FLINTSTONES W/IRON ORAL TABLET CHEWABLE 18 MG | Preferred | |
| LAND BEFORE TIME MULTIVITAMIN ORAL TABLET CHEWABLE 15 MG | Preferred | |
| POLY-VI-SOL/IRON ORAL SOLUTION 11 MG/ML | Preferred | QL (2 ML per 1 day) |
| PX CHILDRENS VITAMIN ORAL TABLET CHEWABLE 18 MG | Preferred | |
| ULTRA CHOICE MULTIVITAMIN KIDS ORAL TABLET CHEWABLE 18 MG | Preferred | |
| bite-a-mins/iron oral tablet chewable 15 mg | Preferred | |
| childrens animal shapes oral tablet chewable 18 mg | Preferred | |
| childrens multivitamin/iron oral tablet chewable 15 mg | Preferred | |
| cvs chewable childrens vitamin oral tablet chewable 18 mg | Preferred | |
| cvs childrens complete oral tablet chewable 18 mg | Preferred | |

| Drug | Status | Notes |
|---|-----------|---------------------|
| eq complete multivitamin child oral tablet chewable 18 mg | Preferred | |
| eql child multivit/minerals oral tablet chewable 18 mg | Preferred | |
| fruity chews/iron oral tablet chewable | Preferred | |
| gnp childrens chewables/iron oral tablet chewable 15 mg | Preferred | |
| multiple vitamins-iron oral tablet chewable 15 mg | Preferred | |
| multivitamin drops/iron oral solution 11 mg/ml | Preferred | QL (2 ML per 1 day) |
| multivitamin infant & toddler oral solution 11 mg/ml | Preferred | QL (2 ML per 1 day) |
| pc pediatric poly-vita/fe drop oral solution 10 mg/ml | Preferred | QL (2 ML per 1 day) |
| poly-vita/iron oral solution 10 mg/ml | Preferred | QL (2 ML per 1 day) |
| poly-vitamin/iron oral solution 10 mg/ml | Preferred | QL (2 ML per 1 day) |
| poly-vite/iron oral solution 11 mg/ml | Preferred | QL (2 ML per 1 day) |
| qc childrens complete oral tablet chewable 18 mg | Preferred | |
| qc childrens vitamins/iron oral tablet chewable 15 mg | Preferred | |
| ra vitamins complete childrens oral tablet chewable 18 mg | Preferred | |
| sm animal shapes complete oral tablet chewable 18 mg | Preferred | |
| *Ped Vitamins Acd W/ Fluoride*** - Drugs For Nutrition | | |
| adc/f (0.5mg/ml) oral solution 0.5 mg/ml | Preferred | QL (2 ML per 1 day) |
| tri-vitamin/fluoride oral solution 0.25 mg/ml | Preferred | QL (2 ML per 1 day) |
| tri-vite/fluoride oral solution 0.25 mg/ml, 0.5 mg/ml | Preferred | QL (2 ML per 1 day) |
| vitamins acd-fluoride oral solution 0.25 mg/ml | Preferred | QL (2 ML per 1 day) |
| *Pediatric Multiple Vitamins*** - Drugs For Nutrition | | |
| BPROTECTED PEDIA POLY-VITE ORAL SOLUTION | Preferred | QL (2 ML per 1 day) |
| INFUVITE PEDIATRIC INTRAVENOUS SOLUTION | Preferred | PA |
| POLY-VI-SOL ORAL SOLUTION | Preferred | QL (2 EA per 1 day) |
| VITALIPID N INFANT INTRAVENOUS EMULSION | Preferred | PA |

| Drug | Status | Notes |
|--|-----------|---------------------|
| VITLIPID N INFANT INTRAVENOUS EMULSION | Preferred | PA |
| multivitamin infant & toddler oral solution | Preferred | QL (2 ML per 1 day) |
| poly-vita oral solution | Preferred | QL (2 ML per 1 day) |
| poly-vite pediatric oral solution | Preferred | QL (2 ML per 1 day) |
| *Pediatric Vitamins A & D W/ C*** - Drugs For Nutrition | | |
| BPROTECTED PEDIA TRI-VITE ORAL SOLUTION 35-412.5-10 | Preferred | |
| TRI-VI-SOL A/C/D ORAL SOLUTION 250-50-10 | Preferred | |
| pc pediatric tri-vitamin drops oral solution 750-400-35 unit-mg/ml | Preferred | QL (2 ML per 1 day) |
| tri-vite pediatric oral solution 750-400-35 unit-mg/ml | Preferred | QL (2 ML per 1 day) |
| vitamin a/c/d/ infant/toddler oral solution 250-10-50 mcg-mg/ml | Preferred | |
| vitamin a-c-d infant oral solution 250-10-50 mcg-mg/ml | Preferred | |
| *Prenatal Mv & Min W/Fe-Fa*** - Drugs For Nutrition | | |
| CO-NATAL FA ORAL TABLET | Preferred | QL (1 EA per 1 day) |
| NATALVIT ORAL TABLET | Preferred | QL (1 EA per 1 day) |
| NEONATAL PLUS ORAL TABLET 27-1 MG | Preferred | QL (1 EA per 1 day) |
| NEONATAL VITAMIN ORAL TABLET 27-0.8 MG | Preferred | QL (1 EA per 1 day) |
| NIVA-PLUS ORAL TABLET 27-1 MG | Preferred | QL (1 EA per 1 day) |
| PRENATRYL ORAL TABLET 27-1 MG | Preferred | QL (1 EA per 1 day) |
| RIGHT STEP PRENATAL ORAL TABLET 27-0.8 MG | Preferred | QL (1 EA per 1 day) |
| THERANATAL CORE NUTRITION ORAL TABLET 27-1 MG | Preferred | QL (1 EA per 1 day) |
| TRINATE ORAL TABLET | Preferred | QL (1 EA per 1 day) |
| VINATE ONE ORAL TABLET 60-1 MG | Preferred | QL (1 EA per 1 day) |
| VITATHELY WITH GINGER ORAL TABLET 27-1 MG | Preferred | QL (1 EA per 1 day) |
| classic prenatal oral tablet 28-0.8 mg | Preferred | QL (1 EA per 1 day) |
| completenate oral tablet chewable 29-1 mg | Preferred | QL (1 EA per 1 day) |
| cvs prenatal oral tablet 27-0.8 mg | Preferred | QL (1 EA per 1 day) |

| Drug | Status | Notes |
|--|-----------|---------------------|
| eql prenatal formula oral tablet 28-0.8 mg | Preferred | QL (1 EA per 1 day) |
| gnp prenatal oral tablet 28-0.8 mg | Preferred | QL (1 EA per 1 day) |
| kp prenatal multivitamins oral tablet 28-0.8 mg | Preferred | QL (1 EA per 1 day) |
| masonatal oral tablet 28-0.8 mg | Preferred | QL (1 EA per 1 day) |
| m-natal plus oral tablet 27-1 mg | Preferred | QL (1 EA per 1 day) |
| multi prenatal oral tablet 27-0.8 mg | Preferred | QL (1 EA per 1 day) |
| neonatal complete oral tablet 27-1 mg, 29-1 mg | Preferred | QL (1 EA per 1 day) |
| neonatal prenatal oral tablet 27-0.8 mg | Preferred | QL (1 EA per 1 day) |
| one vite womens oral tablet 27-0.8 mg | Preferred | QL (1 EA per 1 day) |
| one vite womens plus oral tablet 27-1 mg | Preferred | QL (1 EA per 1 day) |
| pnv prenatal plus multivitamin oral tablet 27-1 mg | Preferred | QL (1 EA per 1 day) |
| prenatal 19 oral tablet 29-1 mg | Preferred | QL (1 EA per 1 day) |
| prenatal 19 oral tablet chewable , 29-1 mg | Preferred | QL (1 EA per 1 day) |
| prenatal one daily oral tablet 27-0.8 mg | Preferred | QL (1 EA per 1 day) |
| prenatal oral tablet 27-0.8 mg, 27-1 mg, 28-0.8 mg | Preferred | QL (1 EA per 1 day) |
| prenatal plus oral tablet 27-1 mg | Preferred | QL (1 EA per 1 day) |
| prenatal plus vitamin/mineral oral tablet 27-1 mg | Preferred | QL (1 EA per 1 day) |
| prenatal vitamin and mineral oral tablet 28-0.8 mg | Preferred | QL (1 EA per 1 day) |
| prenatal vitamin oral tablet 27-0.8 mg | Preferred | QL (1 EA per 1 day) |
| prenatal vitamin plus low iron oral tablet 27-1 mg | Preferred | QL (1 EA per 1 day) |
| prenatal vitamins oral tablet 28-0.8 mg | Preferred | QL (1 EA per 1 day) |
| prenatal/iron oral tablet 28-0.8 mg | Preferred | QL (1 EA per 1 day) |
| px prenatal multivitamins oral tablet 28-0.8 mg | Preferred | QL (1 EA per 1 day) |
| qc prenatal oral tablet 28-0.8 mg | Preferred | QL (1 EA per 1 day) |
| ra prenatal formula oral tablet 28-0.8 mg | Preferred | QL (1 EA per 1 day) |
| ra prenatal oral tablet 28-0.8 mg | Preferred | QL (1 EA per 1 day) |
| se-natal 19 oral tablet 29-1 mg | Preferred | QL (1 EA per 1 day) |
| se-natal 19 oral tablet chewable 29-1 mg | Preferred | QL (1 EA per 1 day) |
| sm prenatal vitamins oral tablet 28-0.8 mg | Preferred | QL (1 EA per 1 day) |
| thrivate rx oral tablet 29-1 mg | Preferred | QL (1 EA per 1 day) |
| trinatal rx 1 oral tablet 60-1 mg | Preferred | QL (1 EA per 1 day) |
| westab plus oral tablet 27-1 mg | Preferred | QL (1 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|-------------------------|
| *Prenatal Mv & Min W/Fe-Fa-Ca-Omega 3 Fish Oil*** - Drugs For Nutrition | | |
| complete natal dha oral 29-1-200 & 200 mg | Preferred | QL (2 EA per 1 day) |
| wesnatal dha complete oral 29-1-200 & 200 mg | Preferred | QL (2 EA per 1 day) |
| *Prenatal Mv & Min W/Fe-Fa-Dha*** - Drugs For Nutrition | | |
| ENFAMIL EXPECTA ORAL 28-0.8 & 200 MG | Preferred | |
| PRENATAL MULTIVITAMIN + DHA ORAL 28-0.8 & 200 MG | Preferred | |
| *Musculoskeletal Therapy Agents* - Drugs For Muscles, Ligaments, Tendons, And Bones | | |
| *Central Muscle Relaxants*** - Drugs For Muscles, Ligaments, Tendons, And Bones | | |
| AMRIX ORAL CAPSULE EXTENDED RELEASE 24 HOUR 15 MG, 30 MG | Non Preferred | PA |
| CYCLOPHENE RAPIDPAQ TRANSDERMAL CREAM 5 % | Non Preferred | PA |
| FEXMID ORAL TABLET 7.5 MG | Non Preferred | PA |
| FLEQSUVY ORAL SUSPENSION 25 MG/5ML | Non Preferred | PA |
| LORZONE ORAL TABLET 375 MG, 750 MG | Non Preferred | PA |
| LYVISPANH ORAL PACKET 10 MG, 20 MG, 5 MG | Non Preferred | PA |
| OZOBAX ORAL SOLUTION 5 MG/5ML | Non Preferred | PA |
| ROBAXIN INJECTION SOLUTION 1000 MG/10ML | Non Preferred | PA |
| SKELAXIN ORAL TABLET 800 MG | Preferred | |
| SOMA ORAL TABLET 250 MG, 350 MG | Non Preferred | PA |
| TABRADOL FUSEPAQ ORAL SUSPENSION 1 MG/ML | Non Preferred | PA |
| TABRADOL RAPIDPAQ ORAL SUSPENSION 1 MG/ML | Non Preferred | PA |
| VANADOM ORAL TABLET 350 MG | Non Preferred | PA |
| ZANAFLEX ORAL CAPSULE 2 MG, 4 MG, 6 MG | Non Preferred | PA |
| ZANAFLEX ORAL TABLET 4 MG | Non Preferred | PA; QL (9 EA per 1 day) |
| baclofen oral solution 5 mg/5ml | Non Preferred | PA |
| baclofen oral suspension 25 mg/5ml | Preferred | PA |
| baclofen oral tablet 10 mg | Preferred | QL (3 EA per 1 day) |

| Drug | Status | Notes |
|---|---------------|----------------------|
| baclofen oral tablet 20 mg | Preferred | QL (4 EA per 1 day) |
| baclofen oral tablet 5 mg | Preferred | |
| carisoprodol oral tablet 250 mg, 350 mg | Non Preferred | PA |
| chlorzoxazone oral tablet 250 mg, 375 mg, 500 mg, 750 mg | Non Preferred | PA |
| cyclo transdermal cream 20 mg/gm | Non Preferred | PA |
| cyclobenzaprine hcl er oral capsule extended release 24 hour 15 mg, 30 mg | Non Preferred | PA |
| cyclobenzaprine hcl oral tablet 10 mg, 5 mg | Preferred | QL (3 EA per 1 day) |
| cyclobenzaprine hcl oral tablet 7.5 mg | Non Preferred | PA |
| enovarx-cyclobenzaprine hcl transdermal cream 20 mg/gm | Non Preferred | PA |
| metaxalone oral tablet 400 mg, 800 mg | Preferred | |
| methocarbamol injection solution 1000 mg/10ml | Non Preferred | PA |
| methocarbamol oral tablet 1000 mg | Non Preferred | PA |
| methocarbamol oral tablet 500 mg | Preferred | QL (6 EA per 1 day) |
| methocarbamol oral tablet 750 mg | Preferred | QL (10 EA per 1 day) |
| orphenadrine citrate er oral tablet extended release 12 hour 100 mg | Non Preferred | PA |
| orphenadrine citrate injection solution 30 mg/ml | Non Preferred | PA |
| tizanidine hcl oral capsule 2 mg, 4 mg, 6 mg | Non Preferred | PA |
| tizanidine hcl oral tablet 2 mg | Preferred | QL (3 EA per 1 day) |
| tizanidine hcl oral tablet 4 mg | Preferred | QL (9 EA per 1 day) |

Direct Muscle Relaxants - Drugs For Muscles, Ligaments, And Bones**

| | | |
|--|---------------|----|
| DANTRIUM INTRAVENOUS SOLUTION RECONSTITUTED 20 MG | Preferred | PA |
| DANTRIUM ORAL CAPSULE 25 MG | Non Preferred | PA |
| REVONTO INTRAVENOUS SOLUTION RECONSTITUTED 20 MG | Preferred | PA |
| RYANODEX INTRAVENOUS SUSPENSION RECONSTITUTED 250 MG | Preferred | PA |
| dantrolene sodium intravenous solution reconstituted 20 mg | Preferred | PA |
| dantrolene sodium oral capsule 100 mg, 25 mg, 50 mg | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|-------|
| *Muscle Relaxant Combinations*** - Drugs For Muscles, Ligaments, Tendons, And Bones | | |
| METAXALL CP COMBINATION KIT 800 & 0.025 MG & % | Non Preferred | PA |
| NORGESIC ORAL TABLET 25-385-30 MG | Non Preferred | PA |
| ORPHENGESIC FORTE ORAL TABLET 50-770-60 MG | Non Preferred | PA |
| norgesic forte oral tablet 50-770-60 mg | Non Preferred | PA |
| orphenadrine-aspirin-caffeine oral tablet 25-385-30 mg | Non Preferred | PA |
| *Retinoic Acid Receptor Gamma Selective Agonists*** - Drugs For Muscles, Ligaments, Tendons, And Bones | | |
| SOHONOS ORAL CAPSULE 1 MG, 1.5 MG, 10 MG, 2.5 MG, 5 MG | Carve Out | |
| *Nasal Agents - Systemic And Topical* - Drugs For The Nose | | |
| *Antihistamine-Steroid*** - Allergy | | |
| DYMISTA NASAL SUSPENSION 137-50 MCG/ACT | Non Preferred | PA |
| RYALTRIS NASAL SUSPENSION 665-25 MCG/ACT | Non Preferred | PA |
| azelastine-fluticasone nasal suspension 137-50 mcg/act | Non Preferred | PA |
| *Nasal Agents - Misc.*** - Allergy | | |
| AFRIN SALINE NASAL MIST NASAL SOLUTION 0.65 % | Preferred | |
| AYR NASAL SOLUTION 0.65 % | Preferred | |
| BABY AYR SALINE NASAL SOLUTION 0.65 % | Preferred | |
| NASAL MOIST NASAL SOLUTION 0.65 % | Preferred | |
| OCEAN FOR KIDS NASAL SOLUTION 0.65 % | Preferred | |
| altamist spray nasal solution 0.65 % | Preferred | |
| cvs saline nasal spray nasal solution 0.65 % | Preferred | |
| deep sea nasal spray nasal solution 0.65 % | Preferred | |
| eq saline nasal spray nasal solution 0.65 % | Preferred | |
| eql saline nasal spray nasal solution 0.65 % | Preferred | |
| gnp nasal moisturizing nasal solution 0.65 % | Preferred | |
| hm saline nasal spray nasal solution 0.65 % | Preferred | |

| Drug | Status | Notes |
|--|---------------|--|
| meijer saline nasal spray nasal solution 0.65 % | Preferred | |
| nasal moisturizing spray nasal solution 0.65 % | Preferred | |
| px saline nasal spray nasal solution 0.65 % | Preferred | |
| qc saline nasal relief nasal solution 0.65 % | Preferred | |
| qc saline nasal spray nasal solution 0.65 % | Preferred | |
| ra saline nasal spray nasal solution 0.65 % | Preferred | |
| saline mist spray nasal solution 0.65 % | Preferred | |
| saline nasal spray nasal solution 0.65 % | Preferred | |
| sb saline nose nasal solution 0.65 % | Preferred | |
| sm nasal spray saline nasal solution 0.65 % | Preferred | |
| sodium chloride nasal solution 0.65 % | Preferred | |
| *Nasal Anticholinergics*** - Allergy | | |
| ipratropium bromide nasal solution 0.03 %, 0.06 % | Preferred | |
| *Nasal Antihistamines*** - Allergy | | |
| PATANASE NASAL SOLUTION 0.6 % | Non Preferred | PA |
| azelastine hcl nasal solution 0.1 %, 0.15 %, 137 mcg/spray | Preferred | QL (30 ML per 24 days); NOTES (1 bottle per month) |
| olopatadine hcl nasal solution 0.6 % | Non Preferred | PA |
| *Nasal Steroids*** - Allergy | | |
| BECONASE AQ NASAL SUSPENSION 42 MCG/SPRAY | Non Preferred | PA |
| CLARISPRAY NASAL SUSPENSION 50 MCG/ACT | Preferred | QL (19 ML per 24 days); NOTES (1 bottle per month) |
| KLS ALLER-CORT NASAL AEROSOL 55 MCG/ACT | Preferred | QL (16.9 ML per 24 days); NOTES (1 bottle per month) |
| KLS ALLER-FLO NASAL SUSPENSION 50 MCG/ACT | Preferred | QL (19 ML per 24 days); NOTES (1 bottle per month) |
| OMNARIS NASAL SUSPENSION 50 MCG/ACT | Non Preferred | PA |
| QNDSL CHILDRENS NASAL AEROSOL SOLUTION 40 MCG/ACT | Non Preferred | PA |
| QNDSL NASAL AEROSOL SOLUTION 80 MCG/ACT | Non Preferred | PA |
| XHANCE NASAL EXHALER SUSPENSION 93 MCG/ACT | Non Preferred | PA |
| ZETONNA NASAL AEROSOL SOLUTION 37 MCG/ACT | Non Preferred | PA |
| allergy relief nasal suspension 50 mcg/act | Preferred | QL (19 ML per 24 days); NOTES (1 bottle per month) |

| Drug | Status | Notes |
|---|---------------|---|
| allergy spray 24 hour nasal aerosol 55 mcg/act | Preferred | QL (16.9 ML per 24 days); NOTES (1 bottle per month) |
| allergy spray 24 hour nasal suspension 50 mcg/act | Preferred | QL (19 ML per 24 days); NOTES (1 bottle per month) |
| budesonide nasal suspension 32 mcg/act | Preferred | QL (8.43 ML per 24 days); NOTES (1 bottle per month) |
| cvs budesonide nasal suspension 32 mcg/act | Preferred | QL (8.43 ML per 24 days); NOTES (1 bottle per month) |
| cvs fluticasone propionate nasal suspension 50 mcg/act | Preferred | QL (19 ML per 24 days); NOTES (1 bottle per month) |
| cvs nasal allergy spray nasal aerosol 55 mcg/act | Preferred | QL (16.9 ML per 24 days); NOTES (1 bottle per month) |
| eq allergy relief nasal suspension 50 mcg/act | Preferred | QL (19 ML per 24 days); NOTES (1 bottle per month) |
| eq budesonide nasal nasal suspension 32 mcg/act | Preferred | QL (8.43 ML per 24 days); NOTES (1 bottle per month) |
| eq nasal allergy nasal aerosol 55 mcg/act | Preferred | QL (16.9 ML per 24 days); NOTES (1 bottle per month) |
| eql fluticasone childrens nasal suspension 50 mcg/act | Preferred | QL (19 ML per 24 days); NOTES (1 bottle per month) |
| eql fluticasone propionate nasal suspension 50 mcg/act | Preferred | QL (19 ML per 24 days); NOTES (1 bottle per month) |
| flunisolide nasal solution 25 mcg/act (0.025%) | Non Preferred | PA |
| fluticasone propionate nasal suspension 50 mcg/act | Preferred | QL (19 GM per 24 days); NOTES (1 bottle per month) |
| gnp 24 hour nasal allergy nasal aerosol 55 mcg/act | Preferred | QL (16.9 ML per 24 days); NOTES (1 bottle per month) |
| gnp budesonide nasal spray nasal suspension 32 mcg/act | Preferred | QL (8.43 ML per 24 days); NOTES (1 bottle per month) |
| gnp fluticasone propionate nasal suspension 50 mcg/act | Preferred | QL (19 ML per 24 days); NOTES (1 bottle per month) |
| goodsense 24-hr allergy nasal nasal suspension 50 mcg/act | Preferred | QL (19 ML per 24 days); NOTES (1 bottle per month) |
| goodsense nasal allergy spray nasal aerosol 55 mcg/act | Preferred | QL (16.9 ML per 24 days); NOTES (1 bottle per month) |
| hm 24 hour nasal allergy nasal aerosol 55 mcg/act | Preferred | QL (16.9 ML per 24 days); NOTES (1 bottle per month) |
| hm allergy relief nasal suspension 50 mcg/act | Preferred | QL (19 ML per 24 days); NOTES (1 bottle per month) |
| mometasone furoate nasal suspension 50 mcg/act | Non Preferred | PA |

| Drug | Status | Notes |
|--|-----------|---|
| nasal allergy 24 hour nasal aerosol 55 mcg/act | Preferred | QL (16.9 ML per 24 days); NOTES (1 bottle per month) |
| qc allergy relief nasal suspension 50 mcg/act | Preferred | QL (19 ML per 24 days); NOTES (1 bottle per month) |
| ra budesonide nasal suspension 32 mcg/act | Preferred | QL (8.43 ML per 24 days); NOTES (1 bottle per month) |
| ra nasal allergy nasal aerosol 55 mcg/act | Preferred | QL (16.9 ML per 24 days); NOTES (1 bottle per month) |
| sm allergy relief nasal suspension 50 mcg/act | Preferred | QL (19 ML per 24 days); NOTES (1 bottle per month) |
| triamcinolone acetonide nasal aerosol 55 mcg/act | Preferred | QL (16.9 ML per 24 days); NOTES (1 bottle per month) |

Systemic Decongestants - Allergy**

| | | |
|---|-----------|---------------------|
| SUDAFED PE CHILDRENS ORAL SOLUTION 2.5 MG/5ML | Preferred | |
| SUDOGEST MAXIMUM STRENGTH ORAL TABLET 30 MG | Preferred | QL (8 EA per 1 day) |
| SUDOGEST ORAL TABLET 30 MG | Preferred | QL (8 EA per 1 day) |
| SUDOGEST ORAL TABLET 60 MG | Preferred | QL (6 EA per 1 day) |
| SUDOGEST PE ORAL TABLET 10 MG | Preferred | |
| WAL-PHED D ORAL TABLET 30 MG | Preferred | QL (8 EA per 1 day) |
| WAL-PHED PE ORAL TABLET 10 MG | Preferred | |
| cvs nasal decongestant oral tablet 30 mg | Preferred | QL (8 EA per 1 day) |
| cvs nasal decongestant pe oral tablet 10 mg | Preferred | |
| cvs sinus pe decongestant oral tablet 10 mg | Preferred | |
| decongestant oral tablet 30 mg | Preferred | QL (8 EA per 1 day) |
| eql nasal decongestant oral tablet 30 mg | Preferred | QL (8 EA per 1 day) |
| eql nasal decongestant pe oral tablet 10 mg | Preferred | |
| ft nasal decongestant max str oral tablet 30 mg | Preferred | QL (8 EA per 1 day) |
| ft nasal decongestant pe oral tablet 10 mg | Preferred | |
| gnp nasal decongestant oral tablet 30 mg | Preferred | QL (8 EA per 1 day) |
| gnp nasal decongestant pe oral tablet 10 mg | Preferred | |
| hm nasal decongestant oral tablet 30 mg | Preferred | QL (8 EA per 1 day) |
| hm nasal decongestant pe oral tablet 10 mg | Preferred | |
| kp pseudoephedrine hcl oral tablet 30 mg | Preferred | QL (8 EA per 1 day) |
| kp pseudoephedrine hcl oral tablet 60 mg | Preferred | QL (6 EA per 1 day) |
| meijer nasal decongestant oral tablet 30 mg | Preferred | QL (8 EA per 1 day) |
| nasal decongestant d oral tablet 30 mg | Preferred | QL (8 EA per 1 day) |
| nasal decongestant max st oral tablet 30 mg | Preferred | QL (8 EA per 1 day) |

| Drug | Status | Notes |
|---|-----------|---------------------|
| nasal decongestant oral tablet 30 mg | Preferred | QL (8 EA per 1 day) |
| nasal decongestant pe max st oral tablet 10 mg | Preferred | |
| nasal decongestant pe oral tablet 10 mg | Preferred | |
| non-pseudo sinus decongestant oral tablet 10 mg | Preferred | |
| phenylephrine hcl oral tablet 10 mg | Preferred | |
| pseudoephedrine hcl oral tablet 30 mg | Preferred | QL (8 EA per 1 day) |
| pseudoephedrine hcl oral tablet 60 mg | Preferred | QL (6 EA per 1 day) |
| px nasal decongestant oral tablet 30 mg | Preferred | QL (8 EA per 1 day) |
| px nasal decongestant pe oral tablet 10 mg | Preferred | |
| qc nasal decongestant pe oral tablet 10 mg | Preferred | |
| qc nasal decongestant pe oral tablet 30 mg | Preferred | QL (8 EA per 1 day) |
| ra nasal decongestant pe oral tablet 10 mg | Preferred | |
| ra sinus/congestion relief oral tablet 30 mg | Preferred | QL (8 EA per 1 day) |
| ra sinus/congestion relief pe oral tablet 10 mg | Preferred | |
| ra suphedrine oral tablet 30 mg | Preferred | QL (8 EA per 1 day) |
| sinus congestion max strength oral tablet 30 mg | Preferred | QL (8 EA per 1 day) |
| sm nasal decongestant max st oral tablet 30 mg | Preferred | QL (8 EA per 1 day) |
| sm nasal decongestant pe oral tablet 10 mg | Preferred | |

***Neuromuscular Agents* - Drugs For Nerves And Muscles**

Als Agent Combinations - Drugs For Nerves And Muscles**

| | | |
|------------------------------|-----------|--|
| RELYVARIO ORAL PACKET 3-1 GM | Carve Out | |
|------------------------------|-----------|--|

Als Agents - Antisense Oligonucleotides - Drugs For Nerves And Muscles**

| | | |
|--|-----------|--|
| QALSODY INTRATHECAL SOLUTION 100 MG/15ML | Carve Out | |
|--|-----------|--|

Als Agents - Miscellaneous - Drugs For Nerves And Muscles**

| | | |
|---|-----------|--|
| RADICAVA INTRAVENOUS SOLUTION 30 MG/100ML | Carve Out | |
|---|-----------|--|

| | | |
|---|-----------|--|
| RADICAVA ORS ORAL SUSPENSION 105 MG/5ML | Carve Out | |
|---|-----------|--|

| | | |
|---|-----------|--|
| RADICAVA ORS STARTER KIT ORAL SUSPENSION 105 MG/5ML | Carve Out | |
|---|-----------|--|

Benzathiazoles - Drugs For Nerves And Muscles**

| | | |
|--------------------------|---------------|--------|
| EXSERVAN ORAL FILM 50 MG | Non Preferred | PA; SP |
|--------------------------|---------------|--------|

| Drug | Status | Notes |
|---|---------------|-------|
| RILUTEK ORAL TABLET 50 MG | Non Preferred | PA |
| TIGLUTIK ORAL SUSPENSION 50 MG/10ML | Non Preferred | PA |
| riluzole oral tablet 50 mg | Preferred | |
| *Friedrich's Ataxia Agents - Nrf2 Pathway | | |
| Activators*** - Drugs For Nerves And Muscles | | |
| SKYCLARYS ORAL CAPSULE 50 MG | Carve Out | |
| *Muscular Dystrophy - Gene Therapy | | |
| Agents*** - Drugs For Nerves And Muscles | | |
| ELEVIDYS 10.0-10.4 KG INTRAVENOUS KIT 10 X 10 ML | Carve Out | |
| ELEVIDYS 10.5-11.4 KG INTRAVENOUS KIT 11 X 10 ML | Carve Out | |
| ELEVIDYS 11.5-12.4 KG INTRAVENOUS KIT 12 X 10 ML | Carve Out | |
| ELEVIDYS 12.5-13.4 KG INTRAVENOUS KIT 13 X 10 ML | Carve Out | |
| ELEVIDYS 13.5-14.4 KG INTRAVENOUS KIT 14 X 10 ML | Carve Out | |
| ELEVIDYS 14.5-15.4 KG INTRAVENOUS KIT 15 X 10 ML | Carve Out | |
| ELEVIDYS 15.5-16.4 KG INTRAVENOUS KIT 16 X 10 ML | Carve Out | |
| ELEVIDYS 16.5-17.4 KG INTRAVENOUS KIT 17 X 10 ML | Carve Out | |
| ELEVIDYS 17.5-18.4 KG INTRAVENOUS KIT 18 X 10 ML | Carve Out | |
| ELEVIDYS 18.5-19.4 KG INTRAVENOUS KIT 19 X 10 ML | Carve Out | |
| ELEVIDYS 19.5-20.4 KG INTRAVENOUS KIT 20 X 10 ML | Carve Out | |
| ELEVIDYS 20.5-21.4 KG INTRAVENOUS KIT 21 X 10 ML | Carve Out | |
| ELEVIDYS 21.5-22.4 KG INTRAVENOUS KIT 22 X 10 ML | Carve Out | |
| ELEVIDYS 22.5-23.4 KG INTRAVENOUS KIT 23 X 10 ML | Carve Out | |
| ELEVIDYS 23.5-24.4 KG INTRAVENOUS KIT 24 X 10 ML | Carve Out | |
| ELEVIDYS 24.5-25.4 KG INTRAVENOUS KIT 25 X 10 ML | Carve Out | |

| Drug | Status | Notes |
|--|-----------|-------|
| ELEVIDYS 25.5-26.4 KG INTRAVENOUS KIT 26 X 10 ML | Carve Out | |
| ELEVIDYS 26.5-27.4 KG INTRAVENOUS KIT 27 X 10 ML | Carve Out | |
| ELEVIDYS 27.5-28.4 KG INTRAVENOUS KIT 28 X 10 ML | Carve Out | |
| ELEVIDYS 28.5-29.4 KG INTRAVENOUS KIT 29 X 10 ML | Carve Out | |
| EXONDYS 51 INTRAVENOUS SOLUTION 100 MG/2ML, 500 MG/10ML | Carve Out | |
| VILTEPSO INTRAVENOUS SOLUTION 250 MG/5ML | Carve Out | |
| VYONDYS 53 INTRAVENOUS SOLUTION 100 MG/2ML | Carve Out | |
| amondys 45 intravenous solution 100 mg/2ml | Carve Out | |
| *Rett Syndrome Agents - Glycine-Proline-Glutamate Analogs*** - Drugs For Nerves And Muscles | | |
| DAYBUE ORAL SOLUTION 200 MG/ML | Carve Out | |
| *Spinal Muscular Atrophy-Antisense Oligonucleotides*** - Drugs For Nerves And Muscles | | |
| SPINRAZA INTRATHECAL SOLUTION 12 MG/5ML | Carve Out | |
| *Spinal Muscular Atrophy-Gene Therapy Agents*** - Drugs For Nerves And Muscles | | |
| ZOLGENSMA 20.6-21.0 KG INTRAVENOUS KIT 14X8.3 ML | Carve Out | |
| ZOLGENSMA 10.1-10.5 KG INTRAVENOUS KIT 7X8.3 ML | Carve Out | |
| ZOLGENSMA 10.6-11.0 KG INTRAVENOUS KIT 2X5.5ML & 6X8.3ML | Carve Out | |
| ZOLGENSMA 11.1-11.5 KG INTRAVENOUS KIT 1X5.5ML & 7X8.3ML | Carve Out | |
| ZOLGENSMA 11.6-12.0 KG INTRAVENOUS KIT 8X8.3 ML | Carve Out | |
| ZOLGENSMA 12.1-12.5 KG INTRAVENOUS KIT 2X5.5ML & 7X8.3ML | Carve Out | |
| ZOLGENSMA 12.6-13.0 KG INTRAVENOUS KIT 1X5.5ML & 8X8.3ML | Carve Out | |
| ZOLGENSMA 13.1-13.5 KG INTRAVENOUS KIT 9X8.3 ML | Carve Out | |

| Drug | Status | Notes |
|---|-----------|-------|
| ZOLGENSMA 13.6-14.0 KG INTRAVENOUS KIT 2X5.5ML & 8X8.3ML | Carve Out | |
| ZOLGENSMA 14.1-14.5 KG INTRAVENOUS KIT 1X5.5ML & 9X8.3ML | Carve Out | |
| ZOLGENSMA 14.6-15.0 KG INTRAVENOUS KIT 10X8.3 ML | Carve Out | |
| ZOLGENSMA 15.1-15.5 KG INTRAVENOUS KIT 2X5.5ML & 9X8.3ML | Carve Out | |
| ZOLGENSMA 15.6-16.0 KG INTRAVENOUS KIT 1X5.5ML & 10X8.3ML | Carve Out | |
| ZOLGENSMA 16.1-16.5 KG INTRAVENOUS KIT 11X8.3 ML | Carve Out | |
| ZOLGENSMA 16.6-17.0 KG INTRAVENOUS KIT 2X5.5ML & 10X8.3ML | Carve Out | |
| ZOLGENSMA 17.1-17.5 KG INTRAVENOUS KIT 1X5.5ML & 11X8.3ML | Carve Out | |
| ZOLGENSMA 17.6-18.0 KG INTRAVENOUS KIT 12X8.3 ML | Carve Out | |
| ZOLGENSMA 18.1-18.5 KG INTRAVENOUS KIT 2X5.5ML & 11X8.3ML | Carve Out | |
| ZOLGENSMA 18.6-19.0 KG INTRAVENOUS KIT 1X5.5ML & 12X8.3ML | Carve Out | |
| ZOLGENSMA 19.1-19.5 KG INTRAVENOUS KIT 13X8.3 ML | Carve Out | |
| ZOLGENSMA 19.6-20.0 KG INTRAVENOUS KIT 2X5.5ML & 12X8.3ML | Carve Out | |
| ZOLGENSMA 2.6-3.0 KG INTRAVENOUS KIT 2X8.3 ML | Carve Out | |
| ZOLGENSMA 20.1-20.5 KG INTRAVENOUS KIT 1X5.5ML & 13X8.3ML | Carve Out | |
| ZOLGENSMA 3.1-3.5 KG INTRAVENOUS KIT 2X5.5ML & 1X8.3ML | Carve Out | |
| ZOLGENSMA 3.6-4.0 KG INTRAVENOUS KIT 1X5.5ML & 2X8.3ML | Carve Out | |
| ZOLGENSMA 4.1-4.5 KG INTRAVENOUS KIT 3X8.3 ML | Carve Out | |

| Drug | Status | Notes |
|--|-----------|-------|
| ZOLGENSMA 4.6-5.0 KG INTRAVENOUS KIT 2X5.5ML & 2X8.3ML | Carve Out | |
| ZOLGENSMA 5.1-5.5 KG INTRAVENOUS KIT 1X5.5ML & 3X8.3ML | Carve Out | |
| ZOLGENSMA 5.6-6.0 KG INTRAVENOUS KIT 4X8.3 ML | Carve Out | |
| ZOLGENSMA 6.1-6.5 KG INTRAVENOUS KIT 2X5.5ML & 3X8.3ML | Carve Out | |
| ZOLGENSMA 6.6-7.0 KG INTRAVENOUS KIT 1X5.5ML & 4X8.3ML | Carve Out | |
| ZOLGENSMA 7.1-7.5 KG INTRAVENOUS KIT 5X8.3 ML | Carve Out | |
| ZOLGENSMA 7.6-8.0 KG INTRAVENOUS KIT 2X5.5ML & 4X8.3ML | Carve Out | |
| ZOLGENSMA 8.1-8.5 KG INTRAVENOUS KIT 1X5.5ML & 5X8.3ML | Carve Out | |
| ZOLGENSMA 8.6-9.0 KG INTRAVENOUS KIT 6X8.3 ML | Carve Out | |
| ZOLGENSMA 9.1-9.5 KG INTRAVENOUS KIT 2X5.5ML & 5X8.3ML | Carve Out | |
| ZOLGENSMA 9.6-10.0 KG INTRAVENOUS KIT 1X5.5ML & 6X8.3ML | Carve Out | |
| *Spinal Muscular Atrophy-Smn2 Splicing Modifiers*** - Drugs For Nerves And Muscles | | |
| EVRYSDI ORAL SOLUTION RECONSTITUTED 0.75 MG/ML | Carve Out | |
| *Nutrients* - Drugs For Nutrition | | |
| *Lipids*** - Drugs For Nutrition | | |
| DOJOLVI ORAL LIQUID 100 % | Carve Out | |
| *Ophthalmic Agents* - Drugs For The Eye | | |
| *Alpha Adrenergic Agonist & Carbonic Anhydrase Inhib Comb*** - Drugs For Glaucoma | | |
| SIMBRINZA OPHTHALMIC SUSPENSION 1-0.2 % | Preferred | |
| brimonidine-dorzolamide ophthalmic solution 0.15-2 % | Preferred | |
| *Artificial Tear And Lubricant Combinations*** - Drugs For The Eye | | |
| ALTALUBE OPHTHALMIC OINTMENT 85-15 % | Preferred | |

| Drug | Status | Notes |
|--|-----------|-------|
| EQ RESTORE PM OPHTHALMIC OINTMENT | Preferred | |
| GENTEAL TEARS NIGHT-TIME OPHTHALMIC OINTMENT | Preferred | |
| HYPOTEARS OPHTHALMIC OINTMENT | Preferred | |
| REFRESH LACRI-LUBE OPHTHALMIC OINTMENT | Preferred | |
| REFRESH P.M. OPHTHALMIC OINTMENT | Preferred | |
| RETAINE PM OPHTHALMIC OINTMENT | Preferred | |
| SOOTHE NIGHTTIME OPHTHALMIC OINTMENT | Preferred | |
| STYE OPHTHALMIC OINTMENT 31.9-57.7 % | Preferred | |
| SYSTANE NIGHTTIME OPHTHALMIC OINTMENT | Preferred | |
| ULTRA FRESH PM OPHTHALMIC OINTMENT | Preferred | |
| artificial eye ophthalmic ointment 83-15 % | Preferred | |
| artificial tears ophthalmic ointment 83-15 % | Preferred | |
| cvs dry-eye relief nighttime ophthalmic ointment 42.5-57.3 % | Preferred | |
| cvs eye lubricant ophthalmic ointment | Preferred | |
| cvs lubricating eye/overnight ophthalmic ointment | Preferred | |
| cvs nighttime dry-eye relief ophthalmic ointment | Preferred | |
| eye lubricant ophthalmic ointment | Preferred | |
| for sty relief ophthalmic ointment 31.9-57.7 % | Preferred | |
| gnp nighttime relief lub eye ophthalmic ointment 57.3-42.5 % | Preferred | |
| lubricant eye fast acting ophthalmic ointment | Preferred | |
| lubricant eye nighttime ophthalmic ointment | Preferred | |
| lubricant eye ophthalmic ointment | Preferred | |
| lubricant eye pm ophthalmic ointment | Preferred | |
| lubricant pm ophthalmic ointment | Preferred | |
| lubrifresh p.m. ophthalmic ointment | Preferred | |
| *Artificial Tear Inserts*** - Drugs For The Eye | | |
| LACRISERT OPHTHALMIC INSERT 5 MG | Preferred | |

| Drug | Status | Notes |
|--|-----------|-------|
| *Artificial Tears And Lubricants*** - Drugs For The Eye | | |
| BIOLLE TEARS OPHTHALMIC SOLUTION 0.5 % | Preferred | |
| REFRESH PLUS OPHTHALMIC SOLUTION 0.5 % | Preferred | |
| REFRESH TEARS OPHTHALMIC SOLUTION 0.5 % | Preferred | |
| ULTRA FRESH OPHTHALMIC SOLUTION 0.5 % | Preferred | |
| artificial tears ophthalmic solution 1.4 % | Preferred | |
| carboxymethylcellulose sod pf ophthalmic solution 0.5 % | Preferred | |
| carboxymethylcellulose sodium ophthalmic solution 0.5 % | Preferred | |
| cvs lubricant eye drops (pf) ophthalmic solution 0.5 % | Preferred | |
| cvs lubricant eye drops ophthalmic solution 0.5 % | Preferred | |
| eq restore plus lubricant eye ophthalmic solution 0.5 % | Preferred | |
| eq restore tears ophthalmic solution 0.5 % | Preferred | |
| eye drops ophthalmic solution 0.5 % | Preferred | |
| gnp lubricant eye drops (pf) ophthalmic solution 0.5 % | Preferred | |
| gnp lubricating plus eye drops ophthalmic solution 0.5 % | Preferred | |
| goodsense lubricating eye drop ophthalmic solution 0.5 % | Preferred | |
| hm lubricating plus ophthalmic solution 0.5 % | Preferred | |
| liquitears ophthalmic solution 1.4 % | Preferred | |
| lubricant eye drops ophthalmic solution 0.5 % | Preferred | |
| lubricant eye drops pf ophthalmic solution 0.5 % | Preferred | |
| lubricating plus eye drops ophthalmic solution 0.5 % | Preferred | |
| polyvinyl alcohol ophthalmic solution 1.4 % | Preferred | |
| ra lubricant eye drops ophthalmic solution 0.5 % | Preferred | |
| sm lubricating plus ophthalmic solution 0.5 % | Preferred | |

| Drug | Status | Notes |
|---|---------------|----------------------------|
| *Beta-Blockers - Ophthalmic Combinations*** | | |
| - Drugs For Glaucoma | | |
| COMBIGAN OPHTHALMIC SOLUTION 0.2-0.5 % | Preferred | |
| COSOPT OPHTHALMIC SOLUTION 2-0.5 % | Non Preferred | PA; QL (10 ML per 24 days) |
| COSOPT PF OPHTHALMIC SOLUTION 2-0.5 % | Non Preferred | PA |
| brimonidine tartrate-timolol ophthalmic solution 0.2-0.5 % | Preferred | |
| dorzolamide hcl-timolol mal ophthalmic solution 2-0.5 % | Preferred | QL (10 ML per 24 days) |
| dorzolamide hcl-timolol mal pf ophthalmic solution 2-0.5 % | Preferred | |
| dorzolamide hcl-timolol mal solution 2-0.5 % ophthalmic | Non Preferred | PA; QL (10 ML per 24 days) |
| latanoprost-timolol maleate ophthalmic solution 0.005-0.5 % | Preferred | |
| timolol-brimon-dorzol-latanopr ophthalmic solution 0.5-0.15-2 -0.005% | Preferred | |
| timolol-brimonidine-dorzolamid ophthalmic solution 0.5-0.15-2 % | Preferred | |
| timolol-dorzolamid-latanoprost ophthalmic solution 0.5-0.15-0.005 % | Preferred | |
| *Beta-Blockers - Ophthalmic*** - Drugs For Glaucoma | | |
| BETIMOL OPHTHALMIC SOLUTION 0.25 %, 0.5 % | Non Preferred | PA |
| BETOPTIC-S OPHTHALMIC SUSPENSION 0.25 % | Non Preferred | PA |
| ISTALOL OPHTHALMIC SOLUTION 0.5 % | Non Preferred | PA |
| TIMOLOL MALEATE OCUDOSE OPHTHALMIC SOLUTION 0.5 % | Preferred | |
| TIMOPTIC OCUDOSE OPHTHALMIC SOLUTION 0.25 % | Non Preferred | PA |
| TIMOPTIC OCUDOSE OPHTHALMIC SOLUTION 0.5 % | Preferred | |
| TIMOPTIC OPHTHALMIC SOLUTION 0.25 %, 0.5 % | Non Preferred | PA |
| TIMOPTIC-XE OPHTHALMIC GEL FORMING SOLUTION 0.25 %, 0.5 % | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|----------------------------|
| betaxolol hcl ophthalmic solution 0.5 % | Non Preferred | PA |
| carteolol hcl ophthalmic solution 1 % | Non Preferred | PA |
| levobunolol hcl ophthalmic solution 0.5 % | Preferred | QL (15 ML per 24 days) |
| timolol maleate (once-daily) ophthalmic solution 0.5 % | Non Preferred | PA |
| timolol maleate ophthalmic gel forming solution 0.25 %, 0.5 % | Preferred | |
| timolol maleate ophthalmic solution 0.25 %, 0.5 % | Preferred | |
| timolol maleate pf ophthalmic solution 0.25 % | Non Preferred | PA |
| timolol maleate pf ophthalmic solution 0.5 % | Preferred | |
| *Cholinergic Agonists*** - Drugs For The Eye | | |
| TYRVAYA NASAL SOLUTION 0.03 MG/ACT | Preferred | PA |
| *Cycloplegic Mydriatic Combinations*** - Drugs For The Eye | | |
| CYCLOMYDRIL OPHTHALMIC SOLUTION 0.2-1 % | Preferred | |
| tropicamide-cyclopentolate-pe ophthalmic solution 1-1-2.5 % | Non Preferred | PA |
| tropicamide-phenylephrine ophthalmic solution 1-2.5 % | Preferred | |
| tropic-proparaca-pe-ketorolac ophthalmic solution 1-0.5-2.5-0.5 % | Non Preferred | PA |
| *Cycloplegic Mydriatics*** - Drugs For The Eye | | |
| ALTAFRIN OPHTHALMIC SOLUTION 10 %, 2.5 % | Preferred | |
| CYCLOGYL OPHTHALMIC SOLUTION 0.5 %, 2 % | Preferred | |
| CYCLOGYL OPHTHALMIC SOLUTION 1 % | Non Preferred | PA |
| ISOPTO ATROPINE OPHTHALMIC SOLUTION 1 % | Non Preferred | PA; QL (15 ML per 24 days) |
| MYDRIACYL OPHTHALMIC SOLUTION 1 % | Non Preferred | PA |
| atropine sulfate ophthalmic ointment 1 % | Preferred | |
| atropine sulfate ophthalmic solution 0.01 % | Preferred | |
| atropine sulfate ophthalmic solution 1 % | Preferred | QL (15 ML per 24 days) |
| cyclopentolate hcl ophthalmic solution 0.5 %, 1 %, 2 % | Preferred | |

| Drug | Status | Notes |
|--|---------------|-------|
| phenylephrine hcl ophthalmic solution 10 %, 2.5 % | Preferred | |
| tropicamide ophthalmic solution 0.5 %, 1 % | Preferred | |
| *Lymphocyte Function-Associated Antigen-1 (Lfa-1) Antag*** - Anti-Infective/Anti-Inflammatories | | |
| XIIDRA OPHTHALMIC SOLUTION 5 % | Preferred | |
| *Miotics - Cholinesterase Inhibitors*** - Drugs For Glaucoma | | |
| PHOSPHOLINE IODIDE OPHTHALMIC SOLUTION RECONSTITUTED 0.125 % | Preferred | |
| *Miotics - Direct Acting*** - Drugs For Glaucoma | | |
| VUITY OPHTHALMIC SOLUTION 1.25 % | Preferred | PA |
| pilocarpine hcl ophthalmic solution 1 %, 2 %, 4 % | Non Preferred | PA |
| *Ophthalmic Antiallergic*** - Drugs For Itchy Eye | | |
| ALAWAY CHILDRENS ALLERGY OPHTHALMIC SOLUTION 0.025 %, 0.035 % | Preferred | |
| ALAWAY OPHTHALMIC SOLUTION 0.025 %, 0.035 % | Preferred | |
| ALOCRIL OPHTHALMIC SOLUTION 2 % | Non Preferred | PA |
| ALOMIDE OPHTHALMIC SOLUTION 0.1 % | Non Preferred | PA |
| BEPREVE OPHTHALMIC SOLUTION 1.5 % | Non Preferred | PA |
| ZERVIATE OPHTHALMIC SOLUTION 0.24 % | Non Preferred | PA |
| azelastine hcl ophthalmic solution 0.05 % | Non Preferred | PA |
| bepotastine besilate ophthalmic solution 1.5 % | Non Preferred | PA |
| cromolyn sodium ophthalmic solution 4 % | Preferred | |
| cvs allergy eye drops ophthalmic solution 0.025 %, 0.035 % | Preferred | |
| cvs eye itch relief ophthalmic solution 0.025 %, 0.035 % | Preferred | |
| epinastine hcl ophthalmic solution 0.05 % | Non Preferred | PA |
| eq eye itch relief ophthalmic solution 0.025 %, 0.035 % | Preferred | |

| Drug | Status | Notes |
|--|---------------|--------------|
| eye itch relief ophthalmic solution 0.025 %, 0.035 % | Preferred | |
| ketotifen fumarate ophthalmic solution 0.025 %, 0.035 % | Preferred | |
| olopatadine hcl ophthalmic solution 0.1 %, 0.2 % | Non Preferred | PA |
| ra eye itch relief ophthalmic solution 0.025 %, 0.035 % | Preferred | |
| sm eye itch relief ophthalmic solution 0.025 %, 0.035 % | Preferred | |
| *Ophthalmic Antibiotics*** - Anti-Infective/Anti-Inflammatories | | |
| AZASITE OPHTHALMIC SOLUTION 1 % | Non Preferred | PA |
| BESIVANCE OPHTHALMIC SUSPENSION 0.6 % | Non Preferred | PA |
| CILOXAN OPHTHALMIC OINTMENT 0.3 % | Non Preferred | PA |
| GENTAK OPHTHALMIC OINTMENT 0.3 % | Non Preferred | PA |
| KLARITY-A OPHTHALMIC SOLUTION 1 % | Non Preferred | PA |
| MITOSOL OPHTHALMIC KIT 0.2 MG | Non Preferred | PA |
| OCUFLOX OPHTHALMIC SOLUTION 0.3 % | Non Preferred | PA |
| TOBREX OPHTHALMIC OINTMENT 0.3 % | Non Preferred | PA |
| VIGAMOX OPHTHALMIC SOLUTION 0.5 % | Non Preferred | PA |
| ZYMAXID OPHTHALMIC SOLUTION 0.5 % | Non Preferred | PA |
| bacitracin ophthalmic ointment 500 unit/gm | Non Preferred | PA |
| ciprofloxacin hcl ophthalmic solution 0.3 % | Preferred | |
| erythromycin ophthalmic ointment 5 mg/gm | Preferred | |
| gatifloxacin ophthalmic solution 0.5 % | Non Preferred | PA |
| gentamicin sulfate ophthalmic solution 0.3 % | Preferred | |
| levofloxacin ophthalmic solution 0.5 %, 1.5 % | Non Preferred | PA |
| moxifloxacin hcl (2x day) ophthalmic solution 0.5 % | Non Preferred | PA |
| moxifloxacin hcl ophthalmic solution 0.5 % | Preferred | |
| ofloxacin ophthalmic solution 0.3 % | Preferred | |
| tobramycin ophthalmic solution 0.3 % | Preferred | |

| Drug | Status | Notes |
|--|---------------|-----------------------|
| *Ophthalmic Antifungal*** - Drugs For The Eye | | |
| NATACYN OPHTHALMIC SUSPENSION 5 % | Preferred | |
| *Ophthalmic Anti-Infective Combinations*** - Anti-Infective/Anti-Inflammatories | | |
| NEO-POLYCIN OPHTHALMIC OINTMENT 3.5-400-10000 | Non Preferred | PA |
| POLYCIN OPHTHALMIC OINTMENT 500-10000 UNIT/GM | Non Preferred | PA |
| POLYTRIM OPHTHALMIC SOLUTION 10000-0.1 UNIT/ML-% | Non Preferred | PA |
| ak-poly-bac ophthalmic ointment 500-10000 unit/gm | Non Preferred | PA |
| bacitracin-polymyxin b ophthalmic ointment 500-10000 unit/gm | Non Preferred | PA |
| neomycin-bacitracin zn-polymyx ophthalmic ointment 3.5-400-10000 , 5-400-10000 | Non Preferred | PA |
| neomycin-polymyxin-gramicidin ophthalmic solution 1.75-10000-.025 | Non Preferred | PA |
| polymyxin b-trimethoprim ophthalmic solution 10000-0.1 unit/ml-% | Preferred | |
| *Ophthalmic Antivirals*** - Anti-Infective/Anti-Inflammatories | | |
| ZIRGAN OPHTHALMIC GEL 0.15 % | Non Preferred | PA |
| trifluridine ophthalmic solution 1 % | Preferred | QL (8 ML per 24 days) |
| *Ophthalmic Carbonic Anhydrase Inhibitors*** - Drugs For Glaucoma | | |
| AZOPT OPHTHALMIC SUSPENSION 1 % | Non Preferred | PA |
| TRUSOPT OPHTHALMIC SOLUTION 2 % | Non Preferred | PA |
| brinzolamide ophthalmic suspension 1 % | Preferred | |
| dorzolamide hcl ophthalmic solution 2 % | Preferred | |
| *Ophthalmic Ectoparasiticide** - Anti-Infective/Anti-Inflammatories | | |
| XDEMVY OPHTHALMIC SOLUTION 0.25 % | Preferred | |
| *Ophthalmic Gene Therapy*** - Drugs For The Eye | | |
| LUXTURNA INTRAOCULAR SUSPENSION 500000000000 VG/ML | Carve Out | |

| Drug | Status | Notes |
|--|---------------|-------------------------|
| *Ophthalmic Immunomodulators*** - Anti-Infective/Anti-Inflammatories | | |
| CEQUA OPHTHALMIC SOLUTION 0.09 % | Non Preferred | PA |
| CYCLOSPORINE IN KLARITY OPHTHALMIC EMULSION 0.1 % | Non Preferred | PA |
| RESTASIS MULTIDOSE OPHTHALMIC EMULSION 0.05 % | Preferred | |
| RESTASIS OPHTHALMIC EMULSION 0.05 % | Preferred | |
| VERKAZIA OPHTHALMIC EMULSION 0.1 % | Non Preferred | PA |
| cyclosporine ophthalmic emulsion 0.05 % | Preferred | |
| *Ophthalmic Kinase Inhibitors - Combinations*** - Drugs For Glaucoma | | |
| ROCKLATAN OPHTHALMIC SOLUTION 0.02-0.005 % | Preferred | |
| *Ophthalmic Local Anesthetics*** - Drugs For The Eye | | |
| AKTEN OPHTHALMIC GEL 3.5 % | Non Preferred | PA |
| ALCAINE OPHTHALMIC SOLUTION 0.5 % | Non Preferred | PA |
| ALTACAINE OPHTHALMIC SOLUTION 0.5 % | Preferred | |
| proparacaine hcl ophthalmic solution 0.5 % | Preferred | |
| tetracaine hcl ophthalmic solution 0.5 % | Preferred | |
| *Ophthalmic Nerve Growth Factors*** - Drugs For The Eye | | |
| OXERVATE OPHTHALMIC SOLUTION 0.002 % | Carve Out | |
| *Ophthalmic Nonsteroidal Anti-Inflammatory Agents*** - Anti-Infective/Anti-Inflammatories | | |
| ACULAR LS OPHTHALMIC SOLUTION 0.4 % | Non Preferred | PA; QL (2 ML per 1 day) |
| ACULAR OPHTHALMIC SOLUTION 0.5 % | Non Preferred | PA; QL (2 ML per 1 day) |
| ACUVAIL OPHTHALMIC SOLUTION 0.45 % | Non Preferred | PA |
| BROMSITE OPHTHALMIC SOLUTION 0.075 % | Non Preferred | PA |
| ILEVRO OPHTHALMIC SUSPENSION 0.3 % | Preferred | |

| Drug | Status | Notes |
|---|---------------|---------------------|
| NEVANAC OPHTHALMIC SUSPENSION 0.1 % | Non Preferred | PA |
| PROLENSA OPHTHALMIC SOLUTION 0.07 % | Non Preferred | PA |
| bromfenac sodium (once-daily) ophthalmic solution 0.09 % | Non Preferred | PA |
| diclofenac sodium ophthalmic solution 0.1 % | Preferred | |
| flurbiprofen sodium ophthalmic solution 0.03 % | Preferred | |
| ketorolac tromethamine ophthalmic solution 0.4 %, 0.5 % | Preferred | QL (2 ML per 1 day) |
| *Ophthalmic Rho Kinase Inhibitors*** - Drugs For Glaucoma | | |
| RHOPRESSA OPHTHALMIC SOLUTION 0.02 % | Preferred | |
| *Ophthalmic Selective Alpha Adrenergic Agonists*** - Drugs For Glaucoma | | |
| ALPHAGAN P OPHTHALMIC SOLUTION 0.1 %, 0.15 % | Preferred | |
| IOPIDINE OPHTHALMIC SOLUTION 1 % | Non Preferred | PA |
| apraclonidine hcl ophthalmic solution 0.5 % | Non Preferred | PA |
| brimonidine tartrate ophthalmic solution 0.1 %, 0.15 %, 0.2 % | Preferred | |
| *Ophthalmic Steroid Combinations*** - Anti-Infective/Anti-Inflammatories | | |
| BLEPHAMIDE S.O.P. OPHTHALMIC OINTMENT 10-0.2 % | Non Preferred | PA |
| MAXITROL OPHTHALMIC OINTMENT 3.5-10000-0.1 | Non Preferred | PA |
| MAXITROL OPHTHALMIC SUSPENSION 0.1 %, 3.5-10000-0.1 | Non Preferred | PA |
| NEO-POLYCIN HC OPHTHALMIC OINTMENT 1 % | Non Preferred | PA |
| PRED-G OPHTHALMIC SUSPENSION 0.3-1 % | Non Preferred | PA |
| PRED-G S.O.P. OPHTHALMIC OINTMENT 0.3-0.6 % | Non Preferred | PA |
| TOBRADEX OPHTHALMIC OINTMENT 0.3-0.1 % | Preferred | |
| TOBRADEX OPHTHALMIC SUSPENSION 0.3-0.1 % | Preferred | |

| Drug | Status | Notes |
|--|---------------|-------|
| TOBRADEX ST OPHTHALMIC SUSPENSION 0.3-0.05 % | Non Preferred | PA |
| ZYLET OPHTHALMIC SUSPENSION 0.5-0.3 % | Non Preferred | PA |
| bacitra-neomycin-polymyxin-hc ophthalmic ointment 1 % | Non Preferred | PA |
| double pm ophthalmic solution reconstituted 1-0.5 % | Non Preferred | PA |
| neomycin-polymyxin-dexameth ophthalmic ointment 3.5-10000-0.1 | Preferred | |
| neomycin-polymyxin-dexameth ophthalmic suspension 0.1 %, 3.5-10000-0.1 | Preferred | |
| neomycin-polymyxin-hc ophthalmic suspension 3.5-10000-1 | Non Preferred | PA |
| prednisol ace-moxiflox-bromfen ophthalmic suspension 1-0.5-0.075 % | Non Preferred | PA |
| prednisolone acetate-nepafenac ophthalmic suspension 1-0.1 % | Non Preferred | PA |
| prednisolone acet-moxifloxacin ophthalmic suspension 1-0.5 % | Non Preferred | PA |
| prednisolone-bromfenac ophthalmic solution 1-0.075 % | Non Preferred | PA |
| prednisolone-bromfenac ophthalmic suspension 1-0.075 % | Non Preferred | PA |
| prednisolone-gatifloxacin ophthalmic suspension 1-0.5 % | Non Preferred | PA |
| prednisolone-moxifloxacin ophthalmic solution 1-0.5 % | Non Preferred | PA |
| prednisolon-gatiflox-bromfenac ophthalmic solution 1-0.5-0.075 % | Non Preferred | PA |
| prednisolon-gatiflox-bromfenac ophthalmic suspension 1-0.5-0.075 % | Non Preferred | PA |
| prednisolon-moxiflox-bromfenac ophthalmic solution 1-0.5-0.075 % | Non Preferred | PA |
| prednisolon-moxiflox-nepafenac ophthalmic suspension 1-0.5-0.1 % | Non Preferred | PA |
| sulfacetamide-prednisolone ophthalmic solution 10-0.23 % | Preferred | |
| tobramycin-dexamethasone ophthalmic suspension 0.3-0.1 % | Preferred | |
| triple pmb ophthalmic solution reconstituted 1-0.5-0.09 % | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|----------------------------|
| triple pmk ophthalmic solution reconstituted 1-0.5-0.5 % | Non Preferred | PA |
| *Ophthalmic Steroids*** - Anti-Infective/Anti-Inflammatories | | |
| ALREX OPHTHALMIC SUSPENSION 0.2 % | Non Preferred | PA |
| DUREZOL OPHTHALMIC EMULSION 0.05 % | Non Preferred | PA |
| EYSUVIS OPHTHALMIC SUSPENSION 0.25 % | Non Preferred | PA |
| FLAREX OPHTHALMIC SUSPENSION 0.1 % | Non Preferred | PA |
| FML FORTE OPHTHALMIC SUSPENSION 0.25 % | Non Preferred | PA |
| FML LIQUIFILM OPHTHALMIC SUSPENSION 0.1 % | Non Preferred | PA; QL (15 ML per 24 days) |
| FML OPHTHALMIC OINTMENT 0.1 % | Non Preferred | PA |
| INVELTYS OPHTHALMIC SUSPENSION 1 % | Non Preferred | PA |
| KLARITY-L OPHTHALMIC EMULSION 0.2 %, 0.5 % | Non Preferred | PA |
| LOTEMAX OPHTHALMIC GEL 0.5 % | Non Preferred | PA |
| LOTEMAX OPHTHALMIC OINTMENT 0.5 % | Non Preferred | PA |
| LOTEMAX OPHTHALMIC SUSPENSION 0.5 % | Non Preferred | PA |
| LOTEMAX SM OPHTHALMIC GEL 0.38 % | Non Preferred | PA |
| MAXIDEX OPHTHALMIC SUSPENSION 0.1 % | Non Preferred | PA |
| PRED FORTE OPHTHALMIC SUSPENSION 1 % | Non Preferred | PA |
| PRED MILD OPHTHALMIC SUSPENSION 0.12 % | Non Preferred | PA |
| dexamethasone sodium phosphate ophthalmic solution 0.1 % | Preferred | |
| difluprednate ophthalmic emulsion 0.05 % | Preferred | |
| fluorometholone ophthalmic suspension 0.1 % | Preferred | QL (15 ML per 24 days) |
| loteprednol etabonate ophthalmic gel 0.5 % | Non Preferred | PA |
| loteprednol etabonate ophthalmic suspension 0.5 % | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|---------------------------|
| prednisolone acetate ophthalmic suspension 1 % | Preferred | |
| prednisolone acetate p-f ophthalmic suspension 1 % | Preferred | |
| prednisolone acetate suspension 1 % ophthalmic | Non Preferred | PA |
| prednisolone sodium phosphate ophthalmic solution 1 % | Non Preferred | PA |
| *Ophthalmic Sulfonamides*** - Anti-Infective/Anti-Inflammatories | | |
| sulacetamide sodium ophthalmic ointment 10 % | Non Preferred | PA |
| sulacetamide sodium ophthalmic solution 10 % | Preferred | |
| *Ophthalmics - Blepharoptosis Agents** - Drugs For The Eye | | |
| UPNEEQ OPHTHALMIC SOLUTION 0.1 % | Preferred | PA |
| *Ophthalmics - Cystinosis Agents** - Drugs For The Eye | | |
| CYSTADROPS OPHTHALMIC SOLUTION 0.37 % | Non Preferred | PA; SP |
| CYSTARAN OPHTHALMIC SOLUTION 0.44 % | Preferred | PA; SP |
| *Ophthalmics Misc. - Other*** - Drugs For The Eye | | |
| MIEBO OPHTHALMIC SOLUTION 1.338 GM/ML | Non Preferred | PA |
| *Prostaglandins - Ophthalmic*** - Drugs For Glaucoma | | |
| IYUZEH OPHTHALMIC SOLUTION 0.005 % | Preferred | |
| LUMIGAN OPHTHALMIC SOLUTION 0.01 % | Non Preferred | PA |
| TRAVATAN Z OPHTHALMIC SOLUTION 0.004 % | Non Preferred | PA; QL (5 ML per 24 days) |
| VYZULTA OPHTHALMIC SOLUTION 0.024 % | Non Preferred | PA |
| XALATAN OPHTHALMIC SOLUTION 0.005 % | Non Preferred | PA; QL (5 ML per 24 days) |
| XELPROS OPHTHALMIC EMULSION 0.005 % | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|---------------------------|
| ZIOPTAN OPHTHALMIC SOLUTION 0.0015 % | Non Preferred | PA |
| bimatoprost ophthalmic solution 0.03 % | Non Preferred | PA |
| latanoprost ophthalmic solution 0.005 % | Preferred | QL (5 ML per 24 days) |
| tafluprost (pf) ophthalmic solution 0.0015 % | Non Preferred | PA |
| travoprost (bak free) ophthalmic solution 0.004 % | Non Preferred | PA; QL (5 ML per 24 days) |
| *Otic Agents* - Drugs For The Ear | | |
| *Otic Agents - Miscellaneous*** - Wax Removal | | |
| AURO DRI SWIMMERS EARS OTIC LIQUID 95 % | Preferred | |
| CLEARCANAL EARWAX SOFTENER OTIC SOLUTION 6.5 % | Preferred | |
| CLINERE EARWAX REMOVAL KIT OTIC SOLUTION 6.5 % | Preferred | |
| DEBROX SWIMMERS EAR OTIC LIQUID 95-5 % | Preferred | |
| MURINE EAR OTIC SOLUTION 6.5 % | Preferred | |
| MURINE EAR WAX REMOVAL SYSTEM OTIC SOLUTION 6.5 % | Preferred | |
| acetic acid otic solution 2 % | Preferred | QL (20 ML per 24 days) |
| cvs ear drops otic solution 6.5 % | Preferred | |
| cvs ear wax removal system otic solution 6.5 % | Preferred | |
| cvs earwax removal kit otic solution 6.5 % | Preferred | |
| cvs swimmers ear drops otic liquid 95 % | Preferred | |
| ear drops earwax aid otic solution 6.5 % | Preferred | |
| ear drops for swimmers otic liquid 95-5 % | Preferred | |
| ear drops otic solution 6.5 % | Preferred | |
| ear wax drops otic solution 6.5 % | Preferred | |
| ear wax removal drops otic solution 6.5 % | Preferred | |
| ear wax removal kit otic solution 6.5 % | Preferred | |
| ear wax removal system otic solution 6.5 % | Preferred | |
| earwax removal aid otic solution 6.5 % | Preferred | |
| earwax removal kit otic solution 6.5 % | Preferred | |
| earwax removal otic solution 6.5 % | Preferred | |
| earwax treatment drops otic solution 6.5 % | Preferred | |
| eq ear wax removal aid otic solution 6.5 % | Preferred | |
| eq earwax removal aid otic solution 6.5 % | Preferred | |

| Drug | Status | Notes |
|--|---------------|------------------------|
| ft earwax removal kit otic solution 6.5 % | Preferred | |
| ft earwax removal otic solution 6.5 % | Preferred | |
| gnp earwax removal drops otic solution 6.5 % | Preferred | |
| gnp earwax removal kit otic solution 6.5 % | Preferred | |
| goodsense ear wax kit otic solution 6.5 % | Preferred | |
| goodsense ear wax removal otic solution 6.5 % | Preferred | |
| hm earwax removal kit otic solution 6.5 % | Preferred | |
| hm earwax removal otic solution 6.5 % | Preferred | |
| instant ear-dry otic liquid 95-5 % | Preferred | |
| qc ear wax removal otic solution 6.5 % | Preferred | |
| qc earwax removal kit otic solution 6.5 % | Preferred | |
| qc earwax removal otic solution 6.5 % | Preferred | |
| qc instant ear-dry otic liquid 95-5 % | Preferred | |
| ra ear drops otic solution 6.5 % | Preferred | |
| ra ear drying agent otic liquid 95-5 % | Preferred | |
| ra earwax removal kit otic solution 6.5 % | Preferred | |
| sm ear drops otic solution 6.5 % | Preferred | |
| sm swimmers ear drops otic liquid 95 % | Preferred | |
| swimmers ear drops otic liquid 95 % | Preferred | |
| *Otic Analgesic Combinations*** - Anti-Infective/Anti-Inflammatories | | |
| PRAMOTIC OTIC LIQUID 1-0.1 % | Preferred | |
| *Otic Anti-Infectives*** - Antibiotics | | |
| CETRAXAL OTIC SOLUTION 0.2 % | Non Preferred | PA |
| ciprofloxacin hcl otic solution 0.2 % | Non Preferred | PA |
| ofloxacin otic solution 0.3 % | Preferred | QL (20 ML per 24 days) |
| *Otic Steroid-Anti-Infective Combinations*** - Anti-Infective/Anti-Inflammatories | | |
| CIPRO HC OTIC SUSPENSION 0.2-1 % | Preferred | |
| CIPRODEX OTIC SUSPENSION 0.3-0.1 % | Preferred | |
| CORTISPORIN-TC OTIC SUSPENSION 3.3-3-10-0.5 MG/ML | Non Preferred | PA |
| OTOVEL OTIC SOLUTION 0.3-0.025 % | Non Preferred | PA |
| antibiotic ear otic solution 3.5-10000-1 | Preferred | |
| ciprofloxacin-dexamethasone otic suspension 0.3-0.1 % | Preferred | |
| ciprofloxacin-fluocinolone pf otic solution 0.3-0.025 % | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|---------------------|
| neomycin-polymyxin-hc otic solution 1 %, 3.5-10000-1 | Preferred | |
| neomycin-polymyxin-hc otic suspension 3.5-10000-1 | Preferred | |
| *Otic Steroids*** - Anti-Infective/Anti-Inflammatories | | |
| ACETASOL HC OTIC SOLUTION 2-1 % | Preferred | |
| DERMOTIC OTIC OIL 0.01 % | Preferred | |
| FLAC OTIC OIL 0.01 % | Preferred | |
| fluocinolone acetonide otic oil 0.01 % | Preferred | |
| hydrocortisone-acetic acid otic solution 1-2 % | Preferred | |
| *Oxytocics* - Hormones | | |
| *Abortifacient Combinations*** - Drugs For Women | | |
| MPM PAK ORAL THERAPY PACK 200-0.2-8-800 MG | Non Preferred | PA |
| *Oxytocics*** - Drugs For Women | | |
| METHERGINE ORAL TABLET 0.2 MG | Preferred | QL (4 EA per 1 day) |
| methylergonovine maleate oral tablet 0.2 mg | Preferred | QL (4 EA per 1 day) |
| *Passive Immunizing And Treatment Agents* - Biological Agents | | |
| *Antiviral Monoclonal Antibodies*** - Biological Agents | | |
| SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5ML | Preferred | PA; SP |
| *Penicillins* - Drugs For Infections | | |
| *Aminopenicillins*** - Antibiotics | | |
| amoxicillin oral capsule 250 mg, 500 mg | Preferred | QL (8 EA per 1 day) |
| amoxicillin oral suspension reconstituted 125 mg/5ml, 200 mg/5ml, 250 mg/5ml, 400 mg/5ml | Preferred | |
| amoxicillin oral tablet 500 mg | Preferred | QL (5 EA per 1 day) |
| amoxicillin oral tablet 875 mg | Preferred | QL (4 EA per 1 day) |
| amoxicillin oral tablet chewable 125 mg | Preferred | QL (6 EA per 1 day) |
| amoxicillin oral tablet chewable 250 mg | Preferred | QL (8 EA per 1 day) |
| ampicillin oral capsule 500 mg | Preferred | QL (8 EA per 1 day) |
| ampicillin sodium injection solution reconstituted 1 gm, 125 mg, 2 gm, 250 mg, 500 mg | Preferred | |
| ampicillin sodium intravenous solution reconstituted 1 gm, 10 gm, 2 gm | Preferred | |

| Drug | Status | Notes |
|--|---------------|-------------------------|
| *Natural Penicillins*** - Antibiotics | | |
| BICILLIN L-A INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1200000 UNIT/2ML, 2400000 UNIT/4ML, 600000 UNIT/ML | Preferred | PA |
| PFIZERPEN INJECTION SOLUTION RECONSTITUTED 20000000 UNIT, 5000000 UNIT | Non Preferred | PA |
| penicillin g pot in dextrose intravenous solution 20000 unit/ml, 40000 unit/ml, 60000 unit/ml | Preferred | PA |
| penicillin g potassium injection solution reconstituted 20000000 unit, 5000000 unit | Preferred | PA |
| penicillin g procaine intramuscular suspension 600000 unit/ml | Preferred | PA |
| penicillin g sodium injection solution reconstituted 5000000 unit | Preferred | PA |
| penicillin v potassium oral solution reconstituted 125 mg/5ml, 250 mg/5ml | Preferred | QL (40 ML per 1 day) |
| penicillin v potassium oral tablet 250 mg, 500 mg | Preferred | QL (8 EA per 1 day) |
| *Penicillin Combinations*** - Antibiotics | | |
| AUGMENTIN ES-600 ORAL SUSPENSION RECONSTITUTED 600-42.9 MG/5ML | Non Preferred | PA |
| AUGMENTIN ORAL SUSPENSION RECONSTITUTED 125-31.25 MG/5ML | Non Preferred | PA |
| AUGMENTIN ORAL TABLET 500-125 MG | Non Preferred | PA; QL (3 EA per 1 day) |
| BICILLIN C-R 900/300 INTRAMUSCULAR SUSPENSION 900000-300000 UNIT/2ML | Preferred | PA |
| BICILLIN C-R INTRAMUSCULAR SUSPENSION 1200000 UNIT/2ML | Preferred | PA |
| UNASYN INJECTION SOLUTION RECONSTITUTED 1.5 (1-0.5) GM, 3 (2-1) GM | Non Preferred | PA |
| UNASYN INTRAVENOUS SOLUTION RECONSTITUTED 15 (10-5) GM | Non Preferred | PA |
| ZOSYN INTRAVENOUS SOLUTION 2-0.25 GM/50ML, 3-0.375 GM/50ML, 4-0.5 GM/100ML | Preferred | PA |
| amoxicillin-pot clavulanate er oral tablet extended release 12 hour 1000-62.5 mg | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|-------------------------|
| amoxicillin-pot clavulanate oral suspension reconstituted 200-28.5 mg/5ml, 250-62.5 mg/5ml, 400-57 mg/5ml, 600-42.9 mg/5ml | Preferred | |
| amoxicillin-pot clavulanate oral tablet 250-125 mg, 500-125 mg | Preferred | QL (3 EA per 1 day) |
| amoxicillin-pot clavulanate oral tablet 875-125 mg | Preferred | QL (2 EA per 1 day) |
| amoxicillin-pot clavulanate oral tablet chewable 200-28.5 mg | Non Preferred | PA; QL (3 EA per 1 day) |
| amoxicillin-pot clavulanate oral tablet chewable 400-57 mg | Non Preferred | PA; QL (4 EA per 1 day) |
| ampicillin-sulbactam sodium injection solution reconstituted 1.5 (1-0.5) gm, 3 (2-1) gm | Non Preferred | PA |
| ampicillin-sulbactam sodium intravenous solution reconstituted 1.5 (1-0.5) gm, 15 (10-5) gm, 3 (2-1) gm | Non Preferred | PA |
| piperacillin sod-tazobactam so intravenous solution reconstituted 13.5 (12-1.5) gm, 2.25 (2-0.25) gm, 3-0.375 gm, 3.375 (3-0.375) gm, 4-0.5 gm, 4.5 (4-0.5) gm, 40.5 (36-4.5) gm | Preferred | PA |
| *Penicillinase-Resistant Penicillins*** - Antibiotics | | |
| dicloxacillin sodium oral capsule 250 mg | Preferred | QL (8 EA per 1 day) |
| dicloxacillin sodium oral capsule 500 mg | Preferred | QL (6 EA per 1 day) |
| *Pharmaceutical Adjuvants* | | |
| *Parenteral Vehicles*** | | |
| sterile water for injection injection solution | Preferred | |
| *Progestins* - Hormones | | |
| *Progestins*** - Drugs For Women | | |
| AYGESTIN ORAL TABLET 5 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| MAKENA INTRAMUSCULAR OIL 250 MG/ML | Preferred | PA |
| MAKENA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 275 MG/1.1ML | Non Preferred | PA |
| PROMETRIUM ORAL CAPSULE 100 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| PROMETRIUM ORAL CAPSULE 200 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| PROVERA ORAL TABLET 10 MG, 2.5 MG, 5 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| ec-rx progesterone transdermal cream 10 %, 20 % | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|---------------------|
| hydroxyprogesterone caproate intramuscular oil 250 mg/ml | Preferred | PA |
| medroxyprogesterone acetate oral tablet 10 mg, 2.5 mg, 5 mg | Preferred | QL (2 EA per 1 day) |
| megestrol acetate oral suspension 625 mg/5ml | Preferred | |
| norethindrone acetate oral tablet 5 mg | Preferred | QL (1 EA per 1 day) |
| progesterone intramuscular oil 50 mg/ml | Preferred | |
| progesterone micronized transdermal cream 10 % | Non Preferred | PA |
| progesterone oral capsule 100 mg | Preferred | QL (1 EA per 1 day) |
| progesterone oral capsule 200 mg | Preferred | QL (2 EA per 1 day) |
| *Psychotherapeutic And Neurological Agents - Misc.* - Drugs For The Nervous System | | |
| *Agents For Opioid Withdrawal*** - Drugs For The Nervous System | | |
| LUCEMYRA ORAL TABLET 0.18 MG | Non Preferred | PA |
| *Alcohol Deterrents*** - Drugs For The Nervous System | | |
| acamprosate calcium oral tablet delayed release 333 mg | Preferred | |
| disulfiram oral tablet 250 mg, 500 mg | Preferred | |
| *Alzheimer's Treatment - Anti-Amyloid Antibodies*** - Drugs For Alzheimer's Disease | | |
| ADUHELM INTRAVENOUS SOLUTION 170 MG/1.7ML, 300 MG/3ML | Carve Out | |
| LEQEMBI INTRAVENOUS SOLUTION 200 MG/2ML, 500 MG/5ML | Carve Out | |
| *Anti-Cataplectic Agents*** - Drugs For Sleep Disorder | | |
| LUMRYZ ORAL PACKET 4.5 GM, 6 GM, 7.5 GM, 9 GM | Non Preferred | PA |
| XYREM ORAL SOLUTION 500 MG/ML | Non Preferred | PA; SP |
| sodium oxybate oral solution 500 mg/ml | Non Preferred | PA; SP |
| *Anti-Cataplectic Combinations*** - Drugs For Sleep Disorder | | |
| XYWAV ORAL SOLUTION 500 MG/ML | Non Preferred | PA; SP |
| *Antidementia Agent Combinations*** - Drugs For Alzheimer's Disease | | |
| NAMZARIC ORAL CAPSULE ER 24 HOUR THERAPY PACK 7 & 14 & 21 &28 - 10 MG | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| NAMZARIC ORAL CAPSULE EXTENDED RELEASE 24 HOUR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG | Non Preferred | PA |
| *Antisense Oligonucleotide (Aso) Inhibitor Agents*** - Drugs For The Nervous System | | |
| TEGSEDI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 284 MG/1.5ML | Carve Out | |
| *Benzodiazepines & Tricyclic Agents*** - Drugs For Seizures /Personality Disorder/Nerve Pain | | |
| chlordiazepoxide-amitriptyline oral tablet 10-25 mg, 5-12.5 mg | Non Preferred | PA |
| *Cald - Autologous Cellular Gene Therapy Agents*** - Drugs For The Nervous System | | |
| SKYSONA INTRAVENOUS SUSPENSION | Carve Out | |
| *Cholinomimetics - Ache Inhibitors*** - Drugs For Alzheimer's Disease | | |
| ADLARITY TRANSDERMAL PATCH WEEKLY 10 MG/DAY, 5 MG/DAY | Non Preferred | PA |
| ARICEPT ORAL TABLET 10 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| ARICEPT ORAL TABLET 23 MG | Non Preferred | PA |
| ARICEPT ORAL TABLET 5 MG | Non Preferred | PA; QL (3 EA per 1 day) |
| EXELON TRANSDERMAL PATCH 24 HOUR 13.3 MG/24HR, 4.6 MG/24HR, 9.5 MG/24HR | Preferred | |
| RAZADYNE ER ORAL CAPSULE EXTENDED RELEASE 24 HOUR 16 MG, 24 MG, 8 MG | Non Preferred | PA |
| donepezil hcl oral tablet 10 mg | Preferred | QL (2 EA per 1 day) |
| donepezil hcl oral tablet 23 mg | Non Preferred | PA |
| donepezil hcl oral tablet 5 mg | Preferred | QL (3 EA per 1 day) |
| donepezil hcl oral tablet dispersible 10 mg | Preferred | QL (1 EA per 1 day) |
| donepezil hcl oral tablet dispersible 5 mg | Preferred | QL (2 EA per 1 day) |
| galantamine hydrobromide er oral capsule extended release 24 hour 16 mg, 24 mg, 8 mg | Non Preferred | PA |
| galantamine hydrobromide oral solution 4 mg/ml | Non Preferred | PA |
| galantamine hydrobromide oral tablet 12 mg, 4 mg, 8 mg | Non Preferred | PA |
| rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|-----------------------------|
| rivastigmine transdermal patch 24 hour 13.3 mg/24hr, 4.6 mg/24hr, 9.5 mg/24hr | Preferred | |
| *Fibromyalgia Agent - Snris*** - Drugs For Seizures /Personality Disorder/Nerve Pain | | |
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG | Non Preferred | PA |
| SAVELLA TITRATION PACK ORAL 12.5 & 25 & 50 MG | Non Preferred | PA |
| *Movement Disorder Drug Therapy*** - Drugs For The Nervous System | | |
| AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG | Preferred | PA; SP |
| AUSTEDO PATIENT TITRATION KIT ORAL TABLET THERAPY PACK 6 & 9 & 12 MG | Preferred | PA |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12 MG, 24 MG, 6 MG | Non Preferred | PA |
| AUSTEDO XR PATIENT TITRATION ORAL TABLET EXTENDED RELEASE THERAPY PACK 6 & 12 & 24 MG | Non Preferred | PA |
| INGREZZA ORAL CAPSULE 40 MG, 80 MG | Non Preferred | PA; SP |
| INGREZZA ORAL CAPSULE 60 MG | Non Preferred | PA |
| INGREZZA ORAL CAPSULE THERAPY PACK 40 & 80 MG | Non Preferred | PA; SP |
| XENAZINE ORAL TABLET 12.5 MG | Non Preferred | PA; QL (8 EA per 1 day); SP |
| XENAZINE ORAL TABLET 25 MG | Non Preferred | PA; QL (4 EA per 1 day); SP |
| tetrabenazine oral tablet 12.5 mg | Preferred | QL (8 EA per 1 day); SP |
| tetrabenazine oral tablet 25 mg | Preferred | QL (4 EA per 1 day); SP |
| *Ms Agents - Pyrimidine Synthesis Inhibitors*** - Drugs For Multiple Sclerosis | | |
| AUBAGIO ORAL TABLET 14 MG, 7 MG | Non Preferred | PA; SP |
| teriflunomide oral tablet 14 mg, 7 mg | Non Preferred | PA; SP |
| *Multiple Sclerosis Agents - Antimetabolites*** - Drugs For Multiple Sclerosis | | |
| MAVENCLAD (10 TABS) ORAL TABLET THERAPY PACK 10 MG | Non Preferred | PA; SP |
| MAVENCLAD (4 TABS) ORAL TABLET THERAPY PACK 10 MG | Non Preferred | PA; SP |
| MAVENCLAD (5 TABS) ORAL TABLET THERAPY PACK 10 MG | Non Preferred | PA; SP |

| Drug | Status | Notes |
|--|---------------|---------------------------------|
| MAVENCLAD (6 TABS) ORAL TABLET THERAPY PACK 10 MG | Non Preferred | PA; SP |
| MAVENCLAD (7 TABS) ORAL TABLET THERAPY PACK 10 MG | Non Preferred | PA; SP |
| MAVENCLAD (8 TABS) ORAL TABLET THERAPY PACK 10 MG | Non Preferred | PA; SP |
| MAVENCLAD (9 TABS) ORAL TABLET THERAPY PACK 10 MG | Non Preferred | PA; SP |
| *Multiple Sclerosis Agents - Interferons*** - Drugs For Multiple Sclerosis | | |
| AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT 30 MCG/0.5ML | Preferred | QL (1 EA per 24 days); SP |
| AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT 30 MCG/0.5ML | Preferred | QL (1 EA per 24 days); SP |
| BETASERON SUBCUTANEOUS KIT 0.3 MG | Preferred | QL (15 EA per 24 days); SP |
| EXTAVIA SUBCUTANEOUS KIT 0.3 MG | Non Preferred | PA; QL (15 EA per 24 days); SP |
| PLEGRIDY INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 125 MCG/0.5ML | Non Preferred | PA; SP |
| PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION PEN-INJECTOR 63 & 94 MCG/0.5ML | Non Preferred | PA; SP |
| PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 63 & 94 MCG/0.5ML | Non Preferred | PA; SP |
| PLEGRIDY SUBCUTANEOUS SOLUTION PEN-INJECTOR 125 MCG/0.5ML | Non Preferred | PA; SP |
| PLEGRIDY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 125 MCG/0.5ML | Non Preferred | PA; SP |
| REBIF REBIDOSE SUBCUTANEOUS SOLUTION AUTO-INJECTOR 22 MCG/0.5ML, 44 MCG/0.5ML | Non Preferred | PA; QL (6 ML per 24 days); SP |
| REBIF REBIDOSE TITRATION PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 6X8.8 & 6X22 MCG | Non Preferred | PA; QL (4.2 ML per 24 days); SP |
| REBIF SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 22 MCG/0.5ML, 44 MCG/0.5ML | Non Preferred | PA; QL (6 ML per 24 days); SP |

| Drug | Status | Notes |
|--|---------------|---------------------------------|
| REBIF TITRATION PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6X8.8 & 6X22 MCG | Non Preferred | PA; QL (4.2 ML per 24 days); SP |
| *Multiple Sclerosis Agents - Monoclonal Antibodies*** - Drugs For Multiple Sclerosis | | |
| BRIUMVI INTRAVENOUS SOLUTION 150 MG/6ML | Non Preferred | PA; SP |
| KESIMPTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 20 MG/0.4ML | Preferred | PA; SP |
| LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2ML | Non Preferred | PA; SP |
| OCREVUS INTRAVENOUS SOLUTION 300 MG/10ML | Non Preferred | PA; SP |
| TYSABRI INTRAVENOUS CONCENTRATE 300 MG/15ML | Non Preferred | PA; SP |
| *Multiple Sclerosis Agents - Nrf2 Pathway Activators*** - Drugs For Multiple Sclerosis | | |
| BAFIERTAM ORAL CAPSULE DELAYED RELEASE 95 MG | Non Preferred | PA; SP |
| TECFIDERA ORAL 120 & 240 MG | Non Preferred | PA; QL (60 EA per 24 days); SP |
| TECFIDERA ORAL CAPSULE DELAYED RELEASE 120 MG, 240 MG | Non Preferred | PA; QL (2 EA per 1 day); SP |
| TECFIDERA ORAL CAPSULE DELAYED RELEASE THERAPY PACK 120 & 240 MG | Non Preferred | PA |
| VUMERITY ORAL CAPSULE DELAYED RELEASE 231 MG | Non Preferred | PA; SP |
| dimethyl fumarate oral capsule delayed release 120 mg, 240 mg | Preferred | QL (2 EA per 1 day); SP |
| dimethyl fumarate starter pack oral 120 & 240 mg | Preferred | QL (60 EA per 24 days); SP |
| dimethyl fumarate starter pack oral capsule delayed release therapy pack 120 & 240 mg | Preferred | |
| *Multiple Sclerosis Agents - Potassium Channel Blockers*** - Drugs For Multiple Sclerosis | | |
| AMPYRA ORAL TABLET EXTENDED RELEASE 12 HOUR 10 MG | Non Preferred | PA; SP |
| dalfampridine er oral tablet extended release 12 hour 10 mg | Non Preferred | PA; SP |

| Drug | Status | Notes |
|---|---------------|--------------------------------|
| *Multiple Sclerosis Agents*** - Drugs For Multiple Sclerosis | | |
| COPAXONE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 20 MG/ML | Preferred | QL (30 ML per 24 days); SP |
| COPAXONE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/ML | Preferred | QL (12 ML per 24 days); SP |
| GLATOPA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 20 MG/ML | Non Preferred | PA; QL (30 ML per 24 days); SP |
| GLATOPA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/ML | Non Preferred | PA; QL (12 ML per 24 days); SP |
| glatiramer acetate subcutaneous solution prefilled syringe 20 mg/ml | Non Preferred | PA; QL (30 ML per 24 days); SP |
| glatiramer acetate subcutaneous solution prefilled syringe 40 mg/ml | Non Preferred | PA; QL (12 ML per 24 days); SP |
| *N-Methyl-D-Aspartate (Nmda) Receptor Antagonists*** - Drugs For Alzheimer's Disease | | |
| NAMENDA ORAL TABLET 10 MG, 5 MG | Non Preferred | PA |
| NAMENDA TITRATION PAK ORAL TABLET 28 X 5 MG & 21 X 10 MG | Non Preferred | PA |
| NAMENDA XR ORAL CAPSULE EXTENDED RELEASE 24 HOUR 14 MG, 21 MG, 28 MG, 7 MG | Non Preferred | PA |
| memantine hcl er oral capsule extended release 24 hour 14 mg, 21 mg, 28 mg, 7 mg | Non Preferred | PA |
| memantine hcl oral solution 10 mg/5ml, 2 mg/ml | Non Preferred | PA |
| memantine hcl oral tablet 10 mg, 28 x 5 mg & 21 x 10 mg, 5 mg | Preferred | |
| *Phenothiazines & Tricyclic Agents*** - Drugs For Depression | | |
| perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg | Preferred | NOTES (AGE*); DS (90 DS) |
| *Postherpetic Neuralgia (Phn)/Neuropathic Pain Agents*** - Drugs For Seizures /Personality Disorder/Nerve Pain | | |
| GRALISE ORAL 300 (9) & 600(24) MG | Non Preferred | PA |
| GRALISE ORAL TABLET 300 MG, 450 MG, 600 MG, 750 MG, 900 MG | Non Preferred | PA |
| LYRICA CR ORAL TABLET EXTENDED RELEASE 24 HOUR 165 MG, 330 MG, 82.5 MG | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|---------------------|
| pregabalin er oral tablet extended release 24 hour 165 mg, 330 mg, 82.5 mg | Non Preferred | PA |
| *Postherpetic Neuralgia(Phn)/Neuropathic Pain | | |
| Comb Agents*** - Drugs For Seizures | | |
| /Personality Disorder/Nerve Pain | | |
| CONVENIENCE PAK COMBINATION THERAPY PACK 600 & 5 MG & % | Non Preferred | PA |
| *Premenstrual Dysphoric Disorder (Pmdd) | | |
| Agents - Ssrts*** - Drugs For Depression | | |
| fluoxetine hcl (pmdd) oral tablet 10 mg, 20 mg | Non Preferred | PA |
| *Pseudobulbar Affect Agent Combinations*** - | | |
| Drugs For Severe Mental Disorders | | |
| NUEDEXTA ORAL CAPSULE 20-10 MG | Non Preferred | PA |
| *Psychotherapeutic And Neurological Agents - | | |
| Misc.*** - Drugs For Severe Mental Disorders | | |
| ergoloid mesylates oral tablet 1 mg | Preferred | |
| pimozide oral tablet 1 mg, 2 mg | Preferred | |
| *Restless Leg Syndrome (Rls) Agents*** - | | |
| Drugs For The Nervous System | | |
| HORIZANT ORAL TABLET EXTENDED RELEASE 300 MG, 600 MG | Non Preferred | PA |
| *Small Interfering Ribonucleic Acid (Sirna) | | |
| Agents*** - Drugs For The Nervous System | | |
| AMVUTTRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 25 MG/0.5ML | Carve Out | |
| ONPATTRO INTRAVENOUS SOLUTION 10 MG/5ML | Carve Out | |
| *Smoking Deterrents*** - Drugs For Depression | | |
| HABITROL TRANSDERMAL PATCH 24 HOUR 21 MG/24HR | Preferred | QL (1 EA per 1 day) |
| KLS QUIT2 MOUTH/THROAT GUM 2 MG | Preferred | QL (8 EA per 1 day) |
| KLS QUIT2 MOUTH/THROAT LOZENGE 2 MG | Preferred | QL (8 EA per 1 day) |
| KLS QUIT4 MOUTH/THROAT GUM 4 MG | Preferred | QL (8 EA per 1 day) |
| KLS QUIT4 MOUTH/THROAT LOZENGE 4 MG | Preferred | QL (8 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|-------------------------|
| NICODERM CQ TRANSDERMAL PATCH 24 HOUR 14 MG/24HR, 21 MG/24HR, 7 MG/24HR | Non Preferred | PA; QL (1 EA per 1 day) |
| NICORELIEF MOUTH/THROAT GUM 2 MG | Preferred | QL (8 EA per 1 day) |
| NICORETTE MINI MOUTH/THROAT LOZENGE 2 MG, 4 MG | Non Preferred | PA; QL (8 EA per 1 day) |
| NICORETTE MOUTH/THROAT GUM 2 MG, 4 MG | Non Preferred | PA; QL (8 EA per 1 day) |
| NICORETTE MOUTH/THROAT LOZENGE 2 MG, 4 MG | Non Preferred | PA; QL (8 EA per 1 day) |
| NICORETTE STARTER KIT MOUTH/THROAT GUM 2 MG, 4 MG | Non Preferred | PA; QL (8 EA per 1 day) |
| NICOTROL INHALATION INHALER 10 MG | Non Preferred | PA |
| NICOTROL NS NASAL SOLUTION 10 MG/ML | Non Preferred | PA |
| THRIVE MOUTH/THROAT GUM 2 MG | Preferred | QL (8 EA per 1 day) |
| apo-varenicline oral tablet 0.5 mg, 1 mg | Preferred | |
| bupropion hcl er (smoking det) oral tablet extended release 12 hour 150 mg | Preferred | |
| cvs nicotine mouth/throat gum 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| cvs nicotine mouth/throat lozenge 2 mg | Preferred | QL (8 EA per 1 day) |
| cvs nicotine polacrilex mouth/throat gum 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| cvs nicotine polacrilex mouth/throat lozenge 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| cvs nicotine transdermal patch 24 hour 14 mg/24hr, 21 mg/24hr, 7 mg/24hr | Preferred | QL (1 EA per 1 day) |
| eq nicotine mouth/throat gum 4 mg | Preferred | QL (8 EA per 1 day) |
| eq nicotine mouth/throat lozenge 4 mg | Preferred | QL (8 EA per 1 day) |
| eq nicotine polacrilex mouth/throat gum 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| eq nicotine polacrilex mouth/throat lozenge 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| eq nicotine step 3 transdermal patch 24 hour 7 mg/24hr | Preferred | QL (1 EA per 1 day) |
| eq nicotine transdermal patch 24 hour 14 mg/24hr, 21 mg/24hr | Preferred | QL (1 EA per 1 day) |
| eql nicotine polacrilex mouth/throat lozenge 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |

| Drug | Status | Notes |
|---|---------------|---------------------|
| gnp nicotine mini mouth/throat lozenge 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| gnp nicotine mouth/throat gum 4 mg | Preferred | QL (8 EA per 1 day) |
| gnp nicotine polacrilex mouth/throat gum 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| gnp nicotine polacrilex mouth/throat lozenge 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| gnp nicotine transdermal patch 24 hour 14 mg/24hr, 21 mg/24hr, 7 mg/24hr | Preferred | QL (1 EA per 1 day) |
| goodsense nicotine mouth/throat gum 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| goodsense nicotine mouth/throat lozenge 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| hm nicotine polacrilex mouth/throat gum 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| hm nicotine polacrilex mouth/throat lozenge 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| hm nicotine transdermal patch 24 hour 14 mg/24hr, 21 mg/24hr, 7 mg/24hr | Preferred | QL (1 EA per 1 day) |
| nicotine mini mouth/throat lozenge 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| nicotine polacrilex mini mouth/throat lozenge 2 mg | Preferred | QL (8 EA per 1 day) |
| nicotine polacrilex mouth/throat gum 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| nicotine polacrilex mouth/throat lozenge 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| nicotine step 1 transdermal patch 24 hour 21 mg/24hr | Preferred | QL (1 EA per 1 day) |
| nicotine step 2 transdermal patch 24 hour 14 mg/24hr | Preferred | QL (1 EA per 1 day) |
| nicotine step 3 transdermal patch 24 hour 7 mg/24hr | Preferred | QL (1 EA per 1 day) |
| nicotine transdermal kit 21-14-7 mg/24hr | Non Preferred | PA |
| nicotine transdermal patch 24 hour 14 mg/24hr, 21 mg/24hr, 7 mg/24hr | Preferred | QL (1 EA per 1 day) |
| px stop smoking aid mouth/throat gum 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| px stop smoking aid mouth/throat lozenge 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| qc nicotine transdermal system transdermal patch 24 hour 14 mg/24hr, 21 mg/24hr | Preferred | QL (1 EA per 1 day) |

| Drug | Status | Notes |
|---|---------------|-----------------------------|
| ra mini nicotine mouth/throat lozenge 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| ra nicotine gum mouth/throat gum 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| ra nicotine mouth/throat gum 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| ra nicotine polacrilex mouth/throat lozenge 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| ra nicotine transdermal patch 24 hour 14 mg/24hr, 21 mg/24hr | Preferred | QL (1 EA per 1 day) |
| sm nicotine mouth/throat gum 4 mg | Preferred | QL (8 EA per 1 day) |
| sm nicotine mouth/throat lozenge 2 mg | Preferred | QL (8 EA per 1 day) |
| sm nicotine polacrilex mouth/throat gum 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| sm nicotine polacrilex mouth/throat lozenge 2 mg, 4 mg | Preferred | QL (8 EA per 1 day) |
| sm nicotine transdermal patch 24 hour 14 mg/24hr, 21 mg/24hr, 7 mg/24hr | Preferred | QL (1 EA per 1 day) |
| varenicline tartrate (starter) oral tablet therapy pack 0.5 mg x 11 & 1 mg x 42 | Preferred | |
| varenicline tartrate oral tablet 0.5 mg, 1 mg | Preferred | |
| varenicline tartrate oral tablet therapy pack 0.5 mg x 11 & 1 mg x 42 | Preferred | |
| varenicline tartrate(continue) oral tablet 1 mg | Preferred | |
| *Sphingosine 1-Phosphate (S1p) Receptor Modulators*** - Drugs For Multiple Sclerosis | | |
| GILENYA ORAL CAPSULE 0.25 MG | Non Preferred | PA; SP |
| GILENYA ORAL CAPSULE 0.5 MG | Non Preferred | PA; QL (1 EA per 1 day); SP |
| MAYZENT ORAL TABLET 0.25 MG, 2 MG | Non Preferred | PA; SP |
| MAYZENT ORAL TABLET 1 MG | Non Preferred | PA |
| MAYZENT STARTER PACK ORAL TABLET THERAPY PACK 12 X 0.25 MG | Non Preferred | PA; SP |
| MAYZENT STARTER PACK ORAL TABLET THERAPY PACK 7 X 0.25 MG | Non Preferred | PA |
| PONVORY ORAL TABLET 20 MG | Non Preferred | PA; SP |
| PONVORY STARTER PACK ORAL TABLET THERAPY PACK 2-3-4-5-6-7-8-9 & 10 MG | Non Preferred | PA; SP |
| TASCENO ODT ORAL TABLET DISPERSIBLE 0.25 MG, 0.5 MG | Non Preferred | PA; SP |
| ZEPOSIA 7-DAY STARTER PACK ORAL CAPSULE THERAPY PACK 4 X 0.23MG & 3 X 0.46MG | Non Preferred | PA; SP |

| Drug | Status | Notes |
|--|---------------|-----------------------------|
| ZEPOSIA ORAL CAPSULE 0.92 MG | Non Preferred | PA; SP |
| ZEPOSIA STARTER KIT ORAL CAPSULE THERAPY PACK 0.23MG & 0.46MG & 0.92MG | Non Preferred | PA; SP |
| ZEPOSIA STARTER KIT ORAL CAPSULE THERAPY PACK 0.23MG & 0.46MG 0.92MG(21) | Non Preferred | PA |
| fingolimod hcl oral capsule 0.5 mg | Non Preferred | PA; QL (1 EA per 1 day); SP |
| *Thienbenzodiazepines & Opioid Antagonists*** - Drugs For Severe Mental Disorders | | |
| LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG | Preferred | PA |
| *Thienbenzodiazepines & Ssrис*** - Drugs For Severe Mental Disorders | | |
| SYMBYAX ORAL CAPSULE 3-25 MG, 6-25 MG | Non Preferred | PA; NOTES (AGE*) |
| olanzapine-fluoxetine hcl oral capsule 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg | Non Preferred | PA; NOTES (AGE*) |
| *Vasomotor Symptom Agents - Ssrис*** - Drugs For The Nervous System | | |
| paroxetine mesylate oral capsule 7.5 mg | Non Preferred | PA |
| *Respiratory Agents - Misc.* - Drugs For The Lungs | | |
| * Alpha-Proteinase Inhibitor (Human)*** - Drugs For Asthma/Copd | | |
| ARALAST NP INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG, 500 MG | Preferred | PA; SP |
| GLASSIA INTRAVENOUS SOLUTION 1000 MG/50ML | Preferred | PA; SP |
| PROLASTIN-C INTRAVENOUS SOLUTION 1000 MG/20ML | Preferred | PA; SP |
| PROLASTIN-C INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG | Preferred | PA; SP |
| ZEMAIRA INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG | Preferred | PA; SP |
| *Cftr Potentiators*** - Drugs For Cystic Fibrosis | | |
| KALYDECO ORAL PACKET 13.4 MG, 5.8 MG | Preferred | PA |

| Drug | Status | Notes |
|--|---------------|-------------------------------|
| KALYDECO ORAL PACKET 25 MG, 50 MG, 75 MG | Preferred | PA; SP |
| KALYDECO ORAL TABLET 150 MG | Preferred | PA; SP |
| *Cystic Fibrosis Agent - Combinations*** - | | |
| Drugs For Cystic Fibrosis | | |
| ORKAMBI ORAL PACKET 100-125 MG, 150-188 MG | Preferred | PA; SP |
| ORKAMBI ORAL PACKET 75-94 MG | Preferred | PA |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG | Preferred | PA; SP |
| SYMDEKO ORAL TABLET THERAPY PACK 100-150 & 150 MG, 50-75 & 75 MG | Preferred | PA; SP |
| TRIKAFTA ORAL TABLET THERAPY PACK 100-50-75 & 150 MG, 50-25-37.5 & 75 MG | Preferred | PA; SP |
| TRIKAFTA ORAL THERAPY PACK 100-50-75 & 75 MG, 80-40-60 & 59.5 MG | Preferred | PA |
| *Cystic Fibrosis Agents - Miscellaneous*** - | | |
| Drugs For Cystic Fibrosis | | |
| BRONCHITOL INHALATION CAPSULE 40 MG | Preferred | PA |
| BRONCHITOL TOLERANCE TEST INHALATION CAPSULE 40 MG | Preferred | PA |
| *Hydrolytic Enzymes*** - Drugs For The Lungs | | |
| PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML | Preferred | PA; QL (2.5 ML per 1 day); SP |
| *Pulmonary Fibrosis Agents - Kinase Inhibitors*** - Drugs For The Lungs | | |
| OFEV ORAL CAPSULE 100 MG, 150 MG | Preferred | PA; SP |
| *Pulmonary Fibrosis Agents*** - Drugs For The Lungs | | |
| ESBRIET ORAL CAPSULE 267 MG | Non Preferred | PA; SP |
| ESBRIET ORAL TABLET 267 MG, 801 MG | Non Preferred | PA; SP |
| pirfenidone oral capsule 267 mg | Preferred | PA; SP |
| pirfenidone oral tablet 267 mg, 534 mg, 801 mg | Preferred | PA; SP |
| *Sulfonamides* - Drugs For Infections | | |
| *Sulfonamides*** - Antibiotics | | |
| sulfadiazine oral tablet 500 mg | Preferred | |

| Drug | Status | Notes |
|--|---------------|---------------------|
| *Tetracyclines* - Drugs For Infections | | |
| *Aminomethylcyclines*** - Antibiotics | | |
| NUZYRA INTRAVENOUS SOLUTION RECONSTITUTED 100 MG | Preferred | PA |
| NUZYRA ORAL TABLET 150 MG | Non Preferred | PA; SP |
| *Fluorocyclines*** - Antibiotics | | |
| XERAVA INTRAVENOUS SOLUTION RECONSTITUTED 100 MG, 50 MG | Preferred | PA |
| *Glycylcyclines*** - Antibiotics | | |
| TYGACIL INTRAVENOUS SOLUTION RECONSTITUTED 50 MG | Non Preferred | PA |
| tigecycline intravenous solution reconstituted 50 mg | Preferred | PA |
| *Tetracycline Combinations*** - Antibiotics | | |
| BENZODOX COMBINATION THERAPY PACK 30 X 100 MG & 4.4%, 60 X 100 MG & 4.4% | Non Preferred | PA |
| *Tetracyclines*** - Antibiotics | | |
| ACTICLATE ORAL TABLET 150 MG, 75 MG | Preferred | |
| COREMINO ORAL TABLET EXTENDED RELEASE 24 HOUR 135 MG, 45 MG, 90 MG | Non Preferred | PA |
| DORYX MPC ORAL TABLET DELAYED RELEASE 120 MG, 60 MG | Non Preferred | PA |
| DORYX ORAL TABLET DELAYED RELEASE 200 MG, 50 MG, 80 MG | Non Preferred | PA |
| DOXY 100 INTRAVENOUS SOLUTION RECONSTITUTED 100 MG | Preferred | PA |
| LYMEPAK ORAL TABLET 100 MG | Preferred | QL (2 EA per 1 day) |
| MINOCIN INTRAVENOUS SOLUTION RECONSTITUTED 100 MG | Preferred | PA |
| MINOCIN ORAL CAPSULE 100 MG | Preferred | QL (2 EA per 1 day) |
| MINOLIRA ORAL TABLET EXTENDED RELEASE 24 HOUR 105 MG, 135 MG | Non Preferred | PA |
| MONDOXYNE NL ORAL CAPSULE 100 MG | Preferred | QL (3 EA per 1 day) |
| SEYSARA ORAL TABLET 100 MG, 150 MG, 60 MG | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| SOLODYN ORAL TABLET EXTENDED RELEASE 24 HOUR 105 MG, 115 MG, 55 MG, 65 MG, 80 MG | Non Preferred | PA |
| TARGADOX ORAL TABLET 50 MG | Preferred | |
| VIBRAMYCIN ORAL CAPSULE 100 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| VIBRAMYCIN ORAL SUSPENSION RECONSTITUTED 25 MG/5ML | Non Preferred | PA |
| XIMINO ORAL CAPSULE EXTENDED RELEASE 24 HOUR 135 MG, 45 MG, 90 MG | Non Preferred | PA |
| avidoxy oral tablet 100 mg | Preferred | QL (3 EA per 1 day) |
| demeclacycline hcl oral tablet 150 mg, 300 mg | Non Preferred | PA |
| doxycycline hyclate intravenous solution reconstituted 100 mg | Preferred | PA |
| doxycycline hyclate oral capsule 100 mg, 50 mg | Preferred | QL (4 EA per 1 day) |
| doxycycline hyclate oral tablet 100 mg, 20 mg | Preferred | QL (2 EA per 1 day) |
| doxycycline hyclate oral tablet 150 mg, 50 mg, 75 mg | Preferred | |
| doxycycline hyclate oral tablet delayed release 100 mg, 150 mg, 200 mg, 50 mg, 75 mg, 80 mg | Non Preferred | PA |
| doxycycline monohydrate oral capsule 100 mg, 50 mg | Preferred | QL (3 EA per 1 day) |
| doxycycline monohydrate oral capsule 150 mg, 75 mg | Non Preferred | PA |
| doxycycline monohydrate oral suspension reconstituted 25 mg/5ml | Non Preferred | PA |
| doxycycline monohydrate oral tablet 100 mg, 50 mg | Preferred | QL (3 EA per 1 day) |
| doxycycline monohydrate oral tablet 150 mg, 75 mg | Preferred | |
| minocycline hcl er (biphasic) oral tablet extended release 24 hour 105 mg, 135 mg | Non Preferred | PA |
| minocycline hcl er oral capsule extended release 24 hour 135 mg, 45 mg, 90 mg | Non Preferred | PA |
| minocycline hcl er oral tablet extended release 24 hour 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg | Non Preferred | PA |
| minocycline hcl oral capsule 100 mg, 50 mg, 75 mg | Preferred | QL (2 EA per 1 day) |
| minocycline hcl oral tablet 100 mg, 50 mg, 75 mg | Non Preferred | PA |
| tetracycline hcl oral capsule 250 mg | Non Preferred | PA; QL (6 EA per 1 day) |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| tetracycline hcl oral capsule 500 mg | Non Preferred | PA; QL (4 EA per 1 day) |
| *Thyroid Agents* - Hormones | | |
| *Antithyroid Agents*** - Drugs For Thyroid | | |
| methimazole oral tablet 10 mg, 5 mg | Preferred | QL (6 EA per 1 day) |
| propylthiouracil oral tablet 50 mg | Preferred | QL (20 EA per 1 day) |
| *Thyroid Hormones*** - Drugs For Thyroid | | |
| ADTHYZA ORAL TABLET 130 MG, 16.25 MG, 32.5 MG, 65 MG, 97.5 MG | Preferred | QL (1 EA per 1 day) |
| ARMOUR THYROID ORAL TABLET 120 MG, 15 MG, 180 MG, 240 MG, 30 MG, 300 MG, 60 MG, 90 MG | Preferred | QL (1 EA per 1 day) |
| CYTOMEL ORAL TABLET 25 MCG, 5 MCG, 50 MCG | Non Preferred | PA |
| ERMEZA ORAL SOLUTION 150 MCG/5ML | Non Preferred | PA |
| EUTHYROX ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG | Preferred | QL (2 EA per 1 day) |
| LEVO-T ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG | Preferred | QL (2 EA per 1 day) |
| LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG | Preferred | QL (2 EA per 1 day) |
| NP THYROID ORAL TABLET 120 MG, 15 MG, 30 MG, 60 MG, 90 MG | Preferred | QL (1 EA per 1 day) |
| SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG | Non Preferred | PA; QL (2 EA per 1 day) |
| THYQUIDITY ORAL SOLUTION 100 MCG/5ML | Non Preferred | PA |
| TIROSINT ORAL CAPSULE 100 MCG, 112 MCG, 125 MCG, 13 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 37.5 MCG, 44 MCG, 50 MCG, 62.5 MCG, 75 MCG, 88 MCG | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|----------------------|
| TIROSINT-SOL ORAL SOLUTION 100 MCG/ML, 112 MCG/ML, 125 MCG/ML, 13 MCG/ML, 137 MCG/ML, 150 MCG/ML, 175 MCG/ML, 200 MCG/ML, 25 MCG/ML, 37.5 MCG/ML, 44 MCG/ML, 50 MCG/ML, 62.5 MCG/ML, 75 MCG/ML, 88 MCG/ML | Non Preferred | PA |
| UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG | Preferred | QL (2 EA per 1 day) |
| levothyroxine sodium oral capsule 100 mcg, 112 mcg, 125 mcg, 13 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg | Non Preferred | PA |
| levothyroxine sodium oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg | Preferred | QL (2 EA per 1 day) |
| liothyronine sodium oral tablet 25 mcg, 5 mcg, 50 mcg | Preferred | |
| niva thyroid oral tablet 120 mg, 15 mg, 30 mg, 60 mg, 90 mg | Preferred | QL (1 EA per 1 day) |
| thyroid oral tablet 120 mg, 15 mg, 30 mg, 60 mg, 90 mg | Preferred | QL (1 EA per 1 day) |
| *Ulcer Drugs/Antispasmodics/Anticholinergics* | | |
| - Drugs For The Stomach | | |
| *Anticholinergic Combinations*** - Drugs For Stomach Cramps | | |
| LIBRAX ORAL CAPSULE 5-2.5 MG | Non Preferred | PA |
| belladonna alkaloids-opium rectal suppository 16.2-30 mg, 16.2-60 mg | Non Preferred | PA |
| chlordiazepoxide-clidinium oral capsule 5-2.5 mg | Non Preferred | PA |
| *Antispasmodics*** - Drugs For Stomach Cramps | | |
| BENTYL INTRAMUSCULAR SOLUTION 10 MG/ML | Non Preferred | PA |
| dicyclomine hcl intramuscular solution 10 mg/ml | Preferred | |
| dicyclomine hcl oral capsule 10 mg | Preferred | QL (4 EA per 1 day) |
| dicyclomine hcl oral solution 10 mg/5ml | Preferred | QL (80 ML per 1 day) |
| dicyclomine hcl oral tablet 20 mg | Preferred | QL (8 EA per 1 day) |

| Drug | Status | Notes |
|--|---------------|--------------------------|
| *Belladonna Alkaloids*** - Drugs For Stomach Cramps | | |
| ANASPAZ ORAL TABLET DISPERSIBLE 0.125 MG | Non Preferred | PA; QL (12 EA per 1 day) |
| LEVIBID ORAL TABLET EXTENDED RELEASE 12 HOUR 0.375 MG | Non Preferred | PA; QL (4 EA per 1 day) |
| LEVSIN INJECTION SOLUTION 0.5 MG/ML | Non Preferred | PA |
| LEVSIN ORAL TABLET 0.125 MG | Non Preferred | PA; QL (12 EA per 1 day) |
| LEVSIN/SL SUBLINGUAL TABLET SUBLINGUAL 0.125 MG | Non Preferred | PA; QL (12 EA per 1 day) |
| NULEV ORAL TABLET DISPERSIBLE 0.125 MG | Preferred | QL (12 EA per 1 day) |
| ed-spaz oral tablet dispersible 0.125 mg | Preferred | QL (12 EA per 1 day) |
| hyoscyamine sulfate er oral tablet extended release 12 hour 0.375 mg | Preferred | QL (4 EA per 1 day) |
| hyoscyamine sulfate injection solution 0.5 mg/ml | Preferred | |
| hyoscyamine sulfate oral elixir 0.125 mg/5ml | Preferred | QL (60 ML per 1 day) |
| hyoscyamine sulfate oral solution 0.125 mg/ml | Preferred | QL (60 ML per 1 day) |
| hyoscyamine sulfate oral tablet 0.125 mg | Preferred | QL (12 EA per 1 day) |
| hyoscyamine sulfate oral tablet dispersible 0.125 mg | Preferred | QL (12 EA per 1 day) |
| hyoscyamine sulfate sl sublingual tablet sublingual 0.125 mg | Preferred | QL (12 EA per 1 day) |
| hyoscyamine sulfate sublingual tablet sublingual 0.125 mg | Preferred | QL (12 EA per 1 day) |
| oscimin oral tablet 0.125 mg | Preferred | QL (12 EA per 1 day) |
| oscimin sublingual tablet sublingual 0.125 mg | Preferred | QL (12 EA per 1 day) |
| *H-2 Antagonists*** - Drugs For Ulcers And Stomach Acid | | |
| MM ACID-PEP MAXIMUM STRENGTH ORAL TABLET 20 MG | Preferred | QL (2 EA per 1 day) |
| PEPCID ORAL TABLET 20 MG, 40 MG | Non Preferred | PA; QL (2 EA per 1 day) |
| ZANTAC 360 MAX ST ORAL TABLET 20 MG | Preferred | QL (2 EA per 1 day) |
| ZANTAC 360 ORAL TABLET 10 MG | Preferred | QL (2 EA per 1 day) |
| acid control maximum strength oral tablet 20 mg | Preferred | QL (2 EA per 1 day) |
| acid controller max st oral tablet 20 mg | Preferred | QL (2 EA per 1 day) |
| acid controller oral tablet 10 mg | Preferred | QL (2 EA per 1 day) |

| Drug | Status | Notes |
|---|---------------|----------------------|
| acid reducer maximum strength oral tablet 20 mg | Preferred | QL (2 EA per 1 day) |
| acid reducer oral tablet 10 mg | Preferred | QL (2 EA per 1 day) |
| cimetidine hcl oral solution 300 mg/5ml | Non Preferred | PA |
| cimetidine oral tablet 200 mg, 300 mg, 400 mg, 800 mg | Non Preferred | PA |
| cvs acid controller max st oral tablet 20 mg | Preferred | QL (2 EA per 1 day) |
| cvs acid controller oral tablet 10 mg | Preferred | QL (2 EA per 1 day) |
| eq acid reducer oral tablet 10 mg | Preferred | QL (2 EA per 1 day) |
| eq famotidine max st oral tablet 20 mg | Preferred | QL (2 EA per 1 day) |
| eql heartburn prevention oral tablet 10 mg, 20 mg | Preferred | QL (2 EA per 1 day) |
| famotidine (pf) intravenous solution 20 mg/2ml | Non Preferred | PA |
| famotidine intravenous solution 200 mg/20ml, 40 mg/4ml | Non Preferred | PA |
| famotidine maximum strength oral tablet 20 mg | Preferred | QL (2 EA per 1 day) |
| famotidine oral suspension reconstituted 40 mg/5ml | Preferred | QL (10 ML per 1 day) |
| famotidine oral tablet 10 mg, 20 mg, 40 mg | Preferred | QL (2 EA per 1 day) |
| famotidine orig st oral tablet 10 mg | Preferred | QL (2 EA per 1 day) |
| famotidine premixed intravenous solution 20-0.9 mg/50ml-% | Non Preferred | PA |
| gnp acid reducer max st oral tablet 20 mg | Preferred | QL (2 EA per 1 day) |
| gnp acid reducer oral tablet 10 mg | Preferred | QL (2 EA per 1 day) |
| heartburn relief max st oral tablet 20 mg | Preferred | QL (2 EA per 1 day) |
| heartburn relief oral tablet 10 mg | Preferred | QL (2 EA per 1 day) |
| hm famotidine oral tablet 10 mg | Preferred | QL (2 EA per 1 day) |
| kls acid controller max st oral tablet 20 mg | Preferred | QL (2 EA per 1 day) |
| nizatidine oral capsule 150 mg, 300 mg | Non Preferred | PA |
| px acid reducer max st oral tablet 20 mg | Preferred | QL (2 EA per 1 day) |
| px acid reducer oral tablet 10 mg | Preferred | QL (2 EA per 1 day) |
| qc acid controller max st oral tablet 20 mg | Preferred | QL (2 EA per 1 day) |
| qc acid controller oral tablet 10 mg | Preferred | QL (2 EA per 1 day) |
| qc famotidine acid reducer oral tablet 10 mg, 20 mg | Preferred | QL (2 EA per 1 day) |
| ra acid reducer max st oral tablet 20 mg | Preferred | QL (2 EA per 1 day) |
| ra acid reducer oral tablet 10 mg | Preferred | QL (2 EA per 1 day) |
| sb acid controller max st oral tablet 20 mg | Preferred | QL (2 EA per 1 day) |

| Drug | Status | Notes |
|---|---------------|--------------------------------------|
| sb acid controller oral tablet 10 mg | Preferred | QL (2 EA per 1 day) |
| sb acid reducer oral tablet 10 mg | Preferred | QL (2 EA per 1 day) |
| sm acid reducer max st oral tablet 20 mg | Preferred | QL (2 EA per 1 day) |
| sm acid reducer oral tablet 10 mg | Preferred | QL (2 EA per 1 day) |
| *Misc. Anti-Ulcer*** - Drugs For Ulcers And Stomach Acid | | |
| CARAFATE ORAL SUSPENSION 1 GM/10ML | Preferred | QL (40 ML per 1 day) |
| CARAFATE ORAL TABLET 1 GM | Non Preferred | PA; QL (4 EA per 1 day) |
| sucralfate oral suspension 1 gm/10ml | Preferred | QL (40 ML per 1 day) |
| sucralfate oral tablet 1 gm | Preferred | QL (4 EA per 1 day) |
| *Proton Pump Inhibitor-Antacid Combinations*** - Drugs For Ulcers And Stomach Acid | | |
| KONVOMEП ORAL SUSPENSION RECONSTITUTED 2-84 MG/ML | Non Preferred | PA |
| ZEGERID ORAL CAPSULE 20-1100 MG, 40-1100 MG | Non Preferred | PA |
| ZEGERID ORAL PACKET 20-1680 MG, 40-1680 MG | Non Preferred | PA |
| omeprazole-sodium bicarbonate oral capsule 20-1100 mg, 40-1100 mg | Non Preferred | PA |
| omeprazole-sodium bicarbonate oral packet 20-1680 mg, 40-1680 mg | Non Preferred | PA |
| *Proton Pump Inhibitors*** - Drugs For Ulcers And Stomach Acid | | |
| ACIPHEX ORAL TABLET DELAYED RELEASE 20 MG | Non Preferred | PA |
| DEXILANT ORAL CAPSULE DELAYED RELEASE 30 MG, 60 MG | Non Preferred | PA |
| FIRST-LANSOPRAZOLE ORAL SUSPENSION 3 MG/ML | Non Preferred | PA |
| FIRST-OMEPRAZOLE ORAL SUSPENSION 2 MG/ML | Non Preferred | PA |
| GOODSENSE ESOMEPRAZOLE ORAL CAPSULE DELAYED RELEASE 20 MG | Preferred | NOTES (Max 60 DS every 365 days) |
| NEXIUM 24HR CLEAR MINIS ORAL CAPSULE DELAYED RELEASE 20 MG | Preferred | NOTES (EA; Max 60 DS every 365 days) |
| NEXIUM 24HR ORAL CAPSULE DELAYED RELEASE 20 MG | Preferred | NOTES (Max 60 DS every 365 days) |

| Drug | Status | Notes |
|---|---------------|----------------------------------|
| NEXIUM I.V. INTRAVENOUS SOLUTION RECONSTITUTED 40 MG | Preferred | PA |
| NEXIUM ORAL CAPSULE DELAYED RELEASE 20 MG, 40 MG | Non Preferred | PA |
| NEXIUM ORAL PACKET 10 MG, 2.5 MG, 20 MG, 40 MG, 5 MG | Non Preferred | PA |
| OMEPRAZOLE+SYRSPEND SF ALKA ORAL SUSPENSION 2 MG/ML | Non Preferred | PA |
| PREVACID 24HR ORAL CAPSULE DELAYED RELEASE 15 MG | Non Preferred | PA |
| PREVACID ORAL CAPSULE DELAYED RELEASE 30 MG | Non Preferred | PA |
| PREVACID SOLUTAB ORAL TABLET DELAYED RELEASE DISPERSIBLE 15 MG, 30 MG | Non Preferred | PA |
| PRILOSEC ORAL PACKET 10 MG, 2.5 MG | Non Preferred | PA |
| PROTONIX INTRAVENOUS SOLUTION RECONSTITUTED 40 MG | Preferred | PA |
| PROTONIX ORAL PACKET 40 MG | Preferred | NOTES (Max 60 DS every 365 days) |
| PROTONIX ORAL TABLET DELAYED RELEASE 20 MG, 40 MG | Non Preferred | PA |
| cvs esomeprazole magnesium oral capsule delayed release 20 mg | Preferred | NOTES (Max 60 DS every 365 days) |
| cvs lansoprazole oral capsule delayed release 15 mg | Non Preferred | PA |
| cvs omeprazole oral tablet delayed release 20 mg | Preferred | NOTES (Max 60 DS every 365 days) |
| dexlansoprazole oral capsule delayed release 30 mg, 60 mg | Non Preferred | PA |
| eq esomeprazole magnesium oral capsule delayed release 20 mg | Preferred | NOTES (Max 60 DS every 365 days) |
| eq lansoprazole oral capsule delayed release 15 mg | Non Preferred | PA |
| eq omeprazole oral tablet delayed release 20 mg | Preferred | NOTES (Max 60 DS every 365 days) |
| eql lansoprazole oral capsule delayed release 15 mg | Non Preferred | PA |
| eql omeprazole oral tablet delayed release 20 mg | Preferred | NOTES (Max 60 DS every 365 days) |
| esomeprazole magnesium capsule delayed release 20 mg oral (rx) | Non Preferred | PA |

| Drug | Status | Notes |
|---|---------------|--------------------------------------|
| esomeprazole magnesium oral capsule delayed release 20 mg | Preferred | NOTES (Max 60 DS every 365 days) |
| esomeprazole magnesium oral capsule delayed release 40 mg | Non Preferred | PA |
| esomeprazole magnesium oral packet 10 mg, 20 mg, 40 mg | Non Preferred | PA |
| esomeprazole sodium intravenous solution reconstituted 40 mg | Preferred | PA |
| ft acid reducer oral capsule delayed release 15 mg | Non Preferred | PA |
| gnp esomeprazole magnesium oral capsule delayed release 20 mg | Preferred | NOTES (Max 60 DS every 365 days) |
| gnp lansoprazole oral capsule delayed release 15 mg | Non Preferred | PA |
| gnp omeprazole oral tablet delayed release 20 mg | Preferred | NOTES (EA; Max 60 DS every 365 days) |
| goodsense lansoprazole oral capsule delayed release 15 mg | Non Preferred | PA |
| hm esomeprazole magnesium dr oral capsule delayed release 20 mg | Preferred | NOTES (Max 60 DS every 365 days) |
| hm lansoprazole oral capsule delayed release 15 mg | Non Preferred | PA |
| kls esomeprazole magnesium oral capsule delayed release 20 mg | Preferred | NOTES (Max 60 DS every 365 days) |
| kls lansoprazole oral capsule delayed release 15 mg | Non Preferred | PA |
| kls omeprazole oral tablet delayed release 20 mg | Preferred | |
| lansoprazole oral capsule delayed release 15 mg, 30 mg | Non Preferred | PA |
| lansoprazole oral tablet delayed release dispersible 15 mg, 30 mg | Non Preferred | PA |
| omeprazole oral capsule delayed release 10 mg | Non Preferred | PA |
| omeprazole oral capsule delayed release 20 mg, 40 mg | Preferred | NOTES (Max 60 DS every 365 days) |
| omeprazole oral tablet delayed release 20 mg | Preferred | NOTES (EA; Max 60 DS every 365 days) |
| pantoprazole sodium intravenous solution reconstituted 40 mg | Preferred | PA |
| pantoprazole sodium oral packet 40 mg | Non Preferred | PA |
| pantoprazole sodium oral tablet delayed release 20 mg, 40 mg | Preferred | NOTES (EA; Max 60 DS every 365 days) |

| Drug | Status | Notes |
|--|---------------|--------------------------------------|
| px omeprazole oral tablet delayed release 20 mg | Preferred | NOTES (Max 60 DS every 365 days) |
| qc esomeprazole magnesium oral capsule delayed release 20 mg | Preferred | NOTES (Max 60 DS every 365 days) |
| qc lansoprazole oral capsule delayed release 15 mg | Non Preferred | PA |
| qc omeprazole oral tablet delayed release 20 mg | Preferred | NOTES (EA; Max 60 DS every 365 days) |
| ra esomeprazole magnesium oral capsule delayed release 20 mg | Preferred | NOTES (Max 60 DS every 365 days) |
| ra omeprazole oral tablet delayed release 20 mg | Preferred | NOTES (Max 60 DS every 365 days) |
| rabeprazole sodium oral capsule sprinkle 10 mg | Non Preferred | PA |
| rabeprazole sodium oral tablet delayed release 20 mg | Non Preferred | PA |
| sb omeprazole oral tablet delayed release 20 mg | Preferred | NOTES (Max 60 DS every 365 days) |
| sm esomeprazole magnesium oral capsule delayed release 20 mg | Preferred | NOTES (Max 60 DS every 365 days) |
| sm lansoprazole oral capsule delayed release 15 mg | Non Preferred | PA |
| sm omeprazole oral tablet delayed release 20 mg | Preferred | NOTES (EA; Max 60 DS every 365 days) |

Quaternary Anticholinergics - Drugs For Stomach Cramps**

| | | |
|--|---------------|----|
| CUVPOSA ORAL SOLUTION 1 MG/5ML | Non Preferred | PA |
| DARTISLA ODT ORAL TABLET DISPERSIBLE 1.7 MG | Non Preferred | PA |
| GLYCATE ORAL TABLET 1.5 MG | Non Preferred | PA |
| GLYRX-PF INJECTION SOLUTION 0.2 MG/ML, 0.4 MG/2ML | Non Preferred | PA |
| ROBINUL ORAL TABLET 1 MG | Non Preferred | PA |
| ROBINUL-FORTE ORAL TABLET 2 MG | Non Preferred | PA |
| glycopyrrolate injection solution 0.2 mg/ml, 0.4 mg/2ml, 1 mg/5ml, 4 mg/20ml | Preferred | |
| glycopyrrolate oral solution 1 mg/5ml | Preferred | PA |
| glycopyrrolate oral tablet 1 mg, 2 mg | Preferred | |
| glycopyrrolate oral tablet 1.5 mg | Non Preferred | PA |
| methscopolamine bromide oral tablet 2.5 mg, 5 mg | Preferred | |

| Drug | Status | Notes |
|---|---------------|-------------------------|
| *Ulcer Anti-Infective W/ Bismuth Combinations*** - Drugs For Ulcers And Stomach Acid | | |
| | | |
| HELIDAC THERAPY ORAL | Preferred | |
| PYLERA ORAL CAPSULE 140-125-125 MG | Non Preferred | PA |
| bis subcit-metronid-tetracyc oral capsule 140-125-125 mg | Preferred | |
| bismuth/metronidaz/tetracyclin oral capsule 140-125-125 mg | Preferred | |
| *Ulcer Anti-Infective W/ Proton Pump Inhibitors*** - Drugs For Ulcers And Stomach Acid | | |
| | | |
| OMECLAMOX-PAK ORAL 500-500-20 MG | Non Preferred | PA |
| TALICIA ORAL CAPSULE DELAYED RELEASE 250-12.5-10 MG | Non Preferred | PA |
| amoxicill-clarithro-lansopraz oral therapy pack 500 & 500 & 30 mg | Non Preferred | PA |
| *Ulcer Anti-Infective-Pcab Combinations*** - Drugs For The Stomach | | |
| | | |
| VOQUEZNA DUAL PAK ORAL THERAPY PACK 500-20 MG | Non Preferred | PA |
| VOQUEZNA TRIPLE PAK ORAL THERAPY PACK 500-500-20 MG | Non Preferred | PA |
| *Ulcer Drugs - Prostaglandins*** - Drugs For Ulcers And Stomach Acid | | |
| | | |
| CYTOTEC ORAL TABLET 100 MCG, 200 MCG | Non Preferred | PA; QL (4 EA per 1 day) |
| misoprostol oral tablet 100 mcg, 200 mcg | Preferred | QL (4 EA per 1 day) |
| *Urinary Antispasmodics* - Drugs For The Urinary System | | |
| | | |
| *Urinary Antispasmodic - Antimuscarinic (Anticholinergic)*** - Drugs For The Bladder | | |
| | | |
| DETROL LA ORAL CAPSULE EXTENDED RELEASE 24 HOUR 2 MG, 4 MG | Non Preferred | PA |
| DETROL ORAL TABLET 1 MG, 2 MG | Non Preferred | PA |
| DITROPAN XL ORAL TABLET EXTENDED RELEASE 24 HOUR 10 MG | Non Preferred | PA |
| DITROPAN XL ORAL TABLET EXTENDED RELEASE 24 HOUR 5 MG | Non Preferred | PA; QL (1 EA per 1 day) |
| GELNIQUE TRANSDERMAL GEL 10 % | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|---------------------|
| OXYTROL TRANSDERMAL PATCH TWICE WEEKLY 3.9 MG/24HR | Non Preferred | PA |
| TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HOUR 4 MG, 8 MG | Preferred | QL (1 EA per 1 day) |
| VESICARE LS ORAL SUSPENSION 5 MG/5ML | Non Preferred | PA |
| VESICARE ORAL TABLET 10 MG, 5 MG | Non Preferred | PA |
| darifenacin hydrobromide er oral tablet extended release 24 hour 15 mg, 7.5 mg | Non Preferred | PA |
| fesoterodine fumarate er oral tablet extended release 24 hour 4 mg, 8 mg | Preferred | QL (1 EA per 1 day) |
| oxybutynin chloride er oral tablet extended release 24 hour 10 mg, 5 mg | Preferred | QL (1 EA per 1 day) |
| oxybutynin chloride er oral tablet extended release 24 hour 15 mg | Preferred | QL (2 EA per 1 day) |
| oxybutynin chloride oral solution 5 mg/5ml | Preferred | |
| oxybutynin chloride oral tablet 2.5 mg | Preferred | |
| oxybutynin chloride oral tablet 5 mg | Preferred | QL (3 EA per 1 day) |
| solifenacain succinate oral tablet 10 mg, 5 mg | Preferred | |
| tolterodine tartrate er oral capsule extended release 24 hour 2 mg, 4 mg | Non Preferred | PA |
| tolterodine tartrate oral tablet 1 mg, 2 mg | Non Preferred | PA |
| trospium chloride er oral capsule extended release 24 hour 60 mg | Non Preferred | PA |
| trospium chloride oral tablet 20 mg | Non Preferred | PA |
| *Urinary Antispasmodics - Beta-3 Adrenergic Agonists*** - Drugs For The Bladder | | |
| GEMTESA ORAL TABLET 75 MG | Non Preferred | PA |
| MYRBETRIQ ORAL SUSPENSION RECONSTITUTED ER 8 MG/ML | Non Preferred | PA |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HOUR 25 MG, 50 MG | Non Preferred | PA |
| *Urinary Antispasmodics - Cholinergic Agonists*** - Drugs For The Bladder | | |
| bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg | Preferred | QL (4 EA per 1 day) |
| *Urinary Antispasmodics - Direct Muscle Relaxants*** - Drugs For The Bladder | | |
| flavoxate hcl oral tablet 100 mg | Non Preferred | PA |

| Drug | Status | Notes |
|--|-----------|--|
| *Vaccines* - Biological Agents | | |
| *Bacterial Vaccines*** - Vaccines | | |
| BIOTHRAX INTRAMUSCULAR SUSPENSION | Preferred | |
| PNEUMOVAX 23 INJECTION INJECTABLE 25 MCG/0.5ML | Preferred | NOTES (AGE (Min 19); 2 fills max); AGE (Min 19 Years) |
| PREVNAR 13 INTRAMUSCULAR SUSPENSION | Preferred | NOTES (AGE (Min 19); 1 fill max); AGE (Min 19 Years) |
| TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5ML | Preferred | AGE (Min 2 Years) |
| TYPHIM VI INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 25 MCG/0.5ML | Preferred | AGE (Min 2 Years) |
| VAXCHORA ORAL SUSPENSION RECONSTITUTED | Preferred | AGE (Min 2 Years) |
| VAXNEUVANCE INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML | Preferred | NOTES (AGE (Min 19)); AGE (Min 19 Years) |
| VIVOTIF ORAL CAPSULE DELAYED RELEASE | Preferred | AGE (Min 6 Years) |
| *Viral Vaccine Combinations*** - Vaccines | | |
| M-M-R II INJECTION SOLUTION RECONSTITUTED | Preferred | NOTES (AGE (Min 19)); AGE (Min 19 Years) |
| TWINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 720-20 ELU-MCG/ML | Preferred | NOTES (AGE (Min 19); 3 fills / lifetime); AGE (Min 19 Years) |
| *Viral Vaccines*** - Vaccines | | |
| ABRYSVO INTRAMUSCULAR SOLUTION RECONSTITUTED 120 MCG/0.5ML | Preferred | NOTES (1 fill/lifetime) |
| AFLURIA QUADRIVALENT INTRAMUSCULAR SUSPENSION | Preferred | NOTES (AGE (Min 19); 1 fill / 180 days); AGE (Min 19 Years) |
| AFLURIA QUADRIVALENT INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML | Preferred | NOTES (AGE (Min 19); 1 fill / 180 days); AGE (Min 19 Years) |
| AREXVY INTRAMUSCULAR SUSPENSION RECONSTITUTED 120 MCG/0.5ML | Preferred | NOTES (1 fill/lifetime); AGE (Min 60 Years) |
| COMIRNATY INTRAMUSCULAR SUSPENSION 30 MCG/0.3ML | Preferred | |
| COMIRNATY INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 30 MCG/0.3ML | Preferred | |

| Drug | Status | Notes |
|--|-----------|---|
| DENGVAXIA SUBCUTANEOUS SUSPENSION RECONSTITUTED | Preferred | |
| ENGERIX-B INJECTION SUSPENSION 20 MCG/ML | Preferred | NOTES (AGE (Min 19); 3 fills / lifetime); AGE (Min 19 Years) |
| ENGERIX-B INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/0.5ML | Preferred | NOTES (AGE (Min 19); 3 fills / lifetime); AGE (Min 19 Years) |
| FLUAD QUADRIVALENT INTRAMUSCULAR PREFILLED SYRINGE 0.5 ML | Preferred | NOTES (AGE (Min 19); 1 fill / 180 days); AGE (Min 65 Years) |
| FLUARIX QUADRIVALENT INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML | Preferred | NOTES (AGE (Min 19); 1 fill / 180 days); AGE (Min 19 Years) |
| FLUBLOK QUADRIVALENT INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 0.5 ML | Preferred | NOTES (AGE (Min 19); 1 fill / 180 days); AGE (Min 19 Years) |
| FLUCELVAX QUADRIVALENT INTRAMUSCULAR SUSPENSION | Preferred | NOTES (AGE (Min 19); 1 fill / 180 days); AGE (Min 19 Years) |
| FLUCELVAX QUADRIVALENT INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML | Preferred | NOTES (AGE (Min 19); 1 fill / 180 days); AGE (Min 19 Years) |
| FLULALVAL QUADRIVALENT INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML | Preferred | NOTES (AGE (Min 19); 1 fill / 180 days); AGE (Min 19 Years) |
| FLUZONE HIGH-DOSE QUADRIVALENT INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.7 ML | Preferred | NOTES (AGE (Min 65); 1 fill / 180 days); AGE (Min 65 Years) |
| FLUZONE QUADRIVALENT INTRAMUSCULAR SUSPENSION , 0.5 ML | Preferred | NOTES (AGE (Min 19); 1 fill / 180 days); AGE (Min 19 Years) |
| FLUZONE QUADRIVALENT INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML | Preferred | NOTES (AGE (Min 19); 1 fill / 180 days); AGE (Min 19 Years) |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION | Preferred | NOTES (Max 3 fills per lifetime); AGE (Min 19 Years and Max 26 Years) |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | Preferred | NOTES (Max 3 fills per lifetime); AGE (Min 19 Years and Max 26 Years) |
| HAVRIX INTRAMUSCULAR SUSPENSION 1440 EL U/ML, 720 EL U/0.5ML | Preferred | NOTES (AGE (Min 19); 2 fills / lifetime); AGE (Min 19 Years) |

| Drug | Status | Notes |
|---|---------------|--|
| HEPLISAV-B INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 20 MCG/0.5ML | Preferred | NOTES (AGE (Min 19); 3 fills / lifetime); AGE (Min 19 Years) |
| IXIARO INTRAMUSCULAR SUSPENSION | Preferred | |
| MODERNA COVID-19 VAC 6M-11Y INTRAMUSCULAR SUSPENSION 25 MCG/0.25ML | Preferred | |
| PFIZER COVID-19 VAC-TRIS 5-11Y INTRAMUSCULAR SUSPENSION 10 MCG/0.3ML | Preferred | |
| RECOMBIVAX HB INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/ML, 5 MCG/0.5ML | Preferred | NOTES (AGE (Min 19); 3 fills / lifetime); AGE (Min 19 Years) |
| SHINGRIX INTRAMUSCULAR SUSPENSION RECONSTITUTED 50 MCG/0.5ML | Preferred | NOTES (AGE (Min 50); 2 fills / lifetime); AGE (Min 19 Years) |
| SPIKEVAX INTRAMUSCULAR SUSPENSION 50 MCG/0.5ML | Preferred | |
| SPIKEVAX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 50 MCG/0.5ML | Preferred | |
| VAQTA INTRAMUSCULAR SUSPENSION 25 UNIT/0.5ML, 50 UNIT/ML | Preferred | NOTES (AGE (Min 19); 2 fills / lifetime); AGE (Min 19 Years) |
| YF-VAX SUBCUTANEOUS INJECTABLE | Preferred | |
| novavax covid-19 vaccine intramuscular suspension 5 mcg/0.5ml | Preferred | |
| pfizer covid-19 vac-tris 6m-4y intramuscular suspension 3 mcg/0.3ml | Preferred | |
| stamaril injection suspension reconstituted | Preferred | |
| *Vaginal And Related Products* - Drugs For Women | | |
| *Imidazole-Related Antifungals*** - Drugs For Infections | | |
| GYNAZOLE-1 VAGINAL CREAM 2 % | Non Preferred | PA |
| 3 day vaginal vaginal cream 2 % | Preferred | |
| clotrimazole 3 vaginal cream 2 % | Preferred | |
| clotrimazole vaginal cream 1 % | Preferred | |
| clotrimazole-7 vaginal cream 1 % | Preferred | |
| cvs clotrimazole 3 vaginal cream 2 % | Preferred | |
| cvs miconazole 7 vaginal cream 2 % | Preferred | |

| Drug | Status | Notes |
|---|---------------|-------|
| eq miconazole 7 day treatment vaginal cream 2 % | Preferred | |
| eql miconazole 7 vaginal cream 2 % | Preferred | |
| gnp clotrimazole 3 vaginal cream 2 % | Preferred | |
| gnp miconazole 7 vaginal cream 2 % | Preferred | |
| miconazole 3 vaginal suppository 200 mg | Preferred | |
| miconazole 7 vaginal cream 2 % | Preferred | |
| miconazole nitrate vaginal cream 2 % | Preferred | |
| qc 3 day vaginal cream 4 % | Preferred | |
| qc clotrimazole vaginal cream 1 % | Preferred | |
| qc miconazole 7 vaginal cream 2 % | Preferred | |
| ra clotrimazole 7 vaginal cream 1 % | Preferred | |
| ra miconazole 7 vaginal cream 2 % | Preferred | |
| sm 3-day vaginal vaginal cream 2 % | Preferred | |
| sm clotrimazole vaginal vaginal cream 1 % | Preferred | |
| sm miconazole 7 vaginal cream 2 % | Preferred | |
| terconazole vaginal cream 0.4 %, 0.8 % | Preferred | |
| terconazole vaginal suppository 80 mg | Non Preferred | PA |

Vaginal Anti-Infectives - Drugs For Infections**

| | | |
|---|---------------|---------------------------|
| CLEOCIN VAGINAL CREAM 2 % | Non Preferred | PA |
| CLEOCIN VAGINAL SUPPOSITORY 100 MG | Preferred | |
| CLINDESSE VAGINAL CREAM 2 % | Non Preferred | PA |
| NUVESSA VAGINAL GEL 1.3 % | Preferred | |
| VANDAZOLE VAGINAL GEL 0.75 % | Non Preferred | PA; QL (70 GM per 4 days) |
| XACIATO VAGINAL GEL 2 % | Non Preferred | PA |
| clindamycin phosphate vaginal cream 2 % | Preferred | |
| metronidazole vaginal gel 0.75 % | Preferred | QL (70 GM per 4 days) |

Vaginal Contraceptive Ph Modulator - Combinations - Drugs For Women**

| | | |
|--|---------------|----|
| PHEXXI VAGINAL GEL 1.8-1-0.4 % | Preferred | PA |
| *Vaginal Estrogens*** - Drugs For Women | | |
| ESTRACE VAGINAL CREAM 0.1 MG/GM | Non Preferred | PA |
| ESTRING VAGINAL RING 2 MG, 7.5 MCG/24HR | Preferred | |
| FEMRING VAGINAL RING 0.05 MG/24HR, 0.1 MG/24HR | Non Preferred | PA |

| Drug | Status | Notes |
|--|---------------|---------------------------|
| PREMARIN VAGINAL CREAM 0.625 MG/GM | Preferred | |
| VAGIFEM VAGINAL TABLET 10 MCG | Non Preferred | PA |
| YUVAFEM VAGINAL TABLET 10 MCG | Preferred | |
| estradiol vaginal cream 0.1 mg/gm | Preferred | |
| estradiol vaginal tablet 10 mcg | Preferred | |
| *Vaginal Progestins*** - Drugs For Women | | |
| CRINONE VAGINAL GEL 4 %, 8 % | Non Preferred | PA |
| FIRST-PROGESTERONE VGS VAGINAL SUPPOSITORY 100 MG, 200 MG | Non Preferred | PA |
| *Vasopressors* - Drugs For The Heart | | |
| *Anaphylaxis Therapy Agents*** - Drugs For Serious Allergic Reaction | | |
| ADRENALIN INJECTION SOLUTION 1 MG/ML, 30 MG/30ML | Non Preferred | PA |
| AUVI-Q INJECTION SOLUTION AUTO-INJECTOR 0.1 MG/0.1ML | Non Preferred | PA |
| AUVI-Q INJECTION SOLUTION AUTO-INJECTOR 0.15 MG/0.15ML, 0.3 MG/0.3ML | Non Preferred | PA; QL (2 EA per 24 days) |
| EPINEPHRINESNAP INJECTION KIT 1 MG/ML | Non Preferred | PA |
| EPINEPHRINESNAP-EMS INJECTION KIT 1 MG/ML | Preferred | |
| EPINEPHRINESNAP-V INJECTION KIT 1 MG/ML | Preferred | |
| EPINEPHRINESNAP-V KIT 1 MG/ML INJECTION | Non Preferred | PA |
| EPIPEN 2-PAK INJECTION SOLUTION AUTO-INJECTOR 0.3 MG/0.3ML | Preferred | QL (2 EA per 24 days) |
| EPIPEN JR 2-PAK INJECTION SOLUTION AUTO-INJECTOR 0.15 MG/0.3ML | Preferred | QL (2 EA per 24 days) |
| EPISNAP INJECTION KIT 1 MG/ML | Non Preferred | PA |
| SYMJEPI INJECTION SOLUTION PREFILLED SYRINGE 0.15 MG/0.3ML, 0.3 MG/0.3ML | Preferred | |
| epinephrine (anaphylaxis) injection solution 1 mg/ml | Preferred | |
| epinephrine (anaphylaxis) injection solution 30 mg/30ml | Non Preferred | PA |
| epinephrine injection solution auto-injector 0.15 mg/0.15ml, 0.15 mg/0.3ml, 0.3 mg/0.3ml | Preferred | QL (2 EA per 24 days) |

| Drug | Status | Notes |
|--|---------------|---------------------|
| epinephrine professional injection kit 1 mg/ml | Preferred | |
| *Neurogenic Orthostatic Hypotension (Noh) - Agents*** - Drugs For Serious Allergic Reaction | | |
| NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG | Non Preferred | PA; SP |
| droxidopa oral capsule 100 mg, 200 mg, 300 mg | Non Preferred | PA; SP |
| *Vasopressors*** - Drugs For Serious Allergic Reaction | | |
| midodrine hcl oral tablet 10 mg, 2.5 mg, 5 mg | Preferred | |
| *Vitamins* - Drugs For Nutrition | | |
| *Vitamin B-1*** - Drugs For Nutrition | | |
| b-1 oral tablet 100 mg | Preferred | QL (1 EA per 1 day) |
| cvs b-1 oral tablet 100 mg | Preferred | QL (1 EA per 1 day) |
| gnp vitamin b-1 oral tablet 100 mg | Preferred | QL (1 EA per 1 day) |
| qc vitamin b1 oral tablet 100 mg | Preferred | QL (1 EA per 1 day) |
| thiamine hcl injection solution 100 mg/ml, 200 mg/2ml | Preferred | PA |
| thiamine hcl oral tablet 100 mg | Preferred | QL (1 EA per 1 day) |
| vitamin b1 oral tablet 100 mg | Preferred | QL (1 EA per 1 day) |
| *Vitamin B-3*** - Drugs For Nutrition | | |
| ENDUR-ACIN ORAL TABLET EXTENDED RELEASE 500 MG, 750 MG | Preferred | |
| ENDUR-AMIDE ORAL TABLET EXTENDED RELEASE 500 MG, 750 MG | Preferred | |
| NIAVASC 750 ORAL TABLET EXTENDED RELEASE 750 MG | Preferred | |
| NIAVASC ORAL TABLET EXTENDED RELEASE 500 MG | Preferred | |
| kp niacin oral tablet 500 mg | Preferred | |
| niacin er oral capsule extended release 500 mg | Preferred | |
| niacin er oral tablet extended release 500 mg, 750 mg | Preferred | |
| niacin oral tablet 500 mg | Preferred | |
| niacinamide er oral tablet extended release 500 mg | Preferred | |
| niacinamide oral tablet 500 mg | Preferred | |
| plain niacin oral tablet 500 mg | Preferred | |
| ra niacin oral tablet 500 mg | Preferred | |

| Drug | Status | Notes |
|--|-----------|---------------------|
| ra no flush niacin oral tablet 500 mg | Preferred | |
| *Vitamin B-6*** - Drugs For Nutrition | | |
| b-6 oral tablet 50 mg | Preferred | QL (4 EA per 1 day) |
| pyridoxine hcl oral tablet 50 mg | Preferred | QL (4 EA per 1 day) |
| ra vitamin b-6 oral tablet 50 mg | Preferred | QL (4 EA per 1 day) |
| vitamin b6 oral tablet 50 mg | Preferred | QL (4 EA per 1 day) |
| vitamin b-6 oral tablet 50 mg | Preferred | QL (4 EA per 1 day) |
| *Vitamin D*** - Drugs For Nutrition | | |
| D-VI-SOL ORAL LIQUID 10 MCG/ML | Preferred | |
| IS-D 10,000 ORAL CAPSULE 250 MCG (10000 UT) | Preferred | |
| PRONUTRIENTS VITAMIN D3 ORAL CAPSULE 25 MCG (1000 UT) | Preferred | QL (5 EA per 1 day) |
| VITAMIN D-1000 MAX ST ORAL TABLET 25 MCG (1000 UT) | Preferred | QL (5 EA per 1 day) |
| aqueous vitamin d oral liquid 10 mcg/ml | Preferred | |
| cvs d3 oral capsule 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| cvs vitamin d3 oral capsule 250 mcg (10000 ut) | Preferred | |
| d 1000 oral capsule 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| d 10000 oral capsule 250 mcg (10000 ut) | Preferred | |
| d-1000 extra strength oral tablet 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| d-1000 oral tablet 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| d3 high potency oral capsule 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| d3-1000 oral capsule 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| d3-1000 oral tablet 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| eql vitamin d3 oral capsule 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| ergocaliferol oral capsule 1.25 mg (50000 ut) | Preferred | QL (6 EA per 1 day) |
| finest nutrition vitamin d3 oral capsule 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| gnp d 1000 oral capsule 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| gnp vitamin d oral tablet 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| gnp vitamin d3 extra strength oral tablet 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| hm vitamin d3 oral tablet 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| kp vitamin d oral capsule 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| kp vitamin d3 oral capsule 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| nat-rul vitamin d oral tablet 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |

| Drug | Status | Notes |
|--|-----------|---------------------|
| qc vitamin d3 oral capsule 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| qc vitamin d3 oral tablet 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| ra vitamin d-3 oral tablet 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| sm vitamin d3 oral tablet 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| vitamin d (cholecalciferol) oral capsule 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| vitamin d (cholecalciferol) oral tablet 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| vitamin d (ergocalciferol) oral capsule 1.25 mg (50000 ut), 50000 unit | Preferred | QL (6 EA per 1 day) |
| vitamin d high potency oral capsule 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| vitamin d oral liquid 10 mcg/ml | Preferred | |
| vitamin d oral tablet 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| vitamin d3 oral capsule 1000 unit, 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| vitamin d-3 oral capsule 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| vitamin d3 oral capsule 250 mcg (10000 ut) | Preferred | |
| vitamin d3 oral tablet 25 mcg, 25 mcg (1000 ut) | Preferred | QL (5 EA per 1 day) |
| *Vitamin K*** - Drugs For Nutrition | | |
| phytonadione oral tablet 5 mg | Preferred | |