

MEDICARE AND MMP HEDIS®/STARS REFERENCE SHEET FOR PROVIDERS

	HEDIS®	Medicare Quality	Age	Requirement and Documentation	Billing Codes and Medications
	Measure Adult BMI	Partner Program	10 74	Documented body mass index (BMI) during	ICD-9: V85.0-V85.5
PREVENTIVE SCREENINGS AND VACCINATIONS	Assessment*	Yes	18-74 years	the measurement year or the year prior.	**ICD-10: Z68.1, Z68.20-Z68.45
	Care for Older Adults – Advance Care Planning	No	66 years and older	Advance Care Planning (e.g., advance directive, living will or discussion with date) documented during the measurement year.	Advance care planning CPT II: 1157F, 1158F HCPCS: S0257
	Care for Older Adults – Medication Review*	Yes	66 years and older	Medication Review by prescribing practitioner or clinical pharmacist and presence of medication list with date documented during the measurement year.	Medication review and medication list CPT: 90863, 99605, 99606; CPT II: 1159F, 1160F
	Care for Older Adults – Functional Status Assessment*	Yes	66 years and older	Functional Status Assessment (e.g., ADLs, IADLs, OR assess ≥3 of these functions: cognitive status, ambulation status, sensory ability, functional independence) documented during the measurement year.	Functional status assessment CPT II: 1170F
	Care for Older Adults – Functional Status Assessment*	Yes	66 years and older	Pain Assessment (e.g., numeric rating scales, pain thermometer, Faces Pain Scale) documented during the measurement year.	Pain assessment CPT II: 1125F, 1126F
	Colorectal Cancer Screening*	Yes	51-75 years	One or more screenings for colorectal cancer: • FOBT (guaiac or immunochemical) during the measurement year • Flexible sigmoidoscopy during the measurement year or the 4 years prior • Colonoscopy during the measurement year or 9 years prior	FOBT CPT: 82270, 82274; HCPCS: G0328 Flexible Sigmoidoscopy CPT: 45330-45335, 45337-45342, 45345 HCPCS: G0104 ICD-9 PCS: 45.24 Colonoscopy CPT: 44388-44394, 44397, 45355, 45378-45387, 45391, 45392 HCPCS: G0105, G0121 ICD-9 PCS: 45.22, 45.23, 45.25, 45.42, 45.43
	Breast Cancer Screening*	Yes	Women 52- 74 years	One mammogram any time on or between October 1 two years prior to the measurement year and December 31 of the measurement year.	CPT: 77055-77057 HCPCS: G0202, G0204, G0206 ICD-9 PCS: 87.36, 87.37 UB Rev: 401, 403
	Flu Vaccination*	No	All	Received an influenza vaccination between July 1 of the measurement year and the date when the Medicare CAHPS survey was completed.	Data is collected through the Medicare CAHPS survey (member-reported).
			<u> </u>		

Note: Measures with an asterisk (*) indicate STAR measures. (**) ICD-10 codes to be used on or after 10/1/2015.

Revised 2/3/2015

Fall Risk Management* No 65 years and older and older and older and older and older by a practitioner in the past 12 months and who received fall risk intervention from their current practitioner. Monitoring Physical Activity* No 65 years and older Another of their current practitioner. Monitoring Physical Activity* No 65 years And older And		HEDIS® Measure	Medicare Quality Partner Program	Age	Requirement and Documentation	Billing Codes and Medications
Physical Activity* and older a doctor's visit in the past 12 months and work oreceived advice to start, increase or maintain their level exercise or physical activity.			· ·		a fall in the past 12 months, who were seen by a practitioner in the past 12 months and who received fall risk intervention from	Data is collected through the Medicare Health Outcomes (HOS) survey (member-reported).
Bladder Control* and older reported having a urine leakage problem in the past six months and who received treatment for their current urine leakage problem. The percentage of sampled Medicare enrollees whose mental health status were the same or better than expected. Data is collected the Medicare Health O, survey (member-reported from the same or better than expected. Survey (member-reported from the same or better than expected. Data is collected the Medicare Health O, survey (member-reported from the same or better than expected. Data is collected the Medicare Health O, survey (member-reported from the same, or better than expected. Data is collected the Medicare Health O, survey (member-reported from the same, or better than expected. Data is collected the Medicare Health O, survey (member-reported from the same, or better than expected. Data is collected the Medicare Health O, survey (member-reported from the same, or better than expected. Data is collected the Medicare Health O, survey (member-reported from the same, or better than expected. Data is collected the Medicare Health O, survey (member-reported from the same, or better than expected. Data is collected the Medicare Health O, survey (member-reported from the same, or better than expected. Data is collected the Medicare Health O, survey (member-reported from the same, or better than expected. Data is collected the Medicare Health O, survey (member-reported from the same, or better than expected. Data is collected the Medicare Health O, survey (member-reported from the same, or better than expected. Data is collected the Medicare Health O, survey (member-reported from the same, or better than expected. Data is collected the Medicare Health O, survey (member-reported from the same, or better than expected. Data is collected the Medicare Health O, survey (member-reported from the same, or better than expected. Data is collected the Medicare Health O, survey (member-reported from the same, or better than expe			No	-	a doctor's visit in the past 12 months and who received advice to start, increase or maintain their level exercise or physical	Data is collected through the Medicare Health Outcomes (HOS) survey (member-reported).
Maintaining Mental Health* Improving or Maintaining Physical Health* Diabetes HbA1c Test and Control* Diabetes Nephropathy Screening Test* Pes 18-75 years (diabetics) Diabetes Nephropathy Screening Test* Diabetes Retinal Eye Exam* Medicare members Medicare members Medicare members The percentage of sampled Medicare enrollees whose physical health status were the same, or better than expected. Data is collected thm Medicare Health Ot survey (member-region of the same, or better than expected. Test and Control* Ves 18-75 years (diabetics) Diabetes Nephropathy Screening Test* New Yes 18-75 years (diabetics) Diabetes Nephropathy Screening Test* Diabetes Retinal Eye Exam* Ves 18-75 years (diabetics) Eye exam (retinal or dilated) performed by an optometrist or ophthalmologist in the measurement year, or a negative retinal exam in the year prior. Codes to Identify Not Screening Test (D-D-9: 250.xx, 357.2 648.0 **ICD-10: £1 10.0-9: 250.xx,			No	-	reported having a urine leakage problem in the past six months and who received treatment for their current urine leakage	Data is collected through the Medicare Health Outcomes (HOS) survey (member-reported).
Maintaining Physical Health* Diabetes HbA1c Test and Control* Pes and Control* Test and Control* Pes and Control* Test an		Maintaining	No	Medicare	enrollees whose mental health status were	Data is collected through the Medicare Health Outcomes (HOS) survey (member-reported).
Nephropathy Screening Test* (diabetics) (d		Maintaining	No	Medicare	enrollees whose physical health status were	Data is collected through the Medicare Health Outcomes (HOS) survey (member-reported).
Nephropathy Screening Test* (diabetics) (d	ALTH OUTCOMES SURVEY		Yes	-		Codes to Identify Diabetes ICD-9: 250.xx, 357.2, 362.0, 366.41, 648.0 **ICD-10: E10, E11, E13, O24 Codes to Identify HbA1c Tests CPT: 83036, 83037 CPT II: 3044F (if HbA1c<7), 3045F (if HbA1c 7.0- 9.0), 3046F (if HbA1c >9)
Eye Exam* (diabetics) an optometrist or ophthalmologist in the measurement year, or a negative retinal exam in the year prior. Codes to Identify Reference Eye Exam CPT: 67028, 67030, 67039-67043, 67110, 67114, 67145, 6720, 67221, 6722, 92004, 92012, 9201 92134, 92225-92225		Nephropathy	Yes	-	measurement year. Requirement also met if evidence of nephropathy during measurement year: Nephrologist visit, ACE/ARB therapy, or positive macroalbumin	Codes to Identify Diabetes ICD-9: 250.xx, 357.2, 362.0, 366.41, 648.0 **ICD-10: E10, E11, E13, O24 Codes to Identify Nephropathy Screening Test CPT: 82042, 82043, 82044, 84156 CPT II: 3060F, 3061F
99213-99215, 9924 S0620, S0621, S0621			Yes	-	an optometrist or ophthalmologist in the measurement year, or a negative retinal	Codes to Identify Diabetes ICD-9: 250.xx, 357.2, 362.0, 366.41, 648.0 **ICD-10: E10, E11, E13, O24 Codes to Identify Retinal or Dilated Eye Exam CPT: 67028, 67030, 67031, 67036, 67039-67043, 67101, 67105, 67107, 67108, 67110, 67112, 67113, 67121, 67141, 67145, 67208, 67210, 67218, 67220, 67221, 67227, 67228, 92002, 92004, 92012, 92014, 92018, 92019, 92134, 92225-92228, 92230, 92235, 92240, 92250, 92260, 99203-99205, 99213-99215, 99242-99245 HCPCS: S0620, S0621, S0625, S3000 CPT II: 2022F, 2024F, 2026F, 3072F

Revised 2/3/2015 2

	HEDIS®	Medicare Quality	Age	Requirement and Documentation	Billing Codes and Medications
MUSCOLOSKELETAL	Measure DMARD for Rheumatoid Arthritis*	Yes	18 years and older with rheumatoid arthritis	Dispense at least one ambulatory prescription for a disease-modifying anti-rheumatic drug (DMARD) to members diagnosed with rheumatoid arthritis.	Codes to Identify Rheumatoid Arthritis ICD-9: 714, 714.1, 714.2, 714.81 **ICD-10: M05, M06 DMARDs 5-Aminosalicyclates: Sulfasalazine Alkylating agents: Cyclophosphamide Aminoquinolines: Hydroxychloroquine Anti-rheumatics: Auranofin, Gold sodium thiomalate, Leflunomide, Methotrexate, Penicillamine Immunomodulators: Abatacept, Adalimumab, Anakinra, Certolizumab, Certolizumab pegol, Etanercept, Golimumab, Infliximab, Rituximab, Tocilizumab Immunosuppressive agents: Azathioprine, Cyclosporine, Mycophenolate Janus kinase (JAK) inhibitor: Tofacitinib Tetracyclines: Minocycline
	Osteoporosis Management for Fractures*	Yes	Women 67- 85 years	Bone mineral density test or medication to treat/prevent osteoporosis in the 6 months after a fracture.	Bone Mineral Test: CPT: 76977, 77078, 77080-77082 HCPCS: G0130 ICD-9 PCS: 88.98 Osteoporosis Medications: HCPCS: J0630, J0897, J1000, J1740, J3110, J3487, J3488, J3489 Osteoporosis Medications: Alendronate, Alendronate- cholecalciferol, Calcium carbonate- risedronate, Ibandronate, Risedronate, Zoledronic acid, Calcitonin, Denosumab, Raloxifene, Teriparatide
CARDIOVASCULAR	Controlling High Blood Pressure*	No	18-85 years (hypertensi ve members)	Members 18-59 years of age whose BP was <140/90 mm Hg. Members 60-85 years of age with a diagnosis of diabetes whose BP was <140/90 mm Hg. Members 60-85 years of age without a diagnosis of diabetes whose BP was <150/90 mm Hg.	Codes to Identify Hypertension ICD-9: 401, 401.1, 401.9 **ICD-10: 110

Note: Measures with an asterisk (*) indicate STAR measures. (**) ICD-10 codes to be used on or after 10/1/2015.

Revised 2/3/2015 3

	HEDIS®	Medicare Quality	Age	Requirement and Documentation	Billing Codes and Medications
USE OF SERVICES	Measure Plan All Cause Readmissions*	No	65 years and older	Acute inpatient stays followed by an acute readmission for any diagnosis within 30 days.	Not applicable.
RESPIRATORY	Pharmacotherapy Management of COPD	No	40 years and older	For members who had an acute inpatient discharge or ED encounter with a principal diagnosis of COPD: • Dispense a systemic corticosteroid within 14 days of the discharge or ED visit • Dispense a bronchodilator within 30 days of the discharge or ED visit.	Systemic Corticosteroids: Betamethasone, Dexamethasone, Hydrocortisone, Methylprednisolone, Prednisolone, Prednisone, Triamcinolone Bronchodialators (anticholinergic agents): Albuterol-ipratropium, Aclidinium-bromide, Ipratropium, Tiotropium; Bronchodialators (Beta 2-agonists): Albuterol, Arformoterol, Budesonide-formoterol, Fluticasone-salmeterol, Fluticasone- vilanterol, Formoterol, Indacaterol, Levalbuterol, Mometasone- formoterol, Metaproterenol, Pirbuterol, Salmeterol Bronchodialators (Methylxanthines): Amniophylline, Dysphylline-guaifenesin, Guaifenesin-theophylline, Dyphylline, Theophylline
BEHAVIORAL	Initiation and Engagement of Alcohol and Other Drug Dependence (AOD) Treatment	No	13 years and older	For new episodes of AOD dependence: • Initiation of AOD Treatment. Initiated treatment through an inpatient AOD admission, outpatient visit, intensive outpatient encounter or partial hospitalization within 14 days of diagnosis. • Engagement of AOD Treatment. Initiated treatment and who had two or more additional services with a diagnosis of AOD within 30 days of the initiation visit.	Codes to Identify AOD Dependence ICD-9: 291.0-291.5, 291.81, 291.82, 291.89, 291.9, 303.00-303.02, 303.90-303.92, 304.00-304.02, 304.10-304.12, 304.20-304.22, 304.30-304.52, 304.60-304.62, 304.70-304.72, 304.80-304.82, 304.90-304.92, 305.00-305.02, 305.20-305.22, 305.30-305.32, 305.40-305.42, 305.90-305.92, 305.80-305.82, 305.90-305.92, 535.30, 535.31, 571.1 **ICD-10: F10.10-F10.29, F10.92-F10.99, F11.10-F11.29, F11.90-F11.99, F12.10-F12.29, F12.90-F12.99, F13.10-F13.29, F13.90-F13.99, F14.10-F14.29, F14.90-F14.99, F15.10-F15.29, F15.90-F15.99, F16.10-F16.29, F16.90-F16.99, F18.10-F18.29, F18.90-F19.99, F18.10-F18.29, F18.90-F19.99,

Note: Measures with an asterisk (*) indicate STAR measures. (**) ICD-10 codes to be used on or after 10/1/2015.

Revised 2/3/2015