				DATE											
PATIENT NAME						DOB			SEX P		RENT NAME				
Allergies									Current Medications						
Prenatal/Fa			Chief Complaints												
Weight Percentile Length Percentile									entile Temp.		Pulse	Resp.		BP (if risk)	
	%			%				%							
Birth History	•					•		Section			<u>Anticipatory</u>			Education	
Birth Wt.: Gestation: Interval History: Pa								<u> </u>			(√ if discussed) Safety				
(Include injury/illness, visits to other health				Patient Unclothed Y							☐ Appropriate car seat placed in back seat				
care providers, changes in family or home)			e)		<u>ew of</u> tems		<u>ysical</u> xam	<u>Systems</u>		☐ Keep home and car smok☐ Keep hot liquids away fro					
				N N	A	N A				☐ Smoke detectors					
										□ Don't leave baby alone in tub or high places; always keep hand on baby					
									n/nodes		□ Water temp. <120 degree			s/test with wrist	
							۰	SKI	ninoues		□ Never shake baby				
Apnea □ Y □ N □ Monitor Nutrition								Hea	ıd		Nutrition				
□ Breast every hours								Eye	!S		□ Hold baby wl				
□ Formula .	oz every _ on	hours						Ear	c		□ Breast on de formula	mand or	feed iro	n-fortified	
Type or bran							_	Lai	3		☐ Delay solid fo	oods unt	til 4-6 m	onths	
								Nos	se		Infant Cara				
☐ City water Elimination		ter						Orc	pharynx		Infant Care ☐ Thermometer use; antipyretics ☐ Wash hands often				
□ Normal Sleep	□ Abnormal							Gui	ms/palate		☐ Avoid direct sun/use children's sun:				
□ Normal (2		Abnormal						Nec	:k		□ Emergency p	rocedur	es		
WIC Y	ea for commer ⊐ N	its on page 2						Lur	ude		Infant Developn	nent			
Maternal Infa	nt Health Mana	aged Care				1					□ Consistent fe	eding/sl	leep rou	tines	
Program (MC								Hea	rt/pulses		□ Put baby to s □ Tummy time			ite Sleep	
								Abo	domen		☐ Console, hole			play w/baby	
Neonatal Met	g and Proc abolic Screen							Ger	nitalia		Family Adjustm				
□ Y □ N Test Date:□ Normal □ Pending □ Today								Spi	ne			self and partner ouse, Child Abuse, Domesti			
Hearing ☐ Responds		5						Ext	remities/hips		Violence Pre □ Discuss child	vention			
□ Neonatal I	ABR or OAE re								ırological				curning	to work	
Developmental Surveillance				Abı	Abnormal Findings and Comments						Parental Well Being ☐ Postpartum Check-up, Family Planning				
☐ Cognitive ☐ Physical Development											 □ Baby blues, postpartum depression □ Accept help from partner, family & friends 				
Psychosocial/Behavioral Assessment											☐ Accept help i	rom par	tner, far	nily & friends	
Screening for	r Abuse □ `	Y 🗆 N		(see additional note area on next page)							Other Anticipatory Guidance Discussed:			cussed:	
If At Risk					Results of visit discussed with parent Y					N .					
☐ IPPD (result) ☐ Vision -Parental observation/concerns					Plan ☐ History/Problem List/Meds Updated										
				□ Referrals							Next Well Check: 2 months of ago				
Immunizations: HepB Given in Hospital?				☐ WIC ☐ Help Me Grow ™ ☐ Transportation							Next Well Check: 2 months of age				
•	n Hospitai <i>?</i> N □ To	day		☐ Maternal Infant Health MCP							Developmental Questions and Observations on Page 2				
□ Immunizat	ions Reviewed	I, Given & Cha	rted	☐ Children Special Health Care Needs							Provider Signatui		J		
	IS checked/upo				her refer	•									
Labs Done To	oday 🗆 Y 1	□N		□ Othe	er										

WELL	CIIII	\mathbf{D}		INIEA	MCV.	1	Weeks
VVFII		1)	L Y HIM	-IIVIT <i>P</i>	MMC.Y:	4	WEEK >

DATE		PATIENT NAME		CHILD EX	DOB						
Devel	<u>opmental</u>	Questions and C	bservations	<u>5</u>							
Ask th Yes	ne parent t No	to respond to the	following s	tatements a	bout the infant:						
		Please tell me a	ny concern	s about the	way your baby is behaving or	developing:					
		My baby looks	at me and lis	stens to my	voice.						
		My baby calms down when picked up.									
		My baby is sleeping well.									
		My baby is eating well, sucking well.									
		My baby can hear sounds.									
		My baby looks at my face.									
Ask th Yes	ne parent t No	to respond to the	following s	tatements:							
		I am sad more of	often than I	am happy.							
		I have more good days with my baby than bad days.									
		I have people w	ho help me	when I get f	rustrated with my baby.						
Provid	der to follo	ow up as necessa	arv								
i iovic	aci to ione	w up as necesso	ıı y								
		<u>Milestones</u>									
		its if they have cor elopmental instrur			or behavior. (You may use the fool Used:	ollowing screening	list, or a				
				<u> </u>		evelopment					
		Infant Develo	philiciit								
Cries	s, coos, and		Yes	No	Looks at infant	Yes	No				
			•	No No		Yes	No No				
Infan		to soothing	Yes		Looks at infant	Yes					
Infan Infan Infan	t responds t listens to t fixates or	to soothing voices human face,	Yes Yes	No	Looks at infant Picks up and soothes infant	Yes Yes	No				
Infan Infan Infan follov	t responds t listens to	to soothing voices human face,	Yes Yes Yes	No No	Looks at infant Picks up and soothes infant Listens to infant	Yes Yes Yes	No No				
Infan Infan Infan follov Lifts	t responds t listens to t fixates or ws with eye head mome	to soothing voices human face,	Yes Yes Yes Yes	No No	Looks at infant Picks up and soothes infant Listens to infant Talks to infant	Yes Yes Yes Yes	No No				
Infan Infan Infan follov Lifts Move	t responds t listens to t fixates or ws with eye head mome	to soothing voices human face, es entarily gs, and head	Yes Yes Yes Yes Yes Yes Yes	No	Looks at infant Picks up and soothes infant Listens to infant Talks to infant Touches infant Irveillance suggests a delay or abnormalit	Yes Yes Yes Yes Yes y, especially when the o	No No No No				
Infan Infan Infan follov Lifts Move	t responds t listens to t fixates or ws with eye head mome	to soothing voices human face, es entarily gs, and head	Yes Yes Yes Yes Yes Yes Yes	No	Looks at infant Picks up and soothes infant Listens to infant Talks to infant Touches infant	Yes Yes Yes Yes Yes y, especially when the o	No No No				
Infan Infan Infan follov Lifts Move	t responds t listens to t fixates on ws with eye head mome es arms, leg note: Formal cing observation	to soothing voices human face, es entarily gs, and head	Yes Yes Yes Yes Yes Yes Yes Yes Yes Arithmetic Arithmet	No	Looks at infant Picks up and soothes infant Listens to infant Talks to infant Touches infant Irveillance suggests a delay or abnormalit	Yes Yes Yes Yes Yes y, especially when the o	No No No No				
Infan Infan Infan follov Lifts Move	t responds t listens to t fixates on ws with eye head mome es arms, leg note: Formal cing observation	to soothing voices human face, es entarily gs, and head levelopmental examina on is not anticipated. (E	Yes Yes Yes Yes Yes Yes Yes Yes Yes Arithmetic Arithmet	No	Looks at infant Picks up and soothes infant Listens to infant Talks to infant Touches infant Irveillance suggests a delay or abnormalit	Yes Yes Yes Yes Yes y, especially when the o	No No No No				
Infan Infan Infan follov Lifts Move	t responds t listens to t fixates on ws with eye head mome es arms, leg note: Formal cing observation	to soothing voices human face, es entarily gs, and head levelopmental examina on is not anticipated. (E	Yes Yes Yes Yes Yes Yes Yes Yes Yes Arithmetic Arithmet	No	Looks at infant Picks up and soothes infant Listens to infant Talks to infant Touches infant Irveillance suggests a delay or abnormalit	Yes Yes Yes Yes Yes y, especially when the o	No No No				
Infan Infan Infan follov Lifts Move	t responds t listens to t fixates on ws with eye head mome es arms, leg note: Formal cing observation	to soothing voices human face, es entarily gs, and head levelopmental examina on is not anticipated. (E	Yes Yes Yes Yes Yes Yes Yes Yes Yes Arithmetic Arithmet	No	Looks at infant Picks up and soothes infant Listens to infant Talks to infant Touches infant Irveillance suggests a delay or abnormalit	Yes Yes Yes Yes Yes y, especially when the o	No No No No				
Infan Infan follov Lifts Move	t responds t listens to t fixates on ws with eye head mome es arms, leg note: Formal c ing observation	to soothing voices human face, es entarily gs, and head levelopmental examina on is not anticipated. (E	Yes Yes Yes Yes Yes Yes Yes Area Yes Area Area Area Area Area Area Area Area	No No No No No when significant for He	Looks at infant Picks up and soothes infant Listens to infant Talks to infant Touches infant Irveillance suggests a delay or abnormalit	Yes Yes Yes Yes Yes Yes Adolescents	No No No				

Your Baby's Health at 4 Weeks

Milestones

Ways your baby is developing between 4 weeks and 2 months of age.

- Looks at your face when you hold him, follows you as you move
- Pays attention to your voice
- Shows she hears sounds by startling, blinking, or crying
- Moves arms and legs, tries to lift head when lying on tummy
- · Tells you what he needs by fussing or crying

For Help or More Information

Breast feeding, food and health information:

- Women, Infant, and Children (WIC) Program, call 1-800-755-4769, or visit the website at: www.odh.ohio.gov/odhPrograms/ns/wicn/wic1.aspx
- The National Women's Health Information Center Breastfeeding Helpline. Call 1-800-994-9662, or visit the website at: www.4woman.gov/breastfeeding
- LA LECHE League 1-800-LALECHE (525-3243), or visit the website at: www.lalecheleague.org

For families of children with special health care needs: Bureau for Children with Medical Handicaps, ODH 1-800-755-4769 (Parents) Visit the Website at: http://www.odh.ohio.gov/odhPrograms/cmh/cwmh/bcmh1.aspx

Social Support Services: Contact the local county Department of Job and Family Services Healthchek Coordinator

Car seat safety:

- Contact the Auto Safety Hotline at 1-888-327-4236. Visit the website: http://www.safercar.gov/
- To locate a Child Safety Seat Inspection Station, call 1-866-SEATCHECK (866-732-8243) or online at www.seatcheck.org

Depression after delivery:

For information on depression after childbirth visit this website: http://postpartum.net/ or call the Postpartum Support International Postpartum Depression helpline at 1.800.944.4PPD

If you're concerned about your child's development: Contact Help Me Grow at 1-800-755-GROW (4769) or at www.ohiohelpmegrow.org/.

Domestic Violence hotline:

National Domestic Violence Hotline - (800) 799-SAFE (7233) or online at http://www.ndvh.org/

Safety Tips

Use a rear-facing car seat for your baby on every ride. Buckle your baby up in the back seat, away from the air bag.

NEVER shake your baby. Shaking can cause very serious brain damage. Make sure everyone who cares for your baby knows this.

Health Tips

Learn to know when your baby is hungry, so you can feed her before she cries. Your baby may get fussy or turn her head toward your body when you hold her.

Breast milk is the perfect food for babies for at least the first year. Try to breast-feed as long as possible.

If you are giving your baby a bottle, hold him in your arms during feedings. Your baby needs this special time with you.

Immunizations (Shots) protect your baby from many very serious diseases. Make sure your baby gets all of her shots on time.

To lower the chance of your baby dying from Sudden Infant Death Syndrome (SIDS), *ALWAYS* put your baby to sleep on his back in a crib or bassinet. There should be no soft bedding, blankets, pillows, bumper pads, sheepskins, or stuffed toys in the crib or bassinet.

If you or your baby's caregivers smoke, then STOP smoking. Ask visitors who smoke to go outside away from your baby. No one should smoke in the car or other areas when your baby or other children are present.

Keep your baby away from people who have colds and coughs. Make sure that people who hold or care for your baby wash their hands often.

Call your baby's doctor or nurse before your next visit if you have any questions or worries about your baby.

Parenting Tips

Help your baby learn by playing and talking with him.

Give your baby the gift of your attention. Take lots of time to hold her, look into her eyes, and talk softly.

Comfort your baby when he cries. Your baby fusses and cries to try to tell you what he wants. Holding will not spoil him.

Your baby needs "tummy time" to strengthen muscles. Place your baby on her tummy when she is awake.

When you are a parent, you will be happy, mad, sad, frustrated, angry, and afraid, at times. This is normal. If you feel very mad or frustrated:

- 1. Make sure your child is in a safe place (like a crib) and walk away.
- Call a good friend to talk about what you are feeling.
- 3. Call Cooperative Extension for classes-614. 688.5378
- 4. Call 800.448.3000 or visit Boystown Parenting Hotline at (http://www.parenting.org/hotline/index.asp)
- will not ask your name, and can offer helpful support and guidance. The helpline is open 24 hours a day.