

Antihyperlipidemics - icosapent ethyl (Vascepa)

Please provide the information below, print your answer, attach supporting documentation, sign, date, and return to our office as soon as possible to expedite this request.

Please FAX responses to: (800) 869-7791. Phone: (855) 322-4082, Options 0,1,2,3

 $Apple\ Health\ Preferred\ Drug\ List:\ https://www.hca.wa.gov/assets/billers-and-providers/apple-health-preferred\ Drug\ List:\ https://www.hca.wa.gov/assets/billers-and-preferred\ Drug\ List:\ https://www.hca.wa.gov/assets/billers-and-preferred\ Drug\ List:\ https://www.hca.wa.gov/assets/billers-and-preferred\ Drug\ List:\ https://www.hca.wa.gov/assets/billers-and-providers/apple-health-preferred\ Drug\ List:\ https://www.hca.wa.gov/assets/billers-and-preferred\ Drug\ List:\ https://www.hca.wa.gov/assets/billers-and-preferred\ Drug\ List:\ https://www.hca.wa.gov/assets/billers-and-preferred\ Drug\ List:\ https://www.hca.wa.gov/assets/billers-and-preferred\ Drug\ Drug\$

preferred-drug-list.xlsx

prejerred drug noticion					
Date of request:					
Patient Date of birth		Molina ID			
Pharmacy name Pharmacy NPI		Telephone number		Fax number	
Prescriber	Prescriber NPI	Telepl	none number	Fax number	
Medication and strength		Directions for use		Qty/Days supply	
1. Is this request for a continuation of therapy? Yes No 2. Indicate patient's diagnosis: Previous myocardial infarction (MI) Peripheral arterial disease (PAD) Previous stroke Other. Specify: Previous myocardial infarction (MI) Previous myocardial infarction (MI) Previous stroke Previous myocardial infarction (MI) Previous stroke Previous myocardial infarction (MI) Previ					
Other. Specify:					
3. Provide patient's fasting triglyceride level:					
Baseline prior to treatment with icosapent ethyl:mg/dL Date checked: Current:mg/dL Date checked:					
Current:	mg/dL Date of	checked	:		
4. Provide patient's low-density lipoproteins cholesterol (LDL-C):					

Baseline prior to treatmer	nt with icosapent ethyl:	mg/dL	Date checked:		
Current:	mg/dL Date checked:				
A fibrate medication (f	•	um of 3 months for a minimum of duct) for a minim	3 months um of 3 months		
Atorvastatin. S Rosuvastatin. S High intensity s Specify the current	high-intensity statin regime pecify daily dose: pecify daily dose: statin cannot be tolerated. t statin regimen (name and indicated in patient. Clinica	daily dose):	of contraindication required.		
7. Will the patient continue to intolerant to statin therap		ated dose of stati	n, unless contraindicated or		
8. Will icosapent ethyl be use reduction in refined carbo	· —	difications (e.g. lo	ow-fat diet, alcohol avoidance, and		
CHART NOTES ARE REQUIRED WITH THIS REQUEST					
	\ -	_			
Prescriber signature	Prescriber specialty	Date			