By Indication Offered

Information below is a detailed view of drugs that require prior authorization(s) with approval and denial rates by specific drug name. For each drug identified below, a diagnosis description is listed. A diagnosis is the identification of the nature of an illness or other problem by examination of the symptoms.

| Service Code/Drug Name | Service Code Description | APPROVED | DENIED | Total Prior Authorizations |
|---|--|----------|--------|-----------------------------------|
| *SGLT2 Inhibitor - DPP-4 Inhibitor - Biguanide -Three Ing*** | | 2 | 0 | 2 |
| Type 2 diabetes mellitus without complications | 5 | 2 | 0 | 2 |
| 2405 ONDANSETRON HYDROCHLORIDE 40/20ML INJ, P9047 ALBUMIN HUMAN 5% INJ | | 1 | 0 | 1 |
| Malignant neoplasm of unsp site of unspecified female breas | t | 1 | 0 | 1 |
| 99223 | 1ST HOSPITAL IP/OBS CARE HIGH MDM 75 MINUTES | 0 | 1 | 1 |
| Malignant neoplasm of cerebellum | | 0 | 1 | 1 |
| Abaloparatide | | 3 | 3 | 6 |
| Age-related osteoporosis w/o current pathological fracture | | 3 | 3 | 6 |
| Abatacept | | 27 | 13 | 40 |
| Arthropathic psoriasis, unspecified | ı | 2 | 0 | 2 |
| diagnosis code unavailable | | 1 | 0 | 1 |
| Other rheumatoid arthritis | 5 | 1 | 0 | 1 |
| Rheu arthritis w rheu factor of multiple sites wo organ or systems involvem | | 9 | 4 | 13 |
| Rheumatoid arthritis with rheumatoid factor, unspecified | | 2 | 1 | 3 |
| Rheumatoid arthritis without rheumatoid factor, multiple sites | 5 | 5 | 2 | 7 |
| Rheumatoid arthritis, unspecified | | 7 | 6 | 13 |
| Abemaciclib | | 27 | 4 | 31 |
| diagnosis code unavailable | | 1 | 0 | 1 |
| Malignant neoplasm of central portion of left female breas | t | 2 | 2 | 4 |
| Malignant neoplasm of central portion of right female breas | | 2 | 0 | 2 |
| Malignant neoplasm of lower-inner quadrant of left female breas | t | 1 | 1 | 2 |
| Malignant neoplasm of nipple and areola, left female breas | | 2 | 0 | 2 |
| Malignant neoplasm of overlapping sites of left female breas | t | 3 | 0 | 3 |
| Malignant neoplasm of overlapping sites of right female breas | | 5 | 0 | 5 |
| Malignant neoplasm of unsp site of unspecified female breas | | 1 | 1 | 2 |
| Malignant neoplasm of upper-inner quadrant of left female breas | t | 2 | 0 | 2 |
| Malignant neoplasm of upper-inner quadrant of right female breas | t | 2 | 0 | 2 |
| Malignant neoplasm of upper-outer quadrant of left female breas | t | 4 | 0 | 4 |
| Malignant neoplasm of upper-outer quadrant of right female breas | t | 2 | 0 | 2 |
| Abiraterone | | 17 | 1 | 18 |
| Malignant neoplasm of prostate | | 17 | 1 | 18 |
| Abrocitinib | | 0 | 2 | 2 |
| Atopic Dermatitis | S | 0 | 2 | 2 |

| Acalabrutinib | 10 | 1 | 11 |
|--|-----|----------|-----|
| Chronic lymphocytic leukemia of B-cell type not having achieved remission | 6 | 0 | 6 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Extranodal marginal zone B-cell lymphoma of mucosa-associated | 2 | 0 | 2 |
| lymphoid tiss | 1 | 1 | 2 |
| Mantle cell lymphoma, unspecified site | ' | • | 2 |
| Acetazolamide | 0 | 1 | 1 |
| Ocular hypertension, unspecified eye | 0 | ' | 1 |
| Acitretin | 2 | 3 | 5 |
| Hidradenitis suppurativa | 0 | 1 | 1 |
| Mycosis fungoides, unspecified site | 1 | 0 | 1 |
| Psoriasis vulgaris | 1 | 2 | 3 |
| ACL Inhib-Intest Cholest Absorp Inhib Comb - Two Ingredient | 4 | 7 | 11 |
| Atherosclerosis of aorta | 1 | 0 | 1 |
| Atherosclerotic heart disease of native coronary artery wo angina pectoris | 0 | 1 | 1 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Mixed hyperlipidemia | 0 | 3 | 3 |
| other specified health status | 0 | 1 | 1 |
| Pure hypercholesterolemia, unspecified | 2 | 0 | 2 |
| ST elevation (STEMI) myocardial infarction involving left anterior descend | 0 | 1 | 1 |
| Transient cerebral ischemic attack, unspecified | 0 | 1 | 1 |
| Acne Combination - Three Ingredient | 0 | 1 | 1 |
| Acne vulgaris | 0 | 1 | 1 |
| Acne Combination - Two Ingredient | 4 | 27 | 31 |
| Acne vulgaris | 3 | 22 | 25 |
| Acne, unspecified | 1 | 2 | 3 |
| Hidradenitis suppurativa | 0 | 1 | 1 |
| Rosacea, unspecified | 0 | 1 | 1 |
| Trigeminal neuralgia | 0 | 1 | 1 |
| Acyclovir Topical | 3 | 13 | 16 |
| Anogenital herpesviral infection, unspecified | 0 | 1 | 1 |
| Contact with and (suspected) exposure to STD infections | 0 | 2 | 2 |
| Disorder of the skin and subcutaneous tissue, unspecified | 0 | 1 | 1 |
| Herpesviral gingivostomatitis and pharyngotonsillitis | 1 | 0 | 1 |
| Herpesviral infection of urogenital system, unspecified | 0 | 2 | 2 |
| Herpesviral infection, unspecified | 2 | 1 | 3 |
| Herpesviral vesicular dermatitis | 0 | 2 | 2 |
| Other skin changes | 0 | 1 | 1 |
| Postherpetic trigeminal neuralgia | 0 | 1 | 1 |
| Zoster without complications | 0 | 2 | 2 |
| Adalimumab | 102 | 51 | 153 |

| Ankylosing spondylitis | 2 | 1 | 3 |
|--|----|---|----|
| Ankylosing spondylitis of lumbosacral region | 1 | 0 | 1 |
| Ankylosing spondylitis of multiple sites in spine | 3 | 3 | 6 |
| Ankylosing spondylitis of unspecified sites in spine | 4 | 2 | 6 |
| Arthropathic psoriasis, unspecified | 8 | 4 | 12 |
| Behcets disease | 0 | 1 | 1 |
| Crohn's disease [regional enteritis] | 1 | 0 | 1 |
| Crohn's disease of both small/large intestine w unspecified complications | 1 | 1 | 2 |
| Crohn's disease of large intestine with other complication | 0 | 1 | 1 |
| Crohns disease of small intestine without complications | 3 | 2 | 5 |
| Crohns disease, unspecified, without complications | 2 | 0 | 2 |
| diagnosis code unavailable | 0 | 2 | 2 |
| Dorsalgia, unspecified | 0 | 1 | 1 |
| Enteropathic arthropathies, unspecified site | 1 | 0 | 1 |
| Hidradenitis suppurativa | 13 | 8 | 21 |
| Long term (current) use of immunosuppressive biologic | 1 | 0 | 1 |
| Other chondrocalcinosis, unspecified hand | 1 | 0 | 1 |
| Other juvenile arthritis, unspecified site | 2 | 0 | 2 |
| Other psoriatic arthropathy | 1 | 1 | 2 |
| Other rheumatoid arthritis | 1 | 0 | 1 |
| Other specified arthritis, unspecified site | 1 | 0 | 1 |
| Other ulcerative colitis with other complication | 1 | 0 | 1 |
| Other ulcerative colitis without complications | 2 | 1 | 3 |
| Panuveitis, unspecified eye | 1 | 0 | 1 |
| Pauciarticular juvenile rheumatoid arthritis, unsp site | 1 | 0 | 1 |
| Psoriasis | 4 | 0 | 4 |
| Psoriasis vulgaris | 7 | 3 | 10 |
| Psoriasis, unspecified | 2 | 3 | 5 |
| Psoriatic spondylitis | 1 | 0 | 1 |
| Pyoderma gangrenosum | 0 | 1 | 1 |
| Rheu arthritis w rheu factor of multiple sites wo organ or systems involvem | 12 | 1 | 13 |
| Rheumatoid arthritis with RH factor of right hand wo organ or systems invol | 1 | 0 | 1 |
| Rheumatoid arthritis with rheumatoid factor, unspecified | 3 | 1 | 4 |
| Rheumatoid arthritis without rheumatoid factor, multiple sites | 5 | 1 | 6 |
| Rheumatoid arthritis without rheumatoid factor, unspecified site | 2 | 2 | 4 |
| Rheumatoid arthritis, unspecified | 3 | 5 | 8 |
| Rheumatoid lung disease with rheumatoid arthritis of unspecified wrist | 1 | 0 | 1 |
| Sympathetic uveitis, bilateral | 0 | 1 | 1 |
| Sympathetic dvertis, bilateral | 0 | | |
| Ulcerative (chronic) pancolitis with unspecified complications | 1 | 0 | 1 |

| Ulcerative (chronic) rectosigmoiditis without complications | 1 | 0 | 1 |
|--|---|--|---|
| Ulcerative colitis, unspecified with other complication | 0 | 1 | 1 |
| Ulcerative colitis, unspecified, without complications | 5 | 2 | 7 |
| Unspecified inflammatory spondylopathy, site unspecified | 1 | 0 | 1 |
| Unspecified iridocyclitis | 1 | 0 | 1 |
| Unspecified juvenile rheumatoid arthritis, multiple sites | 0 | 1 | 1 |
| Vogt-Koyanagi syndrome, bilateral | 1 | 0 | 1 |
| Adrenergic Combination - Three Ingredient | 2 | 2 | 4 |
| Chronic obstructive pulmonary disease, unspecified | 1 | 0 | 1 |
| Moderate persistent asthma with acute exacerbation | 0 | 1 | 1 |
| Severe persistent asthma w/ acute exacerbation | 1 | 0 | 1 |
| Severe persistent asthma, uncomplicated | 0 | 1 | 1 |
| Adrenergic Combination - Two Ingredient | 6 | 5 | 11 |
| Mild intermittent asthma, uncomplicated | 1 | 1 | 2 |
| Mild Persistant Asthma with acute exacerbation | 0 | 1 | 1 |
| Mild persistent asthma, uncomplicated | 1 | 2 | 3 |
| Moderate persistent asthma, uncomplicated | 2 | 0 | 2 |
| Severe persistent asthma, uncomplicated | 1 | 0 | 1 |
| Shortness of breath | 1 | 0 | 1 |
| Unspecified asthma, uncomplicated | 0 | 1 | 1 |
| | | | |
| Aflibercept | 93 | 61 | 154 |
| Aflibercept Central retinal vein occlusion, left eye, with macular edema | 93 | 61 | 154 11 |
| | | | |
| Central retinal vein occlusion, left eye, with macular edema | 9 | 2 | 11 |
| Central retinal vein occlusion, left eye, with macular edema Central retinal vein occlusion, right eye | 9 | 2 | 11 1 |
| Central retinal vein occlusion, left eye, with macular edema Central retinal vein occlusion, right eye Central retinal vein occlusion, right eye, with macular edema diagnosis code unavailable | 9 1 10 | 2 0 2 | 11 1 12 |
| Central retinal vein occlusion, left eye, with macular edema Central retinal vein occlusion, right eye Central retinal vein occlusion, right eye, with macular edema | 9 1 10 1 | 2 0 2 0 | 11 1 12 1 |
| Central retinal vein occlusion, left eye, with macular edema Central retinal vein occlusion, right eye Central retinal vein occlusion, right eye, with macular edema diagnosis code unavailable Exudative age-related macular degeneration | 9 1 10 1 0 | 2 0 2 0 1 | 11 1 12 1 1 |
| Central retinal vein occlusion, left eye, with macular edema Central retinal vein occlusion, right eye Central retinal vein occlusion, right eye, with macular edema diagnosis code unavailable Exudative age-related macular degeneration Exudative age-related macular degeneration, bilateral, with active choroida | 9 1 10 1 0 1 | 2 0 2 0 1 | 11 1 12 1 1 1 |
| Central retinal vein occlusion, left eye, with macular edema Central retinal vein occlusion, right eye Central retinal vein occlusion, right eye, with macular edema diagnosis code unavailable Exudative age-related macular degeneration Exudative age-related macular degeneration, bilateral, with active choroida Exudative age-related macular degeneration, left eye, with active choroidal | 9 1 10 1 0 1 | 2 0 2 0 1 0 | 11 1 12 1 1 1 1 |
| Central retinal vein occlusion, left eye, with macular edema Central retinal vein occlusion, right eye Central retinal vein occlusion, right eye, with macular edema diagnosis code unavailable Exudative age-related macular degeneration Exudative age-related macular degeneration, bilateral, with active choroida Exudative age-related macular degeneration, left eye, with active choroidal Exudative age-related macular degeneration, left eye, with inactive choroid | 9 1 10 1 0 1 3 | 2 0 2 0 1 0 | 11 1 12 1 1 1 1 |
| Central retinal vein occlusion, left eye, with macular edema Central retinal vein occlusion, right eye Central retinal vein occlusion, right eye, with macular edema diagnosis code unavailable Exudative age-related macular degeneration Exudative age-related macular degeneration, bilateral, with active choroida Exudative age-related macular degeneration, left eye, with active choroidal Exudative age-related macular degeneration, left eye, with inactive choroid Exudative age-related macular degeneration, right eye, stage unspecified | 9 1 10 10 1 0 1 3 0 1 | 2 0 2 0 1 0 | 11 1 12 1 1 1 1 3 |
| Central retinal vein occlusion, left eye, with macular edema Central retinal vein occlusion, right eye Central retinal vein occlusion, right eye, with macular edema diagnosis code unavailable Exudative age-related macular degeneration Exudative age-related macular degeneration, bilateral, with active choroida Exudative age-related macular degeneration, left eye, with active choroidal Exudative age-related macular degeneration, left eye, with inactive choroid Exudative age-related macular degeneration, right eye, stage unspecified Oth diab with prolif diabetic rtnop with macular edema, bi | 9 1 10 10 1 0 1 3 0 1 1 0 1 0 1 0 0 1 0 0 0 0 | 2 0 2 0 1 0 0 | 11 1 12 1 1 1 3 1 |
| Central retinal vein occlusion, left eye, with macular edema Central retinal vein occlusion, right eye Central retinal vein occlusion, right eye, with macular edema diagnosis code unavailable Exudative age-related macular degeneration Exudative age-related macular degeneration, bilateral, with active choroida Exudative age-related macular degeneration, left eye, with active choroida Exudative age-related macular degeneration, left eye, with inactive choroid Exudative age-related macular degeneration, right eye, stage unspecified Oth diab with prolif diabetic rtnop with macular edema, bi Other specified postprocedural states | 9 1 10 10 1 0 1 3 0 1 0 1 0 1 1 0 1 1 1 1 | 2 0 2 0 1 0 0 1 0 | 11 1 12 1 1 1 1 3 1 1 1 1 1 1 1 1 1 1 1 |
| Central retinal vein occlusion, left eye, with macular edema Central retinal vein occlusion, right eye Central retinal vein occlusion, right eye, with macular edema diagnosis code unavailable Exudative age-related macular degeneration Exudative age-related macular degeneration, bilateral, with active choroida Exudative age-related macular degeneration, left eye, with active choroidal Exudative age-related macular degeneration, left eye, with inactive choroid Exudative age-related macular degeneration, right eye, stage unspecified Oth diab with prolif diabetic rtnop with macular edema, bi Other specified postprocedural states Traction detachment of retina, right eye | 9 1 10 10 1 0 1 3 0 1 1 0 1 1 0 1 1 0 1 0 | 2 0 2 0 1 0 0 1 0 1 0 | 11 1 12 1 1 1 1 3 1 1 1 1 1 1 1 1 1 1 1 |
| Central retinal vein occlusion, left eye, with macular edema Central retinal vein occlusion, right eye Central retinal vein occlusion, right eye, with macular edema diagnosis code unavailable Exudative age-related macular degeneration Exudative age-related macular degeneration, bilateral, with active choroida Exudative age-related macular degeneration, left eye, with active choroida Exudative age-related macular degeneration, left eye, with inactive choroid Exudative age-related macular degeneration, right eye, stage unspecified Oth diab with prolif diabetic rtnop with macular edema, bi Other specified postprocedural states Traction detachment of retina, right eye Tributary (branch) retinal vein occlusion, left eye, with macular edema | 9 1 10 10 1 0 1 3 0 1 1 0 1 0 1 0 1 0 2 | 2 0 2 0 1 0 0 1 0 1 0 1 | 11 1 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Central retinal vein occlusion, left eye, with macular edema Central retinal vein occlusion, right eye Central retinal vein occlusion, right eye, with macular edema diagnosis code unavailable Exudative age-related macular degeneration Exudative age-related macular degeneration, bilateral, with active choroida Exudative age-related macular degeneration, left eye, with active choroidal Exudative age-related macular degeneration, left eye, with inactive choroid Exudative age-related macular degeneration, right eye, stage unspecified Oth diab with prolif diabetic rtnop with macular edema, bi Other specified postprocedural states Traction detachment of retina, right eye Tributary (branch) retinal vein occlusion, left eye, with macular edema Tributary (branch) retinal vein occlusion, right eye, with macular edema | 9 1 10 10 1 0 1 3 0 1 1 0 1 0 1 0 1 0 1 0 | 2 0 2 0 1 0 0 1 0 1 0 1 0 | 11 1 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Central retinal vein occlusion, left eye, with macular edema Central retinal vein occlusion, right eye Central retinal vein occlusion, right eye, with macular edema diagnosis code unavailable Exudative age-related macular degeneration Exudative age-related macular degeneration, bilateral, with active choroida Exudative age-related macular degeneration, left eye, with active choroidal Exudative age-related macular degeneration, left eye, with inactive choroid Exudative age-related macular degeneration, right eye, stage unspecified Oth diab with prolif diabetic rtnop with macular edema, bi Other specified postprocedural states Traction detachment of retina, right eye Tributary (branch) retinal vein occlusion, left eye, with macular edema Tributary (branch) retinal vein occlusion, right eye, with macular edema Type 1 diabetes mellitus with proliferative diabetic retinopathy with | 9 1 10 10 1 0 1 3 0 1 1 0 1 0 1 0 2 0 4 | 2 0 2 0 1 0 0 1 0 1 0 1 0 1 1 6 | 11 1 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |

| Type 2 diab with severe nonp rtnop without macular edema, bi | 0 | 1 | 1 |
|--|----|----|-----|
| Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy wi | 2 | 4 | 6 |
| Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopath | 12 | 6 | 18 |
| Type 2 diabetes mellitus with proliferative diabetic retinopathy with | 0 | 1 | 1 |
| Type 2 diabetes mellitus with proliferative diabetic retinopathy with macul | 37 | 21 | 58 |
| Type 2 diabetes mellitus with proliferative diabetic retinopathy without ma | 0 | 3 | 3 |
| Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy | 2 | 1 | 3 |
| Type 2 diabetes with moderate nonproliferative diabetic retinopathy Right | 1 | 2 | 3 |
| Agalsidase Control of the Control of | 0 | 2 | 2 |
| Fabry (-Anderson) disease | 0 | 2 | 2 |
| Albendazole | 0 | 1 | 1 |
| Visceral larva migrans | 0 | 1 | 1 |
| Albuterol | 2 | 2 | 4 |
| Acute bronchitis due to parainfluenza virus | 0 | 1 | 1 |
| Chronic obstructive pulmonary disease, unspecified | 1 | 0 | 1 |
| Mild persistent asthma, uncomplicated | 1 | 1 | 2 |
| Alectinib | 1 | 0 | 1 |
| Malignant neoplasm of lower lobe, left bronchus or lung | 1 | 0 | 1 |
| Alfuzosin | 1 | 0 | 1 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Alirocumab | 0 | 4 | 4 |
| Atherosclerotic heart disease of native coronary artery wo angina pectoris | 0 | 1 | 1 |
| Essential (primary) hypertension | 0 | 2 | 2 |
| Other specified peripheral vascular diseases | 0 | 1 | 1 |
| Allopurinol | 0 | 1 | 1 |
| Gout, unspecified | 0 | 1 | 1 |
| Alogliptin | 2 | 1 | 3 |
| Type 2 diabetes mellitus with hyperglycemia | 2 | 0 | 2 |
| Type 2 diabetes mellitus without complications | 0 | 1 | 1 |
| Alpelisib | 1 | 0 | 1 |
| Malignant neoplasm of central portion of left female breast | 1 | 0 | 1 |
| Alprazolam | 4 | 1 | 5 |
| Anxiety disorder, unspecified | 3 | 0 | 3 |
| Generalized anxiety disorder | 1 | 1 | 2 |
| Alprostadil | 0 | 1 | 1 |
| Type 2 diabetes mellitus with other specified complication | 0 | 1 | 1 |
| Ambrisentan | 7 | 1 | 8 |
| | | • | · · |

| Pulmonary hypertension, unspecified | 1 | 0 | 1 |
|---|-----|----|-----|
| Secondary pulmonary arterial hypertension | 3 | 0 | 3 |
| Systemic sclerosis with lung involvement | 0 | 1 | 1 |
| Amikacin | 4 | 0 | 4 |
| Disseminated mycobacterium avium-intracellulare complex (DMAC) | 1 | 0 | 1 |
| Invasive pulmonary aspergillosis | 1 | 0 | 1 |
| Lung transplant status | 2 | 0 | 2 |
| Aminocaproic Acid | 3 | 2 | 5 |
| | 1 | 0 | 1 |
| Coagulation defect, unspecified | 1 | 0 | 1 |
| Hereditary factor VIII deficiency | 0 | 2 | 2 |
| Von Willebrand disease, unspecified | 1 | 0 | 1 |
| Amlodipine | 3 | 3 | 6 |
| diagnosis code unavailable | 2 | 0 | 2 |
| Essential (primary) hypertension | 0 | 3 | 3 |
| Other secondary hypertension | 1 | 0 | 1 |
| Amphetamine | 3 | 1 | 4 |
| Attention-deficit hyperactivity disorder, combined type | 2 | 0 | 2 |
| Attn-defct hyperactivity disorder, predom inattentive type | 1 | 1 | 2 |
| Amphetamine Mixtures - Two Ingredient | 290 | 63 | 353 |
| ADD | 0 | 1 | 1 |
| Anxiety disorder, unspecified | 1 | 1 | 2 |
| Attention and concentration deficit | 5 | 1 | 6 |
| Attention-deficit hyperactivity disorder, combined type | 73 | 15 | 88 |
| Attention-deficit hyperactivity disorder, other type | 3 | 4 | 7 |
| Attention-deficit hyperactivity disorder, unspecified type | 58 | 9 | 67 |
| Attention-deficit hyperactivity disorders | 1 | 2 | 3 |
| Attn-defct hyperactivity disorder, predom hyperactive type | 21 | 1 | 22 |
| Attn-defct hyperactivity disorder, predom inattentive type | 105 | 14 | 119 |
| diagnosis code unavailable | 3 | 2 | 5 |
| Encounter For Screeni Examinatio For Other Mental Health &Behavioral | 1 | 0 | 1 |
| Disord | | | |
| Insomnia, unspecified | 1 | 0 | 1 |
| Major depressive disorder, single episode, severe without psychotic feature | 1 | 1 | 2 |
| Migraine, unspecified, not intractable, without status migrainosus. | 1 | 0 | 1 |
| Other specified behavioral and emotional disorders with onset usually | 16 | 12 | 28 |
| occur Amphotericin B | 1 | • | 1 |
| | | 0 | 1 |
| Invasive pulmonary aspergillosis | 1 | 0 | 1 |
| Ampicillin | 2 | 0 | 2 |
| diagnosis code unavailable | 1 | 0 | 1 |

| Hydronephrosis with renal and ureteral calculous obstruction | 1 | 0 | 1 |
|--|----|----|----|
| Analgesics-Sedative Combination - Three Ingredient | 1 | 4 | 5 |
| Chronic migraine w/o aura, intractable, w status migrainosus | 1 | 1 | 2 |
| Migraine, unspecified, not intractable, without status migrainosus. | 0 | 2 | 2 |
| Other specified congenital malformations of brain | 0 | 1 | 1 |
| Angiotensin II Recept Antag & Ca Chan Block Comb - 2 Ingred | 0 | 3 | 3 |
| Essential (primary) hypertension | 0 | 3 | 3 |
| Angiotensin II Receptor Antagonists & Thiazides - Two Ingred | 5 | 11 | 16 |
| Essential (primary) hypertension | 5 | 10 | 15 |
| Hypertensive heart disease without heart failure | 0 | 1 | 1 |
| Angiotensin II Receptor Ant-Ca Channel Blocker-Thiazides | 0 | 5 | 5 |
| Essential (primary) hypertension | 0 | 1 | 1 |
| Hypertensive chronic kidney disease w stg 1-4/unsp chr kdny | 0 | 1 | 1 |
| Hypertensive heart disease without heart failure | 0 | 2 | 2 |
| Other chest pain | 0 | 1 | 1 |
| Anifrolumab | 1 | 2 | 3 |
| Systemic lupus erythematosus, organ or system involv unsp | 0 | 1 | 1 |
| Systemic lupus erythematosus, unspecified | 1 | 1 | 2 |
| Anti-Cataplectic Combination - Four Ingredient | 2 | 0 | 2 |
| Idiopathic hypersomnia with long sleep time | 1 | 0 | 1 |
| Narcolepsy with cataplexy | 1 | 0 | 1 |
| Antidepressant - Misc. Combinations - Two Ingredient | 13 | 1 | 14 |
| Bipolar disorder, current episode depressed, moderate | 2 | 0 | 2 |
| Bipolar II disorder | 1 | 0 | 1 |
| Major depressive disorder, recurrent severe without psychotic features | 8 | 0 | 8 |
| Major depressive disorder, recurrent, moderate | 2 | 1 | 3 |
| Antiemetic Combination - Two Ingredient | 5 | 6 | 11 |
| Amenorrhea, unspecified | 1 | 0 | 1 |
| Encounter for supervision of normal pregnancy, unspecified, second | 0 | 1 | 1 |
| trimeste | | | |
| Malignant neoplasm of sigmoid colon | 4 | 0 | 4 |
| Mild hyperemesis gravidarum | 0 | 2 | 2 |
| Nausea | 0 | 1 | 1 |
| Nausea with vomiting, unspecified | 0 | 2 | 2 |
| Antihemophilic Factor | 5 | 1 | 6 |
| Hereditary Deficiency If Other Clotting Factors | 1 | 0 | 1 |
| Hereditary factor VIII deficiency | 4 | 1 | 5 |
| Antihemophilic Factor/von Willebrand Factor Complex | 1 | 1 | 2 |
| Von Willebrand disease, unspecified | 1 | 0 | 1 |
| | | 4 | 1 |
| Von Willebrands disease | 0 | 1 | 1 |

| Acute maxillary sinusitis, unspecified | 0 | 2 | 2 |
|--|----|----|----|
| Allergic rhinitis, unspecified | 0 | 2 | 2 |
| Chronic sinusitis, unspecified | 0 | 1 | 1 |
| Other seasonal allergic rhinitis | 0 | 1 | 1 |
| Antineoplastic Combination - Three Ingredient | 1 | 1 | 2 |
| Malignant neoplasm of lower-outer quadrant of left female breast | 1 | 0 | 1 |
| Malignant neoplasm of nipple and areola, right female breast | 0 | 1 | 1 |
| Antineoplastic Combination - Two Ingredient | 12 | 1 | 13 |
| Malignant neoplasm of ascending colon | 1 | 0 | 1 |
| Malignant neoplasm of cecum | 2 | 0 | 2 |
| Malignant neoplasm of nipple and areola, left female breast | 0 | 1 | 1 |
| Malignant neoplasm of pyloric antrum | 2 | 0 | 2 |
| Malignant neoplasm of rectosigmoid junction | 2 | 0 | 2 |
| Malignant neoplasm of rectum | 1 | 0 | 1 |
| Malignant neoplasm of sigmoid colon | 4 | 0 | 4 |
| Anti-Obesity Combination - Two Ingredient | 0 | 1 | 1 |
| Morbid (severe) obesity due to excess calories | 0 | 1 | 1 |
| Antiretroviral Combination - Three Ingredient | 1 | 2 | 3 |
| Human immunodeficiency virus [HIV] disease | 1 | 2 | 3 |
| Antiretroviral Combination - Two Ingredient | 26 | 16 | 42 |
| Asymptomatic human immunodeficiency virus infection status | 1 | 0 | 1 |
| Contact with and (suspected) exposure to STD infections | 2 | 0 | 2 |
| Exposure to HIV virus | 9 | 2 | 11 |
| High risk heterosexual behavior | 0 | 1 | 1 |
| High risk homosexual behavior | 6 | 2 | 8 |
| Human immunodeficiency virus [HIV] disease | 8 | 11 | 19 |
| Antiseborrheic Combination - Two Ingredient | 0 | 1 | 1 |
| Nonscarring hair loss, unspecified | 0 | 1 | 1 |
| Antitussive-Expectorant - Two Ingredient | 1 | 1 | 2 |
| Acute upper respiratory infection, unspecified | 0 | 1 | 1 |
| Chronic cough | 1 | 0 | 1 |
| Antitussive-Expectorants-Decongestant - Three Ingredient | 0 | 1 | 1 |
| Acute pharyngitis due to other specified organisms | 0 | 1 | 1 |
| Apalutamide | 7 | 1 | 8 |
| Malignant neoplasm of prostate | 7 | 1 | 8 |
| Apixaban | 1 | 1 | 2 |
| Acute embolism and thrombosis of unspecified deep veins of right lower | 1 | 0 | 1 |
| extr | | | |
| Pulmonary embolism without acute cor pulmonale | 0 | 1 | 1 |
| Apremilast | 13 | 15 | 28 |
| Arthropathic psoriasis, unspecified | 4 | 0 | 4 |

| Behcets disease | 1 | 1 | 2 |
|---|----|----|------|
| Other rheumatoid arthritis | 1 | 0 | 1 |
| Psoriasis | 1 | 0 | 1 |
| Psoriasis vulgaris | 5 | 11 | 16 |
| Psoriasis, unspecified | 1 | 3 | 4 |
| Aprepitant | 13 | 7 | 20 |
| Adverse effect of antineoplastic and immunosup drugs, init | 1 | 0 | 1 |
| Malignant neoplasm of bladder, unspecified | 0 | 1 | 1 |
| Malignant neoplasm of endometrium | 1 | 0 | 1 |
| Malignant neoplasm of hepatic flexure | 0 | 1 | 1 |
| Malignant neoplasm of oropharynx, unspecified | 1 | 0 | 1 |
| Malignant neoplasm of overlapping sites of cervix uteri | 0 | 1 | 1 |
| Malignant neoplasm of unspecified ovary | 4 | 1 | 5 |
| Malignant neoplasm of upper-outer quadrant of left female breast | 0 | 1 | 1 |
| Nausea | 6 | 0 | 6 |
| Nausea with vomiting, unspecified | 0 | 1 | 1 |
| Squamous cell carcinoma of skin of other parts of face | 0 | 1 | 1 |
| Aripiprazole | 3 | 4 | 7 |
| Bipolar disorder, current episode depressed, moderate | 1 | 0 | 1 |
| Major depressive disorder, recurrent, in partial remission | 1 | 0 | 1 |
| Unsp psychosis not due to a substance or known physiol cond | 0 | 4 | 4 |
| Unspecified mood [affective] disorder | 1 | 0 | 1 |
| Armodafinil | 6 | 0 | 6 |
| Circadian rhythm sleep disorder, shift work type | 3 | 0 | 3 |
| Hypersomnolence disorder | 1 | 0 | 1 |
| Idiopathic hypersomnia with long sleep time | 1 | 0 | 1 |
| Narcolepsy with cataplexy | 1 | 0 | 1 |
| ARNI-Angiotensin II Recept Antag Comb - Two Ingredient | 81 | 36 | 117 |
| Acute combined systolic (congestive) and diastolic (congestive) heart failu | 2 | 0 | 2 |
| Acute on chronic diastolic (congestive) heart failure | 1 | 0 | 1 |
| Acute on chronic systolic (congestive) heart failure | 3 | 2 | 5 |
| Acute systolic (congestive) heart failure | 4 | 1 | 5 |
| Atherosclerotic heart disease of native coronary artery wo angina pectoris | 1 | 0 | 1 |
| Cardiomegaly | 0 | 1 | 1 |
| Cardiomyopathy, unspecified | 2 | 1 | 3 |
| Cardiomyopathy, unspecifieduser | 1 | 0 | 1 |
| CHF-Congestive Heart Failure | 1 | 0 | 1 |
| Chronic Combined Systolic and Diastolic (Congestive) Heart Failure | 3 | 3 | 6 |
| | | | |
| Chronic diastolic (congestive) heart failure | 1 | 0 | 1 |
| | | 0 | 1 27 |

| Dilated cardiomyopathy | 3 | 3 | 6 |
|---|----|----|----|
| Essential (primary) hypertension | 2 | 1 | 3 |
| Heart failure | 2 | 0 | 2 |
| Heart failure, unspecified | 8 | 7 | 15 |
| Hyp chr kidney disease w stage 5 chr kidney disease or ESRD | 0 | 1 | 1 |
| Hypertensive heart and chronic kidney disease with heart failure and with s | 1 | 0 | 1 |
| Hypertensive heart disease with heart failure | 2 | 1 | 3 |
| Ischemic Cardiomyopathy | 4 | 3 | 7 |
| Left ventricular failure | 1 | 0 | 1 |
| Nicotine dependence, unspecified, uncomplicated | 0 | 1 | 1 |
| Other cardiomyopathies | 3 | 0 | 3 |
| Other heart failure | 1 | 0 | 1 |
| Personal history of pulmonary embolism | 1 | 0 | 1 |
| ST elevation (STEMI) myocardial infarction involving left anterior descend | 1 | 0 | 1 |
| Systolic heart failure | 8 | 1 | 9 |
| Tetralogy of Fallot | 1 | 0 | 1 |
| Type 2 diabetes mellitus with hyperglycemia | 1 | 0 | 1 |
| Unspecified atrial fibrillation | 1 | 0 | 1 |
| Unspecified combined systolic (congestive) and diastolic (congestive) heart | 1 | 1 | 2 |
| Conference commence systems (congestions, main | · | | _ |
| Unspecified diastolic (congestive) heart failure | 1 | 0 | 1 |
| Viral cardiomyopathy | 1 | 0 | 1 |
| Asciminib | 1 | 1 | 2 |
| Chronic myeloid leukemia, BCR/ABL-positive, not having achieved | 1 | 1 | 2 |
| remission | | | |
| Atenolol | 1 | 0 | 1 |
| Aortic ectasia, unspecified site | 1 | 0 | 1 |
| Atezolizumab | 0 | 1 | 1 |
| Other nonspecific abnormal finding of lung field | 0 | 1 | 1 |
| Atogepant | 3 | 15 | 18 |
| Chronic migraine w/o aura, intractable, w/o stat migr | 0 | 1 | 1 |
| Migraine w/o aura, not intractable, w/o status migrainosus | 1 | 4 | 5 |
| Migraine with aura, intractable, with status migrainosus | 0 | 1 | 1 |
| Migraine with aura, not intractable, w/o status migrainosus | 0 | 1 | 1 |
| Migraine, unspecified, not intractable, without status migrainosus. | 2 | 8 | 10 |
| Atomoxetine | 26 | 45 | 71 |
| Attention and concentration deficit | 0 | 2 | 2 |
| Attention-deficit hyperactivity disorder, combined type | 9 | 10 | 19 |
| Attention-deficit hyperactivity disorder, predominantly inattentive ty | 2 | 0 | 2 |
| Attention-deficit hyperactivity disorder, predominantly inattentive type | 0 | 1 | 1 |
| Attention-deficit hyperactivity disorder, unspecified type | 1 | 1 | 2 |

| Attn-defct hyperactivity disorder, predom hyperactive type | 1 | 1 | 2 |
|--|----|----|----|
| Attn-defct hyperactivity disorder, predom inattentive type | 8 | 17 | 25 |
| Bipolar disorder, current episode depressed, moderate | 0 | 1 | 1 |
| Bipolar disorder, current episode depressed, moderate Bipolar II disorder | 0 | 1 | 1 |
| diagnosis code unavailable | 0 | 1 | 1 |
| Generalized anxiety disorder | 2 | 2 | 4 |
| Hereditary hemolytic anemia, unspecified | 0 | 1 | 1 |
| Human immunodeficiency virus [HIV] disease | 0 | 2 | 2 |
| Major depressive disorder, recurrent severe without psychotic features | 2 | 0 | 2 |
| Major depressive disorder, recurrent, in partial remission | 0 | 1 | 1 |
| Major depressive disorder, recurrent, moderate | 0 | 2 | 2 |
| Other specified behavioral and emotional disorders with onset usually | 0 | 1 | 1 |
| occur | | ' | ' |
| Post-traumatic stress disorder, unspecified | 1 | 1 | 2 |
| Atorvastatin | 3 | 4 | 7 |
| Cerebral infarction due to embolism of right carotid artery | 1 | 0 | 1 |
| Hyperlipidemia, unspecified | 1 | 2 | 3 |
| Mixed hyperlipidemia | 0 | 2 | 2 |
| Type 2 diabetes mellitus without complications | 1 | 0 | 1 |
| Atovaquone | 13 | 8 | 21 |
| Acute lymphoblastic leukemia not having achieved remission | 1 | 0 | 1 |
| Acute myeloblastic leukemia, in remission | 0 | 1 | 1 |
| Acute myeloblastic leukemia, not having achieved remission | 2 | 0 | 2 |
| Aspergillosis, unspecified | 1 | 0 | 1 |
| Bone marrow transplant status | 1 | 0 | 1 |
| Chronic myeloproliferative disease | 0 | 1 | 1 |
| diagnosis code unavailable | 0 | 2 | 2 |
| Encounter for prophylactic measures, unspecified | 0 | 1 | 1 |
| Hodgkin lymphoma, unspecified, unspecified site | 0 | 1 | 1 |
| Kidney transplant status | 1 | 1 | 2 |
| Liver transplant status | 1 | 0 | 1 |
| Long term (current) use of systemic steroids | 1 | 0 | 1 |
| Lung transplant status | 1 | 0 | 1 |
| Peripheral T-cell lymphoma, not classified, intra-abdominal lymph node | 1 | 0 | 1 |
| Pneumocystosis | 1 | 0 | 1 |
| Pneumonia, unspecified organism | 1 | 0 | 1 |
| Stem cells transplant status | 1 | 0 | 1 |
| Zoster without complications | 0 | 1 | 1 |
| Avatrombopag | 3 | 3 | 6 |
| Immune thrombocytopenic purpura | 0 | 2 | 2 |
| Iron deficiency anemia, unspecified | 1 | 0 | 1 |

| Incombogropenia, unspecified 1 | | | | |
|--|--|---|----|----|
| Asietinib 3 1 4 Malignant neoplasm of left bidney, accept renal peblis 2 0 2 Association 2 0 2 Association 2 0 2 Association 2 0 2 Association 1 0 1 Association 1 0 1 Association 1 0 1 Association 1 0 1 Association 2 23 25 Association 0 2 2 2 Association 0 0 2 2 2 Association 0 0 2 | Liver disease, unspecified | 1 | 0 | 1 |
| Malignant recoplasm of left kidney, except renal pelvide Malignant members of right kidney, except renal pelvide Acate Malignant members of right kidney, except renal pelvide Acate Macate mysloblastic leukemia, in remission Acate Macate mysloblastic leukemia, in remission Acatelac Autommune hepatitic Autommune hepatitic Acatelac Autommune hepatitic Acatelac Acate vulgaris Acatelac Aca | | • | · | |
| Melignant neoplatm of right kidney, except renal pelvis 1 1 2 Acatdition 2 0 2 Acathioprine 1 0 1 Company 1 0 1 Company 1 0 1 Company 2 2 2 Acathio 2 2 2 Acathio 2 2 2 Acathio 0 2 2 2 Company 0 1 1 1 Deviation 0< | | | | |
| Azaltidine 2 0 2 Azathioprine 1 0 1 Azathioprine 1 0 1 Azathioprine 1 0 1 Azathioprine 1 0 1 Azathio Add 1 0 1 Charles (Add) 0 2 2 Azalsatine 2 23 25 Azalsatine 0 2 2 2 Charles (Add) 0 7 7 7 Charles (Add) 0 0 2 2 2 Charles (Add) 0 0 1 | | 2 | 0 | |
| Azuthiprime 1 0 1 0 1 Azuthiprime Autoimmune hepatits 1 0 0 1 Azuthiprime Autoimmune hepatits 1 1 0 1 0 1 Azuthiprime Autoimmune hepatits 1 1 0 1 0 1 Azuthiprime Autoimmune hepatits 1 1 0 1 0 1 Azuthiprime Autoimmune hepatits 1 1 0 1 0 1 Azuthiprime Autoimmune hepatits 1 1 0 1 0 1 Azuthiprime Autoimmune hepatits 1 1 0 1 1 Azuthiprime Autoimmune hepatits 1 1 0 1 1 Azuthiprime Autoimmune Managerified 1 0 2 2 2 Azuthiprime 2 2 23 25 Azuthiprime Allergic finitis use to pollen 1 0 2 2 2 Azuthiprime 1 0 0 7 7 7 Azuthiprime 1 0 0 7 7 7 Azuthiprime 1 0 0 1 1 1 Azitharia Hepatitis and sale spetum 1 0 0 1 1 1 Azitharia Hepatitis Individual septum 1 0 0 1 1 1 Azitharia Hepatitis Individual septum 1 0 0 1 1 1 Azitharia Hepatitis Individual septum 1 0 1 1 1 Azitharia Hepatitis Individual septum 1 0 1 1 1 Azitharia Hepatitis Individual septum 1 0 1 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 0 1 1 Azitharia Hepatitis Individual septum 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | • | · | 2 |
| Acethioprine 1 0 1 Acetaic Action 1 2 3 Acetaic Action 1 2 3 Acetaic Action 1 0 1 0 1 Composed of Compose | | | 0 | 2 |
| Autolimume hepatitis 1 0 1 Azelia Acid 1 2 3 Accession, unspecified 0 2 2 Rossices, unspecified 0 2 2 Azelastine 2 33 25 Allergic rhinitis, unspecified 0 7 7 Allergic rhinitis 0 2 2 Allergic rhinitis 0 2 2 2 Chronic rhinitis 0 1 1 1 General Regic rhinitis 0 1 1 1 Alisartan 0 1 1 1 1 Alisartan 0 1 1 1 1 1 1 < | _ | | | 2 |
| Acetaic Acid 1 2 3 Rossrea, unspecified 0 2 2 Acetastine 2 23 25 Allergic rhinitis due to pollen 0 2 2 Allergic rhinitis, unspectified 0 7 7 Chronic, rhinitis 0 2 2 Poetated nasal septum 0 1 1 Poetated nasal septum 0 1 1 Poetated nasal septum 0 1 1 Persential instructions insuits 0 1 1 Poetate alengic rhinitis 2 5 7 Chronic pallengic rhinitis 2 5 7 Chronic pallengic rhinitis 0 1 1 1 Agistartan 1 0 1 1 1 Azistartan 1 0 1 1 1 Azistartan 1 0 1 1 1 Azistartan 2 1 < | | 1 | 0 | 1 |
| Aceta value | | 1 | 0 | 1 |
| Azelastine | Azelaic Acid | 1 | 2 | 3 |
| Azelastine 2 23 25 Allergic hinitis due to pollen 0 2 2 Allergic hinitis uspecified 0 7 7 Chronic rhinitis 0 1 1 Deviated nasal septum 0 1 1 Hypertrophy of nasal turbinates 0 1 1 Other acute sinusitis 0 1 1 Other acute sinusitis 2 5 7 Other acute sinusitis 0 1 1 Acistant 0 1 1 1 Acistant 0 1 1 1 Acistant 0 | Acne vulgaris | 1 | 0 | 1 |
| Allergic rhinitis due to pollen 0 | Rosacea, unspecified | 0 | 2 | 2 |
| Allergic thinitis, unspecified Chronic rhinitis Chronic rhinitis Chronic rhinitis Chronic rhinitis Chronic rhinitis Chronic rhinitis Chronic pala speţtum Chronic planis peţtum Chronic planis peţtum Chronic planis pridorum Chronic planis planis Chronic planis pridorum Chronic planis pridorum Chronic planis planis Chronic planis planis Chronic planis planis Chronic | Azelastine | 2 | 23 | 25 |
| Chronic phinitis 0 | Allergic rhinitis due to pollen | 0 | 2 | 2 |
| Deviated nasal septum | Allergic rhinitis, unspecified | 0 | 7 | 7 |
| Hypertrophy of nasal turbinates 0 1 1 1 1 1 1 1 1 1 | Chronic rhinitis | 0 | 2 | 2 |
| Other acute sinustits O | Deviated nasal septum | 0 | 1 | 1 |
| Other allergic rhinitis 2 5 7 | Hypertrophy of nasal turbinates | 0 | 1 | 1 |
| Other seasonal allergic rhinitis 0 2 2 2 2 2 3 3 3 3 3 | Other acute sinusitis | 0 | 1 | 1 |
| Solitary pulmonary nodule 0 1 1 1 1 1 1 1 1 1 | Other allergic rhinitis | 2 | 5 | 7 |
| Vasomotor rhinitis 0 1 1 Azilsartan 1 0 1 Essential (primary) hypertension 1 0 1 Azithromycin 0 1 1 Noninfective gastroenteritis and colitis, unspecified 0 1 1 Baclofen 4 1 5 Chronic pain syndrome 1 0 1 Hiccough 1 0 1 Hiccough 1 0 1 Myalgia, other site 1 0 1 Other muscle spasm 1 0 1 Pain in thoracic spine 0 1 1 Barcititib 1 5 6 Barcititib 0 1 1 1 Alocpecia (capitis) totalis 0 1 1 1 Alocpecia (reapitis) totalis 0 2 2 2 Rheumatoid arthritis without rheumatoid factor, multiple site 1 0 1 1 < | Other seasonal allergic rhinitis | 0 | 2 | 2 |
| Azilsartan 1 0 1 Essential (primary) hypertension 1 0 1 Azithromycin 0 1 1 Noninfective gastroenteritis and colitis, unspecified 0 1 1 Baclofen 4 1 5 Chronic pain syndrome 1 0 1 Hiccough 1 0 1 Myalgia, other site 1 0 1 Myalgia, other muscle spasm 1 0 1 Other muscle spasm 1 0 1 Alocation of the muscle spasm 1 0 1 Alocation of the muscle spasm 1 0 1 Alocation of the muscle spasm 1 5 6 Alocation of the muscle spasm 1 5 6 Alocation of the muscle spasm 0 1 1 Alocation of the muscle spasm 0 1 1 Alocation of the muscle spasm 0 1 1 Alocation of t | Solitary pulmonary nodule | 0 | 1 | 1 |
| Essential (primary) hypertension 1 0 1 1 1 1 1 1 1 1 1 | Vasomotor rhinitis | 0 | 1 | 1 |
| Azithromycin 0 1 1 Noninfective gastroenteritis and colitis, unspecified 0 1 1 Baclofen 4 1 5 Chronic pain syndrome 1 0 1 Hiccough 1 0 1 Myalgia, other site 1 0 1 Other muscle spasm 1 0 1 Pain in thoracic spine 0 1 1 Baricitinib 5 6 Alocpecia (capitis) totalis 0 1 1 Alocpecia (capitis) totalis 0 2 2 Chera alopecia areata 0 2 2 Rheumatoid arthritis without rheumatoid factor, multiple sites 1 0 1 B-Complex w/ Vitamin C& Folic Acid 0 1 1 | Azilsartan | 1 | 0 | 1 |
| Noninfective gastroenteritis and colitis, unspecified 0 1 1 Baclofen 4 1 5 Chronic pain syndrome 1 0 1 Hiccough 1 0 1 Myslgia, other site 1 0 1 Other muscle spasm 1 0 1 Pain in thoracic spine 0 1 1 Baricitinib 1 5 6 Baricitinib 0 1 1 Alocpecia (capitis) totalis 0 1 1 Alopecia (capitis) totalis 0 2 2 Rheumatoid arthritis without rheumatoid factor, multiple sites 1 0 1 B-Complex w/ Vitamin C & Folic Acid 0 1 1 Vitamin deficiency, unspecified 0 1 1 | Essential (primary) hypertension | 1 | 0 | 1 |
| Baclofen 4 1 5 Chronic pain syndrome 1 0 1 Hiccough 1 0 1 Myalgia, other site 1 0 1 Other muscle spasm 1 0 1 Pain in thoracic spine 0 1 1 Barcitinib 5 6 Alocpecia (capitis) totalis 0 1 1 Alocpecia (capitis) totalis 0 1 1 Alopecia (capitis) totalis 0 2 2 Rheumatoid arthritis without rheumatoid factor, multiple sites 1 0 1 B-Complex w/ Vitamin C & Folic Acid 0 1 1 Vitamin deficiency, unspecified 0 1 1 | Azithromycin | 0 | 1 | 1 |
| Chronic pain syndrome 1 0 1 Hiccough 1 0 1 Myalgia, other site 1 0 1 Other muscle spasm 1 0 1 Pain in thoracic spine 0 1 1 Baricitinib 1 5 6 Alocpecia (capitis) totalis 0 1 1 Alopecia (capitis) totalis 0 1 1 Rheumatoid arthritis without rheumatoid factor, multiple sites 0 2 2 B-Complex w/ Vitamin C & Folic Acid 0 1 1 Vitamin deficiency, unspecified 0 1 1 | Noninfective gastroenteritis and colitis, unspecified | 0 | 1 | 1 |
| Hiccough | Baclofen | 4 | 1 | 5 |
| Myalgia, other site Other muscle spasm Other muscle spasm Pain in thoracic spine On 1 Baricitinib Alocpecia (capitis) totalis Alopecia (capitis) totalis Alopecia (capitis) totalis Other alopecia areata Other alopecia areata Rheumatoid arthritis without rheumatoid factor, multiple sites B-Complex w/ Vitamin C & Folic Acid Vitamin deficiency, unspecified Other alopecia areata | Chronic pain syndrome | 1 | 0 | 1 |
| Other muscle spasm Pain in thoracic spine Baricitinib Alocpecia (capitis) totalis Alopecia (capitis) totalis Alopecia (capitis) totalis Alopecia areata Other alopecia areata And arthritis without rheumatoid factor, multiple sites B-Complex w/ Vitamin C & Folic Acid Other alopecia deficiency, unspecified Other alopecia areata | Hiccough | 1 | 0 | 1 |
| Pain in thoracic spine Baricitinib Alocpecia (capitis) totalis Alopecia (| Myalgia, other site | 1 | 0 | 1 |
| Baricitinib Alocpecia (capitis) totails Alopecia (capitis) totails Alopecia (capitis) totalis Other alopecia areata Other alopecia areata Rheumatoid arthritis without rheumatoid factor, multiple sites B-Complex w/ Vitamin C & Folic Acid Vitamin deficiency, unspecified 1 5 6 0 1 1 1 0 2 2 2 2 1 3 1 1 0 1 1 1 0 1 1 | Other muscle spasm | 1 | 0 | 1 |
| Alocpecia (capitis) totalis Alopecia (capitis) totalis O D O D O D O D O D O D O D O D O D O | Pain in thoracic spine | 0 | 1 | 1 |
| Alopecia (capitis) totalis Other alopecia areata Other alopecia areata Rheumatoid arthritis without rheumatoid factor, multiple sites B-Complex w/ Vitamin C & Folic Acid Vitamin deficiency, unspecified O 2 2 2 1 1 0 1 1 1 | Baricitinib | 1 | 5 | 6 |
| Other alopecia areata Rheumatoid arthritis without rheumatoid factor, multiple sites B-Complex w/ Vitamin C & Folic Acid Vitamin deficiency, unspecified 0 2 2 1 0 1 1 0 1 1 1 | Alocpecia (capitis) totails | 0 | 1 | 1 |
| Rheumatoid arthritis without rheumatoid factor, multiple sites B-Complex w/ Vitamin C & Folic Acid Vitamin deficiency, unspecified 1 0 1 1 1 0 1 1 1 1 1 1 1 1 1 | Alopecia (capitis) totalis | 0 | 2 | 2 |
| Rheumatoid arthritis without rheumatoid factor, multiple sites B-Complex w/ Vitamin C & Folic Acid Vitamin deficiency, unspecified 1 0 1 1 1 0 1 1 1 1 1 1 1 1 1 | Other alopecia areata | 0 | 2 | 2 |
| B-Complex w/ Vitamin C & Folic Acid Vitamin deficiency, unspecified 0 1 1 1 | Rheumatoid arthritis without rheumatoid factor, multiple sites | 1 | 0 | 1 |
| Vitamin deficiency, unspecified 0 1 1 | B-Complex w/ Vitamin C & Folic Acid | 0 | 1 | 1 |
| | | | | |
| | Becaplermin | | 1 | 2 |

| Non-pressure chronic ulcer of other part of rght foot w necrosis of muscle | 1 | 0 | 1 |
|--|----|---|----|
| Type 2 diabetes mellitus with foot ulcer | 0 | 1 | 1 |
| Belatacept | 1 | 0 | 1 |
| Kidney transplant status | 1 | 0 | 1 |
| Belimumab | 24 | 7 | 31 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Glomerular disease in systemic lupus erythematosus | 1 | 0 | 1 |
| Other forms of systemic lupus erythematosus | 1 | 0 | 1 |
| Other organ or system involvement in systemic lupus erythematosus | 1 | 0 | 1 |
| Systemic lupus erythematosus, organ or system involv unsp | 1 | 1 | 2 |
| Systemic lupus erythematosus, unspecified | 19 | 6 | 25 |
| Belumosudil | 1 | 0 | 1 |
| Graft-versus-host disease, unspecified | 1 | 0 | 1 |
| Belzutifan | 2 | 0 | 2 |
| Von Hippel-Lindau syndrome | 2 | 0 | 2 |
| Bempedoic Acid | 1 | 9 | 10 |
| Family history of familial hypercholesterolemia | 0 | 1 | 1 |
| Fatty (change of) liver, not elsewhere classifed | 0 | 2 | 2 |
| Hyperchylomicronemia | 1 | 2 | 3 |
| Hyperlipidemia, unspecified | 0 | 1 | 1 |
| Mixed hyperlipidemia | 0 | 2 | 2 |
| Other specified diseases of liver | 0 | 1 | 1 |
| Bendamustine | 1 | 0 | 1 |
| | 1 | 0 | 1 |
| Other Hodgkin lymphoma, lymph nodes of multiple sites | · | 1 | |
| Benralizumab | 3 | | 4 |
| Severe persistent asthma, uncomplicated | 3 | 1 | 4 |
| Bepotastine A | 1 | 9 | 10 |
| Acute atopic conjunctivitis, bilateral | 0 | 1 | 1 |
| Dry eye syndrome of bilateral lacrimal glands | 0 | 1 | 1 |
| Other chronic allergic conjunctivitis | 1 | 5 | 6 |
| Other paralytic strabismus, left eye | 0 | 1 | 1 |
| Unspecified conjunctivitis | 0 | 1 | 1 |
| Beta-blockers - Ophthalmic Combination - Two Ingredient | 1 | 0 | 1 |
| Ocular hypertension, left eye | 1 | 0 | 1 |
| Bevacizumab | 11 | 9 | 20 |
| Malignant neoplasm of cervix uteri, unspecified | 1 | 0 | 1 |
| Malignant neoplasm of descending colon | 1 | 0 | 1 |
| Malignant neoplasm of exocervix | 0 | 1 | 1 |
| Malignant neoplasm of hepatic flexure | 0 | 1 | 1 |
| Malignant neoplasm of overlapping sites of colon | 1 | 1 | 2 |

| Malignant neoplasm of rectosigmoid junction | 0 | 1 | 1 |
|--|----|----|-----|
| Malignant neoplasm of rectum | 2 | 1 | 3 |
| Malignant neoplasm of retroperitoneum | 3 | 0 | 3 |
| Malignant neoplasm of sigmoid colon | 1 | 3 | 4 |
| Malignant neoplasm of transverse colon | 1 | 0 | 1 |
| Malignant neoplasm of unspecified ovary | 0 | 1 | 1 |
| Tributary (branch) retinal vein occlusion, right eye, with macular edema | 1 | 0 | 1 |
| Bexarotene | 0 | 1 | 1 |
| Encounter for insertion of intrauterine contraceptive device | 0 | 1 | 1 |
| Bezlotoxumab | 0 | 2 | 2 |
| Enterocolitis due to Clostridium difficile, recurrent | 0 | 2 | 2 |
| Bimatoprost | 5 | 3 | 8 |
| Alopecia areata, unspecified | 0 | 1 | 1 |
| Low-tension glaucoma, bilateral, mild stage | 0 | 1 | 1 |
| Primary open-angle glaucoma, bilateral, indeterminate stage | 1 | 0 | 1 |
| Primary open-angle glaucoma, bilateral, mild stage | 2 | 0 | 2 |
| Primary open-angle glaucoma, bilateral, moderate stage. | 0 | 1 | 1 |
| Primary open-angle glaucoma, right eye, mild stage | 1 | 0 | 1 |
| Unspecified open-angle glaucoma, stage unspecified | 1 | 0 | 1 |
| Bisoprolol | 0 | 1 | 1 |
| Essential (primary) hypertension | 0 | 1 | 1 |
| Blood Glucose Monitoring Supplies | 2 | 1 | 3 |
| Type 2 diabetes mellitus with hyperglycemia | 2 | 1 | 3 |
| Bortezomib | 1 | 1 | 2 |
| Multiple myeloma not having achieved remission | 1 | 1 | 2 |
| Botox SOLR 100UNIT | 0 | 1 | 1 |
| Clonic hemifacial spasm, left | 0 | 1 | 1 |
| Botulinum Toxin | 47 | 89 | 136 |
| Anal fissure, unspecified | 1 | 0 | 1 |
| Bilateral temporomandibular joint disorder, unspecified | 0 | 1 | 1 |
| Blepharospasm | 1 | 4 | 5 |
| Cervicalgia | 1 | 0 | 1 |
| Chronic migraine w/o aura, intractable, w/o stat migr | 11 | 19 | 30 |
| Chronic migraine w/o aura, not intractable, w stat migr | 0 | 1 | 1 |
| Chronic migraine w/o aura, not intractable, w/o stat migr | 5 | 13 | 18 |
| Chronic migraine without aura, intractable, without status migrainosus | 1 | 0 | 1 |
| Clonic Hilgranie without aura, intractable, without status Hilgraniosus Clonic hemifacial spasm, left | 0 | 4 | 4 |
| Clonic hemifacial spasm, right | 1 | 0 | 1 |
| Cramp and spasm | 1 | 7 | |
| | · | | 8 |
| Disturbances of salivary secretion | 2 | 0 | 2 |
| Dystonia, unspecified | 1 | 0 | 1 |

| Facial myokymia | 0 | 1 | 1 |
|--|---|----|----|
| Headache, unspecified | 0 | 1 | 1 |
| Idiopathic orofacial dystonia | 0 | 1 | 1 |
| Laryngeal spasm | 1 | 1 | 2 |
| Local-rel symptc epi w cmplx prt seiz, not ntrct, w stat epi | 0 | 1 | 1 |
| Migraine w/o aura, not intractable, w/o status migrainosus | 0 | 2 | 2 |
| Migraine w/o aura, not intractable, with status migrainosus | 0 | 1 | 1 |
| Migraine with aura, not intractable, w/o status migrainosus | 1 | 5 | 6 |
| Migraine, unspecified, not intractable, without status migrainosus. | 1 | 2 | 3 |
| Mixed incontinence | 1 | 1 | 2 |
| Myalgia, other site | 1 | 0 | 1 |
| Nontraumatic intracerebral hemorrhage, unspecified | 0 | 1 | 1 |
| Other cerebral palsy | 1 | 0 | 1 |
| Other migraine, not intractable, without status migrainosus | 2 | 0 | 2 |
| Other sequelae of cerebral infarction | 0 | 1 | 1 |
| Other somatoform disorders | 0 | 1 | 1 |
| Overactive bladder | 0 | 7 | 7 |
| Spasmodic torticollis | 7 | 3 | 10 |
| Spastic diplegic cerebral palsy | 0 | 2 | 2 |
| Spastic hemiplegia affecting left nondominant side | 2 | 6 | 8 |
| Spastic hemiplegia affecting right dominant side | 4 | 3 | 7 |
| Spastic hemiplegia affecting unspecified side | 1 | 0 | 1 |
| Bowel Evacuant Combination - Six Ingredient | 0 | 1 | 1 |
| Encounter for screening for malignant neoplasm of colon | 0 | 1 | 1 |
| Bowel Evacuant Combination - Three Ingredient | 0 | 2 | 2 |
| Encounter for screening for malignant neoplasm of colon | 0 | 1 | 1 |
| Irritable bowel syndrome with constipation | 0 | 1 | 1 |
| Brentuximab | 6 | 2 | 8 |
| Angioimmunoblastic T-cell lymphoma | 0 | 1 | 1 |
| Hodgkin lymphoma, unspecified, lymph nodes of multiple sites | 2 | 0 | 2 |
| Hodgkin lymphoma, unspecified, unspecified site | 3 | 0 | 3 |
| Other Hodgkin lymphoma, lymph nodes of multiple sites | 1 | 1 | 2 |
| Brexpiprazole | 2 | 12 | 14 |
| Attn-defct hyperactivity disorder, predom inattentive type | 0 | 1 | 1 |
| Major depressive disorder, recurrent severe without psychotic features | 0 | 4 | 4 |
| Major depressive disorder, recurrent, moderate | 1 | 3 | 4 |
| Major depressive disorder, recurrent, unspecified | 0 | 2 | 2 |
| Major depressive disorder, single episode, moderate | 0 | 1 | 1 |
| Other long term (current) drug therapy | 1 | 0 | 1 |
| Other specified depressive episodes | 0 | 1 | 1 |
| Brigatinib | 3 | 0 | 3 |

| Malignant neoplasm of middle lobe, bronchus or lung | 3 | 0 | 3 |
|---|----|----|----|
| Brimonidine | 2 | 1 | 3 |
| Ocular hypertension, bilateral | 0 | 1 | 1 |
| Primary open-angle glaucoma, bilateral, mild stage | 1 | 0 | 1 |
| Primary open-angle glaucoma, left eye, moderate stage | 1 | 0 | 1 |
| Brivaracetam | 6 | 2 | 8 |
| Epilepsy, unsp, intractable, without status epilepticus | 1 | 0 | 1 |
| Localization-related (focal) (partial) idiopathic epilepsy and epileptic sy | 2 | 0 | 2 |
| Local-rel symptc epi w cmplx prt seiz,not ntrct,w/o stat epi | 1 | 2 | 3 |
| Local-rel symptc epi w simple part seiz, ntrct, w/o stat epi | 1 | 0 | 1 |
| Unspecified convulsions | 1 | 0 | 1 |
| Bromfenac | 2 | 0 | 2 |
| Chronic iridocyclitis, bilateral | 1 | 0 | 1 |
| Posterior cyclitis, bilateral | 1 | 0 | 1 |
| Budesonide | 11 | 13 | 24 |
| Acute lymphoblastic leukemia not having achieved remission | 1 | 0 | 1 |
| Acute myeloblastic leukemia, not having achieved remission | 1 | 0 | 1 |
| Chronic obstructive pulmonary disease w (acute) exacerbation | 1 | 0 | 1 |
| Chronic sinusitis, unspecified | 1 | 0 | 1 |
| Crohns disease of small intestine without complications | 0 | 1 | 1 |
| Crohns disease, unspecified, without complications | 0 | 3 | 3 |
| Diarrhea, unspecified | 0 | 3 | 3 |
| Eosinophilic Esophagitis | 1 | 0 | 1 |
| Graft-versus-host disease, unspecified | 1 | 0 | 1 |
| Lymphocytic colitis | 1 | 0 | 1 |
| Microscopic colitis, unspecified | 0 | 1 | 1 |
| Mild persistent asthma, uncomplicated | 1 | 0 | 1 |
| Nasal polyp, unspecified | 2 | 0 | 2 |
| Nodlr scler class Hdgkn lymph, extrnod and solid organ sites | 0 | 1 | 1 |
| Other ulcerative colitis without complications | 0 | 1 | 1 |
| Primary biliary cirrhosis | 0 | 1 | 1 |
| Recurrent and persistent hematuria with other morphologic changes | 1 | 1 | 2 |
| Ulcerative colitis, unspecified, without complications | 0 | 1 | 1 |
| Buprenorphine | 16 | 8 | 24 |
| Chronic lymphocytic leukemia of B-cell type in relapse | 1 | 0 | 1 |
| Chronic pain syndrome | 3 | 4 | 7 |
| Opioid dependence, in remission | 1 | 0 | 1 |
| Postlaminectomy syndrome, not elsewhere classified | 2 | 3 | 5 |
| Radiculopathy, cervical region | 2 | 0 | 2 |
| Radiculopathy, lumbar region | 0 | 1 | 1 |
| Spondylosis without myelopathy or radiculopathy, lumbar region | 3 | 0 | 3 |
| | | 1 | |

| Spondylosis without myelopathy or radiculopathy, sacral and sacrococcygeal | | 2 | 0 | 2 |
|--|----------------------------------|----|---|----|
| Spondyls w/o myelopathy or radiculopathy, lumbosacr region | | 2 | 0 | 2 |
| Bupropion | | 5 | 5 | 10 |
| Bipolar disorder, current episode depressed, moderate | | 0 | 2 | 2 |
| Bipolar disorder, unspecified | | 1 | 0 | 1 |
| Depression, unspecified | | 0 | 1 | 1 |
| diagnosis code unavailable | | 1 | 0 | 1 |
| Major depressive disorder, recurrent severe without psychotic features | | 2 | 1 | 3 |
| Major depressive disorder, recurrent, moderate | | 1 | 0 | 1 |
| Major depressive disorder, single episode, unspecified | | 0 | 1 | 1 |
| Burosumab | | 2 | 0 | 2 |
| Familial hypophosphatemia | | 1 | 0 | 1 |
| Other disorders of phosphorus metabolism | | 1 | 0 | 1 |
| C9147 | INJECTION TREMELIMUMAB-ACTL 1 MG | 0 | 1 | 1 |
| Liver cell carcinoma | | 0 | 1 | 1 |
| Cabazitaxel | | 1 | 0 | 1 |
| Malignant neoplasm of prostate | | 1 | 0 | 1 |
| Cabotegravir | | 7 | 1 | 8 |
| Exposure to HIV virus | | 4 | 0 | 4 |
| High risk heterosexual behavior | | 0 | 1 | 1 |
| High risk homosexual behavior | | 3 | 0 | 3 |
| Cabozantinib | | 26 | 1 | 27 |
| Liver cell carcinoma | | 3 | 0 | 3 |
| Malignant neoplasm of connective and soft tissue, unspecified | | 2 | 1 | 3 |
| Malignant neoplasm of left kidney, except renal pelvis | | 12 | 0 | 12 |
| Malignant neoplasm of right kidney, except renal pelvis | | 6 | 0 | 6 |
| Malignant neoplasm of unsp kidney, except renal pelvis | | 2 | 0 | 2 |
| Secondary malignant neoplasm of left lung | | 1 | 0 | 1 |
| Calaspargase | | 1 | 0 | 1 |
| Acute lymphoblastic leukemia not having achieved remission | | 1 | 0 | 1 |
| Calcifediol | | 1 | 4 | 5 |
| Chronic kidney disease, stage 3 unspecified | | 0 | 1 | 1 |
| Chronic kidney disease, stage 3b | | 0 | 1 | 1 |
| Chronic kidney disease, stage 4 (severe) | | 0 | 1 | 1 |
| Secondary hyperparathyroidism of renal origin | | 1 | 0 | 1 |
| Secondary hyperparathyroidism, not elsewhere classified | | 0 | 1 | 1 |
| Calcipotriene | | 2 | 3 | 5 |
| Other psoriasis | | 1 | 0 | 1 |
| Psoriasis vulgaris | | 0 | 2 | 2 |
| Psoriasis, unspecified | | 1 | 0 | 1 |
| | | | | |

| Vitiligo | 0 | 1 | 1 |
|---|----|----|----|
| Calcium Acetate | 0 | 1 | 1 |
| Disorder of phosphorus metabolism, unspecified | 0 | 1 | 1 |
| Canagliflozin | 2 | 0 | 2 |
| Type 2 diabetes mellitus with hyperglycemia | 1 | 0 | 1 |
| Type 2 diabetes mellitus without complications | 1 | 0 | 1 |
| Candesartan | 3 | 0 | 3 |
| Chronic migraine w/o aura, not intractable, w/o stat migr | 1 | 0 | 1 |
| Chronic Migraine without aura, not intractable without status migrainosus | 1 | 0 | 1 |
| | | | |
| Hypertensive heart disease without heart failure | 1 | 0 | 1 |
| Capecitabine | 29 | 4 | 33 |
| Intrahepatic bile duct carcinoma | 1 | 0 | 1 |
| Loc skin eruption due to drugs and meds taken internally | 1 | 0 | 1 |
| Malignant carcinoid tumor of the foregut NOS | 3 | 0 | 3 |
| Malignant neoplasm of anus, unspecified | 1 | 0 | 1 |
| Malignant neoplasm of appendix | 1 | 0 | 1 |
| Malignant neoplasm of cecum | 1 | 0 | 1 |
| Malignant neoplasm of descending colon | 5 | 0 | 5 |
| Malignant neoplasm of head of pancreas | 2 | 0 | 2 |
| Malignant neoplasm of overlapping sites of stomach | 0 | 1 | 1 |
| Malignant neoplasm of rectum | 6 | 0 | 6 |
| Malignant neoplasm of sigmoid colon | 0 | 1 | 1 |
| Malignant neoplasm of transverse colon | 4 | 0 | 4 |
| Malignant neoplasm of unsp site of unspecified female breast | 2 | 1 | 3 |
| Malignant neoplasm of upper-inner quadrant of left female breast | 1 | 0 | 1 |
| Malignant neoplasm of upper-inner quadrant of right female breast | 0 | 1 | 1 |
| Malignant neoplasm of upper-outer quadrant of right female breast | 1 | 0 | 1 |
| Capsaicin | 0 | 1 | 1 |
| Type 2 diabetes mellitus with diabetic polyneuropathy | 0 | 1 | 1 |
| Carboplatin | 0 | 1 | 1 |
| Malignant neoplasm of upper-inner quadrant of breast, female | 0 | 1 | 1 |
| Carfilzomib | 1 | 0 | 1 |
| Multiple myeloma in relapse | 1 | 0 | 1 |
| Cariprazine | 33 | 34 | 67 |
| Bipolar affective disorder, curnt episode severe depression w psychotic sym | 2 | 1 | 3 |
| Bipolar disorder, current episode depressed, moderate | 3 | 3 | 6 |
| Bipolar disorder, current episode depressed, severe, without psychotic feat | 1 | 2 | 3 |
| Bipolar disorder, current episode depressed, unspecified | 0 | 1 | 1 |
| Bipolar disorder, current episode hypomanic | 1 | 1 | 2 |

| Bipolar disorder, current episode manic without psychotic features, moderat | 0 | 1 | 1 |
|--|----------------------------|----------------------------|-----------------------|
| Bipolar disorder, current episode manic without psychotic features, mild | 1 | 0 | 1 |
| Bipolar disorder, current episode mixed, moderate | 1 | 2 | 3 |
| Bipolar disorder, current episode mixed, severe without psychotic features | 1 | 0 | 1 |
| Bipolar disorder, current episode mixed, unspecified | 0 | 1 | 1 |
| Bipolar disorder, in full remission, most recent episode manic | 1 | 0 | 1 |
| Bipolar disorder, unspecified | 8 | 1 | 9 |
| Bipolar II disorder | 3 | 4 | 7 |
| Generalized abdominal pain | 0 | 2 | 2 |
| Generalized anxiety disorder | 2 | 1 | 3 |
| Major depressive disorder, recurrent severe without psychotic features | 2 | 4 | 6 |
| Major depressive disorder, recurrent, mild | 1 | 0 | 1 |
| Major depressive disorder, recurrent, moderate | 1 | 1 | 2 |
| Major depressive disorder, recurrent, severe with psychotic symptoms | 1 | 2 | 3 |
| Major depressive disorder, single episode, severe without psychotic feature | 0 | 2 | 2 |
| Other specified anxiety disorders | 0 | 1 | 1 |
| Panic disorder without agoraphobia | 0 | 2 | 2 |
| Schizoaffective disorder, bipolar type | 3 | 2 | 5 |
| Schizoaffective disorder, unspecified | 1 | 0 | 1 |
| Carvedilol | 2 | 0 | 2 |
| Essential (primary) hypertension | 1 | 0 | 1 |
| Mucocutaneous lymph node syndrome [Kawasaki] | 1 | 0 | 1 |
| Cefazolin | 0 | 1 | 1 |
| Methicillin sscptble Staphylococcus aureus infection, cause of dse class ew | 0 | 1 | 1 |
| Cefepime | 1 | 0 | 1 |
| Cellulitis of chest wall | 1 | 0 | 1 |
| Cefiderocol | 1 | 0 | 1 |
| Urinary tract infection, site not specified | 1 | 0 | 1 |
| Ceftriaxone | 1 | 1 | 2 |
| · | | - | |
| Pneumonia, unspecified organism | 0 | 1 | 1 |
| Pneumonia, unspecified organism Urinary tract infection, site not specified | | • | 1 |
| | 0 | 1 | |
| Urinary tract infection, site not specified | 0 1 | 1 0 | 1 |
| Urinary tract infection, site not specified Cefuroxime | 0 1 0 | 1 0 1 | 1 1 |
| Urinary tract infection, site not specified Cefuroxime Acute myeloblastic leukemia, in remission | 0 1 0 | 1 0 1 | 1 1 1 |
| Urinary tract infection, site not specified Cefuroxime Acute myeloblastic leukemia, in remission Cenobamate | 0 1 0 0 | 1 0 1 1 | 1 1 1 2 |
| Urinary tract infection, site not specified Cefuroxime Acute myeloblastic leukemia, in remission Cenobamate Epilepsy, unspecified, intractable, with status epilepticus | 0 1 0 0 0 | 1 0 1 1 2 | 1 1 1 2 1 |
| Cefuroxime Acute myeloblastic leukemia, in remission Cenobamate Epilepsy, unspecified, intractable, with status epilepticus Local-rel symptc epi w simp prt seiz,not ntrct, w/o stat epi | 0 1 0 0 0 0 | 1 0 1 1 2 1 | 1 1 1 2 1 |

| Other psoriatic arthropathy | 1 | 0 | 1 |
|---|---|----|----------|
| Other rheumatoid arthritis | 0 | 1 | 1 |
| Psoriasis | 1 | 0 | 1 |
| Psoriasis, unspecified | 0 | 2 | 2 |
| Psoriatic spondylitis | 0 | 1 | 1 |
| Rheu arthritis w rheu factor of multiple sites wo organ or systems involvem | 6 | 5 | 11 |
| Rheumatoid arthritis with rheumatoid factor, unspecified | 1 | 2 | 3 |
| Rheumatoid arthritis without rheumatoid factor, multiple sites | 6 | 1 | 7 |
| Rheumatoid arthritis without rheumatoid factor, unspecified site | 2 | 0 | 2 |
| Rheumatoid arthritis, unspecified | 1 | 6 | 7 |
| Cetirizine | 0 | 1 | 1 |
| Other seasonal allergic rhinitis | 0 | 1 | 1 |
| Cetuximab | 0 | 2 | 2 |
| Malignant neoplasm of anterior two-thirds of tongue, part unspecified | 0 | 1 | 1 |
| Malignant neoplasm of overlapping sites of colon | 0 | 1 | 1 |
| Cevimeline | 0 | 3 | 3 |
| Disturbances of salivary secretion | 0 | 1 | 1 |
| Rosacea, unspecified | 0 | 1 | 1 |
| Sjogren syndrome with inflammatory arthritis | 0 | 1 | 1 |
| Chlorthalidone | 2 | 0 | 2 |
| Essential (primary) hypertension | 2 | 0 | 2 |
| Cholestyramine | 0 | 2 | 2 |
| Noninfective gastroenteritis and colitis, unspecified | 0 | 1 | 1 |
| Other pruritus | 0 | 1 | 1 |
| Ciclopirox | 0 | 1 | 1 |
| Other seborrheic dermatitis | 0 | 1 | 1 |
| Cinacalcet | 6 | 10 | 16 |
| Anemia in chronic kidney disease | 0 | 1 | 1 |
| Hypercalcemia | 2 | 1 | 3 |
| Hyperparathyroidism, unspecified | 0 | 1 | 1 |
| Primary hyperparathyroidism | 1 | 2 | 3 |
| Secondary hyperparathyroidism of renal origin | 3 | 2 | 5 |
| Secondary hyperparathyroidism, not elsewhere classified | 0 | 3 | 3 |
| Cisplatin | 1 | 0 | 1 |
| Malignant neoplasm of lower lobe, right bronchus or lung | 1 | 0 | 1 |
| Citalopram | 0 | 1 | 1 |
| Major depressive disorder, recurrent severe without psychotic features | 0 | 1 | 1 |
| Citrates | 1 | 0 | 1 |
| Hypokalemia | 1 | 0 | 1 |
| Cladribine | 3 | 1 | 4 |
| | _ | • | <u>'</u> |

| Multiple sclerosis | 3 | 1 | 4 |
|--|----|----|----|
| Clarithromycin | 1 | 0 | 1 |
| Other specified bacterial intestinal infections | 1 | 0 | 1 |
| Clascoterone | 1 | 0 | 1 |
| Acne vulgaris | 1 | 0 | 1 |
| Clindamycin Vaginal | 0 | 1 | 1 |
| Painful micturition, unspecified | 0 | 1 | 1 |
| Clobazam | 2 | 1 | 3 |
| Lennox-Gastaut syndrome, not intractable, without status epilepticus | 1 | 0 | 1 |
| Local-rel symptc epi w simp prt seiz,not ntrct, w/o stat epi | 0 | 1 | 1 |
| Other epilepsy, intractable, with status epilepticus | 1 | 0 | 1 |
| Clobetasol | 0 | 5 | 5 |
| Other prurigo | 0 | 1 | 1 |
| Other seborrheic dermatitis | 0 | 2 | 2 |
| Psoriasis vulgaris | 0 | 1 | 1 |
| Rash and other nonspecific skin eruption | 0 | 1 | 1 |
| Clomiphene | 0 | 4 | 4 |
| Encounter for other general counseling and advice on procreation | 0 | 2 | 2 |
| Other specified abnormal findings of blood chemistry | 0 | 1 | 1 |
| Testicular hypofunction | 0 | 1 | 1 |
| Clonazepam | 2 | 1 | 3 |
| Epilepsy, unsp, intractable, without status epilepticus | 1 | 0 | 1 |
| Generalized anxiety disorder | 0 | 1 | 1 |
| Spastic diplegic cerebral palsy | 1 | 0 | 1 |
| Clonidine | 1 | 4 | 5 |
| Essential (primary) hypertension | 0 | 4 | 4 |
| Hypertensive chronic kidney disease w stg 1-4/unsp chr kdny | 1 | 0 | 1 |
| Cobimetinib | 2 | 0 | 2 |
| Other specified metabolic disorders | 2 | 0 | 2 |
| Codeine Combination - Four Ingredient | 0 | 2 | 2 |
| Migraine w/o aura, intractable, without status migrainosus | 0 | 1 | 1 |
| Migraine with aura, not intractable, w/o status migrainosus | 0 | 1 | 1 |
| Codeine Combination - Two Ingredient | 11 | 17 | 28 |
| Acute pain due to trauma | 1 | 0 | 1 |
| Acute pain, not elsewhere classified | 0 | 1 | 1 |
| Chronic pain syndrome | 2 | 2 | 4 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Ehlers-Danlos syndrome | 0 | 1 | 1 |
| Infect/inflm reaction due to unsp int joint prosth, init | 1 | 0 | 1 |
| Low back pain, unspecified | 0 | 3 | 3 |
| Lumbago with sciatica, right side | 0 | 1 | 1 |

| Other acute postprocedural pain | 1 | 1 | 2 |
|--|-----|-----|-----|
| Other intervertebral disc displacement, lumbar region | 1 | 0 | 1 |
| Other spondylosis with radiculopathy, lumbar region | 0 | 1 | 1 |
| Other spondylosis with radiculopathy, lumbosacral region | 0 | 1 | 1 |
| Other spondylosis, cervical region | 1 | 0 | 1 |
| Pain, unspecified | 0 | 1 | 1 |
| Radiculopathy, cervical region | 0 | 1 | 1 |
| Radiculopathy, lumbar region | 1 | 3 | 4 |
| Sacroiliitis, not elsewhere classified | 1 | 0 | 1 |
| Type 2 diabetes mellitus with other diabetic neurological complication | 1 | 0 | 1 |
| Unspecified open wound, right knee, sequela | 0 | 1 | 1 |
| Colchicine | 2 | 2 | 4 |
| Gout, unspecified | 0 | 1 | 1 |
| Sialoadenitis, unspecified | 2 | 1 | 3 |
| Collagenase | 10 | 9 | 19 |
| Contusion of right lower leg, subsequent encounter | 1 | 1 | 2 |
| diagnosis code unavailable | 0 | 1 | 1 |
| Non-pressure chronic ulcer of other part of right foot limited to | 0 | 1 | 1 |
| breakdown | | | |
| Non-pressure chronic ulcer of other part of right foot with unspecified sev | 1 | 0 | 1 |
| Non-pressure chronic ulcer of unspecified part of left lower leg with unspe | 1 | 0 | 1 |
| Non-pressure chronic ulcer of unspecified part of right lower leg with nec | 1 | 0 | 1 |
| Non-pressure chronic ulcer oth prt unsp foot w unsp severity | 0 | 1 | 1 |
| Pressure ulcer of left heel, unstageable | 1 | 0 | 1 |
| Pressure ulcer of right heel, unstageable | 1 | 0 | 1 |
| Pressure ulcer of sacral region, stage 4 | 2 | 0 | 2 |
| Type 2 diabetes mellitus with foot ulcer | 2 | 3 | 5 |
| Unspecified open wound, right lower leg, initial encounter | 0 | 1 | 1 |
| Unspecified viral infection characterized by skin and mucous membrane | 0 | 1 | 1 |
| Collagenase Clostridium Histolyticum | 2 | 10 | 12 |
| Induration penis plastica | 2 | 10 | 12 |
| Combination Contraceptives - Oral Two Ingredient | 1 | 0 | 1 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Combination Contraceptives - Vaginal Two Ingredient | 1 | 1 | 2 |
| Excessive and frequent menstruation with irregular cycle | 1 | 1 | 2 |
| Continuous Blood Glucose Monitor System and/or Supplies | 160 | 231 | 391 |
| Diabetes mellitus due to underlying condition with diabetic nephropathy | 0 | 1 | 1 |
| Diabetes mellitus due to underlying condition with diabetic nephropathy Diabetes mellitus due to underlying condition without complications | 2 | 0 | 2 |
| diagnosis code unavailable | 0 | 3 | 3 |
| | | | |
| Hyperglycemia, unspecified | 2 | 0 | 2 |

| Malignant neoplasm of oropharynx, unspecified | 1 | 0 | 1 |
|--|----|----|-----|
| Other specified diabetes mellitus with hyperglycemia | 0 | 1 | 1 |
| Other specified diabetes mellitus with hypoglycemia without coma | 0 | 1 | 1 |
| Other specified diabetes mellitus without complications | 0 | 1 | 1 |
| Type 1 diabetes mellitus with diabetic amyotrophy | 0 | 1 | 1 |
| Type 1 Diabetes Mellitus with Diabetic Nephropathy | 1 | 0 | 1 |
| Type 1 diabetes mellitus with diabetic neuropathy, unspecified | 1 | 2 | 3 |
| Type 1 diabetes mellitus with hyperglycemia | 42 | 34 | 76 |
| Type 1 diabetes mellitus with hypoglycemia with coma | 1 | 0 | 1 |
| Type 1 diabetes mellitus with hypoglycemia without coma | 3 | 2 | 5 |
| Type 1 diabetes mellitus with ketoacidosis without coma | 1 | 0 | 1 |
| Type 1 diabetes mellitus with other diabetic kidney complication | 2 | 0 | 2 |
| Type 1 diabetes mellitus with other diabetic neurological complication | 1 | 0 | 1 |
| Type 1 diabetes mellitus with unspecified complications | 10 | 19 | 29 |
| Type 1 diabetes mellitus without complications | 24 | 17 | 41 |
| Type 2 diabetes mellitus w oth diabetic kidney complication | 1 | 0 | 1 |
| Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy | 0 | 4 | 4 |
| Type 2 diabetes mellitus with diabetic chronic kidney disease | 4 | 6 | 10 |
| Type 2 diabetes mellitus with diabetic nephropathy | 1 | 1 | 2 |
| Type 2 diabetes mellitus with diabetic neuropathy, unspecified | 0 | 2 | 2 |
| Type 2 diabetes mellitus with hyperglycemia | 46 | 60 | 106 |
| Type 2 diabetes mellitus with other circulatory complications | 3 | 7 | 10 |
| Type 2 diabetes mellitus with other diabetic neurological complication | 0 | 1 | 1 |
| Type 2 diabetes mellitus with other specified complication | 0 | 6 | 6 |
| Type 2 diabetes mellitus with unspecified complications | 2 | 18 | 20 |
| Type 2 diabetes mellitus without complications | 12 | 41 | 53 |
| Type 2 diabetes peripheral angiopathy | 0 | 1 | 1 |
| Type 2 diabetes w unsp diabetic rtnop w/o macular edema | 0 | 2 | 2 |
| COVID-19 (SARS-CoV-2) Virus Vaccine | 0 | 1 | 1 |
| Encounter for immunization | 0 | 1 | 1 |
| Crisaborole | 0 | 1 | 1 |
| Atopic Dermatitis | 0 | 1 | 1 |
| Crizanlizumab | 4 | 3 | 7 |
| Hb-SS disease with crisis, unspecified | 4 | 3 | 7 |
| Crizotinib | 2 | 0 | 2 |
| Malignant neoplasm of unsp part of unsp bronchus or lung | 2 | 0 | 2 |
| Cross-Linked Hyaluronate | 0 | 1 | 1 |
| Bilateral primary osteoarthritis of knee | 0 | 1 | 1 |
| Cyanocobalamin | 1 | 0 | 1 |
| Vitamin B12 deficiency anemia, unspecified | 1 | 0 | 1 |
| Cyclobenzaprine | 5 | 3 | 8 |
| | | | |

| Cervicalgia | 0 | 1 | 1 |
|---|----|----|----|
| Low back pain | 1 | 0 | 1 |
| Myalgia, other site | 0 | 1 | 1 |
| Other intervertebral disc displacement, lumbar region | 1 | 0 | 1 |
| Other muscle spasm | 1 | 0 | 1 |
| Radiculopathy, lumbar region | 1 | 0 | 1 |
| Spinal stenosis, lumbosacral region | 0 | 1 | 1 |
| Strain of musc/tend the rotator cuff of right shoulder, init | 1 | 0 | 1 |
| Cyclophosphamide | 5 | 1 | 6 |
| Malignant neoplasm of overlapping sites of left female breast | 1 | 0 | 1 |
| Malignant neoplasm of pelvic bones, sacrum and coccyx | 1 | 0 | 1 |
| Nephrotic syndrome with diffuse membranous glomerulonephritis | 1 | 0 | 1 |
| Nephrotic syndrome with unspecified morphologic changes | 1 | 1 | 2 |
| Other lymphoid leukemia not having achieved remission | 1 | 0 | 1 |
| Cyclosporine | 56 | 41 | 97 |
| Acute atopic conjunctivitis, bilateral | 0 | 1 | 1 |
| Dry Eye Syndrome | 1 | 0 | 1 |
| Dry eye syndrome of bilateral lacrimal glands | 9 | 11 | 20 |
| Dry eye syndrome of unspecified lacrimal gland | 0 | 1 | 1 |
| Graft-versus-host disease, unspecified | 0 | 1 | 1 |
| Keratoconjunct sicca, not specified as Sjogrens, unsp eye | 2 | 0 | 2 |
| Keratoconjunctivitis sicca, not specified as Sjogren's, bilateral | 32 | 25 | 57 |
| Keratoconjunctivitis sicca, not specified as Sjogren's, right eye | 2 | 0 | 2 |
| Ocular pain, bilateral | 2 | 0 | 2 |
| Other specified postprocedural states | 0 | 1 | 1 |
| Pain in left hip | 1 | 0 | 1 |
| Sicca syndrome with keratoconjunctivitis | 6 | 1 | 7 |
| Sicca syndrome, unspecified | 1 | 0 | 1 |
| Cystic Fibrosis Agent Combination - Three Ingredient | 1 | 0 | 1 |
| Cystic fibrosis, unspecified | 1 | 0 | 1 |
| Cystic Fibrosis Agent Combination - Two Ingredient | 1 | 0 | 1 |
| Cystic fibrosis, unspecified | 1 | 0 | 1 |
| Dabrafenib | 7 | 0 | 7 |
| Intrahepatic bile duct carcinoma | 2 | 0 | 2 |
| Malignant melanoma of skin, unspecified | 1 | 0 | 1 |
| Malignant neoplasm of lower lobe, right bronchus or lung | 2 | 0 | 2 |
| Malignant neoplasm of unsp part of unsp bronchus or lung | 1 | 0 | 1 |
| Unifocal Langerhans-cell histiocytosis | 1 | 0 | 1 |
| Dalbavancin | 0 | 2 | 2 |
| Cellulitis of corpus cavernosum and penis | 0 | 1 | 1 |
| Cellulitis, unspecified | 0 | 1 | 1 |
| | | | |

| Dalfampridine | 0 | 1 | 1 |
|---|----|----|----|
| Multiple sclerosis | 0 | 1 | 1 |
| Dapagliflozin | 69 | 26 | 95 |
| Acute combined systolic (congestive) and diastolic (congestive) heart failu | 1 | 0 | 1 |
| Acute on chronic diastolic (congestive) heart failure | 1 | 0 | 1 |
| Chronic Combined Systolic and Diastolic (Congestive) Heart Failure | 1 | 0 | 1 |
| Chronic diastolic (congestive) heart failure | 0 | 2 | 2 |
| Chronic kidney disease, stage 3 (moderate) | 1 | 0 | 1 |
| Chronic kidney disease, stage 3 unspecified | 3 | 0 | 3 |
| Chronic kidney disease, stage 3a | 1 | 0 | 1 |
| Chronic kidney disease, stage 3b | 2 | 0 | 2 |
| Chronic kidney disease, stage 4 (severe) | 2 | 0 | 2 |
| Chronic systolic (congestive) heart failure | 1 | 0 | 1 |
| Diabetes mellitus due to underlying condition w/diabetic chronic kidney dz | 1 | 0 | 1 |
| Diabetes mellitus due to underlying condition with diabetic nephropathy | 3 | 0 | 3 |
| diagnosis code unavailable | 3 | 0 | 3 |
| Heart failure, unspecified | 2 | 0 | 2 |
| Hypertensive heart and chronic kidney disease with heart failure and stage | 1 | 0 | 1 |
| Light chain (AL) amyloidosis | 1 | 0 | 1 |
| Other cardiomyopathies | 0 | 1 | 1 |
| Other recurrent and persistent immunoglobulin A nephropathy | 1 | 0 | 1 |
| Prediabetes | 2 | 0 | 2 |
| Proteinuria, unspecified | 2 | 0 | 2 |
| Right heart failure, unspecified | 1 | 0 | 1 |
| Systolic heart failure | 2 | 0 | 2 |
| Type 2 diab w hyprosm with COMA | 1 | 0 | 1 |
| Type 2 diabetes mellitus w oth diabetic kidney complication | 1 | 1 | 2 |
| Type 2 diabetes mellitus with diabetic chronic kidney disease | 7 | 3 | 10 |
| Type 2 diabetes mellitus with diabetic nephropathy | 1 | 1 | 2 |
| Type 2 diabetes mellitus with diabetic neuropathy, unspecified | 1 | 1 | 2 |
| Type 2 diabetes mellitus with hyperglycemia | 13 | 8 | 21 |
| Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy wi | 1 | 0 | 1 |
| Type 2 diabetes mellitus with other circulatory complications | 0 | 1 | 1 |
| Type 2 diabetes mellitus with other diabetic neurological complication | 1 | 1 | 2 |
| Type 2 diabetes mellitus with other specified complication | 1 | 4 | 5 |
| Type 2 diabetes mellitus without complications | 9 | 2 | 11 |
| Type 2 diabetes w unsp diabetic rtnop w/o macular edema | 0 | 1 | 1 |
| Unspecified diastolic (congestive) heart failure | 1 | 0 | 1 |
| Daptomycin | 6 | 7 | 13 |

| Behcets disease | 0 | 1 | 1 |
|---|----|----|-----|
| Cellulitis of chest wall | 1 | 0 | 1 |
| Cellulitis of right upper limb | 0 | 1 | 1 |
| Infect/inflm reaction due to unsp int joint prosth, init | 1 | 0 | 1 |
| Osteomyelitis, unspecified | 2 | 4 | 6 |
| Other acute osteomyelitis, right ankle and foot | 1 | 0 | 1 |
| Unspecified open wound of scalp, initial encounter | 1 | 1 | 2 |
| Daratumumab | 3 | 0 | 3 |
| Light chain (AL) amyloidosis | 1 | 0 | 1 |
| Multiple myeloma not having achieved remission | 2 | 0 | 2 |
| Darbepoetin | 16 | 22 | 38 |
| Anemia due to antineoplastic chemotherapy | 4 | 2 | 6 |
| Anemia in chronic kidney disease | 6 | 5 | 11 |
| Anemia in neoplastic disease | 0 | 1 | 1 |
| Anemia, unspecified | 2 | 0 | 2 |
| Antineoplastic chemotherapy induced pancytopenia | 0 | 1 | 1 |
| Chronic kidney disease, stage 4 (severe) | 1 | 2 | 3 |
| Chronic kidney disease, unspecified | 0 | 2 | 2 |
| Human immunodeficiency virus [HIV] disease | 0 | 1 | 1 |
| Iron deficiency anemia, unspecified | 1 | 0 | 1 |
| Kidney transplant status | 0 | 1 | 1 |
| Malignant neoplasm of ascending colon | 0 | 1 | 1 |
| Malignant neoplasm of greater curvature of stomach, unsp | 1 | 1 | 2 |
| Malignant neoplasm of left ovary | 0 | 2 | 2 |
| Malignant neoplasm of upper lobe, right bronchus or lung | 1 | 0 | 1 |
| Malignant neoplasm of upper-outer quadrant of right female breast | 0 | 2 | 2 |
| Secondary malig neoplasm of liver and intrahepatic bile duct | 0 | 1 | 1 |
| Daridorexant | 1 | 5 | 6 |
| Insomnia, unspecified | 1 | 5 | 6 |
| Darolutamide | 2 | 2 | 4 |
| Malignant neoplasm of prostate | 2 | 2 | 4 |
| Dasatinib | 8 | 0 | 8 |
| Chronic myeloid leukemia, BCR/ABL-positive, not having achieved | 8 | 0 | 8 |
| remission | | | |
| Deferasirox | 0 | 1 | 1 |
| Other disorders of iron metabolism | 0 | 1 | 1 |
| Deflazacort | 0 | 1 | 1 |
| Duchenne or Becker muscular dystrophy | 0 | 1 | 1 |
| Degarelix | 1 | 0 | 1 |
| Malignant neoplasm of prostate | 1 | 0 | 1 |
| Denosumab | 55 | 55 | 110 |

| Age-related osteoporosis w current pathological fracture, unspecified site | 0 | 1 | 1 |
|--|-----|----|----------|
| Age-related osteoporosis w/o current pathological fracture | 24 | 28 | 52 |
| Disorder of bone density and structure, unspecified | 2 | 0 | 2 |
| Hyperuricemia without signs of inflammatory arthritis and tophaceous | 0 | 2 | 2 |
| diseas Malignant neoplasm of breast of unspecified site, female | 0 | 1 | 1 |
| Malignant neoplasm of central portion of left female breast | 1 | 1 | |
| Malignant neoplasm of lower-inner quadrant of right female breast | · · | · | 2 |
| | 2 | 0 | 2 |
| Malignant neoplasm of overlapping sites of right female breast | 2 | 0 | 2 |
| Malignant neoplasm of prostate | 2 | 2 | 4 |
| Malignant neoplasm of unsp site of unspecified female breast | 1 | 2 | 3 |
| Malignant neoplasm of unspecified site of left female breast | 0 | 1 | 1 |
| Malignant neoplasm of upper-inner quadrant of left female breast | 1 | 0 | 1 |
| Malignant neoplasm of upper-outer quadrant of left female breast | 2 | 1 | 3 |
| Malignant neoplasm of upper-outer quadrant of right female breast | 0 | 1 | 1 |
| Multiple myeloma not having achieved remission | 10 | 2 | 12 |
| Osteoporosis without current pathological fracture | 1 | 2 | 3 |
| Other osteoporosis without current pathological fracture | 1 | 4 | 5 |
| Other specified disorders of bone density and structure, unspecified site | 0 | 1 | 1 |
| Secondary malignant neoplasm of bone | 6 | 5 | 11 |
| Secondary malignant neoplasm of brain | 0 | 1 | 1 |
| Desvenlafaxine | 1 | 1 | 2 |
| Generalized anxiety disorder | 0 | 1 | 1 |
| Major depressive disorder, recurrent, mild | 1 | 0 | 1 |
| Deucravacitinib | 1 | 1 | 2 |
| Psoriasis vulgaris | 1 | 1 | 2 |
| Deutetrabenazine | 0 | 2 | 2 |
| Bipolar disorder, current episode depressed, moderate | 0 | 1 | 1 |
| Drug induced subacute dyskinesia | 0 | 1 | 1 |
| Dexlansoprazole | 6 | 8 | 14 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Dysphagia, unspecified | 1 | 0 | 1 |
| Epigastric pain | 0 | 1 | 1 |
| Functional dyspepsia | 1 | 0 | 1 |
| Gastro-esophageal reflux disease w/esophagitis, without bleeding | 2 | 2 | 4 |
| Gastro-esophageal reflux disease without esophagitis | 1 | 5 | 6 |
| Dexmethylphenidate | 14 | 11 | 25 |
| Attention and concentration deficit | 1 | 0 | 1 |
| Attention-deficit hyperactivity disorder, combined type | 5 | 4 | 9 |
| Attention-deficit hyperactivity disorder, unspecified type | 1 | 2 | 3 |
| Attn-defct hyperactivity disorder, predom hyperactive type | 0 | 1 | 1 |
| Attir-delet hyperactivity disorder, predom hyperactive type | U | ı | <u>'</u> |

| Attn-defct hyperactivity disorder, predom inattentive type | 7 | 4 | 11 |
|---|----|----|----|
| Dextroamphetamine | 9 | 11 | 20 |
| Attention-deficit hyperactivity disorder, combined type | 1 | 2 | 3 |
| Attention-deficit hyperactivity disorder, unspecified type | 4 | 6 | 10 |
| Attn-defct hyperactivity disorder, predom inattentive type | 3 | 1 | 4 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Other specified behavioral and emotional disorders with onset usually | 0 | 2 | 2 |
| occur | | | |
| Diazepam | 1 | 0 | 1 |
| Alcohol dependence, uncomplicated | 1 | 0 | 1 |
| Diclofenac | 6 | 15 | 21 |
| Bilateral primary osteoarthritis of knee | 0 | 1 | 1 |
| Calcaneal spur, left foot | 2 | 0 | 2 |
| diagnosis code unavailable | 0 | 2 | 2 |
| Dorsalgia, unspecified | 0 | 2 | 2 |
| Incomplete rotator cuff tear or rupture of right shoulder, not specified as | 0 | 1 | 1 |
| Multiple sclerosis | 0 | 1 | 1 |
| Osteoarthritis of knee, unspecified | 1 | 0 | 1 |
| Other chronic pain | 1 | 2 | 3 |
| Other shoulder lesions, right shoulder | 0 | 1 | 1 |
| Pain in right knee | 0 | 1 | 1 |
| Pain in unspecified joint | 0 | 1 | 1 |
| Pain in unspecified knee | 0 | 1 | 1 |
| Plantar fascial fibromatosis | 1 | 0 | 1 |
| Radiculopathy, cervical region | 0 | 1 | 1 |
| Rheumatoid arthritis, unspecified | 1 | 0 | 1 |
| Unspecified osteoarthritis, unspecified site | 0 | 1 | 1 |
| Diclofenac (Migraine) | 0 | 1 | 1 |
| Migraine w/o aura, not intractable, w/o status migrainosus | 0 | 1 | 1 |
| Difluprednate | 3 | 3 | 6 |
| Panuveitis, bilateral | 1 | 0 | 1 |
| Panuveitis, right eye | 1 | 0 | 1 |
| Posterior cyclitis, bilateral | 1 | 0 | 1 |
| Recurrent acute iridocyclitis, right eye | 0 | 1 | 1 |
| Secondary noninfectious iridocyclitis, unspecified eye | 0 | 1 | 1 |
| Unspecified episcleritis, right eye | 0 | 1 | 1 |
| Dimethyl Fumarate | 5 | 2 | 7 |
| Multiple sclerosis | 5 | 2 | 7 |
| Dipeptidyl Peptidase-4 Inhibitor-Biguanide - Two Ingredient | 10 | 15 | 25 |
| Type 2 diabetes mellitus with hyperglycemia | 3 | 6 | 9 |
| Type 2 diabetes mellitus with other specified complication | 4 | 2 | 6 |

| Type 2 diabetes mellitus with unspecified complications | 1 | 1 | 2 |
|--|----|---|-----|
| Type 2 diabetes mellitus without complications | 2 | 6 | 8 |
| Diroximel Fumarate | 5 | 1 | 6 |
| Multiple sclerosis | 5 | 1 | 6 |
| Dobutamine | 1 | 0 | 1 |
| Hypertensive heart and chronic kidney disease with heart failure and stage | 1 | 0 | 1 |
| Dolutegravir | 1 | 0 | 1 |
| Human immunodeficiency virus [HIV] disease | 1 | 0 | 1 |
| Donepezil | 1 | 1 | 2 |
| Alzheimers disease, unspecified | 0 | 1 | 1 |
| Unspecified dementia without behavioral disturbance | 1 | 0 | 1 |
| Doxazosin | 0 | 1 | 1 |
| Neoplasm of uncertain behavior of right adrenal gland | 0 | 1 | 1 |
| Doxepin | 1 | 2 | 3 |
| Insomnia, unspecified | 1 | 0 | 1 |
| Major depressive disorder, recurrent severe without psychotic features | 0 | 1 | 1 |
| Other insomnia | 0 | 1 | 1 |
| Doxycycline | 1 | 8 | 9 |
| Acne vulgaris | 0 | 2 | 2 |
| Acute upper respiratory infection, unspecified | 0 | 1 | 1 |
| Folliculitis decalvans | 0 | 1 | 1 |
| Osteomyelitis of vertebra, sacral and sacrococcygeal region | 0 | 1 | 1 |
| Panniculitis, unspecified | 0 | 1 | 1 |
| Rash and other nonspecific skin eruption | 1 | 0 | 1 |
| Rosacea, unspecified | 0 | 1 | 1 |
| Syphilis, unspecified | 0 | 1 | 1 |
| Dronabinol | 14 | 6 | 20 |
| Adverse effect of antineoplastic and immunosup drugs, init | 1 | 1 | 2 |
| Anorexia | 2 | 0 | 2 |
| diagnosis code unavailable | 1 | 1 | 2 |
| Malignant neoplasm of lower lobe, left bronchus or lung | 1 | 0 | 1 |
| Malignant neoplasm of other parts of pancreas | 0 | 1 | 1 |
| Malignant neoplasm of overlapping sites of colon | 1 | 0 | 1 |
| Malignant neoplasm of parietal lobe | 1 | 0 | 1 |
| Malignant neoplasm of prostate | 0 | 1 | 1 |
| Malignant neoplasm of rectum | 0 | 1 | 1 |
| Malignant neoplasm of sigmoid colon | 1 | 0 | 1 |
| Malignant neoplasm of unspecified site of left female breast | 1 | 0 | 1 |
| Nausea | 0 | 1 | 1 |
| Nausea with vomiting, unspecified | 5 | 0 | 5 |
| | | | · · |

| Dronedarone | 5 | 6 | 11 |
|--|----|----|----|
| Paroxysmal atrial fibrillation | 2 | 0 | 2 |
| Persistent atrial fibrillation | 1 | 0 | 1 |
| Syncope and collapse | 0 | 1 | 1 |
| Unspecified atrial fibrillation | 1 | 4 | 5 |
| Unspecified atrial flutter | 1 | 1 | 2 |
| Drospirenone | 0 | 2 | 2 |
| Abnormal uterine and vaginal bleeding, unspecified | 0 | 1 | 1 |
| Encounter for oth general cnsl and advice on contraception | 0 | 1 | 1 |
| Dulaglutide | 45 | 24 | 69 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Metabolic syndrome | 0 | 1 | 1 |
| Morbid (severe) obesity due to excess calories | 0 | 1 | 1 |
| Obesity, unspecified | 0 | 2 | 2 |
| Other specified counseling | 0 | 1 | 1 |
| Type 2 diabetes mellitus with diabetic chronic kidney disease | 3 | 0 | 3 |
| Type 2 diabetes mellitus with diabetic nephropathy | 1 | 1 | 2 |
| Type 2 diabetes mellitus with diabetic neuropathy, unspecified | 1 | 0 | 1 |
| Type 2 diabetes mellitus with diabetic polyneuropathy | 1 | 0 | 1 |
| Type 2 diabetes mellitus with hyperglycemia | 16 | 10 | 26 |
| Type 2 diabetes mellitus with ketoacidosis without coma | 1 | 0 | 1 |
| Type 2 diabetes mellitus with other circulatory complications | 1 | 1 | 2 |
| Type 2 diabetes mellitus with other specified complication | 2 | 0 | 2 |
| Type 2 diabetes mellitus with unspecified complications | 1 | 0 | 1 |
| Type 2 diabetes mellitus without complications | 17 | 4 | 21 |
| Type 2 diabetes peripheral angiopathy | 0 | 1 | 1 |
| Type 2 diabetes w unsp diabetic rtnop w/o macular edema | 0 | 2 | 2 |
| Duloxetine | 4 | 3 | 7 |
| Fibromyalgia | 0 | 2 | 2 |
| Generalized anxiety disorder | 0 | 1 | 1 |
| Major depressive disorder, recurrent, moderate | 1 | 0 | 1 |
| Major depressive disorder, recurrent, severe with psychotic symptoms | 1 | 0 | 1 |
| Major depressive disorder, single episode, moderate | 1 | 0 | 1 |
| Phantom limb syndrome with pain | 1 | 0 | 1 |
| Dupilumab | 64 | 23 | 87 |
| Atopic Dermatitis | 13 | 3 | 16 |
| Chronic sinusitis, unspecified | 1 | 0 | 1 |
| Dermatitis, unspecified | 1 | 1 | 2 |
| diagnosis code unavailable | 0 | 1 | 1 |
| Intrinsic (allergic) eczema | 2 | 0 | 2 |
| Moderate persistent asthma, uncomplicated | 1 | 2 | 3 |

| Nasal polyp, unspecified | 9 | 0 | 9 |
|---|----|----|----|
| Other atopic dermatitis | 17 | 4 | 21 |
| Other seasonal allergic rhinitis | 0 | 3 | 3 |
| Polyp of nasal cavity | 2 | 1 | 3 |
| Prurigo nodularis | 1 | 0 | 1 |
| Psoriasis vulgaris | 1 | 0 | 1 |
| Severe persistent asthma w/ acute exacerbation | 2 | 1 | 3 |
| Severe persistent asthma, uncomplicated | 12 | 7 | 19 |
| Unspecified asthma, uncomplicated | 2 | 0 | 2 |
| Durvalumab | 1 | 1 | 2 |
| Intrahepatic bile duct carcinoma | 0 | 1 | 1 |
| Liver cell carcinoma | 1 | 0 | 1 |
| Econazole | 1 | 2 | 3 |
| Dermatitis, unspecified | 1 | 0 | 1 |
| Tinea pedis | 0 | 2 | 2 |
| Eculizumab | 6 | 4 | 10 |
| Myasthenia gravis without (acute) exacerbation | 3 | 0 | 3 |
| Other hemolytic-uremic syndrome | 1 | 1 | 2 |
| Paroxysmal nocturnal hemoglobinuria [Marchiafava-Micheli] | 2 | 3 | 5 |
| Efinaconazole | 2 | 4 | 6 |
| Other nail disorders | 0 | 1 | 1 |
| Tinea pedis | 0 | 1 | 1 |
| Tinea unguium | 2 | 2 | 4 |
| Elacestrant | 1 | 0 | 1 |
| Malignant neoplasm of central portion of left female breast | 1 | 0 | 1 |
| Elagolix | 1 | 1 | 2 |
| Endometriosis, unspecified | 1 | 1 | 2 |
| Eletriptan | 1 | 0 | 1 |
| Other migraine, not intractable, without status migrainosus | 1 | 0 | 1 |
| Eliglustat | 1 | 0 | 1 |
| Gaucher disease | 1 | 0 | 1 |
| Eltrombopag | 5 | 4 | 9 |
| Excessive and frequent menstruation with regular cycle | 0 | 1 | 1 |
| Immune thrombocytopenic purpura | 3 | 0 | 3 |
| Thrombocytopenia, unspecified | 2 | 3 | 5 |
| Eluxadoline | 2 | 2 | 4 |
| Irritable bowel syndrome with diarrhea | 2 | 2 | 4 |
| Emicizumab | 2 | 0 | 2 |
| Hereditary factor VIII deficiency | 2 | 0 | 2 |
| Empagliflozin | 61 | 30 | 91 |
| Acute systolic (congestive) heart failure | 1 | 0 | 1 |
| | | | |

| Chronic kidney disease, stage 3 unspecified | 1 | 0 | 1 |
|--|----|----|----|
| Chronic kidney disease, stage 4 (severe) | 1 | 0 | 1 |
| Chronic systolic (congestive) heart failure | 3 | 0 | 3 |
| diagnosis code unavailable | 0 | 3 | 3 |
| Heart failure, unspecified | 2 | 0 | 2 |
| Left ventricular failure | 1 | 0 | 1 |
| Light chain (AL) amyloidosis | 1 | 0 | 1 |
| Other cardiomyopathies | 1 | 0 | 1 |
| Proteinuria, unspecified | 0 | 1 | 1 |
| Type 2 diab with severe nonp rtnop with macular edema, bi | 1 | 0 | 1 |
| Type 2 diabetes mellitus with diabetic chronic kidney disease | 1 | 0 | 1 |
| Type 2 diabetes mellitus with diabetic neuropathy, unspecified | 1 | 1 | 2 |
| Type 2 diabetes mellitus with diabetic polyneuropathy | 1 | 0 | 1 |
| Type 2 diabetes mellitus with hyperglycemia | 25 | 10 | 35 |
| Type 2 diabetes mellitus with other diabetic neurological complication | 1 | 0 | 1 |
| Type 2 diabetes mellitus with other specified complication | 5 | 5 | 10 |
| Type 2 diabetes mellitus with unspecified complications | 4 | 0 | 4 |
| Type 2 diabetes mellitus without complications | 11 | 9 | 20 |
| Type 2 diabetes peripheral angiopathy | 0 | 1 | 1 |
| Enalapril | 1 | 0 | 1 |
| Hypoplastic left heart syndrome | 1 | 0 | 1 |
| Encorafenib | 1 | 0 | 1 |
| Malignant neoplasm of overlapping sites of colon | 1 | 0 | 1 |
| Entecavir | 0 | 1 | 1 |
| Post-transplant lymphoproliferative disorder (PTLD) | 0 | 1 | 1 |
| Entrectinib | 1 | 0 | 1 |
| Malignant neoplasm of lower lobe, left bronchus or lung | 1 | 0 | 1 |
| Enzalutamide | 10 | 1 | 11 |
| Malignant neoplasm of prostate | 10 | 1 | 11 |
| Epinephrine | 1 | 2 | 3 |
| Anaphylactic shock, unspecified, subsequent encounter | 1 | 0 | 1 |
| Malignant neoplasm of sigmoid colon | 0 | 1 | 1 |
| other insect allergy status | 0 | 1 | 1 |
| Epoetin | 22 | 41 | 63 |
| Anemia due to antineoplastic chemotherapy | 0 | 7 | 7 |
| Anemia in chronic kidney disease | 13 | 25 | 38 |
| Anemia, unspecified | 1 | 1 | 2 |
| diagnosis code unavailable | 1 | 0 | 1 |
| End stage renal disease | 2 | 0 | 2 |
| Kidney transplant status | 1 | 2 | 3 |
| Malignant neoplasm of ampulla of Vater | 0 | 1 | 1 |
| | | | |

| Malignant neoplasm of pancreas, unspecified | 0 | 2 | 2 |
|--|----|---|----|
| Malignant neoplasm of unsp site of unspecified female breast | 0 | 2 | 2 |
| Myelodysplastic syndrome, unspecified | 4 | 1 | 5 |
| Epoprostenol | 2 | 0 | 2 |
| Primary pulmonary hypertension | 1 | 0 | 1 |
| Pulmonary hypertension, unspecified | 1 | 0 | 1 |
| Eptinezumab | 1 | 0 | 1 |
| Chronic migraine w/o aura, intractable, w/o stat migr | 1 | 0 | 1 |
| Erenumab | 2 | 9 | 11 |
| Chronic migraine w/o aura, intractable, w status migrainosus | 0 | 1 | 1 |
| Chronic migraine w/o aura, intractable, w/o stat migr | 1 | 2 | 3 |
| Chronic migraine w/o aura, not intractable, w/o stat migr | 1 | 1 | 2 |
| Headache | 0 | 1 | 1 |
| Migraine w/o aura, intractable, without status migrainosus | 0 | 1 | 1 |
| Migraine with aura, not intractable, w/o status migrainosus | 0 | 2 | 2 |
| Migraine with aura, not intractable, with status migrainosus | 0 | 1 | 1 |
| Ergot Combination - Two Ingredient | 2 | 0 | 2 |
| Migraine, unspecified, not intractable, without status migrainosus. | 2 | 0 | 2 |
| Ertapenem | 23 | 2 | 25 |
| Acute cystitis without hematuria | 1 | 0 | 1 |
| Cutaneous abscess of abdominal wall | 1 | 0 | 1 |
| Extended spectrum beta lactamase (ESBL) resistance | 2 | 1 | 3 |
| Malignant neoplasm of colon, unspecified | 1 | 0 | 1 |
| Osteomyelitis of vertebra, sacral and sacrococcygeal region | 1 | 0 | 1 |
| Other sepsis | 1 | 0 | 1 |
| Personal history of other infectious and parasitic diseases | 1 | 0 | 1 |
| Unspecified Escherichia coli [E. coli] as the cause of diseases classified | 3 | 0 | 3 |
| Unspecified septicemia | 1 | 0 | 1 |
| Urinary tract infection, site not specified | 11 | 1 | 12 |
| Ertugliflozin | 3 | 8 | 11 |
| Type 2 diabetes mellitus with diabetic neuropathy, unspecified | 1 | 0 | 1 |
| Type 2 diabetes mellitus with hyperglycemia | 1 | 3 | 4 |
| Type 2 diabetes mellitus with other circulatory complications | 1 | 0 | 1 |
| Type 2 diabetes mellitus with other specified complication | 0 | 1 | 1 |
| Type 2 diabetes mellitus without complications | 0 | 4 | 4 |
| Escitalopram | 1 | 7 | 8 |
| Anxiety disorder, unspecified | 0 | 2 | 2 |
| Autistic disorder | 0 | 2 | 2 |
| Generalized anxiety disorder | 1 | 0 | 1 |
| Major depressive disorder, recurrent, moderate | 0 | 1 | 1 |
| Major depressive disorder, single episode, unspecified | 0 | 2 | 2 |

| Esketamine | 17 | 8 | 25 |
|---|----|----|----|
| Major depressive disorder, recurrent severe without psychotic features | 15 | 7 | 22 |
| Major depressive disorder, recurrent, moderate | 2 | 0 | 2 |
| Major depressive disorder, single episode, severe without psychotic feature | 0 | 1 | 1 |
| Esomeprazole | 2 | 13 | 15 |
| Acute gastritis without bleeding | 0 | 1 | 1 |
| Gastroduodenitis, unspecified, without bleeding | 0 | 1 | 1 |
| Gastro-esophageal reflux disease without esophagitis | 2 | 11 | 13 |
| Estrogen & Progestin - Two Ingredient | 2 | 2 | 4 |
| Hormone replacement therapy | 2 | 0 | 2 |
| Other primary ovarian failure | 0 | 2 | 2 |
| Estrogen-Progestin-GnRH Antagonist - Three Ingredient | 5 | 13 | 18 |
| Endometriosis, unspecified | 1 | 0 | 1 |
| Excessive and frequent menstruation with irregular cycle | 1 | 0 | 1 |
| Excessive and frequent menstruation with regular cycle | 3 | 2 | 5 |
| Intramural leiomyoma of uterus | 0 | 2 | 2 |
| Leiomyoma of uterus, unspecified | 0 | 5 | 5 |
| Other specified abnormal uterine and vaginal bleeding | 0 | 1 | 1 |
| Submucous leiomyoma of uterus | 0 | 3 | 3 |
| Etanercept | 39 | 26 | 65 |
| | 1 | 0 | 1 |
| Ankylosing spondylitis of multiple sites in spine | 3 | 1 | 4 |
| Ankylosing spondylitis of unspecified sites in spine | 1 | 0 | 1 |
| Arthropathic psoriasis, unspecified | 1 | 0 | 1 |
| Large plaque parapsoriasis | 0 | 1 | 1 |
| Oth inflammatory spondylopathies, site unspecified | 1 | 0 | 1 |
| Other psoriatic arthropathy | 2 | 0 | 2 |
| Other rheumatoid arthritis | 1 | 2 | 3 |
| Other specified rheumatoid arthritis, multiple sites | 4 | 0 | 4 |
| Psoriasis | 1 | 2 | 3 |
| Psoriatic spondylitis | 2 | 5 | 7 |
| Rheu arthritis w rheu factor of multiple sites wo organ or systems involvem | 7 | 8 | 15 |
| Rheumatoid arthritis with rheumatoid factor, unspecified | 3 | 1 | 4 |
| Rheumatoid arthritis without rheumatoid factor, multiple sites | 3 | 0 | 3 |
| Rheumatoid arthritis, unspecified | 8 | 4 | 12 |
| Rheumatoid lung disease with rheumatoid arthritis of unspecified wrist | 1 | 1 | 2 |
| Systemic lupus erythematosus, unspecified | 0 | 1 | 1 |
| Etelcalcetide | , | 4 | 4 |
| EtelCalCetide | 3 | 1 | |
| End stage renal disease | 1 | 0 | 1 |

| Etravirine | 1 | 0 | 1 |
|---|----|----|----|
| Human immunodeficiency virus [HIV] disease | 1 | 0 | 1 |
| Everolimus | 3 | 1 | 4 |
| Kidney transplant status | 1 | 0 | 1 |
| Malignant neoplasm of cervix uteri, unspecified | 0 | 1 | 1 |
| Malignant neoplasm of right kidney, except renal pelvis | 2 | 0 | 2 |
| Evolocumab | 35 | 49 | 84 |
| Acute systolic (congestive) heart failure | 0 | 1 | 1 |
| Angina pectoris, unspecified | 0 | 1 | 1 |
| Atherosclerosis of aorta | 1 | 0 | 1 |
| Atherosclerosis of both leg native arteries with intermittent claudication | 1 | 0 | 1 |
| Atherosclerotic heart disease of native coronary artery with unstable angin | 1 | 0 | 1 |
| Atherosclerotic heart disease of native coronary artery without ang | 1 | 1 | 2 |
| Atherosclerotic heart disease of native coronary artery wo angina pectoris | 11 | 9 | 20 |
| Atherosclerotic hrt dis of native coronary artery w/ unspecified angina pec | 1 | 0 | 1 |
| Coronary atherosclerosis due to lipid rich plaque | 1 | 0 | 1 |
| diagnosis code unavailable | 0 | 1 | 1 |
| Familial hypercholesterolemia | 1 | 0 | 1 |
| Fatty (change of) liver, not elsewhere classifed | 1 | 0 | 1 |
| Hyperlipidemia, unspecified | 4 | 8 | 12 |
| Hypertensive heart disease without heart failure | 0 | 1 | 1 |
| Ischemic Cardiomyopathy | 1 | 0 | 1 |
| Mixed hyperlipidemia | 5 | 10 | 15 |
| Old myocardial infarction | 0 | 1 | 1 |
| Other hyperlipidemia | 0 | 1 | 1 |
| Other specified peripheral vascular diseases | 0 | 1 | 1 |
| Peripheral vascular disease, unspecified | 0 | 2 | 2 |
| Presence of coronary angioplasty implant and graft | 0 | 3 | 3 |
| Pure hypercholesterolemia, unspecified | 5 | 7 | 12 |
| Pure hyperglyceridemia | 0 | 1 | 1 |
| Type 2 diabetes mellitus without complications | 0 | 1 | 1 |
| Unspecified diastolic (congestive) heart failure | 1 | 0 | 1 |
| Ezetimibe | 14 | 9 | 23 |
| Encounter for general adult medical examination with abnormal findings | 1 | 0 | 1 |
| Familial hypercholesterolemia | 1 | 0 | 1 |
| Hyperlipidemia, unspecified | 4 | 2 | 6 |
| Mixed hyperlipidemia | 6 | 3 | 9 |
| Obesity, unspecified | 0 | 2 | 2 |
| Pure hypercholesterolemia, unspecified | 1 | 1 | 2 |
| Pure hyperglyceridemia | 1 | 1 | 2 |

| Factor XIII Concentrate (Human) | 1 | 0 | 1 |
|---|----|----|----|
| Hereditary deficiency of other clotting factors | 1 | 0 | 1 |
| Famotidine | 1 | 0 | 1 |
| Malignant neoplasm of tongue, unspecified | 1 | 0 | 1 |
| Faricimab | 23 | 25 | 48 |
| Central retinal vein occlusion, left eye, with macular edema | 0 | 1 | 1 |
| Exudative age-related macular degeneration, bilateral, with active choroida | 1 | 2 | 3 |
| Exudative age-related macular degeneration, right eye, with active choroida | 3 | 0 | 3 |
| Tributary (branch) retinal vein occlusion, right eye, with macular edema | 0 | 1 | 1 |
| Type 2 diab with severe nonp rtnop with macular edema, bi | 0 | 2 | 2 |
| Type 2 diab with severe nonp rtnop with macular edema, r eye | 2 | 2 | 4 |
| Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopath | 3 | 2 | 5 |
| Type 2 diabetes mellitus with proliferative diabetic retinopathy with macul | 14 | 15 | 29 |
| Febuxostat | 3 | 10 | 13 |
| diagnosis code unavailable | 0 | 2 | 2 |
| Gout, unspecified | 0 | 3 | 3 |
| Hyperuricemia without signs of inflammatory arthritis and tophaceous diseas | 2 | 0 | 2 |
| Idiopathic chronic gout, multiple sites, without tophus (tophi) | 1 | 1 | 2 |
| Idiopathic chronic gout, unspecified site, without tophus | 0 | 1 | 1 |
| Idiopathic gout, unspecified site | 0 | 2 | 2 |
| Personal hx of other diseases of the musculoskeletal system and conn tissue | 0 | 1 | 1 |
| Fenofibrate | 0 | 1 | 1 |
| Pure hyperglyceridemia | 0 | 1 | 1 |
| Fenoprofen | 1 | 2 | 3 |
| Other chronic pain | 0 | 1 | 1 |
| Other intervertebral disc degeneration, lumbar region | 1 | 0 | 1 |
| Pain, unspecified | 0 | 1 | 1 |
| Fentanyl | 25 | 10 | 35 |
| Abscess of liver | 0 | 1 | 1 |
| Chronic pain syndrome | 1 | 1 | 2 |
| Diffuse large B-cell lymphoma, intra-abdominal lymph nodes | 1 | 0 | 1 |
| Fistula of intestine | 1 | 0 | 1 |
| Intrahepatic bile duct carcinoma | 2 | 1 | 3 |
| Liver cell carcinoma | 1 | 1 | 2 |
| Malig neoplasm of ovrlp sites of rectum, anus and anal canal | 1 | 0 | 1 |
| Malignant neoplasm of body of stomach | 1 | 0 | 1 |
| Malignant neoplasm of endometrium | 1 | 0 | 1 |

| Malignant neoplasm of greater curvature of stomach, unsp | 0 | 1 | 1 |
|--|---|----|----|
| Malignant neoplasm of head of pancreas | 1 | 1 | 2 |
| Malignant neoplasm of overlapping sites of biliary tract | 1 | 0 | 1 |
| Malignant neoplasm of overlapping sites of cervix uteri | 1 | 0 | 1 |
| Malignant neoplasm of overlapping sites of oropharynx | 0 | 1 | 1 |
| Malignant neoplasm of sigmoid colon | 1 | 0 | 1 |
| Malignant neoplasm of stomach, unspecified | 1 | 0 | 1 |
| Malignant neoplasm of tongue, unspecified | 1 | 0 | 1 |
| Malignant neoplasm of unsp part of unsp bronchus or lung | 1 | 0 | 1 |
| Neoplasm related pain (acute) (chronic) | 8 | 0 | 8 |
| Other chronic pancreatitis | 0 | 2 | 2 |
| Spondylosis without myelopathy or radiculopathy, lumbar region | 1 | 1 | 2 |
| Ferric Carboxymaltose | 2 | 26 | 28 |
| Abnormal uterine and vaginal bleeding, unspecified | 0 | 1 | 1 |
| Anemia due to antineoplastic chemotherapy | 0 | 1 | 1 |
| Anemia in chronic kidney disease | 0 | 2 | 2 |
| Iron deficiency | 0 | 1 | 1 |
| Iron deficiency anemia secondary to blood loss (chronic) | 1 | 6 | 7 |
| Iron deficiency anemia, unspecified | 0 | 14 | 14 |
| Other iron deficiency anemias | 1 | 1 | 2 |
| Ferric Citrate | 4 | 8 | 12 |
| End stage renal disease | 1 | 1 | 2 |
| Iron deficiency anemia, unspecified | 1 | 0 | 1 |
| Other disorders of phosphorus metabolism | 2 | 7 | 9 |
| Ferric Maltol | 5 | 14 | 19 |
| Abnormal uterine and vaginal bleeding, unspecified | 0 | 1 | 1 |
| Anemia, unspecified | 2 | 1 | 3 |
| diagnosis code unavailable | 0 | 1 | 1 |
| Iron deficiency | 1 | 3 | 4 |
| Iron deficiency anemia secondary to blood loss (chronic) | 2 | 3 | 5 |
| Iron deficiency anemia, unspecified | 0 | 2 | 2 |
| Other iron deficiency anemias | 0 | 2 | 2 |
| Vitamin D deficiency, unspecified | 0 | 1 | 1 |
| Ferrous Sulfate | 0 | 1 | 1 |
| Other iron deficiency anemias | 0 | 1 | 1 |
| Ferumoxytol | 3 | 23 | 26 |
| Anemia, unspecified | 0 | 2 | 2 |
| Iron deficiency anemia secondary to blood loss (chronic) | 2 | 8 | 10 |
| Iron deficiency anemia, unspecified | 0 | 7 | 7 |
| Malignant neoplasm of left kidney, except renal pelvis | • | 1 | |
| Malignant neoplasm of left kidney, except renal pelvis | 0 | 1 | 1 |

| Other iron deficiency anemias | 1 | 4 | 5 |
|---|----|----|----|
| Fesoterodine | 0 | 1 | 1 |
| Neuromuscular dysfunction of bladder, unspecified | 0 | 1 | 1 |
| Fidaxomicin | 6 | 0 | 6 |
| Enterocolitis due to Clostridium difficile | 1 | 0 | 1 |
| Enterocolitis due to Clostridium difficile, not specified as recurrent | 2 | 0 | 2 |
| Enterocolitis due to Clostridium difficile, recurrent | 2 | 0 | 2 |
| Enteropathogenic Escherichia coli infection | 1 | 0 | 1 |
| Filgrastim | 23 | 26 | 49 |
| Acute leukemia of unsp cell type not achieve remission | 1 | 0 | 1 |
| Acute lymphoblastic leukemia not having achieved remission | 0 | 3 | 3 |
| Acute lymphoblastic leukemia, in remission | 1 | 0 | 1 |
| Adverse effect of antineoplastic and immunosup drugs, init | 0 | 1 | 1 |
| Agranulocytosis secondary to cancer chemotherapy | 3 | 2 | 5 |
| Autologous donor, stem cells | 1 | 0 | 1 |
| diagnosis code unavailable | 0 | 1 | 1 |
| Hairy cell leukemia not having achieved remission | 0 | 3 | 3 |
| Leukemia, unspecified not having achieved remission | 1 | 0 | 1 |
| Malignant neoplasm of cervix uteri, unspecified | 0 | 1 | 1 |
| Malignant neoplasm of connective and soft tissue of right lower limb, inclu | 0 | 2 | 2 |
| Malignant neoplasm of greater curvature of stomach, unsp | 0 | 1 | 1 |
| Malignant neoplasm of head of pancreas | 1 | 0 | 1 |
| Malignant neoplasm of left ovary | 0 | 1 | 1 |
| Malignant neoplasm of pancreatic duct | 2 | 2 | 4 |
| Malignant neoplasm of unspecified conjunctiva | 1 | 0 | 1 |
| Malignant neoplasm of upper lobe, right bronchus or lung | 1 | 2 | 3 |
| Malignant neoplasm of upper-inner quadrant of left female breast | 2 | 0 | 2 |
| Malignant neoplasm of uterus, part unspecified | 1 | 3 | 4 |
| Neutropenia, unspecified | 4 | 4 | 8 |
| Other neutropenia | 3 | 0 | 3 |
| Unspecified donor, stem cells | 1 | 0 | 1 |
| Finerenone | 10 | 20 | 30 |
| Chronic kidney disease, stage 2 (mild) | 0 | 2 | 2 |
| Chronic kidney disease, stage 3 (moderate) | 2 | 0 | 2 |
| Chronic kidney disease, stage 3 unspecified | 2 | 3 | 5 |
| Chronic kidney disease, stage 3a | 1 | 0 | 1 |
| Chronic kidney disease, stage 3b | 0 | 1 | 1 |
| Chronic kidney disease, stage 4 (severe) | 0 | 1 | 1 |
| Proteinuria, unspecified | 0 | 1 | 1 |
| Type 2 diabetes mellitus with diabetic chronic kidney disease | 4 | 6 | 10 |

| Type 2 diabetes mellitus with diabetic nephropathy | 1 | 4 | 5 |
|--|--|---|--|
| Type 2 diabetes mellitus with hyperglycemia | 0 | 2 | 2 |
| Fingolimod | 0 | 1 | 1 |
| Multiple sclerosis | 0 | 1 | 1 |
| Flibanserin | 0 | 1 | 1 |
| Hypoactive sexual desire disorder | 0 | 1 | 1 |
| Fluconazole | 7 | 1 | 8 |
| Coccidioidomycosis, unspecified | 1 | 0 | 1 |
| Kidney transplant status | 0 | 1 | 1 |
| Liver transplant status | 1 | 0 | 1 |
| Lung transplant status | 2 | 0 | 2 |
| Meningitis in other infectious and parasitic diseases classified elsewhere | 2 | 0 | 2 |
| Other specified noninflammatory disorders of vagina | 1 | 0 | 1 |
| Flunisolide | 0 | 1 | 1 |
| Allergic rhinitis due to pollen | 0 | 1 | 1 |
| Fluocinonide | 0 | 1 | 1 |
| Dermatitis, unspecified | 0 | 1 | 1 |
| Fluoxetine | 2 | 1 | 3 |
| Generalized anxiety disorder | 0 | 1 | 1 |
| | 1 | 0 | 1 |
| Major depressive disorder, recurrent severe without psychotic features | 1 | 0 | l l |
| Major depressive disorder, recurrent severe without psychotic features Major depressive disorder, recurrent, in partial remission | 1 | 0 | 1 |
| | · | | |
| Major depressive disorder, recurrent, in partial remission | 1 | 0 | 1 |
| Major depressive disorder, recurrent, in partial remission Flurandrenolide | 1 | 0 1 | 1 1 |
| Major depressive disorder, recurrent, in partial remission Flurandrenolide Atopic Dermatitis | 1 0 0 | 0 1 1 | 1 1 1 |
| Major depressive disorder, recurrent, in partial remission Flurandrenolide Atopic Dermatitis Fluticasone | 1 0 0 | 0 1 1 26 | 1 1 1 39 |
| Major depressive disorder, recurrent, in partial remission Flurandrenolide Atopic Dermatitis Fluticasone Acute cough | 1 0 0 0 13 | 0 1 1 26 | 1 1 1 39 |
| Major depressive disorder, recurrent, in partial remission Flurandrenolide Atopic Dermatitis Fluticasone Acute cough Allergic rhinitis due to pollen | 1 0 0 13 0 | 0 1 1 26 1 2 | 1 1 1 39 1 2 |
| Major depressive disorder, recurrent, in partial remission Flurandrenolide Atopic Dermatitis Fluticasone Acute cough Allergic rhinitis due to pollen Allergic rhinitis, unspecified | 1 0 0 13 0 0 | 0 1 1 26 1 2 | 1 1 1 39 1 2 2 |
| Major depressive disorder, recurrent, in partial remission Flurandrenolide Atopic Dermatitis Fluticasone Acute cough Allergic rhinitis due to pollen Allergic rhinitis, unspecified Bronchiectasis, uncomplicated | 1 0 0 13 0 0 | 0 1 1 26 1 2 2 2 | 1 1 1 39 1 2 2 |
| Major depressive disorder, recurrent, in partial remission Flurandrenolide Atopic Dermatitis Fluticasone Acute cough Allergic rhinitis due to pollen Allergic rhinitis, unspecified Bronchiectasis, uncomplicated Chronic maxillary sinusitis | 1 0 0 13 0 0 0 | 0 1 1 26 1 2 2 2 0 | 1 1 1 39 1 2 2 2 |
| Major depressive disorder, recurrent, in partial remission Flurandrenolide Atopic Dermatitis Fluticasone Acute cough Allergic rhinitis due to pollen Allergic rhinitis, unspecified Bronchiectasis, uncomplicated Chronic maxillary sinusitis diagnosis code unavailable | 1 0 0 0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 1 1 26 1 2 2 2 0 1 1 2 | 1 1 1 39 1 2 2 2 1 1 |
| Major depressive disorder, recurrent, in partial remission Flurandrenolide Atopic Dermatitis Fluticasone Acute cough Allergic rhinitis due to pollen Allergic rhinitis, unspecified Bronchiectasis, uncomplicated Chronic maxillary sinusitis diagnosis code unavailable Eosinophilic Esophagitis | 1 | 0 1 1 26 1 2 2 2 0 1 1 2 | 1 1 1 39 1 2 2 1 1 2 1 1 1 1 1 1 1 |
| Major depressive disorder, recurrent, in partial remission Flurandrenolide Atopic Dermatitis Fluticasone Acute cough Allergic rhinitis due to pollen Allergic rhinitis, unspecified Bronchiectasis, uncomplicated Chronic maxillary sinusitis diagnosis code unavailable Eosinophilic Esophagitis Mild intermittent asthma, uncomplicated | 1 0 0 13 0 0 0 0 1 0 0 | 0 1 1 26 1 2 2 0 1 2 1 2 | 1 1 1 39 1 2 2 1 1 1 2 1 2 |
| Major depressive disorder, recurrent, in partial remission Flurandrenolide Atopic Dermatitis Fluticasone Acute cough Allergic rhinitis due to pollen Allergic rhinitis, unspecified Bronchiectasis, uncomplicated Chronic maxillary sinusitis diagnosis code unavailable Eosinophilic Esophagitis Mild intermittent asthma, uncomplicated Nasal polyp, unspecified | 1 0 0 13 0 0 0 1 0 0 0 0 0 2 10 | 0 1 1 26 1 2 2 0 1 2 1 0 11 2 11 0 10 | 1 1 1 1 39 1 2 2 1 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 |
| Major depressive disorder, recurrent, in partial remission Flurandrenolide Atopic Dermatitis Fluticasone Acute cough Allergic rhinitis due to pollen Allergic rhinitis, unspecified Bronchiectasis, uncomplicated Chronic maxillary sinusitis diagnosis code unavailable Eosinophilic Esophagitis Mild intermittent asthma, uncomplicated Nasal polyp, unspecified Other allergic rhinitis | 1 0 0 13 0 0 0 1 0 0 0 0 0 2 10 0 | 0 1 1 26 1 2 2 0 1 2 1 0 1 0 | 1 1 1 1 39 1 2 2 1 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 |
| Major depressive disorder, recurrent, in partial remission Flurandrenolide Atopic Dermatitis Fluticasone Acute cough Allergic rhinitis due to pollen Allergic rhinitis, unspecified Bronchiectasis, uncomplicated Chronic maxillary sinusitis diagnosis code unavailable Eosinophilic Esophagitis Mild intermittent asthma, uncomplicated Nasal polyp, unspecified Other allergic rhinitis Other seasonal allergic rhinitis | 1 | 0 1 1 26 1 2 2 0 1 2 1 0 10 2 1 | 1 1 1 1 39 1 2 2 1 1 2 1 2 2 1 2 1 2 1 2 1 1 2 1 1 2 1 |
| Flurandrenolide Atopic Dermatitis Fluticasone Acute cough Allergic rhinitis due to pollen Allergic rhinitis, unspecified Bronchiectasis, uncomplicated Chronic maxillary sinusitis diagnosis code unavailable Eosinophilic Esophagitis Mild intermittent asthma, uncomplicated Nasal polyp, unspecified Other allergic rhinitis Other specified disorders of nose and nasal sinuses | 1 0 0 0 13 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 1 1 1 26 1 2 2 0 1 2 1 0 10 2 1 2 1 2 | 1 1 1 1 39 1 2 2 1 1 2 1 2 2 1 2 1 2 20 2 1 2 |
| Flurandrenolide Atopic Dermatitis Fluticasone Acute cough Allergic rhinitis due to pollen Allergic rhinitis, unspecified Bronchiectasis, uncomplicated Chronic maxillary sinusitis diagnosis code unavailable Eosinophilic Esophagitis Mild intermittent asthma, uncomplicated Nasal polyp, unspecified Other allergic rhinitis Other specified disorders of nose and nasal sinuses Polypoid sinus degeneration | 1 0 0 0 13 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 1 1 26 1 2 2 0 1 2 1 0 10 2 1 2 1 2 1 | 1 1 1 39 1 2 2 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 |
| Flurandrenolide Atopic Dermatitis Fluticasone Acute cough Allergic rhinitis due to pollen Allergic rhinitis, unspecified Bronchiectasis, uncomplicated Chronic maxillary sinusitis diagnosis code unavailable Eosinophilic Esophagitis Mild intermittent asthma, uncomplicated Nasal polyp, unspecified Other allergic rhinitis Other specified disorders of nose and nasal sinuses Polypoid sinus degeneration Unspecified Eustachian tube disorder, bilateral | 1 | 0 1 1 1 26 1 2 2 0 1 2 1 0 10 2 1 2 1 2 1 1 1 | 1 1 1 1 39 1 2 2 1 1 2 1 2 2 1 2 1 2 20 2 1 2 1 1 2 1 1 1 |

| Malignant neoplasm of head of pancreas | 3 | 0 | 3 |
|---|----|-------------|----|
| Malignant neoplasm of pyloric antrum | 3 | 0 | 3 |
| Malignant neoplasm of unsp site of unspecified female breast | 1 | 0 | 1 |
| Fostamatinib | 2 | 0 | 2 |
| Immune thrombocytopenic purpura | 2 | 0 | 2 |
| Fremanezumab | 7 | 8 | 15 |
| Chronic migraine w/o aura, intractable, w/o stat migr | 2 | 1 | 3 |
| diagnosis code unavailable | 0 | 1 | 1 |
| Migraine w/o aura, intractable, without status migrainosus | 1 | 2 | 3 |
| Migraine w/o aura, not intractable, w/o status migrainosus | 2 | 1 | 3 |
| Migraine w/o aura, not intractable, with status migrainosus | 0 | 1 | 1 |
| Migraine with aura, not intractable, w/o status migrainosus | 2 | 1 | 3 |
| Migraine, unspecified, not intractable, without status migrainosus. | 0 | 1 | 1 |
| Frovatriptan | 0 | 2 | 2 |
| Migraine w/o aura, intractable, without status migrainosus | 0 | 2 | 2 |
| FRUZAQLA 5MG CAP | 1 | 0 | 1 |
| Secondary malig neoplasm of liver and intrahepatic bile duct | 1 | 0 | 1 |
| Fulvestrant | 0 | 1 | 1 |
| Malignant neoplasm of upper-outer quadrant of left female breast | 0 | 1 | 1 |
| Furosemide | 0 | 1 | 1 |
| Acute diastolic (congestive) heart failure | 0 | 1 | 1 |
| Gabapentin | 1 | 3 | 4 |
| Foot drop, right foot | 0 | 1 | 1 |
| Neuralgia and neuritis, unspecified | 1 | 1 | 2 |
| Restless legs syndrome | 0 | 1 | 1 |
| Galcanezumab | 20 | 24 | 44 |
| Chronic migraine w/o aura, intractable, w/o stat migr | 6 | 0 | 6 |
| Chronic migraine w/o aura, not intractable, w/o stat migr | 0 | 5 | 5 |
| Cluster headache syndrome, unspecified, not intractable | 0 | 1 | 1 |
| diagnosis code unavailable | 1 | 2 | 3 |
| Headache, unspecified | 1 | 1 | 2 |
| Migraine w/o aura, intractable, without status migrainosus | 2 | 0 | 2 |
| Migraine w/o aura, not intractable, w/o status migrainosus | 3 | 1 | 4 |
| Migraine with aura, intractable, with status migrainosus | 2 | 3 | 5 |
| Migraine with aura, not intractable, w/o status migrainosus | 2 | 4 | 6 |
| Migraine without aura, intractable, with status migrainosus | 1 | 0 | 1 |
| | | _ | 6 |
| Migraine, unspecified, not intractable, without status migrainosus. | 1 | 5 | |
| Migraine, unspecified, not intractable, without status migrainosus. New daily persistent headache (NDPH) | 0 | 1 | 1 |
| | | 5 1 1 | |
| New daily persistent headache (NDPH) | | 1 | 1 |

| Gefitinib | 1 | 0 | 1 |
|---|----|----|----|
| Malignant neoplasm of upper lobe, right bronchus or lung | 1 | 0 | 1 |
| Gemcitabine | 2 | 0 | 2 |
| Malignant neoplasm of pancreas, unspecified | 2 | 0 | 2 |
| Glatiramer | 2 | 3 | 5 |
| Multiple sclerosis | 2 | 3 | 5 |
| Glucagon | 0 | 4 | 4 |
| Type 1 diabetes mellitus with hyperglycemia | 0 | 1 | 1 |
| Type 2 diabetes mellitus with hyperglycemia | 0 | 3 | 3 |
| Glucose Blood | 7 | 7 | 14 |
| Type 1 diabetes mellitus with hyperglycemia | 2 | 1 | 3 |
| Type 1 diabetes mellitus without complications | 2 | 1 | 3 |
| Type 2 diabetes mellitus with hyperglycemia | 1 | 3 | 4 |
| Type 2 diabetes mellitus without complications | 2 | 2 | 4 |
| Glutamine | 0 | 1 | 1 |
| Hb-SS disease with crisis, unspecified | 0 | 1 | 1 |
| Glycopyrrolate | 1 | 3 | 4 |
| Abnormal findings on diagnostic imaging of other abdominal regions, inc | 0 | 1 | 1 |
| Malig neoplasm of liver, not specified as primary or sec | 1 | 0 | 1 |
| Malignant neoplasm of connective and soft tissue of left lower limb, hip | 0 | 1 | 1 |
| Secondary malig neoplasm of liver and intrahepatic bile duct | 0 | 1 | 1 |
| Glycopyrronium | 1 | 2 | 3 |
| Generalized hyperhidrosis | 1 | 1 | 2 |
| Primary focal hyperhidrosis, axilla | 0 | 1 | 1 |
| Golimumab | 15 | 11 | 26 |
| Arthropathic psoriasis, unspecified | 2 | 0 | 2 |
| Other spondylosis, site unspecified | 1 | 2 | 3 |
| Personal history of other diseases of the digestive system | 1 | 0 | 1 |
| Psoriatic spondylitis | 2 | 1 | 3 |
| Rheu arthritis w rheu factor of multiple sites wo organ or systems involvem | 2 | 4 | 6 |
| Rheumatoid arthritis with rheumatoid factor, unspecified | 0 | 2 | 2 |
| Rheumatoid arthritis without rheumatoid factor, multiple sites | 6 | 2 | 8 |
| Rheumatoid arthritis, unspecified | 1 | 0 | 1 |
| Guanfacine | 4 | 12 | 16 |
| Attention-deficit hyperactivity disorder, combined type | 2 | 4 | 6 |
| Attention-deficit hyperactivity disorder, predominantly inattentive type | 0 | 1 | 1 |
| Attention-deficit hyperactivity disorder, unspecified type | 0 | 4 | 4 |
| Attn-defct hyperactivity disorder, predom inattentive type | 1 | 2 | 3 |
| Generalized anxiety disorder | 1 | 0 | 1 |
| Other benign neuroendocrine tumors | 0 | 1 | 1 |

| Guselkumab | 5 | 0 | 5 |
|--|-----|----|-----|
| Psoriasis | 1 | 0 | 1 |
| Psoriasis vulgaris | 4 | 0 | 4 |
| Heparin Sodium | 0 | 2 | 2 |
| Other primary thrombophilia | 0 | 2 | 2 |
| Hepatitis C Agent Combination - Two Ingredient | 13 | 21 | 34 |
| Chronic viral hepatitis C | 13 | 17 | 30 |
| diagnosis code unavailable | 0 | 1 | 1 |
| Unspecified viral hepatitis C without hepatic coma | 0 | 3 | 3 |
| Hyaluronan | 13 | 27 | 40 |
| Bilateral post-traumatic osteoarthritis of knee | 0 | 1 | 1 |
| Bilateral primary osteoarthritis of knee | 7 | 13 | 20 |
| Pain in left knee | 1 | 0 | 1 |
| Unilateral post-traumatic osteoarthritis, left knee | 0 | 2 | 2 |
| Unilateral primary osteoarthritis, left knee | 2 | 7 | 9 |
| Unilateral primary osteoarthritis, right knee | 3 | 4 | 7 |
| Hydrochlorothiazide | 0 | 1 | 1 |
| Essential (primary) hypertension | 0 | 1 | 1 |
| Hydrocodone | 2 | 2 | 4 |
| Chronic pain syndrome | 2 | 2 | 4 |
| Hydrocodone Combination - Two Ingredient | 103 | 37 | 140 |
| Acquired absence of unspecified leg above knee | 1 | 0 | 1 |
| Acute lymphoblastic leukemia, in relapse | 1 | 0 | 1 |
| Anterior displaced fracture of sternal end of left clavicle, initial encou | 1 | 0 | 1 |
| Bilateral primary osteoarthritis of knee | 2 | 2 | 4 |
| Cervicalgia | 1 | 0 | 1 |
| Chronic pain syndrome | 10 | 8 | 18 |
| Complex regional pain syndrome I of right lower limb | 1 | 0 | 1 |
| diagnosis code unavailable | 4 | 1 | 5 |
| Displaced fracture of shaft of right clavicle, initial encounter for clo | 1 | 0 | 1 |
| Displacement of internal fixation device of vertebrae, initial encount | 1 | 0 | 1 |
| Dorsalgia, unspecified | 0 | 2 | 2 |
| Dorsopathy, unspecified | 1 | 0 | 1 |
| Encounter for surgical aftercare following surgery on the sense organs | 1 | 0 | 1 |
| Fistula of intestine | 1 | 0 | 1 |
| Fracture of unsp part of neck of left femur, init | 1 | 0 | 1 |
| Idiopathic gout, right ankle and foot | 0 | 2 | 2 |
| Incomplete rotator cuff tear or rupture of left shoulder, not specified as | 1 | 0 | 1 |
| Light chain (AL) amyloidosis | 1 | 0 | 1 |
| Low back pain, unspecified | 4 | 4 | E |
| | 4 | 1 | 5 |

| Malignant neoplasm of colon, unspecified | 1 | 0 | 1 |
|---|-----|---|---|
| Malignant neoplasm of overlapping sites of left female breast | 1 | 0 | 1 |
| Malignant neoplasm of pancreas, unspecified | 1 | 0 | 1 |
| Malignant neoplasm of rectosigmoid junction | 1 | 0 | 1 |
| Malignant neoplasm of right ovary | 1 | 0 | 1 |
| Malignant neoplasm of unsp site of unspecified female breast | 1 | 0 | 1 |
| Malignant neoplasm of upper-inner quadrant of left female breast | 2 | 0 | 2 |
| Maternal care for low transverse scar from previous cesarean delivery | 1 | 0 | 1 |
| Multiple sclerosis | 1 | 0 | 1 |
| Neoplasm related pain (acute) (chronic) | 8 | 0 | 8 |
| Other acute postprocedural pain | 4 | 1 | 5 |
| Other chronic osteomyelitis, other site | 0 | 1 | 1 |
| Other chronic pain | 1 | 1 | 2 |
| Other chronic pancreatitis | 3 | 0 | 3 |
| Other headache syndrome | 0 | 1 | 1 |
| Other specified mononeuropathies of bilateral lower limbs | 2 | 0 | 2 |
| Other specified postprocedural states | 3 | 0 | 3 |
| Other spondylosis with myelopathy, cervical region | 0 | 1 | 1 |
| Other spondylosis with radiculopathy, cervical region | 1 | 0 | 1 |
| Other spondylosis with radiculopathy, lumbosacral region | 1 | 0 | 1 |
| Other spondylosis, cervical region | 1 | 0 | 1 |
| Pain in left knee | 2 | 0 | 2 |
| Pain in left leg | 1 | 0 | 1 |
| Pain in right hip | 1 | 0 | 1 |
| Pain in right knee | 4 | 4 | 8 |
| Pain, unspecified | 2 | 0 | 2 |
| Phantom limb syndrome with pain | 0 | 1 | 1 |
| Postlaminectomy syndrome, not elsewhere classified | 2 | 1 | 3 |
| Quadriplegia, C5-C7 incomplete | 0 | 2 | 2 |
| Radiculopathy, cervical region | 3 | 0 | 3 |
| Radiculopathy, lumbar region | 4 | 4 | 8 |
| Radiculopathy, lumbosacral region | 2 | 0 | 2 |
| Radiculopathy, site unspecified | 2 | 0 | 2 |
| Rheu arthritis w rheu factor of multiple sites wo organ or systems involvem | 1 | 1 | 2 |
| Spinal stenosis, cervical region | 0 | 2 | 2 |
| Spondylosis w/o myelopathy or radiculopathy, cervical region | 2 | 0 | 2 |
| Spondylosis without myelopathy or radiculopathy, lumbar region | 2 | 0 | 2 |
| Spondyls w/o myelopathy or radiculopathy, lumbosacr region | 2 | 0 | 2 |
| Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg | 1 | 0 | 1 |
| Unilateral primary osteoarthritis, left knee | 1 | 0 | 1 |
| Offiliateral primary osteoartifitis, left knee | ı ı | U | ' |

| Unilateral primary osteoarthritis, right knee | 1 | 0 | 1 |
|--|----|----|----|
| Vertebrogenic low back pain | 1 | 0 | 1 |
| Zoster with other complications | 0 | 1 | 1 |
| Hydrocortisone | 2 | 7 | 9 |
| Acute eczematoid otitis externa, right ear | 0 | 2 | 2 |
| Chronic idiopathic constipation | 0 | 1 | 1 |
| Duchenne or Becker muscular dystrophy | 1 | 0 | 1 |
| First degree hemorrhoids | 0 | 2 | 2 |
| Other adrenocortical insufficiency | 1 | 0 | 1 |
| Unspecified hemorrhoids | 0 | 2 | 2 |
| Hydromorphone | 4 | 0 | 4 |
| Malignant neoplasm of bladder, unspecified | 1 | 0 | 1 |
| Malignant neoplasm of unsp part of unsp bronchus or lung | 1 | 0 | 1 |
| Neoplasm related pain (acute) (chronic) | 2 | 0 | 2 |
| Hydroxyurea | 2 | 0 | 2 |
| Hb-SS disease with crisis, unspecified | 1 | 0 | 1 |
| Sickle-cell disease without crisis | 1 | 0 | 1 |
| Hylan G-F 20 | 1 | 23 | 24 |
| Bilateral primary osteoarthritis of knee | 0 | 8 | 8 |
| Pain in left knee | 0 | 1 | 1 |
| Pain in right knee | 0 | 1 | 1 |
| Unilateral primary osteoarthritis, left knee | 0 | 7 | 7 |
| Unilateral primary osteoarthritis, right knee | 1 | 5 | 6 |
| Unilateral primary osteoarthritis, unspecified knee | 0 | 1 | 1 |
| Ibrexafungerp | 2 | 1 | 3 |
| Acute vaginitis | 2 | 0 | 2 |
| Other specified noninflammatory disorders of vagina | 0 | 1 | 1 |
| Ibrutinib | 9 | 0 | 9 |
| Chronic lymphocytic leukemia of B-cell type in remission | 2 | 0 | 2 |
| Chronic lymphocytic leukemia of B-cell type not having achieved remission | 3 | 0 | 3 |
| Lymphoid leukemia, unspecified not having achieved remission | 1 | 0 | 1 |
| Mantle cell lymphoma, extranodal and solid organ sites | 1 | 0 | 1 |
| Waldenstrom macroglobulinemia | 2 | 0 | 2 |
| Ibuprofen | 1 | 0 | 1 |
| Malignant melanoma of other part of trunk | 1 | 0 | 1 |
| Icosapent | 15 | 42 | 57 |
| Adjustment disorder with other symptoms | 0 | 1 | 1 |
| Atherosclerotic heart disease of native coronary artery wo angina pectoris | 1 | 3 | 4 |
| Chronic total occlusion of coronary artery | 0 | 1 | 1 |
| Essential (primary) hypertension | 0 | 1 | 1 |

| Hyperlipidemia, unspecified | 4 | 8 | 12 |
|--|---|---|--|
| Mixed hyperlipidemia | 6 | 7 | 13 |
| Other specified peripheral vascular diseases | 0 | 2 | 2 |
| Pure hypercholesterolemia, unspecified | 0 | 1 | 1 |
| Pure hyperglyceridemia | 2 | 15 | 17 |
| Type 2 diabetes mellitus with hyperglycemia | 0 | 2 | 2 |
| Type 2 diabetes mellitus with other specified complication | 2 | 1 | 3 |
| Imatinib | 10 | 3 | 13 |
| Chronic leukemia of unsp cell type not achieve remission | 2 | 0 | 2 |
| Chronic myeloid leukemia, BCR/ABL-positive, not having achieved | 4 | 2 | 6 |
| remission | | | |
| Elevated white blood cell count, unspecified | 1 | 0 | 1 |
| Gastrointestinal stromal tumor of stomach | 3 | 1 | 4 |
| Imiquimod | 11 | 10 | 21 |
| Actinic keratosis | 1 | 1 | 2 |
| Anogenital warts | 6 | 4 | 10 |
| Condyloma latum | 2 | 0 | 2 |
| Dysplasia of anus | 1 | 0 | 1 |
| Malignant neoplasm of uterine adnexa, unspecified | 0 | 1 | 1 |
| Molluscum contagiosum | 0 | 1 | 1 |
| Other viral warts | 1 | 0 | 1 |
| Viral wart, unspecified | 0 | 3 | 3 |
| Immune Globulin | 21 | 18 | 39 |
| Abnormality of globulin | 1 | 0 | 1 |
| Acute lymphoblastic leukemia not having achieved remission | 0 | 1 | 1 |
| Acute lymphoblastic leukemia, in remission | | | 1 |
| Awaiting organ transplant status | 1 | 0 | 1 |
| | 0 | 0 | 1 |
| Chronic inflammatory demyelinating polyneuritis | | | |
| Chronic inflammatory demyelinating polyneuritis Chronic lymphocytic leukemia of B-cell type not having achieved remission | | 1 | 1 |
| | 0 1 | 1 4 | 1 5 |
| Chronic lymphocytic leukemia of B-cell type not having achieved remission | 0 1 | 1 4 0 | 1 5 1 |
| Chronic lymphocytic leukemia of B-cell type not having achieved remission Common variable immunodeficiency, unspecified | 0 1 1 | 1 4 0 | 1 5 1 |
| Chronic lymphocytic leukemia of B-cell type not having achieved remission Common variable immunodeficiency, unspecified Diffuse large B-cell lymphoma, extrnod and solid organ sites | 0 1 1 4 0 | 1 4 0 0 | 1 5 1 4 1 |
| Chronic lymphocytic leukemia of B-cell type not having achieved remission Common variable immunodeficiency, unspecified Diffuse large B-cell lymphoma, extrnod and solid organ sites Idiopathic progressive neuropathy | 0 1 1 4 0 | 1 4 0 0 1 2 | 1 5 1 4 1 3 |
| Chronic lymphocytic leukemia of B-cell type not having achieved remission Common variable immunodeficiency, unspecified Diffuse large B-cell lymphoma, extrnod and solid organ sites Idiopathic progressive neuropathy Immune thrombocytopenic purpura | 0 1 1 4 0 | 1 4 0 0 1 2 0 | 1 5 1 4 1 3 1 |
| Chronic lymphocytic leukemia of B-cell type not having achieved remission Common variable immunodeficiency, unspecified Diffuse large B-cell lymphoma, extrnod and solid organ sites Idiopathic progressive neuropathy Immune thrombocytopenic purpura Immunodeficiency due to drugs Lung transplant rejection | 0 1 1 4 0 1 1 | 1 4 0 0 1 2 0 | 1 5 1 4 1 3 1 |
| Chronic lymphocytic leukemia of B-cell type not having achieved remission Common variable immunodeficiency, unspecified Diffuse large B-cell lymphoma, extrnod and solid organ sites Idiopathic progressive neuropathy Immune thrombocytopenic purpura Immunodeficiency due to drugs Lung transplant rejection Multiple sclerosis | 0 1 1 1 4 0 1 1 1 | 1 4 0 0 1 2 0 0 0 3 | 1 5 1 4 1 3 1 1 1 |
| Chronic lymphocytic leukemia of B-cell type not having achieved remission Common variable immunodeficiency, unspecified Diffuse large B-cell lymphoma, extrnod and solid organ sites Idiopathic progressive neuropathy Immune thrombocytopenic purpura Immunodeficiency due to drugs Lung transplant rejection Multiple sclerosis Myasthenia gravis with (acute) exacerbation | 0 1 1 1 4 0 1 1 1 0 0 | 1 4 0 0 1 2 0 0 0 3 | 1 5 1 4 1 3 1 1 3 |
| Chronic lymphocytic leukemia of B-cell type not having achieved remission Common variable immunodeficiency, unspecified Diffuse large B-cell lymphoma, extrnod and solid organ sites Idiopathic progressive neuropathy Immune thrombocytopenic purpura Immunodeficiency due to drugs Lung transplant rejection Multiple sclerosis Myasthenia gravis with (acute) exacerbation Nonfamilial hypogammaglobulinemia | 0 1 1 1 4 0 0 1 1 1 1 0 0 0 2 | 1 4 0 0 1 2 0 0 0 3 1 0 4 | 1 5 1 4 1 3 1 1 3 1 2 8 |
| Chronic lymphocytic leukemia of B-cell type not having achieved remission Common variable immunodeficiency, unspecified Diffuse large B-cell lymphoma, extrnod and solid organ sites Idiopathic progressive neuropathy Immune thrombocytopenic purpura Immunodeficiency due to drugs Lung transplant rejection Multiple sclerosis Myasthenia gravis with (acute) exacerbation | 0 1 1 1 4 0 1 1 1 1 0 0 | 1 4 0 0 1 2 0 0 0 3 1 | 1 5 1 4 1 3 1 1 3 1 2 |

| Thrombocytopenia, unspecified | 1 | 0 | 1 |
|---|----|----|-----|
| Inclisiran | 0 | 2 | 2 |
| Atherosclerotic heart disease of native coronary artery wo angina pectoris | 0 | 1 | 1 |
| Mixed hyperlipidemia | 0 | 1 | 1 |
| Inebilizumab | 1 | 3 | 4 |
| Neuromyelitis optica [Devic] | 1 | 3 | 4 |
| Infliximab | 51 | 86 | 137 |
| | 0 | 1 | 1 |
| Ankylosing spondylitis of multiple sites in spine | 1 | 0 | 1 |
| Arthropathic psoriasis, unspecified | 1 | 1 | 2 |
| Behcets disease | 0 | 2 | 2 |
| Crohn's disease of both small and large intestine with fistula | 1 | 0 | 1 |
| Crohn's disease of both small and large intestine with rectal bleeding | 1 | 3 | 4 |
| Crohns disease of both small and Ig int w/o complications | 1 | 2 | 3 |
| Crohns disease of large intestine without complications | 0 | 4 | 4 |
| Crohn's disease of small intestine | 0 | 3 | 3 |
| Crohn's disease of small intestine with fistula | 0 | 1 | 1 |
| Crohn's disease of small intestine with intestinal obstruction | 0 | 1 | 1 |
| Crohn's disease of small intestine with unspecified complications | 1 | 0 | 1 |
| Crohns disease of small intestine without complications | 1 | 6 | 7 |
| Crohn's disease, unspecified, with fistula | 1 | 1 | 2 |
| Crohn's disease, unspecified, with other complication | 1 | 0 | 1 |
| Crohn's disease, unspecified, with unspecified complications | 0 | 1 | 1 |
| Crohns disease, unspecified, without complications | 9 | 14 | 23 |
| Diarrhea, unspecified | 1 | 0 | 1 |
| Hidradenitis suppurativa | 1 | 0 | 1 |
| Mucocutaneous lymph node syndrome [Kawasaki] | 0 | 1 | 1 |
| Noninfective gastroenteritis and colitis, unspecified | 1 | 1 | 2 |
| Other ulcerative colitis without complications | 1 | 1 | 2 |
| Rheu arthritis w rheu factor of multiple sites wo organ or systems involvem | 5 | 3 | 8 |
| Rheumatoid arthritis without rheumatoid factor, multiple sites | 1 | 5 | 6 |
| Rheumatoid arthritis, unspecified | 9 | 13 | 22 |
| Ulcerative (chronic) pancolitis with rectal bleeding | 1 | 0 | 1 |
| Ulcerative (chronic) pancolitis without complications | 1 | 5 | 6 |
| Ulcerative (chronic) proctitis without complications | 1 | 1 | 2 |
| Ulcerative (chronic) rectosigmoiditis without complications | 2 | 1 | 3 |
| Ulcerative colitis, unspecified, without complications | 6 | 10 | 16 |
| Unspecified iridocyclitis | 3 | 5 | 8 |
| Injection Devices | 0 | 4 | 4 |
| Type 1 diabetes mellitus with unspecified complications | 0 | 2 | 2 |

| Type 2 diabetes mellitus with other circulatory complications | 0 | 2 | 2 |
|--|---|---|---|
| Inotuzumab | 1 | 0 | 1 |
| Acute lymphoblastic leukemia not having achieved remission | 1 | 0 | 1 |
| Insulin Aspart | 4 | 0 | 4 |
| Type 1 diabetes mellitus with hyperglycemia | 1 | 0 | 1 |
| Type 2 diabetes mellitus with hyperglycemia | 2 | 0 | 2 |
| Type 2 diabetes mellitus with unspecified complications | 1 | 0 | 1 |
| Insulin Degludec | 3 | 1 | 4 |
| Type 2 diabetes mellitus with diabetic polyneuropathy | 0 | 1 | 1 |
| Type 2 diabetes mellitus with hyperglycemia | 3 | 0 | 3 |
| Insulin Detemir | 2 | 0 | 2 |
| Pre-existing diabetes mellitus, type 1, in pregnancy, second trimester | 1 | 0 | 1 |
| Type 1 diab with prolif diab rtnop without macular edema, bi | 1 | 0 | 1 |
| Insulin Glargine | 4 | 17 | 21 |
| Pre-existing type 2 diabetes mellitus, in pregnancy, unspecified trimester | 0 | 1 | 1 |
| Type 1 diabetes mellitus with hyperglycemia | 0 | 1 | 1 |
| Type 1 diabetes mellitus without complications | 0 | 2 | 2 |
| Type 2 diabetes mellitus with diabetic polyneuropathy | 0 | 1 | 1 |
| Type 2 diabetes mellitus with hyperglycemia | 4 | 6 | 10 |
| Type 2 diabetes mellitus with other circulatory complications | 0 | 1 | 1 |
| Type 2 diabetes mellitus without complications | 0 | 4 | 4 |
| Type 2 diabetes peripheral angiopathy with gangrene | 0 | 1 | 1 |
| Insulin Infusion Pump | 40 | 16 | 56 |
| Diabetes mellitus due to underlying condition without complications | 1 | 0 | 1 |
| Diabetes Mellitus Type I | | | 2 |
| diagnosis code unavailable | 2 | 0 | <u> </u> |
| Type 1 diabetes mellitus with diabetic neuropathy, unspecified | 2 4 | 1 | 5 |
| Type T diabetes meintus with diabetic neuropatily, unspecified | | | |
| Type 1 diabetes mellitus with hyperglycemia | 4 | 1 | 5 |
| | 4 0 | 1 | 5 1 |
| Type 1 diabetes mellitus with hyperglycemia | 4 0 17 | 1 1 6 | 5 1 23 |
| Type 1 diabetes mellitus with hyperglycemia Type 1 diabetes mellitus with unspecified complications | 4 0 17 4 | 1 1 6 2 | 5 1 23 6 |
| Type 1 diabetes mellitus with hyperglycemia Type 1 diabetes mellitus with unspecified complications Type 1 diabetes mellitus without complications | 4 0 17 4 10 | 1 1 6 2 1 | 5 1 23 6 11 |
| Type 1 diabetes mellitus with hyperglycemia Type 1 diabetes mellitus with unspecified complications Type 1 diabetes mellitus without complications Type 2 diabetes mellitus with hyperglycemia | 4 0 17 4 10 2 | 1 1 6 2 1 5 | 5 1 23 6 11 7 |
| Type 1 diabetes mellitus with hyperglycemia Type 1 diabetes mellitus with unspecified complications Type 1 diabetes mellitus without complications Type 2 diabetes mellitus with hyperglycemia Insulin Lispro | 4 0 17 4 10 2 3 | 1 1 6 2 1 5 | 5 1 23 6 11 7 |
| Type 1 diabetes mellitus with hyperglycemia Type 1 diabetes mellitus with unspecified complications Type 1 diabetes mellitus without complications Type 2 diabetes mellitus with hyperglycemia Insulin Lispro Type 2 diabetes mellitus with hyperglycemia | 4 0 17 4 10 2 3 2 | 1 1 6 2 1 5 9 | 5 1 23 6 11 7 12 |
| Type 1 diabetes mellitus with hyperglycemia Type 1 diabetes mellitus with unspecified complications Type 1 diabetes mellitus without complications Type 2 diabetes mellitus with hyperglycemia Insulin Lispro Type 2 diabetes mellitus with hyperglycemia Type 2 diabetes mellitus with other specified complication | 4 0 17 4 10 2 3 2 | 1 1 6 2 1 5 9 7 | 5 1 23 6 11 7 12 9 |
| Type 1 diabetes mellitus with hyperglycemia Type 1 diabetes mellitus with unspecified complications Type 1 diabetes mellitus without complications Type 2 diabetes mellitus with hyperglycemia Insulin Lispro Type 2 diabetes mellitus with hyperglycemia Type 2 diabetes mellitus with other specified complication Type 2 diabetes mellitus without complications | 4 0 17 4 10 2 3 2 1 | 1 1 6 2 1 5 9 7 1 | 5 1 23 6 11 7 12 9 2 |
| Type 1 diabetes mellitus with hyperglycemia Type 1 diabetes mellitus with unspecified complications Type 1 diabetes mellitus without complications Type 2 diabetes mellitus with hyperglycemia Insulin Lispro Type 2 diabetes mellitus with hyperglycemia Type 2 diabetes mellitus with other specified complication Type 2 diabetes mellitus without complications Insulin Lispro Protamine & Lispro | 4 0 17 4 10 2 3 2 1 0 | 1 1 6 2 1 5 9 7 1 1 1 | 5 1 23 6 11 7 12 9 2 |
| Type 1 diabetes mellitus with hyperglycemia Type 1 diabetes mellitus with unspecified complications Type 1 diabetes mellitus without complications Type 2 diabetes mellitus with hyperglycemia Insulin Lispro Type 2 diabetes mellitus with hyperglycemia Type 2 diabetes mellitus with other specified complication Type 2 diabetes mellitus without complications Insulin Lispro Protamine & Lispro Type 2 diabetes mellitus with hyperglycemia | 4 0 17 4 10 2 3 2 1 0 0 0 0 0 | 1 1 6 2 1 5 9 7 1 1 2 | 5 1 23 6 11 7 12 9 2 1 |
| Type 1 diabetes mellitus with hyperglycemia Type 1 diabetes mellitus with unspecified complications Type 1 diabetes mellitus without complications Type 2 diabetes mellitus with hyperglycemia Insulin Lispro Type 2 diabetes mellitus with hyperglycemia Type 2 diabetes mellitus with other specified complication Type 2 diabetes mellitus without complications Insulin Lispro Protamine & Lispro Type 2 diabetes mellitus with hyperglycemia Insulin NPH (Human) (Isophane) | 4 0 17 4 10 2 3 2 1 0 0 | 1 1 6 2 1 5 9 7 1 1 2 | 5 1 23 6 11 7 12 9 2 1 2 1 |

| Insulin-Incretin Mimetic Combination - Two Ingredient | | 1 | 2 | 3 |
|--|--|----|----|----|
| Type 2 diabetes mellitus with hyperglycemia | | 0 | 1 | 1 |
| Type 2 diabetes mellitus without complications | | 1 | 1 | 2 |
| Interferon | | 2 | 2 | 4 |
| diagnosis code unavailable | | 0 | 1 | 1 |
| Multiple sclerosis | | 2 | 1 | 3 |
| Intest Cholest Absorp Inhib-HMG CoA Reduct Inhib Comb 2 Ing | | 0 | 1 | 1 |
| Hyperlipidemia, unspecified | | 0 | 1 | 1 |
| Irinotecan | | 1 | 0 | 1 |
| Secondary malignant neoplasm of pleura | | 1 | 0 | 1 |
| Iron Combination - Four Ingredient | | 0 | 1 | 1 |
| Iron deficiency anemia, unspecified | | 0 | 1 | 1 |
| Isavuconazonium | | 2 | 0 | 2 |
| Invasive pulmonary aspergillosis | | 1 | 0 | 1 |
| Liver transplant status | | 1 | 0 | 1 |
| Isotretinoin | | 11 | 22 | 33 |
| Acne conglobata | | 0 | 1 | 1 |
| Acne vulgaris | | 10 | 18 | 28 |
| diagnosis code unavailable | | 0 | 1 | 1 |
| Folliculitis decalvans | | 0 | 2 | 2 |
| Other acne | | 1 | 0 | 1 |
| Ivabradine | | 9 | 1 | 10 |
| Chest pain, unspecified | | 1 | 0 | 1 |
| Inappropriate Sinus Tachycardia (IST) Causes and Treatment | | 1 | 1 | 2 |
| Ischemic Cardiomyopathy | | 1 | 0 | 1 |
| Left ventricular failure | | 2 | 0 | 2 |
| Postural orthostatic tachycardia syndrome [POTS] | | 3 | 0 | 3 |
| Supraventricular tachycardia | | 1 | 0 | 1 |
| Ivermectin | | 0 | 1 | 1 |
| Scabies | | 0 | 1 | 1 |
| lxekizumab | | 5 | 4 | 9 |
| Arthropathic psoriasis, unspecified | | 1 | 0 | 1 |
| diagnosis code unavailable | | 0 | 1 | 1 |
| Psoriasis vulgaris | | 3 | 3 | 6 |
| Psoriatic spondylitis | | 1 | 0 | 1 |
| | INJECTION CEFTOLOZANE 50 MG AND TAZOBACTAM 25 MG | 2 | 0 | 2 |
| Illness, unspecified | | 1 | 0 | 1 |
| Other cholangitis | | 1 | 0 | 1 |
| | INJECTION CEFTAROLINE FOSAMIL 10 MG | 0 | 1 | 1 |
| Infection and inflammatory reaction due to internal right knee prosthesis, | | 0 | 1 | 1 |
| J0739 | INJECTION CABOTEGRAVIR 1 MG FDA-APPROVED PRSC | 1 | 0 | 1 |

| | High risk homosexual behavior | | 1 | 0 | 1 |
|------------------------------------|---|---|---|---|---|
| J0741 | | INJECTION CABOTEGRAVIR and RILPIVIRINE 2MG/3MG | 2 | 2 | 4 |
| Hum | an immunodeficiency virus [HIV] disease | | 2 | 2 | 4 |
| J0744 | | INJECTION CIPROFLOXACIN INTRAVENOUS INFUS 200 MG | 0 | 1 | 1 |
| Malig neoplasr | m of liver, not specified as primary or sec | | 0 | 1 | 1 |
| J0889 | | DAPRODUSTAT ORAL 1 MG FOR ESRD ON DIALYSIS | 6 | 0 | 6 |
| | End stage renal disease | | 6 | 0 | 6 |
| j0894 | | INJECTION DECITABINE 1 MG | 1 | 0 | 1 |
| Atypical chronic myeloid leukemia, | BCR/ABL-negative, not having achieved | | 1 | 0 | 1 |
| J1170 | Te | INJECTION HYDROMORPHONE UP TO 4 MG | 0 | 1 | 1 |
| | imaging of other abdominal regions, inc | | 0 | 1 | 1 |
| J1454 | | INJ FOSNETUPITANT 235 MG AND PALONOSETRON 0.25 MG | 1 | 0 | 1 |
| | Malignant neoplasm of rectum | | 1 | 0 | 1 |
| J1568 | | INJ IG OCTOGAM IV NONLYOPHILIZED 500 MG | 1 | 1 | 2 |
| | variable immunodeficiency, unspecified | | 0 | 1 | |
| | Nonfamilial hypogammaglobulinemia | | 1 | 0 | 1 |
| J1930 | 7. 3 | INJECTION LANREOTIDE 1 MG | 6 | 3 | 9 |
| Maligr | nant carcinoid tumor of the foregut NOS | | 2 | 0 | 2 |
| | nant carcinoid tumor of the midgut NOS | | 2 | 0 | 2 |
| | alignant carcinoid tumor of the stomach | | 0 | 1 | 1 |
| | Other benign neuroendocrine tumors | | 1 | 1 | 2 |
| | Other malignant neuroendocrine tumors | | 1 | 0 | 1 |
| | oplasm of liver and intrahepatic bile duct | | 0 | 1 | 1 |
| J2783 | | INJECTION RASBURICASE 0.5 MG | 1 | 0 | 1 |
| Diffuse large B-cell ly | mphoma, lymph nodes of multiple sites | | 1 | 0 | 1 |
| J3262 | | INJECTION TOCILIZUMAB 1 MG | 0 | 1 | 1 |
| Acı | ute lymphoblastic leukemia, in remission | | 0 | 1 | 1 |
| J3315 | | INJECTION TRIPTORELIN PAMOATE 3.75 MG | 4 | 0 | 4 |
| Malignant neoplasm | of overlapping sites of left female breast | | 1 | 0 | 1 |
| | Malignant neoplasm of prostate | | 3 | 0 | 3 |
| J3490 | | UNCLASSIFIED DRUGS | 2 | 6 | 8 |
| | imaging of other abdominal regions, inc | | 0 | 2 | 2 |
| <u> </u> | Liver cell carcinoma | | 0 | 1 | 1 |
| Malig neoplasr | m of liver, not specified as primary or sec | | 2 | 1 | 3 |
| · · | /mphoma, lymph nodes of multiple sites | | 0 | 1 | 1 |
| , | eoplasm of nodes of head, face and neck | | 0 | 1 | 1 |
| J3590 | · | UNCLASSIFIED BIOLOGICS | 1 | 0 | 1 |
| | Duchenne or Becker muscular dystrophy | | 1 | 0 | 1 |
| J7327 | , . , | HYALURONAN/DERIVATIVE MONOVISC IA INJ PER DOSE | 1 | 0 | 1 |
| Un | ilateral primary osteoarthritis, right knee | | 1 | 0 | 1 |
| | · · · · · · · · · · · · · · · · · · · | | | | |

| Malignant neoplasm of unspecified site of right female breast J9022 Chronic myelomonocytic leukemia, in remission Encounter for antineoplastic immunotherapy | JECTION ATEZOLIZUMAB 10 MG | 0 13 | 2 | 2 |
|---|---|----------------|---|----|
| Chronic myelomonocytic leukemia, in remission | JECTION ATEZOLIZUMAB 10 MG | 13 | | |
| | | | 4 | 17 |
| Encounter for antineoplastic immunotherapy | | 0 | 1 | 1 |
| | | 1 | 0 | 1 |
| Liver cell carcinoma | | 6 | 0 | 6 |
| Malignant neoplasm of larynx, unspecified | | 0 | 1 | 1 |
| Malignant neoplasm of lower lobe, left bronchus or lung | | 1 | 0 | 1 |
| Malignant neoplasm of lower lobe, right bronchus or lung | | 1 | 2 | 3 |
| Malignant neoplasm of ovrlp sites of unsp bronchus and lung | | 1 | 0 | 1 |
| Malignant neoplasm of unspecified part of left bronchus or lung | | 3 | 0 | 3 |
| J9034 INJI | JECTION BENDAMUSTINE HCL BENDEKA 1 MG | 1 | 4 | 5 |
| Acute lymphoblastic leukemia, in remission | | 0 | 1 | 1 |
| Chronic lymphocytic leukemia of B-cell type not having achieved remission | | 1 | 1 | 2 |
| Hodgkin lymphoma, unspecified, unspecified site | | 0 | 1 | 1 |
| Other Hodgkin lymphoma, lymph nodes of multiple sites | | 0 | 1 | 1 |
| J9035 INJI | IJECTION BEVACIZUMAB 10 MG | 4 | 4 | 8 |
| Malignant neoplasm of appendix | | 0 | 1 | 1 |
| Malignant neoplasm of colon, unspecified | | 4 | 0 | 4 |
| Malignant neoplasm of upper lobe, left bronchus or lung | | 0 | 1 | 1 |
| Type 2 diabetes mellitus with proliferative diabetic retinopathy with macul | | 0 | 2 | 2 |
| J9036 INJI | JECTION BENDAMUSTINE HYDROCHLORIDE 1 MG | 0 | 1 | 1 |
| Diffuse large B-cell lymphoma, extrnod and solid organ sites | | 0 | 1 | 1 |
| J9039 INJI | JECTION BLINATUMOMAB 1 MICROGRAM | 0 | 3 | 3 |
| Acute lymphoblastic leukemia not having achieved remission | | 0 | 3 | 3 |
| J9041 INJI | JECTION BORTEZOMIB 0.1 MG | 8 | 7 | 15 |
| Light chain (AL) amyloidosis | | 2 | 1 | 3 |
| Multiple myeloma not having achieved remission | | 5 | 6 | 11 |
| Organ-limited amyloidosis | | 1 | 0 | 1 |
| J9042 INJI | JECTION BRENTUXIMAB VEDOTIN 1 MG | 1 | 0 | 1 |
| Hodgkin lymphoma, unspecified, unspecified site | | 1 | 0 | 1 |
| J9043 INJI | JECTION CABAZITAXEL 1 MG | 1 | 1 | 2 |
| Malignant neoplasm of prostate | | 1 | 1 | 2 |
| J9047 INJI | IJECTION CARFILZOMIB 1 MG | 1 | 2 | 3 |
| Multiple myeloma not having achieved remission | | 1 | 2 | 3 |
| J9055 INJI | IJECTION CETUXIMAB 10 MG | 6 | 1 | 7 |
| Malignant neoplasm of anterior two-thirds of tongue, part unspecified | | 2 | 1 | 3 |
| Malignant neoplasm of overlapping sites of colon | | 1 | 0 | 1 |
| Malignant neoplasm of sigmoid colon | | 3 | 0 | 3 |
| J9061 INJI | JECTION, AMIVANTAMAB-VMJW 2 MG | 3 | 0 | 3 |

| | Malignant peoplesm of upon part of upon broughus or lung | | 3 | 0 | 2 |
|-------|--|--|----|----|----|
| 10070 | Malignant neoplasm of unsp part of unsp bronchus or lung | | 4 | 5 | 3 |
| J9070 | | CYCLOPHOSPHAMIDE 100 MG | 4 | | 9 |
| | Acute lymphoblastic leukemia not having achieved remission Acute lymphoblastic leukemia, in remission | | 0 | 0 | 1 |
| | Diffuse large B-cell lymphoma, extrnod and solid organ sites | | - | 2 | 2 |
| | 3 , , | | 0 | ' | |
| | Malignant neoplasm of lower-inner quadrant of left female breast | | · | 0 | 1 |
| | Malignant neoplasm of upper lobe, right bronchus or lung | | 0 | 1 | 1 |
| | Malignant neoplasm of upper-inner quadrant of left female breast | | 2 | 0 | 2 |
| 10440 | Malignant neoplasm of upper-outer quadrant of right female breast | | 0 | 1 | 1 |
| J9118 | | INJECTION CALASPARGASE PEGOL-MKNL 10 UNITS | 2 | 0 | 2 |
| | Acute lymphoblastic leukemia not having achieved remission | | 2 | 0 | 2 |
| J9119 | | INJECTION CEMIPLIMAB-RWLC 1 MG | 2 | 0 | 2 |
| | Basal cell carcinoma of skin, unspecified | | 1 | 0 | 1 |
| | Squamous cell carcinoma of skin, unspecified | | 1 | 0 | 1 |
| J9144 | | INJECTION DARATUMUMAB 10 MG and HYALURONIDASE-FIHJ | 10 | 9 | 19 |
| | Light chain (AL) amyloidosis | | 3 | 4 | 7 |
| | Multiple myeloma in relapse | | 2 | 0 | 2 |
| | Multiple myeloma not having achieved remission | | 5 | 5 | 10 |
| J9145 | | INJECTION DARATUMUMAB 10 MG | 2 | 2 | 4 |
| | Multiple myeloma not having achieved remission | | 2 | 2 | 4 |
| J9155 | | INJECTION DEGARELIX 1 MG | 2 | 2 | 4 |
| | Malignant neoplasm of prostate | | 2 | 2 | 4 |
| J9173 | | INJECTION DURVALUMAB 10 MG | 7 | 10 | 17 |
| | Intrahepatic bile duct carcinoma | | 2 | 3 | 5 |
| | Liver cell carcinoma | | 1 | 6 | 7 |
| | Malignant neoplasm of head of pancreas | | 1 | 0 | 1 |
| | Malignant neoplasm of right main bronchus | | 1 | 0 | 1 |
| | Malignant neoplasm of upper lobe, right bronchus or lung | | 2 | 1 | 3 |
| J9177 | | INJECTION ENFORTUMAB VEDOTIN-EJFV 0.25 MG | 3 | 3 | 6 |
| | Malignant neoplasm of bladder, unspecified | | 3 | 3 | 6 |
| J9179 | | INJECTION ERIBULIN MESYLATE 0.1 MG | 3 | 0 | 3 |
| | Malignant neoplasm of unsp site of unspecified female breast | | 2 | 0 | 2 |
| | Malignant neoplasm of unspecified site of right female breast | | 1 | 0 | 1 |
| J9196 | | INJ GEMCITABINE HCI NOT THR EQUIV J9201 200 MG | 1 | 0 | 1 |
| | Malignant neoplasm of tail of pancreas | | 1 | 0 | 1 |
| J9205 | | INJECTION IRINOTECAN LIPOSOME 1 MG | 0 | 1 | 1 |
| | Malignant neoplasm of pancreatic duct | | 0 | 1 | 1 |
| J9228 | | INJECTION IPILIMUMAB 1 MG | 4 | 4 | 8 |
| | Liver cell carcinoma | | 1 | 2 | 3 |
| | Malignant melanoma of other part of trunk | | 1 | 0 | 1 |
| _ | Malignant melanoma of skin, unspecified | | 4 | 0 | 1 |

| | | · | 1 |
|--|--|--|--------------------------------------|
| | 1 | - | 1 |
| | | 1 | 1 |
| INJECTION INOTUZUMAB OZOGAMICIN 0.1 MG | 0 | 1 | 1 |
| | 0 | 1 | 1 |
| INJECTION PACLITAXEL PROTEINBOUND PARTICLES 1 MG | 13 | 7 | 20 |
| | 3 | 0 | 3 |
| | 1 | 0 | 1 |
| | 4 | 0 | 4 |
| | 0 | 2 | 2 |
| | 0 | 1 | 1 |
| | 2 | 0 | 2 |
| | 2 | 3 | 5 |
| | 0 | 1 | 1 |
| | 1 | 0 | 1 |
| INJECTION PEGASPARGASE PER SINGLE DOSE VIAL | 2 | 1 | 3 |
| | 1 | 0 | 1 |
| | 1 | 0 | 1 |
| | 0 | 1 | 1 |
| INJECTION PENTOSTATIN 10 MG | 1 | 0 | 1 |
| | 1 | 0 | 1 |
| INJECTION PEMBROLIZUMAB 1 MG | 84 | 36 | 120 |
| | | | |
| | 0 | 1 | 1 |
| | 0 | 1 | 1 |
| | | · | |
| | 0 | 1 | 1 |
| | 0 | 1 | 1 |
| | 0 0 2 | 1 1 0 | 1 1 2 |
| | 0 0 2 3 | 1 1 0 3 | 1 1 2 6 |
| | 0 0 2 3 2 | 1 1 0 3 | 1 1 2 6 3 |
| | 0 0 2 3 2 2 | 1 1 0 3 1 2 | 1 1 2 6 3 |
| | 0 0 2 3 2 2 0 | 1 1 0 3 1 2 | 1 1 2 6 3 4 |
| | 0 0 2 3 2 2 0 0 | 1 1 0 3 1 2 1 | 1 1 2 6 3 4 1 |
| | 0 0 2 3 2 2 0 0 | 1 1 0 3 1 2 1 1 | 1 1 2 6 3 4 1 1 |
| | 0 0 2 3 2 2 0 0 | 1 1 0 3 1 2 1 1 | 1 1 2 6 3 4 1 1 |
| | 0 0 2 3 2 2 0 0 1 3 2 | 1 1 0 3 1 2 1 1 0 0 | 1 1 2 6 3 4 1 1 |
| | 0 0 2 3 2 2 0 0 0 | 1 1 0 3 1 2 1 1 0 0 0 | 1 1 2 6 3 4 1 1 1 3 2 1 |
| | 0 0 2 3 2 2 0 0 1 3 2 1 | 1 1 0 3 1 2 1 1 0 0 0 | 1 1 2 6 3 4 1 1 1 3 2 1 3 |
| | 0 0 2 3 2 2 0 0 1 3 2 1 1 | 1 1 0 3 1 2 1 1 0 0 0 0 | 1 1 2 6 3 4 1 1 1 1 3 2 1 3 8 |
| | INJECTION INOTUZUMAB OZOGAMICIN 0.1 MG INJECTION PACLITAXEL PROTEINBOUND PARTICLES 1 MG INJECTION PEGASPARGASE PER SINGLE DOSE VIAL INJECTION PENTOSTATIN 10 MG | 1 | 1 0 0 1 1 1 1 1 1 1 |

| Malignant neoplasm of middle lobe, bronchus or lung Malignant neoplasm of oropharynx, unspecified Malignant neoplasm of overlapping sites of cervix uteri Malignant neoplasm of overlapping sites of left female breast Malignant neoplasm of overlapping sites of oropharynx Malignant neoplasm of overlapping sites of oropharynx Malignant neoplasm of pyloric antrum Malignant neoplasm of rectum Malignant neoplasm of right kidney, except renal pelvis Malignant neoplasm of sigmoid colon Malignant neoplasm of unsp kidney, except renal pelvis Malignant neoplasm of unsp kidney, except renal pelvis Malignant neoplasm of unsp kidney, except renal pelvis Malignant neoplasm of unsp kidney accept renal pelvis Malignant neoplasm of unsp bronchus or lung Malignant neoplasm of unsp part of unspecified female breast | 3 2 4 1 2 3 1 7 |
|--|--------------------------------------|
| Malignant neoplasm of overlapping sites of cervix uteri40Malignant neoplasm of overlapping sites of left female breast10Malignant neoplasm of overlapping sites of oropharynx20Malignant neoplasm of pyloric antrum12Malignant neoplasm of rectum10Malignant neoplasm of right kidney, except renal pelvis70Malignant neoplasm of sigmoid colon32Malignant neoplasm of unsp kidney, except renal pelvis60Malignant neoplasm of unsp part of unsp bronchus or lung22Malignant neoplasm of unsp site of unspecified female breast31 | 4 1 2 3 1 7 |
| Malignant neoplasm of overlapping sites of left female breast10Malignant neoplasm of overlapping sites of oropharynx20Malignant neoplasm of pyloric antrum12Malignant neoplasm of rectum10Malignant neoplasm of right kidney, except renal pelvis70Malignant neoplasm of sigmoid colon32Malignant neoplasm of unsp kidney, except renal pelvis60Malignant neoplasm of unsp part of unsp bronchus or lung22Malignant neoplasm of unsp site of unspecified female breast31 | 1 2 3 1 7 |
| Malignant neoplasm of overlapping sites of oropharynx Malignant neoplasm of pyloric antrum 1 2 Malignant neoplasm of rectum 1 0 Malignant neoplasm of right kidney, except renal pelvis 7 0 Malignant neoplasm of sigmoid colon 3 2 Malignant neoplasm of unsp kidney, except renal pelvis 6 0 Malignant neoplasm of unsp bronchus or lung Malignant neoplasm of unsp site of unspecified female breast 3 1 | 3 1 7 |
| Malignant neoplasm of pyloric antrum Malignant neoplasm of rectum Malignant neoplasm of right kidney, except renal pelvis Malignant neoplasm of sigmoid colon Malignant neoplasm of unsp kidney, except renal pelvis Malignant neoplasm of unsp kidney, except renal pelvis Malignant neoplasm of unsp bronchus or lung Malignant neoplasm of unsp site of unspecified female breast Malignant neoplasm of unsp site of unspecified female breast | 3 1 7 |
| Malignant neoplasm of rectum Malignant neoplasm of right kidney, except renal pelvis Malignant neoplasm of sigmoid colon Malignant neoplasm of unsp kidney, except renal pelvis Malignant neoplasm of unsp kidney, except renal pelvis Malignant neoplasm of unsp part of unsp bronchus or lung Malignant neoplasm of unsp site of unspecified female breast 3 1 | 7 |
| Malignant neoplasm of right kidney, except renal pelvis Malignant neoplasm of sigmoid colon Malignant neoplasm of unsp kidney, except renal pelvis Malignant neoplasm of unsp bronchus or lung Malignant neoplasm of unsp part of unsp bronchus or lung Malignant neoplasm of unsp site of unspecified female breast 3 1 | 7 |
| Malignant neoplasm of sigmoid colon Malignant neoplasm of unsp kidney, except renal pelvis Malignant neoplasm of unsp part of unsp bronchus or lung Malignant neoplasm of unsp site of unspecified female breast 3 2 Malignant neoplasm of unsp site of unspecified female breast 3 1 | |
| Malignant neoplasm of unsp kidney, except renal pelvis Malignant neoplasm of unsp part of unsp bronchus or lung Malignant neoplasm of unsp site of unspecified female breast 3 1 | 5 |
| Malignant neoplasm of unsp part of unsp bronchus or lung Malignant neoplasm of unsp site of unspecified female breast 3 1 | |
| Malignant neoplasm of unsp site of unspecified female breast 3 1 | 6 |
| | 4 |
| | 4 |
| Malignant neoplasm of upper lobe, left bronchus or lung | 4 |
| Malignant neoplasm of upper lobe, right bronchus or lung | 2 |
| Malignant neoplasm of upper-inner quadrant of left female breast 5 1 | 6 |
| Malignant neoplasm of upper-inner quadrant of right female breast | 1 |
| Malignant neoplasm of upper-outer quadrant of left female breast 6 1 | 7 |
| Malignant neoplasm of upper-outer quadrant of right female breast 2 2 | 4 |
| Malignant neoplasm of uterus, part unspecified 3 1 | 4 |
| Malignant neoplasm of vagina 0 1 | 1 |
| Other classical Hodgkin lymphoma, unspecified site | 1 |
| Other nonspecific abnormal finding of lung field 1 0 | 1 |
| Squamous cell carcinoma of skin of other parts of face 0 1 | 1 |
| Squamous cell carcinoma of skin, unspecified 1 1 | 2 |
| J9273 INJECTION, TISOTUMAB VEDOTIN-TFTV, 1 MG 2 1 | 3 |
| Malignant neoplasm of overlapping sites of cervix uteri | 3 |
| J9299 INJECTION NIVOLUMAB 1 MG 37 17 | 54 |
| Hodgkin lymphoma, unspecified, lymph nodes of multiple sites | 1 |
| Liver cell carcinoma 6 2 | 8 |
| Malignant melanoma of skin, unspecified 1 0 | 1 |
| Malignant neoplasm of bladder, unspecified 1 0 | 1 |
| Malignant neoplasm of body of stomach | 1 |
| Malignant neoplasm of cardia 3 1 | 4 |
| Malignant neoplasm of endocervix 1 0 | 1 |
| Malignant neoplasm of esophagus, unspecified 4 0 | 4 |
| Malignant neoplasm of head, face and neck 0 1 | 1 |
| Malignant neoplasm of left kidney, except renal pelvis | 13 |
| Malignant neoplasm of overlapping sites of biliary tract | 1 |
| | 1 |
| Malignant neoplasm of overlapping sites of right bronchus and lung 0 1 | |
| | 1 |

| | Malignant neoplasm of pyloric antrum | | 3 | 0 | 3 |
|-------|---|--|----|---|----|
| | Malignant neoplasm of right choroid | | 1 | 1 | 2 |
| | Malignant neoplasm of right kidney, except renal pelvis | | 1 | 3 | 4 |
| | Malignant neoplasm of unsp kidney, except renal pelvis | | 2 | 0 | 2 |
| | Malignant neoplasm of upper-outer quadrant of left female breast | | 0 | 1 | 1 |
| | Malignant neoplasm of urinary organ, unspecified | | 1 | 0 | 1 |
| | Mesothelioma of peritoneum | | 0 | 1 | 1 |
| | Other nonspecific abnormal finding of lung field | | 1 | 0 | 1 |
| J9301 | | INJECTION OBINUTUZUMAB 10 MG | 2 | 1 | 3 |
| | Follicular lymphoma grade II, lymph nodes of multiple sites | | 2 | 1 | 3 |
| J9303 | | INJECTION PANITUMUMAB 10 MG | 9 | 2 | 11 |
| | Malignant neoplasm of ascending colon | | 1 | 0 | 1 |
| | Malignant neoplasm of rectum | | 5 | 1 | 6 |
| | Malignant neoplasm of sigmoid colon | | 3 | 1 | 4 |
| J9305 | | INJECTION PEMETREXED NOS10 MG | 11 | 0 | 11 |
| | Malignant neoplasm of lower lobe, right bronchus or lung | | 3 | 0 | 3 |
| | Malignant neoplasm of right main bronchus | | 1 | 0 | 1 |
| | Malignant neoplasm of upper lobe, left bronchus or lung | | 3 | 0 | 3 |
| | Malignant neoplasm of upper lobe, right bronchus or lung | | 1 | 0 | 1 |
| | Mesothelioma of pleura | | 2 | 0 | 2 |
| | Other nonspecific abnormal finding of lung field | | 1 | 0 | 1 |
| J9306 | | INJECTION PERTUZUMAB 1 MG | 11 | 9 | 20 |
| | Malignant neoplasm of lower-outer quadrant of breast, female | | 1 | 1 | 2 |
| | Malignant neoplasm of lower-outer quadrant of left female breast | | 1 | 0 | 1 |
| | Malignant neoplasm of overlapping sites of left female breast | | 0 | 1 | 1 |
| | Malignant neoplasm of overlapping sites of right female breast | | 2 | 0 | 2 |
| | Malignant neoplasm of unsp site of unspecified female breast | | 2 | 0 | 2 |
| | Malignant neoplasm of unspecified site of left female breast | | 0 | 1 | 1 |
| | Malignant neoplasm of upper-inner quadrant of breast, female | | 1 | 2 | 3 |
| | Malignant neoplasm of upper-outer quadrant of left female breast | | 2 | 2 | 4 |
| | Malignant neoplasm of upper-outer quadrant of right female breast | | 2 | 2 | 4 |
| J9308 | | INJECTION RAMUCIRUMAB 5 MG | 1 | 3 | 4 |
| | Liver cell carcinoma | | 1 | 0 | 1 |
| | Malignant neoplasm of greater curvature of stomach, unsp | | 0 | 1 | 1 |
| | Malignant neoplasm of stomach, unspecified | | 0 | 1 | 1 |
| | Malignant neoplasm of upper lobe, right bronchus or lung | | 0 | 1 | 1 |
| J9309 | | INJECTION POLATUZUMAB VEDOTIN-PIIQ 1 MG | 1 | 0 | 1 |
| | Diffuse large B-cell lymphoma, intra-abdominal lymph nodes | | 1 | 0 | 1 |
| J9312 | | INJECTION RITUXIMAB 10 MG | 3 | 0 | 3 |
| | Follicular lymphoma grade I, intra-abdominal lymph nodes | | 3 | 0 | 3 |
| | | | | | |
| J9316 | | INJ PERTUZUMAB TRASTUZUMAB and HYAL-ZZXF PER 10 MG | 5 | 3 | 8 |

| | Malignant neoplasm of breast of unspecified site, female | | 1 | 0 | 1 |
|-------|--|--|----|----|----|
| | Malignant neoplasm of lower-outer quadrant of left female breast | | 0 | 1 | 1 |
| | Malignant neoplasm of nipple and areola, right female breast | | 1 | 0 | 1 |
| | Malignant neoplasm of unspecified site of left female breast | | 2 | 0 | 2 |
| | Malignant neoplasm of upper-outer quadrant of left female breast | | 1 | 0 | 1 |
| | Malignant neoplasm of upper-outer quadrant of right female breast | | 0 | 2 | 2 |
| J9317 | | INJECTION SACITUZUMAB GOVITECAN-HZIY 2.5 MG | 4 | 1 | 5 |
| | Malignant neoplasm of central portion of left female breast | | 1 | 0 | 1 |
| | Malignant neoplasm of unsp site of unspecified female breast | | 0 | 1 | 1 |
| | Malignant neoplasm of upper-inner quadrant of left female breast | | 1 | 0 | 1 |
| | Malignant neoplasm of upper-outer quadrant of left female breast | | 1 | 0 | 1 |
| | Malignant neoplasm of upper-outer quadrant of right female breast | | 1 | 0 | 1 |
| J9319 | | INJECTION ROMIDEPSIN LYOPHILIZED 0.1 MG | 1 | 0 | 1 |
| | Peripheral T-cell lymphoma, not classified, nodes mult site | | 1 | 0 | 1 |
| J9347 | | INJECTION TREMELIMUMAB-ACTL 1 MG | 0 | 2 | 2 |
| | Liver cell carcinoma | | 0 | 2 | 2 |
| J9352 | | INJECTION TRABECTEDIN 0.1 MG | 0 | 7 | 7 |
| | Malignant neoplasm of connective and soft tissue of abdomen | | 0 | 3 | 3 |
| Malig | nant neoplasm of connective and soft tissue of right lower limb, inclu | | 0 | 3 | 3 |
| | Malignant neoplasm of head, face and neck | | 0 | 1 | 1 |
| J9354 | | INJ ADO-TRASTUZUMAB EMTANSINE 1 MG | 9 | 13 | 22 |
| | Malignant neoplasm of central portion of left female breast | | 1 | 4 | 5 |
| | Malignant neoplasm of central portion of right female breast | | 2 | 0 | 2 |
| | Malignant neoplasm of lower-outer quadrant of left female breast | | 1 | 0 | 1 |
| | Malignant neoplasm of nipple and areola, left female breast | | 0 | 2 | 2 |
| | Malignant neoplasm of overlapping sites of left female breast | | 1 | 4 | 5 |
| | Malignant neoplasm of overlapping sites of right female breast | | 4 | 3 | 7 |
| J9355 | | INJECTION TRASTUZUMAB EXCLUDES BIOSIMILAR 10 MG | 2 | 1 | 3 |
| | Malignant neoplasm of lower-outer quadrant of breast, female | | 1 | 1 | 2 |
| | Malignant neoplasm of unsp site of unspecified female breast | | 1 | 0 | 1 |
| J9356 | | INJECTION TRASTUZUMAB 10 MG AND HYALURONIDASE-OYSK | 1 | 0 | 1 |
| | Malignant neoplasm of upper-outer quadrant of breast, female | | 1 | 0 | 1 |
| J9358 | | INJECTION FAM-TRASTUZUMAB DERUXTECAN-NXKI 1 MG | 20 | 6 | 26 |
| | Malignant neoplasm of breast of unspecified site, female | | 2 | 0 | 2 |
| | Malignant neoplasm of central portion of right female breast | | 6 | 0 | 6 |
| | Malignant neoplasm of greater curvature of stomach, unsp | | 1 | 1 | 2 |
| | Malignant neoplasm of lower-inner quadrant of right female breast | | 2 | 2 | 4 |
| | Malignant neoplasm of pyloric antrum | | 6 | 0 | 6 |
| | | | _ | _ | 2 |
| | Malignant neoplasm of unsp site of unspecified female breast | | 1 | 1 | 2 |

| Maliana Annual and Ann | | _ | | 2 |
|--|--|---|---|---|
| Malignant neoplasm of upper-outer quadrant of left female breast | | 2 | 0 | 2 |
| Secondary malignant neoplasm of brain | | 0 | ' | · |
| | INJECTION, LONCASTUXIMAB TESIRINE-LPYL, 0.075 MG | 0 | 1 | 1 |
| Diffuse large B-cell lymphoma, intra-abdominal lymph nodes | | 0 | 1 | 1 |
| Ketorolac | | 2 | 1 | 3 |
| Chronic migraine w/o aura, intractable, w/o stat migr | | 1 | 0 | 1 |
| Multiple sclerosis | | 1 | 0 | 1 |
| Other migraine, not intractable, without status migrainosus | | 0 | 1 | 1 |
| Labetalol | | 2 | 0 | 2 |
| Essential (primary) hypertension | | 1 | 0 | 1 |
| Hypertension secondary to other renal disorders | | 1 | 0 | 1 |
| Lacosamide | | 2 | 2 | 4 |
| Epilepsy, unsp, not intractable, without status epilepticus | | 1 | 0 | 1 |
| Gen idiopathic epilepsy, not intractable, w/o stat epi | | 0 | 2 | 2 |
| Local-rel symptc epi w simp prt seiz,not ntrct, w/o stat epi | | 1 | 0 | 1 |
| Lactic Acid (Ammonium Lactate) | | 0 | 1 | 1 |
| Other specified epidermal thickening | | 0 | 1 | 1 |
| Lactulose | | 0 | 1 | 1 |
| Constipation, unspecified | | 0 | 1 | 1 |
| Lamotrigine | | 2 | 1 | 3 |
| Bipolar disorder, current episode depressed, moderate | | 0 | 1 | 1 |
| Local-rel symptc epi w cmplx part seiz, ntrct, w/o stat epi | | 1 | 0 | 1 |
| Major depressive disorder, recurrent severe without psychotic features | | 1 | 0 | 1 |
| Lansoprazole | | 3 | 3 | 6 |
| Dysphagia, pharyngeal phase | | 1 | 0 | 1 |
| Gastro-esophageal reflux disease without esophagitis | | 0 | 3 | 3 |
| Lung transplant status | | 1 | 0 | 1 |
| Secondary malignant neoplasm of unspecified site | | 1 | 0 | 1 |
| Lanthanum | | 1 | 0 | 1 |
| Other disorders of phosphorus metabolism | | 1 | 0 | 1 |
| Lasmiditan | | 4 | 0 | 4 |
| Chronic migraine w/o aura, intractable, w/o stat migr | | 2 | 0 | 2 |
| Chronic migraine w/o aura, not intractable, w/o stat migr | | 2 | 0 | 2 |
| Latanoprostene | | 3 | 6 | 9 |
| Glaucoma secondary to other eye disorders, right eye, severe stage | | 0 | 1 | 1 |
| Ocular hypertension, bilateral | | 0 | 1 | 1 |
| Open angle with borderline findings, high risk, unspecified eye | | 0 | 2 | 2 |
| Primary open-angle glaucoma, bilateral, mild stage | | 0 | 2 | 2 |
| Primary open-angle glaucoma, right eye, severe stage | | 1 | 0 | 1 |
| Unspecified open-angle glaucoma, moderate stage | | 2 | 0 | 2 |
| Lemborexant | | 0 | 5 | 5 |
| • • • • • | | - | - | • |

| | • | | |
|--|----|----|----|
| Insomnia, unspecified | 0 | 1 | 1 |
| Primary insomnia | 0 | 1 | 1 |
| Psychophysiologic insomnia | 0 | 3 | 3 |
| Lenalidomide | 23 | 5 | 28 |
| Diffuse large B-cell lymphoma, extrnod and solid organ sites | 1 | 0 | 1 |
| Diffuse large B-cell lymphoma, lymph nodes of multiple sites | 1 | 0 | 1 |
| Multiple myeloma in relapse | 1 | 0 | 1 |
| Multiple myeloma in remission | 4 | 0 | 4 |
| Multiple myeloma not having achieved remission | 16 | 4 | 20 |
| Oth types of non-Hodgkin lymphoma, unspecified site | 0 | 1 | 1 |
| Lenvatinib | 12 | 1 | 13 |
| Liver cell carcinoma | 1 | 1 | 2 |
| Malignant neoplasm of endometrium | 3 | 0 | 3 |
| Malignant neoplasm of left kidney, except renal pelvis | 1 | 0 | 1 |
| Malignant neoplasm of right kidney, except renal pelvis | 2 | 0 | 2 |
| Malignant neoplasm of thyroid gland | 3 | 0 | 3 |
| Malignant neoplasm of unsp kidney, except renal pelvis | 2 | 0 | 2 |
| Letermovir | 2 | 3 | 5 |
| Acute myeloblastic leukemia, not having achieved remission | 0 | 1 | 1 |
| Cytomegaloviral disease, unspecified | 0 | 2 | 2 |
| Other cytomegaloviral diseases | 1 | 0 | 1 |
| Stem cells transplant status | 1 | 0 | 1 |
| Leucovorin | 2 | 0 | 2 |
| Malignant neoplasm of colon, unspecified | 1 | 0 | 1 |
| Malignant neoplasm of rectosigmoid junction | 1 | 0 | 1 |
| Leuprolide | 26 | 13 | 39 |
| Abnormal uterine and vaginal bleeding, unspecified | 1 | 2 | 3 |
| Encounter for assisted reprodctv fertility procedure cycle | 0 | 1 | 1 |
| Endometriosis, unspecified | 1 | 0 | 1 |
| Female infertility of tubal origin | 0 | 1 | 1 |
| Female infertility, unspecified | 0 | 1 | 1 |
| Intramural leiomyoma of uterus | 1 | 3 | 4 |
| Leiomyoma of uterus, unspecified | 1 | 1 | 2 |
| Malignant neoplasm of breast of unspecified site, female | 4 | 1 | 5 |
| Malignant neoplasm of central portion of left female breast | 1 | 0 | 1 |
| Malignant neoplasm of central portion of right female breast | 2 | 0 | 2 |
| Malignant neoplasm of lower-inner quadrant of left female breast | 1 | 0 | 1 |
| Malignant neoplasm of prostate | 5 | 1 | 6 |
| Malignant neoplasm of unspecified site of left female breast | 0 | 1 | 1 |
| Malignant neoplasm of upper-outer quadrant of breast, female | 0 | 1 | 1 |
| Malignant neoplasm of upper-outer quadrant of left female breast | 3 | 0 | 3 |

| 2 1 2 1 | 0 0 0 | 1 |
|------------------|---|---|
| 2 | | |
| | 0 | า |
| 1 | | 2 |
| | 0 | 1 |
| 4 | 4 | 8 |
| 1 | 0 | 1 |
| 1 | 0 | 1 |
| 1 | 0 | 1 |
| 0 | 1 | 1 |
| 0 | 2 | 2 |
| 1 | 0 | 1 |
| 0 | 1 | 1 |
| 2 | 0 | 2 |
| 1 | 0 | 1 |
| 1 | 0 | 1 |
| 0 | 1 | 1 |
| 0 | 1 | 1 |
| 14 | 46 | 60 |
| 2 | 0 | 2 |
| 0 | 1 | 1 |
| 0 | 1 | 1 |
| 0 | 2 | 2 |
| 0 | 1 | 1 |
| 1 | 1 | 2 |
| 0 | 4 | 4 |
| 0 | 1 | 1 |
| 0 | 4 | 4 |
| 0 | 1 | 1 |
| 1 | 0 | 1 |
| 0 | 1 | 1 |
| 0 | 1 | 1 |
| 3 | 1 | 4 |
| 1 | 0 | 1 |
| 0 | 4 | 4 |
| 0 | 1 | 1 |
| 0 | 3 | 3 |
| | 1 | 3 |
| 0 | 1 | 1 |
| | 1 | 1 |
| | 1 | 1 |
| | | 4 |
| | 1 0 0 0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 1 0 0 1 0 2 1 0 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 4 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 3 2 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 |

| Polyneuropathy, unspecified | 1 | 1 | 2 |
|---|----|----|-----|
| Postherpetic polyneuropathy | 1 | 2 | 3 |
| Postherpetic trigeminal neuralgia | 1 | 1 | 2 |
| Pruritus, unspecified | 0 | 1 | 1 |
| Radiculopathy, lumbar region | 0 | 2 | 2 |
| Spasmodic torticollis | 0 | 1 | 1 |
| Spondylolisthesis, thoracic region | 0 | 1 | 1 |
| Strain of other muscle(s) and tendon(s) of posterior muscle group at I | 0 | 1 | 1 |
| Type 2 diabetes mellitus with diabetic neuropathy, unspecified | 1 | 0 | 1 |
| Unilateral primary osteoarthritis, right knee | 0 | 1 | 1 |
| Lifitegrast | 10 | 10 | 20 |
| Acute dacryoadenitis, right lacrimal gland | 0 | 1 | 1 |
| Dry eye syndrome of bilateral lacrimal glands | 5 | 3 | 8 |
| Keratoconjunctivitis sicca, not specified as Sjogren's, bilateral | 4 | 6 | 10 |
| Stevens-Johnson syndrome | 1 | 0 | 1 |
| Linaclotide | 75 | 99 | 174 |
| Chronic idiopathic constipation | 37 | 28 | 65 |
| Constipation, unspecified | 6 | 24 | 30 |
| Diverticulitis of intestine, part unsp, w/o perforation or abscess w/o blee | 0 | 2 | 2 |
| Drug induced constipation | 1 | 2 | 3 |
| Functional dyspepsia | 1 | 0 | 1 |
| Generalized abdominal pain | 0 | 1 | 1 |
| Irritable bowel syndrome with constipation | 18 | 24 | 42 |
| Irritable bowel syndrome with diarrhea | 0 | 2 | 2 |
| Irritable bowel syndrome without diarrhea | 2 | 1 | 3 |
| Mixed irritable bowel syndrome | 1 | 0 | 1 |
| Other constipation | 4 | 8 | 12 |
| Other specified congenital malformations of intestine | 2 | 0 | 2 |
| Other specified diseases of intestine | 1 | 0 | 1 |
| Personal history of other diseases of the digestive system | 1 | 0 | 1 |
| Slow transit constipation | 0 | 6 | 6 |
| Spondylosis without myelopathy or radiculopathy, lumbar region | 0 | 1 | 1 |
| Unspecified cirrhosis of liver | 1 | 0 | 1 |
| Linagliptin | 20 | 18 | 38 |
| Diabetes mellitus due to underlying condition w/diabetic chronic kidney dz | 1 | 0 | 1 |
| Essential (primary) hypertension | 0 | 1 | 1 |
| Prediabetes | 0 | 2 | 2 |
| Type 2 diabetes mellitus w oth diabetic kidney complication | 1 | 0 | 1 |
| Type 2 diabetes mellitus with diabetic mononeuropathy | 0 | 1 | 1 |
| Type 2 diabetes mellitus with diabetic nephropathy | 0 | 1 | 1 |

| Type 2 diabetes mellitus with hyperglycemia | | 7 | 3 | 10 |
|--|---|----|----|-----|
| Type 2 diabetes mellitus with other circulatory complications | | 0 | 2 | 2 |
| Type 2 diabetes mellitus with other specified complication | | 1 | 1 | 2 |
| Type 2 diabetes mellitus with unspecified complications | | 1 | 0 | 1 |
| Type 2 diabetes mellitus without complications | | 9 | 7 | 16 |
| Linezolid | | 9 | 6 | 15 |
| | | 1 | 0 | 1 |
| Acute lymphoblastic leukemia not having achieved remission | | 1 | 0 | 1 |
| Bacteremia | | 1 | 0 | 1 |
| Cellulitis of chest wall | | 1 | 0 | 1 |
| Cellulitis of left finger | | 0 | 1 | 1 |
| Cutaneous abscess of right foot | | 0 | 2 | 2 |
| Impetigo | | 0 | 2 | 2 |
| Infection following a procedure, other surgical site, initial encounter | | 1 | 0 | 1 |
| Infection following a procedure, other surgical site, subsequent encounter | | 1 | 0 | 1 |
| Osteomyelitis, unspecified | | 1 | 0 | 1 |
| Severe sepsis with septic shock | | 0 | 1 | 1 |
| Staphylococcal arthritis, left shoulder | | 1 | 0 | 1 |
| Synovitis and tenosynovitis, unspecified | | 1 | 0 | 1 |
| Liraglutide | ' | 13 | 27 | 40 |
| Body mass index (BMI) 45.0-49.9, adult | | 0 | 1 | 1 |
| diagnosis code unavailable | | 0 | 3 | 3 |
| Morbid (severe) obesity due to excess calories | | 1 | 3 | 4 |
| Obesity, unspecified | | 0 | 6 | 6 |
| Other hyperlipidemia | | 0 | 1 | 1 |
| Other obesity due to excess calories | | 0 | 2 | 2 |
| Prediabetes | | 1 | 3 | 4 |
| Type 2 diabetes mellitus w oth diabetic kidney complication | | 0 | 1 | 1 |
| Type 2 diabetes mellitus with diabetic nephropathy | | 0 | 1 | 1 |
| Type 2 diabetes mellitus with hyperglycemia | | 9 | 2 | 11 |
| Type 2 diabetes mellitus without complications | | 2 | 4 | 6 |
| Lisdexamfetamine | | 90 | 89 | 179 |
| Anxiety disorder, unspecified | | 3 | 1 | 4 |
| Attention and concentration deficit | | 5 | 5 | 10 |
| Attention-deficit hyperactivity disorder, combined type | | 12 | 16 | 28 |
| Attention-deficit hyperactivity disorder, other type | | 0 | 5 | 5 |
| Attention-deficit hyperactivity disorder, predominantly inattentive type | | 1 | 0 | 1 |
| Attention-deficit hyperactivity disorder, unspecified type | | 15 | 17 | 32 |
| Attn-defct hyperactivity disorder, predom hyperactive type | | 1 | 3 | 4 |
| Attn-defct hyperactivity disorder, predom inattentive type | | 43 | 31 | 74 |
| Binge eating disorder | | 5 | 5 | 10 |

| Sporar discontent current epicios despressord, moderate 0 1 1 3 3 6 6 6 6 6 6 6 6 | | | | |
|--|---|----|----|----|
| Generalized arriving desired; Control Co | Bipolar disorder, current episode depressed, moderate | 0 | 1 | 1 |
| Other specified behavioral and emotional disorders with onset usually scream Committee | diagnosis code unavailable | 2 | 1 | 3 |
| Limoprif Facential (primary) hypertension 1 1 2 2 2 2 2 3 3 3 3 3 | Generalized anxiety disorder | 0 | 1 | 1 |
| Eisential (orimay) hypertension | | 3 | 3 | 6 |
| Lommatine 4 0 4 Mailgnant neoplasm of overlapping sites of brain 3 0 3 Mailgnant neoplasm of temporal lobe 1 0 1 Lonagesponatropin 1 1 2 Brypophularitim 1 1 2 Lorazepam 1 5 6 Generalized anxiety disorder 0 1 1 1 Generalized anxiety disorder 0 1 2 2 <td< td=""><td></td><td>1</td><td>1</td><td>2</td></td<> | | 1 | 1 | 2 |
| Malignant neoplasm of overlapping sites of brain 3 | Essential (primary) hypertension | 1 | 1 | 2 |
| Malgnant neoplasm of temporal lobe | Lomustine | 4 | 0 | 4 |
| Lorange Hypopitularian 1 | Malignant neoplasm of overlapping sites of brain | 3 | 0 | 3 |
| Hypopitularism 1 | Malignant neoplasm of temporal lobe | 1 | 0 | 1 |
| Lorazepam 1 5 6 Generalized anxiety disorder 0 2 2 Generalized anxiety disorder 0 1 1 Insomnia, unspecified 0 1 1 Major depressive disorder, recurrent moderate 0 1 0 1 Panic disorder vithout aporaphobia 1 0 1 1 Loristinib 2 0 2 2 Malignant neoplasm of upper lobe, left bronchus or lung 2 0 2 2 Losartan 6 3 9 Atherosclerotic heart disease of native coronary artery wo angina pectoris 0 1 1 1 Essential (primary) hypertension 5 2 7 1 <td< td=""><td>Lonapegsomatropin</td><td>1</td><td>1</td><td>2</td></td<> | Lonapegsomatropin | 1 | 1 | 2 |
| Dystonia, unspecified 0 2 2 2 | Hypopituitarism | 1 | 1 | 2 |
| Generalized anxiety disorder | Lorazepam | 1 | 5 | 6 |
| Insomnia, unspecified | Dystonia, unspecified | 0 | 2 | 2 |
| Major depressive disorder, recurrent, moderate Panic disorder without agoraphobia 1 0 1 1 1 0 0 1 1 0 1 1 1 0 0 1 1 1 1 0 0 1 1 1 1 | Generalized anxiety disorder | 0 | 1 | 1 |
| Panic disorder without agoraphobia Lorlatinib Ca 0 2 Malignant neoplasm of upper lobe, left bronchus or lung Malignant neoplasm of upper lobe, left bronchus or lung Atherosclerotic heart disease of native coronary artery wo angina pectoris Essential (primary) hypertension Essential (primary) hypertension Nonspecific low blood-pressure reading Loteprednol Chronic giant papillary conjunctivitis, bilateral Dry eye syndrome of bilateral lacrimal glands Herpesvinal conjunctivitis Perpendicular of the properties of the pr | Insomnia, unspecified | 0 | 1 | 1 |
| Loriatinib 2 0 2 Malignant neoplasm of upper lobe, left bronchus or lung 2 0 2 Losartan 6 3 9 Atherosclerotic heart disease of native coronary artery wo angina pectoris 0 1 1 Essential (primary) hypertension 5 2 7 Nonspecific low blood-pressure reading 1 0 1 Loteprednol 0 12 12 Chronic giant papillary conjunctivitis, bilateral 0 1 1 Dry eye syndrome of bilateral lacrimal glands 0 1 1 Perpesviral conjunctivitis 0 1 1 Other chronic allergic conjunctivitis 0 2 2 Quamous blepharitis left upper eyelid 0 1 1 Unspecified contact dermatitis, unspecified cause 0 1 1 Viral conjunctivitis, unspecified 0 1 1 Lubiprostone 10 14 24 Constipation, unspecified 4 2 6 | Major depressive disorder, recurrent, moderate | 0 | 1 | 1 |
| Malignant neoplasm of upper lobe, left bronchus or lung 2 0 2 Losartan 6 3 9 Atherosclerotic heart disease of native coronary artery wo angina pectoris 0 1 1 Essential (primary) hypertension 5 2 7 Nonspecific low blood-pressure reading 1 0 1 Loteprednol 0 12 12 Chronic giant papillary conjunctivitis, bilateral 0 1 1 Dy eye syndrome of bilateral lacrimal glands 0 5 5 Herpesviral conjunctivitis 0 5 5 Quamous blepharitis left upper eyelid 0 1 1 Unspecified contact dermatitis, unspecified cause 0 1 1 Viral conjunctivitis, unspecified cause 0 1 1 Viral conjunctivitis, unspecified 0 1 1 Lubiprostone 10 14 24 Chronic idiopathic constipation 1 2 3 Constipation, unspecified 4 2 6 Diverticulosis of intestine, part unspecified, without perforation or absce 0 1 1 Drug induced constipation 0 1 1 Other constipation < | Panic disorder without agoraphobia | 1 | 0 | 1 |
| Losartan 6 3 9 Atherosclerotic heart disease of native coronary artery wo angina pectoris 0 1 1 Essential (primary) hypertension 5 2 7 Nonspecific low blood-pressure reading 1 0 1 Loteprednol 0 12 12 Chronic giant papillary conjunctivitis, bilateral 0 1 1 Dry eye syndrome of bilateral lacrimal glands 0 5 5 Herpesviral conjunctivitis 0 2 2 Other chronic allergic conjunctivitis 0 1 1 Squamous blepharitis left upper eyelid 0 1 1 Unspecified contact dermatitis, unspecified cause 0 1 1 Viral conjunctivitis, unspecified cause 0 1 1 Lubiprostone 10 14 24 Chronic idiopathic constipation 1 2 3 Chronic idiopathic constipation 1 2 3 Diverticulosis of intestine, part unspecified, without perforation or absee 0 1 1 1 Drug induced constipation 0 1 1 1 Intribable bowel syndrome with constipation 4 6 10 <t< td=""><td>Lorlatinib</td><td>2</td><td>0</td><td>2</td></t<> | Lorlatinib | 2 | 0 | 2 |
| Atherosclerotic heart disease of native coronary artery wo angina pectoris Essential (primary) hypertension Nonspecific low blood-pressure reading Loteprednol Chronic giant papillary conjunctivitis, bilateral Dry eye syndrome of bilateral lacrimal glands Herpesviral conjunctivitis Dry eye syndrome of bilateral lacrimal glands Cheronic allergic conjunctivitis Duspecified contact dermatitis, unspecified cause Chronic diopathic constipation Chronic didopathic constipation Chronic didopathic constipation Drug induced constipation Other constipation | Malignant neoplasm of upper lobe, left bronchus or lung | 2 | 0 | 2 |
| Essential (primary) hypertension 5 | Losartan | 6 | 3 | 9 |
| Nonspecific low blood-pressure reading Loteprednol Chronic giant papillary conjunctivitis, bilateral Chronic giant papillary conjunctivitis, bilateral Dry eye syndrome of bilateral lacrimal glands Herpesviral conjunctivitis Herpesviral conjunctivitis Other chronic allergic conjunctivitis Outher chronic allergic constipation Outher chronic allergic conjunctivitis Outher chronic allergic constipation Outher chronic allergic conjunctivitis Outher chronic allergic chronic allergic chronic allergic chronic allergic chro | Atherosclerotic heart disease of native coronary artery wo angina pectoris | 0 | 1 | 1 |
| Loteprednol01212Chronic giant papillary conjunctivitis, bilateral011Dry eye syndrome of bilateral lacrimal glands055Herpesviral conjunctivitis022Other chronic allergic conjunctivitis011Squamous blepharitis left upper eyelid011Unspecified contact dermatitis, unspecified cause011Viral conjunctivitis, unspecified cause011Viral conjunctivitis, unspecified011Lubiprostone123Chronic idiopathic constipation123Constipation, unspecified426Diverticulosis of intestine, part unspecified, without perforation or absce011Drug induced constipation011Prug induced constipation011Irritable bowel syndrome with constipation4610Other constipation011Slow transit constipation011 | Essential (primary) hypertension | 5 | 2 | 7 |
| Loteprednol01212Chronic giant papillary conjunctivitis, bilateral011Dry eye syndrome of bilateral lacrimal glands055Herpesviral conjunctivitis022Other chronic allergic conjunctivitis011Squamous blepharitis left upper eyelid011Unspecified contact dermatitis, unspecified cause011Viral conjunctivitis, unspecified cause011Viral conjunctivitis, unspecified011Lubiprostone123Chronic idiopathic constipation123Constipation, unspecified426Diverticulosis of intestine, part unspecified, without perforation or absce011Drug induced constipation011Prug induced constipation011Irritable bowel syndrome with constipation4610Other constipation011Slow transit constipation011 | Nonspecific low blood-pressure reading | 1 | 0 | 1 |
| Dry eye syndrome of bilateral lacrimal glands Herpesviral conjunctivitis Other chronic allergic conjunctivities Other chronic allergic conjunctivitis Other chronic allergic chronic allergic conjunctivities Other chronic allergic chro | | 0 | 12 | 12 |
| Dry eye syndrome of bilateral lacrimal glands Herpesviral conjunctivitis Other chronic allergic conjunctivities Other chronic allergic conjunctivitis Other chronic allergic chronic allergic conjunctivities Other chronic allergic chro | Chronic giant papillary conjunctivitis, bilateral | 0 | 1 | 1 |
| Herpesviral conjunctivitis Other chronic allergic conjunctivitis Other chronic allergic conjunctivitis Other chronic allergic conjunctivitis Squamous blepharitis left upper eyelid Outspecified contact dermatitis, unspecified cause Unspecified contact dermatitis, unspecified cause Viral conjunctivitis, unspecified Viral conjunctivitis, unspecified Chronic idiopathic constipation Chronic idiopathic constipation Chronic idiopathic constipation Constipation, unspecified Diverticulosis of intestine, part unspecified, without perforation or absce Diverticulosis of intestine, part unspecified, without perforation or absce Drug induced constipation Other constipation | | 0 | 5 | 5 |
| Other chronic allergic conjunctivitisSquamous blepharitis left upper eyelid011Unspecified contact dermatitis, unspecified cause011Viral conjunctivitis, unspecified011Lubiprostone101424Chronic idiopathic constipation123Constipation, unspecified426Diverticulosis of intestine, part unspecified, without perforation or absce011Drug induced constipation011Irritable bowel syndrome with constipation4610Other constipation011Slow transit constipation011 | | 0 | 2 | 2 |
| Squamous blepharitis left upper eyelid011Unspecified contact dermatitis, unspecified cause011Viral conjunctivitis, unspecified011Lubiprostone101424Chronic idiopathic constipation123Constipation, unspecified426Diverticulosis of intestine, part unspecified, without perforation or absce011Drug induced constipation011Irritable bowel syndrome with constipation4610Other constipation011Slow transit constipation011 | | 0 | 1 | 1 |
| Unspecified contact dermatitis, unspecified cause Viral conjunctivitis, unspecified Viral conjunctivitis, unspecified Viral conjunctivitis, unspecified Unspecified contact dermatitis, unspecified Viral conjunctivitis, unspecified Viral conjunctivitis, unspecified Viral constipation Viral constitution Viral constitu | | 0 | 1 | 1 |
| Lubiprostone101424Chronic idiopathic constipation123Constipation, unspecified426Diverticulosis of intestine, part unspecified, without perforation or absce011Drug induced constipation011Irritable bowel syndrome with constipation4610Other constipation011Slow transit constipation011 | | 0 | 1 | 1 |
| Lubiprostone101424Chronic idiopathic constipation123Constipation, unspecified426Diverticulosis of intestine, part unspecified, without perforation or absce011Drug induced constipation011Irritable bowel syndrome with constipation4610Other constipation011Slow transit constipation011 | Viral conjunctivitis, unspecified | 0 | 1 | 1 |
| Constipation, unspecified426Diverticulosis of intestine, part unspecified, without perforation or absce011Drug induced constipation011Irritable bowel syndrome with constipation4610Other constipation011Slow transit constipation011 | | 10 | 14 | 24 |
| Diverticulosis of intestine, part unspecified, without perforation or absce011Drug induced constipation011Irritable bowel syndrome with constipation4610Other constipation011Slow transit constipation011 | Chronic idiopathic constipation | 1 | 2 | 3 |
| Drug induced constipation011Irritable bowel syndrome with constipation4610Other constipation011Slow transit constipation011 | Constipation, unspecified | 4 | 2 | 6 |
| Drug induced constipation011Irritable bowel syndrome with constipation4610Other constipation011Slow transit constipation011 | Diverticulosis of intestine, part unspecified, without perforation or absce | 0 | 1 | 1 |
| Irritable bowel syndrome with constipation4610Other constipation011Slow transit constipation011 | | 0 | 1 | 1 |
| Other constipation011Slow transit constipation011 | | | 6 | 10 |
| Slow transit constipation 0 1 1 | | 0 | 1 | |
| | Slow transit constipation | 0 | 1 | 1 |
| | Spondylosis without myelopathy or radiculopathy, lumbar region | 1 | 0 | 1 |

| Lumateperone | 4 | 3 | 7 |
|---|----|----|----|
| Attention-deficit hyperactivity disorder, unspecified type | 1 | 0 | 1 |
| Bipolar disorder, current episode depressed, moderate | 2 | 0 | 2 |
| Bipolar disorder, current episode mixed, severe without psychotic features | 1 | 0 | 1 |
| Bipolar II disorder | 0 | 1 | 1 |
| Psychophysiologic insomnia | 0 | 1 | 1 |
| Schizoaffective disorder, bipolar type | 0 | 1 | 1 |
| Lurasidone | 19 | 12 | 31 |
| Bipolar affective disorder, curnt episode severe depression w psychotic sym | 1 | 0 | 1 |
| Bipolar disord, crnt episode manic w/o psych features, unsp | 2 | 0 | 2 |
| Bipolar disorder, current episode depressed, mild | 1 | 0 | 1 |
| Bipolar disorder, current episode depressed, moderate | 3 | 2 | 5 |
| Bipolar disorder, current episode depressed, severe, without psychotic feat | 2 | 0 | 2 |
| Bipolar disorder, current episode manic severe with psychotic features | 1 | 0 | 1 |
| Bipolar disorder, current episode manic without psychotic features, moderat | 2 | 0 | 2 |
| Bipolar disorder, current episode mixed, severe without psychotic features | 1 | 0 | 1 |
| Bipolar disorder, in partial remission, most recent episode mixed | 2 | 0 | 2 |
| Bipolar disorder, unspecified | 1 | 2 | 3 |
| Bipolar II disorder | 1 | 4 | 5 |
| Generalized anxiety disorder | 0 | 2 | 2 |
| Major depressive disorder, recurrent severe without psychotic features | 0 | 1 | 1 |
| Panic disorder without agoraphobia | 1 | 0 | 1 |
| Schizoaffective disorder, bipolar type | 1 | 1 | 2 |
| Macitentan | 6 | 0 | 6 |
| Primary pulmonary hypertension | 4 | 0 | 4 |
| Secondary pulmonary arterial hypertension | 2 | 0 | 2 |
| Maraviroc | 0 | 1 | 1 |
| Asymptomatic human immunodeficiency virus infection status | 0 | 1 | 1 |
| Mavacamten | 2 | 0 | 2 |
| Obstructive hypertrophic cardiomyopathy | 1 | 0 | 1 |
| Paroxysmal atrial fibrillation | 1 | 0 | 1 |
| Meclizine | 0 | 1 | 1 |
| Dizziness and giddiness | 0 | 1 | 1 |
| Medroxyprogesterone | 0 | 1 | 1 |
| Leiomyoma of uterus, unspecified | 0 | 1 | 1 |
| Meloxicam | 0 | 5 | 5 |
| Hemarthrosis, right shoulder | 0 | 1 | 1 |
| Myalgia, unspecified site | 0 | 1 | 1 |
| Pain in right hip | 0 | 1 | 1 |

| Unspecified osteoarthritis, unspecified site | 0 | 2 | 2 |
|---|---------------|----------|---------------|
| Memantine | 0 | | |
| Dementia in oth diseases classd elswhr w/o behavrl disturb | | 2 | 2 2 |
| Mepolizumab | 0 5 | 7 | 12 |
| | 1 | 0 | 12 |
| Hypereosinophilic syndrome [HES], unspecified | 0 | 1 | 1 |
| Moderate persistent asthma with acute exacerbation | 0 | | |
| Nasal polyp, unspecified | | 0 | 2 |
| Polyp of nasal cavity | 2 | | 2 |
| Severe persistent asthma, uncomplicated | 2 | 4 | 6 |
| Meropenem | 1 | 1 | 2 |
| Unspecified septicemia | 1 | 1 | 2 |
| Mesalamine | 5 | 13 | 18 |
| Intestinal malabsorption, unspecified | 0 | 1 | 1 |
| Left sided colitis without complications | 0 | 1 | 1 |
| Melena | 1 | 1 | 2 |
| Other specified diseases of anus and rectum | 0 | 2 | 2 |
| Other ulcerative colitis with rectal bleeding | 0 | 1 | 1 |
| Other ulcerative colitis without complications | 0 | 1 | 1 |
| Ulcerative (chronic) pancolitis without complications | 1 | 2 | 3 |
| Ulcerative (chronic) proctitis with rectal bleeding | 1 | 0 | 1 |
| Ulcerative (chronic) proctitis without complications | 1 | 2 | 3 |
| Ulcerative colitis, unspecified, without complications | 1 | 2 | 3 |
| Mesna | 0 | 1 | 1 |
| Malignant neoplasm of upper-outer quadrant of right female breast | 0 | 1 | 1 |
| Metaxalone | 1 | 4 | 5 |
| muscle spasm of back | 0 | 2 | 2 |
| Other muscle spasm | 1 | 0 | 1 |
| Spasmodic torticollis | 0 | 2 | 2 |
| Metformin | 1 | 1 | 2 |
| Type 2 diabetes mellitus with diabetic chronic kidney disease | 1 | 0 | 1 |
| Type 2 diabetes mellitus with hyperglycemia | 0 | 1 | 1 |
| Methadone | 3 | 2 | 5 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Malignant neoplasm of rectum | 1 | 0 | 1 |
| Opioid dependence, uncomplicated | 1 | 0 | 1 |
| Radiculopathy, lumbar region | 0 | 1 | 1 |
| Vertebrogenic low back pain | 0 | 1 | 1 |
| Methocarbamol | 2 | 0 | 2 |
| Myalgia, other site | 1 | 0 | 1 |
| Unilateral primary osteoarthritis, left knee | 1 | 0 | 1 |
| Methotrexate | 1 | 0 | 1 |

| Aortic arch syndrome [Takayasu] | 1 | 0 | 1 |
|---|----|----|-----|
| Methylnaltrexone | 8 | 7 | 15 |
| Adverse effect of other opioids, initial encounter | 0 | 1 | 1 |
| Drug induced constipation | 8 | 6 | 14 |
| Methylphenidate | 98 | 26 | 124 |
| Attention and concentration deficit | 2 | 2 | 4 |
| Attention-deficit hyperactivity disorder, combined type | 26 | 5 | 31 |
| Attention-deficit hyperactivity disorder, other type | 3 | 0 | 3 |
| Attention-deficit hyperactivity disorder, unspecified type | 17 | 8 | 25 |
| Attn-defct hyperactivity disorder, predom hyperactive type | 4 | 0 | 4 |
| Attn-defct hyperactivity disorder, predom inattentive type | 30 | 5 | 35 |
| Bipolar II disorder | 1 | 0 | 1 |
| Cerebellar stroke syndrome | 1 | 0 | 1 |
| Conduct disorder, unspecified | 1 | 0 | 1 |
| diagnosis code unavailable | 2 | 0 | 2 |
| Generalized anxiety disorder | 1 | 0 | 1 |
| Major depressive disorder, recurrent severe without psychotic features | 1 | 0 | 1 |
| Major depressive disorder, recurrent, in partial remission | 1 | 1 | 2 |
| Major depressive disorder, single episode, moderate | 1 | 0 | 1 |
| Malignant neoplasm of sigmoid colon | 1 | 1 | 2 |
| Narcolepsy with cataplexy | 1 | 1 | 2 |
| Narcolepsy without cataplexy | 1 | 0 | 1 |
| Neoplastic (malignant) related fatigue | 0 | 1 | 1 |
| Other long term (current) drug therapy | 1 | 0 | 1 |
| Other specified behavioral and emotional disorders with onset usually | 3 | 0 | 3 |
| occur | | | |
| Peripheral T-cell lymphoma, not classified, nodes mult site | 0 | 1 | 1 |
| Unspecified intracranial injury with loss of consciousness of 30 minutes | 0 | 1 | 1 |
| Metoclopramide | 3 | 0 | 3 |
| Gastroparesis | 3 | 0 | 3 |
| Metolazone | 1 | 0 | 1 |
| Rheumatic tricuspid insufficiency | 1 | 0 | 1 |
| Metoprolol | 4 | 1 | 5 |
| Atherosclerotic heart disease of native coronary artery with unstable angin | 1 | 0 | 1 |
| Essential (primary) hypertension | 0 | 1 | 1 |
| Other ventricular tachycardia | 1 | 0 | 1 |
| Rheumatic mitral stenosis | 1 | 0 | 1 |
| Ventricular premature depolarization | 1 | 0 | 1 |
| Metronidazole | 0 | 3 | 3 |
| Other rosacea | 0 | 1 | 1 |
| Rosacea, unspecified | 0 | 2 | 2 |

| Micafungin | 2 | 0 | 2 |
|---|----|----|----|
| Candidal sepsis | 1 | 0 | 1 |
| Other cholangitis | 1 | 0 | 1 |
| Midazolam | 1 | 2 | 3 |
| Epilepsy, unsp, intractable, without status epilepticus | 1 | 0 | 1 |
| Localization-related (focal) (partial) idiopathic epilepsy and epileptic sy | 0 | 1 | 1 |
| Other seizures | 0 | 1 | 1 |
| Midostaurin | 2 | 0 | 2 |
| Acute myeloblastic leukemia, in remission | 1 | 0 | 1 |
| Acute myeloblastic leukemia, not having achieved remission | 1 | 0 | 1 |
| Mifepristone (Hyperglycemia) | 1 | 1 | 2 |
| Cushings syndrome, unspecified | 1 | 1 | 2 |
| Milnacipran | 1 | 1 | 2 |
| Fibromyalgia | 1 | 1 | 2 |
| Mirabegron | 21 | 29 | 50 |
| Enlarged prostate with lower urinary tract symptoms | 1 | 0 | 1 |
| Frequency of micturition | 2 | 2 | 4 |
| Mixed incontinence | 2 | 3 | 5 |
| Neuromuscular dysfunction of bladder, unspecified | 3 | 2 | 5 |
| Overactive bladder | 9 | 11 | 20 |
| Stress incontinence (female) (male) | 0 | 3 | 3 |
| Unspecified symptoms and signs involving the genitourinary system | 0 | 2 | 2 |
| Urge incontinence | 3 | 2 | 5 |
| Urgency of urination | 1 | 4 | 5 |
| Mirtazapine | 2 | 2 | 4 |
| Acute gastritis without bleeding | 1 | 0 | 1 |
| Major depressive disorder, recurrent, moderate | 1 | 0 | 1 |
| Major depressive disorder, recurrent, unspecified | 0 | 1 | 1 |
| Striatonigral degeneration | 0 | 1 | 1 |
| Modafinil | 8 | 10 | 18 |
| Attention and concentration deficit | 0 | 2 | 2 |
| Circadian rhythm sleep disorder, shift work type | 0 | 2 | 2 |
| Diffuse TBI w loss of consciousness of unsp duration, init | 0 | 1 | 1 |
| Hypersomnolence disorder | 1 | 1 | 2 |
| Idiopathic hypersomnia with long sleep time | 0 | 1 | 1 |
| Insomnia due to a Mental Disorder | 2 | 0 | 2 |
| Insomnia, unspecified | 1 | 0 | 1 |
| Major depressive disorder, recurrent severe without psychotic features | 1 | 0 | 1 |
| Major depressive disorder, single episode, unspecified | 0 | 2 | 2 |
| Multiple sclerosis | 1 | 0 | 1 |
| Narcolepsy without cataplexy | 1 | 0 | 1 |

| Obstructive sleep apnea (adult) (pediatric) | 1 | 0 | 1 |
|--|----|----------------|----|
| Other specified nonpsychotic mental disorders | 0 | 1 | 1 |
| Momelotinib | 1 | 0 | 1 |
| Malignant neoplasm of peripheral nerves of unspecified upper limb, inc | 1 | 0 | 1 |
| Mometasone | 1 | 1 | 2 |
| Allergic rhinitis, unspecified | 0 | 1 | 1 |
| Other seasonal allergic rhinitis | 1 | 0 | 1 |
| Montelukast | 2 | 0 | 2 |
| Allergic rhinitis, unspecified | 2 | 0 | 2 |
| Morphine | 14 | 5 | 19 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Intrahepatic bile duct carcinoma | 0 | 1 | 1 |
| Malignant neoplasm of other parts of pancreas | 1 | 0 | 1 |
| Malignant neoplasm of pancreatic duct | 1 | 0 | 1 |
| Malignant neoplasm of rectum | 1 | 2 | 3 |
| Malignant neoplasm of upper lobe, right bronchus or lung | 1 | 0 | 1 |
| Neoplasm related pain (acute) (chronic) | 7 | 0 | 7 |
| Other chronic pain | 1 | 0 | 1 |
| Other chronic pancreatitis | 0 | 1 | 1 |
| Pain, unspecified | 1 | 1 | 2 |
| Mycophenolate | 2 | 0 | 2 |
| Lung transplant status | 1 | 0 | 1 |
| Pericarditis in systemic lupus erythematosus | 1 | 0 | 1 |
| Nabumetone | 0 | 2 | 2 |
| Loc prim osteoarth-hand | 0 | 1 | 1 |
| Primary osteoarthritis, right hand | 0 | 1 | 1 |
| Nadolol | 0 | 2 | 2 |
| | 0 | | |
| Gastrointestinal hemorrhage, unspecified Naftifine | | 2 1 | 2 |
| | 0 | 1 | 1 |
| Tinea cruris | 0 | , | 1 |
| Naldemedine | 1 | 0 | 1 |
| Chronic idiopathic constipation | 1 | 0 12 | 1 |
| Naloxegol | 4 | | 16 |
| Adverse effect of other opioids, initial encounter | 0 | 1 | 1 |
| Adverse effect of other opioids, sequela | 0 | 1 | 1 |
| Constipation, unspecified | 0 | 1 | 1 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Drug induced constipation | 3 | 8 | 11 |
| Spondylosis without myelopathy or radiculopathy, lumbar region | 0 | 1 | 1 |
| Naproxen | 2 | 2 | 4 |
| Osteoarthritis of knee, unspecified | 0 | 1 | 1 |

| Pain in right knee | 0 | 1 | 1 |
|---|---|---|----|
| Radiculopathy, cervical region | 1 | 0 | 1 |
| Radiculopathy, lumbar region | 1 | 0 | 1 |
| Natalizumab | 6 | 3 | 9 |
| Multiple sclerosis | 6 | 3 | 9 |
| Nebivolol | 3 | 3 | 6 |
| diagnosis code unavailable | 0 | 1 | 1 |
| Essential (primary) hypertension | 3 | 2 | 5 |
| Needles & Syringes | 2 | 0 | 2 |
| Testicular hypofunction | 2 | 0 | 2 |
| Neratinib | 7 | 0 | 7 |
| Malignant neoplasm of lower-inner quadrant of left female breast | 2 | 0 | 2 |
| Malignant neoplasm of overlapping sites of left female breast | 3 | 0 | 3 |
| Malignant neoplasm of upper-inner quadrant of right female breast | 1 | 0 | 1 |
| Malignant neoplasm of upper-outer quadrant of left female breast | 1 | 0 | 1 |
| NERATINIB MALEATE TAB 40 MG | 2 | 0 | 2 |
| Malignant neoplasm of unspecified site of right female breast | 2 | 0 | 2 |
| Netarsudil | 2 | 1 | 3 |
| Congenital glaucoma | 1 | 0 | 1 |
| Recession of chamber angle, right eye | 0 | 1 | 1 |
| Unspecified open-angle glaucoma, stage unspecified | 1 | 0 | 1 |
| Nifedipine | 8 | 4 | 12 |
| Essential (primary) hypertension | 7 | 4 | 11 |
| Secondary hypertension, unspecified | 1 | 0 | 1 |
| Nilotinib | 4 | 0 | 4 |
| Chronic myeloid leukemia, BCR/ABL-positive, in remission | 1 | 0 | 1 |
| Chronic myeloid leukemia, BCR/ABL-positive, not having achieved | 1 | 0 | 1 |
| remission | | 0 | |
| Myeloid leukemia, unspecified, not having achieved remission | 1 | 0 | 1 |
| Other myeloid leukemia not having achieved remission | 1 | 0 | 1 |
| Nintedanib | 3 | 9 | 12 |
| Idiopathic pulmonary fibrosis | 1 | 2 | 3 |
| Interstitial lung disease with progressive fibrotic phenotype in diseases c | 0 | 1 | 1 |
| Interstitial pulmonary disease, unspecified | 0 | 5 | 5 |
| Other specified interstitial pulmonary diseases | 1 | 0 | 1 |
| Pulmonary fibrosis, unspecified | 1 | 1 | 2 |
| Niraparib | 1 | 0 | 1 |
| Malignant neoplasm of right ovary | 1 | 0 | 1 |
| Nitazoxanide | 2 | 2 | 4 |
| Acute gastroenteropathy due to Norwalk agent | 1 | 0 | 1 |
| Cyclosporiasis | 1 | 1 | 2 |

| | | | 1 |
|---|---|----|----|
| Irritable bowel syndrome with diarrhea | 0 | 1 | 1 |
| Nitrate & Vasodilator Combination - Two Ingredient | 0 | 1 | 1 |
| Cardiomegaly | 0 | 1 | 1 |
| Nitroglycerin | 2 | 1 | 3 |
| Peripheral vascular disease, unspecified | 2 | 1 | 3 |
| Nivolumab | 3 | 4 | 7 |
| Malignant neoplasm of endocervix | 1 | 0 | 1 |
| Malignant neoplasm of esophagus, unspecified | 0 | 1 | 1 |
| Malignant neoplasm of left kidney, except renal pelvis | 1 | 0 | 1 |
| Malignant neoplasm of unsp kidney, except renal pelvis | 1 | 3 | 4 |
| Norethindrone | 1 | 0 | 1 |
| Irregular menstruation, unspecified | 1 | 0 | 1 |
| Nutritional Supplements | 3 | 2 | 5 |
| Acquired absence of kidney | 0 | 1 | 1 |
| Acquired absence of other specified parts of digestive tract | 0 | 1 | 1 |
| Dysphagia, unspecified | 2 | 0 | 2 |
| Unspecified severe protein-calorie malnutrition | 1 | 0 | 1 |
| Ocrelizumab | 5 | 15 | 20 |
| Multiple sclerosis | 5 | 15 | 20 |
| Octreotide | 5 | 7 | 12 |
| Acromegaly and pituitary gigantism | 0 | 1 | 1 |
| Benign neoplasm of pituitary gland | 0 | 1 | 1 |
| Malignant neoplasm of endocrine pancreas | 1 | 0 | 1 |
| Other malignant neuroendocrine tumors | 0 | 1 | 1 |
| Other specified diseases of intestine | 0 | 2 | 2 |
| Postsurgical malabsorption, not elsewhere classified | 0 | 1 | 1 |
| Secondary carcinoid tumors of liver | 1 | 0 | 1 |
| Secondary malignant neoplasm of left lung | 1 | 1 | 2 |
| Short bowel syndrome, unspecified | 1 | 0 | 1 |
| Testicular hypofunction | 1 | 0 | 1 |
| Ofatumumab | 2 | 3 | 5 |
| Multiple sclerosis | 2 | 3 | 5 |
| Ofloxacin | 1 | 0 | 1 |
| Otitis media, unspecified, unspecified ear | 1 | 0 | 1 |
| Olanzapine | 3 | 8 | 11 |
| Adverse effect of antineoplastic and immunosuppressive drugs, sequela | 0 | 1 | 1 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Nausea with vomiting, unspecified | 0 | 2 | 2 |
| Schizoaffective disorder, bipolar type | 0 | 2 | 2 |
| Schizophrenia, unspecified | 2 | 2 | 4 |
| Unsp psychosis not due to a substance or known physiol cond | 0 | 1 | 1 |

| Malignant neoplasm of central portion of right male breast Malignant neoplasm of prostate Malignant neoplasm of retroperitoneum Malignant neoplasm of right ovary Malignant neoplasm of upper-outer quadrant of right female breast Olmesartan Acute gastritis without bleeding Essential (primary) hypertension Olopatadine Other seasonal allergic rhinitis | 1 4 6 1 | 0 0 0 | 1 4 |
|--|------------------|-------------|-----|
| Malignant neoplasm of retroperitoneum Malignant neoplasm of right ovary Malignant neoplasm of upper-outer quadrant of right female breast Olmesartan Acute gastritis without bleeding Essential (primary) hypertension Olopatadine Other seasonal allergic rhinitis | 6 | 0 | |
| Malignant neoplasm of right ovary Malignant neoplasm of upper-outer quadrant of right female breast Olmesartan Acute gastritis without bleeding Essential (primary) hypertension Olopatadine Other seasonal allergic rhinitis | 1 | | |
| Malignant neoplasm of upper-outer quadrant of right female breast Olmesartan Acute gastritis without bleeding Essential (primary) hypertension Olopatadine Other seasonal allergic rhinitis | · | 0 | 6 |
| Olmesartan Acute gastritis without bleeding Essential (primary) hypertension Olopatadine Other seasonal allergic rhinitis | 4 | U | 1 |
| Acute gastritis without bleeding Essential (primary) hypertension Olopatadine Other seasonal allergic rhinitis | 1 | 0 | 1 |
| Essential (primary) hypertension Olopatadine Other seasonal allergic rhinitis | 2 | 3 | 5 |
| Olopatadine Other seasonal allergic rhinitis | 1 | 0 | 1 |
| Other seasonal allergic rhinitis | 1 | 3 | 4 |
| | 0 | 1 | 1 |
| | 0 | 1 | 1 |
| Omacetaxine | 1 | 0 | 1 |
| Chronic myeloid leukemia, BCR/ABL-positive, not having achieved | 1 | 0 | 1 |
| remission | | | |
| Omadacycline | 4 | 2 | 6 |
| Local infection of the skin and subcutaneous tissue, unsp | 2 | 1 | 3 |
| Pneumonia, unspecified organism | 1 | 0 | 1 |
| Pulmonary mycobacterial infection | 1 | 0 | 1 |
| Urinary tract infection, site not specified | 0 | 1 | 1 |
| Omalizumab | 20 | 21 | 41 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Idiopathic urticaria | 9 | 16 | 25 |
| Moderate persistent asthma with acute exacerbation | 1 | 0 | 1 |
| Moderate persistent asthma, uncomplicated | 3 | 1 | 4 |
| Other urticaria | 2 | 1 | 3 |
| Severe persistent asthma, uncomplicated | 2 | 3 | 5 |
| Urticaria, unspecified | 2 | 0 | 2 |
| Omeprazole | 1 | 4 | 5 |
| Chest pain, unspecified | 0 | 2 | 2 |
| Esophagitis, unspecified without bleeding | 0 | 1 | 1 |
| Gastro-esophageal reflux disease without esophagitis | 1 | 1 | 2 |
| OnabotulinumtoxinA | 0 | 1 | 1 |
| Facial myokymia | 0 | 1 | 1 |
| Ondansetron | 1 | 0 | 1 |
| Nausea with vomiting, unspecified | 1 | 0 | 1 |
| Ophthalmic Kinase Inhibitors Combination - Two Ingredient | 0 | 1 | 1 |
| Primary open-angle glaucoma, bilateral, severe stage | 0 | 1 | 1 |
| Ophthalmic Steroid Combination - Two Ingredient | 0 | 1 | 1 |
| Unspecified conjunctivitis | 0 | 1 | 1 |
| Opicapone | 0 | 1 | 1 |
| Parkinson's disease | 0 | 1 | 1 |

| Opioid Combination - Two Ingredient | 11 | 1 | 12 |
|---|-----|-----|---------------------------------------|
| Dorsalgia, unspecified | 1 | 0 | 1 |
| Malignant (primary) neoplasm, unspecified | 1 | 0 | 1 |
| Malignant neoplasm of nipple and areola, left female breast | 1 | 0 | 1 |
| Neoplasm related pain (acute) (chronic) | 2 | 0 | 2 |
| Other acute postprocedural pain | 0 | 1 | 1 |
| Pain in right leg | 1 | 0 | 1 |
| Presence of Left Artificial knee joint | 1 | 0 | 1 |
| Radiculopathy, lumbar region | 1 | 0 | 1 |
| Spondylosis without myelopathy or radiculopathy, lumbar region | 3 | 0 | 3 |
| Oritavancin | 1 | 0 | 1 |
| Cellulitis of right finger | 1 | 0 | 1 |
| Orlistat | 0 | 2 | 2 |
| Adult body mass index 30-30.9 obesity - Adult obesity with BMI between | 0 | 1 | 1 |
| Mixed hyperlipidemia | 0 | 1 | 1 |
| Osimertinib | 17 | 1 | 18 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Malignant neoplasm of unsp part of unsp bronchus or lung | 7 | 0 | 7 |
| Malignant neoplasm of unspecified part of left bronchus or lung | 0 | 1 | 1 |
| Malignant neoplasm of unspecified part of right bronchus or lung | 1 | 0 | 1 |
| Malignant neoplasm of upper lobe, left bronchus or lung | 1 | 0 | 1 |
| Malignant neoplasm of upper lobe, right bronchus or lung | 7 | 0 | 7 |
| Otic Steroid-Anti-infective Combination - Two Ingredient | 3 | 21 | 24 |
| Acute serous otitis media, unspecified ear | 0 | 1 | 1 |
| bilateral Eustachian tube | 0 | 1 | 1 |
| H60.332 Swimmer's ear, left ear | 0 | 2 | 2 |
| Impacted cerumen, left ear | 0 | 1 | 1 |
| Malignant otitis externa, bilateral | 1 | 0 | 1 |
| Other infective otitis externa, left ear | 0 | 1 | 1 |
| Other specified disorders of ear, bilateral | 0 | 1 | 1 |
| Other specified disorders of right middle ear and mastoiduser | 0 | 1 | 1 |
| Otitis media, unspecified, bilateral | 0 | 3 | 3 |
| Otitis media, unspecified, left ear | 0 | 3 | 3 |
| Otitis media, unspecified, right ear | 0 | 2 | 2 |
| Ottis media, unspecined, right ear | | | 1 |
| · · · · · · · · · · · · · · · · · · · | 0 | 1 | · · · · · · · · · · · · · · · · · · · |
| Unsp acute noninfective otitis externa, unspecified ear | 0 | 1 | |
| Unsp acute noninfective otitis externa, unspecified ear Unspecified acute noninfective otitis externa, left ear | | 1 | 2 |
| Unsp acute noninfective otitis externa, unspecified ear Unspecified acute noninfective otitis externa, left ear Unspecified hearing loss, bilateral | 1 1 | 1 0 | 2 |
| Unsp acute noninfective otitis externa, unspecified ear Unspecified acute noninfective otitis externa, left ear | 1 | 1 | 2 |

| Oxybutynin | 2 | 0 | 2 |
|---|----|----|----|
| Frequency of micturition | 1 | 0 | 1 |
| Neuromuscular dysfunction of bladder, unspecified | 1 | 0 | 1 |
| Oxycodone | 33 | 15 | 48 |
| Cervicalgia | 0 | 2 | 2 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Fusion of spine, lumbar region | 0 | 1 | 1 |
| Infection and inflammatory reaction due to internal left hip prosthesi | 1 | 0 | 1 |
| Malignant (primary) neoplasm, unspecified | 1 | 0 | 1 |
| Malignant neoplasm of pancreas, unspecified | 1 | 0 | 1 |
| Malignant neoplasm of pancreatic duct | 1 | 0 | 1 |
| Malignant neoplasm of rectum | 2 | 0 | 2 |
| Malignant neoplasm of right ovary | 1 | 0 | 1 |
| Malignant neoplasm of sigmoid colon | 1 | 0 | 1 |
| Malignant neoplasm of unsp part of unsp bronchus or lung | 1 | 0 | 1 |
| Neoplasm related pain (acute) (chronic) | 17 | 1 | 18 |
| Osteoarthritis of knee, unspecified | 0 | 2 | 2 |
| Other acute postprocedural pain | 1 | 0 | 1 |
| Other chronic pain | 0 | 2 | 2 |
| Other intervertebral disc displacement, lumbar region | 0 | 2 | 2 |
| Other specified postprocedural states | 0 | 1 | 1 |
| Postlaminectomy syndrome, not elsewhere classified | 2 | 0 | 2 |
| Radiculopathy, cervical region | 0 | 2 | 2 |
| Radiculopathy, lumbar region | 1 | 1 | 2 |
| Rheumatoid arthritis, unspecified | 2 | 0 | 2 |
| Secondary malignant neoplasm of unspecified site | 0 | 1 | 1 |
| Ozanimod | 3 | 3 | 6 |
| Multiple sclerosis | 2 | 2 | 4 |
| Ulcerative colitis, unspecified, without complications | 1 | 1 | 2 |
| Paclitaxel | 8 | 0 | 8 |
| Malignant neoplasm of pancreas, unspecified | 4 | 0 | 4 |
| Malignant neoplasm of pancreatic duct | 2 | 0 | 2 |
| Malignant neoplasm of tail of pancreas | 1 | 0 | 1 |
| Malignant neoplasm of unspecified site of left female breast | 1 | 0 | 1 |
| Palbociclib | 13 | 0 | 13 |
| Malignant neoplasm of overlapping sites of left female breast | 2 | 0 | 2 |
| Malignant neoplasm of unsp site of unspecified female breast | 2 | 0 | 2 |
| Malignant neoplasm of upper-outer quadrant of left female breast | 9 | 0 | 9 |
| Paliperidone | 5 | 8 | 13 |
| Bipolar affective disorder, curnt episode severe depression w psychotic sym | 2 | 0 | 2 |
| | | | |

| Bipolar disorder, current episode depressed, moderate | 1 | 0 | 1 |
|--|------------------------------|------------------------------|------------------|
| Bipolar disorder, in full remis, most recent episode depress | 0 | 1 | 1 |
| Paranoid schizophrenia | 1 | 3 | 4 |
| Schizoaffective disorder, bipolar type | 1 | 3 | 4 |
| Unsp psychosis not due to a substance or known physiol cond | 0 | 1 | 1 |
| Palivizumab | 2 | 0 | 2 |
| Preterm newborn, gestational age 32 completed weeks | 1 | 0 | 1 |
| Ventricular septal defect | 1 | 0 | 1 |
| Palonosetron | 3 | 0 | 3 |
| Malignant neoplasm of pyloric antrum | 3 | 0 | 3 |
| Pamidronate | 0 | 1 | 1 |
| Secondary malignant neoplasm of bone | 0 | 1 | 1 |
| Pancrelipase (Lipase-Protease-Amylase) | 7 | 5 | 12 |
| Acute pancreatitis w/o necrosis or infection, unspecified. | 0 | 1 | 1 |
| Exocrine pancreatic insufficiency | 2 | 1 | 3 |
| Lung transplant status | 2 | 0 | 2 |
| Other chronic pancreatitis | 1 | 3 | 4 |
| Other specified diseases of pancreas | 2 | 0 | 2 |
| Panitumumab | 2 | 0 | 2 |
| Malignant neoplasm of cecum | 1 | 0 | 1 |
| Malignant neoplasm of overlapping sites of left female breast | 1 | 0 | 1 |
| Pantoprazole | 4 | 7 | 11 |
| Gastro-esophageal reflux disease with esophagitis | 0 | 2 | 2 |
| Gastro-esophageal reflux disease without esophagitis | 3 | 3 | 6 |
| Osteochondrodysplasia, unspecified | 0 | 1 | 1 |
| Unspecified chronic gastritis | 0 | 1 | 1 |
| Unspecified chronic gastritis without bleeding | 1 | 0 | 1 |
| Paricalcitol | 1 | 2 | 3 |
| Chronic kidney disease, stage 3 unspecified | 0 | 1 | 1 |
| Chronic kidney disease, unspecified | 0 | 1 | 1 |
| Secondary hyperparathyroidism of renal origin | 1 | 0 | 1 |
| Paroxetine | 4 | 2 | 6 |
| Anxiety disorder, unspecified | | _ | |
| | 2 | 0 | 2 |
| Emotional lability | | | 2 1 |
| | 2 | 0 | |
| Emotional lability | 1 | 0 | 1 |
| Emotional lability Major depressive disorder, single episode, severe without psychotic feature | 2 1 1 | 0 0 0 | 1 |
| Emotional lability Major depressive disorder, single episode, severe without psychotic feature Major depressive disorder, single episode, unspecified | 2 1 1 0 | 0 0 0 2 | 1 1 2 |
| Emotional lability Major depressive disorder, single episode, severe without psychotic feature Major depressive disorder, single episode, unspecified Passive Immunizing Agent Combination - Two Ingredient | 2 1 1 0 1 | 0 0 0 2 0 | 1 1 2 1 |

| Malignant neoplasm of connective and soft tissue of thorax | 2 | 0 | 2 |
|--|----|----|-----|
| Malignant neoplasm of unsp kidney, except renal pelvis | 1 | 0 | 1 |
| gfilgrastim | 70 | 92 | 162 |
| | 1 | 0 | 1 |
| Acute lymphoblastic leukemia | 0 | 2 | 2 |
| Acute lymphoblastic leukemia, in remission | 0 | 1 | 1 |
| Agranulocytosis secondary to cancer chemotherapy | 4 | 7 | 11 |
| diagnosis code unavailable | 1 | 1 | 2 |
| Diffuse large B-cell lymphoma, extrnod and solid organ sites | 1 | 0 | 1 |
| Diffuse large B-cell lymphoma, lymph nodes of multiple sites | 0 | 1 | 1 |
| Diffuse large B-cell lymphoma, unspecified site | 0 | 2 | 2 |
| Encounter for antineoplastic chemotherapy | 0 | 1 | 1 |
| Encounter for other specified aftercare | 1 | 0 | 1 |
| Hodgkin lymphoma, unsp, lymph nodes of head, face, and neck | 1 | 0 | 1 |
| Hodgkin lymphoma, unspecified, lymph nodes of multiple sites | 1 | 0 | 1 |
| Hodgkin lymphoma, unspecified, unspecified site | 5 | 0 | 5 |
| Malig neoplasm of unsp testis, unsp descended or undescended | 0 | 1 | 1 |
| Malignant neoplasm of bladder, unspecified | 0 | 1 | 1 |
| Malignant neoplasm of bone and articular cartilage, unsp | 2 | 1 | 3 |
| Malignant neoplasm of breast of unspecified site, female | 2 | 2 | 4 |
| Malignant neoplasm of central portion of left female breast | 0 | 1 | 1 |
| Malignant neoplasm of central portion of right male breast | 2 | 1 | 3 |
| Malignant neoplasm of cerebellum | 0 | 1 | 1 |
| Malignant neoplasm of connective and soft tissue, unspecified | 1 | 1 | 2 |
| Malignant neoplasm of endometrium | 0 | 1 | 1 |
| Malignant neoplasm of head of pancreas | 1 | 2 | 3 |
| Malignant neoplasm of head, face and neck | 0 | 1 | 1 |
| Malignant neoplasm of hepatic flexure | 0 | 1 | 1 |
| Malignant neoplasm of left ovary | 0 | 2 | 2 |
| Malignant neoplasm of lower-inner quadrant of left female breast | 3 | 0 | 3 |
| Malignant neoplasm of lower-outer quadrant of left female breast | 3 | 1 | 4 |
| Malignant neoplasm of major salivary gland, unspecified | 2 | 0 | 2 |
| Malignant neoplasm of overlapping sites of cervix uteri | 0 | 3 | 3 |
| Malignant neoplasm of overlapping sites of hypopharynx | 1 | 0 | 1 |
| Malignant neoplasm of overlapping sites of left female breast | 2 | 1 | 3 |
| Malignant neoplasm of overlapping sites of right bronchus and lung | 0 | 1 | 1 |
| Malignant neoplasm of pancreas, unspecified | 1 | 0 | 1 |
| Malignant neoplasm of pancreatic duct | 1 | 0 | 1 |
| Malignant neoplasm of pelvic bones, sacrum and coccyx | 3 | 2 | 5 |
| Malignant neoplasm of prostate | 3 | 10 | 11 |
| Malignant neoplasm of pyloric antrum | 0 | 10 | 1 |

| Malignant neoplasm of rectum | 4 | 7 | 11 |
|---|---|---|---|
| Malignant neoplasm of right main bronchus | 1 | 0 | 1 |
| Malignant neoplasm of sigmoid colon | 3 | 1 | 4 |
| Malignant neoplasm of unsp part of unsp bronchus or lung | 1 | 1 | 2 |
| Malignant neoplasm of unsp site of unspecified female breast | 3 | 3 | 6 |
| Malignant neoplasm of unspecified ovary | 0 | 1 | 1 |
| Malignant neoplasm of unspecified site of left female breast | 1 | 0 | 1 |
| Malignant neoplasm of upper lobe, right bronchus or lung | 2 | 3 | 5 |
| Malignant neoplasm of upper-inner quadrant of breast, female | 0 | 1 | 1 |
| Malignant neoplasm of upper-inner quadrant of left female breast | 2 | 5 | 7 |
| Malignant neoplasm of upper-outer quadrant of left female breast | 4 | 1 | 5 |
| Malignant neoplasm of upper-outer quadrant of right female breast | 5 | 6 | 11 |
| Malignant neoplasm of uterus, part unspecified | 0 | 2 | 2 |
| Malignant poorly differentiated neuroendocrine tumors | 0 | 2 | 2 |
| Neutropenia, unspecified | 0 | 3 | 3 |
| Nodular sclerosis class Hodgkin lymphoma, nodes mult site | 1 | 0 | 1 |
| Other classical Hodgkin lymphoma, unspecified site | 1 | 0 | 1 |
| Other diseases of mediastinum, not elsewhere classified | 0 | 3 | 3 |
| Other specified diseases of intestine | 0 | 3 | 3 |
| Peripheral T-cell lymphoma, not classified, nodes mult site | 1 | 0 | 1 |
| | | | |
| Unspecified type of carcinoma in situ of right breast | 1 | 0 | 1 |
| Unspecified type of carcinoma in situ of right breast Pegloticase | 1 0 | 0 1 | 1 1 |
| | 1 0 0 | | |
| Pegloticase | | 1 | 1 |
| Pegloticase Idiopathic chronic gout, unspecified ankle and foot, with tophus (tophi) | 0 | 1 1 | 1 1 |
| Pegloticase Idiopathic chronic gout, unspecified ankle and foot, with tophus (tophi) Pembrolizumab | 0 | 1 1 8 | 1 1 20 |
| Pegloticase Idiopathic chronic gout, unspecified ankle and foot, with tophus (tophi) Pembrolizumab Malignant neoplasm of cervix uteri, unspecified | 0 12 1 | 1 1 8 0 | 1 1 20 1 |
| Pegloticase Idiopathic chronic gout, unspecified ankle and foot, with tophus (tophi) Pembrolizumab Malignant neoplasm of cervix uteri, unspecified Malignant neoplasm of left kidney, except renal pelvis | 0 12 1 1 | 1 1 8 0 3 | 1 1 20 1 4 |
| Pegloticase Idiopathic chronic gout, unspecified ankle and foot, with tophus (tophi) Pembrolizumab Malignant neoplasm of cervix uteri, unspecified Malignant neoplasm of left kidney, except renal pelvis Malignant neoplasm of lower lobe, right bronchus or lung | 0 12 1 1 | 1 1 8 0 3 1 | 1 1 20 1 4 |
| Pegloticase Idiopathic chronic gout, unspecified ankle and foot, with tophus (tophi) Pembrolizumab Malignant neoplasm of cervix uteri, unspecified Malignant neoplasm of left kidney, except renal pelvis Malignant neoplasm of lower lobe, right bronchus or lung Malignant neoplasm of overlapping sites of cervix uteri | 0 12 1 1 0 | 1 1 8 0 3 1 | 1 1 20 1 4 1 |
| Pegloticase Idiopathic chronic gout, unspecified ankle and foot, with tophus (tophi) Pembrolizumab Malignant neoplasm of cervix uteri, unspecified Malignant neoplasm of left kidney, except renal pelvis Malignant neoplasm of lower lobe, right bronchus or lung Malignant neoplasm of overlapping sites of cervix uteri Malignant neoplasm of upper lobe, left bronchus or lung | 0 12 1 1 0 1 | 1 1 8 0 3 1 0 | 1 1 20 1 4 1 1 |
| Pegloticase Idiopathic chronic gout, unspecified ankle and foot, with tophus (tophi) Pembrolizumab Malignant neoplasm of cervix uteri, unspecified Malignant neoplasm of left kidney, except renal pelvis Malignant neoplasm of lower lobe, right bronchus or lung Malignant neoplasm of overlapping sites of cervix uteri Malignant neoplasm of upper lobe, left bronchus or lung Malignant neoplasm of upper lobe, right bronchus or lung | 0 12 1 1 0 1 | 1 1 8 0 3 1 0 0 | 1 1 20 1 4 1 1 1 |
| Pegloticase Idiopathic chronic gout, unspecified ankle and foot, with tophus (tophi) Pembrolizumab Malignant neoplasm of cervix uteri, unspecified Malignant neoplasm of left kidney, except renal pelvis Malignant neoplasm of lower lobe, right bronchus or lung Malignant neoplasm of overlapping sites of cervix uteri Malignant neoplasm of upper lobe, left bronchus or lung Malignant neoplasm of upper lobe, right bronchus or lung Malignant neoplasm of upper lobe, unsp bronchus or lung | 0 12 1 1 0 1 1 0 1 1 0 1 1 1 0 1 1 1 1 1 | 1 1 8 0 3 1 0 0 1 | 1 1 20 1 4 1 1 1 1 |
| Pembrolizumab Malignant neoplasm of cervix uteri, unspecified Malignant neoplasm of left kidney, except renal pelvis Malignant neoplasm of lower lobe, right bronchus or lung Malignant neoplasm of overlapping sites of cervix uteri Malignant neoplasm of upper lobe, left bronchus or lung Malignant neoplasm of upper lobe, right bronchus or lung Malignant neoplasm of upper lobe, right bronchus or lung Malignant neoplasm of upper lobe, unsp bronchus or lung Malignant neoplasm of upper lobe, unsp bronchus or lung Malignant neoplasm of upper-lobe, unsp bronchus or lung | 0 12 1 1 0 1 1 0 1 0 | 1 1 8 0 3 1 0 0 0 1 0 2 | 1 1 20 1 4 1 1 1 1 1 |
| Pembrolizumab Malignant neoplasm of cervix uteri, unspecified Malignant neoplasm of left kidney, except renal pelvis Malignant neoplasm of lower lobe, right bronchus or lung Malignant neoplasm of overlapping sites of cervix uteri Malignant neoplasm of upper lobe, left bronchus or lung Malignant neoplasm of upper lobe, right bronchus or lung Malignant neoplasm of upper lobe, right bronchus or lung Malignant neoplasm of upper lobe, unsp bronchus or lung Malignant neoplasm of upper-inner quadrant of left female breast Malignant neoplasm of upper-inner quadrant of right female breast | 0 12 1 1 0 1 0 1 1 0 1 1 2 1 | 1 1 8 0 3 1 0 0 0 1 0 2 | 1 1 20 1 4 1 1 1 1 1 1 4 |
| Pegloticase Idiopathic chronic gout, unspecified ankle and foot, with tophus (tophi) Pembrolizumab Malignant neoplasm of cervix uteri, unspecified Malignant neoplasm of left kidney, except renal pelvis Malignant neoplasm of lower lobe, right bronchus or lung Malignant neoplasm of overlapping sites of cervix uteri Malignant neoplasm of upper lobe, left bronchus or lung Malignant neoplasm of upper lobe, right bronchus or lung Malignant neoplasm of upper lobe, unsp bronchus or lung Malignant neoplasm of upper-inner quadrant of left female breast Malignant neoplasm of upper-inner quadrant of right female breast Malignant neoplasm of upper-outer quadrant of left female breast | 0 12 1 1 0 1 0 1 1 0 1 1 2 1 3 | 1 1 8 0 3 1 0 0 0 1 0 2 0 | 1 1 20 1 4 1 1 1 1 1 1 4 1 3 |
| Pegloticase Idiopathic chronic gout, unspecified ankle and foot, with tophus (tophi) Pembrolizumab Malignant neoplasm of cervix uteri, unspecified Malignant neoplasm of left kidney, except renal pelvis Malignant neoplasm of lower lobe, right bronchus or lung Malignant neoplasm of overlapping sites of cervix uteri Malignant neoplasm of upper lobe, left bronchus or lung Malignant neoplasm of upper lobe, right bronchus or lung Malignant neoplasm of upper lobe, unsp bronchus or lung Malignant neoplasm of upper-inner quadrant of left female breast Malignant neoplasm of upper-outer quadrant of left female breast Malignant neoplasm of upper-outer quadrant of left female breast Malignant neoplasm of upper-outer quadrant of right female breast | 0 12 1 1 1 0 1 0 1 1 0 1 1 2 1 3 1 | 1 1 8 0 3 1 0 0 0 1 0 2 0 0 0 | 1 1 20 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Pegloticase Idiopathic chronic gout, unspecified ankle and foot, with tophus (tophi) Pembrolizumab Malignant neoplasm of cervix uteri, unspecified Malignant neoplasm of left kidney, except renal pelvis Malignant neoplasm of lower lobe, right bronchus or lung Malignant neoplasm of overlapping sites of cervix uteri Malignant neoplasm of upper lobe, left bronchus or lung Malignant neoplasm of upper lobe, right bronchus or lung Malignant neoplasm of upper lobe, unsp bronchus or lung Malignant neoplasm of upper-inner quadrant of left female breast Malignant neoplasm of upper-inner quadrant of right female breast Malignant neoplasm of upper-outer quadrant of left female breast Malignant neoplasm of upper-outer quadrant of right female breast Malignant neoplasm of upper-outer quadrant of right female breast Neoplasm of uncertain behavior of spinal cord | 0 12 1 1 1 0 1 0 1 1 2 1 1 3 1 0 | 1 1 8 0 3 1 0 0 0 1 0 2 0 0 0 | 1 1 20 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Pembrolizumab Malignant neoplasm of cervix uteri, unspecified Malignant neoplasm of left kidney, except renal pelvis Malignant neoplasm of lower lobe, right bronchus or lung Malignant neoplasm of overlapping sites of cervix uteri Malignant neoplasm of upper lobe, left bronchus or lung Malignant neoplasm of upper lobe, right bronchus or lung Malignant neoplasm of upper lobe, right bronchus or lung Malignant neoplasm of upper lobe, unsp bronchus or lung Malignant neoplasm of upper lobe, unsp bronchus or lung Malignant neoplasm of upper-inner quadrant of left female breast Malignant neoplasm of upper-outer quadrant of right female breast Malignant neoplasm of upper-outer quadrant of right female breast Malignant neoplasm of upper-outer quadrant of right female breast Neoplasm of uncertain behavior of spinal cord Penciclovir | 0 12 1 1 1 0 11 0 11 1 0 11 2 11 3 11 0 0 0 | 1 1 8 0 3 1 0 0 0 1 0 2 0 0 0 0 1 | 1 1 20 1 4 1 1 1 1 1 4 1 3 1 |
| Pembrolizumab Malignant neoplasm of cervix uteri, unspecified Malignant neoplasm of left kidney, except renal pelvis Malignant neoplasm of lower lobe, right bronchus or lung Malignant neoplasm of overlapping sites of cervix uteri Malignant neoplasm of upper lobe, left bronchus or lung Malignant neoplasm of upper lobe, left bronchus or lung Malignant neoplasm of upper lobe, right bronchus or lung Malignant neoplasm of upper lobe, right bronchus or lung Malignant neoplasm of upper lobe, unsp bronchus or lung Malignant neoplasm of upper-inner quadrant of left female breast Malignant neoplasm of upper-inner quadrant of right female breast Malignant neoplasm of upper-outer quadrant of left female breast Malignant neoplasm of upper-outer quadrant of right female breast Malignant neoplasm of upper-outer quadrant of right female breast Neoplasm of uncertain behavior of spinal cord Penciclovir Herpesviral vesicular dermatitis | 0 12 1 1 1 0 1 1 0 1 1 2 1 3 1 0 0 0 0 0 | 1 1 8 0 3 1 0 0 0 1 0 2 0 0 0 0 1 4 2 | 1 1 20 1 4 1 1 1 1 1 1 1 1 1 1 4 1 1 4 1 4 1 |

| Bacteremia | 1 | 0 | 1 |
|---|---|---|----|
| Chronic tonsillitis and adenoiditis | 0 | 1 | 1 |
| Cutaneous abscess of abdominal wall | 1 | 0 | 1 |
| Methicillin sscptble Staphylococcus aureus infection, cause of dse class ew | 1 | 0 | 1 |
| Perfluorohexyloctane | 0 | 3 | 3 |
| Dry eye syndrome of bilateral lacrimal glands | 0 | 1 | 1 |
| Keratoconjunctivitis sicca, not specified as Sjogren's, bilateral | 0 | 1 | 1 |
| Punctate keratitis, bilateral | 0 | 1 | 1 |
| Pertuzumab | 0 | 2 | 2 |
| Malignant neoplasm of overlapping sites of right female breast | 0 | 1 | 1 |
| Malignant neoplasm of upper-outer quadrant of left female breast | 0 | 1 | 1 |
| Phenobarbital | 2 | 0 | 2 |
| Epilepsy, unsp, intractable, without status epilepticus | 1 | 0 | 1 |
| Lennox-Gastaut syndrome, intractable, with status epilepticus | 1 | 0 | 1 |
| Phentermine | 0 | 2 | 2 |
| Body mass index (BMI) 29.0-29.9, adult | 0 | 1 | 1 |
| diagnosis code unavailable | 0 | 1 | 1 |
| Pimavanserin | 0 | 1 | 1 |
| Parkinson's disease | 0 | 1 | 1 |
| Pimecrolimus | 2 | 2 | 4 |
| Atopic Dermatitis | 1 | 1 | 2 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Rosacea, unspecified | 0 | 1 | 1 |
| Pirfenidone | 5 | 1 | 6 |
| Idiopathic pulmonary fibrosis | 5 | 1 | 6 |
| Piroxicam | 1 | 2 | 3 |
| muscle spasm of back | 1 | 0 | 1 |
| Trigger finger, left middle finger | 0 | 1 | 1 |
| Unspecified osteoarthritis, unspecified site | 0 | 1 | 1 |
| Pitavastatin | 2 | 3 | 5 |
| Hyperlipidemia, unspecified | 2 | 2 | 4 |
| Mixed hyperlipidemia | 0 | 1 | 1 |
| Platelet Aggregation Inhibitor Combination - Two Ingredient | 1 | 1 | 2 |
| Cereb infrc d/t unsp occls or stenos of left mid cereb art | 1 | 0 | 1 |
| Cerebral infarction, unspecified | 0 | 1 | 1 |
| Plecanatide | 7 | 9 | 16 |
| Chronic idiopathic constipation | 2 | 7 | 9 |
| Drug induced constipation | 0 | 1 | 1 |
| Irritable bowel syndrome with constipation | 3 | 1 | 4 |
| Irritable bowel syndrome with diarrhea | 1 | 0 | 1 |

| Slow transit constipation | 1 | 0 | 1 |
|---|---|--|--|
| Pomalidomide | 2 | 0 | 2 |
| Multiple myeloma in relapse | 2 | 0 | 2 |
| Ponatinib | 4 | 0 | 4 |
| Acute lymphoblastic leukemia not having achieved remission | 1 | 0 | 1 |
| Chronic myeloid leukemia, BCR/ABL-positive, not having achieved | 1 | 0 | 1 |
| remission | ' | O . | ' |
| Other myeloid leukemia not having achieved remission | 2 | 0 | 2 |
| Posaconazole | 8 | 3 | 11 |
| Acute lymphoblastic leukemia not having achieved remission | 0 | 1 | 1 |
| Acute myeloblastic leukemia, in remission | 1 | 0 | 1 |
| Acute myeloblastic leukemia, not having achieved remission | 1 | 0 | 1 |
| Aspergillosis, unspecified | 2 | 0 | 2 |
| Chronic myeloid leukemia, BCR/ABL-positive, not having achieved | 1 | 0 | 1 |
| remission | 0 | 1 | 4 |
| Encounter for prophylactic measures, unspecified | 0 | · | 1 |
| other pulmonary aspergillosis | 0 | 1 | 1 |
| Stem cells transplant status | 3 | 0 | 3 |
| Potassium Bicarbonate | 1 | 0 | 1 |
| other specified health status | 1 | 0 | 1 |
| Pravastatin | 2 | 0 | 2 |
| Hyperlipidemia, unspecified | 1 | 0 | 1 |
| Mixed hyperlipidemia | 1 | 0 | 1 |
| Pregabalin | 129 | 165 | 294 |
| A | 0 | 4 | 4 |
| Anesthesia of skin | 0 | 1 | 1 |
| Ankylosing spondylitis of unspecified sites in spine | 1 | 0 | 1 |
| Ankylosing spondylitis of unspecified sites in spine Attention-deficit hyperactivity disorder, unspecified type | 1 0 | 0 | 1 1 |
| Ankylosing spondylitis of unspecified sites in spine Attention-deficit hyperactivity disorder, unspecified type Attn-defct hyperactivity disorder, predom inattentive type | 1 0 1 | 0 1 0 | 1 1 1 |
| Ankylosing spondylitis of unspecified sites in spine Attention-deficit hyperactivity disorder, unspecified type Attn-defct hyperactivity disorder, predom inattentive type Bilateral primary osteoarthritis of hip | 1 0 1 0 | 0 1 0 1 | 1 1 1 1 |
| Ankylosing spondylitis of unspecified sites in spine Attention-deficit hyperactivity disorder, unspecified type Attn-defct hyperactivity disorder, predom inattentive type Bilateral primary osteoarthritis of hip Bipolar disorder, unspecified | 1 0 1 0 0 | 0 1 0 1 1 1 | 1 1 1 1 1 |
| Ankylosing spondylitis of unspecified sites in spine Attention-deficit hyperactivity disorder, unspecified type Attn-defct hyperactivity disorder, predom inattentive type Bilateral primary osteoarthritis of hip Bipolar disorder, unspecified Cervicalgia | 1 0 1 0 0 0 | 0 1 0 1 1 | 1 1 1 1 1 1 5 |
| Ankylosing spondylitis of unspecified sites in spine Attention-deficit hyperactivity disorder, unspecified type Attn-defct hyperactivity disorder, predom inattentive type Bilateral primary osteoarthritis of hip Bipolar disorder, unspecified Cervicalgia Charcôt's joint, left ankle and foot | 1 0 1 0 0 0 4 | 0 1 0 1 1 1 1 | 1 1 1 1 1 1 5 |
| Ankylosing spondylitis of unspecified sites in spine Attention-deficit hyperactivity disorder, unspecified type Attn-defct hyperactivity disorder, predom inattentive type Bilateral primary osteoarthritis of hip Bipolar disorder, unspecified Cervicalgia Charcôt's joint, left ankle and foot Chronic pain syndrome | 1 0 1 0 0 0 4 1 4 | 0 1 0 1 1 1 1 0 4 | 1 1 1 1 1 1 5 1 8 |
| Ankylosing spondylitis of unspecified sites in spine Attention-deficit hyperactivity disorder, unspecified type Attn-defct hyperactivity disorder, predom inattentive type Bilateral primary osteoarthritis of hip Bipolar disorder, unspecified Cervicalgia Charcôt's joint, left ankle and foot Chronic pain syndrome Diabetes mellitus due to underlying condition w diabetic neuropathy, | 1 0 1 0 0 0 4 | 0 1 0 1 1 1 1 | 1 1 1 1 1 1 5 |
| Ankylosing spondylitis of unspecified sites in spine Attention-deficit hyperactivity disorder, unspecified type Attn-defct hyperactivity disorder, predom inattentive type Bilateral primary osteoarthritis of hip Bipolar disorder, unspecified Cervicalgia Charcôt's joint, left ankle and foot Chronic pain syndrome Diabetes mellitus due to underlying condition w diabetic neuropathy, unspec | 1 0 1 0 0 0 4 1 4 | 0 1 0 1 1 1 1 0 4 | 1 1 1 1 1 1 5 1 8 2 |
| Ankylosing spondylitis of unspecified sites in spine Attention-deficit hyperactivity disorder, unspecified type Attn-defct hyperactivity disorder, predom inattentive type Bilateral primary osteoarthritis of hip Bipolar disorder, unspecified Cervicalgia Charcôt's joint, left ankle and foot Chronic pain syndrome Diabetes mellitus due to underlying condition w diabetic neuropathy, unspec diagnosis code unavailable | 1 0 1 0 0 0 4 1 4 0 | 0 1 0 1 1 1 1 0 4 | 1 1 1 1 1 1 1 5 1 8 2 |
| Ankylosing spondylitis of unspecified sites in spine Attention-deficit hyperactivity disorder, unspecified type Attn-defct hyperactivity disorder, predom inattentive type Bilateral primary osteoarthritis of hip Bipolar disorder, unspecified Cervicalgia Charcôt's joint, left ankle and foot Chronic pain syndrome Diabetes mellitus due to underlying condition w diabetic neuropathy, unspec diagnosis code unavailable Drug-Induced polyneuropathy | 1 0 1 0 0 4 1 4 0 | 0 1 0 1 1 1 1 0 4 2 | 1 1 1 1 1 1 5 1 8 2 8 5 |
| Ankylosing spondylitis of unspecified sites in spine Attention-deficit hyperactivity disorder, unspecified type Attn-defct hyperactivity disorder, predom inattentive type Bilateral primary osteoarthritis of hip Bipolar disorder, unspecified Cervicalgia Charcôt's joint, left ankle and foot Chronic pain syndrome Diabetes mellitus due to underlying condition w diabetic neuropathy, unspec diagnosis code unavailable Drug-Induced polyneuropathy Dysuria | 1 0 1 0 0 4 1 4 0 | 0 1 0 1 1 1 1 0 4 2 | 1 1 1 1 1 1 1 5 1 8 2 8 5 1 |
| Ankylosing spondylitis of unspecified sites in spine Attention-deficit hyperactivity disorder, unspecified type Attn-defct hyperactivity disorder, predom inattentive type Bilateral primary osteoarthritis of hip Bipolar disorder, unspecified Cervicalgia Charcôt's joint, left ankle and foot Chronic pain syndrome Diabetes mellitus due to underlying condition w diabetic neuropathy, unspec diagnosis code unavailable Drug-Induced polyneuropathy Dysuria Fibromyalgia | 1 0 1 0 0 4 1 4 0 4 0 23 | 0 1 0 1 1 1 1 0 4 2 | 1 1 1 1 1 1 1 5 1 8 2 8 5 1 1 39 |
| Ankylosing spondylitis of unspecified sites in spine Attention-deficit hyperactivity disorder, unspecified type Attn-defct hyperactivity disorder, predom inattentive type Bilateral primary osteoarthritis of hip Bipolar disorder, unspecified Cervicalgia Charcôt's joint, left ankle and foot Chronic pain syndrome Diabetes mellitus due to underlying condition w diabetic neuropathy, unspec diagnosis code unavailable Drug-Induced polyneuropathy Dysuria | 1 0 1 0 0 4 1 4 0 | 0 1 0 1 1 1 1 0 4 2 4 1 1 1 | 1 1 1 1 1 1 1 5 1 8 2 8 5 1 |

| Hereditary and idiopathic neuropathy, unspecified | 2 | 1 | 3 |
|---|---|---|----|
| Idiopathic progressive neuropathy | 1 | 0 | 1 |
| Insomnia, unspecified | 0 | 2 | 2 |
| Intervertebral disc disorders with radiculopathy, lumbar region | 0 | 1 | 1 |
| Lesion of lateral popliteal nerve, right lower limb | 1 | 0 | 1 |
| Low back pain | 1 | 0 | 1 |
| Low back pain, unspecified | 3 | 4 | 7 |
| Lumbago with sciatica, left side | 3 | 0 | 3 |
| Lumbago with sciatica, right side | 1 | 0 | 1 |
| lumbago with sciatica, unspecified | 2 | 1 | 3 |
| Malignant neoplasm of mouth, unspecified | 0 | 1 | 1 |
| Meralgia paresthetica, bilateral lower limbs | 0 | 1 | 1 |
| Migraine w/o aura, not intractable, w/o status migrainosus | 0 | 1 | 1 |
| Multiple sclerosis | 1 | 0 | 1 |
| Myalgia, other site | 1 | 1 | 2 |
| Neuralgia and neuritis, unspecified | 6 | 7 | 13 |
| Occipital neuralgia | 0 | 1 | 1 |
| Other cervical disc degeneration, unsp cervical region | 1 | 2 | 3 |
| Other chronic pain | 0 | 2 | 2 |
| Other hereditary and idiopathic neuropathies | 0 | 2 | 2 |
| Other intervertebral disc degeneration, lumbar region | 1 | 1 | 2 |
| Other intervertebral disc displacement, lumbar region | 2 | 0 | 2 |
| Other intervertebral disc displacement, lumbosacral region | 0 | 1 | 1 |
| Other postherpetic nervous system involvement | 0 | 1 | 1 |
| Other specified diabetes mellitus with diabetic neuropathy, unspecified | 1 | 1 | 2 |
| Other specified postprocedural states | 0 | 2 | 2 |
| Other spondylosis with myelopathy, thoracic region | 1 | 0 | 1 |
| Other spondylosis with radiculopathy, cervical region | 1 | 0 | 1 |
| Other spondylosis with radiculopathy, lumbar region | 0 | 2 | 2 |
| Other spondylosis with radiculopathy, lumbosacral region | 1 | 2 | 3 |
| Other tear of lateral meniscus, current injury, right knee, subsequent | 1 | 0 | 1 |
| Pain in left foot | 0 | 1 | 1 |
| Pain in right knee | 0 | 1 | 1 |
| Pain in right leg | 0 | 3 | 3 |
| Pain in unspecified foot | 0 | 1 | 1 |
| Pain in unspecified joint | 2 | 0 | 2 |
| Pain in unspecified limb | 0 | 4 | 4 |
| | | | |
| Pain in unspecified shoulder | 0 | 2 | 2 |
| Pain, unspecified | 0 | 1 | 1 |
| Painful micturition, unspecified | 1 | 0 | 1 |
| Paraplegia, unspecified | 1 | 0 | 1 |

| Periodic limb movement disorder | 0 | 1 | 1 |
|---|----|----|----------|
| | | 1 | 1 |
| Peripheral vascular disease, unspecified | 0 | · | I |
| Phantom limb syndrome with pain | 1 | 0 | <u>'</u> |
| Polyneuropathy, unspecified | 12 | 11 | 23 |
| Polyosteoarthritis, unspecified | 0 | 1 | 1 |
| Postherpetic polyneuropathy | 2 | 0 | 2 |
| Postherpetic trigeminal neuralgia | 3 | 0 | 3 |
| Postlaminectomy syndrome, not elsewhere classified | 1 | 3 | 4 |
| Premature ejaculation | 0 | 1 | 1 |
| Presence of right artificial knee joint | 0 | 1 | 1 |
| Pressure ulcer of sacral region, stage 2 | 0 | 1 | 1 |
| Radiculopathy, cervical region | 2 | 9 | 11 |
| Radiculopathy, lumbar region | 8 | 13 | 21 |
| Radiculopathy, lumbosacral region | 2 | 0 | 2 |
| Restless legs syndrome | 0 | 1 | 1 |
| Rheu arthritis w rheu factor of multiple sites wo organ or systems involvem | 2 | 0 | 2 |
| Rheumatoid arthritis without rheumatoid factor, multiple sites | 1 | 1 | 2 |
| Rheumatoid arthritis, unspecified | 0 | 2 | 2 |
| Right testicular pain | 1 | 0 | 1 |
| Secondary malignant neoplasm of unspecified site | 1 | 0 | 1 |
| Sicca syndrome with keratoconjunctivitis | 0 | 1 | 1 |
| Spinal stenosis, cervical region | 1 | 0 | 1 |
| Spinal stenosis, lumbar region with neurogenic claudication | 0 | 1 | 1 |
| Spinal stenosis, lumbar region without neurogenic claudication | 0 | 1 | 1 |
| Spondylosis w/o myelopathy or radiculopathy, cervical region | 1 | 0 | 1 |
| Strain of muscle, fascia and tendon at neck level, initial encounter | 0 | 1 | 1 |
| Trochanteric Bursitis of left hip | 0 | 1 | 1 |
| Type 2 diabetes mellitus with diabetic nephropathy | 2 | 0 | 2 |
| Type 2 diabetes mellitus with diabetic neuropathy, unspecified | 1 | 13 | 14 |
| Type 2 diabetes mellitus with diabetic polyneuropathy | 4 | 6 | 10 |
| Type 2 diabetes mellitus with hyperglycemia | 1 | 0 | 1 |
| Type 2 diabetes mellitus without complications | 0 | 2 | 2 |
| Unsp thoracic, thoracolum and lumbosacr intvrt disc disorder | 0 | 1 | 1 |
| Unspecified abdominal pain | | 1 | 1 |
| | 0 | · | · |
| Unspecified mononeuropathy of bilateral lower limbs | 3 | 3 | 6 |
| Unspecified mononeuropathy of unspecified lower limb | 1 | 1 | 2 |
| Wedge compression fracture of first lumbar vertebra, init | 1 | 0 | 1 |
| Zoster with other complications | 0 | 2 | 2 |
| renatal Vit w/ Fe Polysacch Complex-L Methylfolate-FA-DHA | 0 | 4 | 4 |
| Amenorrhea, unspecified | 0 | 1 | 1 |

| 5 | | 0 | | 2 |
|--|---|----|---|----|
| Encntr for suprvsn of normal first pregnancy, unsp trimester | | 0 | 2 | 2 |
| Encounter for supervision of normal first pregnancy, first trimester | | 0 | 1 | 1 |
| Prenatal without A w/ Fe Fumarate-L Methylfolate-FA-DHA | | 0 | 1 | 1 |
| Encounter for suprvsn of normal pregnancy, unsp trimester | | 0 | 1 | 1 |
| Primidone | | 1 | 0 | 1 |
| Essential tremor | | 1 | 0 | 1 |
| Procarbazine | | 1 | 0 | 1 |
| Malignant neoplasm of overlapping sites of brain | | 1 | 0 | 1 |
| Progesterone | | 0 | 2 | 2 |
| Irregular menstruation, unspecified | | 0 | 2 | 2 |
| Propranolol | | 1 | 0 | 1 |
| Hypertensive chronic kidney disease w stg 1-4/unsp chr kdny | | 1 | 0 | 1 |
| Prostatic Hypertrophy Agent Combination - Two Ingredient | | 0 | 1 | 1 |
| Enlarged prostate with lower urinary tract symptoms | | 0 | 1 | 1 |
| Prucalopride | | 1 | 2 | 3 |
| Chronic idiopathic constipation | | 1 | 2 | 3 |
| Pseudobulbar Affect Agent Combination - Two Ingredient | | 1 | 0 | 1 |
| Pseudobulbar affect | | 1 | 0 | 1 |
| Q2050 | INJECTION DOXORUBICIN HCL LIPOSOMAL NOS 10 MG | 6 | 4 | 10 |
| Hodgkin lymphoma, unsp, lymph nodes of head, face, and neck | | 0 | 1 | 1 |
| Hodgkin lymphoma, unspecified, unspecified site | | 0 | 1 | 1 |
| Kaposis sarcoma of skin | | 0 | 1 | 1 |
| Kaposis sarcoma of soft tissue | | 1 | 0 | 1 |
| Malignant neoplasm of breast of unspecified site, female | | 1 | 0 | 1 |
| Malignant neoplasm of endometrium | | 1 | 1 | 2 |
| Malignant neoplasm of lower-inner quadrant of left female breast | | 1 | 0 | 1 |
| Malignant neoplasm of unspecified ovary | | 1 | 0 | 1 |
| Other classical Hodgkin lymphoma, unspecified site | | 1 | 0 | 1 |
| Q5107 | INJECTION BEVACIZUMAB-AWWB BIOSIMILAR 10 MG | 34 | 2 | 36 |
| Malignant neoplasm of ascending colon | | 3 | 0 | 3 |
| Malignant neoplasm of brain, unspecified | | 1 | 0 | 1 |
| Malignant neoplasm of cecum | | 1 | 0 | 1 |
| Malignant neoplasm of cervix uteri, unspecified | | 2 | 0 | 2 |
| Malignant neoplasm of descending colon | | 3 | 0 | 3 |
| Malignant neoplasm of endocervix | | 5 | 0 | 5 |
| Malignant neoplasm of left ovary | | 0 | 1 | 1 |
| Malignant neoplasm of overlapping sites of colon | | 0 | 1 | 1 |
| Malignant neoplasm of rectosigmoid junction | | 2 | 0 | 2 |
| Malignant neoplasm of right ovary | | 4 | 0 | 4 |
| Malignant neoplasm of sigmoid colon | | 11 | 0 | 11 |
| Malignant neoplasm of unspecified ovary | | 2 | 0 | 2 |
| angriant neeplasm of anopeamed every | | - | | _ |

| Q5108 | | INJECTION PEGFILGRASTIM-JMDB BIOSIMILAR 0.5 MG | 0 | 2 | 2 |
|-------|---|--|----|----|----|
| | Hodgkin lymphoma, unspecified, unspecified site | | 0 | 1 | 1 |
| | Malignant neoplasm of upper-outer quadrant of right female breast | | 0 | 1 | 1 |
| Q5112 | | INJECTION TRASTUZUMAB-DTTB BIOSIMILAR 10 MG | 0 | 1 | 1 |
| | Malignant neoplasm of upper-outer quadrant of left female breast | | 0 | 1 | 1 |
| Q5114 | | INJECTION TRASTUZUMAB-DKST BIOSIMILAR 10 MG | 5 | 4 | 9 |
| | Malignant neoplasm of nipple and areola, right female breast | | 2 | 0 | 2 |
| | Malignant neoplasm of unsp site of unspecified female breast | | 3 | 4 | 7 |
| Q5115 | | INJECTION RITUXIMAB-ABBS BIOSIMILAR 10 MG | 1 | 2 | 3 |
| | Malignant neoplasm of upper lobe, right bronchus or lung | | 0 | 1 | 1 |
| | Mantle cell lymphoma, unspecified site | | 0 | 1 | 1 |
| | Rheumatoid arthritis, unspecified | | 1 | 0 | 1 |
| Q5116 | | INJECTION TRASTUZUMAB-QYYP BIOSIMILAR 10 MG | 0 | 3 | 3 |
| | Malignant neoplasm of overlapping sites of left female breast | | 0 | 1 | 1 |
| | Malignant neoplasm of upper-inner quadrant of breast, female | | 0 | 1 | 1 |
| | Malignant neoplasm of upper-outer quadrant of right female breast | | 0 | 1 | 1 |
| Q5117 | | INJECTION TRASTUZUMAB-ANNS BIOSIMILAR 10 MG | 14 | 4 | 18 |
| | Malignant neoplasm of axillary tail of left female breast | | 2 | 0 | 2 |
| | Malignant neoplasm of lower-outer quadrant of breast, female | | 1 | 0 | 1 |
| | Malignant neoplasm of lower-outer quadrant of left female breast | | 1 | 0 | 1 |
| | Malignant neoplasm of overlapping sites of left female breast | | 1 | 1 | 2 |
| | Malignant neoplasm of overlapping sites of right female breast | | 2 | 0 | 2 |
| | Malignant neoplasm of unspecified site of left female breast | | 0 | 1 | 1 |
| | Malignant neoplasm of upper-inner quadrant of right female breast | | 2 | 0 | 2 |
| | Malignant neoplasm of upper-outer quadrant of left female breast | | 2 | 1 | 3 |
| | Malignant neoplasm of upper-outer quadrant of right female breast | | 3 | 1 | 4 |
| Q5118 | | INJECTION BEVACIZUMAB-BVZR BIOSIMILAR 10 MG | 55 | 26 | 81 |
| | Liver cell carcinoma | | 6 | 0 | 6 |
| | Malignant neoplasm of ascending colon | | 2 | 0 | 2 |
| | Malignant neoplasm of brain, unspecified | | 1 | 0 | 1 |
| | Malignant neoplasm of cecum | | 1 | 4 | 5 |
| | Malignant neoplasm of colon, unspecified | | 2 | 0 | 2 |
| | Malignant neoplasm of endocervix | | 2 | 4 | 6 |
| | Malignant neoplasm of exocervix | | 0 | 1 | 1 |
| | Malignant neoplasm of overlapping sites of cervix uteri | | 4 | 0 | 4 |
| | Malignant neoplasm of overlapping sites of colon | | 2 | 0 | 2 |
| | Malignant neoplasm of rectosigmoid junction | | 3 | 1 | 4 |
| | Malignant neoplasm of rectum | | 1 | 1 | 2 |
| | Malignant neoplasm of retroperitoneum | | 9 | 0 | 9 |
| | Malignant neoplasm of right main bronchus | | 2 | 0 | 2 |
| | Malignant neoplasm of sigmoid colon | | 4 | 8 | 12 |

| Malignant neoplasm of splenic flexure | 8 | 0 | 8 |
|---|----|----|----|
| Malignant neoplasm of temporal lobe | 1 | 0 | 1 |
| Malignant neoplasm of transverse colon | 6 | 7 | 13 |
| Malignant neoplasm of unspecified part of left bronchus or lung | 1 | 0 | 1 |
| Quetiapine | 0 | 1 | 1 |
| Anxiety disorder, unspecified | 0 | 1 | 1 |
| Rabeprazole | 3 | 2 | 5 |
| Epigastric pain | 1 | 0 | 1 |
| Gastro-esophageal reflux disease without esophagitis | 2 | 2 | 4 |
| Ramelteon | 5 | 7 | 12 |
| insomnia due to medical condition | 0 | 1 | 1 |
| Insomnia, unspecified | 3 | 1 | 4 |
| Insufficient sleep syndrome | 0 | 1 | 1 |
| Major depressive disorder, single episode, unspecified | 1 | 0 | 1 |
| Obstructive sleep apnea (adult) (pediatric) | 0 | 1 | 1 |
| Other insomnia | 1 | 0 | 1 |
| Primary insomnia | 0 | 3 | 3 |
| Ramipril | 0 | 2 | 2 |
| Essential (primary) hypertension | 0 | 2 | 2 |
| Ramucirumab | 0 | 2 | 2 |
| Malignant neoplasm of greater curvature of stomach, unsp | 0 | 1 | 1 |
| Malignant neoplasm of overlapping sites of right bronchus and lung | 0 | 1 | 1 |
| Ranibizumab | 28 | 13 | 41 |
| Central retinal vein occlusion, left eye, with macular edema | 1 | 1 | 2 |
| Central retinal vein occlusion, right eye, with macular edema | 0 | 2 | 2 |
| Degenerative myopia, right eye | 1 | 0 | 1 |
| Tributary (branch) retinal vein occlusion, left eye, with macular edema | 4 | 0 | 4 |
| Tributary (branch) retinal vein occlusion, right eye, with macular edema | 3 | 0 | 3 |
| Type 2 diab with severe nonp rtnop with macular edema, bi | 3 | 0 | 3 |
| Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy wi | 1 | 0 | 1 |
| Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopath | 1 | 0 | 1 |
| Type 2 diabetes mellitus with proliferative diabetic retinopathy with | 1 | 1 | 2 |
| Type 2 diabetes mellitus with proliferative diabetic retinopathy with macul | 10 | 7 | 17 |
| Type 2 diabetes mellitus with proliferative diabetic retinopathy without ma | 3 | 2 | 5 |
| Ranolazine | 8 | 8 | 16 |
| Abnormal result of other cardiovascular function study | 0 | 1 | 1 |
| Atherosclerotic heart disease of native coronary artery with other forms of | 0 | 1 | 1 |
| Atherosclerotic heart disease of native coronary artery wo angina pectoris | 0 | 1 | 1 |
| | | | |

| Atherosclerotic hrt dis of native coronary artery w/ unspecified angina pec | 1 | 0 | 1 |
|---|----|----|----|
| Chest pain, unspecified | 4 | 2 | 6 |
| Other forms of angina pectoris | 0 | 2 | 2 |
| Precordial pain | 1 | 0 | 1 |
| Unstable angina | 2 | 1 | 3 |
| Ravulizumab | 1 | 3 | 4 |
| Other hemolytic-uremic syndrome | 1 | 0 | 1 |
| Paroxysmal nocturnal hemoglobinuria [Marchiafava-Micheli] | 0 | 3 | 3 |
| Rectal Anesthetic/Steroids - Two Ingredient | 0 | 2 | 2 |
| Other hemorrhoids | 0 | 2 | 2 |
| Regorafenib | 5 | 3 | 8 |
| Liver cell carcinoma | 1 | 0 | 1 |
| Malignant neoplasm of overlapping sites of colon | 1 | 0 | 1 |
| Malignant neoplasm of rectum | 3 | 3 | 6 |
| Relugolix | 2 | 5 | 7 |
| Malignant neoplasm of prostate | 2 | 5 | 7 |
| Revefenacin | 3 | 2 | 5 |
| Chronic obstructive pulmonary disease, unspecified | 3 | 2 | 5 |
| Ribociclib | 6 | 4 | 10 |
| Malignant neoplasm of nipple and areola, left female breast | 1 | 0 | 1 |
| Malignant neoplasm of unsp site of unspecified female breast | 2 | 1 | 3 |
| Malignant neoplasm of unspecified ovary | 0 | 1 | 1 |
| Malignant neoplasm of upper-outer quadrant of left female breast | 1 | 1 | 2 |
| Malignant neoplasm of upper-outer quadrant of right female breast | 2 | 1 | 3 |
| Rifaximin | 49 | 26 | 75 |
| Alcoholic cirrhosis of liver with ascites | 2 | 0 | 2 |
| Alcoholic cirrhosis of liver without ascites | 1 | 1 | 2 |
| Bacterial intestinal infection, unspecified | 2 | 0 | 2 |
| Chronic passive congestion of liver | 0 | 1 | 1 |
| diagnosis code unavailable | 0 | 1 | 1 |
| Hepatic encephalopathy | 19 | 2 | 21 |
| Hepatic failure, unspecified with coma | 1 | 0 | 1 |
| Hepatic failure, unspecified without coma | 14 | 2 | 16 |
| Irritable bowel syndrome with diarrhea | 7 | 13 | 20 |
| Malignant neoplasm of right kidney, except renal pelvis | 0 | 1 | 1 |
| Other lack of coordination | 0 | 1 | 1 |
| Other specified diseases of intestine | 2 | 1 | 3 |
| Personal history of other diseases of the digestive system | 0 | 1 | 1 |
| Unspecified cirrhosis of liver | 1 | | |
| | | 2 | 3 |

| Amyotrophic lateral sclerosis | 0 | 2 | 2 |
|---|----|----|----|
| Rimegepant | 15 | 44 | 59 |
| Chronic migraine w/o aura, intractable, w status migrainosus | 0 | 1 | 1 |
| Chronic migraine w/o aura, intractable, w/o stat migr | 2 | 3 | 5 |
| Chronic migraine w/o aura, not intractable, w/o stat migr | 1 | 1 | 2 |
| Chronic migraine without aura, intractable, without status migrainosus | 0 | 1 | 1 |
| Chronic migraine without aura, not intractable, with status migrainosus | 0 | 1 | 1 |
| Menstrual migraine, not intractable, without status migrainosus | 0 | 1 | 1 |
| Migraine | 0 | 1 | 1 |
| Migraine w/o aura, intractable, without status migrainosus | 3 | 4 | 7 |
| Migraine w/o aura, not intractable, w/o status migrainosus | 4 | 9 | 13 |
| Migraine w/o aura, not intractable, with status migrainosus | 0 | 4 | 4 |
| Migraine with aura, intractable, with status migrainosus | 2 | 2 | 4 |
| Migraine with aura, not intractable, w/o status migrainosus | 2 | 1 | 3 |
| Migraine with aura, not intractable, with status migrainosus | 0 | 3 | 3 |
| Migraine without aura, intractable, with status migrainosus | 0 | 1 | 1 |
| Migraine without aura, not intractable, without status migrainosus | 0 | 1 | 1 |
| Migraine, unspecified, not intractable, without status migrainosus. | 0 | 6 | 6 |
| Other headache syndrome | 0 | 2 | 2 |
| Other migraine, not intractable, without status migrainosus | 1 | 0 | 1 |
| Periodic headache syndromes in chld/adlt, not intractable | 0 | 2 | 2 |
| Riociguat | 8 | 1 | 9 |
| Chronic thromboembolic pulmonary hypertension | 5 | 0 | 5 |
| Primary pulmonary hypertension | 3 | 0 | 3 |
| Pulmonary hypertension, unspecified | 0 | 1 | 1 |
| Risankizumab | 19 | 16 | 35 |
| Arthropathic psoriasis, unspecified | 1 | 0 | 1 |
| Crohn's disease of both small and large intestine with other complication | 1 | 1 | 2 |
| Crohn's disease of large intestine with other complication | 2 | 0 | 2 |
| Crohns disease, unspecified, without complications | 2 | 1 | 3 |
| Psoriasis | 1 | 1 | 2 |
| Psoriasis vulgaris | 8 | 10 | 18 |
| Psoriasis, unspecified | 3 | 3 | 6 |
| Psoriatic spondylitis | 1 | 0 | 1 |
| Risperidone | 3 | 3 | 6 |
| Bipolar disorder, current episode manic without psychotic features, | 0 | 1 | 1 |
| moderat | | 2 | 2 |
| Conduct disorder, unspecified | 2 | 0 | 2 |
| Oppositional defiant disorder | 0 | 2 | 2 |
| Unspecified mood [affective] disorder | 1 | 0 | 1 |
| Rituximab | 32 | 21 | 53 |

| | | | _ |
|---|---|---|---|
| Acute kidney failure, unspecified | 0 | 2 | 2 |
| Antineutrophilic cytoplasmic antibody [ANCA] vasculitis | 1 | 0 | 1 |
| Arteritis, unspecified | 0 | 1 | 1 |
| Chronic lymphocytic leukemia of B-cell type not having achieved remission | 1 | 2 | 3 |
| Diffuse large B-cell lymphoma, extrnod and solid organ sites | 1 | 0 | 1 |
| Diffuse large B-cell lymphoma, lymph nodes of multiple sites | 0 | 1 | 1 |
| Diffuse large B-cell lymphoma, unspecified site | 1 | 0 | 1 |
| Essential (hemorrhagic) thrombocythemia | 1 | 0 | 1 |
| Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tiss | 1 | 0 | 1 |
| Follicular lymphoma grade I, lymph nodes of head, face, and neck | 1 | 0 | 1 |
| Follicular lymphoma grade II, intra-abdominal lymph nodes | 1 | 1 | 2 |
| Immune thrombocytopenic purpura | 1 | 1 | 2 |
| Malignant neoplasm of upper lobe, right bronchus or lung | 1 | 0 | 1 |
| Mantle cell lymphoma, extranodal and solid organ sites | 0 | 2 | 2 |
| Microscopic polyangiitis | 2 | 1 | 3 |
| Multiple sclerosis | 1 | 2 | 3 |
| Neoplm of uncrt behav of lymphoid,hematpoetc & Rel tiss,unsp | 1 | 0 | 1 |
| Nephrotic syndrome with unspecified morphologic changes | 2 | 0 | 2 |
| Oth congenital malformation syndromes, NEC | 1 | 0 | 1 |
| Other types of follicular lymphoma, lymph nodes of multiple sites | 3 | 0 | 3 |
| Pemphigus vulgaris | 0 | 1 | 1 |
| Post-transplant lymphoproliferative disorder (PTLD) | 1 | 1 | 2 |
| Rheu arthritis w rheu factor of multiple sites wo organ or systems involvem | 5 | 1 | 6 |
| Stenosis of larynx | 1 | 0 | 1 |
| Systemic involvement of connective tissue, unspecified | 1 | 0 | 1 |
| Systemic lupus erythematosus, unspecified | 1 | 1 | 2 |
| Thrombocytopenia, unspecified | 1 | 2 | 3 |
| Unsp nephritic syndrome w diffuse membranous glomrlneph | 0 | 1 | 1 |
| Wegeners granulomatosis without renal involvement | 2 | 1 | 3 |
| Roflumilast | 2 | 4 | 6 |
| Chronic obstructive pulmonary disease, unspecified | 2 | 2 | 4 |
| Graft-versus-host disease, unspecified | 0 | 1 | 1 |
| Psoriasis vulgaris | 0 | 1 | 1 |
| Romiplostim | 2 | 2 | 4 |
| Immune thrombocytopenic purpura | 2 | 2 | 4 |
| Romosozumab | 0 | 6 | 6 |
| Age-related osteoporosis w/o current pathological fracture | 0 | 6 | 6 |
| Ropeginterferon alfa-2b | 2 | 0 | 2 |
| Polycythemia vera | 2 | 0 | 2 |

| Rosuvastatin | | 8 | 0 | 8 |
|--|---|----|----|----|
| Atherosclerotic heart disease of native coronary artery wo angina pectoris | | 1 | 0 | 1 |
| Hyperkalemia | | 1 | 0 | 1 |
| Long term (current) use of antithrombotics/antiplatelets | | 1 | 0 | 1 |
| Mixed hyperlipidemia | | 3 | 0 | 3 |
| Pure hypercholesterolemia, unspecified | | 1 | 0 | 1 |
| Type 2 diabetes mellitus with hyperglycemia | | 1 | 0 | 1 |
| Ruxolitinib | | 11 | 12 | 23 |
| Atopic Dermatitis | | 2 | 4 | 6 |
| Chronic myeloproliferative disease | | 2 | 3 | 5 |
| Graft-versus-host disease, unspecified | | 2 | 1 | 3 |
| Myelofibrosis | | 3 | 0 | 3 |
| Other atopic dermatitis | | 2 | 2 | 4 |
| Vitiligo | | 0 | 2 | 2 |
| S0189 | TESTOSTERONE PELLET 75 MG | 1 | 0 | 1 |
| Testicular hypofunction | | 1 | 0 | 1 |
| S9990 | SERVICES PROVIDED AS PART PHASE II CLIN TRIAL | 1 | 1 | 2 |
| Malignant neoplasm of lower-outer quadrant of breast, female | | 0 | 1 | 1 |
| Malignant neoplasm of lower-outer quadrant of left female breast | | 1 | 0 | 1 |
| Sacituzumab | | 2 | 0 | 2 |
| Malignant neoplasm of upper-outer quadrant of right female breast | | 2 | 0 | 2 |
| Salicylic Acid | | 1 | 0 | 1 |
| Other viral warts | | 1 | 0 | 1 |
| Sarecycline | | 0 | 1 | 1 |
| Acne vulgaris | | 0 | 1 | 1 |
| Scar Treatment Products | | 0 | 2 | 2 |
| Scar conditions and fibrosis of skin | | 0 | 2 | 2 |
| Scopolamine | | 1 | 2 | 3 |
| Nausea with vomiting, unspecified | | 1 | 2 | 3 |
| Secukinumab | | 25 | 6 | 31 |
| Ankylosing spondylitis of multiple sites in spine | | 2 | 0 | 2 |
| Ankylosing spondylitis of unspecified sites in spine | | 1 | 0 | 1 |
| Arthropathic psoriasis, unspecified | | 2 | 2 | 4 |
| Other psoriatic arthropathy | | 4 | 0 | 4 |
| Psoriasis | | 1 | 0 | 1 |
| Psoriasis vulgaris | | 9 | 2 | 11 |
| Psoriasis, unspecified | | 1 | 1 | 2 |
| Psoriatic spondylitis | | 2 | 1 | 3 |
| Spondylosis without myelopathy or radiculopathy, site unsp | | 3 | 0 | 3 |
| Selexipag | | 7 | 3 | 10 |
| Other secondary pulmonary hypertension | | 1 | 1 | 2 |

| Primary pulmonary hypertension | 5 | 2 | 7 |
|--|-----|-----|-----|
| Pulmonary hypertension, unspecified | 1 | 0 | 1 |
| Selinexor | 2 | 0 | 2 |
| Multiple myeloma not having achieved remission | 2 | 0 | 2 |
| Semaglutide | 257 | 446 | 703 |
| Abnormal weight gain | 0 | 2 | 2 |
| Adult body mass index 30-30.9 obesity - Adult obesity with BMI between | 0 | 6 | 6 |
| Body mass index (BMI) 25.0-25.9 Adult | 0 | 1 | 1 |
| Body mass index (BMI) 29.0-29.9, adult | 0 | 2 | 2 |
| Body mass index (BMI) 33.0-33.9, adult | 0 | 4 | 4 |
| Body Mass Index (BMI) 34.0-34.9, Adult | 0 | 4 | 4 |
| BODY MASS INDEX (BMI) 35.0-35.9, ADULT | 0 | 2 | 2 |
| Body mass index (BMI) 38.0-38.9, adult | 0 | 1 | 1 |
| Body mass index (BMI) 40.0-44.9, adult | 1 | 8 | 9 |
| Body mass index (BMI) 50-59.9 , adult | 0 | 2 | 2 |
| Body mass index (BMI) 60.0-69.9, adult | 0 | 2 | 2 |
| Body mass index [BMI] 31.0-31.9, adult | 0 | 1 | 1 |
| Diabetes mellitus due to underlying condition w/diabetic chronic kidney dz | 2 | 1 | 3 |
| Diabetes mellitus due to underlying condition without complications | 1 | 0 | 1 |
| diagnosis code unavailable | 2 | 4 | 6 |
| Drug-induced obesity | 1 | 0 | 1 |
| Hyperglycemia, unspecified | 2 | 5 | 7 |
| Impaired glucose tolerance (oral) | 0 | 1 | 1 |
| Metabolic syndrome | 1 | 13 | 14 |
| Morbid (severe) obesity due to excess calories | 2 | 64 | 66 |
| Morbid (severe) obesity with Alveolar hypoventilation | 0 | 1 | 1 |
| Obesity, unspecified | 2 | 55 | 57 |
| Other abnormal glucose | 1 | 2 | 3 |
| Other obesity | 1 | 5 | 6 |
| Other obesity due to excess calories | 0 | 11 | 11 |
| Other specified abnormal findings of blood chemistry | 1 | 0 | 1 |
| Overweight | 1 | 8 | 9 |
| Polycystic ovarian syndrome | 0 | 3 | 3 |
| Prediabetes | 8 | 36 | 44 |
| Pure hypercholesterolemia, unspecified | 0 | 2 | 2 |
| Type 1 Diabetes Mellitus with Diabetic Nephropathy | 0 | 1 | 1 |
| Type 1 diabetes mellitus with diabetic neuropathy, unspecified | 0 | 1 | 1 |
| Type 2 diab with prolif diab rtnop without macular edema, bi | 1 | 0 | 1 |
| Type 2 diabetes mellitus w oth diabetic kidney complication | 4 | 1 | 5 |
| Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy | 0 | 1 | 1 |

| Type 2 diabetes mellitus with diabetic chronic kidney disease | 5 | 6 | 11 |
|---|----|----|-----|
| Type 2 diabetes mellitus with diabetic nephropathy | 1 | 1 | 2 |
| Type 2 diabetes mellitus with diabetic neuropathy, unspecified | 1 | 0 | 1 |
| Type 2 diabetes mellitus with diabetic polyneuropathy | 2 | 2 | 4 |
| Type 2 diabetes mellitus with hyperglycemia | 96 | 79 | 175 |
| Type 2 diabetes mellitus with hyperosmolarity without nonketotic | 0 | 3 | 3 |
| Type 2 diabetes mellitus with other circulatory complications | 5 | 2 | 7 |
| Type 2 diabetes mellitus with other specified complication | 24 | 32 | 56 |
| Type 2 diabetes mellitus with proliferative diabetic retinopathy with macul | 1 | 0 | 1 |
| Type 2 diabetes mellitus with unspecified complications | 6 | 3 | 9 |
| Type 2 diabetes mellitus without complications | 85 | 66 | 151 |
| Type 2 diabetes neuropathic arthropathy | 0 | 1 | 1 |
| Type 2 diabetes peripheral angiopathy | 0 | 1 | 1 |
| Sertraline | 4 | 1 | 5 |
| Generalized anxiety disorder | 2 | 1 | 3 |
| Major depressive disorder, recurrent severe without psychotic features | 1 | 0 | 1 |
| Other specified anxiety disorders | 1 | 0 | 1 |
| Sevelamer | 16 | 10 | 26 |
| diagnosis code unavailable | 2 | 0 | 2 |
| End stage renal disease | 4 | 6 | 10 |
| Other disorders of phosphorus metabolism | 8 | 3 | 11 |
| Secondary hyperparathyroidism of renal origin | 2 | 0 | 2 |
| Type 2 diabetes mellitus with diabetic chronic kidney disease | 0 | 1 | 1 |
| SGLT2 Inhibitor - DPP-4 Inhibitor Combinations - Two Ingred | 3 | 0 | 3 |
| Type 2 diabetes mellitus with hyperglycemia | 1 | 0 | 1 |
| Type 2 diabetes mellitus with hyperosmolarity without nonketotic | 1 | 0 | 1 |
| hyperglyce | | | |
| Type 2 diabetes mellitus without complications | 1 | 0 | 1 |
| Sildenafil | 7 | 10 | 17 |
| Congenital malformation of breast, unspecified | 1 | 0 | 1 |
| Male erectile disorder | 0 | 1 | 1 |
| Male erectile dysfunction, unspecified | 0 | 6 | 6 |
| Other secondary pulmonary hypertension | 0 | 1 | 1 |
| Pulmonary hypertension, unspecified | 3 | 1 | 4 |
| Raynauds syndrome without gangrene | 1 | 0 | 1 |
| Secondary pulmonary arterial hypertension | 1 | 0 | 1 |
| Systemic sclerosis, unspecified | 1 | 1 | 2 |
| Silodosin | 1 | 3 | 4 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Enlarged prostate with lower urinary tract symptoms | 0 | 1 | 1 |

| Enlarged prostate without lower urinary tract symptoms | 0 | 1 | 1 |
|---|----|-----|-----|
| Neuromuscular dysfunction of bladder, unspecified | 0 | 1 | 1 |
| Simvastatin | 1 | 0 | 1 |
| Hyperlipidemia, unspecified | 1 | 0 | 1 |
| Siponimod | 0 | 1 | 1 |
| Multiple sclerosis | 0 | 1 | 1 |
| Sirolimus | 1 | 0 | 1 |
| Congenital malformation, unspecified | 1 | 0 | 1 |
| Sitagliptin | 10 | 4 | 14 |
| diagnosis code unavailable | 2 | 0 | 2 |
| Type 2 diabetes mellitus with diabetic chronic kidney disease | 0 | 1 | 1 |
| Type 2 diabetes mellitus with hyperglycemia | 1 | 2 | 3 |
| Type 2 diabetes mellitus without complications | 7 | 1 | 8 |
| Sodium Ferric Gluconate | 1 | 0 | 1 |
| Other iron deficiency anemias | 1 | 0 | 1 |
| Sodium Hyaluronate | 56 | 104 | 160 |
| Bilateral primary osteoarthritis of knee | 21 | 32 | 53 |
| Hemarthrosis, unspecified joint | 0 | 1 | 1 |
| Osteoarthritis of knee | 4 | 5 | 9 |
| Osteoarthritis of knee, unspecified | 1 | 0 | 1 |
| Other chronic pain | 0 | 1 | 1 |
| Other rheumatoid arthritis | 0 | 2 | 2 |
| Other tear of medial meniscus, current injury, left knee, initial encounter | 0 | 2 | 2 |
| Pain in right knee | 3 | 0 | 3 |
| Patellofemoral disorders, right knee | 0 | 1 | 1 |
| Rheumatoid arthritis with rheumatoid factor of other specified site withou | 0 | 2 | 2 |
| Rheumatoid lung disease with rheumatoid arthritis of unspecified wrist | 0 | 1 | 1 |
| Unilateral primary osteoarthritis, left knee | 13 | 34 | 47 |
| Unilateral primary osteoarthritis, right knee | 10 | 22 | 32 |
| Unilateral primary osteoarthritis, unspecified knee | 4 | 1 | 5 |
| Sodium-Glucose Co-Transporter 2 Inhib-Biguanide - Two Ingred | 19 | 22 | 41 |
| diagnosis code unavailable | 0 | 1 | 1 |
| Type 2 diabetes mellitus with diabetic neuropathy, unspecified | 0 | 1 | 1 |
| Type 2 diabetes mellitus with hyperglycemia | 9 | 9 | 18 |
| Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy wi | 3 | 0 | 3 |
| Type 2 diabetes mellitus with other circulatory complications | 0 | 2 | 2 |
| Type 2 diabetes mellitus with other specified complication | 2 | 1 | 3 |
| Type 2 diabetes mellitus with unspecified complications | 1 | 0 | 1 |
| Type 2 diabetes mellitus without complications | 4 | 8 | 12 |
| Solifenacin | 1 | 2 | 3 |

| Bilateral primary osteoarthritis of knee | 1 | 0 | 1 |
|--|----|----|----------|
| diagnosis code unavailable | 0 | 1 | 1 |
| Overactive bladder | 0 | 1 | 1 |
| Solriamfetol | 0 | 1 | 1 |
| Obstructive sleep apnea (adult) (pediatric) | 0 | 1 | 1 |
| Somapacitan | 1 | 1 | 2 |
| Hypopituitarism | 1 | 1 | 2 |
| Somatropin | 13 | 7 | 20 |
| Hypopituitarism | 9 | 3 | 12 |
| Short stature (child) | 1 | 4 | 5 |
| Turners syndrome, unspecified | 3 | 0 | 3 |
| Sorafenib | 0 | 2 | 2 |
| Acute myeloblastic leukemia, not having achieved remission | 0 | 1 | 1 |
| Liver cell carcinoma | 0 | 1 | 1 |
| Sotagliflozin | 1 | 0 | 1 |
| Chronic systolic (congestive) heart failure | 1 | 0 | 1 |
| Sotorasib | 3 | 1 | 4 |
| Mesothelioma of pleura | 3 | 1 | 4 |
| Spacer/Aerosol-Holding Chambers & Supplies | 0 | 1 | 1 |
| Acute frontal sinusitis, unspecified | 0 | 1 | 1 |
| Steroid-Local Anesthetic Combination - Two Ingredient | 0 | 1 | 1 |
| Other specified diseases of anus and rectum | 0 | 1 | 1 |
| Stimulant Combinations - Two Ingredient | 2 | 8 | 10 |
| Attention and concentration deficit | 0 | 1 | 1 |
| Attention-deficit hyperactivity disorder, combined type | 1 | 3 | 4 |
| Attention-deficit hyperactivity disorder, unspecified type | 0 | 3 | 3 |
| Attn-defct hyperactivity disorder, predom hyperactive type | 1 | 0 | 1 |
| Personal history of other mental and behavioral disorders | 0 | 1 | 1 |
| Sucralfate | 1 | 3 | 4 |
| Esophagitis, unspecified | 0 | 1 | 1 |
| Malignant neoplasm of stomach, unspecified | 0 | 2 | 2 |
| Other dysphagia | 1 | 0 | 1 |
| Sucroferric | 9 | 15 | 24 |
| End stage renal disease | 2 | 9 | 11 |
| Hypercalcemia | 0 | 1 | 1 |
| Other disorders of phosphorus metabolism | 7 | 3 | 10 |
| Secondary hyperparathyroidism of renal origin | 0 | 2 | 2 |
| Sulfonylurea-Biguanide Combination - Two Ingredient | 0 | 1 | 1 |
| Type 2 diabetes mellitus with hyperglycemia | 0 | 1 | 1 |
| Sumatriptan | 1 | 2 | 3 |
| Migraine w/o aura, not intractable, w/o status migrainosus | 1 | 0 | 1 |
| inigrame w/o data/ not intractable, w/o status inigramosus | ı | | <u>'</u> |

| Migraine with aura, intractable, without status migrainosus | 0 | 1 | 1 |
|---|----|----|----|
| Migraine, unspecified, not intractable, without status migrainosus. | 0 | 1 | 1 |
| Sunitinib | 0 | 1 | 1 |
| Malignant neoplasm of unsp kidney, except renal pelvis | 0 | 1 | 1 |
| Suvorexant | 5 | 2 | 7 |
| Insomnia due to a Mental Disorder | 1 | 0 | 1 |
| Insomnia, unspecified | 1 | 0 | 1 |
| Other insomnia | 0 | 1 | 1 |
| Primary insomnia | 1 | 1 | 2 |
| Psychophysiologic insomnia | 2 | 0 | 2 |
| Tacrolimus | 29 | 39 | 68 |
| Atopic Dermatitis | 9 | 2 | 11 |
| Dermatitis, unspecified | 2 | 4 | 6 |
| diagnosis code unavailable | 0 | 1 | 1 |
| Disorder of pigmentation, unspecified | 0 | 1 | 1 |
| Eczematous dermatitis of left upper eyelid, | 1 | 0 | 1 |
| Eczematous dermatitis of right upper eyelid | 1 | 0 | 1 |
| Eczematous dermatitis of unspecific eye, unspecific eyelid | 1 | 3 | 4 |
| Graft-versus-host disease, unspecified | 0 | 1 | 1 |
| Heart transplant status | 1 | 0 | 1 |
| Intrinsic (allergic) eczema | 0 | 5 | 5 |
| Kidney transplant status | 4 | 0 | 4 |
| Lichen simplex chronicus | 0 | 1 | 1 |
| Liver transplant status | 0 | 2 | 2 |
| Lung transplant status | 2 | 0 | 2 |
| Nummular dermatitis | 0 | 1 | 1 |
| Other alopecia areata | 0 | 1 | 1 |
| Other atopic dermatitis | 4 | 7 | 11 |
| Other seborrheic dermatitis | 1 | 1 | 2 |
| Perioral dermatitis | 1 | 0 | 1 |
| Psoriasis vulgaris | 0 | 2 | 2 |
| Rosacea, unspecified | 0 | 2 | 2 |
| Unspecified contact dermatitis due to other agents | 1 | 0 | 1 |
| Vitiligo | 1 | 5 | 6 |
| Tadalafil | 9 | 5 | 14 |
| Enlarged prostate with lower urinary tract symptoms | 0 | 1 | 1 |
| Enlarged prostate without lower urinary tract symptoms | 1 | 0 | 1 |
| Erectile dysfunction following radical prostatectomy | 0 | 1 | 1 |
| Male erectile dysfunction, unspecified | 0 | 1 | 1 |
| Other male erectile dysfunction | 0 | 1 | 1 |
| Presence of heart assist device | 0 | 1 | 1 |

| Primary pulmonary hypertension | 1 | 0 | 1 |
|--|----|---|----|
| Pulmonary hypertension, unspecified | 4 | 0 | 4 |
| Secondary pulmonary arterial hypertension | 3 | 0 | 3 |
| Tafamidis | 2 | 0 | 2 |
| Wild-type transthyretin-related (ATTR) amyloidosis | 2 | 0 | 2 |
| Tafluprost | 0 | 1 | 1 |
| Primary open-angle glaucoma, left eye, severe stage | 0 | 1 | 1 |
| Tapentadol | 4 | 1 | 5 |
| Chronic pain syndrome | 2 | 1 | 3 |
| Unspecified intracranial injury with loss of consciousness status unkn | 2 | 0 | 2 |
| Tapinarof | 2 | 2 | 4 |
| Psoriasis vulgaris | 1 | 1 | 2 |
| Psoriasis, unspecified | 1 | 1 | 2 |
| Tasimelteon | 0 | 2 | 2 |
| Circadian rhythm sleep disorder, free running type | 0 | 1 | 1 |
| Insomnia, unspecified | 0 | 1 | 1 |
| Tazarotene | 2 | 2 | 4 |
| Acne vulgaris | 1 | 1 | 2 |
| Mycosis fungoides, unspecified site | 1 | 1 | 2 |
| Teduglutide (rDNA) | 1 | 1 | 2 |
| Other specified congenital malformations of intestine | 1 | 0 | 1 |
| Postsurgical malabsorption, not elsewhere classified | 0 | 1 | 1 |
| Telmisartan | 1 | 7 | 8 |
| Encounter for issue of repeat prescription | 0 | 1 | 1 |
| Essential (primary) hypertension | 1 | 3 | 4 |
| Hypertensive chronic kidney disease w stg 1-4/unsp chr kdny | 0 | 1 | 1 |
| Hypertensive heart disease without heart failure | 0 | 1 | 1 |
| Type 2 diabetes mellitus with diabetic chronic kidney disease | 0 | 1 | 1 |
| Temozolomide | 17 | 3 | 20 |
| diagnosis code unavailable | 2 | 0 | 2 |
| Malignant carcinoid tumor of the foregut NOS | 1 | 1 | 2 |
| Malignant carcinoid tumor of the stomach | 1 | 0 | 1 |
| Malignant neoplasm of brain, unspecified | 6 | 1 | 7 |
| Malignant neoplasm of parietal lobe | 2 | 0 | 2 |
| Malignant neoplasm of spinal cord | 2 | 0 | 2 |
| Malignant neoplasm of temporal lobe | 2 | 0 | 2 |
| | | | 1 |
| Secondary malignant neoplasm of brain | 0 | 1 | |
| Secondary malignant neoplasm of brain Secondary malignant neoplasm of left lung | 0 | · | 1 |
| Secondary malignant neoplasm of left lung | 1 | 0 | 1 |
| | | · | |

| Acute hepatitis B w/o delta-agent and without hepatic coma | 1 | 0 | 1 |
|---|----|----|----|
| Chronic viral hepatitis B without delta-agent | 60 | 18 | 78 |
| Unspecified viral hepatitis B without hepatic coma | 4 | 1 | 5 |
| Teriflunomide | 1 | 0 | 1 |
| Multiple sclerosis | 1 | 0 | 1 |
| Tesamorelin | 1 | 2 | 3 |
| Asymptomatic human immunodeficiency virus infection status | 0 | 1 | 1 |
| Lipodystrophy, not elsewhere classified | 1 | 1 | 2 |
| Testosterone | 5 | 8 | 13 |
| Hypopituitarism | 1 | 0 | 1 |
| Testicular dysfunction, unspecified | 1 | 0 | 1 |
| Testicular hypofunction | 3 | 7 | 10 |
| Type 2 diabetes mellitus with hyperglycemia | 0 | 1 | 1 |
| Tetrabenazine | 1 | 0 | 1 |
| Drug induced subacute dyskinesia | 1 | 0 | 1 |
| Tezepelumab | 4 | 3 | 7 |
| Severe persistent asthma, uncomplicated | 2 | 3 | 5 |
| Unspecified asthma, uncomplicated | 2 | 0 | 2 |
| Thalidomide | 0 | 1 | 1 |
| Behcets disease | 0 | 1 | 1 |
| Thiazolidinedione-Biguanide Combination - Two Ingredient | 1 | 2 | 3 |
| Type 2 diabetes mellitus without complications | 1 | 2 | 3 |
| Thienbenzodiazepines & Opioid Antagonists - Two Ingredient | 3 | 1 | 4 |
| Bipolar affective disorder, curnt episode severe depression w psychotic sym | 1 | 0 | 1 |
| Bipolar disorder, current episode mixed, unspecified | 1 | 0 | 1 |
| Schizoaffective disorder, bipolar type | 1 | 0 | 1 |
| Schizophrenia, unspecified | 0 | 1 | 1 |
| Ticagrelor | 18 | 20 | 38 |
| Acute ischemic heart disease, unspecified | 1 | 0 | 1 |
| Acute myocardial infarction, unspecified | 0 | 1 | 1 |
| Aneurysm of heart | 0 | 1 | 1 |
| Atherosclerosis of native arteries of extremities with rest pain, b | 0 | 1 | 1 |
| Atherosclerotic heart disease of native coronary artery wo angina pectoris | 5 | 4 | 9 |
| Atherosclerotic hrt dis of native coronary artery w/ unspecified angina pec | 1 | 0 | 1 |
| Cerebral infarction due to thrombosis of unspecified precerebral artery | 0 | 1 | 1 |
| Cerebral infarction due to unsp occlusion or stenosis of right middle cereb | 1 | 0 | 1 |
| Cerebral infarction, unspecified | 1 | 1 | 2 |
| Chronic systolic (congestive) heart failure | 1 | 1 | 2 |
| 2 3,5tone (congestive) heart landre | | | |

| diagnosis code unavailable | 1 | 0 | 1 |
|---|---|--|---|
| Essential (primary) hypertension | 0 | 1 | 1 |
| Nonrheumatic mitral (valve) prolapse | 1 | 0 | 1 |
| Non-ST elevation (NSTEMI) myocardial infarction | 0 | 1 | 1 |
| Nontraumatic intracerebral hemorrhage in hemisphere, cortical | 0 | 1 | 1 |
| Occlusion and stenosis of unspecified cerebral artery | 0 | 1 | 1 |
| Old myocardial infarction | 1 | 0 | 1 |
| Other specified postprocedural states | 1 | 0 | 1 |
| Personal history of other venous thrombosis and embolism | 1 | 0 | 1 |
| Presence of coronary angioplasty implant and graft | 2 | 2 | 4 |
| ST elevation (STEMI) myocardial infarction of unspecified site | 1 | 2 | 3 |
| Tildrakizumab | 0 | 1 | 1 |
| Psoriasis vulgaris | 0 | 1 | 1 |
| Tiopronin | 1 | 1 | 2 |
| Calculus of kidney | 0 | 1 | 1 |
| Cystinuria | 1 | 0 | 1 |
| Tiotropium | 0 | 1 | 1 |
| Moderate persistent asthma, uncomplicated | 0 | 1 | 1 |
| Tipranavir | 1 | 0 | 1 |
| Human immunodeficiency virus [HIV] disease | 1 | 0 | 1 |
| Trainan inimanoachalaise viras [Titv] alsease | ' | U | ' ' |
| Tirzenatide | 43 | 319 | 362 |
| Tirzepatide Abnormal weight gain | 43 | 319 | 362 |
| Abnormal weight gain | 0 | 2 | 2 |
| | | | |
| Abnormal weight gain | 0 | 2 | 2 |
| Abnormal weight gain Adult body mass index 30-30.9 obesity - Adult obesity with BMI between | 0 | 2 | 1 |
| Abnormal weight gain Adult body mass index 30-30.9 obesity - Adult obesity with BMI between BODY MASS INDEX (BMI) 35.0-35.9, ADULT | 0 0 | 2 1 1 | 2 1 1 |
| Abnormal weight gain Adult body mass index 30-30.9 obesity - Adult obesity with BMI between BODY MASS INDEX (BMI) 35.0-35.9, ADULT Body mass index (BMI) 40.0-44.9, adult | 0 0 0 0 | 2 1 1 2 | 2 1 1 2 |
| Abnormal weight gain Adult body mass index 30-30.9 obesity - Adult obesity with BMI between BODY MASS INDEX (BMI) 35.0-35.9, ADULT Body mass index (BMI) 40.0-44.9, adult Body mass index (BMI) 50-59.9, adult Diabetes mellitus due to underlying condition w/diabetic chronic kidney dz | 0 0 0 0 0 | 2 1 1 2 2 | 2 1 1 2 2 |
| Abnormal weight gain Adult body mass index 30-30.9 obesity - Adult obesity with BMI between BODY MASS INDEX (BMI) 35.0-35.9, ADULT Body mass index (BMI) 40.0-44.9, adult Body mass index (BMI) 50-59.9 , adult Diabetes mellitus due to underlying condition w/diabetic chronic kidney dz diabetes mellitus due to underlying condition with hyperosmolarity without | 0 0 0 0 0 | 2 1 1 2 2 1 | 2 1 1 2 2 2 |
| Abnormal weight gain Adult body mass index 30-30.9 obesity - Adult obesity with BMI between BODY MASS INDEX (BMI) 35.0-35.9, ADULT Body mass index (BMI) 40.0-44.9, adult Body mass index (BMI) 50-59.9, adult Diabetes mellitus due to underlying condition w/diabetic chronic kidney dz diabetes mellitus due to underlying condition with hyperosmolarity | 0 0 0 0 0 | 2 1 1 2 2 1 | 2 1 1 2 2 2 |
| Abnormal weight gain Adult body mass index 30-30.9 obesity - Adult obesity with BMI between BODY MASS INDEX (BMI) 35.0-35.9, ADULT Body mass index (BMI) 40.0-44.9, adult Body mass index (BMI) 50-59.9 , adult Diabetes mellitus due to underlying condition w/diabetic chronic kidney dz diabetes mellitus due to underlying condition with hyperosmolarity without | 0 0 0 0 0 0 | 2 1 1 2 2 2 1 | 2 1 1 2 2 2 1 |
| Abnormal weight gain Adult body mass index 30-30.9 obesity - Adult obesity with BMI between BODY MASS INDEX (BMI) 35.0-35.9, ADULT Body mass index (BMI) 40.0-44.9, adult Body mass index (BMI) 50-59.9, adult Diabetes mellitus due to underlying condition w/diabetic chronic kidney dz diabetes mellitus due to underlying condition with hyperosmolarity without diagnosis code unavailable | 0 0 0 0 0 0 0 | 2 1 1 2 2 1 1 3 | 2 1 1 2 2 2 1 1 |
| Abnormal weight gain Adult body mass index 30-30.9 obesity - Adult obesity with BMI between BODY MASS INDEX (BMI) 35.0-35.9, ADULT Body mass index (BMI) 40.0-44.9, adult Body mass index (BMI) 50-59.9 , adult Diabetes mellitus due to underlying condition w/diabetic chronic kidney dz diabetes mellitus due to underlying condition with hyperosmolarity without diagnosis code unavailable Family history of diabetes mellitus | 0 0 0 0 0 0 0 | 2 1 1 2 2 1 1 3 | 2 1 1 2 2 2 1 1 4 1 |
| Abnormal weight gain Adult body mass index 30-30.9 obesity - Adult obesity with BMI between BODY MASS INDEX (BMI) 35.0-35.9, ADULT Body mass index (BMI) 40.0-44.9, adult Body mass index (BMI) 50-59.9, adult Diabetes mellitus due to underlying condition w/diabetic chronic kidney dz diabetes mellitus due to underlying condition with hyperosmolarity without diagnosis code unavailable Family history of diabetes mellitus Metabolic syndrome | 0 0 0 0 0 0 0 0 | 2 1 1 2 2 2 1 1 3 1 8 | 2 1 1 2 2 2 1 1 1 4 1 |
| Abnormal weight gain Adult body mass index 30-30.9 obesity - Adult obesity with BMI between BODY MASS INDEX (BMI) 35.0-35.9, ADULT Body mass index (BMI) 40.0-44.9, adult Body mass index (BMI) 50-59.9, adult Diabetes mellitus due to underlying condition w/diabetic chronic kidney dz diabetes mellitus due to underlying condition with hyperosmolarity without diagnosis code unavailable Family history of diabetes mellitus Metabolic syndrome Morbid (severe) obesity due to excess calories | 0 0 0 0 0 0 0 0 | 2 1 1 2 2 1 1 3 1 8 9 | 2 1 1 2 2 2 1 1 4 1 9 |
| Abnormal weight gain Adult body mass index 30-30.9 obesity - Adult obesity with BMI between BODY MASS INDEX (BMI) 35.0-35.9, ADULT Body mass index (BMI) 40.0-44.9, adult Body mass index (BMI) 50-59.9, adult Diabetes mellitus due to underlying condition w/diabetic chronic kidney dz diabetes mellitus due to underlying condition with hyperosmolarity without diagnosis code unavailable Family history of diabetes mellitus Metabolic syndrome Morbid (severe) obesity due to excess calories Obesity, unspecified | 0 0 0 0 0 0 0 0 | 2 1 1 2 2 1 1 3 1 8 9 | 2 1 1 2 2 2 1 1 4 1 9 9 |
| Abnormal weight gain Adult body mass index 30-30.9 obesity - Adult obesity with BMI between BODY MASS INDEX (BMI) 35.0-35.9, ADULT Body mass index (BMI) 40.0-44.9, adult Body mass index (BMI) 50-59.9 , adult Diabetes mellitus due to underlying condition w/diabetic chronic kidney dz diabetes mellitus due to underlying condition with hyperosmolarity without diagnosis code unavailable Family history of diabetes mellitus Metabolic syndrome Morbid (severe) obesity due to excess calories Obesity, unspecified Other abnormal glucose | 0 0 0 0 0 0 0 1 1 0 1 0 | 2 1 1 2 2 1 1 3 1 8 9 12 2 | 2 1 1 2 2 2 1 1 4 1 9 9 9 |
| Abnormal weight gain Adult body mass index 30-30.9 obesity - Adult obesity with BMI between BODY MASS INDEX (BMI) 35.0-35.9, ADULT Body mass index (BMI) 40.0-44.9, adult Body mass index (BMI) 50-59.9, adult Diabetes mellitus due to underlying condition w/diabetic chronic kidney dz diabetes mellitus due to underlying condition with hyperosmolarity without diagnosis code unavailable Family history of diabetes mellitus Metabolic syndrome Morbid (severe) obesity due to excess calories Obesity, unspecified Other abnormal glucose Other obesity due to excess calories | 0 0 0 0 0 0 0 1 1 0 1 0 0 | 2 1 1 2 2 2 1 1 3 1 8 9 12 2 | 2 1 1 2 2 2 1 1 4 1 9 9 12 2 2 |
| Abnormal weight gain Adult body mass index 30-30.9 obesity - Adult obesity with BMI between BODY MASS INDEX (BMI) 35.0-35.9, ADULT Body mass index (BMI) 40.0-44.9, adult Body mass index (BMI) 50-59.9, adult Diabetes mellitus due to underlying condition w/diabetic chronic kidney dz diabetes mellitus due to underlying condition with hyperosmolarity without diagnosis code unavailable Family history of diabetes mellitus Metabolic syndrome Morbid (severe) obesity due to excess calories Obesity, unspecified Other abnormal glucose Other obesity due to excess calories Other specified diabetes mellitus with hyperglycemia | 0 0 0 0 0 0 0 1 1 0 1 0 0 | 2 1 1 2 2 2 1 1 3 1 8 9 12 2 2 | 2 1 1 1 2 2 1 1 1 4 1 9 9 12 2 2 1 |

| Type 2 diabetes mellitus | 1 | 3 | 4 |
|--|----------------------------|----------------------------|----------------------------|
| Type 2 diabetes mellitus w oth diabetic kidney complication | 0 | 4 | 4 |
| Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy | 0 | 3 | 3 |
| Type 2 diabetes mellitus with diabetic chronic kidney disease | 0 | 4 | 4 |
| Type 2 diabetes mellitus with diabetic nephropathy | 3 | 4 | 7 |
| Type 2 diabetes mellitus with diabetic neuropathy, unspecified | 1 | 3 | 4 |
| Type 2 diabetes mellitus with diabetic polyneuropathy | 1 | 8 | 9 |
| Type 2 diabetes mellitus with hyperglycemia | 20 | 114 | 134 |
| Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperalyce | 0 | 3 | 3 |
| Type 2 diabetes mellitus with other circulatory complications | 1 | 7 | 8 |
| Type 2 diabetes mellitus with other specified complication | 7 | 25 | 32 |
| Type 2 diabetes mellitus with unspecified complications | 0 | 3 | 3 |
| Type 2 diabetes mellitus without complications | 7 | 69 | 76 |
| Tivozanib | 1 | 0 | 1 |
| Malignant neoplasm of unsp kidney, except renal pelvis | 1 | 0 | 1 |
| Tizanidine Tizanidine Tizanidine | 2 | 3 | 5 |
| Cervicalgia | 0 | 2 | 2 |
| muscle spasm of back | 0 | 1 | 1 |
| Other muscle spasm | 1 | 0 | 1 |
| Spinal stenosis, site unspecified | 1 | 0 | 1 |
| Tobramycin | 2 | 1 | 3 |
| diagnosis code unavailable | 0 | 1 | 1 |
| Lung transplant status | 1 | 0 | 1 |
| Pneumonia due to Pseudomonas | 1 | 0 | 1 |
| Tocilizumab | 12 | 17 | 29 |
| Acute lymphoblastic leukemia not having achieved remission | 0 | 1 | 1 |
| Acute lymphoblastic leukemia, in remission | 0 | 2 | 2 |
| Adult-onset Stills disease | 2 | 0 | 2 |
| Aortic arch syndrome [Takayasu] | 1 | 2 | 3 |
| Giant cell arteritis with polymyalgia rheumatica | 1 | 0 | 1 |
| Lung transplant rejection | | | |
| EUTO GALDONALI TELECUOTI | 0 | 1 | 1 |
| | 0 | 1 | 2 |
| Other juvenile arthritis, unspecified site Rheu arthritis w rheu factor of multiple sites wo organ or systems involvem | 0 1 1 | 1 1 0 | 1 2 1 |
| Other juvenile arthritis, unspecified site | 1 | 1 | 2 |
| Other juvenile arthritis, unspecified site Rheu arthritis w rheu factor of multiple sites wo organ or systems involvem Rheumatoid arthritis without rheumatoid factor, multiple sites | 1 | 0 | 2 1 |
| Other juvenile arthritis, unspecified site Rheu arthritis w rheu factor of multiple sites wo organ or systems involvem | 1 1 2 | 0 | 2 1 2 6 |
| Other juvenile arthritis, unspecified site Rheu arthritis w rheu factor of multiple sites wo organ or systems involvem Rheumatoid arthritis without rheumatoid factor, multiple sites Rheumatoid arthritis, unspecified Systemic sclerosis, unspecified | 1 1 2 1 | 1 0 0 5 1 | 2 1 2 |
| Other juvenile arthritis, unspecified site Rheu arthritis w rheu factor of multiple sites wo organ or systems involvem Rheumatoid arthritis without rheumatoid factor, multiple sites Rheumatoid arthritis, unspecified Systemic sclerosis, unspecified Unspecified iridocyclitis | 1 1 2 1 1 | 1 0 0 5 1 2 | 2 1 2 6 2 |
| Other juvenile arthritis, unspecified site Rheu arthritis w rheu factor of multiple sites wo organ or systems involvem Rheumatoid arthritis without rheumatoid factor, multiple sites Rheumatoid arthritis, unspecified Systemic sclerosis, unspecified | 1 1 2 1 1 1 | 1 0 0 5 1 | 2 1 2 6 2 3 |

| Other rheumatoid arthritis | 1 | 0 | 1 |
|---|----|----|----|
| Rheu arthritis w rheu factor of multiple sites wo organ or systems involvem | 1 | 0 | 1 |
| Rheumatoid arthritis without rheumatoid factor, multiple sites | 1 | 2 | 3 |
| Rheumatoid arthritis without rheumatoid factor, unspecified site | 1 | 0 | 1 |
| Rheumatoid arthritis, unspecified | 1 | 4 | 5 |
| Ulcerative (chronic) pancolitis without complications | 2 | 0 | 2 |
| Tolterodine | 1 | 1 | 2 |
| Enlarged prostate with lower urinary tract symptoms | 0 | 1 | 1 |
| Overactive bladder | 1 | 0 | 1 |
| Tolvaptan | 1 | 0 | 1 |
| Polycystic kidney, adult type | 1 | 0 | 1 |
| Topical Steroid Combination - Two Ingredient | 0 | 2 | 2 |
| Nail disorders in diseases classified elsewhere | 0 | 1 | 1 |
| Psoriasis vulgaris | 0 | 1 | 1 |
| Topiramate | 0 | 3 | 3 |
| Benign intracranial hypertension | 0 | 1 | 1 |
| Essential (primary) hypertension | 0 | 1 | 1 |
| Migraine, unspecified, not intractable, without status migrainosus. | 0 | 1 | 1 |
| Topotecan | 1 | 0 | 1 |
| Malignant neoplasm of pelvic bones, sacrum and coccyx | 1 | 0 | 1 |
| Tralokinumab | 3 | 1 | 4 |
| Atopic Dermatitis | 2 | 1 | 3 |
| Other atopic dermatitis | 1 | 0 | 1 |
| Tramadol | 41 | 57 | 98 |
| Acute pain due to trauma | 2 | 0 | 2 |
| Ankylosing spondylitis of unspecified sites in spine | 0 | 2 | 2 |
| Atherosclerosis of native arteries of extremities with intermittent clau | 1 | 0 | 1 |
| Cervicalgia | 0 | 1 | 1 |
| Chronic pain syndrome | 4 | 6 | 10 |
| diagnosis code unavailable | 1 | 1 | 2 |
| Diffuse large B-cell lymphoma, unspecified site | 1 | 0 | 1 |
| Dorsalgia, unspecified | 0 | 2 | 2 |
| Drug-Induced polyneuropathy | 1 | 0 | 1 |
| Encounter for general adult medical examination with abnormal findings | 0 | 1 | 1 |
| Exocrine pancreatic insufficiency | 1 | 0 | 1 |
| Hairy cell leukemia not having achieved remission | 1 | 0 | 1 |
| Hereditary and idiopathic neuropathy, unspecified | 0 | 1 | 1 |
| Injury of peroneal nerve at lower leg level, left leg, initial encount | 0 | 1 | 1 |
| Joint pain-shider | 0 | 1 | 1 |
| Low back pain | 1 | 2 | 3 |
| LOW back pain | 1 | | J |

| Low back pain, unspecified | 2 | 3 | 5 |
|--|---|---|---|
| Lumbago with sciatica, right side | 0 | 1 | 1 |
| lumbago with sciatica, unspecified | 0 | 1 | 1 |
| Malignant neoplasm of upper-outer quadrant of right female breast | 1 | 0 | 1 |
| Migraine, unspecified, not intractable, without status migrainosus. | 0 | 2 | 2 |
| Neoplasm related pain (acute) (chronic) | 3 | 0 | 3 |
| Nontoxic multinodular goiter | 1 | 0 | 1 |
| Oth diseases and conditions compl preg/chldbrth | 0 | 2 | 2 |
| Other acute postprocedural pain | 0 | 1 | 1 |
| Other chronic pain | 2 | 1 | 3 |
| Other chronic postprocedural pain | 1 | 0 | 1 |
| Other intervertebral disc displacement, lumbar region | 0 | 2 | 2 |
| Other intervertebral disc displacement, lumbosacral region | 1 | 0 | 1 |
| Other low back pain | 1 | 0 | 1 |
| Other unilateral secondary osteoarthritis of knee | 2 | 0 | 2 |
| Pain in left knee | 2 | 0 | 2 |
| Pain in left lower leg | 0 | 2 | 2 |
| Pain in left shoulder | 0 | 2 | 2 |
| Pain in left wrist | 1 | 0 | 1 |
| Pain in right knee | 1 | 3 | 4 |
| Pain in unspecified knee | 0 | 1 | 1 |
| Polyneuropathy, unspecified | 0 | 2 | 2 |
| Primary generalized (osteo)arthritis | 0 | 1 | 1 |
| Radiculopathy, lumbar region | 1 | 0 | 1 |
| Radiculopathy, lumbosacral region | 4 | 0 | 4 |
| Rheumatoid arthritis, unspecified | 0 | 4 | 4 |
| Right upper quadrant abdominal swelling, mass and lump | 1 | 0 | 1 |
| Sciatica, unspecified side | 0 | 1 | 1 |
| Secondary malignant neoplasm of brain | 1 | 0 | 1 |
| Spinal stenosis, lumbosacral region | 0 | 1 | 1 |
| spondylolisthesis, lumbar region | 1 | 0 | 1 |
| Spondyls w/o myelopathy or radiculopathy, lumbosacr region | 0 | 1 | 1 |
| Traumatic rupture of lumbar intervertebral disc, sequela | 0 | 2 | 2 |
| Type 2 diabetes mellitus with diabetic polyneuropathy | 0 | 1 | 1 |
| Unilateral primary osteoarthritis, left knee | 0 | 1 | 1 |
| Unilateral primary osteoarthritis, right knee | 0 | 1 | 1 |
| | 1 | | |
| Unspecified chronic gastritis with bleeding | · | 0 | 1 |
| Unspecified rotator cuff tear or rupture of left shoulder, not traumatic | 0 | 1 | 1 |
| Unspecified sprain of right shoulder joint, subsequent encounter | 1 | 0 | 1 |
| Zoster without complications | 0 | 2 | 2 |
| ramadol Combination - Two Ingredient | 1 | 1 | 2 |

| Radiculopathy, lumbosacral region | 1 | 0 | 1 |
|---|----|----|----|
| Rheumatoid arthritis, unspecified | 0 | 1 | 1 |
| Trametinib | 7 | 1 | 8 |
| Intrahepatic bile duct carcinoma | 2 | 0 | 2 |
| Malignant melanoma of skin, unspecified | 1 | 0 | 1 |
| Malignant neoplasm of lower lobe, right bronchus or lung | 2 | 0 | 2 |
| Malignant neoplasm of unsp part of unsp bronchus or lung | 1 | 0 | 1 |
| Other histiocytosis syndromes | 0 | 1 | 1 |
| Unifocal Langerhans-cell histiocytosis | 1 | 0 | 1 |
| Trastuzumab | 10 | 6 | 16 |
| diagnosis code unavailable | 0 | 1 | 1 |
| Malignant neoplasm of breast of unspecified site, female | 1 | 0 | 1 |
| Malignant neoplasm of nipple and areola, left female breast | 1 | 1 | 2 |
| Malignant neoplasm of overlapping sites of left female breast | 1 | 1 | 2 |
| Malignant neoplasm of overlapping sites of right female breast | 1 | 0 | 1 |
| Malignant neoplasm of pyloric antrum | 3 | 0 | 3 |
| Malignant neoplasm of unsp site of unspecified female breast | 1 | 0 | 1 |
| Malignant neoplasm of upper-inner quadrant of left female breast | 0 | 1 | 1 |
| Malignant neoplasm of upper-inner quadrant of right female breast | 0 | 1 | 1 |
| Malignant neoplasm of upper-outer quadrant of left female breast | 1 | 0 | 1 |
| Malignant neoplasm of upper-outer quadrant of right female breast | 1 | 0 | 1 |
| Moderate persistent asthma, uncomplicated | 0 | 1 | 1 |
| Travoprost | 5 | 0 | 5 |
| Primary open-angle glaucoma, bilateral, mild stage | 4 | 0 | 4 |
| Secondary malig neoplasm of liver and intrahepatic bile duct | 1 | 0 | 1 |
| Trazodone | 3 | 2 | 5 |
| Insomnia, unspecified | 3 | 0 | 3 |
| Major depressive disorder, recurrent, moderate | 0 | 1 | 1 |
| Unsp mental disorder due to known physiological condition | 0 | 1 | 1 |
| Treprostinil | 3 | 1 | 4 |
| Primary pulmonary hypertension | 1 | 1 | 2 |
| Pulmonary hypertension due to lung diseases and hypoxia | 1 | 0 | 1 |
| Secondary pulmonary arterial hypertension | 1 | 0 | 1 |
| Tretinoin | 18 | 29 | 47 |
| Acne vulgaris | 13 | 16 | 29 |
| Acne, unspecified | 1 | 0 | 1 |
| Changes in skin texture | 0 | 2 | 2 |
| Dermatitis, unspecified | 0 | 1 | 1 |
| diagnosis code unavailable | 1 | 1 | 2 |
| Disorder of pigmentation, unspecified | 0 | 1 | 1 |
| Epidermal Cyst | 0 | 1 | 1 |

| Molluscum contagiosum | 2 | 0 | 2 |
|---|----|----|----|
| Other acne | 1 | 1 | 2 |
| Other melanin hyperpigmentation | 0 | 1 | 1 |
| Other specified follicular disorders | 0 | 2 | 2 |
| Other viral warts | 0 | 2 | 2 |
| Rash and other nonspecific skin eruption | 0 | 1 | 1 |
| Triamcinolone | 0 | 6 | 6 |
| Bilateral primary osteoarthritis of knee | 0 | 2 | 2 |
| diagnosis code unavailable | 0 | 1 | 1 |
| Type 2 diabetes mellitus with proliferative diabetic retinopathy with macul | 0 | 1 | 1 |
| Unilateral primary osteoarthritis, right knee | 0 | 2 | 2 |
| Trientine | 1 | 0 | 1 |
| Wilson's disease | 1 | 0 | 1 |
| Triptorelin | 4 | 1 | 5 |
| Malignant neoplasm of overlapping sites of left female breast | 2 | 0 | 2 |
| Malignant neoplasm of prostate | 1 | 0 | 1 |
| Other hyperfunction of pituitary gland | 1 | 1 | 2 |
| Trospium | 1 | 1 | 2 |
| Overactive bladder | 1 | 1 | 2 |
| Tucatinib | 1 | 1 | 2 |
| Malignant neoplasm of unsp site of unspecified female breast | 1 | 0 | 1 |
| Other specified disorders of the skin and subcutaneous tissue related to ra | 0 | 1 | 1 |
| Ublituximab | 2 | 0 | 2 |
| Multiple sclerosis | 2 | 0 | 2 |
| Ubrogepant | 28 | 68 | 96 |
| Chronic migraine w/o aura, intractable, w status migrainosus | 2 | 1 | 3 |
| Chronic migraine w/o aura, intractable, w/o stat migr | 4 | 1 | 5 |
| Chronic migraine w/o aura, not intractable, w/o stat migr | 2 | 1 | 3 |
| Episodic tension-type headache, not intractable | 0 | 1 | 1 |
| Headache, unspecified | 0 | 2 | 2 |
| Hemiplegic migraine, not intractable, without status migrainosus | 1 | 2 | 3 |
| Menopausal and female climacteric states | 1 | 0 | 1 |
| Migraine w/o aura, intractable, without status migrainosus | 2 | 3 | 5 |
| Migraine w/o aura, not intractable, w/o status migrainosus | 1 | 12 | 13 |
| Migraine w/o aura, not intractable, with status migrainosus | 3 | 5 | 8 |
| Migraine with aura, intractable, with status migrainosus | 0 | 1 | 1 |
| Migraine with aura, intractable, without status migrainosus | 0 | 1 | 1 |
| Migraine with aura, intractable, w/o status migrainosus | 4 | 4 | 8 |
| Migraine with aura, not intractable, w/o status migrainosus | 2 | 3 | 5 |
| Migraine without aura, intractable, with status migrainosus | 0 | 2 | 2 |
| Migranic without adia, intractable, with status migraniosus | Ü | | |

| Migraine, unspecified, intractable, without status migrainosus | 2 | 1 | 3 |
|---|----|----|----|
| Migraine, unspecified, not intractable, with status migrainosus | 2 | 0 | 2 |
| Migraine, unspecified, not intractable, without status migrainosus | 1 | 0 | 1 |
| Migraine, unspecified, not intractable, without status migrainosus. | 1 | 26 | 27 |
| Other headache syndrome | 0 | 1 | 1 |
| Other migraine, intractable, without status migrainosus | 0 | 1 | 1 |
| Ulcer Anti-Infective w/Bismuth Combination - 3 Ingredient | 2 | 3 | 5 |
| Helicobacter pylori as the cause of diseases classd elswhr | 2 | 1 | 3 |
| Other specified bacterial intestinal infections | 0 | 2 | 2 |
| Ulcer Anti-Infective w/Proton Pump Inhibit -Three Ingredient | 5 | 6 | 11 |
| Abdominal distension (gaseous) | 0 | 1 | 1 |
| Helicobacter pylori as the cause of diseases classd elswhr | 5 | 5 | 10 |
| Umeclidinium | 0 | 1 | 1 |
| Eosinophilic asthma | 0 | 1 | 1 |
| Upadacitinib | 20 | 5 | 25 |
| Ankylosing spondylitis of multiple sites in spine | 1 | 0 | 1 |
| Atopic Dermatitis | 1 | 1 | 2 |
| Crohn's disease, unspecified, with unspecified complications | 1 | 1 | 2 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Left sided colitis without complications | 0 | 1 | 1 |
| Other atopic dermatitis | 1 | 0 | 1 |
| Other rheumatoid arthritis | 1 | 0 | 1 |
| Other rheumatoid arthritis with rheumatoid factor of multiple sites | 1 | 0 | 1 |
| Psoriatic spondylitis | 1 | 0 | 1 |
| Rheu arthritis w rheu factor of multiple sites wo organ or systems involvem | 3 | 0 | 3 |
| Rheumatoid arthritis without rheumatoid factor, multiple sites | 1 | 0 | 1 |
| Rheumatoid arthritis without rheumatoid factor, unspecified site | 3 | 0 | 3 |
| Rheumatoid arthritis, unspecified | 2 | 0 | 2 |
| Ulcerative (chronic) pancolitis with rectal bleeding | 0 | 1 | 1 |
| Ulcerative (chronic) pancolitis without complications | 1 | 1 | 2 |
| Ulcerative colitis, unspecified, without complications | 2 | 0 | 2 |
| Urea | 2 | 1 | 3 |
| Hypo-osmolality and hyponatremia | 2 | 0 | 2 |
| Rash and other nonspecific skin eruption | 0 | 1 | 1 |
| Urinary Antiseptic-Antispas &/or Analgesics - 5 Ingredient | 0 | 3 | 3 |
| Other specified disorders of bladder | 0 | 1 | 1 |
| Pelvic and perineal pain | 0 | 2 | 2 |
| Ursodiol | Í | 0 | 1 |
| Other benign neuroendocrine tumors | 1 | 0 | 1 |
| Ustekinumab | 20 | 8 | 28 |

| Crohn's disease of both small and large intestine with fistula | 1 | 0 | 1 |
|--|--|--|---|
| Crohn's disease of both small and large intestine with other complication | 1 | 0 | 1 |
| Crohns disease of both small and Ig int w/o complications | 2 | 1 | 3 |
| Crohn's disease of both small/large intestine w unspecified complications | 1 | 1 | 2 |
| Crohns disease of small intestine without complications | 1 | 1 | 2 |
| Crohns disease, unspecified, without complications | 3 | 1 | 4 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Diverticulitis of intestine, part unspecified, with perforation and abscess | 1 | 0 | 1 |
| Other ulcerative colitis with rectal bleeding | 1 | 0 | 1 |
| Other ulcerative colitis with unspecified complications | 1 | 2 | 3 |
| Other ulcerative colitis without complications | 1 | 1 | 2 |
| Psoriasis | 1 | 0 | 1 |
| Psoriasis vulgaris | 0 | 1 | 1 |
| Ulcerative (chronic) pancolitis without complications | 3 | 0 | 3 |
| Ulcerative colitis, unspecified, without complications | 2 | 0 | 2 |
| Vaginal Contraceptive pH Modulator Combinations - 3 Ingred | 0 | 5 | 5 |
| Encounter for contraceptive management, unspecified | 0 | 1 | 1 |
| Encounter for initial prescription of contraceptives, unspecified | 0 | 1 | 1 |
| Encounter for other contraceptive management | 0 | 3 | 3 |
| Valacyclovir | 1 | 0 | 1 |
| Heart transplant status | 1 | 0 | 1 |
| Valbenazine | 0 | 1 | 1 |
| Huntingtons disease | 0 | 1 | 1 |
| Valganciclovir | 37 | 12 | 49 |
| Acute lymphoblastic leukemia not having achieved remission | 1 | 0 | 4 |
| Congenital Cytomegalovirus Infection | | Ü | 1 |
| , , , | 0 | 1 | 1 |
| Cytomegaloviral disease, unspecified | 0 | | |
| | | 1 | 1 |
| Cytomegaloviral disease, unspecified | 13 | 1 4 | 1 17 |
| Cytomegaloviral disease, unspecified diagnosis code unavailable | 13 0 | 1 4 1 | 1 17 1 |
| Cytomegaloviral disease, unspecified diagnosis code unavailable Heart transplant status | 13 0 1 | 1 4 1 0 | 1 17 1 1 |
| Cytomegaloviral disease, unspecified diagnosis code unavailable Heart transplant status Human immunodeficiency virus [HIV] disease | 13 0 1 2 | 1 4 1 0 0 | 1 17 1 1 1 2 |
| Cytomegaloviral disease, unspecified diagnosis code unavailable Heart transplant status Human immunodeficiency virus [HIV] disease Kidney transplant status | 13 0 1 2 10 | 1 4 1 0 0 2 | 1 17 1 1 1 2 |
| Cytomegaloviral disease, unspecified diagnosis code unavailable Heart transplant status Human immunodeficiency virus [HIV] disease Kidney transplant status Liver transplant status | 13 0 1 2 10 4 | 1 4 1 0 0 2 3 | 1 17 1 1 1 2 12 7 |
| Cytomegaloviral disease, unspecified diagnosis code unavailable Heart transplant status Human immunodeficiency virus [HIV] disease Kidney transplant status Liver transplant status Lung transplant status | 13 0 1 2 10 4 | 1 4 1 0 0 2 3 1 | 1 17 1 1 1 2 12 7 |
| Cytomegaloviral disease, unspecified diagnosis code unavailable Heart transplant status Human immunodeficiency virus [HIV] disease Kidney transplant status Liver transplant status Lung transplant status Myelodysplastic syndrome, unspecified | 13 0 1 2 10 4 3 | 1 4 1 0 0 2 3 1 | 1 17 1 1 1 2 12 7 4 |
| Cytomegaloviral disease, unspecified diagnosis code unavailable Heart transplant status Human immunodeficiency virus [HIV] disease Kidney transplant status Liver transplant status Lung transplant status Myelodysplastic syndrome, unspecified Other cytomegaloviral diseases | 13 0 1 2 10 4 3 1 | 1 4 1 0 0 2 3 1 0 | 1 17 17 1 1 2 12 7 4 1 2 |
| Cytomegaloviral disease, unspecified diagnosis code unavailable Heart transplant status Human immunodeficiency virus [HIV] disease Kidney transplant status Liver transplant status Lung transplant status Myelodysplastic syndrome, unspecified Other cytomegaloviral diseases Valsartan | 13 0 1 2 10 4 3 1 | 1 4 1 0 0 2 3 1 0 0 | 1 17 17 1 1 2 12 7 4 1 2 1 |
| Cytomegaloviral disease, unspecified diagnosis code unavailable Heart transplant status Human immunodeficiency virus [HIV] disease Kidney transplant status Liver transplant status Lung transplant status Myelodysplastic syndrome, unspecified Other cytomegaloviral diseases Valsartan Essential (primary) hypertension | 13 0 1 2 10 4 3 1 2 1 | 1 4 1 0 0 2 3 1 0 0 0 | 1 17 17 1 1 2 12 7 4 1 2 1 1 2 |
| Cytomegaloviral disease, unspecified diagnosis code unavailable Heart transplant status Human immunodeficiency virus [HIV] disease Kidney transplant status Liver transplant status Lung transplant status Myelodysplastic syndrome, unspecified Other cytomegaloviral diseases Valsartan Essential (primary) hypertension Vancomycin | 13 0 1 2 10 4 3 1 2 1 | 1 4 1 0 0 0 2 3 1 0 0 0 0 0 | 1 17 17 1 1 1 2 12 7 4 1 2 1 1 5 |

| Varenicline | 1 | 0 | 1 |
|---|----|----|----|
| Dry eye syndrome of bilateral lacrimal glands | 1 | 0 | 1 |
| Vedolizumab | 17 | 16 | 33 |
| | 0 | 1 | 1 |
| Crohn's disease of both small and large intestine with other complication | 0 | 1 | 1 |
| Crohn's disease of small intestine with other complication | 1 | 0 | 1 |
| Crohn's disease, unspecified, with unspecified complications | 2 | 0 | 2 |
| Crohns disease, unspecified, without complications | 2 | 1 | 3 |
| Malignant neoplasm of rectum | 0 | 1 | 1 |
| Other ulcerative colitis with other complication | 2 | 0 | 2 |
| Other ulcerative colitis without complications | 1 | 1 | 2 |
| Ulcerative (chronic) pancolitis with rectal bleeding | 1 | 0 | 1 |
| Ulcerative (chronic) pancolitis with unspecified complications | 0 | 1 | 1 |
| Ulcerative (chronic) pancolitis without complications | 4 | 5 | 9 |
| Ulcerative colitis, unspecified with unspecified complications | 0 | 1 | 1 |
| Ulcerative colitis, unspecified, without complications | 4 | 4 | 8 |
| Venetoclax | 2 | 0 | 2 |
| Acute myeloblastic leukemia, not having achieved remission | 1 | 0 | 1 |
| Atypical chronic myeloid leukemia, BCR/ABL-negative, not having achieved re | 1 | 0 | 1 |
| Venlafaxine | 9 | 7 | 16 |
| Bipolar disorder, current episode depressed, severe, without psychotic feat | 1 | 1 | 2 |
| Bipolar II disorder | 0 | 1 | 1 |
| Major depressive disorder, recurrent severe without psychotic features | 1 | 2 | 3 |
| Major depressive disorder, recurrent, moderate | 2 | 0 | 2 |
| Major depressive disorder, recurrent, severe with psychotic symptoms | 1 | 0 | 1 |
| Major depressive disorder, single episode, moderate | 1 | 0 | 1 |
| Major depressive disorder, single episode, unspecified | 3 | 1 | 4 |
| Schizoaffective disorder, bipolar type | 0 | 2 | 2 |
| Vericiguat | 1 | 2 | 3 |
| Chronic Combined Systolic and Diastolic (Congestive) Heart Failure | 0 | 1 | 1 |
| Systolic heart failure | 1 | 1 | 2 |
| Vibegron | 4 | 12 | 16 |
| diagnosis code unavailable | 0 | 2 | 2 |
| Frequency of micturition | 0 | 1 | 1 |
| Malignant neoplasm of prostate | 0 | 1 | 1 |
| Mixed incontinence | 0 | 2 | 2 |
| Neuromuscular dysfunction of bladder, unspecified | 0 | 1 | 1 |
| Overactive bladder | 4 | 3 | 7 |
| Unspecified urinary incontinence | 0 | 1 | 1 |
| Urgency of urination | 0 | 1 | 1 |

| Vilazodone | 8 | 9 | 17 |
|---|----|----|----|
| Anxiety disorder, unspecified | 0 | 1 | 1 |
| Bipolar disorder, unspecified | 0 | 2 | 2 |
| Bipolar II disorder | 1 | 0 | 1 |
| Generalized anxiety disorder | 1 | 0 | 1 |
| Major depressive disorder, recurrent severe without psychotic features | 2 | 1 | 3 |
| Major depressive disorder, recurrent, in full remission | 1 | 1 | 2 |
| Major depressive disorder, recurrent, in partial remission | 0 | 1 | 1 |
| Major depressive disorder, recurrent, mild | 2 | 2 | 4 |
| Major depressive disorder, single episode, unspecified | 1 | 1 | 2 |
| Viloxazine | 11 | 9 | 20 |
| Attention and concentration deficit | 0 | 2 | 2 |
| Attention-deficit hyperactivity disorder, combined type | 6 | 4 | 10 |
| Attention-deficit hyperactivity disorder, unspecified type | 1 | 0 | 1 |
| Attn-defct hyperactivity disorder, predom inattentive type | 4 | 2 | 6 |
| Other specified behavioral and emotional disorders with onset usually | 0 | 1 | 1 |
| occur | | _ | |
| Vismodegib | 1 | 0 | 1 |
| Personal history of malignant neoplasm of brain | 1 | 0 | 1 |
| Voclosporin | 4 | 3 | 7 |
| Glomerular disease in systemic lupus erythematosus | 4 | 2 | 6 |
| Systemic lupus erythematosus, unspecified | 0 | 1 | 1 |
| Voriconazole | 16 | 1 | 17 |
| Acute lymphoblastic leukemia not having achieved remission | 1 | 0 | 1 |
| Acute myeloblastic leukemia, not having achieved remission | 1 | 0 | 1 |
| Aspergillosis, unspecified | 4 | 1 | 5 |
| Candidal sepsis | 1 | 0 | 1 |
| Heart transplant status | 1 | 0 | 1 |
| Invasive pulmonary aspergillosis | 1 | 0 | 1 |
| Liver transplant status | 2 | 0 | 2 |
| Other drug-induced agranulocytosis | 1 | 0 | 1 |
| other pulmonary aspergillosis | 2 | 0 | 2 |
| Stem cells transplant status | 2 | 0 | 2 |
| Vorinostat | 0 | 1 | 1 |
| Malignant neoplasm of connective and soft tissue of right lower limb, inclu | 0 | 1 | 1 |
| Vortioxetine | 17 | 21 | 38 |
| Bipolar disorder, current episode depressed, severe, without psychotic feat | 1 | 0 | 1 |
| Bipolar II disorder | 1 | 0 | 1 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Generalized anxiety disorder | 1 | 3 | 4 |

| Human immunodeficiency virus [HIV] disease | 0 | 2 | 2 |
|---|------|------|-------|
| Major depressive disorder, recurrent severe without psychotic features | 2 | 2 | 4 |
| Major depressive disorder, recurrent, mild | 1 | 1 | 2 |
| Major depressive disorder, recurrent, moderate | 5 | 1 | 6 |
| Major depressive disorder, recurrent, unspecified | 1 | 0 | 1 |
| Major depressive disorder, single episode, moderate | 2 | 0 | 2 |
| Major depressive disorder, single episode, severe without psychotic feature | 0 | 8 | 8 |
| Major depressive disorder, single episode, unspecified | 1 | 2 | 3 |
| Menopausal and female climacteric states | 1 | 0 | 1 |
| Post-traumatic stress disorder, unspecified | 0 | 2 | 2 |
| Voxelotor | 1 | 3 | 4 |
| diagnosis code unavailable | 1 | 0 | 1 |
| Hb-SS disease with crisis, unspecified | 0 | 2 | 2 |
| Sickle-cell thalassemia beta zero without crisis | 0 | 1 | 1 |
| Xphozah 30MG OR TABS | 0 | 2 | 2 |
| Anemia in chronic kidney disease | 0 | 2 | 2 |
| Zanubrutinib | 4 | 0 | 4 |
| Chronic lymphocytic leukemia of B-cell type in remission | 2 | 0 | 2 |
| Waldenstrom macroglobulinemia | 2 | 0 | 2 |
| Zepbound 2.5MG/0.5ML SC SOAJ | 0 | 2 | 2 |
| Body mass index (BMI) 40.0-44.9, adult | 0 | 1 | 1 |
| Obesity, unspecified | 0 | 1 | 1 |
| Zepbound 5 mg/0.5 mL subcutaneous pen injector (tirzepatide (weight | 0 | 1 | 1 |
| Morbid (severe) obesity due to excess calories | 0 | 1 | 1 |
| Zepbound 5MG/0.5ML SC SOAJ | 0 | 2 | 2 |
| Adult body mass index 30-30.9 obesity - Adult obesity with BMI between | 0 | 1 | 1 |
| Obesity, unspecified | 0 | 1 | 1 |
| Zoledronic Acid | 4 | 10 | 14 |
| Age-related osteoporosis w/o current pathological fracture | 3 | 4 | 7 |
| diagnosis code unavailable | 0 | 2 | 2 |
| Malignant neoplasm of unspecified site of right female breast | 0 | 2 | 2 |
| Malignant neoplasm of upper-inner quadrant of left female breast | 1 | 0 | 1 |
| Other osteoporosis without current pathological fracture | 0 | 2 | 2 |
| Zolpidem | 3 | 4 | 7 |
| Insomnia, unspecified | 3 | 3 | 6 |
| Psychophysiologic insomnia | 0 | 1 | 1 |
| Prior Authorization Grand Totals | 5393 | 5211 | 10604 |