

Clear and Easy #1



**Molina Healthcare
24 Hour Nurse Advice Line**
(888) 275-8750

TTY: (866) 735-2929

**Molina Healthcare
Línea de TeleSalud
Disponible las 24 Horas**
(866) 648-3537

TTY: (866) 833-4703

Titles by Clear and Easy

Book 1 – Pregnancy

Book 2 – Diabetes

Book 3 – Stress and Depression

Book 4 – End Stage Renal Disease (ESRD)

Book 5 – Asthma

Book 6 – Chronic Obstructive Pulmonary
Disease (COPD)

Book 7 – Congestive Heart Failure

Book 8 – Hypertension

Book 9 – Coronary Heart Disease

Book 10 – How to Take Care of Your Sick
Family

Book 11 – Help to Quit Smoking

Book 12 – Kids and Asthma

Book 13 – Kids and Diabetes

Book 14 – How to Keep Your Family Healthy

Book 15 – Asthma and COPD

Book 16 – Hypertension and Coronary Heart
Disease

Book 17 – Postpartum: Caring for You and
Your Newborn

Do you have health questions? Call Molina Healthcare's Nurse Advice Line. Places to put our number:

- On all your home phones.
- Your cell phone. Add us to your list of contacts.
- Your purse or wallet.
- Refrigerator door.
- Bedroom nightstand.
- In your medicine cabinet.
- In easy to reach places.



NM SCI Members:

You may also call UNM SCI Nurse Advice at (877) 725-2552. Molina Healthcare services are funded in part under contract with the State of New Mexico.

Clear and Easy

Book 1 - Pregnancy

Important Phone Numbers

Provider: _____

Provider: _____

Family: _____

Neighbor: _____

Molina Healthcare offers programs to help members stay healthy. These health and wellness programs are at no cost to you. They are part of your benefits. Programs include:

- Asthma
- Chronic Obstructive Pulmonary Disease (COPD)
- Diabetes
- Heart Health
- Pregnancy Support
- Stop Smoking

Molina Healthcare uses different ways to identify members for these programs. These include information from claims, pharmacy or other health programs. You are eligible for one or more of these programs. The choice is yours.

Our providers, nurses and other staff are here to help you learn about your health. You can talk with them by phone to get answers to your questions. You can also get more information such as a newsletter or booklet. Our staff can help you stay in touch with your health care provider. They can help you understand your treatment. They can also help you if you have any problems.

You are part of one of these programs. Call us if you would like more services. Your health care provider can call us too. The number to call is **(866) 891-2320**. You can choose to be removed at any time. We look forward to helping you stay in good health.

If you need this booklet in another language, large print, Braille or audio format, please call the Member Services number on the back of your ID card.

Table of Contents

Clear and Easy Book 1 – Pregnancy

Introduction.....	6
Stages of Pregnancy.....	8
What You Should Eat.....	12
Vitamins and Medicines.....	18
Exercise.....	19
Tests.....	19
Common Discomforts.....	21
When to Call Your Provider.....	25
Support.....	26
Resources.....	30

Introduction

You and your provider can work together to help you be as healthy as you can be. This booklet gives you some quick tips on what you can do to take care of yourself and your unborn baby.

Be sure to see your provider regularly. When you are pregnant, this is very important. You should not use this booklet in place of what your health care provider tells you. If you have problems with your health, be sure to see your provider (or Primary Care Provider) for treatment.

For questions about medicine or health concerns, you can call your provider.

You may have someone who helps you with your health care. You must give permission to your providers or case managers to talk to this person about your care.



This booklet is to help you. It does not take the place of your provider's care. If you or your family has an emergency, you should call your provider. Or, go to the nearest emergency room.

Stages of Pregnancy

Pregnancy lasts about 40 weeks, counting from the first day of your last normal period. The weeks are grouped into three trimesters. Your body goes through lots of changes during this time.

First Trimester (Week 1-Week 12)

Pregnancy affects almost every part of your body. Some women feel just fine. Some women might have some discomfort. Hormone changes cause many of the symptoms you feel. Some things you might notice are:

- Being tired all the time.
- Changes in your breasts. They may be tender and swollen.

- Food cravings.
- Nausea and upset stomach (morning sickness).
- Heartburn.
- Headache.
- Change in your weight.

Listen to what your body needs. You may need more sleep. You might need to eat more often or eat smaller meals. If you have been pregnant before, you may have the same symptoms. But they might be different too. Be sure to drink lots of water. You can also drink fluids that don't have caffeine. It's important to stay hydrated.

Second Trimester (Week 13-Week 28)

Many symptoms you feel at first go away in the second trimester. During the second trimester you begin to really see the changes in your body. As your baby grows, you might notice some of these changes:

- Body aches in legs or back.
- Stretch marks on your skin.
- Skin changes. This can be darkening of your nipples. You may also notice a darker line from your belly button to your pubic area. You might notice darker patches of skin on both sides of your face.
- Numbness or tingling in your hands.

- Mild swelling in your hands and ankles.

You should call your provider if you have any questions. Call right away if your skin starts to turn yellowish. You should also call if you have a lot of nausea or vomiting. Other times to call are if you have a lot of swelling or gain weight really fast.

Third Trimester (Week 29-Week 40)

The baby grows quickly during this time. The changes you notice the most are due to the baby getting bigger. It might be getting harder to breathe. You may need to go to the bathroom more often. Some other things you might have during this time are:

- Heartburn or indigestion.
- Swelling of your feet and ankles.
- Trouble sleeping.
- Breast tenderness.
- Back pain.
- Trouble lying down.
- Shortness of breath.

As you get closer to your due date, the baby will “drop”, or get lower.

During your entire pregnancy, don't forget to drink lots of fluids.

What You Should Eat

One of the most important things you can do for yourself and your baby is to eat right. Eat a variety of foods and eat lots of fiber. This may be hard at first if you have nausea or vomiting, so do your best.

Be sure to take your prenatal vitamins every day.

Healthy Eating When Pregnant

Eat a variety of foods. Don't eat too much fatty foods or sweets (candy or chocolate).



Choose foods high in fiber. Look for whole-grain breads, cereals, pasta, rice, fruits and vegetables.

Eat and drink at least four servings of dairy products and calcium-rich foods a day (milk, cheese, yogurt, orange juice with calcium, etc.).

Eat at least three servings of iron-rich foods per day. Cream of wheat, dark leafy greens and meats are some good sources of iron.

Have vitamin C every day. Try oranges, grapefruits, strawberries, honeydew melon and papaya. Other sources are broccoli, cauliflower, brussel sprouts, green peppers, tomatoes and mustard greens. Pregnant women need 70 mg of vitamin C a day.

You need folic acid every day. Eat dark green leafy vegetables, veal and legumes (lima beans, black beans, black-eyed peas

and chickpeas). This helps prevent some birth defects.

Have foods with vitamin A three times a week. Eat carrots, pumpkin, sweet potatoes, spinach, squash, turnip greens, beet greens, apricots and cantaloupe.

Foods to Avoid When Pregnant

Some foods can cause birth defects or other harm to your baby.

Avoid drinking alcohol while pregnant.

Limit caffeine to no more than 300 mg per day. An 8-ounce cup of coffee has about 150 mg of caffeine on average while black tea has typically about 80 mg.

A 12-ounce regular soda has between 30-60 mg of caffeine. Chocolate has some caffeine in it too.

Limit artificial sugar. FDA-approved sugars are aspartame (Equal or NutraSweet), acesulfame-K (Sunett) and sucralose (Splenda). Be sure to talk to your provider about using any of these.

Do not eat shark, swordfish, king mackerel or tilefish (also called white snapper). These fish have high levels of mercury. Mercury can harm your baby. Avoid raw fish, especially shellfish like oysters and clams.

Avoid soft cheeses such as feta, Brie, Camembert, blue-veined and Mexican-style cheese. These cheeses may cause Listeria infection. Other cheeses are fine to eat.

What to Eat If You Don't Feel Well

You may have morning sickness, diarrhea or constipation. You may find it hard to keep foods down. You may feel too sick to even eat at all. Call your provider or the nurse advice line if you have questions. Here are some things that may help:

Morning Sickness. Eat crackers, cereal or pretzels before getting out of bed. Try small, frequent meals during the day. Stay away from fatty, fried and greasy foods.

Constipation. Drink lots of water. Try to have 6 to 8 glasses of water a day. Eat more fresh fruit and vegetables.

Diarrhea. Eat more foods like applesauce and bananas. Other foods that help are white rice, oatmeal and refined wheat bread.

Heartburn. Eat small, frequent meals during the day. Stay away from foods and drinks with caffeine.

Vitamins and Medicines

Your provider might want you to take a prenatal vitamin. Take it every day. Ask your provider if you want to take other supplements.

You should take folic acid every day. Folic acid can help prevent problems with your baby's brain and spinal cord.

Check with your provider before taking any medicine. This includes medicine for pain. Check before you take any other over-the-counter medicines. Some of them can cause birth defects. Talk to your provider before you stop any medicines that you already take now. This includes

medicines for infection, diabetes or high blood pressure.

Exercise

In most cases, exercise helps you feel better. Check with your provider to make sure that it's safe.

Exercise can help you maintain your weight and also give you extra energy. It can also make you stronger and prepare your body for labor.

Tests

You may need to take some tests, such as blood tests. These happen at different times during the pregnancy. It could be a test for gestational diabetes. This is a problem that can occur in pregnant women. You may have an ultrasound to

make sure your baby is growing well. Be sure to ask your provider to explain these tests. Your provider may recommend these tests for you.

Remember, call your provider if:

- You have flu-like symptoms.
- You have severe, constant nausea and/or vomiting.
- Morning sickness lasts past the first 3 months of pregnancy.
- You start to lose weight.



Common Discomforts

Being tired. It's normal to be very tired. This is very true in the first and third trimester. To feel better:

- Get extra rest. Take a daytime nap if possible.
- Lie on your left side.
- Use pillows for support. Try putting them behind your back, tucked between your knees and under your tummy.
- Go to bed and get up at the same time every day.
- Don't drink fluid right before bed. Then you don't need to get up as much in the night.

Leg cramps. These happen more often in pregnancy. They also happen more often at night.

- Gently stretch the calf of your leg by curling your toes upward, toward your knee.
- For sudden cramps, flex your foot forward.
- Eat more foods with calcium, like dairy products.

Constipation. This is when you have hard, dry stools. You may have painful bowel movements or less than three per week.

Be sure to:

- Drink plenty of fluids.
- Eat foods with lots of fiber. More fruits, vegetables and bran cereal help.
- Talk to your provider before you take laxatives.

Heartburn and Indigestion.

- Eat smaller meals more often.
- Don't lie down right after eating.
- Stay away from spicy or greasy foods.
- Ask your provider about taking antacids.

Mood Changes. Mood swings are common in pregnancy. You might go from feeling happy one minute to feeling like crying the next.

Some women get depressed. Talk to your provider if:

- You have trouble sleeping.
- You have big changes in your eating habits.

- Mood swings last more than 2 weeks.

If you feel very sad or think about suicide, be sure to call your provider.

Stuffy Nose or Nosebleeds. Remember to:

- Blow your nose gently.
- Drink lots of fluids.
- Use a cool mist humidifier.
- To stop a nosebleed, squeeze your nose between your thumb and forefinger for a few minutes.

Swelling of Feet and Ankles. When you sit, put your feet up whenever you can. Don't use diuretics (water pills). Talk to your provider about cutting down on salt.

Yeast Infections. Be sure to talk to your provider if you have unusual vaginal discharge.

When to Call Your Provider

If you have any questions, it's best to call your provider. Be sure to call right away if you have:

- Blood or fluid coming from your vagina.
- Sudden swelling of your face or fingers.
- Extreme swelling.
- Headaches that are very bad or won't go away.
- Nausea and vomiting that won't stop.
- Dizziness.
- Dim or blurry vision.

- Pain or cramps in your lower abdomen.
- Chills or fever.
- A change in your baby's movements.
- Burning when you urinate or less urine.
- Any illness or infection.
- Anything that bothers you.

Support

Many pregnant women have other health issues. These can include:

- High blood pressure.
- High cholesterol.
- Heart disease.
- Diabetes.
- Osteoporosis.

- Depression.
- Cancer.

Coping with these issues can be hard. You may be stressed or become depressed. It's different for every person.

People who help take care of others can also be stressed. It can be hard to keep up with a treatment plan.

Some people don't understand what they need to do. Family members may disagree with a treatment plan. There can be financial problems.

Sometimes people feel fear or anxiety, even depression. Alcohol and other substance abuse can occur.

Tell your family and friends how you feel.

Let them know how they can help you.

It's OK to ask for help if you are having any of these problems. Your treatment team can help you. Talk to your provider or case manager. Joining a support group can help too. This booklet gives names of places where you can get help.



How Can Family or Friends Help?

You may have someone who helps you with your health care. They can:

- Help remind you to take your medicines.
- Help you buy and prepare healthy foods.
- Take a walk with you.
- Go to provider visits with you.

Sometimes it helps when someone else hears what your health care provider says. You must give permission for your providers and case managers to talk to this person about your care.

Resources

American College of Obstetricians and Gynecologists (ACOG)

(800) 673-8444

[http://www.acog.org/For Patients](http://www.acog.org/For_Patients)

American Academy of Family Physicians: FamilyDoctor.org Patient Education Site

(800) 274-2237

<http://familydoctor.org/familydoctor/en/pregnancy-newborns.html>

U.S. Department of Health and Human Services Office of Women's Health

(800) 994-9662

<http://www.womenshealth.gov/pregnancy/index.html>

Food and Drug Administration

Office of Women's Health

(301) 796-9440

<http://www.fda.gov/ForConsumers/>[ByAudience/ForWomen/](http://www.fda.gov/ForConsumers/ByAudience/ForWomen/)[WomensHealthTopics/ucm117976.htm](http://www.fda.gov/ForConsumers/ByAudience/ForWomen/WomensHealthTopics/ucm117976.htm)**National Institute of Child Health and
Human Development (NICHD)**

(800) 370-2943

TTY: (888) 320-6942

<http://www.nichd.nih.gov/health/topics/>[pregnancy/Pages/default.aspx](http://www.nichd.nih.gov/health/topics/pregnancy/Pages/default.aspx)

Printed in the U.S.A.