

Medicaid Reform County	HEDIS Reporting Year		Rate Change		
				2010 to	2011 to
Measure/Data Element	2010	2011	2012	2011	2012
Childhood Immunization Status					
DT/DTP/DTaP	NA	NA	76.60%	NA	NA
OPV/IPV	NA	NA	84.99%	NA	NA
Measles, Mumps, & Rubella	NA	NA	92.27%	NA	NA
H Influenza Type B	NA	NA	86.31%	NA	NA
Hepatitis B	NA	NA	84.99%	NA	NA
Chicken Pox	NA	NA	91.17%	NA	NA
Pneumococcal Conjugate	NA	NA	74.61%	NA	NA
Combination 2	NA	88.21%	69.76%	NA	-18.45%
Combination 3	NA	78.97%	63.80%	NA	-15.17%
Well Child Care: First 15 Months					
Zero visits	NA	2.91%	3.01%	NA	0.10%
One visit	NA	2.91%	1.92%	NA	-0.99%
Two visits	NA	5.83%	2.74%	NA	-3.09%
Three visits	NA	8.74%	7.40%	NA	-1.34%
Four visits	NA	13.59%	12.33%	NA	-1.26%
Five visits	NA	16.50%	20.82%	NA	4.32%
Six or more visits	NA	49.51%	51.78%	NA	2.27%
Well Child Care: Years 3-6	NA	75.94%	77.48%	NA	1.54%
Well Child Care: Adolescent	NA	44.81%	51.43%	NA	6.62%
Appropriate Testing for Pharyngitis	NA	79.30%	75.77%	NA	-3.53%
URI Treatment	NA	85.07%	88.82%	NA	3.75%
Breast Cancer Screening	NA	NA	53.28%	NA	NA
Cervical Cancer Screening	NA	48.67%	60.71%	NA	12.04%
Chlamydia Screening in Women					
Ages 16 to 20	NA	51.81%	57.83%	NA	6.02%
Ages 21 to 25	NA	60.84%	68.47%	NA	7.63%
Total	NA	55.10%	62.24%	NA	7.14%
Prenatal/Postpartum Care					
Timeliness of prenatal care	NA	71.43%	77.92%	NA	6.49%
Postpartum care	NA	49.35%	60.71%	NA	11.36%
Frequency of Prenatal Care					
Less than 21 percent	NA	10.82%	9.74%	NA	-1.08%
21 to 40 percent	NA	6.49%	5.19%	NA	-1.30%
41 to 60 percent	NA	6.49%	10.06%	NA	3.57%
61 to 80 percent	NA	22.08%	19.16%	NA	-2.92%
More than 80 percent	NA	54.11%	55.84%	NA	1.73%
Controlling High Blood Pressure	NA	40.95%	55.16%	NA	14.21%
Cholesterol Management					
LDL Screening	NA	NA	90.40%	NA	NA
LDL < 100	NA	NA	34.40%	NA	NA



Medicaid Reform County	HEDIS Reporting Year		Rate Change		
				2010 to	2011 to
Measure/Data Element	2010	2011	2012	2011	2012
Comprehensive Diabetes Care					
HbA1c Testing	NA	79.10%	95.40%	NA	16.30%
HbA1c Control	NA	45.84%	44.47%	NA	-1.37%
*HbA1c Poor Control	NA	45.84%	50.00%	NA	4.16%
Eye Exam	NA	36.85%	48.89%	NA	12.04%
LDL-C Screening	NA	79.78%	85.62%	NA	5.84%
LDL Less than 100	NA	33.48%	33.41%	NA	-0.07%
Monitoring for Nephropathy	NA	80.00%	82.52%	NA	2.52%
Appropriate Medication for Asthma					
Ages 5 to 11	NA	NA	64.79%	NA	NA
Ages 12 to 18	NA	NA	0.00%	NA	NA
Ages 19 to 50	NA	NA	0.00%	NA	NA
Ages 51 to 64	NA	NA	0.00%	NA	NA
Combined Rate	NA	NA	59.31%	NA	NA
Antidepressant Medication Management					
Effective Acute Phase Treatment	NA	NA	49.18%	NA	NA
Effective Continuation Phase Treatment	NA	NA	37.70%	NA	NA
Follow-up Visit after MH Hospitalization					
Follow Up within 30 Days	NA	NA	19.24%	NA	NA
Follow Up within 7 Days	NA	NA	12.93%	NA	NA
Initiation/Engagement of AOD Services					
Initiation - Total	56.41%	52.06%	41.93%	-4.35%	-10.13%
Engagement - Total	2.56%	4.49%	2.27%	1.93%	-2.22%
Childrens Access to Primary Care					
Ages 12-24 mos.	NA	92.73%	94.47%	NA	1.74%
Ages 25 mos to 6 yrs.	NA	87.45%	88.35%	NA	0.90%
Ages 7-11 yrs.	NA	NA	84.59%	NA	NA
Ages 12-19 yrs.	NA	NA	78.13%	NA	NA
Adult Access to Preventive Care					
Ages 20-44	NA	65.92%	69.92%	NA	4.00%
Ages 45-64	NA	84.80%	84.99%	NA	0.19%
Ages 65 and older	NA	78.47%	75.74%	NA	-2.73%
Annual Dental Visit					
Ages 2-3	NA	23.54%	21.06%	NA	-2.48%
Ages 4-6	NA	39.86%	42.99%	NA	3.13%
Ages 7-10	NA	42.38%	48.84%	NA	6.46%
Ages 11-14	NA	35.64%	43.07%	NA	7.43%
Ages 15-18	NA	31.69%	35.44%	NA	3.75%
Ages 19-21	NA	26.33%	25.00%	NA	-1.33%
Combined	NA	35.11%	38.84%	NA	3.73%
Advice to Quit Smoking	NA	NA	NA	NA	NA



Medicaid Reform County	HEDIS Reporting Year			Rate Change	
,				2010 to	2011 to
Measure/Data Element	2010	2011	2012	2011	2012
Imms for Adolescents					
Meningococcal Immunizations	NA	47.57%	60.40%	NA	12.83%
Tdap/Td Immunizations	NA	55.14%	75.25%	NA	20.11%
Combination 1 Immunizations	NA	38.92%	57.43%	NA	18.51%
Avoidance of Antibiotic Treatment in Adults	NA	26.53%	31.08%	NA	NA
with Acute Bronchitis	IVA	20.33/0	31.06/0	INA	IVA
Imaging Studies for Low Back Pain	NA	75.58%	66.67%	NA	NA
Persistence of Beta-Blocker Tx After a Heart	NA	NA	NA	NA	NA
Attack	IVA	INA	IVA	IVA	IVA
Use of Spirometry Testing in the Assessment &	NA	NA	NA	NA	NA
Diagnosis of COPD	IVA	INA	INA	INA	IVA
Follow-up for Children Prescribed ADHD Meds					
Initiation Phase	NA	NA	44.32%	NA	NA
Continuation and Maintenance Phase	NA	NA	NA	NA	NA
Adult BMI	NA	NA	45.70%		
Annual Monitoring for Patients on Persistent					
Medications					
ACE Inhibitors or ARBs	NA	90.34%	93.48%	NA	3.14%
Digoxin	NA	96.00%	NA	NA	NA
Diuretics	NA	90.03%	92.38%	NA	2.35%
Anti- convulsants	NA	76.13%	76.03%	NA	-0.10%
Total	NA	88.15%	90.65%	NA	2.50%
Lead Screening	63.27%	54.87%	61.37%	NA	NA
Weight Assessment and Counseling for					
Nutrition and Physical Activity for					
Children/Adolescent					
BMI Screening - Total	NA	19.21%	37.31%	NA	NA
Counseling on Nutrition - Total	NA	40.18%	59.60%	NA	NA
Counseling on Physical Activity - Total	NA	39.97%	45.25%	NA	NA

^{*}lower rate indicates better performance

NA = Not enough data available to calculate measure



Medicaid Non Reform County	HEDIS Reporting Year		Rate Change		
				2010 to	2011 to
Measure/Data Element	2010	2011	2012	2011	2012
Childhood Immunization Status					
DT/DTP/DTaP	81.63%	74.12%	79.91%	-7.51%	5.79%
OPV/IPV	89.80%	83.19%	89.62%	-6.61%	6.43%
Measles, Mumps, & Rubella	93.88%	88.27%	91.17%	-5.61%	2.90%
H Influenza Type B	91.84%	78.98%	89.40%	-12.86%	10.42%
Hepatitis B	81.63%	82.96%	89.18%	1.33%	6.22%
Chicken Pox	85.71%	88.72%	89.40%	3.01%	0.68%
Pneumococcal Conjugate	65.31%	69.25%	77.70%	3.94%	8.45%
Combination 2	32.65%	64.82%	74.61%	32.17%	9.79%
Combination 3	42.86%	57.74%	69.98%	14.88%	12.24%
Well Child Care: First 15 Months					
Zero visits	NA	9.63%	6.62%	NA	-3.01%
One visit	NA	4.28%	3.75%	NA	-0.53%
Two visits	NA	8.02%	4.19%	NA	-3.83%
Three visits	NA	14.44%	8.83%	NA	-5.61%
Four visits	NA	23.53%	9.71%	NA	-13.82%
Five visits	NA	27.27%	20.75%	NA	-6.52%
Six or more visits	NA	43.32%	46.14%	NA	2.82%
Well Child Care: Years 3-6	74.39%	65.04%	70.64%	-9.35%	5.60%
Well Child Care: Adolescent	49.45%	39.51%	44.25%	-9.94%	4.74%
Appropriate Testing for Pharyngitis	43.00%	43.58%	63.01%	0.58%	19.43%
URI Treatment	90.10%	87.55%	85.96%	-2.55%	-1.59%
Breast Cancer Screening	0.00%	27.27%	40.93%	27.27%	13.66%
Cervical Cancer Screening	27.27%	37.83%	53.43%	10.56%	15.60%
Chlamydia Screening in Women					
Ages 16 to 20	43.79%	48.65%	57.50%	4.86%	8.85%
Ages 21 to 25	42.59%	56.11%	68.98%	13.52%	12.87%
1	43.50%	51.53%	62.26%	8.03%	10.73%
Prenatal/Postpartum Care					
Timeliness of prenatal care	68.69%	66.67%	70.21%	-2.02%	3.54%
Postpartum care	39.39%	45.92%	46.19%	6.53%	0.27%
Frequency of Prenatal Care					
Less than 21 percent	18.18%	11.56%	12.47%	-6.62%	0.91%
21 to 40 percent	6.06%	6.80%	9.70%	0.74%	2.90%
41 to 60 percent	12.12%	11.90%	10.85%	-0.22%	-1.05%
61 to 80 percent	22.22%	23.47%	18.94%	1.25%	-4.53%
More than 80 percent	41.41%	46.26%	48.04%	4.85%	1.78%
Controlling High Blood Pressure	0.00%	45.02%	53.33%	45.02%	8.31%
Cholesterol Management					
LDL Screening	NA	NA	79.67%	NA	NA
LDL < 100	NA	NA	33.33%	NA	NA



Medicaid Non Reform County	HEDIS Reporting Year		Rate Change		
				2010 to	2011 to
Measure/Data Element	2010	2011	2012	2011	2012
Comprehensive Diabetes Care					
HbA1c Testing	68.88%	71.56%	73.23%	2.68%	1.67%
HbA1c Control	34.69%	43.12%	53.54%	8.43%	10.42%
*HbA1c Poor Control	58.67%	51.02%	39.60%	-7.65%	-11.42%
Eye Exam	17.86%	32.51%	41.81%	14.65%	9.30%
LDL-C Screening	71.43%	72.46%	75.88%	1.03%	3.42%
LDL Less than 100	27.04%	32.28%	32.30%	5.24%	0.02%
Monitoring for Nephropathy	72.96%	73.14%	73.23%	0.18%	0.09%
Appropriate Medication for Asthma					
Ages 5 to 11	NA	77.08%	73.40%	NA	-3.68%
Ages 12 to 18	NA	NA	50.00%	NA	NA
Ages 19 to 50	NA	NA	37.14%	NA	NA
Ages 51 to 64	NA	NA	NA	NA	NA
Combined Rate	NA	68.92%	58.47%	NA	-10.45%
Antidepressant Medication Management					
Effective Acute Phase Treatment	NA	48.21%	49.51%	NA	1.30%
Effective Continuation Phase Treatment	NA	30.36%	38.83%	NA	8.47%
Follow-up Visit after MH Hospitalization					
Follow Up within 30 Days	27.86%	54.46%	59.67%	26.60%	5.21%
Follow Up within 7 Days	13.68%	38.93%	40.61%	25.25%	1.68%
Initiation/Engagement of AOD Services					
Initiation - Total	57.31%	51.05%	42.62%	-6.26%	-8.43%
Engagement - Total	1.75%	4.83%	2.00%	3.08%	-2.83%
Childrens Access to Primary Care					
Ages 12-24 mos.	90.07%	88.70%	87.97%	-1.37%	-0.73%
Ages 25 mos to 6 yrs.	89.84%	81.57%	83.27%	-8.28%	1.71%
Ages 7-11 yrs.	NA	89.19%	79.18%	NA	-10.01%
Ages 12-19 yrs.	NA	78.85%	74.97%	NA	-3.88%
Adult Access to Preventive Care					
Ages 20-44	56.74%	61.20%	60.87%	4.46%	-0.33%
Ages 45-64	61.27%	72.96%	72.27%	11.69%	-0.69%
Ages 65 and older	59.04%	66.41%	62.18%	7.37%	-4.23%
Annual Dental Visit					
Ages 2-3	14.76%	10.04%	11.22%	-4.72%	1.18%
Ages 4-6	33.78%	16.97%	23.11%	-16.81%	6.14%
Ages 7-10	35.03%	18.75%	25.80%	-16.28%	7.05%
Ages 11-14	31.36%	17.28%	20.76%	-14.08%	3.48%
Ages 15-18	26.18%	14.48%	18.05%	-11.70%	3.57%
Ages 19-21	15.89%	10.56%	12.59%	-5.33%	2.03%
Combined	28.31%	15.67%	20.11%	-12.64%	4.44%
Advice to Quit Smoking	NA	NA	NA	NA	NA



Medicaid Non Reform County	HEDIS Reporting Year		Rate Change		
				2010 to	2011 to
Measure/Data Element	2010	2011	2012	2011	2012
Imms for Adolescents					
Meningococcal Immunizations	45.71%	42.60%	57.40%	-3.11%	14.80%
Tdap/Td Immunizations	65.71%	51.88%	75.28%	-13.83%	23.40%
Combination 1 Immunizations	40.00%	38.19%	54.97%	-1.81%	16.78%
Avoidance of Antibiotic Treatment in Adults	NA	22.89%	34.43%	NA	NA
with Acute Bronchitis	IVA	22.09/0	34.43/0	IVA	IVA
Imaging Studies for Low Back Pain	76.67%	58.49%	66.51%	NA	NA
Persistence of Beta-Blocker Tx After a Heart	NA	NA	NA	NA	NA
Attack	INA	IVA	IVA	IVA	IVA
Use of Spirometry Testing in the Assessment &	NA	NA	NA	NA	NA
Diagnosis of COPD	IVA	INA	IVA	INA	IVA
Follow-up for Children Prescribed ADHD Meds					
Initiation Phase	0.00%	31.87%	41.18%	NA	NA
Continuation and Maintenance Phase	NA	NA	NA	NA	NA
Adult BMI	0.00%	22.52%	45.70%	22.52%	23.18%
Annual Monitoring for Patients on Persistent					
Medications					
ACE Inhibitors or ARBs	84.35%	87.99%	89.49%	NA	NA
Digoxin	NA	NA	96.67%	NA	NA
Diuretics	82.80%	85.75%	89.27%	NA	NA
Anti- convulsants	66.67%	68.78%	64.92%	NA	NA
Total	80.59%	84.38%	85.73%	NA	NA
Lead Screening	63.27%	58.41%	58.72%	NA	NA
Weight Assessment and Counseling for					
Nutrition and Physical Activity for					
Children/Adolescent					
BMI Screening - Total	7.73%	17.96%	40.40%	NA	NA
Counseling on Nutrition - Total	64.24%	51.00%	58.72%	NA	NA
Counseling on Physical Activity - Total	45.03%	42.57%	45.92%	NA	NA

^{*}lower rate indicates better performance

NA = Not enough data available to calculate measure