



Three Year Trending & Benchmark Analysis

Molina Healthcare of Washington

Medicaid	HEDIS Reporting Year			Rate Change*		Medicaid Plans Accreditation					NCQA National Benchmarks -- 2010			
	2009	2010	2011	2009 to 2011	2010 to 2011	Thresholds 2011				Molina Ranking**	NCQA National Benchmarks -- 2010			
						25th	50th	75th	90th		50th	75th	90th	Molina Ranking
Childhood Immunization Status														
DT/DTP/DTaP	81.25%	81.25%	75.23%	-6.02%	-6.02%						81.8%	85.2%	88.5%	
OPV/IPV	90.97%	91.67%	90.51%	-0.46%	-1.16%						90.7%	93.7%	95.6%	
Measles, Mumps, & Rubella	91.90%	90.97%	88.43%	-3.47%	-2.54%						91.7%	93.9%	95.8%	
H Influenza Type B	96.76%	95.60%	87.96%	-8.80%	-7.64%						95.4%	96.6%	97.8%	
Hepatitis B	90.97%	91.90%	89.81%	-1.16%	-2.09%						91.8%	94.3%	96.4%	
Chicken Pox	87.50%	89.58%	86.11%	-1.39%	-3.47%						91.3%	93.9%	95.4%	
Pneumococcal Conjugate	81.71%	82.41%	79.40%	-2.31%	-3.01%						79.3%	84.0%	87.8%	Above 50th
Combination 2	74.07%	77.31%	70.60%	-3.47%	-6.71%	63%	72%	79%	83%	Above 50th	76.6%	81.6%	85.6%	
Combination 3	69.68%	73.61%	68.29%	-1.39%	-5.32%						71.0%	76.6%	82.0%	
Immunizations for Adolescents														
Meningococcal	NA	NA	NA	NA	NA									
Tdap/Td	NA	NA	NA	NA	NA									
Combination 1	NA	NA	NA	NA	NA									
Well Child Care: First 15 Months														
Zero visits	0.93%	0.46%	0.93%	0.00%	0.47%						1.4%	2.9%	5.1%	
One visit	1.62%	1.16%	0.93%	-0.69%	-0.23%						1.6%	3.0%	4.4%	
Two visits	3.70%	2.78%	3.71%	0.01%	0.93%						2.8%	4.6%	5.9%	Above 50th
Three visits	6.25%	5.09%	2.78%	-3.47%	-2.31%						5.4%	7.4%	9.5%	
Four visits	9.03%	12.50%	9.98%	0.95%	-2.52%						10.3%	12.7%	15.3%	
Five visits	21.99%	18.06%	20.42%	-1.57%	2.36%						16.5%	18.9%	22.2%	Above 75th
Six or more visits	56.48%	59.95%	61.25%	4.77%	1.30%						60.1%	69.7%	76.3%	Above 50th
Well Child Care: Years 3 to 6	67.82%	67.36%	68.75%	0.93%	1.39%						71.8%	77.3%	82.5%	
Well Child Care: Adolescent	45.14%	38.19%	43.98%	-1.16%	5.79%						46.8%	56.0%	63.2%	
Appropriate Testing for Pharyngitis	61.42%	61.04%	64.81%	3.39%	3.77%	54%	66%	74%	82%	Above 75th	65.5%	73.5%	80.9%	
URI Treatment	91.23%	92.48%	92.38%	1.15%	-0.10%	78%	84%	89%	93%	Above 90th	85.8%	90.6%	94.9%	Above 75th
Breast Cancer Screening	43.70%	45.82%	44.48%	0.78%	-1.34%	47%	54%	59%	65%	Above 25th	52.0%	59.6%	63.8%	
Cervical Cancer Screening	79.46%	79.46%	78.01%	-1.45%	-1.45%	59%	65%	74%	79%	Above 90th	67.8%	72.9%	78.9%	Above 75th
Chlamydia Screening in Women														
Ages 16 to 20	49.97%	48.75%	50.88%	0.91%	2.13%						53.0%	61.1%	66.4%	
Ages 21 to 25	55.72%	56.75%	58.71%	2.99%	1.96%						62.4%	69.1%	73.4%	
Total	51.96%	51.46%	53.56%	1.60%	2.10%	49%	55%	62%	69%	Above 50th	55.7%	63.7%	69.5%	
Prenatal/Postpartum Care														
Timeliness of prenatal care	88.84%	89.10%	89.36%	0.52%	0.26%	77%	84%	89%	92%	Above 90th	86.0%	90.0%	92.7%	Above 50th
Postpartum care	59.77%	61.85%	65.48%	5.71%	3.63%	54%	60%	66%	71%	Above 90th	65.5%	70.3%	74.4%	Above 50th
Controlling High Blood Pressure	53.76%	55.76%	58.13%	4.37%	2.37%	47%	56%	60%	66%	Above 75th	57.1%	63.3%	67.2%	Above 50th
Comprehensive Diabetes Care														
HbA1c Testing	81.42%	82.05%	83.49%	2.07%	1.44%	70%	79%	84%	89%	Above 75th	81.1%	86.4%	90.2%	Above 50th
HbA1c Control	46.24%	44.76%	47.44%	1.20%	2.68%									
HbA1c Poor Control	42.48%	46.39%	41.16%	-1.32%	-5.23%	51%	43%	35%	29%	Above 50th	53.4%	43.2%	33.8%	Above 75th
Eye Exam	54.20%	60.37%	60.93%	6.73%	0.56%	42%	54%	63%	68%	Above 75th	54.0%	63.7%	70.1%	Above 50th
LDL-C Screening	66.59%	66.67%	67.21%	0.62%	0.54%	67%	73%	78%	81%	Above 25th	75.4%	80.1%	84.0%	
LDL Less than 100	27.65%	25.41%	26.74%	-0.91%	1.33%						33.6%	40.9%	45.5%	
Monitoring for Nephropathy	65.71%	73.66%	73.49%	7.78%	-0.17%	69%	77%	82%	86%	Above 50th	77.7%	82.7%	86.2%	
BP<140/90	67.48%	69.93%	70.93%	3.45%	1.00%									

**Using 4 point and appropriate regional adjustments

^Age cohorts modified to 5-50 in HEDIS 2010;

R Rotated Measure



Three Year Trending & Benchmark Analysis

Molina Healthcare of Washington

Medicaid	HEDIS Reporting Year			Rate Change*		Medicaid Plans Accreditation Thresholds 2011				Molina Ranking**	NCOA National Benchmarks -- 2010			Molina Ranking
	2009	2010	2011	2009 to 2011	2010 to 2011	25th	50th	75th	90th		50th	75th	90th	
Appropriate Medication for Asthma^														
Ages 5 to 11	NA	90.65%	88.03%	NA	-2.62%						92.2%	93.9%	95.5%	
Ages 12 to 50	NA	79.49%	79.84%	NA	0.35%						88.6%	89.1%	90.7%	
Combined Rate	83.99%	85.02%	83.83%	-0.16%	-1.19%	84%	87%	90%	93%	Above 50th	86.3%	90.8%	92.8%	
Call Abandonment	NA	NA	NA	NA	NA									
Call Answer Timeliness	NA	NA	NA	NA	NA									
Cholesterol Management														
LDL Screening	76.67%	80.49%	81.58%	4.91%	1.09%	71%	78%	82%	87%	Above 90th	80.9%	84.8%	88.8%	Above 50th
LDL < 100	13.33%	29.27%	31.58%	18.25%	2.31%						43.2%	50.0%	54.4%	
Advice to Quit Smoking	70.21%	71.68%	NA	NA	NA	65%	68%	72%	76%					
Frequency of Prenatal Care														
Less than 21 percent	NA	NA	NA	NA	NA									
21 to 40 percent	NA	NA	NA	NA	NA									
41 to 60 percent	NA	NA	NA	NA	NA									
61 to 80 percent	NA	NA	NA	NA	NA									
More than 80 percent	NA	NA	NA	NA	NA									
Follow-up Mental Health 7 Days	NA	NA	NA	NA	NA	32%	45%	58%	66%		43.50%	59.10%	64.30%	
Antidepressant Medication Mgmt														
Acute Phase	NA	NA	NA	NA	NA	40%	45%	52%	65%		48.10%	52.90%	58.40%	
Continuation Phase	NA	NA	NA	NA	NA	22%	32%	38%	46%		31.00%	35.20%	43.30%	
Use of Spirometry Testing in the Assessment & Diagnosis of COPD	NA	29.17%	19.05%	NA	-10.12%	23%	28%	33%	40%	Above 25th	28.0%	35.1%	39.9%	
Persistence of Beta-Blocker Tx	NA	NA	NA	NA	NA									
Imaging Studies for Low Back Pain	83.00%	82.74%	82.17%	-0.83%	-0.57%	75%	78%	83%	85%	Above 90th	76.2%	79.8%	84.1%	Above 75th
Avoidance of Antibiotic Treatment	26.06%	23.72%	21.08%	-4.98%	-2.64%	21%	25%	29%	34%	Above 50th	23.5%	27.0%	35.9%	
Follow-Up Care for Children Prescribed ADHD Medication														
Initiation Phase	42.16%	40.05%	43.68%	1.52%	3.63%	28%	35%	42%	47%	Above 90th	35.7%	42.2%	48.1%	Above 75th
Continuation and Maintenance Phase	48.36%	42.40%	53.32%	4.96%	10.92%	30%	42%	48%	54%	Above 90th	42.1%	50.7%	57.6%	Above 75th
Childrens Access to Primary Care														
Ages 12-24 mos.	97.89%	NA	97.74%	-0.15%	NA						96.8%	97.9%	98.5%	Above 50th
Ages 25 mos to 6 yrs.	89.79%	NA	89.57%	-0.22%	NA						89.8%	92.2%	94.1%	
Ages 7-11 yrs.	91.53%	NA	92.34%	0.81%	NA						91.3%	93.4%	95.6%	Above 50th
Ages 12-19 yrs.	90.22%	NA	91.00%	0.78%	NA						88.9%	91.8%	93.7%	Above 50th
Adult BMI Assessment	NA	NA	NA	NA	NA						35.3%	48.7%	60.8%	
Annual Monitoring for Patients on Persistent Medications														
ACE Inhibitors or ARBs	NA	NA	83.59%	NA	NA						86.3%	89.2%	90.5%	
Digoxin	NA	NA	NA	NA	NA						90.0%	92.7%	95.2%	
Diuretics	NA	NA	81.46%	NA	NA						86.1%	88.4%	90.6%	
Anti- convulsants	NA	NA	55.03%	NA	NA						68.6%	72.7%	78.1%	
Total	NA	NA	80.25%	NA	NA						84.3%	86.8%	88.5%	
Lead Screening	NA	NA	7.64%	NA	NA						71.6%	81.0%	88.4%	

**Using 4 point and appropriate regional adjustments

^Age cohorts modified to 5-50 in HEDIS 2010;

R Rotated Measure



Three Year Trending & Benchmark Analysis

Molina Healthcare of Washington

Medicaid	HEDIS Reporting Year			Rate Change*		Medicaid Plans Accreditation					NCQA National Benchmarks -- 2010			
	2009	2010	2011	Thresholds 2011										
				2009 to 2011	2010 to 2011	25th	50th	75th	90th	Molina Ranking**	50th	75th	90th	Molina Ranking
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescent														
BMI Screening - 3 to 11	NA	NA	NA	NA	NA						27.8%	45.1%	65.3%	
BMI Screening - 12 to 17	NA	NA	NA	NA	NA						27.1%	44.2%	59.3%	
BMI Screening - Total	NA	NA	NA	NA	NA						29.3%	45.2%	63.0%	
Counseling on Nutrition - 3 to 11	NA	NA	NA	NA	NA						49.6%	60.8%	70.8%	
Counseling on Nutrition - 12 to 17	NA	NA	NA	NA	NA						41.1%	53.0%	61.8%	
Counseling on Nutrition - Total	NA	NA	NA	NA	NA						46.2%	57.7%	67.9%	
Counseling on Physical Activity - 3 to 11	NA	NA	NA	NA	NA						33.0%	46.0%	54.9%	
Counseling on Physical Activity - 12 to 17	NA	NA	NA	NA	NA						37.2%	46.9%	57.4%	
Counseling on Physical Activity - Total	NA	NA	NA	NA	NA						35.3%	45.5%	56.7%	

**Using 4 point and appropriate regional adjustments

^Age cohorts modified to 5-50 in HEDIS 2010;

^RRotated Measure