



Senior Whole Health (HMO D-SNP) and Senior Whole Health NHC (HMO D-SNP)

2024 List of Covered Drugs (Formulary)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE
COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID 00024170, Version 11

This formulary was updated on 05/01/2024.

Important Message About What You Pay for Vaccines – Some vaccines are considered medical benefits. Other vaccines are considered Part D drugs. Our plan covers most Part D vaccines at no cost to you.

For more recent information or other questions, contact us at (800) 665-3086, TTY: 711, October 1 – March 31: 7 days a week, 8 a.m. - 8 p.m., local time, April 1 - September 30: Monday – Friday, 8 a.m. – 8 p.m., local time or visit SWHMA.com.

Senior Whole Health (HMO D-SNP) and Senior Whole Health NHC (HMO D-SNP) | 2024 List of Covered Drugs (Formulary)

Introduction

This document is called the *List of Covered Drugs* (also known as the Drug List). It tells you which prescription drugs are covered by Senior Whole Health. The Drug List also tells you if there are any special rules or restrictions on any drugs covered by Senior Whole Health. Key terms and their definitions appear in the last chapter of the *Member Handbook*.

Table of Contents

| | |
|--|----|
| A. Disclaimers..... | 3 |
| B. Frequently Asked Questions (FAQ) | 6 |
| B1. What prescription drugs are on the <i>List of Covered Drugs</i> ? (We call the <i>List of Covered Drugs</i> the “Drug List” for short.) | 6 |
| B2. Does the Drug List ever change? | 6 |
| B3. What happens when there is a change to the Drug List?..... | 7 |
| B4. Are there any restrictions or limits on drug coverage or any required actions to take to get certain drugs? | 8 |
| B5. How will I know if the drug I want has limits or if there are required actions to take to get the drug?..... | 9 |
| B6. What happens if Senior Whole Health changes their rules about some drugs (for example, PA or approval, quantity limits, and/or step therapy restrictions)? | 9 |
| B7. How can I find a drug on the Drug List? | 9 |
| B8. What if the drug I want to take is not on the Drug List? | 9 |
| B9. What if I am a new Senior Whole Health member and can't find my drug on the Drug List or have a problem getting my drug?..... | 10 |
| B10. Can I ask for an exception to cover my drug? | 10 |
| B11. How can I ask for an exception? | 11 |
| B12. How long does it take to get an exception? | 11 |
| B13. What are generic drugs? | 11 |



If you have questions, please call Senior Whole Health at (800) 665-3086, TTY: 711, October 1 – March 31 - 7 days a week, 8 a.m. - 8 p.m., local time, April 1 – September 30 - Monday – Friday 8 a.m. – 8 p.m., local time. The call is free. For more information, visit SWHMA.com.

| | |
|---|----|
| B14. What are OTC drugs? | 11 |
| B15. Does Senior Whole Health cover non-drug OTC products? | 11 |
| B16. Does Senior Whole Health cover long-term supplies of prescriptions?..... | 12 |
| B17. Can I get prescriptions delivered to my home from my local pharmacy? | 12 |
| B18. What is my copay?..... | 12 |
| C. Overview of the <i>List of Covered Drugs</i> | 12 |
| C1. Drugs Grouped by Medical Condition..... | 13 |
| D. Index of Covered Drugs..... | 87 |

A. Disclaimers

This is a list of drugs that members can get in *Senior Whole Health*.

- ❖ Senior Whole Health complies with applicable Federal civil rights laws and does not discriminate on the basis of race, ethnicity, national origin, religion, gender, sex, age, mental or physical disability, health status, receipt of healthcare, claims experience, medical history, genetic information, evidence of insurability, geographic location.
- ❖ Molina Healthcare is a CSNP, DSNP, ISNP, and HMO plan with a Medicare contract. DSNP plans have a contract with the state Medicaid program. Enrollment depends on contract renewal.
- ❖ ATTENTION: If you speak English, language assistance services, free of charge, are available to you. Call (888) 794-7268, TTY: 711, October 1 – March 31 - 7 days a week, 8 a.m. - 8 p.m., local time, April 1 – September 30 - Monday – Friday 8 a.m. – 8 p.m., local time. The call is free. Free aids and services, such as sign language interpreters and written information in alternative formats, are available to you. Call 1-888-794-7268 (TTY: 711).
- ❖ **English:** The enclosed materials are important and should be translated immediately. We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-888-794-7268. Someone who speaks English can help you. This is a free service.
- ❖ **Spanish:** Los materiales adjuntos son importantes y se deben traducir inmediatamente. Contamos con servicios de intérprete gratuitos para responder a cualquier pregunta que pueda tener acerca de nuestro plan de salud o medicamentos. Para obtener un intérprete, llámenos al 1-888-794-7268. Alguien que hable idioma puede ayudarle. Este es un servicio gratuito.
- ❖ **Cambodian:** ឯកសារដែលត្រូវបាប់មកដាមួយគ្នានេះជាឯកសារសំខាន់ និង គ្រែពេត្តបកព្រៃភាម។ យើងមានសៀវភៅអ្នកបកព្រៃឆ្នាំលោកស្រី ដែលអ្នកអាចនឹងមានអំពីគម្រោងសុខភាព និងឱសចរបស់យើង។ ដើម្បីទទួលបានអ្នកបកព្រៃឆ្នាំលោកស្រី ត្រូវបានរៀបចំឡើង។ ត្រូវបានរៀបចំឡើងឡើងតាមលេខ 1-888-794-7268។ មនុស្សអ្នកដែលនិយាយ ភាសាអូរបាលដូចយុទ្ធភាព។
- ❖ **Chinese Mandarin:** 所附材料非常重要，必须立即翻译。如果您对我们的健康计划或药品计划有任何问题，我们可以提供免费的口译服务回答您的问题。若要获得口译服务，请致电我们：1-888-794-7268。说语言的人士会帮助您。这是免费服务。我们可以为您提供免费帮助和服务，如手语翻译和其他格式的书面信息。
- ❖ **Haitian Creole:** Dokiman ki anekse yo enpòtan e yo ta dwe tradui imedyatman. Nou gen sèvis entèprèt gratis pou reponn nenpòt kesyon ou ka genyen sou plan sante oswa medikaman nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-888-794-7268. Yon moun ki pale lang ka ede w. Sa a se yon sèvis gratis.



If you have questions, please call Senior Whole Health at (800) 665-3086, TTY: 711, October 1 – March 31 - 7 days a week, 8 a.m. - 8 p.m., local time, April 1 – September 30 - Monday – Friday 8 a.m. – 8 p.m., local time. The call is free. For more information, visit SWHMA.com.

- ❖ **Laotian:** ສັງເກດ້ວຍບມາແມ່ນມີຄວາມສໍາຄັນຫຼາຍ ແລະ ຄວນລະຖືກຕະປັບທັນທີ. ພອກເຮົາມີການບໍລິການນາຍພາສາຟຣີເພື່ອຕອບປໍາຖາມທີ່ທ່ານອາດຈະມີກ່ຽວກັບແຜນສະພາບ ຫຼື ການຢ້າຂອງພອກເຮົາ. ຖ້າຕ້ອງການນາຍຕະປັບພາສາ, ພົງຈະຕ່າງໆໃຫ້ຫາພວກເຮົາທີ່ 1-888-794-7268. ຄົນທີ່ເວົ້າ ພາສາ ສາມາດຊ່ວຍທ່ານໄດ້. ນີ້ແມ່ນການບໍລິການຟຣີ.
- ❖ **Portugués:** Os materiais em anexo são importantes e devem ser traduzidos imediatamente. Temos serviços de intérprete gratuitos para responder a quaisquer perguntas que possa ter sobre o nosso plano de saúde ou de medicamentos. Para obter um intérprete, contacte-nos através do número 1-888-794-7268. Alguém que fale idioma pode ajudá-lo. Este serviço é gratuito.
- ❖ **Russian:** Прилагаемые материалы крайне важны и подлежат немедленному переводу. Если у вас возникли какие-либо вопросы о вашем плане медицинского обслуживания или плане с покрытием лекарственных препаратов, для вас предусмотрены бесплатные услуги переводчика. Чтобы воспользоваться услугами переводчика, просто позвоните нам по номеру 1-888-794-7268. Вам поможет сотрудник, владеющий Россия. Эта услуга предоставляется бесплатно.
- ❖ **Vietnamese:** Các tài liệu đính kèm rất quan trọng và cần phải dịch ngay lập tức. Chúng tôi có các dịch vụ phiên dịch miễn phí để trả lời bất kỳ câu hỏi nào của quý vị về chương trình chăm sóc sức khỏe hoặc chương trình thuốc của chúng tôi. Để có phiên dịch viên, chỉ cần gọi cho chúng tôi theo số 1-888-794-7268. Một người nói ngôn ngữ có thể giúp quý vị. Đây là dịch vụ miễn phí.
- ❖ **Chinese Cantonese:** 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-888-794-7268。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。
- ❖ **Tagalog:** Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-888-794-7268. Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.
- ❖ **French:** Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-888-794-7268. Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.
- ❖ **German:** Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-888-794-7268. Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.
- ❖ **Korean:** 당사는 의료 보험 또는 약품 보험에 관한 질문에 답해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-888-794-7268

번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

Arabic ♦: إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي سؤال تتعلق بالصحة أو جدول الأدوية لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على 1-888-794-7268. سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

- ❖ **Hindi:** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं। एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-888-794-7268 पर फोन करें। कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है। यह एक मुफ्त सेवा है।
- ❖ **Italian:** È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-888-794-7268. Un nostro incaricato che parla Italiano fornirà l'assistenza necessaria. È un servizio gratuito.
- ❖ **French Creole:** Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-888-794-7268. Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.
- ❖ **Polish:** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znajdującego język polski, należy zadzwonić pod numer 1-888-794-7268. Ta usługa jest bezpłatna.
- ❖ **Japanese:** 当社の健康 健康保険と薬品 処方薬プランに関するご質問にお答えするためには、無料の通訳サービスがありますございます。通訳をご用命になるには、1-888-794-7268にお電話ください。日本語を話す人 者 が支援いたします。これは無料のサービスです。
- ❖ You can always check Senior Whole Health's up-to-date *List of Covered Drugs* online at SWHMA.com or by calling Member Services (888) 794-7268, TTY: 711, October 1 – March 31 - 7 days a week, 8 a.m. - 8 p.m., local time, April 1 – September 30 - Monday – Friday 8 a.m. – 8 p.m., local time.
- ❖ You can get this document for free in other formats, such as large print, formats that work with screen reader technology, braille, or audio. Call (888) 794-7268, TTY: 711, October 1 – March 31 - 7 days a week, 8 a.m. - 8 p.m., local time, April 1 – September 30 - Monday – Friday 8 a.m. – 8 p.m., local time. The call is free.
- ❖ You can ask that we always send you information in the language or format you need. This is called a standing request. Call (888) 794-7268, TTY: 711, October 1 – March 31: 7 days a week, 8 a.m. - 8 p.m., local time, April 1 - September 30: Monday – Friday, 8 a.m. – 8 p.m., local time. A Member Service representative can help you



If you have questions, please call Senior Whole Health at (800) 665-3086, TTY: 711, October 1 – March 31 - 7 days a week, 8 a.m. - 8 p.m., local time, April 1 – September 30 - Monday – Friday 8 a.m. – 8 p.m., local time. The call is free. For more information, visit SWHMA.com.

make or change a standing request. We will keep track of your standing request, so you do not need to make separate requests each time we send you information.

B. Frequently Asked Questions (FAQ)

Find answers here to questions you have about this *List of Covered Drugs*. You can read all of the FAQ to learn more, or look for a question and answer.

B1. What prescription drugs are on the *List of Covered Drugs*? (We call the *List of Covered Drugs* the “Drug List” for short.)

The drugs on the *List of Covered Drugs* that starts on page 14 are the drugs covered by Senior Whole Health. These drugs are available at pharmacies within our network. A pharmacy is in our network if we have an agreement with them to work with us and provide you services. We refer to these pharmacies as “network pharmacies.”

- Senior Whole Health will cover all drugs on the Drug List if:
 - your doctor or other prescriber says you need them to get better or stay healthy,
 - Senior Whole Health agrees that the drug is medically necessary for you, **and**
 - you fill the prescription at a Senior Whole Health network pharmacy.
- In some cases, you have to do something before you can get a drug (refer to question B4 below).

You can also refer to an up-to-date list of drugs that we cover on our website at SWHMA.com or call Member Services at (800) 665-3086, TTY: 711.

B2. Does the Drug List ever change?

Yes, and Senior Whole Health must follow Medicare and MassHealth rules when making changes. We may add or remove drugs on the Drug List during the year.

We may also change our rules about drugs. For example, we could:

- Decide to require or not require prior approval (PA) for a drug. (PA is permission from Senior Whole Health before you can get a drug.)
- Add or change the amount of a drug you can get (called quantity limits).
- Add or change step therapy restrictions on a drug. (Step therapy means you must try one drug before we will cover another drug.)

For more information on these drug rules, refer to question B4.

If you are taking a drug that was covered at the **beginning** of the year, we will generally not remove or change coverage of that drug **during the rest of the year** unless:

- a new, cheaper drug comes on the market that works as well as a drug on the Drug List now, **or**
- we learn that drug is not safe, **or**
- a drug is removed from the market.

Questions B3 and B6 below have more information on what happens when the Drug List changes.

- You can always check Senior Whole Health's up to date Drug List online at SWHMA.com.
- You can also call Member Services to check the current Drug List at (800) 665-3086, TTY: 711.

B3. What happens when there is a change to the Drug List?

Some changes to the Drug List will happen **immediately**. For example:

- **A new generic drug becomes available.** Sometimes, a new generic drug comes on the market that works as well as a brand name drug on the Drug List now. When that happens, we may remove the brand name drug and add the new generic drug, but your cost for the new drug will stay the same.

When we add the new generic drug, we may also decide to keep the brand name drug on the list but change its coverage rules or limits.
 - We may not tell you before we make this change, but we will send you information about the specific change we made once it happens.
 - You or your provider can ask for an exception from these changes. We will send you a notice with the steps you can take to ask for an exception. Please refer to question B10 for more information on exceptions.
- **A drug is taken off the market.** If the Food and Drug Administration (FDA) says a drug you are taking is not safe or the drug's manufacturer takes a drug off the market, we will take it off the Drug List. If you are taking the drug, we will let you know. After you receive notice of the change, you should be working with your prescriber to switch to a different drug that we cover.

We may make other changes that affect the drugs you take. We will tell you in advance about these other changes to the Drug List. These changes might happen if:

- The FDA provides new guidance or there are new clinical guidelines about a drug.



If you have questions, please call Senior Whole Health at (800) 665-3086, TTY: 711, October 1 – March 31 - 7 days a week, 8 a.m. - 8 p.m., local time, April 1 – September 30 - Monday – Friday 8 a.m. – 8 p.m., local time. The call is free. **For more information**, visit SWHMA.com.

- We add a generic drug that is not new to the market **and**
 - Replace a brand name drug currently on the Drug List **or**
 - Change the coverage rules or limits for the brand name drug.

When these changes happen, we will

- Tell you at least 30 days before we make the change to the Drug List **or**
- Let you know and give you a 31-day supply of the drug after you ask for a refill.

This will give you time to talk to your doctor or other prescriber. They can help you decide:

- If there is a similar drug on the Drug List you can take instead **or**
- Whether to ask for an exception from these changes. Please refer to question B10 for more information about exceptions.

B4. Are there any restrictions or limits on drug coverage or any required actions to take to get certain drugs?

Yes, some drugs have coverage rules or have limits on the amount you can get. In some cases, you or your doctor or other prescriber must do something before you can get the drug. For example:

- **Prior authorization (PA) or approval:** For some drugs, you or your doctor or other prescriber must get PA from Senior Whole Health before you fill your prescription. Senior Whole Health may not cover the drug if you do not get approval.
- **Quantity limits:** Sometimes Senior Whole Health limits the amount of a drug you can get.
- **Step therapy:** Sometimes Senior Whole Health requires you to do step therapy. This means you will have to try drugs in a certain order for your medical condition. You might have to try one drug before we will cover another drug. If your doctor thinks the first drug doesn't work for you, then we will cover the second.

You can find out if your drug has any additional requirements or limits by looking in the tables beginning on page 14. You can also get more information by visiting our website at SWHMA.com. We have posted online documents that explain our PA and step therapy restrictions. You may also ask us to send you a copy.

You can ask for an exception from these limits. This will give you time to talk to your doctor or other prescriber. They can help you decide if there is a similar drug on the Drug List you can take instead or whether to ask for an exception. Please refer to questions B10-B12 for more information about exceptions.

B5. How will I know if the drug I want has limits or if there are required actions to take to get the drug?

The table of drugs on page 14 has a column labeled “Necessary actions, restrictions, or limits on use.”

B6. What happens if Senior Whole Health changes their rules about some drugs (for example, prior authorization (PA) or approval, quantity limits, and/or step therapy restrictions)?

In some cases, we will tell you in advance if we add or change PA, quantity limits, and/or step therapy restrictions on a drug. Refer to question B3 for more information about this advance notice and situations where we may not be able to tell you in advance when our rules about drugs on the Drug List change.

B7. How can I find a drug on the Drug List?

There are two ways to find a drug:

- You can search alphabetically by the drug’s name, **or**
- You can search by medical condition.

To search **alphabetically**, refer to the Index of Covered Drugs section. You can find it on page 87.

To search **by medical condition**, find the section labeled “Drugs Grouped by Medical Condition” on page 14. The drugs in this section are grouped into categories depending on the type of medical conditions they are used to treat. For example, if you have a heart condition, you should look in the category, Cardiovascular. That is where you will find drugs that treat heart conditions.

B8. What if the drug I want to take is not on the Drug List?

If you don’t find your drug on the Drug List, call Member Services at (800) 665-3086, TTY: 711 and ask about it. If you learn that Senior Whole Health will not cover the drug, you can do one of these things:

- Ask Member Services for a list of drugs like the one you want to take. Then show the list to your doctor or other prescriber. They can prescribe a drug on the Drug List that is like the one you want to take. **Or**
- You can ask the health plan to make an exception to cover your drug. Please refer to questions B10-B12 for more information about exceptions.



If you have questions, please call Senior Whole Health at (800) 665-3086, TTY: 711, October 1 – March 31 - 7 days a week, 8 a.m. - 8 p.m., local time, April 1 – September 30 - Monday – Friday 8 a.m. – 8 p.m., local time. The call is free. **For more information**, visit SWHMA.com.

B9. What if I am a new Senior Whole Health member and can't find my drug on the Drug List or have a problem getting my drug?

We can help. We may cover a temporary 31-day supply of your drug during the first 90 days you are a member of Senior Whole Health. This will give you time to talk to your doctor or other prescriber. They can help you decide if there is a similar drug on the Drug List you can take instead or whether to ask for an exception.

If your prescription is written for fewer days, we will allow multiple refills to provide up to a maximum of 31 days of medication.

We will cover a 31-day supply of your drug if:

- you are taking a drug that is not on our Drug List, **or**
- our plan rules do not let you get the amount ordered by your prescriber, **or**
- the drug requires prior authorization by Senior Whole Health, **or**
- you are taking a drug that is part of a step therapy restriction

If you are taking a drug that Senior Whole Health does not consider to be a Part D drug, you have the right to get a one-time, 72-hour supply of the drug.

If you are in a nursing home or other long-term care facility and need a drug that is not on the Drug List or if you cannot easily get the drug you need, we can help. If you have been in the plan for more than 90 days, live in a long-term care facility, and need a supply right away:

- We will cover one 31-day supply of the drug you need (unless you have a prescription for fewer days), whether or not you are a new Senior Whole Health member.
- This is in addition to the temporary supply during the first 90 days you are a member of Senior Whole Health.

Senior Whole Health will provide a temporary at least 31-day fill (unless the prescription is written for less than a 31 day supply or the prescription is dispensed for less than the written amount due to quantity limits for safety purposes or drug utilization edits based on approved product labeling, in which case Senior Whole Health will allow multiple fills to provide up to a total of 31 days of medication) in an Long Term Care setting any time during the first 90 days of member's enrollment, beginning on the enrollee's effective date of coverage.

B10. Can I ask for an exception to cover my drug?

Yes. You can ask Senior Whole Health to make an exception to cover a drug that is not on the Drug List.

You can also ask us to change the rules on your drug.

- For example, Senior Whole Health may limit the amount of a drug we will cover. If your drug has a limit, you can ask us to change the limit and cover more.
 - Other examples: You can ask us to drop step therapy restrictions or PA requirements.
-

B11. How can I ask for an exception?

To ask for an exception, call Member Services. A Member Services representative will work with you and your provider to help you ask for an exception. You can also read Chapter 8, of the *Evidence of Coverage* to learn more about exceptions.

B12. How long does it take to get an exception?

After we get a statement from your prescriber supporting your request for an exception, we will give you a decision within 72 hours. Your prescriber can call Senior Whole Health or fax the supporting statement to (866) 290-1309.

Send the prescriber statement to:

Senior Whole Health
Attn: Pharmacy Department
7050 S Union Park Center, Suite 600
Midvale, Utah 84107

If you or your prescriber think your health may be harmed if you have to wait 72 hours for a decision, you can ask for an expedited exception. This is a faster decision. If your prescriber supports your request, we will give you a decision within 24 hours of getting your prescriber's supporting statement.

B13. What are generic drugs?

Generic drugs are made up of the same active ingredients as brand name drugs. They usually cost less than the brand name drug and usually don't have well-known names. Generic drugs are approved by the Food and Drug Administration (FDA).

Senior Whole Health covers both brand name drugs and generic drugs.

B14. What are OTC drugs?

OTC stands for "over-the-counter". Senior Whole Health covers some OTC drugs when they are written as prescriptions by your provider.

You can read the Senior Whole Health OTC Wrap List to find out what OTC drugs are covered at SWHMA.com.

B15. Does Senior Whole Health cover non-drug OTC products?

Senior Whole Health covers some non-drug OTC products when they are written as prescriptions by your provider.



If you have questions, please call Senior Whole Health at (800) 665-3086, TTY: 711, October 1 – March 31 - 7 days a week, 8 a.m. - 8 p.m., local time, April 1 – September 30 - Monday – Friday 8 a.m. – 8 p.m., local time. The call is free. **For more information**, visit SWHMA.com.

You can read the Senior Whole Health Drug List to find out what non-drug OTC products are covered.

B16. Does Senior Whole Health cover long-term supplies of prescriptions?

- **Mail-Order Programs.** We offer a mail-order program that allows you to get up to a 90-day supply of your prescription drugs sent directly to your home. A 90-day supply has the same copay as a one-month supply.
 - **90-Day Retail Pharmacy Programs.** Some retail pharmacies may also offer up to a 90-day supply of covered prescription drugs. A 90-day supply has the same copay as a one-month supply.
-

B17. Can I get prescriptions delivered to my home from my local pharmacy?

Your local pharmacy may be able to deliver your prescription to your home. You can call your pharmacy to find out if they offer home delivery.

B18. What is my copay?

Senior Whole Health members have no copays for prescription and OTC drugs and non-drug products as long as the member follows the plan's rules. Refer to questions B14 and B15 for more information about OTC drugs and non-drug products.

Tiers are groups of drugs on our Drug List.

- Tier 1 Generic and brand name drugs have \$0 copay.
- Tier 1 Brand name drugs have \$0 copay

OTCs have a \$0 copay.

If you have questions, call Member Services at (800) 665-3086, TTY: 711.

C. Overview of the *List of Covered Drugs*

The following list of covered drugs gives you information about the drugs covered by Senior Whole Health. If you have trouble finding your drug in the list, turn to the Index of Covered Drugs that begins on page 87. The index alphabetically lists all drugs covered by Senior Whole Health.

The first column of the chart lists the name of the drug. Brand name drugs are capitalized (e.g., CIPRO) and generic drugs are listed in lowercase italics (e.g., ciprofloxacin).

The information in the "Necessary actions, restrictions, or limits on use" column tells you if Senior Whole Health has any rules for covering your drug.

Note: The _ next to a drug means the drug is not a "Part D drug." These drugs have different rules for appeals.

- An appeal is a formal way of asking us to review a decision we made about your coverage and to change it if you think we made a mistake
- For example, we might decide that a drug that you want is not covered or is no longer covered by Medicare or MassHealth.
- If you or your doctor disagrees with our decision, you can appeal. If you ever have a question, call Member Services at (800) 665-3086, TTY: 711, October 1 – March 31 - 7 days a week, 8 a.m. - 8 p.m., local time, April 1 – September 30 - Monday – Friday 8 a.m. – 8 p.m., local time.
- You can also read Chapter 8 of the *Evidence of Coverage* to learn how to appeal a decision.

C1. Drugs Grouped by Medical Condition

The drugs in this section are grouped into categories depending on the type of medical conditions they are used to treat. For example, if you have a heart condition, you should look in the category Cardiovascular. That is where you will find drugs that treat heart conditions.

Here are the meanings of the codes used in the “Necessary actions, restrictions, or limits on use” column:

PA = Prior Authorization (approval): you must have approval before you can get this drug.

QL = Quantity Limits: the amount of the drug that the plan will cover.

ST = Step Therapy Criteria: you must try another drug before you can get this one.

NM = Non-Mail Order: this drug cannot be filled through mail order.

B/D = This drug may be covered under Medicare Part B or D depending upon the circumstances.

LA = Limited Access Drug: this drug may be available only at certain pharmacies.

_ = Non-Part D Drugs, or OTC items that are covered by Medicaid.

NDS = Non-Extended Days Supply: you will be limited to how many days supply you can receive.

ED = Excluded Drug: certain drugs are excluded from Medicare coverage by law.

The first column of the table lists the name of the drug. Generic drugs are listed in lower-case italics (for example, *metformin hcl*), brand name drugs are capitalized (for example, JANUVIA TABS). The information in the “Necessary actions, restrictions, or limits on use” column tells you if Senior Whole Health has any rules for covering your drug.



If you have questions, please call Senior Whole Health at (800) 665-3086, TTY: 711, October 1 – March 31 - 7 days a week, 8 a.m. - 8 p.m., local time, April 1 – September 30 - Monday – Friday 8 a.m. – 8 p.m., local time. The call is free. **For more information**, visit SWHMA.com.

MOLINA_CY24_1T_SNPRINT_SWHMA eff 05/01/2024**Drug Name Drug Tier Requirements/Limits****ANALGESICS****GOUT**

| | | |
|--|---|-------------------------|
| <i>allopurinol</i> TABS 100mg, 300mg | 1 | |
| <i>colchicine</i> TABS .6mg | 1 | QL (120 tabs / 30 days) |
| <i>colchicine w/ probenecid tab 0.5-500 mg</i> | 1 | |
| <i>MITIGARE</i> CAPS .6mg | 1 | QL (60 caps / 30 days) |
| <i>probenecid</i> TABS 500mg | 1 | |

NSAIDS

| | | |
|---|---|-------------------------|
| <i>celecoxib</i> CAPS 50mg, 100mg, 200mg | 1 | QL (60 caps / 30 days) |
| <i>celecoxib</i> CAPS 400mg | 1 | QL (30 caps / 30 days) |
| <i>diclofenac potassium</i> TABS 50mg | 1 | QL (120 tabs / 30 days) |
| <i>diclofenac sodium</i> TB24 100mg; TBEC 25mg, 50mg, 75mg | 1 | |
| <i>diflunisal</i> TABS 500mg | 1 | |
| <i>ec-naproxen</i> TBEC 375mg | 1 | QL (120 tabs / 30 days) |
| <i>ec-naproxen</i> TBEC 500mg | 1 | QL (90 tabs / 30 days) |
| <i>etodolac</i> CAPS 200mg, 300mg; TABS 400mg, 500mg; TB24 400mg, 500mg, 600mg | 1 | |
| <i>flurbiprofen</i> TABS 100mg | 1 | |
| <i>ibu</i> TABS 400mg, 600mg, 800mg | 1 | |
| <i>ibuprofen</i> SUSP 100mg/5ml; TABS 400mg, 600mg, 800mg | 1 | |
| <i>meloxicam</i> TABS 7.5mg, 15mg | 1 | |
| <i>nabumetone</i> TABS 500mg, 750mg | 1 | |
| <i>naproxen</i> TABS 250mg, 375mg, 500mg | 1 | |
| <i>naproxen</i> TBEC 375mg | 1 | QL (120 tabs / 30 days) |
| <i>naproxen</i> TBEC 500mg | 1 | QL (90 tabs / 30 days) |
| <i>naproxen sodium</i> TABS 275mg, 550mg | 1 | |
| <i>piroxicam</i> CAPS 10mg, 20mg | 1 | |
| <i>sulindac</i> TABS 150mg, 200mg | 1 | |

OPIOID ANALGESICS, LONG-ACTING

| | | |
|--|---|----------------------------------|
| <i>buprenorphine</i> PTWK 5mcg/hr, 7.5mcg/hr, 10mcg/hr, 15mcg/hr, 20mcg/hr | 1 | QL (4 patches / 28 days), PA |
| <i>fentanyl</i> PT72 12mcg/hr, 25mcg/hr, 37.5mcg/hr, 50mcg/hr, 62.5mcg/hr, 75mcg/hr, 87.5mcg/hr, 100mcg/hr | 1 | QL (10 patches / 30 days), PA |
| <i>hydrocodone bitartrate</i> T24A 20mg, 30mg, 40mg, 60mg, 80mg, 100mg, 120mg | 1 | QL (30 tabs / 30 days), PA |
| <i>HYSINGLA ER</i> T24A 20mg, 30mg, 40mg, 60mg, 80mg, 100mg, 120mg | 1 | QL (30 tabs / 30 days), PA |
| <i>methadone hcl</i> SOLN 5mg/5ml, 10mg/5ml | 1 | QL (450 mL / 30 days), PA |
| <i>methadone hcl</i> TABS 5mg, 10mg | 1 | QL (90 tabs / 30 days), PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------------|
| <i>methadone hydrochloride i CONC 10mg/ml</i> | 1 | QL (90 mL / 30 days), PA |
| <i>morphine sulfate TBCR 15mg, 30mg, 60mg, 100mg, 200mg</i> | 1 | QL (90 tabs / 30 days), PA |
| <i>OXYCONTIN T12A 10mg, 15mg, 20mg, 30mg, 40mg, 60mg, 80mg</i> | 1 | QL (60 tabs / 30 days), PA |
| <i>OPIOID ANALGESICS, SHORT-ACTING</i> | | |
| <i>acetaminophen w/ codeine soln 120-12 mg/5ml</i> | 1 | QL (2700 mL / 30 days) |
| <i>acetaminophen w/ codeine tab 300-15 mg</i> | 1 | QL (400 tabs / 30 days) |
| <i>acetaminophen w/ codeine tab 300-30 mg</i> | 1 | QL (360 tabs / 30 days) |
| <i>acetaminophen w/ codeine tab 300-60 mg</i> | 1 | QL (180 tabs / 30 days) |
| <i>butorphanol tartrate SOLN 1mg/ml, 2mg/ml</i> | 1 | |
| <i>endocet tab 2.5-325mg</i> | 1 | QL (360 tabs / 30 days) |
| <i>endocet tab 5-325mg</i> | 1 | QL (360 tabs / 30 days) |
| <i>endocet tab 7.5-325mg</i> | 1 | QL (240 tabs / 30 days) |
| <i>endocet tab 10-325mg</i> | 1 | QL (180 tabs / 30 days) |
| <i>fentanyl citrate LPOP 200mcg</i> | 1 | QL (120 lozenges / 30 days), PA |
| <i>fentanyl citrate LPOP 400mcg, 600mcg, 800mcg, 1200mcg, 1600mcg</i> | 1 | NDS, QL (120 lozenges / 30 days), PA |
| <i>hydrocodone-acetaminophen soln 7.5-325 mg/15ml</i> | 1 | QL (2700 mL / 30 days) |
| <i>hydrocodone-acetaminophen tab 5-325 mg</i> | 1 | QL (240 tabs / 30 days) |
| <i>hydrocodone-acetaminophen tab 7.5-325 mg</i> | 1 | QL (180 tabs / 30 days) |
| <i>hydrocodone-acetaminophen tab 10-325 mg</i> | 1 | QL (180 tabs / 30 days) |
| <i>hydrocodone-ibuprofen tab 7.5-200 mg</i> | 1 | QL (150 tabs / 30 days) |
| <i>hydromorphone hcl LIQD 1mg/ml</i> | 1 | QL (600 mL / 30 days) |
| <i>hydromorphone hcl TABS 2mg, 4mg, 8mg</i> | 1 | QL (180 tabs / 30 days) |
| <i>MORPHINE SULFATE SOLN 2mg/ml, 4mg/ml, 5mg/ml, 8mg/ml, 10mg/ml, 50mg/ml</i> | 1 | B/D |
| <i>morphine sulfate SOLN 4mg/ml, 8mg/ml, 10mg/ml</i> | 1 | B/D |
| <i>morphine sulfate SOLN 10mg/5ml, 20mg/5ml</i> | 1 | QL (900 mL / 30 days) |
| <i>morphine sulfate SOLN 20mg/ml</i> | 1 | QL (180 mL / 30 days) |
| <i>morphine sulfate TABS 15mg, 30mg</i> | 1 | QL (180 tabs / 30 days) |
| <i>MORPHINE SULFATE/SODIUM C SOLN 1mg/ml</i> | 1 | B/D |
| <i>nalbuphine hcl SOLN 10mg/ml, 20mg/ml</i> | 1 | |
| <i>oxycodone hcl CAPS 5mg</i> | 1 | QL (180 caps / 30 days) |
| <i>oxycodone hcl CONC 100mg/5ml</i> | 1 | QL (180 mL / 30 days) |
| <i>oxycodone hcl SOLN 5mg/5ml</i> | 1 | QL (900 mL / 30 days) |
| <i>oxycodone hcl TABS 5mg, 10mg, 15mg, 20mg, 30mg</i> | 1 | QL (180 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 2.5-325 mg</i> | 1 | QL (360 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 5-325 mg</i> | 1 | QL (360 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 7.5-325 mg</i> | 1 | QL (240 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 10-325 mg</i> | 1 | QL (180 tabs / 30 days) |
| <i>tramadol hcl TABS 50mg</i> | 1 | QL (240 tabs / 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| <i>tramadol-acetaminophen tab 37.5-325 mg</i> | 1 | QL (240 tabs / 30 days) |
| ANESTHETICS | | |
| LOCAL ANESTHETICS | | |
| <i>lidocaine hcl (local anesth.) SOLN .5%, 1%, 1.5%, 2%</i> | 1 | B/D |
| ANTI-INFECTIVES | | |
| ANTI-INFECTIVES - MISCELLANEOUS | | |
| <i>albendazole TABS 200mg</i> | 1 | NDS, QL (672 tabs / year), PA |
| <i>amikacin sulfate SOLN 1gm/4ml, 500mg/2ml</i> | 1 | |
| <i>atovaquone SUSP 750mg/5ml</i> | 1 | |
| <i>aztreonam SOLR 1gm, 2gm</i> | 1 | |
| <i>CAYSTON SOLR 75mg</i> | 1 | NDS, NM, LA, PA |
| <i>clindamycin hcl CAPS 75mg, 150mg, 300mg</i> | 1 | |
| <i>clindamycin palmitate hydrochloride SOLR 75mg/5ml</i> | 1 | |
| <i>clindamycin phosphate SOLN 600mg/4ml, 900mg/6ml, 9000mg/60ml</i> | 1 | |
| <i>clindamycin phosphate in d5w iv soln 300 mg/50ml</i> | 1 | |
| <i>clindamycin phosphate in d5w iv soln 600 mg/50ml</i> | 1 | |
| <i>clindamycin phosphate in d5w iv soln 900 mg/50ml</i> | 1 | |
| <i>CLINDMYC/NAC INJ 300/50ML</i> | 1 | |
| <i>CLINDMYC/NAC INJ 600/50ML</i> | 1 | |
| <i>CLINDMYC/NAC INJ 900/50ML</i> | 1 | |
| <i>colistimethate sodium SOLR 150mg</i> | 1 | |
| <i>dapsone TABS 25mg, 100mg</i> | 1 | |
| <i>DAPTOMYCIN SOLR 350mg</i> | 1 | NDS |
| <i>daptomycin SOLR 350mg, 500mg</i> | 1 | NDS |
| <i>EMVERM CHEW 100mg</i> | 1 | NDS, QL (12 tabs / year) |
| <i>ertapenem sodium SOLR 1gm</i> | 1 | |
| <i>gentamicin in saline inj 0.8 mg/ml</i> | 1 | |
| <i>gentamicin in saline inj 1 mg/ml</i> | 1 | |
| <i>gentamicin in saline inj 1.2 mg/ml</i> | 1 | |
| <i>gentamicin in saline inj 1.6 mg/ml</i> | 1 | |
| <i>gentamicin in saline inj 2 mg/ml</i> | 1 | |
| <i>gentamicin sulfate SOLN 10mg/ml, 40mg/ml</i> | 1 | |
| <i>imipenem-cilastatin intravenous for soln 250 mg</i> | 1 | |
| <i>imipenem-cilastatin intravenous for soln 500 mg</i> | 1 | |
| <i>ivermectin TABS 3mg</i> | 1 | QL (12 tabs / 90 days), PA |
| <i>linezolid SOLN 600mg/300ml</i> | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| <i>linezolid</i> SUSR 100mg/5ml | 1 | NDS, QL (1800 mL / 30 days) |
| <i>linezolid</i> TABS 600mg | 1 | QL (60 tabs / 30 days) |
| LINEZOLID INJ 2MG/ML | 1 | |
| <i>meropenem</i> SOLR 1gm, 500mg | 1 | |
| <i>methenamine hippurate</i> TABS 1gm | 1 | |
| <i>metronidazole</i> SOLN 500mg/100ml; TABS 250mg, 500mg | 1 | |
| <i>neomycin sulfate</i> TABS 500mg | 1 | |
| <i>nitazoxanide</i> TABS 500mg | 1 | NDS, QL (6 tabs / 30 days) |
| <i>nitrofurantoin macrocrystal</i> CAPS 50mg, 100mg | 1 | |
| <i>nitrofurantoin monohyd macro</i> CAPS 100mg | 1 | |
| <i>pentamidine isethionate inh</i> SOLR 300mg | 1 | B/D |
| <i>pentamidine isethionate inj</i> SOLR 300mg | 1 | |
| <i>praziquantel</i> TABS 600mg | 1 | |
| SIVEXTRO SOLR 200mg; TABS 200mg | 1 | NDS |
| <i>streptomycin sulfate</i> SOLR 1gm | 1 | NDS |
| <i>sulfadiazine</i> TABS 500mg | 1 | NDS |
| <i>sulfamethoxazole-trimethoprim iv soln</i> 400-80 mg/5ml | 1 | |
| <i>sulfamethoxazole-trimethoprim susp</i> 200-40 mg/5ml | 1 | |
| <i>sulfamethoxazole-trimethoprim tab</i> 400-80 mg | 1 | |
| <i>sulfamethoxazole-trimethoprim tab</i> 800-160 mg | 1 | |
| <i>tinidazole</i> TABS 250mg, 500mg | 1 | |
| <i>tobramycin</i> NEBU 300mg/5ml | 1 | NDS, NM, PA |
| <i>tobramycin sulfate</i> SOLN 1.2gm/30ml, 10mg/ml, 40mg/ml, 80mg/2ml | 1 | |
| <i>trimethoprim</i> TABS 100mg | 1 | |
| <i>vancomycin hcl</i> CAPS 125mg | 1 | QL (80 caps / 180 days) |
| <i>vancomycin hcl</i> CAPS 250mg | 1 | QL (160 caps / 180 days) |
| <i>vancomycin hcl</i> SOLR 1gm, 5gm, 10gm, 500mg, 750mg | 1 | |
| VANCOMYCIN INJ 1 GM | 1 | |
| VANCOMYCIN INJ 500MG | 1 | |
| VANCOMYCIN INJ 750MG | 1 | |
| ANTIFUNGALS | | |
| <i>ABELCET</i> SUSP 5mg/ml | 1 | B/D |
| <i>amphotericin b</i> SOLR 50mg | 1 | B/D |
| <i>amphotericin b liposome</i> SUSR 50mg | 1 | NDS, B/D |
| <i>caspofungin acetate</i> SOLR 50mg, 70mg | 1 | |
| <i>fluconazole</i> SUSR 10mg/ml, 40mg/ml; TABS 50mg, 100mg, 150mg, 200mg | 1 | |
| <i>fluconazole in nacl 0.9% inj</i> 200 mg/100ml | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|
| <i>fluconazole in nacl 0.9% inj 400 mg/200ml</i> | 1 | |
| <i>flucytosine CAPS 250mg, 500mg</i> | 1 | NDS, PA |
| <i>griseofulvin microsize SUSP 125mg/5ml; TABS 500mg</i> | 1 | |
| <i>griseofulvin ultramicrosize TABS 125mg, 250mg</i> | 1 | |
| <i>itraconazole CAPS 100mg</i> | 1 | PA |
| <i>ketoconazole TABS 200mg</i> | 1 | PA |
| <i>micafungin sodium SOLR 50mg, 100mg</i> | 1 | NDS |
| <i>nystatin TABS 500000unit</i> | 1 | |
| <i>posaconazole SUSP 40mg/ml</i> | 1 | NDS, QL (630 mL / 30 days), PA |
| <i>posaconazole TBEC 100mg</i> | 1 | NDS, QL (93 tabs / 30 days), PA |
| <i>terbinafine hcl TABS 250mg</i> | 1 | QL (90 tabs / year) |
| <i>voriconazole SOLR 200mg</i> | 1 | PA |
| <i>voriconazole SUSR 40mg/ml</i> | 1 | NDS, PA |
| <i>voriconazole TABS 50mg</i> | 1 | QL (480 tabs / 30 days), PA |
| <i>voriconazole TABS 200mg</i> | 1 | QL (120 tabs / 30 days), PA |

ANTIMALARIALS

| | | |
|--|---|----|
| <i>atovaquone-proguanil hcl tab 62.5-25 mg</i> | 1 | |
| <i>atovaquone-proguanil hcl tab 250-100 mg</i> | 1 | |
| <i>chloroquine phosphate TABS 250mg, 500mg</i> | 1 | |
| <i>COARTEM TAB 20-120MG</i> | 1 | |
| <i>mefloquine hcl TABS 250mg</i> | 1 | |
| <i>primaquine phosphate TABS 26.3mg</i> | 1 | |
| <i>PRIMAQUINE PHOSPHATE TABS 26.3mg</i> | 1 | |
| <i>quinine sulfate CAPS 324mg</i> | 1 | PA |

ANTIRETROVIRAL AGENTS

| | | |
|--|---|---------------------------------|
| <i>abacavir sulfate SOLN 20mg/ml; TABS 300mg</i> | 1 | NM |
| <i>APTIVUS CAPS 250mg</i> | 1 | NDS, NM |
| <i>atazanavir sulfate CAPS 150mg, 200mg, 300mg</i> | 1 | NM |
| <i>darunavir TABS 600mg</i> | 1 | NDS, QL (60 tabs / 30 days), NM |
| <i>darunavir TABS 800mg</i> | 1 | NDS, QL (30 tabs / 30 days), NM |
| <i>EDURANT TABS 25mg</i> | 1 | NDS, NM |
| <i>efavirenz CAPS 50mg, 200mg; TABS 600mg</i> | 1 | NM |
| <i>emtricitabine CAPS 200mg</i> | 1 | NM |
| <i>EMTRIVA SOLN 10mg/ml</i> | 1 | NM |
| <i>etravirine TABS 100mg, 200mg</i> | 1 | NDS, NM |
| <i>fosamprenavir calcium TABS 700mg</i> | 1 | NDS, NM |
| <i>FUZEON SOLR 90mg</i> | 1 | NDS, NM, LA |
| <i>INTELENCE TABS 25mg</i> | 1 | NM |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| ISENTRESS CHEW 25mg | 1 | NM |
| ISENTRESS CHEW 100mg; PACK 100mg; TABS 400mg | 1 | NDS, NM |
| ISENTRESS HD TABS 600mg | 1 | NDS, NM |
| <i>lamivudine</i> SOLN 10mg/ml; TABS 150mg, 300mg | 1 | NM |
| LEXIVA SUSP 50mg/ml | 1 | NM |
| <i>maraviroc</i> TABS 150mg, 300mg | 1 | NDS, NM |
| <i>nevirapine</i> SUSP 50mg/5ml; TABS 200mg; TB24 400mg | 1 | NM |
| NORVIR PACK 100mg | 1 | NM |
| PIFELTRO TABS 100mg | 1 | NDS, NM |
| PREZISTA SUSP 100mg/ml | 1 | NDS, QL (400 mL / 30 days), NM |
| PREZISTA TABS 75mg | 1 | QL (480 tabs / 30 days), NM |
| PREZISTA TABS 150mg | 1 | NDS, QL (240 tabs / 30 days), NM |
| REYATAZ PACK 50mg | 1 | NDS, NM |
| <i>ritonavir</i> TABS 100mg | 1 | NM |
| RUKOBIA TB12 600mg | 1 | NDS, NM |
| SELZENTRY SOLN 20mg/ml; TABS 75mg | 1 | NDS, NM |
| SELZENTRY TABS 25mg | 1 | NM |
| SUNLENCA TBPK 300mg | 1 | NDS, NM, LA |
| <i>tenofovir disoproxil fumarate</i> TABS 300mg | 1 | NM |
| TIVICAY TABS 10mg | 1 | NM |
| TIVICAY TABS 25mg, 50mg | 1 | NDS, NM |
| TIVICAY PD TBSO 5mg | 1 | NDS, NM |
| TROGARZO SOLN 200mg/1.33ml | 1 | NDS, NM, LA |
| TYBOST TABS 150mg | 1 | NM |
| VIRACEPT TABS 250mg, 625mg | 1 | NDS, NM |
| VIREAD POWD 40mg/gm; TABS 150mg, 200mg, 250mg | 1 | NDS, NM |
| <i>zidovudine</i> CAPS 100mg; SYRP 50mg/5ml; TABS 300mg | 1 | NM |

ANTIRETROVIRAL COMBINATION AGENTS

| | | |
|---|---|---------------------------------|
| <i>abacavir sulfate-lamivudine</i> tab 600-300 mg | 1 | NM |
| BIKTARVY TAB 30-120-15 MG | 1 | NDS, NM |
| BIKTARVY TAB 50-200-25 MG | 1 | NDS, NM |
| CIMDUO TAB 300-300 | 1 | NDS, NM |
| COMPLERA TAB | 1 | NDS, NM |
| DELSTRIGO TAB | 1 | NDS, NM |
| DESCOVY TAB 120-15MG | 1 | NDS, QL (30 tabs / 30 days), NM |
| DESCOVY TAB 200/25MG | 1 | NDS, QL (30 tabs / 30 days), NM |
| DOVATO TAB 50-300MG | 1 | NDS, NM |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------|
| <i>efavirenz-emtricitabine-tenofovir df tab 600-200-300 mg</i> | 1 | NDS, NM |
| <i>efavirenz-lamivudine-tenofovir df tab 400-300-300 mg</i> | 1 | NDS, NM |
| <i>efavirenz-lamivudine-tenofovir df tab 600-300-300 mg</i> | 1 | NDS, NM |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 100-150 mg</i> | 1 | NDS, QL (30 tabs / 30 days), NM |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 133-200 mg</i> | 1 | NDS, QL (30 tabs / 30 days), NM |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 167-250 mg</i> | 1 | NDS, QL (30 tabs / 30 days), NM |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 200-300 mg</i> | 1 | QL (30 tabs / 30 days), NM |
| EVOTAZ TAB 300-150 | 1 | NDS, NM |
| GENVOYA TAB | 1 | NDS, NM |
| JULUCA TAB 50-25MG | 1 | NDS, NM |
| <i>lamivudine-zidovudine tab 150-300 mg</i> | 1 | NM |
| <i>lopinavir-ritonavir soln 400-100 mg/5ml (80-20 mg/ml)</i> | 1 | NM |
| <i>lopinavir-ritonavir tab 100-25 mg</i> | 1 | NM |
| <i>lopinavir-ritonavir tab 200-50 mg</i> | 1 | NM |
| ODEFSEY TAB | 1 | NDS, NM |
| PREZCOBIX TAB 800-150 | 1 | NDS, NM |
| STRIBILD TAB | 1 | NDS, NM |
| SYMTUZA TAB | 1 | NDS, NM |
| TRIUMEQ PD TAB | 1 | NDS, NM |
| TRIUMEQ TAB | 1 | NDS, NM |
| TRIZIVIR TAB | 1 | NDS, NM |
| ANTITUBERCULAR AGENTS | | |
| cycloserine CAPS 250mg | 1 | NDS |
| ethambutol hcl TABS 100mg, 400mg | 1 | |
| isoniazid SYRP 50mg/5ml; TABS 100mg, 300mg | 1 | |
| PRIFTIN TABS 150mg | 1 | |
| pyrazinamide TABS 500mg | 1 | |
| rifabutin CAPS 150mg | 1 | |
| rifampin CAPS 150mg, 300mg; SOLR 600mg | 1 | |
| SIRTURO TABS 20mg, 100mg | 1 | NDS, NM, LA, PA |
| TRECATOR TABS 250mg | 1 | |
| ANTIVIRALS | | |
| acyclovir CAPS 200mg; SUSP 200mg/5ml; TABS 400mg, 800mg | 1 | |
| acyclovir sodium SOLN 50mg/ml | 1 | B/D |
| adefovir dipivoxil TABS 10mg | 1 | NM |
| BARACLODIE SOLN .05mg/ml | 1 | NDS, NM |
| entecavir TABS .5mg, 1mg | 1 | NM |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| EPCLUSA PAK 150-37.5 | 1 | NDS, NM, PA |
| EPCLUSA PAK 200-50MG | 1 | NDS, NM, PA |
| EPCLUSA TAB 200-50MG | 1 | NDS, NM, PA |
| EPCLUSA TAB 400-100 | 1 | NDS, NM, PA |
| <i>famciclovir</i> TABS 125mg, 250mg, 500mg | 1 | |
| <i>ganciclovir sodium</i> SOLR 500mg | 1 | B/D |
| HARVONI PAK 33.75-150MG | 1 | NDS, NM, PA |
| HARVONI PAK 45-200MG | 1 | NDS, NM, PA |
| HARVONI TAB 45-200MG | 1 | NDS, NM, PA |
| HARVONI TAB 90-400MG | 1 | NDS, NM, PA |
| <i>lamivudine (hbv)</i> TABS 100mg | 1 | NM |
| MAVYRET PAK 50-20MG | 1 | NDS, NM, PA |
| MAVYRET TAB 100-40MG | 1 | NDS, NM, PA |
| <i>oseltamivir phosphate</i> CAPS 30mg | 1 | QL (168 caps / year) |
| <i>oseltamivir phosphate</i> CAPS 45mg, 75mg | 1 | QL (84 caps / year) |
| <i>oseltamivir phosphate</i> SUSR 6mg/ml | 1 | QL (1080 mL / year) |
| PAXLOVID TAB 150-100 | 1 | QL (40 tabs / 30 days); \$0 Cost Share |
| PAXLOVID TAB 300-100 | 1 | QL (60 tabs / 30 days); \$0 Cost Share |
| PEGASYS SOLN 180mcg/ml; SOSY 180mcg/0.5ml | 1 | NDS, NM, PA |
| PREVYMIS TABS 240mg, 480mg | 1 | NDS, QL (28 tabs / 28 days), PA |
| RELENZA DISKHALER AEPB 5mg/blister | 1 | QL (6 inhalers / year) |
| <i>ribavirin (hepatitis c)</i> CAPS 200mg; TABS 200mg | 1 | NM |
| <i>rimantadine hydrochloride</i> TABS 100mg | 1 | |
| <i>valacyclovir hcl</i> TABS 1gm, 500mg | 1 | |
| <i>valganciclovir hcl</i> SOLR 50mg/ml | 1 | NDS |
| <i>valganciclovir hcl</i> TABS 450mg | 1 | |
| VEMLIDY TABS 25mg | 1 | NDS, NM |
| VOSEVI TAB | 1 | NDS, NM, PA |
| XOFLUZA TBPK 40mg, 80mg | 1 | QL (1 tab / 180 days) |
| CEPHALOSPORINS | | |
| <i>cefaclor</i> CAPS 250mg, 500mg; SUSR 250mg/5ml | 1 | |
| CEFACLOR ER TB12 500mg | 1 | |
| <i>cefadroxil</i> CAPS 500mg; SUSR 250mg/5ml, 500mg/5ml | 1 | |
| CEFAZOLIN SOLR 2gm, 3gm | 1 | |
| CEFAZOLIN INJ 1GM/50ML | 1 | |
| <i>cefazolin sodium</i> SOLR 1gm, 2gm, 3gm, 10gm, 500mg | 1 | |
| CEFAZOLIN SOLN 2GM/100ML-4% | 1 | |
| <i>cefdinir</i> CAPS 300mg; SUSR 125mg/5ml, 250mg/5ml | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>cefepime hcl</i> SOLR 1gm, 2gm | 1 | |
| <i>cefixime</i> CAPS 400mg; SUSR 100mg/5ml, 200mg/5ml | 1 | |
| <i>cefoxitin sodium</i> SOLR 1gm, 2gm, 10gm | 1 | |
| <i>cefpodoxime proxetil</i> SUSR 50mg/5ml, 100mg/5ml; TABS 100mg, 200mg | 1 | |
| <i>cefprozil</i> SUSR 125mg/5ml, 250mg/5ml; TABS 250mg, 500mg | 1 | |
| <i>ceftazidime</i> SOLR 1gm, 2gm, 6gm | 1 | |
| <i>ceftriaxone sodium</i> SOLR 1gm, 2gm, 10gm, 250mg, 500mg | 1 | |
| <i>cefuroxime axetil</i> TABS 250mg, 500mg | 1 | |
| <i>cefuroxime sodium</i> SOLR 1.5gm, 750mg | 1 | |
| <i>cephalexin</i> CAPS 250mg, 500mg; SUSR 125mg/5ml, 250mg/5ml | 1 | |
| <i>tazicef</i> SOLR 1gm, 2gm, 6gm | 1 | |
| <i>TEFLARO</i> SOLR 400mg, 600mg | 1 | NDS |
| ERYTHROMYCINS/MACROLIDES | | |
| <i>azithromycin</i> PACK 1gm; SOLR 500mg; SUSR 100mg/5ml, 200mg/5ml; TABS 250mg, 500mg, 600mg | 1 | |
| <i>clarithromycin</i> SUSR 125mg/5ml, 250mg/5ml; TABS 250mg, 500mg; TB24 500mg | 1 | |
| <i>DIFICID</i> SUSR 40mg/ml; TABS 200mg | 1 | NDS |
| <i>e.e.s. 400</i> TABS 400mg | 1 | |
| <i>ery-tab</i> TBEC 250mg, 333mg, 500mg | 1 | |
| <i>ERYTHROCIN LACTOBIONATE</i> SOLR 500mg | 1 | |
| <i>erythrocin stearate</i> TABS 250mg | 1 | |
| <i>erythromycin base</i> CPEP 250mg; TABS 250mg, 500mg; TBEC 250mg, 333mg, 500mg | 1 | |
| <i>erythromycin ethylsuccinate</i> TABS 400mg | 1 | |
| <i>erythromycin lactobionate</i> SOLR 500mg | 1 | |
| FLUOROQUINOLONES | | |
| <i>CIPRO</i> SUSR 500mg/5ml | 1 | |
| <i>ciprofloxacin 200 mg/100ml in d5w</i> | 1 | |
| <i>ciprofloxacin 400 mg/200ml in d5w</i> | 1 | |
| <i>ciprofloxacin hcl</i> TABS 250mg, 500mg, 750mg | 1 | |
| <i>levofloxacin</i> SOLN 25mg/ml; TABS 250mg, 500mg, 750mg | 1 | |
| <i>levofloxacin in d5w iv soln 250 mg/50ml</i> | 1 | |
| <i>levofloxacin in d5w iv soln 500 mg/100ml</i> | 1 | |
| <i>levofloxacin in d5w iv soln 750 mg/150ml</i> | 1 | |
| <i>moxifloxacin hcl</i> TABS 400mg | 1 | |
| <i>moxifloxacin hcl 400 mg/250ml in sodium chloride 0.8% inj</i> | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| PENICILLINS | | |
| <u>amoxicillin CAPS 250mg, 500mg; CHEW 125mg, 250mg; SUSR 125mg/5ml, 200mg/5ml, 250mg/5ml, 400mg/5ml; TABS 500mg, 875mg</u> | 1 | |
| <u>amoxicillin & k clavulanate chew tab 200-28.5 mg</u> | 1 | |
| <u>amoxicillin & k clavulanate chew tab 400-57 mg</u> | 1 | |
| <u>amoxicillin & k clavulanate for susp 200-28.5 mg/5ml</u> | 1 | |
| <u>amoxicillin & k clavulanate for susp 250-62.5 mg/5ml</u> | 1 | |
| <u>amoxicillin & k clavulanate for susp 400-57 mg/5ml</u> | 1 | |
| <u>amoxicillin & k clavulanate for susp 600-42.9 mg/5ml</u> | 1 | |
| <u>amoxicillin & k clavulanate tab 250-125 mg</u> | 1 | |
| <u>amoxicillin & k clavulanate tab 500-125 mg</u> | 1 | |
| <u>amoxicillin & k clavulanate tab 875-125 mg</u> | 1 | |
| <u>amoxicillin & k clavulanate tab er 12hr 1000-62.5 mg</u> | 1 | |
| <u>ampicillin CAPS 500mg</u> | 1 | |
| <u>ampicillin & sulbactam sodium for inj 1.5 (1-0.5) gm</u> | 1 | |
| <u>ampicillin & sulbactam sodium for inj 3 (2-1) gm</u> | 1 | |
| <u>ampicillin & sulbactam sodium for iv soln 1.5 (1-0.5) gm</u> | 1 | |
| <u>ampicillin & sulbactam sodium for iv soln 3 (2-1) gm</u> | 1 | |
| <u>ampicillin & sulbactam sodium for iv soln 15 (10-5) gm</u> | 1 | |
| <u>ampicillin sodium SOLR 1gm, 2gm, 10gm, 125mg, 250mg, 500mg</u> | 1 | |
| <u>BICILLIN L-A SUSY 600000unit/ml, 1200000unit/2ml, 2400000unit/4ml</u> | 1 | |
| <u>dicloxacillin sodium CAPS 250mg, 500mg</u> | 1 | |
| <u>nafcillin sodium SOLR 1gm, 2gm</u> | 1 | |
| <u>nafcillin sodium SOLR 10gm</u> | 1 | NDS |
| <u>oxacillin sodium SOLR 1gm, 2gm, 10gm</u> | 1 | |
| <u>PEN GK/DEXTR INJ 40000/ML</u> | 1 | |
| <u>PEN GK/DEXTR INJ 60000/ML</u> | 1 | |
| <u>penicillin g potassium SOLR 5000000unit, 20000000unit</u> | 1 | |
| <u>penicillin g sodium SOLR 5000000unit</u> | 1 | |
| <u>penicillin v potassium SOLR 125mg/5ml, 250mg/5ml; TABS 250mg, 500mg</u> | 1 | |
| <u>pfizerpen SOLR 5000000unit, 20000000unit</u> | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>piperacillin sod-tazobactam na for inj 3.375 gm (3-0.375 gm)</i> | 1 | |
| <i>piperacillin sod-tazobactam sod for inj 2.25 gm (2-0.25 gm)</i> | 1 | |
| <i>piperacillin sod-tazobactam sod for inj 4.5 gm (4-0.5 gm)</i> | 1 | |
| <i>piperacillin sod-tazobactam sod for inj 13.5 gm (12-1.5 gm)</i> | 1 | |
| <i>piperacillin sod-tazobactam sod for inj 40.5 gm (36-4.5 gm)</i> | 1 | |
| TETRACYCLINES | | |
| <i>doxy 100 SOLR 100mg</i> | 1 | |
| <i>doxycycline (monohydrate) CAPS 50mg, 100mg; SUSR 25mg/5ml; TABS 50mg, 75mg, 100mg</i> | 1 | |
| <i>doxycycline hyclate CAPS 50mg, 100mg; SOLR 100mg; TABS 20mg, 100mg</i> | 1 | |
| <i>minocycline hcl CAPS 50mg, 75mg, 100mg</i> | 1 | |
| <i>NUZYRA SOLR 100mg; TABS 150mg</i> | 1 | NDS, NM, LA |
| <i>tetracycline hcl CAPS 250mg, 500mg</i> | 1 | PA |
| <i>tigecycline SOLR 50mg</i> | 1 | NDS |
| ANTINEOPLASTIC AGENTS | | |
| ALKYLATING AGENTS | | |
| <i>BENDEKA SOLN 100mg/4ml</i> | 1 | NDS, B/D, NM, LA |
| <i>carboplatin SOLN 50mg/5ml, 150mg/15ml, 450mg/45ml, 600mg/60ml</i> | 1 | B/D |
| <i>cisplatin SOLN 50mg/50ml, 100mg/100ml, 200mg/200ml</i> | 1 | B/D |
| <i>cyclophosphamide CAPS 25mg, 50mg; SOLR 1gm, 500mg</i> | 1 | B/D |
| <i>CYCLOPHOSPHAMIDE SOLN 1gm/5ml, 500mg/2.5ml, 500mg/ml</i> | 1 | NDS, B/D |
| <i>cyclophosphamide SOLR 2gm</i> | 1 | NDS, B/D |
| <i>CYCLOPHOSPHAMIDE TABS 25mg, 50mg</i> | 1 | B/D |
| <i>CYCLOPHOSPHAMIDE MONOHYDR SOLN 2gm/10ml</i> | 1 | NDS, B/D |
| <i>GLEOSTINE CAPS 10mg, 40mg</i> | 1 | NM |
| <i>GLEOSTINE CAPS 100mg</i> | 1 | NDS, NM |
| <i>LEUKERAN TABS 2mg</i> | 1 | NDS |
| <i>oxaliplatin SOLN 50mg/10ml, 100mg/20ml, 200mg/40ml; SOLR 50mg</i> | 1 | B/D |
| <i>oxaliplatin SOLR 100mg</i> | 1 | NDS, B/D |
| <i>paraplatin SOLN 1000mg/100ml</i> | 1 | B/D |
| ANTIBIOTICS | | |
| <i>doxorubicin hcl SOLN 2mg/ml</i> | 1 | B/D |
| <i>doxorubicin hcl liposomal INJ 2mg/ml</i> | 1 | NDS, B/D |
| <i>ELLENCE SOLN 50mg/25ml, 200mg/100ml</i> | 1 | B/D |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| ANTIMETABOLITES | | |
| <i>azacitidine</i> SUSR 100mg | 1 | NDS, B/D, NM |
| <i>cytarabine</i> SOLN 20mg/ml | 1 | B/D |
| <i>fluorouracil</i> SOLN 1gm/20ml, 2.5gm/50ml, 5gm/100ml, 500mg/10ml | 1 | B/D |
| <i>gemcitabine hcl</i> SOLN 1gm/26.3ml, 2gm/52.6ml, 200mg/5.26ml; SOLR 1gm, 2gm, 200mg | 1 | B/D |
| INQOVI TAB 35-100MG | 1 | NDS, QL (5 tabs / 28 days), NM, LA, PA |
| LONSURF TAB 15-6.14 | 1 | NDS, QL (100 tabs / 28 days), NM, LA, PA |
| LONSURF TAB 20-8.19 | 1 | NDS, QL (80 tabs / 28 days), NM, LA, PA |
| <i>mercaptopurine</i> TABS 50mg | 1 | |
| <i>methotrexate sodium</i> SOLN 1gm/40ml, 50mg/2ml, 250mg/10ml; SOLR 1gm | 1 | B/D |
| ONUREG TABS 200mg, 300mg | 1 | NDS, QL (14 tabs / 28 days), NM, LA, PA |
| <i>pemetrexed disodium</i> SOLR 100mg, 500mg, 750mg, 1000mg | 1 | NDS, B/D |
| PURIXAN SUSP 2000mg/100ml | 1 | NDS, NM, LA |
| TABLOID TABS 40mg | 1 | |
| HORMONAL ANTINEOPLASTIC AGENTS | | |
| <i>abiraterone acetate</i> TABS 250mg | 1 | NDS, QL (120 tabs / 30 days), NM, PA |
| <i>abiraterone acetate</i> TABS 500mg | 1 | NDS, QL (60 tabs / 30 days), NM, PA |
| AKEEGA TAB 50/500MG | 1 | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| AKEEGA TAB 100/500 | 1 | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| <i>anastrozole</i> TABS 1mg | 1 | |
| <i>bicalutamide</i> TABS 50mg | 1 | |
| ELIGARD KIT 7.5mg, 22.5mg, 30mg, 45mg | 1 | NM, PA |
| ERLEADA TABS 60mg | 1 | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| ERLEADA TABS 240mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| EULEXIN CAPS 125mg | 1 | NDS |
| <i>exemestane</i> TABS 25mg | 1 | |
| FIRMAGON SOLR 80mg | 1 | NM, PA |
| FIRMAGON SOLR 120mg/vial | 1 | NDS, NM, PA |
| <i>fulvestrant</i> SOSY 250mg/5ml | 1 | NDS, B/D |
| <i>letrozole</i> TABS 2.5mg | 1 | |
| <i>leuprolide acetate</i> KIT 1mg/0.2ml | 1 | NM, PA |
| LUPRON DEPOT (1-MONTH) KIT 3.75mg | 1 | NDS, NM, PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| LUPRON DEPOT (3-MONTH) KIT 11.25mg | 1 | NDS, NM, PA |
| LYSODREN TABS 500mg | 1 | NDS, NM, LA |
| <i>megestrol acetate</i> TABS 20mg, 40mg | 1 | |
| <i>nilutamide</i> TABS 150mg | 1 | NDS |
| NUBEQA TABS 300mg | 1 | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| ORGOVYX TABS 120mg | 1 | NDS, NM, LA, PA |
| ORSERDU TABS 86mg | 1 | NDS, QL (90 tabs / 30 days), NM, LA, PA |
| ORSERDU TABS 345mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| SOLTAMOX SOLN 10mg/5ml | 1 | NDS |
| <i>tamoxifen citrate</i> TABS 10mg, 20mg | 1 | |
| <i>toremifene citrate</i> TABS 60mg | 1 | |
| XTANDI CAPS 40mg | 1 | NDS, QL (120 caps / 30 days), NM, LA, PA |
| XTANDI TABS 40mg | 1 | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| XTANDI TABS 80mg | 1 | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| IMMUNOMODULATORS | | |
| <i>lenalidomide</i> CAPS 2.5mg, 5mg, 10mg, 15mg | 1 | NDS, QL (28 caps / 28 days), NM, LA, PA |
| <i>lenalidomide</i> CAPS 20mg, 25mg | 1 | NDS, QL (21 caps / 28 days), NM, LA, PA |
| POMALYST CAPS 1mg, 2mg, 3mg, 4mg | 1 | NDS, QL (21 caps / 28 days), NM, LA, PA |
| REVLIMID CAPS 2.5mg, 5mg, 10mg, 15mg | 1 | NDS, QL (28 caps / 28 days), NM, LA, PA |
| REVLIMID CAPS 20mg, 25mg | 1 | NDS, QL (21 caps / 28 days), NM, LA, PA |
| THALOMID CAPS 50mg, 100mg | 1 | NDS, QL (28 caps / 28 days), NM, LA, PA |
| THALOMID CAPS 150mg, 200mg | 1 | NDS, QL (56 caps / 28 days), NM, LA, PA |
| MISCELLANEOUS | | |
| BESREMI SOSY 500mcg/ml | 1 | NDS, QL (2 syringes / 28 days), NM, LA, PA |
| bexarotene CAPS 75mg | 1 | NDS, QL (300 caps / 30 days), NM, PA |
| <i>hydroxyurea</i> CAPS 500mg | 1 | |
| <i>irinotecan hcl</i> SOLN 40mg/2ml, 100mg/5ml, 300mg/15ml, 500mg/25ml | 1 | B/D |
| IWLIFIN TABS 192mg | 1 | NDS, QL (240 tabs / 30 days), NM, LA, PA |
| KISQALI 200 PAK FEMARA | 1 | NDS, QL (49 tabs / 28 days), NM, PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| KISQALI 400 PAK FEMARA | 1 | NDS, QL (70 tabs / 28 days), NM, PA |
| KISQALI 600 PAK FEMARA | 1 | NDS, QL (91 tabs / 28 days), NM, PA |
| MATULANE CAPS 50mg | 1 | NDS, NM, LA |
| <i>tretinoin (chemotherapy)</i> CAPS 10mg | 1 | NDS |
| WELIREG TABS 40mg | 1 | NDS, QL (90 tabs / 30 days), NM, LA, PA |
| MITOTIC INHIBITORS | | |
| <i>docetaxel</i> CONC 20mg/ml | 1 | B/D |
| <i>docetaxel</i> CONC 80mg/4ml, 160mg/8ml; SOLN 20mg/2ml, 80mg/8ml, 160mg/16ml | 1 | NDS, B/D |
| DOCETAXEL CONC 80mg/4ml, 160mg/8ml; SOLN 20mg/2ml, 80mg/8ml, 160mg/16ml | 1 | NDS, B/D |
| <i>etoposide</i> SOLN 1gm/50ml, 100mg/5ml, 500mg/25ml | 1 | B/D |
| <i>paclitaxel</i> CONC 6mg/ml, 30mg/5ml, 150mg/25ml, 300mg/50ml | 1 | B/D |
| <i>paclitaxel protein-bound particles for iv susp 100 mg</i> | 1 | NDS, B/D, NM |
| <i>vincristine sulfate</i> SOLN 1mg/ml | 1 | B/D |
| <i>vinorelbine tartrate</i> SOLN 10mg/ml, 50mg/5ml | 1 | B/D |
| MOLECULAR TARGET AGENTS | | |
| ALECENSA CAPS 150mg | 1 | NDS, QL (240 caps / 30 days), NM, LA, PA |
| ALUNBRIG TABS 30mg | 1 | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| ALUNBRIG TABS 90mg, 180mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| ALUNBRIG PAK | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| AUGTYRO CAPS 40mg | 1 | NDS, QL (240 caps / 30 days), NM, LA, PA |
| AYVAKIT TABS 25mg, 50mg, 100mg, 200mg, 300mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| BALVERSA TABS 3mg | 1 | NDS, QL (84 tabs / 28 days), NM, LA, PA |
| BALVERSA TABS 4mg | 1 | NDS, QL (56 tabs / 28 days), NM, LA, PA |
| BALVERSA TABS 5mg | 1 | NDS, QL (28 tabs / 28 days), NM, LA, PA |
| BORTEZOMIB SOLR 1mg, 2.5mg, 3.5mg | 1 | NDS, NM, PA |
| <i>bortezomib</i> SOLR 3.5mg | 1 | NDS, NM, PA |
| BOSULIF CAPS 50mg | 1 | NDS, QL (360 caps / 30 days), NM, PA |
| BOSULIF CAPS 100mg | 1 | NDS, QL (150 caps / 25 days), NM, PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| BOSULIF TABS 100mg | 1 | NDS, QL (180 tabs / 30 days), NM, PA |
| BOSULIF TABS 400mg, 500mg | 1 | NDS, QL (30 tabs / 30 days), NM, PA |
| BRAFTOVI CAPS 75mg | 1 | NDS, QL (180 caps / 30 days), NM, LA, PA |
| BRUKINSA CAPS 80mg | 1 | NDS, QL (120 caps / 30 days), NM, LA, PA |
| CABOMETYX TABS 20mg, 40mg, 60mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| CALQUENCE CAPS 100mg | 1 | NDS, QL (60 caps / 30 days), NM, LA, PA |
| CALQUENCE TABS 100mg | 1 | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| CAPRELSA TABS 100mg | 1 | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| CAPRELSA TABS 300mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| COMETRIQ (60MG DOSE) KIT 20mg | 1 | NDS, QL (84 caps / 28 days), NM, LA, PA |
| COMETRIQ KIT 100MG | 1 | NDS, QL (56 caps / 28 days), NM, LA, PA |
| COMETRIQ KIT 140MG | 1 | NDS, QL (112 caps / 28 days), NM, LA, PA |
| COPIKTRA CAPS 15mg, 25mg | 1 | NDS, QL (56 caps / 28 days), NM, LA, PA |
| COTELLIC TABS 20mg | 1 | NDS, QL (63 tabs / 28 days), NM, LA, PA |
| DAURISMO TABS 25mg | 1 | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| DAURISMO TABS 100mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| ERIVEDGE CAPS 150mg | 1 | NDS, QL (30 caps / 30 days), NM, LA, PA |
| <i>erlotinib hcl</i> TABS 25mg | 1 | NDS, QL (90 tabs / 30 days), NM, PA |
| <i>erlotinib hcl</i> TABS 100mg, 150mg | 1 | NDS, QL (30 tabs / 30 days), NM, PA |
| <i>everolimus</i> TABS 2.5mg, 5mg, 7.5mg, 10mg | 1 | NDS, QL (30 tabs / 30 days), NM, PA |
| <i>everolimus</i> TBSO 2mg | 1 | NDS, QL (150 tabs / 30 days), NM, PA |
| <i>everolimus</i> TBSO 3mg | 1 | NDS, QL (90 tabs / 30 days), NM, PA |
| <i>everolimus</i> TBSO 5mg | 1 | NDS, QL (60 tabs / 30 days), NM, PA |
| EXKIVITY CAPS 40mg | 1 | NDS, QL (120 caps / 30 days), NM, LA, PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| FOTIVDA CAPS .89mg, 1.34mg | 1 | NDS, QL (21 caps / 28 days), NM, LA, PA |
| FRUZAQLA CAPS 1mg | 1 | NDS, QL (84 caps / 28 days), NM, LA, PA |
| FRUZAQLA CAPS 5mg | 1 | NDS, QL (21 caps / 28 days), NM, LA, PA |
| GAVRETO CAPS 100mg | 1 | NDS, QL (120 caps / 30 days), NM, LA, PA |
| <i>gefitinib</i> TABS 250mg | 1 | NDS, QL (30 tabs / 30 days), NM, PA |
| GILOTrif TABS 20mg, 30mg, 40mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| HERCEP HYLEC SOL 60-10000 | 1 | NDS, NM, LA, PA |
| HERCEPTIN SOLR 150mg | 1 | NDS, NM, LA, PA |
| HERZUMA SOLR 150mg, 420mg | 1 | NDS, NM, PA |
| IBRANCE CAPS 75mg, 100mg, 125mg | 1 | NDS, QL (21 caps / 28 days), NM, LA, PA |
| IBRANCE TABS 75mg, 100mg, 125mg | 1 | NDS, QL (21 tabs / 28 days), NM, LA, PA |
| ICLUSIG TABS 10mg, 15mg, 30mg, 45mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| IDHIFA TABS 50mg, 100mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| <i>imatinib mesylate</i> TABS 100mg | 1 | NDS, QL (90 tabs / 30 days), NM, PA |
| <i>imatinib mesylate</i> TABS 400mg | 1 | NDS, QL (60 tabs / 30 days), NM, PA |
| IMBRUVICA CAPS 70mg | 1 | NDS, QL (30 caps / 30 days), NM, LA, PA |
| IMBRUVICA CAPS 140mg | 1 | NDS, QL (120 caps / 30 days), NM, LA, PA |
| IMBRUVICA SUSP 70mg/ml | 1 | NDS, QL (216 mL / 27 days), NM, LA, PA |
| IMBRUVICA TABS 140mg, 280mg, 420mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| INLYTA TABS 1mg | 1 | NDS, QL (180 tabs / 30 days), NM, LA, PA |
| INLYTA TABS 5mg | 1 | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| INREBIC CAPS 100mg | 1 | NDS, QL (120 caps / 30 days), NM, LA, PA |
| JAKAFI TABS 5mg, 10mg, 15mg, 20mg, 25mg | 1 | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| JAYPIRCA TABS 50mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| JAYPIRCA TABS 100mg | 1 | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| KADCYLA SOLR 100mg, 160mg | 1 | NDS, B/D, NM, LA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| KANJINTI SOLR 150mg, 420mg | 1 | NDS, NM, LA, PA |
| KEYTRUDA SOLN 100mg/4ml | 1 | NDS, NM, LA, PA |
| KISQALI 200 DOSE TBPK 200mg | 1 | NDS, QL (21 tabs / 28 days), NM, PA |
| KISQALI 400 DOSE TBPK 200mg | 1 | NDS, QL (42 tabs / 28 days), NM, PA |
| KISQALI 600 DOSE TBPK 200mg | 1 | NDS, QL (63 tabs / 28 days), NM, PA |
| KOSELUGO CAPS 10mg | 1 | NDS, QL (240 caps / 30 days), NM, LA, PA |
| KOSELUGO CAPS 25mg | 1 | NDS, QL (120 caps / 30 days), NM, LA, PA |
| KRAZATI TABS 200mg | 1 | NDS, QL (180 tabs / 30 days), NM, LA, PA |
| <i>lapatinib ditosylate</i> TABS 250mg | 1 | NDS, QL (180 tabs / 30 days), NM, PA |
| LENVIMA 4 MG DAILY DOSE CPPK 4mg | 1 | NDS, QL (30 caps / 30 days), NM, LA, PA |
| LENVIMA 8 MG DAILY DOSE CPPK 4mg | 1 | NDS, QL (60 caps / 30 days), NM, LA, PA |
| LENVIMA 10 MG DAILY DOSE CPPK 10mg | 1 | NDS, QL (30 caps / 30 days), NM, LA, PA |
| LENVIMA 12MG DAILY DOSE CPPK 4mg | 1 | NDS, QL (90 caps / 30 days), NM, LA, PA |
| LENVIMA 20 MG DAILY DOSE CPPK 10mg | 1 | NDS, QL (60 caps / 30 days), NM, LA, PA |
| LENVIMA CAP 14 MG | 1 | NDS, QL (60 caps / 30 days), NM, LA, PA |
| LENVIMA CAP 18 MG | 1 | NDS, QL (90 caps / 30 days), NM, LA, PA |
| LENVIMA CAP 24 MG | 1 | NDS, QL (90 caps / 30 days), NM, LA, PA |
| LORBRENA TABS 25mg | 1 | NDS, QL (90 tabs / 30 days), NM, LA, PA |
| LORBRENA TABS 100mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| LUMAKRAS TABS 120mg | 1 | NDS, QL (240 tabs / 30 days), NM, LA, PA |
| LUMAKRAS TABS 320mg | 1 | NDS, QL (90 tabs / 30 days), NM, LA, PA |
| LYNPARZA TABS 100mg, 150mg | 1 | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| LYTGOBI (12 MG DAILY DOSE) TBPK 4mg | 1 | NDS, QL (84 tabs / 28 days), NM, LA, PA |
| LYTGOBI (16 MG DAILY DOSE) TBPK 4mg | 1 | NDS, QL (112 tabs / 28 days), NM, LA, PA |
| LYTGOBI (20 MG DAILY DOSE) TBPK 4mg | 1 | NDS, QL (140 tabs / 28 days), NM, LA, PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------|------------------|--|
| MEKINIST SOLR .05mg/ml | 1 | NDS, QL (1260 mL / 30 days), NM, LA, PA |
| MEKINIST TABS 2mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| MEKINIST TABS .5mg | 1 | NDS, QL (90 tabs / 30 days), NM, LA, PA |
| MEKTOVI TABS 15mg | 1 | NDS, QL (180 tabs / 30 days), NM, LA, PA |
| MONJUVI SOLR 200mg | 1 | NDS, NM, LA, PA |
| NERLYNX TABS 40mg | 1 | NDS, QL (180 tabs / 30 days), NM, LA, PA |
| NEXAVAR TABS 200mg | 1 | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| NINLARO CAPS 2.3mg, 3mg, 4mg | 1 | NDS, QL (3 caps / 28 days), NM, PA |
| ODOMZO CAPS 200mg | 1 | NDS, QL (30 caps / 30 days), NM, LA, PA |
| OGIVRI SOLR 150mg | 1 | NDS, NM, LA, PA |
| OGIVRI INJ 420MG | 1 | NDS, NM, LA, PA |
| OGSIVEO TABS 50mg | 1 | NDS, QL (180 tabs / 30 days), NM, LA, PA |
| OJJAARA TABS 100mg, 150mg, 200mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| ONTRUZANT SOLR 150mg, 420mg | 1 | NDS, NM, LA, PA |
| <i>pazopanib hcl</i> TABS 200mg | 1 | NDS, QL (120 tabs / 30 days), NM, PA |
| PEMAZYRE TABS 4.5mg, 9mg, 13.5mg | 1 | NDS, QL (28 tabs / 28 days), NM, LA, PA |
| PHESGO SOL | 1 | NDS, NM, LA, PA |
| PIQRAY 200MG DAILY DOSE TBPK 200mg | 1 | NDS, QL (28 tabs / 28 days), NM, PA |
| PIQRAY 250MG TAB DOSE | 1 | NDS, QL (56 tabs / 28 days), NM, PA |
| PIQRAY 300MG DAILY DOSE TBPK 150mg | 1 | NDS, QL (56 tabs / 28 days), NM, PA |
| QINLOCK TABS 50mg | 1 | NDS, QL (90 tabs / 30 days), NM, LA, PA |
| RETEVMO CAPS 40mg | 1 | NDS, QL (180 caps / 30 days), NM, LA, PA |
| RETEVMO CAPS 80mg | 1 | NDS, QL (120 caps / 30 days), NM, LA, PA |
| REZLIDHIA CAPS 150mg | 1 | NDS, QL (60 caps / 30 days), NM, LA, PA |
| ROZLYTREK CAPS 100mg | 1 | NDS, QL (150 caps / 30 days), NM, LA, PA |
| ROZLYTREK CAPS 200mg | 1 | NDS, QL (90 caps / 30 days), NM, LA, PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| ROZLYTREK PACK 50mg | 1 | NDS, QL (336 packets / 28 days), NM, LA, PA |
| RUBRACA TABS 200mg, 250mg, 300mg | 1 | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| RYDAPT CAPS 25mg | 1 | NDS, QL (224 caps / 28 days), NM, PA |
| SCEMBLIX TABS 20mg | 1 | NDS, QL (60 tabs / 30 days), NM, PA |
| SCEMBLIX TABS 40mg | 1 | NDS, QL (300 tabs / 30 days), NM, PA |
| <i>sorafenib tosylate</i> TABS 200mg | 1 | NDS, QL (120 tabs / 30 days), NM, PA |
| SPRYCEL TABS 20mg | 1 | NDS, QL (90 tabs / 30 days), NM, PA |
| SPRYCEL TABS 50mg, 70mg, 80mg, 100mg, 140mg | 1 | NDS, QL (30 tabs / 30 days), NM, PA |
| STIVARGA TABS 40mg | 1 | NDS, QL (84 tabs / 28 days), NM, LA, PA |
| <i>sunitinib malate</i> CAPS 12.5mg, 25mg, 37.5mg, 50mg | 1 | NDS, QL (30 caps / 30 days), NM, PA |
| TABRECTA TABS 150mg, 200mg | 1 | NDS, QL (112 tabs / 28 days), NM, PA |
| TAFINLAR CAPS 50mg, 75mg | 1 | NDS, QL (120 caps / 30 days), NM, LA, PA |
| TAFINLAR TBSO 10mg | 1 | NDS, QL (900 tabs / 30 days), NM, LA, PA |
| TAGRISSO TABS 40mg, 80mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| TALZENNA CAPS .1mg, .35mg, .5mg, .75mg, 1mg | 1 | NDS, QL (30 caps / 30 days), NM, LA, PA |
| TALZENNA CAPS .25mg | 1 | NDS, QL (90 caps / 30 days), NM, LA, PA |
| TASIGNA CAPS 50mg | 1 | NDS, QL (120 caps / 30 days), NM, PA |
| TASIGNA CAPS 150mg, 200mg | 1 | NDS, QL (112 caps / 28 days), NM, PA |
| TAZVERIK TABS 200mg | 1 | NDS, QL (240 tabs / 30 days), NM, LA, PA |
| TECENTRIQ SOLN 840mg/14ml, 1200mg/20ml | 1 | NDS, NM, LA, PA |
| TEPMETKO TABS 225mg | 1 | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| TIBSOVO TABS 250mg | 1 | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| TRAZIMERA SOLR 150mg, 420mg | 1 | NDS, NM, PA |
| TRUQAP TABS 160mg, 200mg | 1 | NDS, QL (64 tabs / 28 days), NM, LA, PA |
| TRUXIMA SOLN 100mg/10ml, 500mg/50ml | 1 | NDS, NM, PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| TUKYSA TABS 50mg, 150mg | 1 | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| TURALIO CAPS 125mg | 1 | NDS, QL (120 caps / 30 days), NM, LA, PA |
| VANFLYTA TABS 17.7mg, 26.5mg | 1 | NDS, QL (56 tabs / 28 days), NM, LA, PA |
| VENCLEXTA TABS 10mg | 1 | QL (112 tabs / 28 days), NM, LA, PA |
| VENCLEXTA TABS 50mg | 1 | NDS, QL (112 tabs / 28 days), NM, LA, PA |
| VENCLEXTA TABS 100mg | 1 | NDS, QL (180 tabs / 30 days), NM, LA, PA |
| VENCLEXTA TAB START PK | 1 | NDS, QL (42 tabs / 28 days), NM, LA, PA |
| VERZENIO TABS 50mg, 100mg, 150mg, 200mg | 1 | NDS, QL (56 tabs / 28 days), NM, LA, PA |
| VITRAKVI CAPS 25mg | 1 | NDS, QL (180 caps / 30 days), NM, LA, PA |
| VITRAKVI CAPS 100mg | 1 | NDS, QL (60 caps / 30 days), NM, LA, PA |
| VITRAKVI SOLN 20mg/ml | 1 | NDS, QL (300 mL / 30 days), NM, LA, PA |
| VIZIMPRO TABS 15mg, 30mg, 45mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| VONJO CAPS 100mg | 1 | NDS, QL (120 caps / 30 days), NM, LA, PA |
| XALKORI CAPS 200mg, 250mg; CPSP 50mg | 1 | NDS, QL (120 caps / 30 days), NM, LA, PA |
| XALKORI CPSP 20mg | 1 | NDS, QL (240 caps / 30 days), NM, LA, PA |
| XALKORI CPSP 150mg | 1 | NDS, QL (180 caps / 30 days), NM, LA, PA |
| XOSPATA TABS 40mg | 1 | NDS, QL (90 tabs / 30 days), NM, LA, PA |
| XPOVIO 40 MG ONCE WEEKLY TBPK 40mg | 1 | NDS, QL (4 tabs / 28 days), NM, LA, PA |
| XPOVIO 40 MG TWICE WEEKLY TBPK 40mg | 1 | NDS, QL (8 tabs / 28 days), NM, LA, PA |
| XPOVIO 60 MG ONCE WEEKLY TBPK 60mg | 1 | NDS, QL (4 tabs / 28 days), NM, LA, PA |
| XPOVIO 60 MG TWICE WEEKLY TBPK 20mg | 1 | NDS, QL (24 tabs / 28 days), NM, LA, PA |
| XPOVIO 80 MG ONCE WEEKLY TBPK 40mg | 1 | NDS, QL (8 tabs / 28 days), NM, LA, PA |
| XPOVIO 80 MG TWICE WEEKLY TBPK 20mg | 1 | NDS, QL (32 tabs / 28 days), NM, LA, PA |
| XPOVIO 100 MG ONCE WEEKLY TBPK 50mg | 1 | NDS, QL (8 tabs / 28 days), NM, LA, PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------|------------------|--|
| ZEJULA CAPS 100mg | 1 | NDS, QL (90 caps / 30 days), NM, LA, PA |
| ZEJULA TABS 100mg, 200mg, 300mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| ZELBORAF TABS 240mg | 1 | NDS, QL (240 tabs / 30 days), NM, LA, PA |
| ZIRABEV SOLN 100mg/4ml, 400mg/16ml | 1 | NDS, NM, LA, PA |
| ZOLINZA CAPS 100mg | 1 | NDS, QL (120 caps / 30 days), NM, PA |
| ZYDELIG TABS 100mg, 150mg | 1 | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| ZYKADIA TABS 150mg | 1 | NDS, QL (84 tabs / 28 days), NM, LA, PA |

PROTECTIVE AGENTS

| | | |
|---|---|-----|
| leucovorin calcium SOLN 500mg/50ml; SOLR 50mg, 100mg, 200mg, 350mg, 500mg | 1 | B/D |
| leucovorin calcium TABS 5mg, 10mg, 15mg, 25mg | 1 | |
| MESNEX TABS 400mg | 1 | NDS |

CARDIOVASCULAR

ACE INHIBITOR COMBINATIONS

| | | |
|--|---|------------------------|
| amlodipine besylate-benazepril hcl cap 2.5-10 mg | 1 | QL (30 caps / 30 days) |
| amlodipine besylate-benazepril hcl cap 5-10 mg | 1 | QL (30 caps / 30 days) |
| amlodipine besylate-benazepril hcl cap 5-20 mg | 1 | QL (30 caps / 30 days) |
| amlodipine besylate-benazepril hcl cap 5-40 mg | 1 | QL (30 caps / 30 days) |
| amlodipine besylate-benazepril hcl cap 10-20 mg | 1 | QL (30 caps / 30 days) |
| amlodipine besylate-benazepril hcl cap 10-40 mg | 1 | QL (30 caps / 30 days) |
| benazepril & hydrochlorothiazide tab 5-6.25mg | 1 | |
| benazepril & hydrochlorothiazide tab 10-12.5 mg | 1 | |
| benazepril & hydrochlorothiazide tab 20-12.5 mg | 1 | |
| benazepril & hydrochlorothiazide tab 20-25 mg | 1 | |
| captopril & hydrochlorothiazide tab 25-15 mg | 1 | |
| captopril & hydrochlorothiazide tab 25-25 mg | 1 | |
| captopril & hydrochlorothiazide tab 50-15 mg | 1 | |
| captopril & hydrochlorothiazide tab 50-25 mg | 1 | |
| enalapril maleate & hydrochlorothiazide tab 5-12.5 mg | 1 | |
| enalapril maleate & hydrochlorothiazide tab 10-25 mg | 1 | |
| fosinopril sodium & hydrochlorothiazide tab 10-12.5 mg | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>fosinopril sodium & hydrochlorothiazide tab 20-12.5 mg</i> | 1 | |
| <i>lisinopril & hydrochlorothiazide tab 10-12.5 mg</i> | 1 | |
| <i>lisinopril & hydrochlorothiazide tab 20-12.5 mg</i> | 1 | |
| <i>lisinopril & hydrochlorothiazide tab 20-25 mg</i> | 1 | |
| ACE INHIBITORS | | |
| <i>benazepril hcl TABS 5mg, 10mg, 20mg, 40mg</i> | 1 | |
| <i>captopril TABS 12.5mg, 25mg, 50mg, 100mg</i> | 1 | |
| <i>enalapril maleate TABS 2.5mg, 5mg, 10mg, 20mg</i> | 1 | |
| <i>fosinopril sodium TABS 10mg, 20mg, 40mg</i> | 1 | |
| <i>lisinopril TABS 2.5mg, 5mg, 10mg, 20mg, 30mg, 40mg</i> | 1 | |
| <i>moexipril hcl TABS 7.5mg, 15mg</i> | 1 | |
| <i>perindopril erbumine TABS 2mg, 4mg, 8mg</i> | 1 | |
| <i>quinapril hcl TABS 5mg, 10mg, 20mg, 40mg</i> | 1 | |
| <i>ramipril CAPS 1.25mg, 2.5mg, 5mg, 10mg</i> | 1 | |
| <i>trandolapril TABS 1mg, 2mg, 4mg</i> | 1 | |
| ALDOSTERONE RECEPTOR ANTAGONISTS | | |
| <i>eplerenone TABS 25mg, 50mg</i> | 1 | |
| <i>KERENDIA TABS 10mg, 20mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>spironolactone TABS 25mg, 50mg, 100mg</i> | 1 | |
| ALPHA BLOCKERS | | |
| <i>doxazosin mesylate TABS 1mg, 2mg, 4mg, 8mg</i> | 1 | |
| <i>prazosin hcl CAPS 1mg, 2mg, 5mg</i> | 1 | |
| <i>terazosin hcl CAPS 1mg, 2mg, 5mg, 10mg</i> | 1 | |
| ANGIOTENSIN II RECEPTOR ANTAGONIST COMBINATIONS | | |
| <i>amlodipine besylate-olmesartan medoxomil tab 5-20 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-olmesartan medoxomil tab 5-40 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-olmesartan medoxomil tab 10-20 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-olmesartan medoxomil tab 10-40 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 5-160 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 5-320 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 10-160 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 10-320 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>candesartan cilexetil-hydrochlorothiazide tab 16-12.5 mg</i> | 1 | QL (60 tabs / 30 days) |
| <i>candesartan cilexetil-hydrochlorothiazide tab 32-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>candesartan cilexetil-hydrochlorothiazide tab 32-25 mg</i> | 1 | QL (30 tabs / 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ENTRESTO TAB 24-26MG | 1 | QL (60 tabs / 30 days) |
| ENTRESTO TAB 49-51MG | 1 | QL (60 tabs / 30 days) |
| ENTRESTO TAB 97-103MG | 1 | QL (60 tabs / 30 days) |
| <i>irbesartan-hydrochlorothiazide tab 150-12.5 mg</i> | 1 | QL (60 tabs / 30 days) |
| <i>irbesartan-hydrochlorothiazide tab 300-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>losartan potassium & hydrochlorothiazide tab 50-12.5 mg</i> | 1 | |
| <i>losartan potassium & hydrochlorothiazide tab 100-12.5 mg</i> | 1 | |
| <i>losartan potassium & hydrochlorothiazide tab 100-25 mg</i> | 1 | |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 20-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 40-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 40-25 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 20-5-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-5-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-5-25 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-10-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-10-25 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>telmisartan-amlodipine tab 40-5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>telmisartan-amlodipine tab 40-10 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>telmisartan-amlodipine tab 80-5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>telmisartan-amlodipine tab 80-10 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>telmisartan-hydrochlorothiazide tab 40-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>telmisartan-hydrochlorothiazide tab 80-12.5 mg</i> | 1 | QL (60 tabs / 30 days) |
| <i>telmisartan-hydrochlorothiazide tab 80-25 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 80-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 160-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 160-25 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 320-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 320-25 mg</i> | 1 | QL (30 tabs / 30 days) |
| ANGIOTENSIN II RECEPTOR ANTAGONISTS | | |
| <i>candesartan cilexetil TABS 4mg, 8mg, 16mg</i> | 1 | QL (60 tabs / 30 days) |
| <i>candesartan cilexetil TABS 32mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>irbesartan TABS 75mg, 150mg, 300mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>losartan potassium TABS 25mg, 50mg, 100mg</i> | 1 | |
| <i>olmesartan medoxomil TABS 5mg</i> | 1 | QL (60 tabs / 30 days) |
| <i>olmesartan medoxomil TABS 20mg, 40mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>telmisartan TABS 20mg, 40mg, 80mg</i> | 1 | QL (30 tabs / 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>valsartan</i> TABS 40mg, 80mg, 160mg | 1 | QL (60 tabs / 30 days) |
| <i>valsartan</i> TABS 320mg | 1 | QL (30 tabs / 30 days) |
| ANTIARRHYTHMICS | | |
| <i>amiodarone hcl</i> SOLN 50mg/ml, 900mg/18ml; TABS 100mg, 200mg, 400mg | 1 | |
| <i>disopyramide phosphate</i> CAPS 100mg, 150mg | 1 | |
| <i>dofetilide</i> CAPS 125mcg, 250mcg, 500mcg | 1 | NM |
| <i>flecainide acetate</i> TABS 50mg, 100mg, 150mg | 1 | |
| <i>MULTAQ</i> TABS 400mg | 1 | |
| <i>NORPACE CR</i> CP12 100mg, 150mg | 1 | |
| <i>pacerone</i> TABS 100mg, 200mg, 400mg | 1 | |
| <i>propafenone hcl</i> CP12 225mg, 325mg, 425mg; TABS 150mg, 225mg, 300mg | 1 | |
| <i>quinidine sulfate</i> TABS 200mg, 300mg | 1 | |
| <i>sorine</i> TABS 80mg, 120mg, 160mg, 240mg | 1 | |
| <i>sotalol hcl</i> TABS 80mg, 120mg, 160mg, 240mg | 1 | |
| <i>sotalol hcl (afib/afl)</i> TABS 80mg, 120mg, 160mg | 1 | |
| ANTILIPEMICS, FIBRATES | | |
| <i>fenofibrate</i> TABS 48mg, 54mg, 145mg, 160mg | 1 | |
| <i>fenofibrate micronized</i> CAPS 67mg, 134mg, 200mg | 1 | |
| <i>gemfibrozil</i> TABS 600mg | 1 | |
| ANTILIPEMICS, HMG-CoA REDUCTASE INHIBITORS | | |
| <i>atorvastatin calcium</i> TABS 10mg, 20mg, 40mg, 80mg | 1 | QL (30 tabs / 30 days) |
| <i>lovastatin</i> TABS 10mg, 20mg, 40mg | 1 | QL (60 tabs / 30 days) |
| <i>pravastatin sodium</i> TABS 10mg, 20mg, 40mg, 80mg | 1 | QL (30 tabs / 30 days) |
| <i>rosuvastatin calcium</i> TABS 5mg, 10mg, 20mg, 40mg | 1 | QL (30 tabs / 30 days) |
| <i>simvastatin</i> TABS 5mg, 10mg, 20mg, 40mg, 80mg | 1 | QL (30 tabs / 30 days) |
| ANTILIPEMICS, MISCELLANEOUS | | |
| <i>cholestyramine</i> PACK 4gm; POWD 4gm/dose | 1 | |
| <i>cholestyramine light</i> PACK 4gm; POWD 4gm/dose | 1 | |
| <i>colesevelam hcl</i> PACK 3.75gm; TABS 625mg | 1 | |
| <i>colestipol hcl</i> GRAN 5gm; PACK 5gm; TABS 1gm | 1 | |
| <i>ezetimibe</i> TABS 10mg | 1 | |
| <i>ezetimibe-simvastatin tab 10-10 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-20 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-40 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-80 mg</i> | 1 | QL (30 tabs / 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| niacin (antihyperlipidemic) TBCR 500mg, 750mg, 1000mg | 1 | QL (60 tabs / 30 days) |
| omega-3-acid ethyl esters cap 1 gm | 1 | PA |
| prevalite PACK 4gm; POWD 4gm/dose | 1 | |
| REPATHA SOSY 140mg/ml | 1 | NM, PA |
| REPATHA PUSHTRONEX SYSTEM SOCT 420mg/3.5ml | 1 | NM, PA |
| REPATHA SURECLICK SOAJ 140mg/ml | 1 | NM, PA |
| VASCEPA CAPS .5gm, 1gm | 1 | |
| BETA-BLOCKER/DIURETIC COMBINATIONS | | |
| atenolol & chlorthalidone tab 50-25 mg | 1 | |
| atenolol & chlorthalidone tab 100-25 mg | 1 | |
| bisoprolol & hydrochlorothiazide tab 2.5-6.25 mg | 1 | |
| bisoprolol & hydrochlorothiazide tab 5-6.25 mg | 1 | |
| bisoprolol & hydrochlorothiazide tab 10-6.25 mg | 1 | |
| metoprolol & hydrochlorothiazide tab 50-25 mg | 1 | |
| metoprolol & hydrochlorothiazide tab 100-25 mg | 1 | |
| metoprolol & hydrochlorothiazide tab 100-50 mg | 1 | |
| BETA-BLOCKERS | | |
| acebutolol hcl CAPS 200mg, 400mg | 1 | |
| atenolol TABS 25mg, 50mg, 100mg | 1 | |
| betaxolol hcl TABS 10mg, 20mg | 1 | |
| bisoprolol fumarate TABS 5mg, 10mg | 1 | |
| carvedilol TABS 3.125mg, 6.25mg, 12.5mg, 25mg | 1 | |
| labetalol hcl TABS 100mg, 200mg, 300mg | 1 | |
| metoprolol succinate TB24 25mg, 50mg, 100mg, 200mg | 1 | |
| metoprolol tartrate SOLN 5mg/5ml; TABS 25mg, 50mg, 100mg | 1 | |
| nadolol TABS 20mg, 40mg, 80mg | 1 | |
| nebivolol hcl TABS 2.5mg, 5mg, 10mg | 1 | QL (30 tabs / 30 days) |
| nebivolol hcl TABS 20mg | 1 | QL (60 tabs / 30 days) |
| pindolol TABS 5mg, 10mg | 1 | |
| propranolol hcl CP24 60mg, 80mg, 120mg, 160mg; SOLN 20mg/5ml, 40mg/5ml; TABS 10mg, 20mg, 40mg, 60mg, 80mg | 1 | |
| timolol maleate TABS 5mg, 10mg, 20mg | 1 | |
| CALCIUM CHANNEL BLOCKERS | | |
| amlodipine besylate TABS 2.5mg, 5mg, 10mg | 1 | |
| cartia xt CP24 120mg, 180mg, 240mg, 300mg | 1 | |
| dilt-xr CP24 120mg, 180mg, 240mg | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>diltiazem hcl</i> CP12 60mg, 90mg, 120mg; SOLN 25mg/5ml, 50mg/10ml, 125mg/25ml; TABS 30mg, 60mg, 90mg, 120mg | 1 | |
| <i>diltiazem hcl coated beads</i> CP24 120mg, 180mg, 240mg, 300mg, 360mg | 1 | |
| <i>diltiazem hcl extended release beads</i> CP24 120mg, 180mg, 240mg, 300mg, 360mg, 420mg | 1 | |
| <i>felodipine</i> TB24 2.5mg, 5mg, 10mg | 1 | |
| <i>isradipine</i> CAPS 2.5mg, 5mg | 1 | |
| <i>nicardipine hcl</i> CAPS 20mg, 30mg | 1 | |
| <i>nifedipine</i> TB24 30mg, 60mg, 90mg | 1 | |
| <i>nimodipine</i> CAPS 30mg | 1 | |
| <i>NYMALIZE</i> SOLN 6mg/ml | 1 | NDS |
| <i>taztia xt</i> CP24 120mg, 180mg, 240mg, 300mg, 360mg | 1 | |
| <i>tiadylt er</i> CP24 120mg, 180mg, 240mg, 300mg, 360mg, 420mg | 1 | |
| <i>verapamil hcl</i> CP24 100mg, 120mg, 180mg, 200mg, 240mg, 300mg, 360mg; SOLN 2.5mg/ml; TABS 40mg, 80mg, 120mg; TBCR 120mg, 180mg, 240mg | 1 | |
| DIURETICS | | |
| <i>acetazolamide</i> CP12 500mg; TABS 125mg, 250mg | 1 | |
| <i>amiloride & hydrochlorothiazide tab 5-50 mg</i> | 1 | |
| <i>amiloride hcl</i> TABS 5mg | 1 | |
| <i>bumetanide</i> SOLN .25mg/ml; TABS .5mg, 1mg, 2mg | 1 | |
| <i>chlorthalidone</i> TABS 25mg, 50mg | 1 | |
| <i>furosemide</i> SOLN 10mg/ml, 40mg/5ml; TABS 20mg, 40mg, 80mg | 1 | |
| <i>furosemide inj</i> SOLN 10mg/ml | 1 | |
| <i>hydrochlorothiazide</i> CAPS 12.5mg; TABS 12.5mg, 25mg, 50mg | 1 | |
| <i>indapamide</i> TABS 1.25mg, 2.5mg | 1 | |
| <i>methazolamide</i> TABS 25mg, 50mg | 1 | |
| <i>metolazone</i> TABS 2.5mg, 5mg, 10mg | 1 | |
| <i>spironolactone & hydrochlorothiazide tab 25-25 mg</i> | 1 | |
| <i>torsemide</i> TABS 5mg, 10mg, 20mg, 100mg | 1 | |
| <i>triamterene & hydrochlorothiazide cap 37.5-25 mg</i> | 1 | |
| <i>triamterene & hydrochlorothiazide tab 37.5-25 mg</i> | 1 | |
| <i>triamterene & hydrochlorothiazide tab 75-50 mg</i> | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| MISCELLANEOUS | | |
| <i>aliskiren fumarate</i> TABS 150mg, 300mg | 1 | |
| <i>clonidine</i> PTWK .1mg/24hr, .2mg/24hr, .3mg/24hr | 1 | |
| <i>clonidine hcl</i> TABS .1mg, .2mg, .3mg | 1 | |
| <i>CORLANOR</i> SOLN 5mg/5ml | 1 | QL (450 mL / 30 days) |
| <i>CORLANOR</i> TABS 5mg, 7.5mg | 1 | QL (60 tabs / 30 days) |
| <i>digoxin</i> SOLN .05mg/ml, .25mg/ml | 1 | |
| <i>digoxin</i> TABS 125mcg, 250mcg | 1 | QL (30 tabs / 30 days) |
| <i>droxidopa</i> CAPS 100mg | 1 | NDS, QL (90 caps / 30 days), NM, PA |
| <i>droxidopa</i> CAPS 200mg, 300mg | 1 | NDS, QL (180 caps / 30 days), NM, PA |
| <i>epinephrine (anaphylaxis)</i> SOLN 1mg/ml | 1 | |
| <i>guanfacine hcl</i> TABS 1mg, 2mg | 1 | PA; PA if 70 years and older |
| <i>hydralazine hcl</i> SOLN 20mg/ml; TABS 10mg, 25mg, 50mg, 100mg | 1 | |
| <i>metyrosine</i> CAPS 250mg | 1 | NDS, PA |
| <i>midodrine hcl</i> TABS 2.5mg, 5mg, 10mg | 1 | |
| <i>minoxidil</i> TABS 2.5mg, 10mg | 1 | |
| <i>ranolazine</i> TB12 500mg, 1000mg | 1 | |
| <i>VERQUVO</i> TABS 2.5mg, 5mg, 10mg | 1 | QL (30 tabs / 30 days) |
| NITRATES | | |
| <i>isosorbide dinitrate</i> TABS 5mg, 10mg, 20mg, 30mg | 1 | |
| <i>isosorbide mononitrate</i> TABS 10mg, 20mg; TB24 30mg, 60mg, 120mg | 1 | |
| <i>NITRO-BID</i> OINT 2% | 1 | |
| <i>nitroglycerin</i> PT24 .1mg/hr, .2mg/hr, .4mg/hr, .6mg/hr; SOLN .4mg/spray; SUBL .3mg, .4mg, .6mg | 1 | |
| PULMONARY ARTERIAL HYPERTENSION | | |
| <i>ADEMPAS</i> TABS .5mg, 1mg, 1.5mg, 2mg, 2.5mg | 1 | NDS, QL (90 tabs / 30 days), NM, LA, PA |
| <i>ambrisentan</i> TABS 5mg, 10mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| <i>bosentan</i> TABS 62.5mg, 125mg | 1 | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| <i>OPSUMIT</i> TABS 10mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| <i>sildenafil citrate (pulmonary hypertension)</i> TABS 20mg | 1 | QL (360 tabs / 30 days), NM, PA |
| <i>treprostинil</i> SOLN 20mg/20ml, 50mg/20ml, 100mg/20ml, 200mg/20ml | 1 | NDS, NM, LA, PA |
| <i>VENTAVIS</i> SOLN 10mcg/ml, 20mcg/ml | 1 | NDS, NM, LA, PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| CENTRAL NERVOUS SYSTEM | | |
| ANTIANXIETY | | |
| <i>alprazolam TABS .25mg, .5mg, 1mg, 2mg</i> 1 QL (150 tabs / 30 days) | | |
| <i>buspirone hcl TABS 5mg, 7.5mg, 10mg, 15mg, 30mg</i> | 1 | |
| <i>fluvoxamine maleate TABS 25mg, 50mg, 100mg</i> | 1 | |
| <i>lorazepam CONC 2mg/ml</i> | 1 | QL (150 mL / 30 days) |
| <i>lorazepam SOLN 2mg/ml, 4mg/ml</i> | 1 | |
| <i>lorazepam TABS .5mg, 1mg, 2mg</i> | 1 | QL (150 tabs / 30 days) |
| <i>lorazepam intensol CONC 2mg/ml</i> | 1 | QL (150 mL / 30 days) |
| ANTIDEMENTIA | | |
| <i>donepezil hydrochloride TABS 5mg; TBDP 5mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>donepezil hydrochloride TABS 10mg; TBDP 10mg</i> | 1 | |
| <i>galantamine hydrobromide CP24 8mg, 16mg, 24mg</i> | 1 | QL (30 caps / 30 days) |
| <i>galantamine hydrobromide SOLN 4mg/ml</i> | 1 | QL (200 mL / 30 days) |
| <i>galantamine hydrobromide TABS 4mg, 8mg, 12mg</i> | 1 | QL (60 tabs / 30 days) |
| <i>memantine hcl CP24 7mg, 14mg, 21mg, 28mg; SOLN 2mg/ml; TABS 5mg, 10mg</i> | 1 | PA; PA applies if 29 years and younger |
| <i>memantine hcl tab 28 x 5 mg & 21 x 10 mg titration pack</i> | 1 | PA; PA applies if 29 years and younger |
| <i>NAMZARIC CAP 7-10MG</i> | 1 | |
| <i>NAMZARIC CAP 14-10MG</i> | 1 | |
| <i>NAMZARIC CAP 21-10MG</i> | 1 | |
| <i>NAMZARIC CAP 28-10MG</i> | 1 | |
| <i>NAMZARIC CAP PACK</i> | 1 | |
| <i>rivastigmine PT24 4.6mg/24hr, 9.5mg/24hr, 13.3mg/24hr</i> | 1 | QL (30 patches / 30 days) |
| <i>rivastigmine tartrate CAPS 1.5mg, 3mg, 4.5mg, 6mg</i> | 1 | QL (60 caps / 30 days) |
| ANTIDEPRESSANTS | | |
| <i>amitriptyline hcl TABS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg</i> | 1 | |
| <i>amoxapine TABS 25mg, 50mg, 100mg, 150mg</i> | 1 | |
| <i>AUVELITY TAB 45-105MG</i> | 1 | QL (60 tabs / 30 days), PA |
| <i>bupropion hcl TABS 75mg, 100mg</i> | 1 | |
| <i>bupropion hcl TB12 100mg, 150mg, 200mg; TB24 150mg</i> | 1 | QL (60 tabs / 30 days) |
| <i>bupropion hcl TB24 300mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>citalopram hydrobromide SOLN 10mg/5ml; TABS 10mg, 20mg, 40mg</i> | 1 | |
| <i>clomipramine hcl CAPS 25mg, 50mg, 75mg</i> | 1 | PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| <i>desipramine hcl</i> TABS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg | 1 | |
| <i>desvenlafaxine succinate</i> TB24 25mg, 50mg, 100mg | 1 | QL (30 tabs / 30 days), PA |
| <i>doxepin hcl</i> CAPS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg; CONC 10mg/ml | 1 | |
| <i>duloxetine hcl</i> CPEP 20mg, 30mg, 60mg | 1 | QL (60 caps / 30 days) |
| <i>EMSAM</i> PT24 6mg/24hr, 9mg/24hr, 12mg/24hr | 1 | NDS, QL (30 patches / 30 days), PA |
| <i>escitalopram oxalate</i> SOLN 5mg/5ml; TABS 5mg, 10mg, 20mg | 1 | |
| <i>FETZIMA</i> CP24 20mg, 40mg | 1 | QL (60 caps / 30 days), PA |
| <i>FETZIMA</i> CP24 80mg, 120mg | 1 | QL (30 caps / 30 days), PA |
| <i>FETZIMA CAP TITRATIO</i> | 1 | QL (2 packs / year), PA |
| <i>fluoxetine hcl</i> CAPS 10mg, 20mg, 40mg; SOLN 20mg/5ml | 1 | |
| <i>imipramine hcl</i> TABS 10mg, 25mg, 50mg | 1 | |
| <i>MARPLAN</i> TABS 10mg | 1 | QL (180 tabs / 30 days) |
| <i>mirtazapine</i> TABS 7.5mg, 15mg, 30mg, 45mg; TBDP 15mg, 30mg, 45mg | 1 | |
| <i>nefazodone hcl</i> TABS 50mg, 100mg, 150mg, 200mg, 250mg | 1 | |
| <i>nortriptyline hcl</i> CAPS 10mg, 25mg, 50mg, 75mg; SOLN 10mg/5ml | 1 | |
| <i>paroxetine hcl</i> SUSP 10mg/5ml | 1 | QL (900 mL / 30 days), PA |
| <i>paroxetine hcl</i> TABS 10mg, 20mg, 30mg, 40mg | 1 | |
| <i>phenelzine sulfate</i> TABS 15mg | 1 | |
| <i>protriptyline hcl</i> TABS 5mg, 10mg | 1 | |
| <i>sertraline hcl</i> CONC 20mg/ml; TABS 25mg, 50mg, 100mg | 1 | |
| <i>tranylcypromine sulfate</i> TABS 10mg | 1 | |
| <i>trazodone hcl</i> TABS 50mg, 100mg, 150mg | 1 | |
| <i>trimipramine maleate</i> CAPS 25mg, 50mg | 1 | QL (120 caps / 30 days) |
| <i>trimipramine maleate</i> CAPS 100mg | 1 | QL (60 caps / 30 days) |
| <i>TRINTELLIX</i> TABS 5mg, 10mg, 20mg | 1 | QL (30 tabs / 30 days) |
| <i>venlafaxine hcl</i> CP24 37.5mg, 75mg, 150mg; TABS 25mg, 37.5mg, 50mg, 75mg, 100mg | 1 | |
| <i>vilazodone hcl</i> TABS 10mg, 20mg, 40mg | 1 | QL (30 tabs / 30 days) |
| <i>ZURZUVAE</i> CAPS 20mg, 25mg | 1 | NDS, QL (28 caps / 14 days), NM, LA, PA |
| <i>ZURZUVAE</i> CAPS 30mg | 1 | NDS, QL (14 caps / 14 days), NM, LA, PA |
| ANTIPARKINSONIAN AGENTS | | |
| <i>amantadine hcl</i> CAPS 100mg | 1 | QL (120 caps / 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| <i>amantadine hcl</i> SOLN 50mg/5ml; TABS 100mg | 1 | |
| <i>benztropine mesylate</i> SOLN 1mg/ml | 1 | |
| <i>benztropine mesylate</i> TABS .5mg, 1mg, 2mg | 1 | PA; PA if 70 years and older |
| <i>bromocriptine mesylate</i> CAPS 5mg; TABS 2.5mg | 1 | |
| <i>carb/levo orally disintegrating tab 10-100mg</i> | 1 | |
| <i>carb/levo orally disintegrating tab 25-100mg</i> | 1 | |
| <i>carb/levo orally disintegrating tab 25-250mg</i> | 1 | |
| <i>carbidopa & levodopa tab 10-100 mg</i> | 1 | |
| <i>carbidopa & levodopa tab 25-100 mg</i> | 1 | |
| <i>carbidopa & levodopa tab 25-250 mg</i> | 1 | |
| <i>carbidopa & levodopa tab er 25-100 mg</i> | 1 | |
| <i>carbidopa & levodopa tab er 50-200 mg</i> | 1 | |
| <i>carbidopa-levodopa-entacapone tabs 12.5-50-200 mg</i> | 1 | |
| <i>carbidopa-levodopa-entacapone tabs 18.75-75-200 mg</i> | 1 | |
| <i>carbidopa-levodopa-entacapone tabs 25-100-200 mg</i> | 1 | |
| <i>carbidopa-levodopa-entacapone tabs 31.25-125-200 mg</i> | 1 | |
| <i>carbidopa-levodopa-entacapone tabs 37.5-150-200 mg</i> | 1 | |
| <i>carbidopa-levodopa-entacapone tabs 50-200-200 mg</i> | 1 | |
| <i>entacapone</i> TABS 200mg | 1 | |
| <i>INBRIJA</i> CAPS 42mg | 1 | NDS, QL (300 caps / 30 days), NM, LA, PA |
| <i>NEUPRO PT24</i> 1mg/24hr, 2mg/24hr, 3mg/24hr, 4mg/24hr, 6mg/24hr, 8mg/24hr | 1 | |
| <i>pramipexole dihydrochloride</i> TABS .125mg, .25mg, .5mg, .75mg, 1mg, 1.5mg | 1 | |
| <i>rasagiline mesylate</i> TABS .5mg, 1mg | 1 | QL (30 tabs / 30 days) |
| <i>ropinirole hydrochloride</i> TABS .25mg, .5mg, 1mg, 2mg, 3mg, 4mg, 5mg | 1 | |
| <i>selegiline hcl</i> CAPS 5mg; TABS 5mg | 1 | |
| <i>trihexyphenidyl hcl</i> SOLN .4mg/ml; TABS 2mg, 5mg | 1 | PA; PA if 70 years and older |
| ANTIPSYCHOTICS | | |
| <i>ABILIFY MAINTENA</i> PRSY 300mg, 400mg | 1 | NDS, QL (1 syringe / 28 days) |
| <i>ABILIFY MAINTENA</i> SRER 300mg, 400mg | 1 | NDS, QL (1 injection / 28 days) |
| <i>ariPIPRAZOLE</i> SOLN 1mg/ml | 1 | QL (900 mL / 30 days) |
| <i>ariPIPRAZOLE</i> TABS 2mg, 5mg, 10mg, 15mg, 20mg, 30mg | 1 | QL (30 tabs / 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------------|
| <i>aripiprazole</i> TBDP 10mg, 15mg | 1 | QL (60 tabs / 30 days) |
| ARISTADA PRSY 441mg/1.6ml, 662mg/2.4ml, 882mg/3.2ml | 1 | NDS, QL (1 syringe / 28 days) |
| ARISTADA PRSY 1064mg/3.9ml | 1 | NDS, QL (1 syringe / 56 days) |
| ARISTADA INITIO PRSY 675mg/2.4ml | 1 | NDS |
| <i>asenapine maleate</i> SUBL 2.5mg, 5mg, 10mg | 1 | QL (60 tabs / 30 days) |
| CAPLYTA CAPS 10.5mg, 21mg, 42mg | 1 | NDS, QL (30 caps / 30 days) |
| <i>chlorpromazine hcl</i> CONC 30mg/ml, 100mg/ml; SOLN 25mg/ml, 50mg/2ml; TABS 10mg, 25mg, 50mg, 100mg, 200mg | 1 | |
| <i>clozapine</i> TABS 25mg, 50mg | 1 | |
| <i>clozapine</i> TABS 100mg | 1 | QL (270 tabs / 30 days) |
| <i>clozapine</i> TABS 200mg | 1 | QL (120 tabs / 30 days) |
| <i>clozapine</i> TBDP 12.5mg, 25mg | 1 | PA |
| <i>clozapine</i> TBDP 100mg | 1 | QL (270 tabs / 30 days), PA |
| <i>clozapine</i> TBDP 150mg | 1 | QL (180 tabs / 30 days), PA |
| <i>clozapine</i> TBDP 200mg | 1 | NDS, QL (120 tabs / 30 days), PA |
| FANAPT TABS 1mg, 2mg, 4mg, 6mg, 8mg, 10mg, 12mg | 1 | NDS, QL (60 tabs / 30 days), PA |
| FANAPT PAK | 1 | QL (2 packs / year), PA |
| <i>fluphenazine decanoate</i> SOLN 25mg/ml | 1 | |
| <i>fluphenazine hcl</i> CONC 5mg/ml; ELIX 2.5mg/5ml; SOLN 2.5mg/ml; TABS 1mg, 2.5mg, 5mg, 10mg | 1 | |
| <i>haloperidol</i> TABS .5mg, 1mg, 2mg, 5mg, 10mg, 20mg | 1 | |
| <i>haloperidol decanoate</i> SOLN 50mg/ml, 100mg/ml | 1 | |
| <i>haloperidol lactate</i> CONC 2mg/ml; SOLN 5mg/ml | 1 | |
| INVEGA HAFYERA SUSY 1092mg/3.5ml, 1560mg/5ml | 1 | NDS, QL (1 injection / 180 days) |
| INVEGA SUSTENNA SUSY 39mg/0.25ml | 1 | QL (1 syringe / 28 days) |
| INVEGA SUSTENNA SUSY 78mg/0.5ml, 117mg/0.75ml, 156mg/ml, 234mg/1.5ml | 1 | NDS, QL (1 syringe / 28 days) |
| INVEGA TRINZA SUSY 273mg/0.88ml, 410mg/1.32ml, 546mg/1.75ml, 819mg/2.63ml | 1 | NDS, QL (1 syringe / 90 days) |
| <i>loxpipamine succinate</i> CAPS 5mg, 10mg, 25mg, 50mg | 1 | |
| <i>lurasidone hcl</i> TABS 20mg, 40mg, 60mg, 120mg | 1 | QL (30 tabs / 30 days) |
| <i>lurasidone hcl</i> TABS 80mg | 1 | QL (60 tabs / 30 days) |
| <i>molindone hcl</i> TABS 5mg, 10mg, 25mg | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| NUPLAZID CAPS 34mg | 1 | NDS, QL (30 caps / 30 days), NM, LA, PA |
| NUPLAZID TABS 10mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| <i>olanzapine</i> SOLR 10mg | 1 | QL (3 vials / 1 day) |
| <i>olanzapine</i> TABS 2.5mg, 5mg, 10mg; TBDP 10mg | 1 | QL (60 tabs / 30 days) |
| <i>olanzapine</i> TABS 7.5mg, 15mg, 20mg; TBDP 5mg, 15mg, 20mg | 1 | QL (30 tabs / 30 days) |
| <i>paliperidone</i> TB24 1.5mg, 3mg, 9mg | 1 | QL (30 tabs / 30 days) |
| <i>paliperidone</i> TB24 6mg | 1 | QL (60 tabs / 30 days) |
| <i>perphenazine</i> TABS 2mg, 4mg, 8mg, 16mg | 1 | |
| PERSERIS PRSY 90mg, 120mg | 1 | NDS, QL (1 syringe / 30 days) |
| <i>pimozide</i> TABS 1mg, 2mg | 1 | |
| <i>quetiapine fumarate</i> TABS 25mg | 1 | QL (180 tabs / 30 days) |
| <i>quetiapine fumarate</i> TABS 50mg, 100mg, 150mg, 200mg | 1 | QL (90 tabs / 30 days) |
| <i>quetiapine fumarate</i> TABS 300mg, 400mg | 1 | QL (60 tabs / 30 days) |
| <i>quetiapine fumarate</i> TB24 50mg, 300mg, 400mg | 1 | QL (60 tabs / 30 days), PA |
| <i>quetiapine fumarate</i> TB24 150mg, 200mg | 1 | QL (30 tabs / 30 days), PA |
| REXULTI TABS 3mg, 4mg | 1 | NDS, QL (30 tabs / 30 days) |
| REXULTI TABS .25mg, .5mg, 1mg, 2mg | 1 | NDS, QL (60 tabs / 30 days) |
| <i>risperidone</i> SOLN 1mg/ml | 1 | QL (240 mL / 30 days) |
| <i>risperidone</i> TABS .25mg, .5mg, 1mg, 2mg, 3mg, 4mg | 1 | |
| <i>risperidone</i> TBDP 1mg, 2mg, 3mg | 1 | QL (60 tabs / 30 days) |
| <i>risperidone</i> TBDP 4mg | 1 | QL (120 tabs / 30 days) |
| <i>risperidone</i> TBDP .25mg, .5mg | 1 | QL (90 tabs / 30 days) |
| <i>risperidone microspheres</i> SRER 12.5mg, 25mg | 1 | QL (2 injections / 28 days) |
| <i>risperidone microspheres</i> SRER 37.5mg, 50mg | 1 | NDS, QL (2 injections / 28 days) |
| SECUADO PT24 3.8mg/24hr, 5.7mg/24hr, 7.6mg/24hr | 1 | NDS, QL (30 patches / 30 days) |
| <i>thioridazine hcl</i> TABS 10mg, 25mg, 50mg, 100mg | 1 | |
| <i>thiothixene</i> CAPS 1mg, 2mg, 5mg, 10mg | 1 | |
| <i>trifluoperazine hcl</i> TABS 1mg, 2mg, 5mg, 10mg | 1 | |
| VERSACLOZ SUSP 50mg/ml | 1 | NDS, QL (600 mL / 30 days), PA |
| VRAYLAR CAPS 1.5mg | 1 | NDS, QL (60 caps / 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|
| VRAYLAR CAPS 3mg, 4.5mg, 6mg | 1 | NDS, QL (30 caps / 30 days) |
| VRAYLAR CAP 1.5-3MG | 1 | QL (2 packs / year) |
| <i>ziprasidone hcl</i> CAPS 20mg, 40mg, 60mg, 80mg | 1 | QL (60 caps / 30 days) |
| <i>ziprasidone mesylate</i> SOLR 20mg | 1 | QL (6 injections / 3 days) |
| ZYPREXA RELPREVV SUSR 210mg, 300mg | 1 | NDS, QL (2 vials / 28 days), NM, PA |
| ZYPREXA RELPREVV SUSR 405mg | 1 | NDS, QL (1 vial / 28 days), NM, PA |

ANTISEIZURE AGENTS

| | | |
|---|---|--|
| APTIOM TABS 200mg, 400mg | 1 | NDS, QL (30 tabs / 30 days) |
| APTIOM TABS 600mg, 800mg | 1 | NDS, QL (60 tabs / 30 days) |
| BRIVIACT SOLN 10mg/ml | 1 | NDS, QL (600 mL / 30 days), PA |
| BRIVIACT SOLN 50mg/5ml | 1 | PA |
| BRIVIACT TABS 10mg, 25mg, 50mg, 75mg, 100mg | 1 | NDS, QL (60 tabs / 30 days), PA |
| <i>carbamazepine</i> CHEW 100mg; CP12 100mg, 200mg, 300mg; SUSP 100mg/5ml; TABS 200mg; TB12 100mg, 200mg, 400mg | 1 | |
| <i>clobazam</i> SUSP 2.5mg/ml | 1 | QL (480 mL / 30 days), PA |
| <i>clobazam</i> TABS 10mg, 20mg | 1 | QL (60 tabs / 30 days), PA |
| <i>clonazepam</i> TABS 2mg; TBDP 2mg | 1 | QL (300 tabs / 30 days) |
| <i>clonazepam</i> TABS .5mg, 1mg; TBDP .125mg, .25mg, .5mg, 1mg | 1 | QL (90 tabs / 30 days) |
| <i>clorazepate dipotassium</i> TABS 3.75mg, 7.5mg, 15mg | 1 | QL (180 tabs / 30 days), PA; PA if 65 years and older |
| DIACOMIT CAPS 250mg | 1 | NDS, QL (360 caps / 30 days), NM, LA, PA |
| DIACOMIT CAPS 500mg | 1 | NDS, QL (180 caps / 30 days), NM, LA, PA |
| DIACOMIT PACK 250mg | 1 | NDS, QL (360 packets / 30 days), NM, LA, PA |
| DIACOMIT PACK 500mg | 1 | NDS, QL (180 packets / 30 days), NM, LA, PA |
| <i>diazepam</i> SOLN 5mg/5ml | 1 | QL (1200 mL / 30 days), PA; PA applies if 65 years and older after a 5 day supply in a calendar year |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| <i>diazepam</i> TABS 2mg, 5mg, 10mg | 1 | QL (120 tabs / 30 days), PA; PA applies if 65 years and older after a 5 day supply in a calendar year |
| <i>diazepam (anticonvulsant)</i> GEL 2.5mg, 10mg, 20mg | 1 | |
| <i>diazepam inj</i> SOLN 5mg/ml | 1 | |
| <i>diazepam intensol</i> CONC 5mg/ml | 1 | QL (240 mL / 30 days), PA; PA applies if 65 years and older after a 5 day supply in a calendar year |
| DILANTIN CAPS 30mg, 100mg | 1 | |
| DILANTIN INFATABS CHEW 50mg | 1 | |
| DILANTIN-125 SUSP 125mg/5ml | 1 | |
| <i>divalproex sodium</i> CSDR 125mg; TB24 250mg, 500mg; TBEC 125mg, 250mg, 500mg | 1 | |
| EPIDIOLEX SOLN 100mg/ml | 1 | NDS, QL (600 mL / 30 days), NM, LA, PA |
| <i>epitol</i> TABS 200mg | 1 | |
| EPRONTIA SOLN 25mg/ml | 1 | QL (480 mL / 30 days), PA |
| <i>ethosuximide</i> CAPS 250mg; SOLN 250mg/5ml | 1 | |
| <i>felbamate</i> SUSP 600mg/5ml | 1 | NDS |
| <i>felbamate</i> TABS 400mg, 600mg | 1 | |
| FINTEPLA SOLN 2.2mg/ml | 1 | NDS, QL (360 mL / 30 days), NM, LA, PA |
| FYCOMPA SUSP .5mg/ml | 1 | NDS, QL (720 mL / 30 days), PA |
| FYCOMPA TABS 2mg | 1 | QL (60 tabs / 30 days), PA |
| FYCOMPA TABS 4mg, 6mg, 8mg, 10mg, 12mg | 1 | NDS, QL (30 tabs / 30 days), PA |
| <i>gabapentin</i> CAPS 100mg, 300mg, 400mg | 1 | QL (180 caps / 30 days) |
| <i>gabapentin</i> SOLN 250mg/5ml, 300mg/6ml | 1 | QL (2160 mL / 30 days) |
| <i>gabapentin</i> TABS 600mg | 1 | QL (180 tabs / 30 days) |
| <i>gabapentin</i> TABS 800mg | 1 | QL (120 tabs / 30 days) |
| <i>lacosamide</i> SOLN 200mg/20ml | 1 | |
| <i>lacosamide</i> TABS 50mg | 1 | QL (120 tabs / 30 days) |
| <i>lacosamide</i> TABS 100mg, 150mg, 200mg | 1 | QL (60 tabs / 30 days) |
| <i>lacosamide oral</i> SOLN 10mg/ml | 1 | QL (1200 mL / 30 days) |
| <i>lamotrigine</i> CHEW 5mg, 25mg; TABS 25mg, 100mg, 150mg, 200mg; TB24 25mg, 50mg, 100mg, 200mg, 250mg, 300mg | 1 | |
| <i>levetiracetam</i> SOLN 100mg/ml, 500mg/5ml; TABS 250mg, 500mg, 750mg, 1000mg; TB24 500mg, 750mg | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| <u>levetiracetam in sodium chloride iv soln 500 mg/100ml</u> | 1 | |
| <u>levetiracetam in sodium chloride iv soln 1000 mg/100ml</u> | 1 | |
| <u>levetiracetam in sodium chloride iv soln 1500 mg/100ml</u> | 1 | |
| <u>methsuximide CAPS 300mg</u> | 1 | |
| <u>NAYZILAM SOLN 5mg/0.1ml</u> | 1 | |
| <u>oxcarbazepine SUSP 300mg/5ml; TABS 150mg, 300mg, 600mg</u> | 1 | |
| <u>phenobarbital ELIX 20mg/5ml</u> | 1 | QL (1500 mL / 30 days), PA; PA if 70 years and older |
| <u>phenobarbital TABS 15mg, 16.2mg, 30mg, 32.4mg, 60mg, 64.8mg, 97.2mg, 100mg</u> | 1 | QL (120 tabs / 30 days), PA; PA if 70 years and older |
| <u>phenobarbital sodium SOLN 65mg/ml, 130mg/ml</u> | 1 | PA; PA if 70 years and older |
| <u>phenytek CAPS 200mg, 300mg</u> | 1 | |
| <u>phenytoin CHEW 50mg; SUSP 125mg/5ml</u> | 1 | |
| <u>phenytoin sodium SOLN 50mg/ml</u> | 1 | |
| <u>phenytoin sodium extended CAPS 100mg, 200mg, 300mg</u> | 1 | |
| <u>pregabalin CAPS 25mg, 50mg, 75mg, 100mg, 150mg</u> | 1 | QL (120 caps / 30 days), PA |
| <u>pregabalin CAPS 200mg</u> | 1 | QL (90 caps / 30 days), PA |
| <u>pregabalin CAPS 225mg, 300mg</u> | 1 | QL (60 caps / 30 days), PA |
| <u>pregabalin SOLN 20mg/ml</u> | 1 | QL (900 mL / 30 days), PA |
| <u>primidone TABS 50mg, 125mg, 250mg</u> | 1 | |
| <u>roweepra TABS 500mg</u> | 1 | |
| <u>rufinamide SUSP 40mg/ml</u> | 1 | NDS, QL (2400 mL / 30 days), PA |
| <u>rufinamide TABS 200mg</u> | 1 | QL (480 tabs / 30 days), PA |
| <u>rufinamide TABS 400mg</u> | 1 | NDS, QL (240 tabs / 30 days), PA |
| <u>SPRITAM TB3D 250mg</u> | 1 | QL (360 tabs / 30 days) |
| <u>SPRITAM TB3D 500mg</u> | 1 | QL (180 tabs / 30 days) |
| <u>SPRITAM TB3D 750mg</u> | 1 | QL (120 tabs / 30 days) |
| <u>SPRITAM TB3D 1000mg</u> | 1 | QL (90 tabs / 30 days) |
| <u>subvenite TABS 25mg, 100mg, 150mg, 200mg</u> | 1 | |
| <u>SYMPAZAN FILM 5mg, 10mg, 20mg</u> | 1 | NDS, QL (60 films / 30 days), PA |
| <u>tiagabine hcl TABS 2mg, 4mg, 12mg, 16mg</u> | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| <i>topiramate</i> CPSP 15mg, 25mg; TABS 25mg, 50mg, 100mg, 200mg | 1 | |
| <i>valproate sodium</i> SOLN 100mg/ml, 250mg/5ml | 1 | |
| <i>valproic acid</i> CAPS 250mg | 1 | |
| VALTOCO 5 MG DOSE LIQD 5mg/0.1ml | 1 | |
| VALTOCO 10 MG DOSE LIQD 10mg/0.1ml | 1 | |
| VALTOCO 15 MG DOSE LQPK 7.5mg/0.1ml | 1 | |
| VALTOCO 20 MG DOSE LQPK 10mg/0.1ml | 1 | |
| <i>vigabatrin</i> PACK 500mg | 1 | NDS, QL (180 packets / 30 days), NM, LA, PA |
| <i>vigabatrin</i> TABS 500mg | 1 | NDS, QL (180 tabs / 30 days), NM, LA, PA |
| <i>vigadron</i> PACK 500mg | 1 | NDS, QL (180 packets / 30 days), NM, LA, PA |
| <i>vigadron</i> TABS 500mg | 1 | NDS, QL (180 tabs / 30 days), NM, LA, PA |
| <i>vigpoder</i> PACK 500mg | 1 | NDS, QL (180 packets / 30 days), NM, LA, PA |
| XCOPRI TABS 50mg, 100mg | 1 | NDS, QL (30 tabs / 30 days) |
| XCOPRI TABS 150mg, 200mg | 1 | NDS, QL (60 tabs / 30 days) |
| XCOPRI PAK 12.5-25 | 1 | QL (28 tabs / 28 days) |
| XCOPRI PAK 50-100MG | 1 | NDS, QL (28 tabs / 28 days) |
| XCOPRI PAK 100-150 | 1 | NDS, QL (56 tabs / 28 days) |
| XCOPRI PAK 150-200MG (MAINTENANCE) | 1 | NDS, QL (56 tabs / 28 days) |
| XCOPRI PAK 150-200MG (TITRATION) | 1 | NDS, QL (28 tabs / 28 days) |
| ZONISADE SUSP 100mg/5ml | 1 | NDS, QL (900 mL / 30 days), PA |
| <i>zonisamide</i> CAPS 25mg, 50mg, 100mg | 1 | |
| ZTALMY SUSP 50mg/ml | 1 | NDS, QL (1100 mL / 30 days), NM, LA, PA |
| ATTENTION DEFICIT HYPERACTIVITY DISORDER | | |
| <i>amphetamine-dextroamphetamine cap er 24hr 5 mg</i> | 1 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 10 mg</i> | 1 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 15 mg</i> | 1 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 20 mg</i> | 1 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 25 mg</i> | 1 | QL (30 caps / 30 days), PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| <i>amphetamine-dextroamphetamine cap er 24hr 30 mg</i> | 1 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 5 mg</i> | 1 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 7.5 mg</i> | 1 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 10 mg</i> | 1 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 12.5 mg</i> | 1 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 15 mg</i> | 1 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 20 mg</i> | 1 | QL (90 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 30 mg</i> | 1 | QL (60 tabs / 30 days), PA |
| <i>atomoxetine hcl CAPS 10mg, 18mg, 25mg</i> | 1 | QL (120 caps / 30 days) |
| <i>atomoxetine hcl CAPS 40mg</i> | 1 | QL (60 caps / 30 days) |
| <i>atomoxetine hcl CAPS 60mg, 80mg, 100mg</i> | 1 | QL (30 caps / 30 days) |
| <i>dexmethylphenidate hcl TABS 2.5mg, 5mg</i> | 1 | QL (120 tabs / 30 days), PA |
| <i>dexmethylphenidate hcl TABS 10mg</i> | 1 | QL (60 tabs / 30 days), PA |
| <i>guanfacine hcl (adhd) TB24 1mg, 2mg, 4mg</i> | 1 | QL (30 tabs / 30 days), PA; PA if 70 years and older |
| <i>guanfacine hcl (adhd) TB24 3mg</i> | 1 | QL (60 tabs / 30 days), PA; PA if 70 years and older |
| <i>methylphenidate hcl CHEW 2.5mg, 5mg, 10mg; TABS 5mg, 10mg</i> | 1 | QL (180 tabs / 30 days), PA |
| <i>methylphenidate hcl SOLN 5mg/5ml</i> | 1 | QL (1800 mL / 30 days), PA |
| <i>methylphenidate hcl SOLN 10mg/5ml</i> | 1 | QL (900 mL / 30 days), PA |
| <i>methylphenidate hcl TABS 20mg; TBCR 10mg, 20mg</i> | 1 | QL (90 tabs / 30 days), PA |
| HYPNOTICS | | |
| <i>DAYVIGO TABS 5mg, 10mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>doxepin hcl (sleep) TABS 3mg, 6mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>eszopiclone TABS 1mg, 2mg, 3mg</i> | 1 | QL (30 tabs / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |
| <i>tasimelteon CAPS 20mg</i> | 1 | NDS, QL (30 caps / 30 days), NM, PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| <i>temazepam</i> CAPS 7.5mg, 30mg | 1 | QL (30 caps / 30 days), PA; PA if 65 years and older |
| <i>temazepam</i> CAPS 15mg | 1 | QL (60 caps / 30 days), PA; PA if 65 years and older |
| <i>zaleplon</i> CAPS 5mg | 1 | QL (30 caps / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |
| <i>zaleplon</i> CAPS 10mg | 1 | QL (60 caps / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |
| <i>zolpidem tartrate</i> TABS 5mg, 10mg | 1 | QL (30 tabs / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |

MIGRAINE

| | | |
|---|---|------------------------------|
| <i>AIMOVIG</i> SOAJ 70mg/ml, 140mg/ml | 1 | QL (1 pen / 30 days), NM, PA |
| <i>dihydroergotamine mesylate</i> SOLN 1mg/ml | 1 | NDS |
| <i>dihydroergotamine mesylate</i> SOLN 4mg/ml | 1 | NDS, QL (8 mL / 30 days), PA |
| <i>ergotamine w/ caffeine tab 1-100 mg</i> | 1 | QL (40 tabs / 28 days), PA |
| <i>naratriptan hcl</i> TABS 1mg, 2.5mg | 1 | QL (12 tabs / 30 days) |
| <i>NURTEC</i> TBDP 75mg | 1 | QL (16 tabs / 30 days), PA |
| <i>QULIPTA</i> TABS 10mg, 30mg, 60mg | 1 | QL (30 tabs / 30 days), PA |
| <i>rizatriptan benzoate</i> TABS 5mg, 10mg; TBDP 5mg, 10mg | 1 | QL (18 tabs / 30 days) |
| <i>sumatriptan</i> SOLN 5mg/act | 1 | QL (24 units / 30 days) |
| <i>sumatriptan</i> SOLN 20mg/act | 1 | QL (12 units / 30 days) |
| <i>sumatriptan succinate</i> SOAJ 4mg/0.5ml; SOCT 4mg/0.5ml | 1 | QL (18 injections / 30 days) |
| <i>sumatriptan succinate</i> SOAJ 6mg/0.5ml; SOCT 6mg/0.5ml; SOLN 6mg/0.5ml | 1 | QL (12 injections / 30 days) |
| <i>sumatriptan succinate</i> TABS 25mg, 50mg, 100mg | 1 | QL (12 tabs / 30 days) |
| <i>UBRELVY</i> TABS 50mg, 100mg | 1 | QL (16 tabs / 30 days), PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| MISCELLANEOUS | | |
| AUSTEDO TABS 6mg | 1 | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| AUSTEDO TABS 9mg, 12mg | 1 | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| AUSTEDO XR TB24 6mg | 1 | NDS, QL (90 tabs / 30 days), NM, PA |
| AUSTEDO XR TB24 12mg | 1 | NDS, QL (120 tabs / 30 days), NM, PA |
| AUSTEDO XR TB24 24mg | 1 | NDS, QL (60 tabs / 30 days), NM, PA |
| AUSTEDO XR TAB TITR KIT | 1 | NDS, QL (2 packs / year), NM, PA |
| <i>lithium</i> SOLN 8meq/5ml | 1 | |
| <i>lithium carbonate</i> CAPS 150mg, 300mg, 600mg; TABS 300mg; TBCR 300mg, 450mg | 1 | |
| NUEDEXTA CAP 20-10MG | 1 | QL (60 caps / 30 days), PA |
| <i>pyridostigmine bromide</i> TABS 60mg | 1 | |
| <i>riluzole</i> TABS 50mg | 1 | |
| <i>tetrabenazine</i> TABS 12.5mg | 1 | NDS, QL (90 tabs / 30 days), NM, PA |
| <i>tetrabenazine</i> TABS 25mg | 1 | NDS, QL (120 tabs / 30 days), NM, PA |
| MULTIPLE SCLEROSIS AGENTS | | |
| BAFIERTAM CPDR 95mg | 1 | NDS, QL (120 caps / 30 days), NM, LA, PA |
| BETASERON KIT .3mg | 1 | NDS, QL (14 syringes / 28 days), NM, PA |
| <i>dalfampridine</i> TB12 10mg | 1 | QL (60 tabs / 30 days), NM, PA |
| <i>fingolimod hcl</i> CAPS .5mg | 1 | NDS, QL (30 caps / 30 days), NM, PA |
| <i>glatiramer acetate</i> SOSY 20mg/ml | 1 | NDS, QL (30 syringes / 30 days), NM, PA |
| <i>glatiramer acetate</i> SOSY 40mg/ml | 1 | NDS, QL (12 syringes / 28 days), NM, PA |
| <i>glatopa</i> SOSY 20mg/ml | 1 | NDS, QL (30 syringes / 30 days), NM, PA |
| <i>glatopa</i> SOSY 40mg/ml | 1 | NDS, QL (12 syringes / 28 days), NM, PA |
| KESIMPTA SOAJ 20mg/0.4ml | 1 | NDS, QL (16 pens / year), NM, LA, PA |
| MUSCULOSKELETAL THERAPY AGENTS | | |
| <i>baclofen</i> TABS 5mg | 1 | QL (90 tabs / 30 days) |
| <i>baclofen</i> TABS 10mg, 20mg | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| <i>carisoprodol</i> TABS 350mg | 1 | QL (120 tabs / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>cyclobenzaprine hcl</i> TABS 5mg, 10mg | 1 | QL (90 tabs / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>dantrolene sodium</i> CAPS 25mg, 50mg, 100mg | 1 | |
| <i>methocarbamol</i> TABS 500mg | 1 | QL (360 tabs / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>methocarbamol</i> TABS 750mg | 1 | QL (240 tabs / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>tizanidine hcl</i> TABS 2mg, 4mg | 1 | |
| NARCOLEPSY/CATAPLEXY | | |
| <i>armodafinil</i> TABS 50mg | 1 | QL (60 tabs / 30 days), PA |
| <i>armodafinil</i> TABS 150mg, 200mg, 250mg | 1 | QL (30 tabs / 30 days), PA |
| <i>modafinil</i> TABS 100mg | 1 | QL (30 tabs / 30 days), PA |
| <i>modafinil</i> TABS 200mg | 1 | QL (60 tabs / 30 days), PA |
| <i>SODIUM OXYBATE</i> SOLN 500mg/ml | 1 | NDS, QL (540 mL / 30 days), NM, LA, PA |
| PSYCHOTHERAPEUTIC-MISC | | |
| <i>acamprosate calcium</i> TBEC 333mg | 1 | |
| <i>buprenorphine hcl</i> SUBL 2mg, 8mg | 1 | QL (90 tabs / 30 days), PA |
| <i>buprenorphine hcl-naloxone hcl sl film 2-0.5 mg (base equiv)</i> | 1 | QL (90 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 4-1 mg (base equiv)</i> | 1 | QL (90 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 8-2 mg (base equiv)</i> | 1 | QL (90 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 12-3 mg (base equiv)</i> | 1 | QL (60 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl tab 2-0.5 mg (base equiv)</i> | 1 | QL (90 tabs / 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|
| buprenorphine hcl-naloxone hcl sl tab 8-2 mg (base equiv) | 1 | QL (90 tabs / 30 days) |
| bupropion hcl (smoking deterrent) TB12 150mg | 1 | QL (60 tabs / 30 days) |
| disulfiram TABS 250mg, 500mg | 1 | |
| naloxone hcl LIQD 4mg/0.1ml; SOCT .4mg/ml; SOLN .4mg/ml, 4mg/10ml; SOSY 2mg/2ml | 1 | |
| naltrexone hcl TABS 50mg | 1 | |
| NICOTROL INHALER INHA 10mg | 1 | |
| NICOTROL NS SOLN 10mg/ml | 1 | |
| varenicline tartrate TABS .5mg, 1mg | 1 | QL (56 tabs / 28 days), PA |
| varenicline tartrate tab 11 x 0.5 mg & 42 x 1 mg start pack | 1 | QL (2 packs / year), PA |
| VIVITROL SUSR 380mg | 1 | NDS, NM |
| ENDOCRINE AND METABOLIC | | |
| ANDROGENS | | |
| depo-testosterone SOLN 100mg/ml, 200mg/ml | 1 | PA |
| methyltestosterone CAPS 10mg | 1 | NDS, QL (600 caps / 30 days), PA |
| testosterone GEL 1%, 25mg/2.5gm, 50mg/5gm | 1 | QL (300 gm / 30 days), PA |
| testosterone GEL 1.62% | 1 | QL (150 gm / 30 days), PA |
| testosterone cypionate SOLN 100mg/ml, 200mg/ml | 1 | PA |
| testosterone enanthate SOLN 200mg/ml | 1 | PA |
| ANTIDIABETICS | | |
| acarbose TABS 25mg, 50mg, 100mg | 1 | |
| BYDUREON BCISE AUIJ 2mg/0.85ml | 1 | QL (4 pens / 28 days), PA |
| BYETTA SOPN 5mcg/0.02ml, 10mcg/0.04ml | 1 | QL (1 pen / 30 days), PA |
| FARXIGA TABS 5mg, 10mg | 1 | QL (30 tabs / 30 days) |
| glimepiride TABS 1mg, 2mg | 1 | QL (90 tabs / 30 days) |
| glimepiride TABS 4mg | 1 | QL (60 tabs / 30 days) |
| glipizide TABS 5mg | 1 | QL (240 tabs / 30 days) |
| glipizide TABS 10mg | 1 | QL (120 tabs / 30 days) |
| glipizide TB24 2.5mg, 5mg | 1 | QL (90 tabs / 30 days) |
| glipizide TB24 10mg | 1 | QL (60 tabs / 30 days) |
| glipizide xl TB24 2.5mg, 5mg | 1 | QL (90 tabs / 30 days) |
| glipizide xl TB24 10mg | 1 | QL (60 tabs / 30 days) |
| glipizide-metformin hcl tab 2.5-250 mg | 1 | QL (240 tabs / 30 days) |
| glipizide-metformin hcl tab 2.5-500 mg | 1 | QL (120 tabs / 30 days) |
| glipizide-metformin hcl tab 5-500 mg | 1 | QL (120 tabs / 30 days) |
| GLYXAMBI TAB 10-5 MG | 1 | QL (30 tabs / 30 days) |
| GLYXAMBI TAB 25-5 MG | 1 | QL (30 tabs / 30 days) |
| JANUMET TAB 50-500MG | 1 | QL (60 tabs / 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| JANUMET TAB 50-1000 | 1 | QL (60 tabs / 30 days) |
| JANUMET XR TAB 50-500MG | 1 | QL (60 tabs / 30 days) |
| JANUMET XR TAB 50-1000 | 1 | QL (60 tabs / 30 days) |
| JANUMET XR TAB 100-1000 | 1 | QL (30 tabs / 30 days) |
| JANUVIA TABS 25mg, 50mg, 100mg | 1 | QL (30 tabs / 30 days) |
| JARDIANCE TABS 10mg, 25mg | 1 | QL (30 tabs / 30 days) |
| JENTADUETO TAB 2.5-500 | 1 | QL (60 tabs / 30 days) |
| JENTADUETO TAB 2.5-850 | 1 | QL (60 tabs / 30 days) |
| JENTADUETO TAB 2.5-1000 | 1 | QL (60 tabs / 30 days) |
| JENTADUETO TAB XR 2.5-1000MG | 1 | QL (60 tabs / 30 days) |
| JENTADUETO TAB XR 5-1000MG | 1 | QL (30 tabs / 30 days) |
| <i>metformin hcl</i> TABS 500mg | 1 | QL (150 tabs / 30 days) |
| <i>metformin hcl</i> TABS 850mg | 1 | QL (90 tabs / 30 days) |
| <i>metformin hcl</i> TABS 1000mg | 1 | QL (75 tabs / 30 days) |
| <i>metformin hcl</i> TB24 500mg | 1 | QL (120 tabs / 30 days); (generic of GLUCOPHAGE XR) |
| <i>metformin hcl</i> TB24 750mg | 1 | QL (60 tabs / 30 days); (generic of GLUCOPHAGE XR) |
| MOUNJARO SOPN 2.5mg/0.5ml, 5mg/0.5ml, 7.5mg/0.5ml, 10mg/0.5ml, 12.5mg/0.5ml, 15mg/0.5ml | 1 | QL (4 pens / 28 days), PA |
| <i>nateglinide</i> TABS 60mg, 120mg | 1 | QL (90 tabs / 30 days) |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) SOPN 2mg/1.5ml | 1 | QL (1 pen / 28 days), PA |
| OZEMPIC (0.25 OR 0.5MG/DOSE) SOPN 2mg/3ml | 1 | QL (1 pen / 28 days), PA |
| OZEMPIC (1MG/DOSE) SOPN 4mg/3ml | 1 | QL (1 pen / 28 days), PA |
| OZEMPIC (2MG/DOSE) SOPN 8mg/3ml | 1 | QL (1 pen / 28 days), PA |
| <i>pioglitazone hcl</i> TABS 15mg, 30mg, 45mg | 1 | QL (30 tabs / 30 days) |
| <i>pioglitazone hcl-metformin hcl</i> tab 15-500 mg | 1 | QL (90 tabs / 30 days) |
| <i>pioglitazone hcl-metformin hcl</i> tab 15-850 mg | 1 | QL (90 tabs / 30 days) |
| <i>repaglinide</i> TABS 2mg | 1 | QL (240 tabs / 30 days) |
| <i>repaglinide</i> TABS .5mg, 1mg | 1 | QL (120 tabs / 30 days) |
| RYBELSUS TABS 3mg, 7mg, 14mg | 1 | QL (30 tabs / 30 days), PA |
| SYNJARDY TAB 5-500MG | 1 | QL (120 tabs / 30 days) |
| SYNJARDY TAB 5-1000MG | 1 | QL (60 tabs / 30 days) |
| SYNJARDY TAB 12.5-500 | 1 | QL (60 tabs / 30 days) |
| SYNJARDY TAB 12.5-1000MG | 1 | QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 5-1000MG | 1 | QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 10-1000 | 1 | QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 12.5-1000 | 1 | QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 25-1000 | 1 | QL (30 tabs / 30 days) |
| TRADJENTA TABS 5mg | 1 | QL (30 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 5-2.5-1000MG | 1 | QL (60 tabs / 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TRIJARDY XR TAB ER 24HR 10-5-1000MG | 1 | QL (30 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 12.5-2.5-1000MG | 1 | QL (60 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 25-5-1000MG | 1 | QL (30 tabs / 30 days) |
| TRULICITY SOPN .75mg/0.5ml, 1.5mg/0.5ml, 3mg/0.5ml, 4.5mg/0.5ml | 1 | QL (4 pens / 28 days), PA |
| XIGDUO XR TAB 2.5-1000 | 1 | QL (60 tabs / 30 days) |
| XIGDUO XR TAB 5-500MG | 1 | QL (60 tabs / 30 days) |
| XIGDUO XR TAB 5-1000MG | 1 | QL (60 tabs / 30 days) |
| XIGDUO XR TAB 10-500MG | 1 | QL (30 tabs / 30 days) |
| XIGDUO XR TAB 10-1000 | 1 | QL (30 tabs / 30 days) |
| <i>ANTIDIABETICS, INSULINS</i> | | |
| ADMELOG SOLN 100unit/ml | 1 | |
| ADMELOG SOLOSTAR SOPN 100unit/ml | 1 | |
| BASAGLAR KWIKPEN SOPN 100unit/ml | 1 | |
| BD ALCOHOL SWABS | 1 | |
| FIASP SOLN 100unit/ml | 1 | |
| FIASP FLEXTOUCH SOPN 100unit/ml | 1 | |
| FIASP PENFILL SOCT 100unit/ml | 1 | |
| FIASP PUMPCART SOCT 100unit/ml | 1 | B/D |
| GAUZE PADS 2" X 2" | 1 | |
| HUMULIN R U-500 (CONCENTR SOLN 500unit/ml | 1 | NDS, B/D |
| HUMULIN R U-500 KWIKPEN SOPN 500unit/ml | 1 | NDS |
| INSULIN PEN NEEDLES: BD/NOVO | 1 | |
| INSULIN SAFETY NEEDLES | 1 | |
| INSULIN SYRINGES: BD | 1 | |
| LANTUS SOLN 100unit/ml | 1 | |
| LANTUS SOLOSTAR SOPN 100unit/ml | 1 | |
| NOVOLIN INJ 70/30 | 1 | (brand RELION not covered) |
| NOVOLIN INJ 70/30 FP | 1 | (brand RELION not covered) |
| NOVOLIN N SUSP 100unit/ml | 1 | (brand RELION not covered) |
| NOVOLIN N FLEXPEN SUPN 100unit/ml | 1 | (brand RELION not covered) |
| NOVOLIN R SOLN 100unit/ml | 1 | (brand RELION not covered) |
| NOVOLIN R FLEXPEN SOPN 100unit/ml | 1 | (brand RELION not covered) |
| NOVOLOG MIX INJ 70/30 | 1 | (brand RELION not covered) |
| NOVOLOG MIX INJ FLEXPEN | 1 | (brand RELION not covered) |
| OMNIPOD 5 G6 KIT INTRO | 1 | QL (1 kit / year), PA |
| OMNIPOD 5 G6 MIS PODS | 1 | QL (15 pods / 30 days), PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| OMNIPOD 5 G7 KIT INTRO | 1 | QL (1 kit / year), PA |
| OMNIPOD 5 G7 MIS PODS | 1 | QL (15 pods / 30 days), PA |
| OMNIPOD DASH KIT INTRO | 1 | QL (1 kit / year), PA |
| OMNIPOD DASH MIS PODS | 1 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 10UNT/DY | 1 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 15UNT/DY | 1 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 20UNT/DY | 1 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 25UNT/DY | 1 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 30UNT/DY | 1 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 35UNT/DY | 1 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 40UNT/DY | 1 | QL (15 pods / 30 days), PA |
| OMNIPOD MIS CLASSIC | 1 | QL (15 pods / 30 days), PA |
| SOLIQUA INJ 100/33 | 1 | QL (5 pens / 25 days) |
| TOUJEO MAX SOLOSTAR SOPN 300unit/ml | 1 | |
| TOUJEO SOLOSTAR SOPN 300unit/ml | 1 | |
| TRESIBA SOLN 100unit/ml | 1 | |
| TRESIBA FLEXTOUCH SOPN 100unit/ml, 200unit/ml | 1 | |
| V-GO 20 KIT | 1 | QL (30 devices / 30 days), PA |
| V-GO 30 KIT | 1 | QL (30 devices / 30 days), PA |
| V-GO 40 KIT | 1 | QL (30 devices / 30 days), PA |
| XULTOPHY INJ 100/3.6 | 1 | QL (5 pens / 30 days) |
| CALCIUM REGULATORS | | |
| alendronate sodium SOLN 70mg/75ml; TABS 10mg, 35mg, 70mg | 1 | |
| calcitonin (salmon) spray SOLN 200unit/act | 1 | B/D |
| ibandronate sodium TABS 150mg | 1 | B/D |
| NATPARA CART 25mcg, 50mcg, 75mcg, 100mcg | 1 | NDS, LA, PA |
| PAMIDRONATE DISODIUM SOLN 6mg/ml | 1 | B/D |
| pamidronate disodium SOLN 30mg/10ml, 90mg/10ml | 1 | B/D |
| PROLIA SOSY 60mg/ml | 1 | QL (1 syringe / 180 days), NM |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| risedronate sodium TABS 5mg, 35mg, 150mg; TBEC 35mg | 1 | |
| TERIPARATIDE SOPN 620mcg/2.48ml | 1 | NDS, NM, PA |
| XGEVA SOLN 120mg/1.7ml | 1 | NDS, NM, PA |
| zoledronic acid CONC 4mg/5ml; SOLN 4mg/100ml, 5mg/100ml | 1 | B/D, NM |
| CHELATING AGENTS | | |
| CHEMET CAPS 100mg | 1 | NDS |
| deferasirox PACK 90mg, 180mg, 360mg; TABS 180mg, 360mg | 1 | NDS, NM, PA |
| deferasirox TABS 90mg | 1 | NM, PA |
| LOKELMA PACK 5gm, 10gm | 1 | |
| penicillamine TABS 250mg | 1 | NDS, NM |
| sodium polystyrene sulfonate powder | 1 | |
| sps SUSP 15gm/60ml | 1 | |
| trientine hcl CAPS 250mg | 1 | NDS, NM, PA |
| VELTASSA PACK 8.4gm, 16.8gm, 25.2gm | 1 | |
| CONTRACEPTIVES | | |
| afirmelle | 1 | |
| altavera | 1 | |
| alyacen 1/35 | 1 | |
| alyacen 7/7/7 | 1 | |
| amethia | 1 | |
| apri | 1 | |
| aranelle | 1 | |
| ashlyna | 1 | |
| aubra eq | 1 | |
| aurovela 1/20 | 1 | |
| aurovela 24 fe | 1 | |
| aurovela fe 1.5/30 | 1 | |
| aurovela fe 1/20 | 1 | |
| aviane | 1 | |
| ayuna | 1 | |
| azurette | 1 | |
| balziva | 1 | |
| blisovi 24 fe | 1 | |
| blisovi fe 1.5/30 | 1 | |
| brielllyn | 1 | |
| camila TABS .35mg | 1 | |
| camreese | 1 | |
| camreese lo | 1 | |
| chateal eq | 1 | |
| cryselle-28 | 1 | |
| cyred eq | 1 | |
| dasetta 1/35 | 1 | |
| dasetta 7/7/7 | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>daysee</i> | 1 | |
| <i>deblitane TABS .35mg</i> | 1 | |
| <i>DEPO-SUBQ PROVERA 104 SUSY 104mg/0.65ml</i> | 1 | |
| <i>desogest-eth estrad & eth estrad tab 0.15- 0.02/0.01 mg(21/5)</i> | 1 | |
| <i>desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 1 | |
| <i>drospirenone-ethinyl estrad-levomefolate tab 3- 0.03-0.451 mg</i> | 1 | |
| <i>drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 1 | |
| <i>drospirenone-ethinyl estradiol tab 3-0.03 mg</i> | 1 | |
| <i>elinest</i> | 1 | |
| <i>eluryng</i> | 1 | |
| <i>enilloring</i> | 1 | |
| <i>enpresse-28</i> | 1 | |
| <i>enskyce</i> | 1 | |
| <i>errin TABS .35mg</i> | 1 | |
| <i>estarylla</i> | 1 | |
| <i>ethynodiol diacetate & ethinyl estradiol tab 1 mg-35 mcg</i> | 1 | |
| <i>ethynodiol diacetate & ethinyl estradiol tab 1 mg-50 mcg</i> | 1 | |
| <i>etongestrel-ethinyl estradiol va ring 0.12- 0.015 mg/24hr</i> | 1 | |
| <i>falmina</i> | 1 | |
| <i>finzala</i> | 1 | |
| <i>hailey 1.5/30</i> | 1 | |
| <i>hailey 24 fe</i> | 1 | |
| <i>haloette</i> | 1 | |
| <i>heather TABS .35mg</i> | 1 | |
| <i>iclevia</i> | 1 | |
| <i>incassia TABS .35mg</i> | 1 | |
| <i>introvale</i> | 1 | |
| <i>isibloom</i> | 1 | |
| <i>jasmiel</i> | 1 | |
| <i>jolessa</i> | 1 | |
| <i>juleber</i> | 1 | |
| <i>junel 1.5/30</i> | 1 | |
| <i>junel 1/20</i> | 1 | |
| <i>junel fe 1.5/30</i> | 1 | |
| <i>junel fe 1/20</i> | 1 | |
| <i>junel fe 24</i> | 1 | |
| <i>kaitlib fe</i> | 1 | |
| <i>kariva</i> | 1 | |
| <i>kelnor 1/35</i> | 1 | |
| <i>kelnor 1/50</i> | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>kurvelo</i> | 1 | |
| <i>larin 1.5/30</i> | 1 | |
| <i>larin 1/20</i> | 1 | |
| <i>larin 24 fe</i> | 1 | |
| <i>larin fe 1.5/30</i> | 1 | |
| <i>larin fe 1/20</i> | 1 | |
| <i>layolis fe</i> | 1 | |
| <i>leena</i> | 1 | |
| <i>lessina</i> | 1 | |
| <i>levonest</i> | 1 | |
| <i>levonor-eth est tab 0.15-0.02/0.025/0.03 mg &eth est 0.01 mg</i> | 1 | |
| <i>levonorg-eth est tab 0.1-0.02mg(84) & eth est tab 0.01mg(7)</i> | 1 | |
| <i>levonorg-eth est tab 0.15-0.03mg(84) & eth est tab 0.01mg(7)</i> | 1 | |
| <i>levonorgestrel & ethynodiol dihydrogen phosphate (91-day) tab 0.15-0.03 mg</i> | 1 | |
| <i>levonorgestrel & ethynodiol dihydrogen phosphate tab 0.1 mg-20 mcg</i> | 1 | |
| <i>levonorgestrel & ethynodiol dihydrogen phosphate tab 0.15 mg-30 mcg</i> | 1 | |
| <i>levonorgestrel-eth estra tab 0.05-30/0.075-40/0.125-30mg-mcg</i> | 1 | |
| <i>levora 0.15/30-28</i> | 1 | |
| <i>loestrin 1.5/30-21</i> | 1 | |
| <i>loestrin 1/20-21</i> | 1 | |
| <i>loestrin fe 1.5/30</i> | 1 | |
| <i>loestrin fe 1/20</i> | 1 | |
| <i>loryna</i> | 1 | |
| <i>low-ogestrel</i> | 1 | |
| <i>lutera</i> | 1 | |
| <i>lyeq TABS .35mg</i> | 1 | |
| <i>lyza TABS .35mg</i> | 1 | |
| <i>marlissa</i> | 1 | |
| <i>medroxyprogesterone acetate (contraceptive) SUSP 150mg/ml; SUSY 150mg/ml</i> | 1 | |
| <i>mibelas 24 fe</i> | 1 | |
| <i>microgestin 1.5/30</i> | 1 | |
| <i>microgestin 1/20</i> | 1 | |
| <i>microgestin 24 fe</i> | 1 | |
| <i>microgestin fe 1.5/30</i> | 1 | |
| <i>microgestin fe 1/20</i> | 1 | |
| <i>mili</i> | 1 | |
| <i>mono-linyah</i> | 1 | |
| <i>necon 0.5/35-28</i> | 1 | |
| <i>nikki</i> | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>nora-be TABS .35mg</i> | 1 | |
| <i>norelgestromin-ethinyl estradiol td ptwk 150-35 mcg/24hr</i> | 1 | |
| <i>norethindrone & ethinyl estradiol-fe chew tab 0.4 mg-35 mcg</i> | 1 | |
| <i>norethindrone & ethinyl estradiol-fe chew tab 0.8 mg-25 mcg</i> | 1 | |
| <i>norethindrone (contraceptive) TABS .35mg</i> | 1 | |
| <i>norethindrone ac-ethinyl estrad-fe tab 1-20/1-30/1-35 mg-mcg</i> | 1 | |
| <i>norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg</i> | 1 | |
| <i>norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 1 | |
| <i>norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 1 | |
| <i>norethindrone ace-eth estradiol-fe chew tab 1 mg-20 mcg (24)</i> | 1 | |
| <i>norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 1 | |
| <i>norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 1 | |
| <i>norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 1 | |
| <i>norlyroc TABS .35mg</i> | 1 | |
| <i>nortrel 0.5/35 (28)</i> | 1 | |
| <i>nortrel 1/35 (21)</i> | 1 | |
| <i>nortrel 1/35 (28)</i> | 1 | |
| <i>nortrel 7/7/7</i> | 1 | |
| <i>nylia 1/35</i> | 1 | |
| <i>nylia 7/7/7</i> | 1 | |
| <i>nymyo</i> | 1 | |
| <i>ocella</i> | 1 | |
| <i>philith</i> | 1 | |
| <i>pimtrea</i> | 1 | |
| <i>portia-28</i> | 1 | |
| <i>reclipsen</i> | 1 | |
| <i>rivelsa</i> | 1 | |
| <i>setlakin</i> | 1 | |
| <i>sharobel TABS .35mg</i> | 1 | |
| <i>simliya</i> | 1 | |
| <i>simpesese</i> | 1 | |
| <i>sprintec 28</i> | 1 | |
| <i>sronyx</i> | 1 | |
| <i>syeda</i> | 1 | |
| <i>tarina 24 fe</i> | 1 | |
| <i>tarina fe 1/20 eq</i> | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>tilia fe</i> | 1 | |
| <i>tri-estarrylla</i> | 1 | |
| <i>tri-legest fe</i> | 1 | |
| <i>tri-linyah</i> | 1 | |
| <i>tri-lo-estarrylla</i> | 1 | |
| <i>tri-lo-marzia</i> | 1 | |
| <i>tri-lo-mili</i> | 1 | |
| <i>tri-lo-sprintec</i> | 1 | |
| <i>tri-mili</i> | 1 | |
| <i>tri-nymyo</i> | 1 | |
| <i>tri-sprintec</i> | 1 | |
| <i>tri-vylibra</i> | 1 | |
| <i>tri-vylibra lo</i> | 1 | |
| <i>trivora-28</i> | 1 | |
| <i>turqoz</i> | 1 | |
| <i>tydemy</i> | 1 | |
| <i>velivet</i> | 1 | |
| <i>vestura</i> | 1 | |
| <i>vienna</i> | 1 | |
| <i>viorele</i> | 1 | |
| <i>vyfemla</i> | 1 | |
| <i>vylibra</i> | 1 | |
| <i>wera</i> | 1 | |
| <i>wymzya fe</i> | 1 | |
| <i>xulane</i> | 1 | |
| <i>zafemy</i> | 1 | |
| <i>zovia 1/35</i> | 1 | |
| <i>zumandimine</i> | 1 | |
| ENDOMETRIOSIS | | |
| <i>danazol</i> CAPS 50mg, 100mg, 200mg | 1 | |
| <i>SYNAREL</i> SOLN 2mg/ml | 1 | NDS, PA |
| ESTROGENS | | |
| <i>amabelz tab 0.5-0.1mg</i> | 1 | |
| <i>dotti</i> PTTW .025mg/24hr, .037mg/24hr, .05mg/24hr, .075mg/24hr, .1mg/24hr | 1 | |
| <i>estradiol</i> PTTW .025mg/24hr, .037mg/24hr, .05mg/24hr, .075mg/24hr, .1mg/24hr; PTWK .025mg/24hr, .05mg/24hr, .06mg/24hr, .075mg/24hr, .1mg/24hr, 37.5mcg/24hr; TABS .5mg, 1mg, 2mg | 1 | |
| <i>estradiol & norethindrone acetate tab 0.5-0.1 mg</i> | 1 | |
| <i>estradiol & norethindrone acetate tab 1-0.5 mg</i> | 1 | |
| <i>estradiol vaginal</i> CREA .1mg/gm; TABS 10mcg | 1 | |
| <i>estradiol valerate</i> OIL 10mg/ml, 20mg/ml, 40mg/ml | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>fyavolv tab 0.5mg-2.5mcg</i> | 1 | |
| <i>fyavolv tab 1mg-5mcg</i> | 1 | |
| <i>jinteli</i> | 1 | |
| <i>lyllana PTTW .025mg/24hr, .037mg/24hr, .05mg/24hr, .075mg/24hr, .1mg/24hr</i> | 1 | |
| <i>mimvey</i> | 1 | |
| <i>norethindrone acetate-ethinyl estradiol tab 0.5 mg-2.5 mcg</i> | 1 | |
| <i>norethindrone acetate-ethinyl estradiol tab 1 mg-5 mcg</i> | 1 | |
| <i>yuvafem TABS 10mcg</i> | 1 | |
| GLUCOCORTICOIDS | | |
| <i>dexamethasone ELIX .5mg/5ml; SOLN .5mg/5ml; TABS .5mg, .75mg, 1mg, 1.5mg, 2mg, 4mg, 6mg</i> | 1 | B/D |
| <i>DEXAMETHASONE INTENSOL CONC 1mg/ml</i> | 1 | B/D |
| <i>dexamethasone sodium phosphate SOLN 4mg/ml, 10mg/ml, 20mg/5ml, 100mg/10ml, 120mg/30ml</i> | 1 | |
| <i>fludrocortisone acetate TABS .1mg</i> | 1 | |
| <i>hydrocortisone TABS 5mg, 10mg, 20mg</i> | 1 | |
| <i>methylprednisolone TABS 4mg, 8mg, 16mg, 32mg</i> | 1 | B/D |
| <i>methylprednisolone TBPK 4mg</i> | 1 | |
| <i>methylprednisolone acetate SUSP 40mg/ml, 80mg/ml</i> | 1 | B/D |
| <i>methylprednisolone sod succ SOLR 40mg, 125mg, 1000mg</i> | 1 | B/D |
| <i>prednisolone SOLN 15mg/5ml</i> | 1 | B/D |
| <i>prednisolone sodium phosphate SOLN 5mg/5ml, 15mg/5ml, 25mg/5ml</i> | 1 | B/D |
| <i>prednisone SOLN 5mg/5ml; TABS 1mg, 2.5mg, 5mg, 10mg, 20mg, 50mg</i> | 1 | B/D |
| <i>prednisone TBPK 5mg, 10mg</i> | 1 | |
| <i>PREDNISONE INTENSOL CONC 5mg/ml</i> | 1 | B/D |
| <i>SOLU-CORTEF SOLR 100mg, 250mg, 500mg, 1000mg</i> | 1 | |
| GLUCOSE ELEVATING AGENTS | | |
| <i>diazoxide SUSP 50mg/ml</i> | 1 | NDS |
| <i>GVOKE HYOPEN 2-PACK SOAJ .5mg/0.1ml, 1mg/0.2ml</i> | 1 | |
| <i>GVOKE KIT SOLN 1mg/0.2ml</i> | 1 | |
| <i>GVOKE PFS SOSY 1mg/0.2ml</i> | 1 | |
| MISCELLANEOUS | | |
| <i>ALDURAZYME SOLN 2.9mg/5ml</i> | 1 | NDS, NM, LA, PA |
| <i>betaine powder for oral solution</i> | 1 | NDS, NM, LA |
| <i>cabergoline TABS .5mg</i> | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| <i>carglumic acid</i> TBSO 200mg | 1 | NDS, NM, LA, PA |
| CERDELGA CAPS 84mg | 1 | NDS, NM, LA, PA |
| CEREZYME SOLR 400unit | 1 | NDS, NM, LA, PA |
| <i>cinacalcet hcl</i> TABS 30mg, 60mg | 1 | B/D, QL (60 tabs / 30 days), NM |
| <i>cinacalcet hcl</i> TABS 90mg | 1 | NDS, B/D, QL (120 tabs / 30 days), NM |
| CYSTAGON CAPS 50mg, 150mg | 1 | NM, LA, PA |
| <i>desmopressin acetate</i> SOLN 4mcg/ml | 1 | NDS |
| <i>desmopressin acetate</i> TABS .1mg, .2mg | 1 | |
| <i>desmopressin acetate spray</i> SOLN .01% | 1 | |
| <i>desmopressin acetate spray refrigerated</i> SOLN .01% | 1 | |
| FABRAZYME SOLR 5mg, 35mg | 1 | NDS, NM, LA, PA |
| GENOTROPIN CART 5mg, 12mg | 1 | NDS, NM, PA |
| GENOTROPIN MINIQUICK PRSY .2mg, .4mg, .6mg, .8mg, 1mg, 1.2mg, 1.4mg, 1.6mg, 1.8mg, 2mg | 1 | NDS, NM, PA |
| INCRELEX SOLN 40mg/4ml | 1 | NDS, NM, LA, PA |
| <i>javygtor</i> PACK 100mg, 500mg; TABS 100mg | 1 | NDS, NM, LA, PA |
| KORLYM TABS 300mg | 1 | NDS, NM, LA, PA |
| <i>levocarnitine (metabolic modifiers)</i> SOLN 1gm/10ml; TABS 330mg | 1 | B/D |
| LUMIZYME SOLR 50mg | 1 | NDS, NM, LA, PA |
| LUPRON DEPOT-PED (1-MONTH KIT 7.5mg, 11.25mg, 15mg | 1 | NDS, NM, PA |
| LUPRON DEPOT-PED (3-MONTH KIT 11.25mg, 30mg | 1 | NDS, NM, PA |
| LUPRON DEPOT-PED (6-MONTH KIT 45mg | 1 | NDS, NM, PA |
| <i>mifepristone (hyperglycemia)</i> TABS 300mg | 1 | NDS, NM, PA |
| <i>miglustat</i> CAPS 100mg | 1 | NDS, QL (90 caps / 30 days), NM, PA |
| NAGLAZYME SOLN 1mg/ml | 1 | NDS, NM, LA, PA |
| <i>nitisinone</i> CAPS 2mg, 5mg, 10mg, 20mg | 1 | NDS, NM, PA |
| <i>octreotide acetate</i> SOLN 50mcg/ml, 100mcg/ml, 200mcg/ml; SOSY 50mcg/ml, 100mcg/ml | 1 | NM, PA |
| <i>octreotide acetate</i> SOLN 500mcg/ml, 1000mcg/ml; SOSY 500mcg/ml | 1 | NDS, NM, PA |
| <i>raloxifene hcl</i> TABS 60mg | 1 | |
| <i>sapropterin dihydrochloride</i> PACK 100mg, 500mg; TABS 100mg | 1 | NDS, NM, PA |
| SIGNIFOR SOLN .3mg/ml, .6mg/ml, .9mg/ml | 1 | NDS, NM, LA, PA |
| <i>sodium phenylbutyrate</i> POWD 3gm/tsp; TABS 500mg | 1 | NDS, NM, PA |
| SOMATULINE DEPOT SOLN 60mg/0.2ml, 90mg/0.3ml, 120mg/0.5ml | 1 | NDS, NM, LA, PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|
| SOMAVERT SOLR 10mg, 15mg, 20mg, 25mg, 30mg | 1 | NDS, NM, LA, PA |
| yargesa CAPS 100mg | 1 | NDS, QL (90 caps / 30 days), NM, PA |
| PHOSPHATE BINDER AGENTS | | |
| calcium acetate (phosphate binder) CAPS 667mg | 1 | QL (360 caps / 30 days) |
| calcium acetate (phosphate binder) TABS 667mg | 1 | QL (360 tabs / 30 days) |
| lanthanum carbonate CHEW 500mg, 1000mg | 1 | QL (90 tabs / 30 days) |
| lanthanum carbonate CHEW 750mg | 1 | QL (180 tabs / 30 days) |
| sevelamer carbonate PACK 2.4gm | 1 | QL (180 packets / 30 days) |
| sevelamer carbonate PACK .8gm | 1 | QL (540 packets / 30 days) |
| sevelamer carbonate TABS 800mg | 1 | QL (540 tabs / 30 days) |
| VELPHORO CHEW 500mg | 1 | NDS, QL (180 tabs / 30 days) |
| PROGESTINS | | |
| medroxyprogesterone acetate TABS 2.5mg, 5mg, 10mg | 1 | |
| megestrol acetate SUSP 40mg/ml | 1 | |
| megestrol acetate (appetite) SUSP 625mg/5ml | 1 | PA |
| norethindrone acetate TABS 5mg | 1 | |
| progesterone CAPS 100mg, 200mg | 1 | |
| THYROID AGENTS | | |
| euthyrox TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg | 1 | |
| levo-t TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 1 | |
| levothyroxine sodium TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 1 | |
| levoxyl TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg | 1 | |
| liothyronine sodium TABS 5mcg, 25mcg, 50mcg | 1 | |
| methimazole TABS 5mg, 10mg | 1 | |
| propylthiouracil TABS 50mg | 1 | |
| SYNTHROID TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 1 | |
| unithroid TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| VITAMIN D ANALOGS | | |
| <i>calcitriol</i> CAPS .25mcg, .5mcg | 1 | B/D |
| <i>calcitriol (oral)</i> SOLN 1mcg/ml | 1 | B/D |
| <i>paricalcitol</i> CAPS 1mcg, 2mcg, 4mcg | 1 | B/D |
| <i>RAYALDEE</i> CPCR 30mcg | 1 | NDS |
| GASTROINTESTINAL | | |
| ANTIEMETICS | | |
| <i>aprepitant</i> CAPS 40mg, 80mg, 125mg | 1 | B/D |
| <i>aprepitant capsule therapy pack 80 & 125 mg</i> | 1 | B/D |
| <i>compro</i> SUPP 25mg | 1 | |
| <i>dronabinol</i> CAPS 2.5mg, 5mg, 10mg | 1 | B/D, QL (60 caps / 30 days) |
| <i>granisetron hcl</i> SOLN 1mg/ml, 4mg/4ml | 1 | |
| <i>granisetron hcl</i> TABS 1mg | 1 | B/D |
| <i>meclizine hcl</i> TABS 12.5mg, 25mg | 1 | |
| <i>metoclopramide hcl</i> SOLN 5mg/5ml, 5mg/ml; TABS 5mg, 10mg | 1 | |
| <i>ondansetron</i> TBDP 4mg, 8mg | 1 | B/D |
| <i>ondansetron hcl</i> SOLN 4mg/2ml, 40mg/20ml; SOSY 4mg/2ml | 1 | |
| <i>ondansetron hcl</i> SOLN 4mg/5ml; TABS 4mg, 8mg | 1 | B/D |
| <i>prochlorperazine</i> SUPP 25mg | 1 | |
| <i>prochlorperazine edisylate</i> SOLN 10mg/2ml | 1 | |
| <i>prochlorperazine maleate</i> TABS 5mg, 10mg | 1 | |
| <i>promethazine hcl</i> SOLN 6.25mg/5ml, 25mg/ml, 50mg/ml; TABS 12.5mg, 25mg, 50mg | 1 | PA; PA if 70 years and older |
| <i>scopolamine</i> PT72 1mg/3days | 1 | QL (10 patches / 30 days), PA; PA if 70 years and older |
| ANTISPASMODICS | | |
| <i>dicyclomine hcl</i> CAPS 10mg; SOLN 10mg/5ml; TABS 20mg | 1 | |
| <i>glycopyrrolate</i> TABS 1mg | 1 | QL (90 tabs / 30 days) |
| <i>glycopyrrolate</i> TABS 2mg | 1 | QL (120 tabs / 30 days) |
| H2-RECEPTOR ANTAGONISTS | | |
| <i>famotidine</i> SOLN 20mg/2ml, 40mg/4ml, 200mg/20ml | 1 | |
| <i>famotidine</i> SUSR 40mg/5ml | 1 | QL (300 mL / 30 days) |
| <i>famotidine</i> TABS 20mg | 1 | QL (120 tabs / 30 days) |
| <i>famotidine</i> TABS 40mg | 1 | QL (60 tabs / 30 days) |
| <i>famotidine in nacl 0.9% iv soln 20 mg/50ml</i> | 1 | |
| <i>nizatidine</i> CAPS 150mg, 300mg | 1 | |
| INFLAMMATORY BOWEL DISEASE | | |
| <i>balsalazide disodium</i> CAPS 750mg | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| budesonide CPEP 3mg | 1 | QL (90 caps / 30 days), PA |
| budesonide TB24 9mg | 1 | NDS, QL (30 tabs / 30 days), PA |
| <i>hydrocortisone (intrarectal)</i> ENEM 100mg/60ml | 1 | |
| mesalamine CP24 .375gm | 1 | QL (120 caps / 30 days) |
| mesalamine CPDR 400mg | 1 | QL (180 caps / 30 days) |
| mesalamine ENEM 4gm; SUPP 1000mg | 1 | |
| mesalamine TBEC 1.2gm | 1 | QL (120 tabs / 30 days) |
| mesalamine w/ cleanser KIT 4gm | 1 | |
| sulfasalazine TABS 500mg; TBEC 500mg | 1 | |
| LAXATIVES | | |
| constulose SOLN 10gm/15ml | 1 | |
| enulose SOLN 10gm/15ml | 1 | |
| gavilyte-c | 1 | |
| gavilyte-g | 1 | |
| generlac SOLN 10gm/15ml | 1 | |
| lactulose SOLN 10gm/15ml | 1 | |
| lactulose (encephalopathy) SOLN 10gm/15ml | 1 | |
| peg 3350-kcl-na bicarb-nacl-na sulfate for soln 236 gm | 1 | |
| peg 3350-kcl-sod bicarb-nacl for soln 420 gm | 1 | |
| PLENVU SOL | 1 | |
| sod sulfate-pot sulf-mg sulf oral sol 17.5-3.13-1.6 gm/177ml | 1 | |
| MISCELLANEOUS | | |
| alosetron hcl TABS .5mg, 1mg | 1 | NDS, QL (60 tabs / 30 days), PA |
| cromolyn sodium (mastocytosis) CONC 100mg/5ml | 1 | |
| diphenoxylate w/ atropine liq 2.5-0.025 mg/5ml | 1 | |
| diphenoxylate w/ atropine tab 2.5-0.025 mg | 1 | |
| GATTEX KIT 5mg | 1 | NDS, NM, LA, PA |
| LINZESS CAPS 72mcg, 145mcg, 290mcg | 1 | QL (30 caps / 30 days) |
| loperamide hcl CAPS 2mg | 1 | |
| misoprostol TABS 100mcg, 200mcg | 1 | |
| MOVANTIK TABS 12.5mg, 25mg | 1 | QL (30 tabs / 30 days) |
| RELISTOR SOLN 8mg/0.4ml, 12mg/0.6ml | 1 | NDS, QL (28 syringes / 28 days), PA |
| sucralfate TABS 1gm | 1 | |
| ursodiol CAPS 300mg; TABS 250mg, 500mg | 1 | |
| XERMELO TABS 250mg | 1 | NDS, QL (84 tabs / 28 days), NM, LA, PA |
| XIFAXAN TABS 550mg | 1 | NDS, PA |
| PANCREATIC ENZYMES | | |
| CREON CAP 3000UNIT | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| CREON CAP 6000UNIT | 1 | |
| CREON CAP 12000UNT | 1 | |
| CREON CAP 24000UNT | 1 | |
| CREON CAP 36000UNT | 1 | |
| ZENPEP CAP 3000UNIT | 1 | |
| ZENPEP CAP 5000UNIT | 1 | |
| ZENPEP CAP 10000UNT | 1 | |
| ZENPEP CAP 15000UNT | 1 | |
| ZENPEP CAP 20000UNT | 1 | |
| ZENPEP CAP 25000UNT | 1 | |
| ZENPEP CAP 40000UNT | 1 | |
| ZENPEP CAP 60000UNT | 1 | |
| PROTON PUMP INHIBITORS | | |
| <i>esomeprazole magnesium</i> CPDR 20mg, 40mg | 1 | QL (30 caps / 30 days), ST |
| <i>lansoprazole</i> CPDR 15mg, 30mg | 1 | QL (60 caps / 30 days) |
| <i>omeprazole</i> CPDR 10mg, 20mg, 40mg | 1 | |
| <i>pantoprazole sodium</i> SOLR 40mg; TBEC 20mg, 40mg | 1 | |
| <i>rabeprazole sodium</i> TBEC 20mg | 1 | QL (30 tabs / 30 days) |
| GENITOURINARY | | |
| BENIGN PROSTATIC HYPERPLASIA | | |
| <i>alfuzosin hcl</i> TB24 10mg | 1 | QL (30 tabs / 30 days) |
| <i>dutasteride</i> CAPS .5mg | 1 | QL (30 caps / 30 days) |
| <i>dutasteride-tamsulosin hcl cap 0.5-0.4 mg</i> | 1 | QL (30 caps / 30 days) |
| <i>finasteride</i> TABS 5mg | 1 | QL (30 tabs / 30 days) |
| <i>tamsulosin hcl</i> CAPS .4mg | 1 | QL (60 caps / 30 days) |
| MISCELLANEOUS | | |
| <i>acetic acid</i> SOLN .25% | 1 | |
| <i>bethanechol chloride</i> TABS 5mg, 10mg, 25mg, 50mg | 1 | |
| <i>potassium citrate (alkalinizer)</i> TBCR 15meq, 540mg, 1080mg | 1 | |
| URINARY ANTISPASMODICS | | |
| <i>fesoterodine fumarate</i> TB24 4mg, 8mg | 1 | QL (30 tabs / 30 days) |
| <i>GEMTESA</i> TABS 75mg | 1 | QL (30 tabs / 30 days) |
| <i>MYRBETRIQ</i> SRER 8mg/ml | 1 | QL (300 mL / 28 days) |
| <i>MYRBETRIQ</i> TB24 25mg, 50mg | 1 | QL (30 tabs / 30 days) |
| <i>oxybutynin chloride</i> SOLN 5mg/5ml | 1 | QL (600 mL / 30 days) |
| <i>oxybutynin chloride</i> TABS 5mg | 1 | QL (120 tabs / 30 days) |
| <i>oxybutynin chloride</i> TB24 5mg | 1 | QL (30 tabs / 30 days) |
| <i>oxybutynin chloride</i> TB24 10mg, 15mg | 1 | QL (60 tabs / 30 days) |
| <i>solifenacin succinate</i> TABS 5mg, 10mg | 1 | QL (30 tabs / 30 days) |
| <i>tolterodine tartrate</i> CP24 2mg, 4mg | 1 | QL (30 caps / 30 days), ST |
| <i>tolterodine tartrate</i> TABS 1mg, 2mg | 1 | QL (60 tabs / 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| <i>trospium chloride</i> TABS 20mg | 1 | QL (60 tabs / 30 days) |
| VAGINAL ANTI-INFECTIVES | | |
| <i>clindamycin phosphate vaginal</i> CREA 2% | 1 | |
| <i>metronidazole vaginal</i> GEL .75% | 1 | |
| <i>terconazole vaginal</i> CREA .4%, .8%; SUPP 80mg | 1 | |
| HEMATOLOGIC | | |
| ANTICOAGULANTS | | |
| <i>dabigatran etexilate mesylate</i> CAPS 75mg, 150mg | 1 | QL (60 caps / 30 days) |
| <i>dabigatran etexilate mesylate</i> CAPS 110mg | 1 | QL (120 caps / 30 days) |
| <i>ELIQUIS</i> TABS 2.5mg | 1 | QL (60 tabs / 30 days) |
| <i>ELIQUIS</i> TABS 5mg | 1 | QL (74 tabs / 30 days) |
| <i>ELIQUIS</i> STARTER PACK TBPK 5mg | 1 | QL (74 tabs / 30 days) |
| <i>enoxaparin sodium</i> SOLN 300mg/3ml; SOSY 30mg/0.3ml, 40mg/0.4ml, 60mg/0.6ml, 80mg/0.8ml, 100mg/ml, 120mg/0.8ml, 150mg/ml | 1 | |
| <i>fondaparinux sodium</i> SOLN 2.5mg/0.5ml | 1 | |
| <i>fondaparinux sodium</i> SOLN 5mg/0.4ml, 7.5mg/0.6ml, 10mg/0.8ml | 1 | NDS |
| HEP SOD/D5W INJ 20000UNT | 1 | |
| HEP SOD/D5W INJ 25000UNT | 1 | |
| HEP SOD/NACL INJ 12500UNT | 1 | |
| HEP SOD/NACL INJ 25000UNT | 1 | |
| <i>heparin sodium (porcine)</i> SOLN 1000unit/ml, 5000unit/ml, 10000unit/ml, 20000unit/ml | 1 | B/D |
| HEPARIN/NACL INJ 25000UNT | 1 | |
| <i>jantoven</i> TABS 1mg, 2mg, 2.5mg, 3mg, 4mg, 5mg, 6mg, 7.5mg, 10mg | 1 | |
| <i>PRADAXA</i> CAPS 110mg | 1 | QL (120 caps / 30 days) |
| <i>warfarin sodium</i> TABS 1mg, 2mg, 2.5mg, 3mg, 4mg, 5mg, 6mg, 7.5mg, 10mg | 1 | |
| <i>XARELTO</i> SUSR 1mg/ml | 1 | QL (620 mL / 30 days) |
| <i>XARELTO</i> TABS 2.5mg | 1 | QL (60 tabs / 30 days) |
| <i>XARELTO</i> TABS 10mg, 15mg, 20mg | 1 | QL (30 tabs / 30 days) |
| <i>XARELTO</i> STAR TAB 15/20MG | 1 | QL (51 tabs / 30 days) |
| HEMATOPOIETIC GROWTH FACTORS | | |
| <i>PROCRIT</i> SOLN 2000unit/ml, 3000unit/ml, 4000unit/ml, 10000unit/ml | 1 | NM, PA |
| <i>PROCRIT</i> SOLN 20000unit/ml, 40000unit/ml | 1 | NDS, NM, PA |
| <i>ZARXIO</i> SOSY 300mcg/0.5ml, 480mcg/0.8ml | 1 | NDS, NM, PA |
| <i>ZIEXTENZO</i> SOSY 6mg/0.6ml | 1 | NDS, QL (2 syringes / 28 days), NM, PA |
| MISCELLANEOUS | | |
| <i>anagrelide hcl</i> CAPS .5mg, 1mg | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| BERINERT KIT 500unit | 1 | NDS, QL (24 boxes / 30 days), NM, LA, PA |
| cilostazol TABS 50mg, 100mg | 1 | |
| DOPTELET TABS 20mg | 1 | NDS, NM, LA, PA |
| DROXIA CAPS 200mg, 300mg, 400mg | 1 | |
| ENDARI PACK 5gm | 1 | NDS, NM, LA, PA |
| HAEGARDA SOLR 2000unit | 1 | NDS, QL (30 vials / 30 days), NM, LA, PA |
| HAEGARDA SOLR 3000unit | 1 | NDS, QL (20 vials / 30 days), NM, LA, PA |
| icatibant acetate SOSY 30mg/3ml | 1 | NDS, QL (9 syringes / 30 days), NM, PA |
| pentoxifylline TBCR 400mg | 1 | |
| PROMACTA PACK 12.5mg | 1 | NDS, QL (360 packets / 30 days), NM, LA, PA |
| PROMACTA PACK 25mg | 1 | NDS, QL (180 packets / 30 days), NM, LA, PA |
| PROMACTA TABS 12.5mg, 25mg | 1 | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| PROMACTA TABS 50mg, 75mg | 1 | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| sajazir SOSY 30mg/3ml | 1 | NDS, QL (9 syringes / 30 days), NM, LA, PA |
| tranexamic acid SOLN 1000mg/10ml; TABS 650mg | 1 | |
| PLATELET AGGREGATION INHIBITORS | | |
| aspirin-dipyridamole cap er 12hr 25-200 mg | 1 | |
| BRILINTA TABS 60mg, 90mg | 1 | |
| clopidogrel bisulfate TABS 75mg | 1 | |
| dipyridamole TABS 25mg, 50mg, 75mg | 1 | PA; PA if 70 years and older |
| prasugrel hcl TABS 5mg, 10mg | 1 | |
| IMMUNOLOGIC AGENTS | | |
| AUTOIMMUNE AGENTS | | |
| ADALIMUMAB-AACF (2 PEN) AJKT 40mg/0.8ml | 1 | NDS, QL (56 pens / 365 days), NM, PA |
| DUPIXENT SOPN 200mg/1.14ml, 300mg/2ml; SOSY 100mg/0.67ml, 200mg/1.14ml, 300mg/2ml | 1 | NDS, NM, PA |
| ENBREL SOLN 25mg/0.5ml | 1 | NDS, QL (16 vials / 28 days), NM, PA |
| ENBREL SOSY 25mg/0.5ml | 1 | NDS, QL (16 syringes / 28 days), NM, PA |
| ENBREL SOSY 50mg/ml | 1 | NDS, QL (8 syringes / 28 days), NM, PA |
| ENBREL MINI SOCT 50mg/ml | 1 | NDS, QL (8 cartridges / 28 days), NM, PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| ENBREL SURECLICK SOAJ 50mg/ml | 1 | NDS, QL (8 pens / 28 days), NM, PA |
| HUMIRA PSKT 10mg/0.1ml, 20mg/0.2ml | 1 | NDS, QL (2 syringes / 28 days), NM, PA |
| HUMIRA PSKT 40mg/0.4ml, 40mg/0.8ml | 1 | NDS, QL (6 syringes / 28 days), NM, PA |
| HUMIRA PEDIA INJ CROHNS | 1 | NDS, QL (2 syringes / 28 days), NM, PA |
| HUMIRA PEDIATRIC CROHNS D PSKT 80mg/0.8ml | 1 | NDS, QL (3 syringes / 28 days), NM, PA |
| HUMIRA PEN PNKT 40mg/0.4ml, 40mg/0.8ml | 1 | NDS, QL (6 pens / 28 days), NM, PA |
| HUMIRA PEN PNKT 80mg/0.8ml | 1 | NDS, QL (4 pens / 28 days), NM, PA |
| HUMIRA PEN KIT PS/UV | 1 | NDS, QL (3 pens / 28 days), NM, PA |
| HUMIRA PEN-CD/UC/HS START PNKT 80mg/0.8ml | 1 | NDS, QL (3 pens / 28 days), NM, PA |
| HUMIRA PEN-PEDIATRIC UC S PNKT 80mg/0.8ml | 1 | NDS, QL (4 pens / 28 days), NM, PA |
| HUMIRA PEN-PS/UV STARTER PNKT 40mg/0.8ml | 1 | NDS, QL (4 pens / 28 days), NM, PA |
| IDACIO (2 PEN) AJKT 40mg/0.8ml | 1 | NDS, QL (56 pens / 365 days), NM, PA |
| IDACIO (2 SYRINGE) PSKT 40mg/0.8ml | 1 | NDS, QL (56 syringes / 365 days), NM, PA |
| IDACIO CROHN INJ DISEASE AJKT 40mg/0.8ml | 1 | NDS, QL (2 packs / year), NM, PA |
| IDACIO PLAQU INJ PSORIASIS AJKT 40mg/0.8ml | 1 | NDS, QL (2 packs / year), NM, PA |
| INFLIXIMAB SOLR 100mg | 1 | NDS, NM, LA, PA |
| KEVZARA SOAJ 150mg/1.14ml, 200mg/1.14ml | 1 | NDS, QL (2 pens / 28 days), NM, PA |
| KEVZARA SOSY 150mg/1.14ml, 200mg/1.14ml | 1 | NDS, QL (2 syringes / 28 days), NM, PA |
| OTEZLA TABS 30mg | 1 | NDS, QL (60 tabs / 30 days), NM, PA |
| OTEZLA TAB 10/20/30 | 1 | NDS, QL (110 tabs / year), NM, PA |
| REMICADE SOLR 100mg | 1 | NDS, NM, LA, PA |
| RENFLEXIS SOLR 100mg | 1 | NDS, NM, LA, PA |
| RINVOQ TB24 15mg, 30mg | 1 | NDS, QL (30 tabs / 30 days), NM, PA |
| RINVOQ TB24 45mg | 1 | NDS, QL (168 tabs / year), NM, PA |
| SKYRIZI SOCT 180mg/1.2ml, 360mg/2.4ml | 1 | NDS, QL (1 cartridge / 56 days), NM, PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|----------------------------------|------------------|--|
| SKYRIZI SOLN 600mg/10ml | 1 | NDS, QL (6 vials / year), NM, PA |
| SKYRIZI SOSY 150mg/ml | 1 | NDS, QL (6 syringes / 365 days), NM, PA |
| SKYRIZI PEN SOAJ 150mg/ml | 1 | NDS, QL (6 pens / 365 days), NM, PA |
| STELARA SOLN 45mg/0.5ml | 1 | NDS, QL (1 vial / 28 days), NM, LA, PA |
| STELARA SOLN 130mg/26ml | 1 | NDS, NM, LA, PA |
| STELARA SOSY 45mg/0.5ml, 90mg/ml | 1 | NDS, QL (1 syringe / 28 days), NM, PA |
| TALTZ SOAJ 80mg/ml; SOSY 80mg/ml | 1 | NDS, QL (3 syringes / 28 days), NM, LA, PA |
| XELJANZ SOLN 1mg/ml | 1 | NDS, QL (480 mL / 24 days), NM, PA |
| XELJANZ TABS 5mg, 10mg | 1 | NDS, QL (60 tabs / 30 days), NM, PA |
| XELJANZ XR TB24 11mg, 22mg | 1 | NDS, QL (30 tabs / 30 days), NM, PA |

DISEASE-MODIFYING ANTI-RHEUMATIC DRUGS (DMARDs)

| | |
|---------------------------------------|---|
| hydroxychloroquine sulfate TABS 200mg | 1 |
| leflunomide TABS 10mg, 20mg | 1 |
| methotrexate sodium TABS 2.5mg | 1 |
| XATMEP SOLN 2.5mg/ml | 1 |

IMMUNOGLOBULINS

| | | |
|---|---|-----------------|
| BIVIGAM SOLN 5gm/50ml, 10% | 1 | NDS, NM, LA, PA |
| FLEBOGAMMA DIF SOLN 5gm/100ml, 10gm/200ml, 20gm/400ml | 1 | NDS, NM, PA |
| GAMASTAN INJ | 1 | B/D, NM, LA |
| GAMMAGARD LIQUID SOLN 1gm/10ml, 2.5gm/25ml, 5gm/50ml, 10gm/100ml, 20gm/200ml, 30gm/300ml | 1 | NDS, NM, PA |
| GAMMAGARD S/D IGA LESS TH SOLR 5gm, 10gm | 1 | NDS, NM, PA |
| GAMMAKED SOLN 1gm/10ml, 5gm/50ml, 10gm/100ml, 20gm/200ml | 1 | NDS, NM, PA |
| GAMMAPLEX SOLN 5gm/100ml, 5gm/50ml, 10gm/100ml, 10gm/200ml, 20gm/200ml, 20gm/400ml | 1 | NDS, NM, LA, PA |
| GAMUNEX-C SOLN 1gm/10ml, 2.5gm/25ml, 5gm/50ml, 10gm/100ml, 20gm/200ml, 40gm/400ml | 1 | NDS, NM, PA |
| OCTAGAM SOLN 1gm/20ml, 2gm/20ml, 2.5gm/50ml, 5gm/100ml, 5gm/50ml, 10gm/100ml, 10gm/200ml, 20gm/200ml, 30gm/300ml | 1 | NDS, NM, PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| PANZYGA SOLN 1gm/10ml, 2.5gm/25ml, 5gm/50ml, 10gm/100ml, 20gm/200ml, 30gm/300ml | 1 | NDS, NM, PA |
| PRIVIGEN SOLN 5gm/50ml, 10gm/100ml, 20gm/200ml, 40gm/400ml | 1 | NDS, NM, PA |
| IMMUNOMODULATORS | | |
| ACTIMMUNE SOLN 2000000unit/0.5ml | 1 | NDS, NM, LA, PA |
| ARCALYST SOLR 220mg | 1 | NDS, NM, LA, PA |
| IMMUNOSUPPRESSANTS | | |
| ASTAGRAF XL CP24 5mg | 1 | NDS, B/D, NM |
| ASTAGRAF XL CP24 .5mg, 1mg | 1 | B/D, NM |
| <i>azathioprine</i> TABS 50mg | 1 | B/D |
| BENLYSTA SOAJ 200mg/ml; SOSY 200mg/ml | 1 | NDS, QL (8 syringes / 28 days), NM, LA, PA |
| BENLYSTA SOLR 120mg, 400mg | 1 | NDS, NM, LA, PA |
| <i>cyclosporine</i> CAPS 25mg, 100mg; SOLN 50mg/ml | 1 | B/D, NM |
| <i>cyclosporine modified (for microemulsion)</i> CAPS 25mg, 50mg, 100mg; SOLN 100mg/ml | 1 | B/D, NM |
| <i>everolimus (immunosuppressant)</i> TABS .25mg, .5mg, .75mg, 1mg | 1 | NDS, B/D, NM |
| <i>gengraf</i> CAPS 25mg, 100mg; SOLN 100mg/ml | 1 | B/D, NM |
| <i>mycophenolate mofetil</i> CAPS 250mg; TABS 500mg | 1 | B/D, NM |
| <i>mycophenolate mofetil</i> SUSR 200mg/ml | 1 | NDS, B/D, NM |
| <i>mycophenolate sodium</i> TBEC 180mg, 360mg | 1 | B/D, NM |
| NULOJIX SOLR 250mg | 1 | NDS, B/D, NM |
| PROGRAF PACK .2mg, 1mg | 1 | B/D, NM |
| REZUROCK TABS 200mg | 1 | NDS, NM, LA, PA |
| SANDIMMUNE SOLN 100mg/ml | 1 | B/D, NM |
| <i>sirolimus</i> SOLN 1mg/ml | 1 | NDS, B/D, NM |
| <i>sirolimus</i> TABS .5mg, 1mg, 2mg | 1 | B/D, NM |
| <i>tacrolimus</i> CAPS .5mg, 1mg, 5mg | 1 | B/D, NM |
| VACCINES | | |
| ABRYSVO SOLR 120mcg/0.5ml | 1 | |
| ACTHIB INJ | 1 | |
| ADACEL INJ | 1 | |
| AREXVY SUSR 120mcg/0.5ml | 1 | |
| BCG VACCINE SOLR 50mg | 1 | |
| BEXSERO INJ | 1 | |
| BOOSTRIX INJ | 1 | |
| DAPTACEL INJ | 1 | |
| DENGVAXIA SUS | 1 | |
| DIP/TET PED INJ 25-5LFU | 1 | B/D |
| ENGERIX-B SUSP 20mcg/ml; SUSY 10mcg/0.5ml, 20mcg/ml | 1 | B/D |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| GARDASIL 9 INJ | 1 | |
| HAVRIX SUSP 720elu/0.5ml, 1440elu/ml | 1 | |
| HEPLISAV-B SOSY 20mcg/0.5ml | 1 | B/D |
| HIBERIX SOLR 10mcg | 1 | |
| IMOVAX RABIES (H.D.C.V.) SUSR 2.5unit/ml | 1 | B/D |
| INFANRIX INJ | 1 | |
| IPOL INJ INACTIVE | 1 | |
| IXCHIQ INJ | 1 | |
| IXIARO INJ | 1 | |
| JYNNEOS SUSP .5ml | 1 | B/D |
| KINRIX INJ | 1 | |
| M-M-R II INJ | 1 | |
| MENACTRA INJ | 1 | |
| MENQUADFI INJ | 1 | |
| MENVEO INJ | 1 | |
| MENVEO SOL | 1 | |
| PEDIARIX INJ 0.5ML | 1 | |
| PEDVAX HIB SUSP 7.5mcg/0.5ml | 1 | |
| PENBRAYA INJ | 1 | |
| PENTACEL INJ | 1 | |
| PREHEVBRIOSUSP 10mcg/ml | 1 | B/D |
| PRIORIX INJ | 1 | |
| PROQUAD INJ | 1 | |
| QUADRACEL INJ | 1 | |
| QUADRACEL INJ 0.5ML | 1 | |
| RABAVERT INJ | 1 | B/D |
| RECOMBIVAX HB SUSP 5mcg/0.5ml, 10mcg/ml, 40mcg/ml; SUSY 5mcg/0.5ml, 10mcg/ml | 1 | B/D |
| ROTARIX SUS | 1 | |
| ROTATEQ SOL | 1 | |
| SHINGRIX SUSR 50mcg/0.5ml | 1 | QL (2 vials per lifetime) |
| TDVAX INJ 2-2 LF | 1 | B/D |
| TENIVAC INJ 5-2LF | 1 | B/D |
| TICOVAC SUSY 1.2mcg/0.25ml, 2.4mcg/0.5ml | 1 | |
| TRUMENBA INJ | 1 | |
| TWINRIX INJ | 1 | |
| TYPHIM VI SOLN 25mcg/0.5ml; SOSY 25mcg/0.5ml | 1 | |
| VAQTA SUSP 25unit/0.5ml, 50unit/ml | 1 | |
| VARIVAX INJ 1350pfu/0.5ml | 1 | |
| YF-VAX INJ | 1 | |

NUTRITIONAL/SUPPLEMENTS

ELECTROLYTES/MINERALS, INJECTABLE

| | |
|----------------------|---|
| D2.5W/NACL INJ 0.45% | 1 |
| D5W/LYTES INJ #48 | 1 |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| D10W/NACL INJ 0.2% | 1 | |
| dextrose 2.5% w/ sodium chloride 0.45% | 1 | |
| dextrose 5% in lactated ringers | 1 | |
| dextrose 5% w/ sodium chloride 0.2% | 1 | |
| dextrose 5% w/ sodium chloride 0.3% | 1 | |
| dextrose 5% w/ sodium chloride 0.9% | 1 | |
| dextrose 5% w/ sodium chloride 0.45% | 1 | |
| dextrose 5% w/ sodium chloride 0.225% | 1 | |
| dextrose 10% w/ sodium chloride 0.45% | 1 | |
| ISOLYTE-P INJ /D5W | 1 | |
| ISOLYTE-S INJ | 1 | |
| ISOLYTE-S INJ PH 7.4 | 1 | |
| kcl 10 meq/l (0.075%) in dextrose 5% & nacl 0.45% inj | 1 | |
| kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.2% inj | 1 | |
| kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.9% inj | 1 | |
| kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.45% inj | 1 | |
| kcl 20 meq/l (0.15%) in nacl 0.9% inj | 1 | |
| kcl 20 meq/l (0.15%) in nacl 0.45% inj | 1 | |
| kcl 20 meq/l (0.149%) in nacl 0.45% inj | 1 | |
| kcl 30 meq/l (0.224%) in dextrose 5% & nacl 0.45% inj | 1 | |
| kcl 40 meq/l (0.3%) in dextrose 5% & nacl 0.9% inj | 1 | |
| kcl 40 meq/l (0.3%) in dextrose 5% & nacl 0.45% inj | 1 | |
| kcl 40 meq/l (0.3%) in nacl 0.9% inj | 1 | |
| KCL/D5W/NACL INJ 0.3/0.9% | 1 | |
| lactated ringer's solution | 1 | |
| MAGNESIUM SULFATE SOLN 2gm/50ml, 4gm/100ml, 4gm/50ml, 20gm/500ml, 40gm/1000ml | 1 | |
| magnesium sulfate SOLN 2gm/50ml, 4gm/100ml, 4gm/50ml, 20gm/500ml, 40gm/1000ml, 50% | 1 | |
| magnesium sulfate in dextrose 5% iv soln 1 gm/100ml | 1 | |
| MG SO4/D5W INJ 10MG/ML | 1 | |
| multiple electrolytes ph 5.5 | 1 | |
| multiple electrolytes ph 7.4 | 1 | |
| PLASMA-LYTE INJ -148 | 1 | |
| PLASMA-LYTE INJ -A | 1 | |
| POT CHL 20MEQ/L IN NACL 0.9% INJ | 1 | |
| POT CHL 20MEQ/L IN NACL 0.45% INJ | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| POT CHL 40MEQ/L IN NACL 0.9% INJ | 1 | |
| <i>potassium chloride</i> SOLN 2meq/ml, 10meq/100ml, 20meq/100ml, 20meq/50ml, 40meq/100ml | 1 | |
| POTASSIUM CHLORIDE SOLN 10meq/50ml | 1 | |
| <i>potassium chloride</i> 20 meq/l (0.15%) in <i>dextrose</i> 5% inj | 1 | |
| <i>sodium chloride</i> SOLN .45%, .9%, 2.5meq/ml, 3%, 5% | 1 | |
| TPN ELECTROL INJ | 1 | B/D |
| ELECTROLYTES/MINERALS/VITAMINS, ORAL | | |
| <i>klor-con</i> PACK 20meq | 1 | |
| <i>klor-con</i> 8 TBCR 8meq | 1 | |
| <i>klor-con</i> 10 TBCR 10meq | 1 | |
| <i>klor-con</i> m10 TBCR 10meq | 1 | |
| <i>klor-con</i> m15 TBCR 15meq | 1 | |
| <i>klor-con</i> m20 TBCR 20meq | 1 | |
| M-NATAL PLUS TAB | 1 | |
| <i>potassium chloride</i> CPCR 8meq, 10meq; PACK 20meq; SOLN 10%, 20%; TBCR 8meq, 10meq, 20meq | 1 | |
| <i>potassium chloride</i> microencapsulated crystals er TBCR 10meq, 15meq, 20meq | 1 | |
| PRENATAL TAB 27-1MG | 1 | |
| PRENATAL TAB PLUS | 1 | |
| <i>sodium fluoride</i> chew; tab; 1.1 (0.5 f) mg/ml soln | 1 | |
| IV NUTRITION | | |
| CLINIMIX INJ 4.25/D5W | 1 | B/D |
| CLINIMIX INJ 4.25/D10 | 1 | B/D |
| CLINIMIX INJ 5%/D15W | 1 | B/D |
| CLINIMIX INJ 5%/D20W | 1 | B/D |
| CLINIMIX INJ 6/5 | 1 | B/D |
| CLINIMIX INJ 8/10 | 1 | B/D |
| CLINIMIX INJ 8/14 | 1 | B/D |
| <i>clenisol sf</i> 15% | 1 | B/D |
| CLINOLIPID EMU 20% | 1 | B/D |
| <i>dextrose</i> SOLN 5%, 10% | 1 | |
| <i>dextrose</i> SOLN 50%, 70% | 1 | B/D |
| INTRALIPID EMUL 20gm/100ml, 30gm/100ml | 1 | B/D |
| NUTRILIPID EMUL 20gm/100ml | 1 | B/D |
| <i>plenamine</i> | 1 | B/D |
| PREMASOL SOL 10% | 1 | NDS, B/D |
| PROSOL INJ 20% | 1 | B/D |
| TRAVASOL INJ 10% | 1 | B/D |
| TROPHAMINE INJ 10% | 1 | B/D |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| OPHTHALMIC | | |
| ANTI-INFECTIVE/ANTI-INFLAMMATORY | | |
| bacitracin-polymyxin-neomycin-hc ophth oint 1% | 1 | |
| neo-polycin hc ophth oint 1% | 1 | |
| neomycin-polymyxin-dexamethasone ophth oint 0.1% | 1 | |
| neomycin-polymyxin-dexamethasone ophth susp 0.1% | 1 | |
| neomycin-polymyxin-hc ophth susp | 1 | |
| sulfacetamide sodium-prednisolone ophth soln 10-0.23(0.25)% | 1 | |
| TOBRADEX OIN 0.3-0.1% | 1 | |
| TOBRADEX ST SUS 0.3-0.05 | 1 | |
| tobramycin-dexamethasone ophth susp 0.3- 0.1% | 1 | |
| ZYLET SUS 0.5-0.3% | 1 | |
| ANTI-INFECTIVES | | |
| bacitracin (ophthalmic) OINT 500unit/gm | 1 | |
| bacitracin-polymyxin b ophth oint | 1 | |
| BESIVANCE SUSP .6% | 1 | |
| CILOXAN OINT .3% | 1 | |
| ciprofloxacin hcl (ophth) SOLN .3% | 1 | |
| erythromycin (ophth) OINT 5mg/gm | 1 | |
| gatifloxacin (ophth) SOLN .5% | 1 | |
| gentamicin sulfate (ophth) SOLN .3% | 1 | |
| moxifloxacin hcl (ophth) SOLN .5% | 1 | |
| NATACYN SUSP 5% | 1 | |
| neo-polycin 5(3.5)mg-400unt-1000unt op oin | 1 | |
| neomycin-bacitrac zn-polymyx 5(3.5)mg- 400unt-1000unt op oin | 1 | |
| neomycin-polmy-gramcid op sol 1.75-10000- 0.025mg-unt-mg/ml | 1 | |
| ofloxacin (ophth) SOLN .3% | 1 | |
| polycin ophth oint | 1 | |
| polymyxin b-trimethoprim ophth soln 10000 unit/ml-0.1% | 1 | |
| sulfacetamide sodium (ophth) OINT 10%; SOLN 10% | 1 | |
| tobramycin (ophth) SOLN .3% | 1 | |
| trifluridine SOLN 1% | 1 | |
| ZIRGAN GEL .15% | 1 | |
| ANTI-INFLAMMATORIES | | |
| ALREX SUSP .2% | 1 | |
| bromfenac sodium (ophth) SOLN .07%, .075% | 1 | |
| BROMSITE SOLN .075% | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>dexamethasone sodium phosphate (ophth)</i> | 1 | |
| SOLN .1% | | |
| <i>diclofenac sodium (ophth)</i> SOLN .1% | 1 | |
| <i>diluprednate EMUL</i> .05% | 1 | |
| EYSUVIS SUSP .25% | 1 | |
| FLAREX SUSP .1% | 1 | |
| <i>fluorometholone (ophth)</i> SUSP .1% | 1 | |
| <i>flurbiprofen sodium</i> SOLN .03% | 1 | |
| <i>ketorolac tromethamine (ophth)</i> SOLN .4%, .5% | 1 | |
| LOTEMAX OINT .5% | 1 | |
| <i>loteprednol etabonate</i> SUSP .2% | 1 | |
| <i>prednisolone acetate (ophth)</i> SUSP 1% | 1 | |
| PREDNISOLONE SODIUM PHOSP SOLN 1% | 1 | |
| PROLENSA SOLN .07% | 1 | |
| ANTIALLERGICS | | |
| <i>azelastine hcl (ophth)</i> SOLN .05% | 1 | |
| <i>cromolyn sodium (ophth)</i> SOLN 4% | 1 | |
| ZERVIATE SOLN .24% | 1 | |
| ANTIGLAUCOMA | | |
| <i>betaxolol hcl (ophth)</i> SOLN .5% | 1 | |
| BETOPTIC-S SUSP .25% | 1 | |
| <i>brimonidine tartrate</i> SOLN .15%, .2% | 1 | |
| <i>brinzolamide</i> SUSP 1% | 1 | |
| <i>carteolol hcl (ophth)</i> SOLN 1% | 1 | |
| COMBIGAN SOL 0.2/0.5% | 1 | |
| <i>dorzolamide hcl</i> SOLN 2% | 1 | |
| <i>dorzolamide hcl-timolol maleate ophth soln</i> 2-0.5% | 1 | |
| <i>latanoprost</i> SOLN .005% | 1 | |
| <i>levobunolol hcl</i> SOLN .5% | 1 | |
| LUMIGAN SOLN .01% | 1 | |
| <i>pilocarpine hcl</i> SOLN 1%, 2%, 4% | 1 | |
| RHOPRESSA SOLN .02% | 1 | |
| ROCKLATAN DRO | 1 | |
| SIMBRINZA SUS 1-0.2% | 1 | |
| <i>timolol maleate (ophth)</i> SOLG .25%, .5%; SOLN .25%, .5% | 1 | |
| VYZULTA SOLN .024% | 1 | |
| MISCELLANEOUS | | |
| ATROPINE SULFATE SOLN 1% | 1 | |
| <i>atropine sulfate (ophthalmic)</i> SOLN 1% | 1 | |
| CYSTADROPS SOLN .37% | 1 | NDS, NM, LA, PA |
| CYSTARAN SOLN .44% | 1 | NDS, NM, LA, PA |
| MIEBO SOLN 1.338gm/ml | 1 | |
| <i>proparacaine hcl</i> SOLN .5% | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------|------------------|----------------------------|
| RESTASIS EMUL .05% | 1 | |
| RESTASIS MULTIDOSE EMUL .05% | 1 | |
| TYRVAYA SOLN .03mg/act | 1 | |
| XIIDRA SOLN 5% | 1 | |

OTIC

OTIC AGENTS

| | | |
|---|---|--|
| <i>acetic acid (otic)</i> SOLN 2% | 1 | |
| <i>ciprofloxacin-dexamethasone otic susp 0.3-0.1%</i> | 1 | |
| <i>flac OIL .01%</i> | 1 | |
| <i>fluocinolone acetonide (otic) OIL .01%</i> | 1 | |
| <i>neomycin-polymyxin-hc otic soln 1%</i> | 1 | |
| <i>neomycin-polymyxin-hc otic susp 3.5 mg/ml-10000 unit/ml-1%</i> | 1 | |
| <i>ofloxacin (otic) SOLN .3%</i> | 1 | |

RESPIRATORY

ANTICHOLINERGIC/BETA AGONIST COMBINATIONS

| | | |
|--|---|----------------------------|
| ANORO ELLIPT AER 62.5-25 | 1 | QL (60 blisters / 30 days) |
| BEVESPI AER 9-4.8MCG | 1 | QL (1 inhaler / 30 days) |
| BREZTRI AERO AER SPHERE | 1 | QL (1 inhaler / 30 days) |
| BREZTRI AERO AER SPHERE (INSTITUTIONAL PACK) | 1 | QL (4 inhalers / 28 days) |
| COMBIVENT AER 20-100 | 1 | QL (2 inhalers / 30 days) |
| <i>ipratropium-albuterol nebu soln 0.5-2.5(3) mg/3ml</i> | 1 | B/D |
| TRELEGY AER ELLIPTA 100-62.5-25 MCG | 1 | QL (60 blisters / 30 days) |
| TRELEGY AER ELLIPTA 200-62.5-25 MCG | 1 | QL (60 blisters / 30 days) |

ANTICHOLINERGICS

| | | |
|--|---|----------------------------|
| ATROVENT HFA AERS 17mcg/act | 1 | QL (2 inhalers / 30 days) |
| INCRUSE ELLIPTA AEPB 62.5mcg/inh | 1 | QL (30 blisters / 30 days) |
| <i>ipratropium bromide SOLN .02%</i> | 1 | B/D |
| <i>ipratropium bromide (nasal) SOLN .03%, .06%</i> | 1 | |

ANTIHISTAMINES

| | | |
|--|---|------------------------------|
| <i>azelastine hcl SOLN .1%</i> | 1 | |
| <i>cetirizine hcl SOLN 5mg/5ml</i> | 1 | QL (300 mL / 30 days) |
| <i>cyproheptadine hcl SYRP 2mg/5ml; TABS 4mg</i> | 1 | PA; PA if 70 years and older |
| <i>diphenhydramine hcl SOLN 50mg/ml</i> | 1 | |
| <i>hydroxyzine hcl SOLN 25mg/ml, 50mg/ml; SYRP 10mg/5ml; TABS 10mg, 25mg, 50mg</i> | 1 | PA; PA if 70 years and older |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| hydroxyzine pamoate CAPS 25mg, 50mg | 1 | PA; PA if 70 years and older |
| levocetirizine dihydrochloride SOLN 2.5mg/5ml | 1 | QL (300 mL / 30 days) |
| levocetirizine dihydrochloride TABS 5mg | 1 | QL (30 tabs / 30 days) |
| BETA AGONISTS | | |
| albuterol sulfate AERS 108mcg/act | 1 | QL (2 inhalers / 30 days); (generic of Proair HFA) |
| albuterol sulfate AERS 108mcg/act | 1 | QL (2 inhalers / 30 days); (generic of Proventil HFA) |
| albuterol sulfate AERS 108mcg/act | 1 | QL (2 inhalers / 30 days); (generic of Ventolin HFA) |
| albuterol sulfate NEBU .083%, .63mg/3ml, 1.25mg/3ml, 2.5mg/0.5ml | 1 | B/D |
| albuterol sulfate SYRP 2mg/5ml; TABS 2mg, 4mg | 1 | |
| levalbuterol hcl NEBU .31mg/3ml, .63mg/3ml, 1.25mg/0.5ml, 1.25mg/3ml | 1 | B/D |
| levalbuterol tartrate AERO 45mcg/act | 1 | QL (2 inhalers / 30 days), ST |
| SEREVENT DISKUS AEPB 50mcg/dose | 1 | QL (60 inhalations / 30 days) |
| terbutaline sulfate TABS 2.5mg, 5mg | 1 | |
| VENTOLIN HFA AERS 108mcg/act | 1 | QL (2 inhalers / 30 days) |
| VENTOLIN HFA (INSTITUTIONAL PACK) AERS 108mcg/act | 1 | QL (6 inhalers / 30 days) |
| LEUKOTRIENE MODULATORS | | |
| montelukast sodium CHEW 4mg, 5mg; PACK 4mg; TABS 10mg | 1 | |
| zafirlukast TABS 10mg, 20mg | 1 | |
| MISCELLANEOUS | | |
| acetylcysteine SOLN 10%, 20% | 1 | B/D |
| ARALAST NP SOLR 500mg, 1000mg | 1 | NDS, NM, LA, PA |
| BRONCHITOL CAPS 40mg | 1 | NDS, QL (560 caps / 28 days), NM, LA, PA |
| cromolyn sodium NEBU 20mg/2ml | 1 | B/D |
| epinephrine (anaphylaxis) SOAJ .15mg/0.3ml, .3mg/0.3ml | 1 | (generic of EpiPen) |
| epinephrine (anaphylaxis) SOAJ .15mg/0.15ml, .3mg/0.3ml | 1 | (generic of Adrenaclick) |
| FASENRA SOSY 30mg/ml | 1 | NDS, NM, LA, PA |
| FASENRA PEN SOAJ 30mg/ml | 1 | NDS, NM, LA, PA |
| KALYDECO PACK 5.8mg, 13.4mg, 25mg, 50mg, 75mg | 1 | NDS, QL (56 packs / 28 days), NM, LA, PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| KALYDECO TABS 150mg | 1 | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| OFEV CAPS 100mg, 150mg | 1 | NDS, QL (60 caps / 30 days), NM, LA, PA |
| ORKAMBI GRA 75-94MG | 1 | NDS, QL (56 packs / 28 days), NM, LA, PA |
| ORKAMBI GRA 100-125 | 1 | NDS, QL (56 packs / 28 days), NM, LA, PA |
| ORKAMBI GRA 150-188 | 1 | NDS, QL (56 packs / 28 days), NM, LA, PA |
| ORKAMBI TAB 100-125 | 1 | NDS, QL (112 tabs / 28 days), NM, LA, PA |
| ORKAMBI TAB 200-125 | 1 | NDS, QL (112 tabs / 28 days), NM, LA, PA |
| <i>pirfenidone</i> CAPS 267mg | 1 | NDS, QL (270 caps / 30 days), NM, PA |
| <i>pirfenidone</i> TABS 267mg | 1 | NDS, QL (270 tabs / 30 days), NM, PA |
| <i>pirfenidone</i> TABS 534mg, 801mg | 1 | NDS, QL (90 tabs / 30 days), NM, PA |
| PROLASTIN-C SOLN 1000mg/20ml; SOLR 1000mg | 1 | NDS, NM, LA, PA |
| PULMOZYME SOLN 2.5mg/2.5ml | 1 | NDS, NM, PA |
| <i>roflumilast</i> TABS 250mcg | 1 | QL (56 tabs / year) |
| <i>roflumilast</i> TABS 500mcg | 1 | QL (30 tabs / 30 days) |
| SYMDEKO TAB 50-75MG | 1 | NDS, QL (56 tabs / 28 days), NM, LA, PA |
| SYMDEKO TAB 100-150 | 1 | NDS, QL (56 tabs / 28 days), NM, LA, PA |
| THEO-24 CP24 100mg, 200mg, 300mg, 400mg | 1 | |
| <i>theophylline</i> ELIX 80mg/15ml; SOLN 80mg/15ml; TB12 100mg, 200mg, 300mg, 450mg; TB24 400mg, 600mg | 1 | |
| TRIKAFTA PAK 59.5MG | 1 | NDS, QL (56 packs / 28 days), NM, LA, PA |
| TRIKAFTA PAK 75MG | 1 | NDS, QL (56 packs / 28 days), NM, LA, PA |
| TRIKAFTA TAB 50-25-37.5MG & 75MG | 1 | NDS, QL (84 tabs / 28 days), NM, LA, PA |
| TRIKAFTA TAB 100-50-75MG & 150MG | 1 | NDS, QL (84 tabs / 28 days), NM, LA, PA |
| XOLAIR SOAJ 75mg/0.5ml, 150mg/ml, 300mg/2ml; SOLR 150mg; SOSY 75mg/0.5ml, 150mg/ml, 300mg/2ml | 1 | NDS, NM, LA, PA |
| ZEMAIRA SOLR 1000mg, 4000mg, 5000mg | 1 | NDS, NM, LA, PA |
| NASAL STEROIDS | | |
| <i>flunisolide (nasal)</i> SOLN .025% | 1 | QL (3 bottles / 30 days) |
| <i>fluticasone propionate (nasal)</i> SUSP 50mcg/act | 1 | QL (1 bottle / 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| XHANCE EXHU 93mcg/act | 1 | QL (32 mL / 30 days), PA |
| STEROID INHALANTS | | |
| ARNUITY ELLIPTA AEPB 50mcg/act, 100mcg/act, 200mcg/act | 1 | QL (30 inhalations / 30 days) |
| budesonide (inhalation) SUSP .25mg/2ml, .5mg/2ml | 1 | B/D |
| STEROID/BETA-AGONIST COMBINATIONS | | |
| ADVAIR HFA AER 45/21 | 1 | QL (1 inhaler / 30 days) |
| ADVAIR HFA AER 115/21 | 1 | QL (1 inhaler / 30 days) |
| ADVAIR HFA AER 230/21 | 1 | QL (1 inhaler / 30 days) |
| BREO ELLIPTA INH 50-25MCG | 1 | QL (60 blisters / 30 days) |
| BREO ELLIPTA INH 100-25 | 1 | QL (60 blisters / 30 days) |
| BREO ELLIPTA INH 200-25 | 1 | QL (60 blisters / 30 days) |
| DULERA AER 50-5MCG | 1 | QL (3 inhalers / 30 days) |
| DULERA AER 100-5MCG | 1 | QL (3 inhalers / 30 days) |
| DULERA AER 200-5MCG | 1 | QL (3 inhalers / 30 days) |
| <i>fluticasone-salmeterol aer powder ba 100-50 mcg/act</i> | 1 | QL (60 inhalations / 30 days); (generic PRASCO not covered) |
| <i>fluticasone-salmeterol aer powder ba 250-50 mcg/act</i> | 1 | QL (60 inhalations / 30 days); (generic PRASCO not covered) |
| <i>fluticasone-salmeterol aer powder ba 500-50 mcg/act</i> | 1 | QL (60 inhalations / 30 days); (generic PRASCO not covered) |
| wixela inhub | 1 | QL (60 inhalations / 30 days) |
| TOPICAL | | |
| DERMATOLOGY, ACNE | | |
| accutane CAPS 10mg, 20mg, 30mg, 40mg | 1 | PA |
| amnesteem CAPS 10mg, 20mg, 40mg | 1 | PA |
| benzoyl peroxide-erythromycin gel 5-3% | 1 | QL (46.6 gm / 30 days) |
| claravis CAPS 10mg, 20mg, 30mg, 40mg | 1 | PA |
| clindamycin phosphate (topical) GEL 1% | 1 | QL (75 gm / 30 days) |
| clindamycin phosphate (topical) LOTN 1%; SOLN 1% | 1 | QL (60 mL / 30 days) |
| ery PADS 2% | 1 | QL (60 pledgets / 30 days) |
| erythromycin (acne aid) GEL 2% | 1 | QL (60 gm / 30 days) |
| erythromycin (acne aid) SOLN 2% | 1 | QL (60 mL / 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>isotretinoin</i> CAPS 10mg, 20mg, 30mg, 40mg | 1 | PA |
| <i>sulfacetamide sodium (acne)</i> LOTN 10% | 1 | QL (118 mL / 30 days) |
| <i>tretinoin</i> CREA .025%, .05%, .1%; GEL .01%, .025% | 1 | QL (45 gm / 30 days), PA |
| <i>zenatane</i> CAPS 10mg, 20mg, 30mg, 40mg | 1 | PA |
| DERMATOLOGY, ANTIBIOTICS | | |
| <i>gentamicin sulfate (topical)</i> CREA .1%; OINT .1% | 1 | QL (30 gm / 30 days) |
| <i>mupirocin</i> OINT 2% | 1 | QL (220 gm / 30 days) |
| <i>silver sulfadiazine</i> CREA 1% | 1 | |
| <i>ssd</i> CREA 1% | 1 | |
| <i>SULFAMYLON</i> CREA 85mg/gm | 1 | QL (453.6 gm / 30 days) |
| DERMATOLOGY, ANTIFUNGALS | | |
| <i>ciclopirox olamine</i> CREA .77% | 1 | QL (90 gm / 30 days) |
| <i>ciclopirox olamine</i> SUSP .77% | 1 | QL (60 mL / 30 days) |
| <i>clotrimazole (topical)</i> CREA 1% | 1 | QL (45 gm / 30 days) |
| <i>clotrimazole (topical)</i> SOLN 1% | 1 | QL (30 mL / 30 days) |
| <i>clotrimazole w/ betamethasone cream</i> 1-0.05% | 1 | QL (45 gm / 30 days) |
| <i>ketoconazole (topical)</i> CREA 2% | 1 | QL (60 gm / 30 days) |
| <i>klayesta</i> POWD 100000unit/gm | 1 | QL (60 gm / 30 days) |
| <i>nyamyc</i> POWD 100000unit/gm | 1 | QL (60 gm / 30 days) |
| <i>nystatin (topical)</i> CREA 100000unit/gm; OINT 100000unit/gm | 1 | QL (30 gm / 30 days) |
| <i>nystatin (topical)</i> POWD 100000unit/gm | 1 | QL (60 gm / 30 days) |
| <i>nystop</i> POWD 100000unit/gm | 1 | QL (60 gm / 30 days) |
| DERMATOLOGY, ANTIPOSIATICS | | |
| <i>acitretin</i> CAPS 10mg, 17.5mg, 25mg | 1 | PA |
| <i>calcipotriene</i> CREA .005%; OINT .005% | 1 | QL (120 gm / 30 days), PA |
| <i>calcipotriene</i> SOLN .005% | 1 | QL (120 mL / 30 days), PA |
| <i>calcitrene</i> OINT .005% | 1 | QL (120 gm / 30 days), PA |
| <i>tazarotene</i> CREA .1% | 1 | QL (60 gm / 30 days), PA |
| <i>TAZORAC</i> CREA .05% | 1 | QL (60 gm / 30 days), PA |
| DERMATOLOGY, ANTISEBORRHEICS | | |
| <i>ketoconazole (topical)</i> SHAM 2% | 1 | QL (120 mL / 30 days) |
| <i>selenium sulfide</i> LOTN 2.5% | 1 | |
| DERMATOLOGY, CORTICOSTEROIDS | | |
| <i>ala-cort</i> CREA 1%, 2.5% | 1 | |
| <i>alclometasone dipropionate</i> CREA .05%; OINT .05% | 1 | QL (60 gm / 30 days) |
| <i>betamethasone dipropionate (topical)</i> CREA .05%; OINT .05% | 1 | QL (120 gm / 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>betamethasone dipropionate (topical) .05%</i> | 1 | QL (120 mL / 30 days) |
| <i>betamethasone dipropionate augmented .05%; GEL .05%; OINT .05%</i> | 1 | QL (120 gm / 30 days) |
| <i>betamethasone dipropionate augmented .05%</i> | 1 | QL (120 mL / 30 days) |
| <i>betamethasone valerate CREA .1%; OINT .1%</i> | 1 | QL (120 gm / 30 days) |
| <i>betamethasone valerate LOTN .1%</i> | 1 | QL (120 mL / 30 days) |
| <i>clobetasol propionate CREA .05%; GEL .05%; OINT .05%</i> | 1 | QL (60 gm / 30 days) |
| <i>clobetasol propionate SOLN .05%</i> | 1 | QL (50 mL / 30 days) |
| <i>clobetasol propionate e CREA .05%</i> | 1 | QL (60 gm / 30 days) |
| <i>ENSTILAR AER</i> | 1 | QL (120 gm / 30 days), PA |
| <i>fluocinolone acetonide CREA .01%</i> | 1 | QL (60 gm / 30 days) |
| <i>fluocinolone acetonide CREA .025%; OINT .025%</i> | 1 | QL (120 gm / 30 days) |
| <i>fluocinolone acetonide OIL .01%</i> | 1 | QL (118.28 mL / 30 days) |
| <i>fluocinolone acetonide SOLN .01%</i> | 1 | QL (90 mL / 30 days) |
| <i>fluocinonide CREA .05%</i> | 1 | QL (120 gm / 30 days) |
| <i>fluocinonide GEL .05%; OINT .05%</i> | 1 | QL (60 gm / 30 days) |
| <i>fluocinonide SOLN .05%</i> | 1 | QL (60 mL / 30 days) |
| <i>fluocinonide emulsified base CREA .05%</i> | 1 | QL (120 gm / 30 days) |
| <i>fluticasone propionate CREA .05%; OINT .005%</i> | 1 | |
| <i>halobetasol propionate CREA .05%; OINT .05%</i> | 1 | QL (50 gm / 30 days) |
| <i>hydrocortisone (topical) CREA 1%, 2.5%; LOTN 2.5%; OINT 2.5%</i> | 1 | |
| <i>mometasone furoate CREA .1%; OINT .1%; SOLN .1%</i> | 1 | |
| <i>triamcinolone acetonide (topical) CREA .025%, .1%, .5%</i> | 1 | QL (454 gm / 30 days) |
| <i>triamcinolone acetonide (topical) LOTN .025%, .1%; OINT .025%, .1%, .5%</i> | 1 | |

DERMATOLOGY, LOCAL ANESTHETICS

| | | |
|--|---|----------------------------|
| <i>glydo PRSY 2%</i> | 1 | QL (60 mL / 30 days), PA |
| <i>lidocaine OINT 5%</i> | 1 | QL (50 gm / 30 days), PA |
| <i>lidocaine PTCH 5%</i> | 1 | QL (3 patches / 1 day), PA |
| <i>lidocaine hcl SOLN 4%</i> | 1 | QL (50 mL / 30 days), PA |
| <i>lidocaine-prilocaine cream 2.5-2.5%</i> | 1 | B/D, QL (30 gm / 30 days) |
| <i>lidocan PTCH 5%</i> | 1 | QL (3 patches / 1 day), PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------------|
| DERMATOLOGY, MISCELLANEOUS SKIN AND MUCOUS MEMBRANE | | |
| bexarotene (topical) GEL 1% | 1 | NDS, QL (60 gm / 30 days), NM, PA |
| diclofenac sodium (topical) GEL 1% | 1 | QL (1000 gm / 30 days) |
| fluorouracil (topical) CREA 5% | 1 | QL (40 gm / 30 days) |
| fluorouracil (topical) SOLN 2%, 5% | 1 | QL (10 mL / 30 days) |
| hydrocortisone (rectal) CREA 1%, 2.5% | 1 | |
| imiquimod CREA 5% | 1 | QL (24 packets / 30 days) |
| <i>lactic acid (ammonium lactate)</i> CREA 12%; LOTN 12% | 1 | |
| metronidazole (topical) CREA .75%; GEL .75% | 1 | QL (45 gm / 30 days) |
| metronidazole (topical) LOTN .75% | 1 | QL (59 mL / 30 days) |
| <i>nitroglycerin (intra-anal)</i> OINT .4% | 1 | QL (30 gm / 30 days) |
| PANRETIN GEL .1% | 1 | NDS, QL (60 gm / 30 days), PA |
| <i>podofilox</i> SOLN .5% | 1 | QL (7 mL / 28 days) |
| <i>procto-med hc</i> CREA 2.5% | 1 | |
| <i>proctosol hc</i> CREA 2.5% | 1 | |
| <i>proctozone-hc</i> CREA 2.5% | 1 | |
| RECTIV OINT .4% | 1 | QL (30 gm / 30 days) |
| <i>tacrolimus (topical)</i> OINT .03%, .1% | 1 | QL (100 gm / 30 days) |
| VALCHLOR GEL .016% | 1 | NDS, QL (60 gm / 30 days), NM, LA, PA |
| DERMATOLOGY, SCABICIDES AND PEDICULIDES | | |
| malathion LOTN .5% | 1 | QL (59 mL / 30 days) |
| permethrin CREA 5% | 1 | QL (60 gm / 30 days) |
| DERMATOLOGY, WOUND CARE AGENTS | | |
| REGRANEX GEL .01% | 1 | NDS, QL (30 gm / 30 days), PA |
| SANTYL OINT 250unit/gm | 1 | QL (180 gm / 30 days) |
| sodium chloride (gu irrigant) SOLN .9% | 1 | |
| water for irrigation, sterile irrigation soln | 1 | |
| MOUTH/THROAT/DENTAL AGENTS | | |
| cevimeline hcl CAPS 30mg | 1 | |
| chlorhexidine gluconate (mouth-throat) SOLN .12% | 1 | |
| clotrimazole TROC 10mg | 1 | QL (150 lozenges / 30 days) |
| kourzeq PSTE .1% | 1 | |
| lidocaine hcl (mouth-throat) SOLN 2% | 1 | |
| nystatin (mouth-throat) SUSP 100000unit/ml | 1 | |
| periogard SOLN .12% | 1 | |
| pilocarpine hcl (oral) TABS 5mg, 7.5mg | 1 | |
| triamcinolone acetonide (mouth) PSTE .1% | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to page number 13.

| Drug Name | Drug Tier | Requirements/Limits |
|------------------|------------------|----------------------------|
|------------------|------------------|----------------------------|

ANTIOBESITY AGENTS

ANTIOBESITY AGENTS

| | | |
|---|---|------------|
| ADIPEX-P CAPS 37.5mg; TABS 37.5mg | 0 | ED, PA |
| <i>benzphetamine hcl</i> TABS 50mg | 0 | ED, PA |
| CONTRAVE TAB 8-90MG | 0 | ED, PA |
| <i>diethylpropion hcl</i> TABS 25mg; TB24 75mg | 0 | ED, PA |
| IMCIVREE SOLN 10mg/ml | 0 | ED, NM, PA |
| LOMAIRA TABS 8mg | 0 | ED, PA |
| <i>orlistat</i> CAPS 120mg | 0 | ED, PA |
| <i>phendimetrazine tartrate</i> TABS 35mg | 0 | ED, PA |
| <i>phentermine hcl</i> CAPS 15mg, 30mg, 37.5mg; TABS 37.5mg | 0 | ED, PA |
| QSYMIA CAP 3.75-23 | 0 | ED, PA |
| QSYMIA CAP 7.5-46MG | 0 | ED, PA |
| QSYMIA CAP 11.25-69 | 0 | ED, PA |
| QSYMIA CAP 15-92MG | 0 | ED, PA |
| SAXENDA SOPN 18mg/3ml | 0 | ED, PA |
| WEGOVY SOAJ .25mg/0.5ml, .5mg/0.5ml, 1mg/0.5ml, 1.7mg/0.75ml, 2.4mg/0.75ml | 0 | ED, PA |
| XENICAL CAPS 120mg | 0 | ED, PA |

PART B

DIABETIC METERS AND TEST STRIPS

| | | |
|---------------------------|---|----|
| DEXCOM G6 MIS RECEIVER | 0 | PA |
| DEXCOM G6 MIS SENSOR | 0 | PA |
| DEXCOM G6 MIS TRANSMIT | 0 | PA |
| DEXCOM G7 MIS RECEIVER | 0 | PA |
| DEXCOM G7 MIS SENSOR | 0 | PA |
| FREESTY LIBR KIT 2 SENSOR | 0 | PA |
| FREESTY LIBR KIT 3 SENSOR | 0 | PA |
| FREESTY LIBR MIS 2 READER | 0 | PA |
| FREESTY LIBR MIS 3 READER | 0 | PA |
| FREESTYLE KIT SENSOR | 0 | PA |
| FREESTYLE MIS READER | 0 | PA |
| TRUE METRIX KIT AIR | 0 | |
| TRUE METRIX KIT METER | 0 | |
| TRUE METRIX STRIPS | 0 | |

D. Index of Covered Drugs

| A | | | |
|--|----|--|--------|
| <i>abacavir sulfate</i> | 18 | ACTIMMUNE | 73 |
| <i>abacavir sulfate-</i> <i>lamivudine</i> <i>tab 600-300</i> <i>mg</i> | 19 | <i>acyclovir</i> | 20 |
| ABELCET | 17 | <i>acyclovir sodium</i> | 20 |
| ABILIFY MAINTENA..... | 43 | ADACEL INJ..... | 73 |
| <i>abiraterone acetate</i> | 25 | ADALIMUMAB- AACF (2 PEN) | 70 |
| ABRYSVO | 73 | <i>adefovir dipivoxil</i> | 20 |
| <i>acamprosate calcium</i> | 53 | ADEMPAS | 40 |
| <i>acarbose</i> | 54 | ADIPEX-P | 86 |
| <i>accutane</i> | 82 | ADMELOG | 56 |
| <i>acebutolol hcl</i> | 38 | ADMELOG SOLOSTAR | 56 |
| <i>acetaminophen w/ codeine soln 120-12 mg/5ml</i> | 15 | ADVAIR HFA AER 115/21..... | 82 |
| <i>acetaminophen w/ codeine tab 300-15 mg</i> | 15 | ADVAIR HFA AER 230/21..... | 82 |
| <i>acetaminophen w/ codeine tab 300-30 mg</i> | 15 | ADVAIR HFA AER 45/21..... | 82 |
| <i>acetaminophen w/ codeine tab 300-60 mg</i> | 15 | <i>afirmelle</i> | 58 |
| <i>acetazolamide</i> | 39 | AIMOVIG | 51 |
| <i>acetic acid</i> | 68 | AKEEGA TAB 100/500..... | 25 |
| <i>acetic acid (otic)</i> | 79 | AKEEGA TAB 50/500MG | 25 |
| <i>acetylcysteine</i> | 80 | <i>ala-cort</i> | 83 |
| <i>acitretin</i> | 83 | <i>albendazole</i> | 16 |
| ACTHIB INJ | 73 | <i>albuterol sulfate</i> | 80 |
| | | <i>alclometasone dipropionate</i> | 83 |
| | | ALDURAZYME..... | 63 |
| | | ALECENSA | 27 |
| | | <i>alendronate sodium</i> | 57 |
| | | <i>alfuzosin hcl</i> | 68 |
| | | <i>aliskiren fumarate</i> | 40 |
| | | <i>allopurinol</i> | 14 |
| | | <i>alosetron hcl</i> | 67 |
| | | <i>alprazolam</i> | 41 |
| | | ALREX..... | 77 |
| | | <i>altavera</i> | 58 |
| | | ALUNBRIG | 27 |
| | | ALUNBRIG PAK | 27 |
| | | <i>alyacen 1/35</i> | 58 |
| | | <i>alyacen 7/7/7</i> | 58 |
| | | <i>amabelz tab 0.5-0.1mg</i> | 62 |
| | | <i>amantadine hcl</i> | 42, 43 |
| | | <i>ambrisentan</i> | 40 |
| | | <i>amethia</i> | 58 |
| | | <i>amikacin sulfate</i> | 16 |
| | | <i>amiloride & hydrochlorothiazide tab 5-50 mg</i> | 39 |
| | | <i>amiloride hcl</i> | 39 |
| | | <i>amiodarone hcl</i> | 37 |
| | | <i>amitriptyline hcl</i> | 41 |
| | | <i>amlodipine besylate</i> | 38 |
| | | <i>amlodipine besylate- benazepril hcl cap 10-20 mg</i> | 34 |
| | | <i>amlodipine besylate- benazepril hcl cap 10-40 mg</i> | 34 |
| | | <i>amlodipine besylate- benazepril hcl cap 2.5-10 mg</i> | 34 |
| | | <i>amlodipine besylate- benazepril hcl cap 5-10 mg</i> | 34 |
| | | <i>amlodipine besylate- benazepril hcl cap 5-20 mg</i> | 34 |

| | | | | |
|------------------------------|--|------------------------------|--|-------------------------------|
| <i>amlodipine</i> | | <i>amoxicillin & k</i> | | <i>amine cap er</i> |
| <i>besylate-</i> | | <i>clavulanate</i> | | <i>24hr 20 mg</i> 49 |
| <i>benazepril hcl</i> | | <i>chew tab 400-</i> | | <i>amphetamine-</i> |
| <i>cap 5-40 mg</i> 34 | | <i>57 mg</i> 23 | | <i>dextroamphet</i> |
| <i>amlodipine</i> | | <i>amoxicillin & k</i> | | <i>amine cap er</i> |
| <i>besylate-</i> | | <i>clavulanate</i> | | <i>24hr 25 mg</i> 49 |
| <i>olmesartan</i> | | <i>for susp 200-</i> | | <i>amphetamine-</i> |
| <i>medoxomil</i> | | <i>28.5 mg/5ml.....</i> 23 | | <i>dextroamphet</i> |
| <i>tab 10-20 mg</i> 35 | | <i>amoxicillin & k</i> | | <i>amine cap er</i> |
| <i>amlodipine</i> | | <i>clavulanate</i> | | <i>24hr 30 mg</i> 50 |
| <i>besylate-</i> | | <i>for susp 250-</i> | | <i>amphetamine-</i> |
| <i>olmesartan</i> | | <i>62.5 mg/5ml.....</i> 23 | | <i>dextroamphet</i> |
| <i>medoxomil</i> | | <i>amoxicillin & k</i> | | <i>amine cap er</i> |
| <i>tab 10-40 mg</i> 35 | | <i>clavulanate</i> | | <i>24hr 5 mg</i> 49 |
| <i>amlodipine</i> | | <i>for susp 400-</i> | | <i>amphetamine-</i> |
| <i>besylate-</i> | | <i>57 mg/5ml</i> 23 | | <i>dextroamphet</i> |
| <i>olmesartan</i> | | <i>amoxicillin & k</i> | | <i>amine tab 10</i> |
| <i>medoxomil</i> | | <i>clavulanate</i> | | <i>mg</i> 50 |
| <i>tab 5-20 mg</i> 35 | | <i>for susp 600-</i> | | <i>amphetamine-</i> |
| <i>amlodipine</i> | | <i>42.9 mg/5ml.....</i> 23 | | <i>dextroamphet</i> |
| <i>besylate-</i> | | <i>amoxicillin & k</i> | | <i>amine tab</i> |
| <i>olmesartan</i> | | <i>clavulanate</i> | | <i>12.5 mg</i> 50 |
| <i>medoxomil</i> | | <i>tab 250-125</i> | | <i>amphetamine-</i> |
| <i>tab 5-40 mg</i> 35 | | <i>mg</i> 23 | | <i>dextroamphet</i> |
| <i>amlodipine</i> | | <i>amoxicillin & k</i> | | <i>amine tab 15</i> |
| <i>besylate-</i> | | <i>clavulanate</i> | | <i>mg</i> 50 |
| <i>valsartan tab</i> | | <i>tab 500-125</i> | | <i>amphetamine-</i> |
| <i>10-160 mg</i> 35 | | <i>mg</i> 23 | | <i>dextroamphet</i> |
| <i>amlodipine</i> | | <i>amoxicillin & k</i> | | <i>amine tab 20</i> |
| <i>besylate-</i> | | <i>clavulanate</i> | | <i>mg</i> 50 |
| <i>valsartan tab</i> | | <i>tab 875-125</i> | | <i>amphetamine-</i> |
| <i>10-320 mg</i> 35 | | <i>mg</i> 23 | | <i>dextroamphet</i> |
| <i>amlodipine</i> | | <i>amoxicillin & k</i> | | <i>amine tab 30</i> |
| <i>besylate-</i> | | <i>clavulanate</i> | | <i>mg</i> 50 |
| <i>valsartan tab</i> | | <i>tab er 12hr</i> | | <i>amphetamine-</i> |
| <i>5-160 mg</i> 35 | | <i>1000-62.5 mg</i> 23 | | <i>dextroamphet</i> |
| <i>amlodipine</i> | | <i>amphetamine-</i> | | <i>amine tab 5</i> |
| <i>besylate-</i> | | <i>dextroamphet</i> | | <i>mg</i> 50 |
| <i>valsartan tab</i> | | <i>amine cap er</i> | | <i>amphetamine-</i> |
| <i>5-320 mg</i> 35 | | <i>24hr 10 mg</i> 49 | | <i>dextroamphet</i> |
| <i>amnesteem</i> 82 | | <i>amphetamine-</i> | | <i>amine tab 7.5</i> |
| <i>amoxapine</i> 41 | | <i>dextroamphet</i> | | <i>mg</i> 50 |
| <i>amoxicillin</i> 23 | | <i>amine cap er</i> | | <i>amphotericin b.....</i> 17 |
| <i>amoxicillin & k</i> | | <i>24hr 15 mg</i> 49 | | <i>amphotericin b</i> |
| <i>clavulanate</i> | | <i>amphetamine-</i> | | <i>liposome</i> 17 |
| <i>chew tab 200-</i> | | <i>dextroamphet</i> | | <i>ampicillin.....</i> 23 |
| <i>28.5 mg.....</i> 23 | | | | |

ampicillin & sulbactam sodium for inj
1.5 (1-0.5) gm 23
ampicillin & sulbactam sodium for inj
3 (2-1) gm 23
ampicillin & sulbactam sodium for iv soln 1.5 (1-0.5) gm 23
ampicillin & sulbactam sodium for iv soln 15 (10-5) gm 23
ampicillin & sulbactam sodium for iv soln 3 (2-1) gm 23
ampicillin sodium 23
anagrelide hcl 69
anastrozole 25
ANORO ELLIPT
AER 62.5-25 79
aprepitant 66
aprepitant capsule therapy pack
80 & 125 mg 66
apri 58
APTIOM 46
APTIVUS 18
ARALAST NP 80
aranelle 58
ARCALYST 73
AREXVY 73
ariPIPrazole 43, 44
ARISTADA 44
ARISTADA INITIO 44
armodafinil 53

ARNUITY
ELLIPTA 82
asenapine maleate 44
ashlyna 58
aspirin-dipyridamole cap er 12hr
25-200 mg 70
ASTAGRAF XL 73
atazanavir sulfate 18
atenolol 38
atenolol & chlorthalidone tab 100-25 mg 38
atenolol & chlorthalidone tab 50-25 mg 38
atomoxetine hcl 50
atorvastatin calcium 37
atovaquone 16
atovaquone-proguanil hcl tab 250-100 mg 18
atovaquone-proguanil hcl tab 62.5-25 mg 18
ATROPINE SULFATE 78
atropine sulfate (ophthalmic) 78
ATROVENT HFA 79
aubra eq 58
AUGTYRO 27
aurovela 1/20 58
aurovela 24 fe 58
aurovela fe 1.5/30 58
aurovela fe 1/20 58
AUSTEDO 52
AUSTEDO XR 52

AUSTEDO XR TAB TITR KIT 52
AUVELITY TAB 45-105MG 41
aviane 58
ayuna 58
AYVAKIT 27
azacitidine 25
azathioprine 73
azelastine hcl 79
azelastine hcl (ophth) 78
azithromycin 22
aztreonam 16
azurette 58

B

bacitracin (ophthalmic) 77
bacitracin-polymyxin b ophth oint 77
bacitracin-polymyxin-neomycin-hc ophth oint 1% 77
baclofen 52
BAFIERTAM 52
balsalazide disodium 66
BALVERSA 27
balziva 58
BARACLUDE 20
BASAGLAR KWIKPEN 56
BCG VACCINE 73
BD ALCOHOL SWABS 56
benazepril & hydrochlorothiazide tab 10-12.5 mg 34
benazepril & hydrochlorothiazide tab 20-12.5 mg 34

| | | | |
|---|--------|--|--|
| <i>benazepril & hydrochlorothi azide tab 20-25 mg</i> | 34 | BICILLIN L-A.....23 | <i>brinzolamide</i>78 |
| <i>benazepril & hydrochlorothi azide tab 5-6.25mg</i> | 34 | BIKTARVY TAB 30-120-15 MG19 | <i>BRIVIACT</i>46 |
| <i>benazepril hcl</i> | 35 | BIKTARVY TAB 50-200-25 MG19 | <i>bromfenac sodium (ophth)</i>77 |
| <i>BENDEKA</i> | 24 | <i>bisoprolol & hydrochlorothi azide tab 10-6.25 mg</i> | <i>bromocriptine mesylate</i>43 |
| <i>BENLYSTA</i> | 73 | <i>bisoprolol & hydrochlorothi azide tab 2.5-6.25 mg</i> | <i>BROMSITE</i>77 |
| <i>benzoyl peroxide-erythromycin gel 5-3%</i> | 82 | <i>bisoprolol & hydrochlorothi azide tab 5-6.25 mg</i> | <i>BRONCHITOL</i>80 |
| <i>benzphetamine hcl</i> | 86 | <i>bisoprolol & hydrochlorothi azide tab 5-6.25 mg</i> | <i>BRUKINSA</i>28 |
| <i>benztropine mesylate</i> | 43 | <i>budesonide</i>67 | <i>budesonide (inhalation)</i>82 |
| <i>BERINERT</i> | 70 | <i>budesonide</i> | <i>bumetanide</i>39 |
| <i>BESIVANCE</i> | 77 | <i>buprenorphine</i>14 | <i>buprenorphine hcl</i>53 |
| <i>BESREMI</i> | 26 | <i>buprenorphine hcl-naloxone</i> | <i>buprenorphine hcl sl film 12-3 mg (base equiv)</i>53 |
| <i>betaine powder for oral solution</i> | 63 | <i>buprenorphine hcl-naloxone</i> | <i>buprenorphine hcl sl film 2-0.5 mg (base equiv)</i>53 |
| <i>betamethasone dipropionate (topical)</i> | 83, 84 | <i>buprenorphine hcl-naloxone</i> | <i>buprenorphine hcl sl film 4-1 mg (base equiv)</i>53 |
| <i>betamethasone dipropionate augmented</i> | 84 | <i>buprenorphine hcl-naloxone</i> | <i>buprenorphine hcl sl film 8-2 mg (base equiv)</i>53 |
| <i>betamethasone valerate</i> | 84 | <i>buprenorphine hcl-naloxone</i> | <i>buprenorphine hcl sl tab 2-0.5 mg (base equiv)</i>53 |
| <i>BETASERON</i> | 52 | <i>buprenorphine hcl-naloxone</i> | <i>buprenorphine hcl sl tab 8-2 mg (base equiv)</i>54 |
| <i>betaxolol hcl</i> | 38 | | |
| <i>betaxolol hcl (ophth)</i> | 78 | | |
| <i>bethanechol chloride</i> | 68 | | |
| <i>BETOPTIC-S</i> | 78 | | |
| <i>BEVESPI AER 9-4.8MCG</i> | 79 | | |
| <i>bexarotene</i> | 26 | | |
| <i>bexarotene (topical)</i> | 85 | | |
| <i>BEXSERO INJ</i> | 73 | | |
| <i>bicalutamide</i> | 25 | | |

| | | | | |
|--|----|-----------------------------|----|-------------------------------|
| <i>bupropion hcl</i> | 41 | CAPRELSA | 28 | <i>tabs 12.5-50-</i> |
| <i>bupropion hcl</i> <i>(smoking</i> <i>deterrent)</i> | 54 | <i>captopril</i> | 35 | <i>200 mg</i>43 |
| <i>buspirone hcl</i> | 41 | <i>captopril &</i> | | <i>carbidopa-</i> |
| <i>butorphanol</i> <i>tartrate</i> | 15 | <i>hydrochlorothi</i> | | <i>levodopa-</i> |
| BYDUREON | | <i>azide tab 25-</i> | | <i>entacapone</i> |
| BCISE | 54 | <i>15 mg</i>34 | | <i>tabs 18.75-</i> |
| BYETTA | 54 | <i>captopril &</i> | | <i>75-200 mg</i>43 |
| C | | <i>hydrochlorothi</i> | | <i>carbidopa-</i> |
| <i>cabergoline</i> | 63 | <i>azide tab 25-</i> | | <i>levodopa-</i> |
| CABOMETYX | 28 | <i>25 mg</i>34 | | <i>entacapone</i> |
| <i>calcipotriene</i> | 83 | <i>captopril &</i> | | <i>tabs 25-100-</i> |
| <i>calcitonin</i> <i>(salmon)</i> | | <i>hydrochlorothi</i> | | <i>200 mg</i>43 |
| <i>spray</i> | 57 | <i>azide tab 50-</i> | | <i>carbidopa-</i> |
| <i>calcitrene</i> | 83 | <i>15 mg</i>34 | | <i>levodopa-</i> |
| <i>calcitriol</i> | 66 | <i>captopril &</i> | | <i>entacapone</i> |
| <i>calcitriol (oral)</i> | 66 | <i>hydrochlorothi</i> | | <i>tabs 31.25-</i> |
| <i>calcium acetate</i> | | <i>azide tab 50-</i> | | <i>125-200 mg</i>43 |
| <i>(phosphate</i> <i>binder)</i> | 65 | <i>25 mg</i>34 | | <i>carbidopa-</i> |
| CALQUENCE | 28 | <i>carb/levo orally</i> | | <i>levodopa-</i> |
| <i>camila</i> | 58 | <i>disintegrating</i> | | <i>entacapone</i> |
| <i>camrese</i> | 58 | <i>tab 10-100mg</i>43 | | <i>tabs 37.5-</i> |
| <i>camrese lo</i> | 58 | <i>carb/levo orally</i> | | <i>150-200 mg</i>43 |
| <i>candesartan</i> | | <i>disintegrating</i> | | <i>carbidopa-</i> |
| <i>cilexetil</i> | 36 | <i>tab 25-100mg</i>43 | | <i>levodopa-</i> |
| <i>candesartan</i> | | <i>carb/levo orally</i> | | <i>entacapone</i> |
| <i>cilexetil-</i> | | <i>disintegrating</i> | | <i>tabs 50-200-</i> |
| <i>hydrochlorothi</i> | | <i>tab 25-250mg</i>43 | | <i>200 mg</i>43 |
| <i>azide tab 16-</i> | | <i>carbamazepine</i> | 46 | <i>carboplatin</i>24 |
| <i>12.5 mg</i> | 35 | <i>carbidopa &</i> | | <i>carglumic acid</i>64 |
| <i>candesartan</i> | | <i>levodopa tab</i> | | <i>carisoprodol</i>53 |
| <i>cilexetil-</i> | | <i>10-100 mg</i>43 | | <i>carteolol hcl</i> |
| <i>hydrochlorothi</i> | | <i>carbidopa &</i> | | <i>(ophth)</i>78 |
| <i>azide tab 32-</i> | | <i>levodopa tab</i> | | <i>cartia xt</i>38 |
| <i>12.5 mg</i> | 35 | <i>25-100 mg</i>43 | | <i>carvedilol</i>38 |
| <i>candesartan</i> | | <i>carbidopa &</i> | | <i>caspofungin</i> |
| <i>cilexetil-</i> | | <i>levodopa tab</i> | | <i>acetate</i>17 |
| <i>hydrochlorothi</i> | | <i>25-250 mg</i>43 | | <i>CAYSTON</i>16 |
| <i>azide tab 32-</i> | | <i>carbidopa &</i> | | <i>cefaclor</i>21 |
| <i>12.5 mg</i> | 35 | <i>levodopa tab</i> | | <i>CEFACLOR ER</i>21 |
| <i>candesartan</i> | | <i>er 25-100 mg</i>43 | | <i>cefadroxil</i>21 |
| <i>cilexetil-</i> | | <i>carbidopa &</i> | | <i>CEFAZOLIN</i>21 |
| <i>hydrochlorothi</i> | | <i>levodopa tab</i> | | <i>CEFAZOLIN INJ</i> |
| <i>azide tab 32-</i> | | <i>er 50-200 mg</i>43 | | <i>1GM/50ML</i>21 |
| <i>25 mg</i> | 35 | <i>carbidopa-</i> | | <i>cefazolin</i> |
| CAPLYTA | 44 | <i>levodopa-</i> | | <i>sodium</i>21 |
| | | <i>entacapone</i> | | <i>CEFAZOLIN</i> |
| | | | | <i>SOLN</i> |

| | | |
|---|----|---|
| 2GM/100ML- | | |
| 4%..... | 21 | |
| <i>cefdinir</i> | 21 | |
| <i>cefepime hcl</i> | 22 | |
| <i>cefixime</i> | 22 | |
| <i>cefoxitin sodium</i> | 22 | |
| <i>cefpodoxime proxetil</i> | 22 | |
| <i>cefprozil</i> | 22 | |
| <i>ceftazidime</i> | 22 | |
| <i>ceftriaxone sodium</i> | 22 | |
| <i>cefuroxime axetil</i> | 22 | |
| <i>cefuroxime sodium</i> | 22 | |
| <i>celecoxib</i> | 14 | |
| <i>cephalexin</i> | 22 | |
| <i>CERDELGA</i> | 64 | |
| <i>CEREZYME</i> | 64 | |
| <i>cetirizine hcl</i> | 79 | |
| <i>cevimeline hcl</i> | 85 | |
| <i>chateal eq</i> | 58 | |
| <i>CHEMET</i> | 58 | |
| <i>chlorhexidine gluconate (mouth-throat)</i> | 85 | |
| <i>chloroquine phosphate</i> | 18 | |
| <i>chlorpromazine hcl</i> | 44 | |
| <i>chlorthalidone</i> | 39 | |
| <i>cholestyramine</i> | 37 | |
| <i>cholestyramine light</i> | 37 | |
| <i>ciclopirox olamine</i> | 83 | |
| <i>cilostazol</i> | 70 | |
| <i>CILOXAN</i> | 77 | |
| <i>CIMDUO TAB 300-300</i> | 19 | |
| <i>cinacalcet hcl</i> | 64 | |
| <i>CIPRO</i> | 22 | |
| <i>ciprofloxacin 200</i> | | |
| | | <i>mg/100ml in d5w</i> |
| | | 22 |
| | | <i>ciprofloxacin 400 mg/200ml in d5w</i> |
| | | 22 |
| | | <i>ciprofloxacin hcl 22 ciprofloxacin hcl (ophth)</i> |
| | | 77 |
| | | <i>ciprofloxacin-dexamethasone otic susp 0.3-0.1%</i> |
| | | 79 |
| | | <i>cisplatin</i> |
| | | 24 |
| | | <i>citalopram hydrobromide</i> |
| | | 41 |
| | | <i>claravis</i> |
| | | 82 |
| | | <i>clarithromycin</i> |
| | | 22 |
| | | <i>clindamycin hcl</i> |
| | | 16 |
| | | <i>clindamycin palmitate hydrochloride</i> |
| | | 16 |
| | | <i>clindamycin phosphate</i> |
| | | 16 |
| | | <i>clindamycin phosphate (topical)</i> |
| | | 82 |
| | | <i>clindamycin phosphate in d5w iv soln 300 mg/50ml</i> |
| | | 16 |
| | | <i>clindamycin phosphate in d5w iv soln 600 mg/50ml</i> |
| | | 16 |
| | | <i>clindamycin phosphate in d5w iv soln 900 mg/50ml</i> |
| | | 16 |
| | | <i>clindamycin vaginal</i> |
| | | 69 |
| | | <i>CLINDMYC/NAC INJ 300/50ML</i> |
| | | 16 |
| | | <i>CLINDMYC/NAC INJ 600/50ML</i> |
| | | 16 |
| | | <i>CLINDMYC/NAC INJ 900/50ML</i> |
| | | 16 |
| | | <i>CLINIMIX INJ 4.25/D10</i> |
| | | 76 |
| | | <i>CLINIMIX INJ 4.25/D5W</i> |
| | | 76 |
| | | <i>CLINIMIX INJ 5%/D15W</i> |
| | | 76 |
| | | <i>CLINIMIX INJ 5%/D20W</i> |
| | | 76 |
| | | <i>CLINIMIX INJ 6/5</i> |
| | | 76 |
| | | <i>CLINIMIX INJ 8/10</i> |
| | | 76 |
| | | <i>CLINIMIX INJ 8/14</i> |
| | | 76 |
| | | <i>clinisol sf 15%</i> |
| | | 76 |
| | | <i>CLINOLIPID EMU 20%</i> |
| | | 76 |
| | | <i>clobazam</i> |
| | | 46 |
| | | <i>clobetasol propionate</i> |
| | | 84 |
| | | <i>clobetasol propionate e</i> |
| | | 84 |
| | | <i>clomipramine hcl</i> |
| | | 41 |
| | | <i>clonazepam</i> |
| | | 46 |
| | | <i>clonidine</i> |
| | | 40 |
| | | <i>clonidine hcl</i> |
| | | 40 |
| | | <i>clopidoogrel bisulfate</i> |
| | | 70 |
| | | <i>clorazepate dipotassium</i> |
| | | 46 |
| | | <i>clotrimazole</i> |
| | | 85 |
| | | <i>clotrimazole (topical)</i> |
| | | 83 |
| | | <i>clotrimazole w/betamethason e cream 1-0.05%</i> |
| | | 83 |
| | | <i>clozapine</i> |
| | | 44 |
| | | <i>COARTEM TAB 20-120MG</i> |
| | | 18 |
| | | <i>colchicine</i> |
| | | 14 |
| | | <i>colchicine w/probenecid</i> |

| | | | | | |
|------------------------------|----|----------------------------|----|------------------------------|----|
| <i>tab</i> 0.5-500 | | <i>cyclophosphami</i> | | <i>deferasirox</i> | 58 |
| <i>mg</i> | 14 | <i>de</i> | 24 | <i>DELSTRIGO</i> | |
| <i>colesevelam hcl</i> | 37 | <i>CYCLOPHOSPHA</i> | | <i>TAB</i> | 19 |
| <i>colestipol hcl</i> | 37 | <i>MIDE</i> | 24 | <i>DENGVAXIA</i> | |
| <i>colistimethate</i> | | <i>CYCLOPHOSPHA</i> | | <i>SUS</i> | 73 |
| <i>sodium</i> | 16 | <i>MIDE</i> | | <i>DEPO-SUBQ</i> | |
| <i>COMBIGAN SOL</i> | | <i>MONOHYDR</i> | 24 | <i>PROVERA</i> 104 | 59 |
| 0.2/0.5%..... | 78 | <i>cycloserine</i> | 20 | <i>depo-</i> | |
| <i>COMBIVENT</i> | | <i>cyclosporine</i> | 73 | <i>testosterone</i> | 54 |
| AER 20-100 | 79 | <i>cyclosporine</i> | | <i>DESCOVY TAB</i> | |
| <i>COMETRIQ</i> | | <i>modified (for</i> | | 120-15MG | 19 |
| (60MG DOSE)..... | 28 | <i>microemulsion</i> | | 200/25MG | 19 |
| <i>COMETRIQ KIT</i> | | <i>)</i> | 73 | <i>desipramine hcl</i> | 42 |
| 100MG | 28 | <i>cyproheptadine</i> | | <i>desmopressin</i> | |
| <i>COMETRIQ KIT</i> | | <i>hcl</i> | 79 | <i>acetate</i> | 64 |
| 140MG | 28 | <i>cyred eq</i> | 58 | <i>desmopressin</i> | |
| <i>COMPLERA TAB</i> | 19 | <i>CYSTADROPS</i> | 78 | <i>acetate spray</i> | 64 |
| <i>compro</i> | 66 | <i>CYSTAGON</i> | 64 | <i>desmopressin</i> | |
| <i>constulose</i> | 67 | <i>CYSTARAN</i> | 78 | <i>acetate spray</i> | |
| <i>CONTRAVE TAB</i> | | <i>cytarabine</i> | 25 | <i>refrigerated</i> | 64 |
| 8-90MG..... | 86 | | | <i>desogest-eth</i> | |
| <i>COPIKTRA</i> | 28 | D | | <i>estradiad & eth</i> | |
| <i>CORLANOR</i> | 40 | <i>D10W/NACL INJ</i> | | <i>estradiad tab</i> | |
| <i>COTELLIC</i> | 28 | 0.2% | 75 | <i>0.15-</i> | |
| <i>CREON CAP</i> | | <i>D2.5W/NACL</i> | | <i>0.02/0.01</i> | |
| 12000UNT | 68 | INJ 0.45% | 74 | <i>mg(21/5)</i> | 59 |
| <i>CREON CAP</i> | | <i>D5W/LYTES INJ</i> | | <i>desogestrel &</i> | |
| 24000UNT | 68 | #48 | 74 | <i>ethinyl</i> | |
| <i>CREON CAP</i> | | <i>dabigatran</i> | | <i>estradiol tab</i> | |
| 3000UNIT | 67 | <i>etexilate</i> | | <i>0.15 mg-30</i> | |
| <i>CREON CAP</i> | | <i>mesylate</i> | 69 | <i>mcg</i> | 59 |
| 36000UNT | 68 | <i>dalfampridine</i> | 52 | <i>desvenlafaxine</i> | |
| <i>CREON CAP</i> | | <i>danazol</i> | 62 | <i>succinate</i> | 42 |
| 6000UNIT | 68 | <i>dantrolene</i> | | <i>dexamethasone</i> | 63 |
| <i>cromolyn</i> | | <i>sodium</i> | 53 | <i>DEXAMETHASO</i> | |
| <i>sodium</i> | 80 | <i>dapsone</i> | 16 | NE INTENSOL | 63 |
| <i>cromolyn</i> | | <i>DAPTACEL INJ</i> | 73 | <i>dexamethasone</i> | |
| <i>sodium</i> | | <i>daptomycin</i> | 16 | <i>sodium</i> | |
| (<i>mastocytosis</i> | | <i>DAPTO MYCIN</i> | 16 | <i>phosphate</i> | 63 |
|) | 67 | <i>darunavir</i> | 18 | <i>dexamethasone</i> | |
| <i>cromolyn</i> | | <i>dasetta 1/35</i> | 58 | <i>sodium</i> | |
| <i>sodium</i> | | <i>dasetta 7/7/7</i> | 58 | <i>phosphate</i> | |
| (<i>ophth</i>) | 78 | <i>DAURISMO</i> | 28 | (<i>ophth</i>) | 78 |
| <i>cryselle-28</i> | 58 | <i>daysee</i> | 59 | <i>DEXCOM G6</i> | |
| <i>cyclobenzaprine</i> | | <i>DAYVIGO</i> | 50 | <i>MIS</i> | |
| <i>hcl</i> | 53 | <i>deblitane</i> | 59 | <i>RECEIVER</i> | 86 |

| | | |
|---------------------------|------------------------------|---------------------------------|
| DEXCOM G6 | <i>diazepam</i> | <i>dipyridamole</i> 70 |
| MIS SENSOR | <i>intensol</i> 47 | <i>disopyramide</i> |
| DEXCOM G6 | <i>diazoxide</i> | <i>phosphate</i> 37 |
| MIS | <i>diclofenac</i> | <i>disulfiram</i> 54 |
| TRANSMIT..... | <i>potassium</i> 14 | <i>divalproex</i> |
| DEXCOM G7 | <i>diclofenac</i> | <i>sodium</i> 47 |
| MIS | <i>sodium</i> 14 | <i>docetaxel</i> 27 |
| RECEIVER..... | <i>diclofenac</i> | <i>DOCETAXEL</i> 27 |
| DEXCOM G7 | <i>sodium</i> | <i>dofetilide</i> 37 |
| MIS SENSOR | (<i>ophth</i>) 78 | <i>donepezil</i> |
| <i>dexamethylpheni</i> | <i>diclofenac</i> | <i>hydrochloride</i> 41 |
| date <i>hcl</i> | <i>sodium</i> | <i>DOPTELET</i> 70 |
| <i>dextrose</i> | (<i>topical</i>) 85 | <i>dorzolamide hcl</i> 78 |
| <i>dextrose 10%</i> | <i>dicloxacillin</i> | <i>dorzolamide</i> |
| w/ <i>sodium</i> | <i>sodium</i> 23 | <i>hcl-timolol</i> |
| chloride | <i>dicyclomine hcl</i> | <i>maleate ophth</i> |
| 0.45%..... | <i>diethylpropion</i> | <i>soln 2-0.5%</i> 78 |
| <i>dextrose 2.5%</i> | <i>hcl</i> 86 | <i>dotti</i> 62 |
| w/ <i>sodium</i> | <i>DIFICID</i> | <i>DOVATO TAB</i> |
| chloride | <i>diflunisal</i> | 50-300MG 19 |
| 0.45%..... | <i>difluprednate</i> | <i>doxazosin</i> |
| <i>dextrose 5% in</i> | <i>digoxin</i> | <i>mesylate</i> 35 |
| <i>lactated</i> | <i>dihydroergotam</i> | <i>doxepin hcl</i> |
| <i>ringers</i> | <i>ine mesylate</i> | 42 |
| <i>dextrose 5% w/</i> | <i>DILANTIN</i> | <i>doxepin hcl</i> |
| <i>sodium</i> | <i>DILANTIN</i> | (<i>sleep</i>) 50 |
| chloride 0.2%.... | INFATABS | <i>doxorubicin hcl</i> |
| <i>dextrose 5% w/</i> | <i>DILANTIN-125</i> | 24 |
| <i>sodium</i> | <i>diltiazem hcl</i> | <i>doxorubicin hcl</i> |
| chloride | <i>diltiazem hcl</i> | <i>liposomal</i> 24 |
| 0.225%..... | <i>coated beads</i> | <i>doxy 100</i> 24 |
| <i>dextrose 5% w/</i> | <i>diltiazem hcl</i> | <i>doxycycline</i> |
| <i>sodium</i> | <i>extended</i> | (<i>monohydrate</i> |
| chloride 0.3%.... | <i>release beads</i> |) 24 |
| <i>dextrose 5% w/</i> | <i>dilt-xr</i> | <i>doxycycline</i> |
| <i>sodium</i> | <i>DIP/TET PED</i> | <i>hydlate</i> 24 |
| chloride | INJ 25-5LFU..... | <i>dronabinol</i> 66 |
| 0.45%..... | <i>diphenhydramin</i> | <i>drospirenone-</i> |
| <i>dextrose 5% w/</i> | <i>e hcl</i> | <i>ethinyl</i> |
| <i>sodium</i> | <i>diphenoxylate</i> | <i>estradiol tab</i> |
| chloride 0.9%.... | w/ <i>atropine liq</i> | 3-0.02 mg 59 |
| <i>DIACOMIT</i> | 2.5-0.025 | <i>drospirenone-</i> |
| <i>diazepam</i> | mg/5ml | <i>ethinyl</i> |
| <i>diazepam</i> | <i>diphenoxylate</i> | <i>estradiol tab</i> |
| (<i>anticonvulsa</i> | w/ <i>atropine</i> | 3-0.03 mg 59 |
| nt)..... | tab 2.5-0.025 | <i>drospirenone-</i> |
| <i>diazepam inj</i> | mg | <i>ethinyl</i> |

| | | |
|-----------------------------|----------------------------|--------|
| <i>tab 3-0.03-</i> | EMSAM | 42 |
| <i>0.451 mg</i> | <i>emtricitabine</i> | 18 |
| DROXIA..... | <i>emtricitabine-</i> | |
| <i>droxidopa</i> | <i>tenofovir</i> | |
| DULERA AER | <i>disoproxil</i> | |
| 100-5MCG..... | <i>fumarate tab</i> | |
| DULERA AER | <i>100-150 mg</i> | 20 |
| 200-5MCG..... | <i>emtricitabine-</i> | |
| DULERA AER | <i>tenofovir</i> | |
| 50-5MCG | <i>disoproxil</i> | |
| <i>duloxetine hcl</i> | <i>fumarate tab</i> | |
| DUPIXENT | <i>133-200 mg</i> | 20 |
| <i>dutasteride</i> | <i>emtricitabine-</i> | |
| <i>dutasteride-</i> | <i>tenofovir</i> | |
| <i>tamsulosin hcl</i> | <i>disoproxil</i> | |
| <i>cap 0.5-0.4</i> | <i>fumarate tab</i> | |
| <i>mg</i> | <i>167-250 mg</i> | 20 |
| E | <i>emtricitabine-</i> | |
| <i>e.e.s. 400</i> | <i>tenofovir</i> | |
| <i>ec-naproxen</i> | <i>disoproxil</i> | |
| EDURANT..... | <i>fumarate tab</i> | |
| <i>efavirenz</i> | <i>200-300 mg</i> | 20 |
| <i>efavirenz-</i> | EMTRIVA | 18 |
| <i>emtricitabine-</i> | EMVERM..... | 16 |
| <i>tenofovir df</i> | <i>enalapril</i> | |
| <i>tab 600-200-</i> | <i>maleate</i> | 35 |
| <i>300 mg</i> | <i>enalapril</i> | |
| <i>efavirenz-</i> | <i>maleate &</i> | |
| <i>lamivudine-</i> | <i>hydrochlorothi</i> | |
| <i>tenofovir df</i> | <i>azide tab 10-</i> | |
| <i>tab 400-300-</i> | <i>25 mg</i> | 34 |
| <i>300 mg</i> | <i>enalapril</i> | |
| <i>efavirenz-</i> | <i>maleate &</i> | |
| <i>lamivudine-</i> | <i>hydrochlorothi</i> | |
| <i>tenofovir df</i> | <i>azide tab 5-</i> | |
| <i>tab 600-300-</i> | <i>12.5 mg</i> | 34 |
| <i>300 mg</i> | ENBREL | 70 |
| ELIGARD | ENBREL MINI | 70 |
| <i>elinest</i> | ENBREL | |
| ELIQUIS | <i>SURECLICK</i> | 71 |
| ELIQUIS | ENDARI | 70 |
| STARTER | <i>endocet tab 10-</i> | |
| PACK | <i>325mg</i> | 15 |
| ELLENCE | <i>endocet tab</i> | |
| <i>eluryng</i> | <i>2.5-325mg</i> | 15 |
| | <i>endocet tab 5-</i> | |
| | <i>325mg</i> | 15 |
| | <i>endocet tab</i> | |
| | <i>7.5-325mg</i> | 15 |
| | ENGERIX-B | 73 |
| | enilloring | 59 |
| | <i>enoxaparin</i> | |
| | <i>sodium</i> | 69 |
| | enpresse-28 | 59 |
| | enskyce | 59 |
| | ENSTILAR AER | 84 |
| | entacapone | 43 |
| | entecavir | 20 |
| | ENTRESTO TAB | |
| | <i>24-26MG</i> | 36 |
| | ENTRESTO TAB | |
| | <i>49-51MG</i> | 36 |
| | ENTRESTO TAB | |
| | <i>97-103MG</i> | 36 |
| | enulose | 67 |
| | EPCLUSIA PAK | |
| | <i>150-37.5</i> | 21 |
| | EPCLUSIA PAK | |
| | <i>200-50MG</i> | 21 |
| | EPCLUSIA TAB | |
| | <i>200-50MG</i> | 21 |
| | EPCLUSIA TAB | |
| | <i>400-100</i> | 21 |
| | EPIDIOLEX | 47 |
| | <i>epinephrine</i> | |
| | <i>(anaphylaxis)</i> .. | 40, 80 |
| | epitol | 47 |
| | eplerenone | 35 |
| | EPRONTIA | 47 |
| | <i>ergotamine w/</i> | |
| | <i>caffeine tab</i> | |
| | <i>1-100 mg</i> | 51 |
| | ERIVEDGE | 28 |
| | ERLEADA | 25 |
| | erlotinib hcl | 28 |
| | errin | 59 |
| | <i>ertapenem</i> | |
| | <i>sodium</i> | 16 |
| | ery | 82 |
| | ery-tab | 22 |
| | ERYTHROCIN | |
| | LACTOBIONAT | |
| | E | 22 |

| | |
|------------------------|----|
| erythrocin | |
| stearate | 22 |
| erythromycin | |
| (acne aid)..... | 82 |
| erythromycin | |
| (ophth) | 77 |
| erythromycin | |
| base | 22 |
| erythromycin | |
| ethylsuccinate | 22 |
| erythromycin | |
| lactobionate | 22 |
| escitalopram | |
| oxalate..... | 42 |
| esomeprazole | |
| magnesium | 68 |
| estarrylla | 59 |
| estradiol..... | 62 |
| estradiol & | |
| norethindrone | |
| acetate tab | |
| 0.5-0.1 mg..... | 62 |
| estradiol & | |
| norethindrone | |
| acetate tab 1- | |
| 0.5 mg | 62 |
| estradiol | |
| vaginal..... | 62 |
| estradiol | |
| valerate | 62 |
| eszopiclone | 50 |
| ethambutol hcl | 20 |
| ethosuximide | 47 |
| ethynodiol | |
| diacetate & | |
| ethinyl | |
| estradiol tab 1 | |
| mg-35 mcg | 59 |
| ethynodiol | |
| diacetate & | |
| ethinyl | |
| estradiol tab 1 | |
| mg-50 mcg | 59 |
| etodolac | 14 |
| etonogestrel- | |
| ethinyl | |
| estradiol va | |
| ring 0.12- | |
| 0.015 | |
| mg/24hr | 59 |
| etoposide | 27 |
| etravirine | 18 |
| EULEXIN | 25 |
| euthyrox | 65 |
| everolimus..... | 28 |
| everolimus | |
| (immunosupp | |
| ressant) | 73 |
| EVOTAZ TAB | |
| 300-150..... | 20 |
| exemestane | 25 |
| EXKIVITY | 28 |
| EYSUVIS | 78 |
| ezetimibe | 37 |
| ezetimibe- | |
| simvastatin | |
| tab 10-10 mg | 37 |
| ezetimibe- | |
| simvastatin | |
| tab 10-20 mg | 37 |
| ezetimibe- | |
| simvastatin | |
| tab 10-40 mg | 37 |
| ezetimibe- | |
| simvastatin | |
| tab 10-80 mg | 37 |
| F | |
| FABRAZYME | 64 |
| falmina | 59 |
| famciclovir | 21 |
| famotidine | 66 |
| famotidine in | |
| nacl 0.9% iv | |
| soln 20 | |
| mg/50ml..... | 66 |
| FANAPT | 44 |
| FANAPT PAK..... | 44 |
| FARXIGA | 54 |
| FASENRA | 80 |
| FASENRA PEN | 80 |
| felbamate | 47 |
| felodipine | 39 |
| fenofibrate | 37 |
| fenofibrate | |
| micronized..... | 37 |
| fentanyl | 14 |
| fentanyl citrate | 15 |
| fesoterodine | |
| fumarate | 68 |
| FETZIMA | 42 |
| FETZIMA CAP | |
| TITRATIO..... | 42 |
| FIASP | 56 |
| FIASP | |
| FLEXTOUCH..... | 56 |
| FIASP PENFILL..... | 56 |
| FIASP | |
| PUMPCART..... | 56 |
| finasteride..... | 68 |
| fingolimod hcl | 52 |
| FINTEPLA | 47 |
| finzala | 59 |
| FIRMAGON | 25 |
| flac | 79 |
| FLAREX..... | 78 |
| FLEBOGAMMA | |
| DIF | 72 |
| flecainide | |
| acetate | 37 |
| fluconazole | 17 |
| fluconazole in | |
| nacl 0.9% inj | |
| 200 | |
| mg/100ml..... | 17 |
| fluconazole in | |
| nacl 0.9% inj | |
| 400 | |
| mg/200ml..... | 18 |
| flucytosine | 18 |
| fludrocortisone | |
| acetate | 63 |
| flunisolide | |
| (nasal) | 81 |
| fluocinolone | |
| acetonide | 84 |
| fluocinolone | |
| acetonide | |
| (otic) | 79 |
| fluocinonide | 84 |

| | | |
|-------------------------------|-----------------------------|------------------------------|
| <i>fluocinonide</i> | <i>azide tab 10-</i> | GAMUNEX-C |
| <i>emulsified</i> | <i>12.5 mg</i> | 72 |
| <i>base</i> | 34 | |
| <i>fluorometholone</i> | <i>fosinopril</i> | <i>ganciclovir</i> |
| <i>(ophth)</i> | <i>sodium &</i> | <i>sodium</i> |
| 78 | <i>hydrochlorothi</i> | 21 |
| <i>fluorouracil</i> | <i>azide tab 20-</i> | GARDASIL 9 INJ |
| | <i>12.5 mg</i> | 74 |
| <i>fluorouracil</i> | FOTIVDA | <i>gatifloxacin</i> |
| <i>(topical)</i> | <i>FREESTY LIBR</i> | <i>(ophth)</i> |
| 85 | <i>KIT 2 SENSOR</i> | 77 |
| <i>fluoxetine hcl</i> | <i>FREESTY LIBR</i> | GATTEX |
| 42 | <i>KIT 3 SENSOR</i> | 67 |
| <i>fluphenazine</i> | <i>FREESTY LIBR</i> | GAUZE PADS 2 |
| <i>decanoate</i> | <i>MIS 2</i> | 66 |
| 44 | <i>READER</i> | |
| <i>fluphenazine hcl</i> | <i>FREESTY LIBR</i> | <i>gavilyte-c</i> |
| 44 | <i>MIS 3</i> | 67 |
| <i>flurbiprofen</i> | <i>READER</i> | <i>gavilyte-g</i> |
| 14 | <i>FREESTYLE KIT</i> | 67 |
| <i>flurbiprofen</i> | <i>SENSOR</i> | GAVRETO |
| <i>sodium</i> | <i>FREESTYLE MIS</i> | 29 |
| 78 | <i>READER</i> | <i>gefitinib</i> |
| <i>fluticasone</i> | FRUZAQLA | 29 |
| <i>propionate</i> | <i>fulvestrant</i> | <i>gemcitabine hcl</i> |
| 84 | <i>furosemide</i> | 25 |
| <i>fluticasone</i> | <i>furosemide inj</i> | <i>gemfibrozil</i> |
| <i>propionate</i> | FUZEON | 37 |
| <i>(nasal)</i> | <i>fyavolv tab</i> | GEMTESA |
| 81 | <i>0.5mg-</i> | 68 |
| <i>fluticasone-</i> | <i>2.5mcg</i> | <i>generlac</i> |
| <i>salmeterol aer</i> | <i>fyavolv tab</i> | 67 |
| <i>powder ba</i> | <i>1mg-5mcg</i> | <i>gengraf</i> |
| <i>100-50</i> | FYCOMPA | 73 |
| <i>mcg/act</i> | G | GENOTROPIN |
| 82 | <i>gabapentin</i> | 64 |
| <i>fluticasone-</i> | <i>galantamine</i> | <i>gentamicin in</i> |
| <i>salmeterol aer</i> | <i>hydrobromide</i> | <i>saline inj 0.8</i> |
| <i>powder ba</i> | GAMASTAN INJ | <i>mg/ml</i> |
| <i>250-50</i> | GAMMAGARD | 16 |
| <i>mcg/act</i> | <i>LIQUID</i> | <i>gentamicin in</i> |
| 82 | GAMMAGARD | <i>saline inj 1</i> |
| <i>fluticasone-</i> | <i>S/D IGA LESS</i> | <i>mg/ml</i> |
| <i>salmeterol aer</i> | TH | 16 |
| <i>powder ba</i> | GAMMAKED | <i>gentamicin in</i> |
| <i>500-50</i> | GAMMAPLEX | <i>saline inj 1.2</i> |
| <i>mcg/act</i> | | <i>mg/ml</i> |
| 82 | | 16 |
| <i>fluvoxamine</i> | | <i>gentamicin in</i> |
| <i>maleate</i> | | <i>saline inj 1.6</i> |
| 41 | | <i>mg/ml</i> |
| <i>fondaparinux</i> | | 16 |
| <i>sodium</i> | | <i>gentamicin in</i> |
| 69 | | <i>saline inj 2</i> |
| <i>fosamprenavir</i> | | <i>mg/ml</i> |
| <i>calcium</i> | | 16 |
| 18 | | <i>gentamicin</i> |
| <i>fosinopril</i> | | <i>sulfate</i> |
| <i>sodium</i> | | 16 |
| 35 | | <i>gentamicin</i> |
| <i>fosinopril</i> | | <i>sulfate</i> |
| <i>sodium &</i> | | <i>(ophth)</i> |
| <i>hydrochlorothi</i> | | 77 |

| | | | |
|-----------------------|----|--------------------|--------------------------------|
| <i>glatopa</i> | 52 | <i>haloperidol</i> | HUMIRA PEN- |
| GLEOSTINE | 24 | <i>lactate</i> | PS/UV |
| <i>glimepiride</i> | 54 | HARVONI PAK | STARTER.....71 |
| <i>glipizide</i> | 54 | 33.75-150MG | HUMULIN R U- |
| <i>glipizide xl</i> | 54 | 21 | 500 |
| <i>glipizide-</i> | | HARVONI PAK | (CONCENTR56 |
| <i>metformin hcl</i> | | 45-200MG | HUMULIN R U- |
| <i>tab 2.5-250</i> | | 21 | 500 KWIKPEN56 |
| <i>mg</i> | 54 | HARVONI TAB | <i>hydralazine hcl</i>40 |
| <i>glipizide-</i> | | 45-200MG | <i>hydrochlorothia-</i> |
| <i>metformin hcl</i> | | 21 | <i>zide</i>39 |
| <i>tab 2.5-500</i> | | HARVONI TAB | <i>hydrocodone</i> |
| <i>mg</i> | 54 | 90-400MG | <i>bitartrate</i>14 |
| <i>glipizide-</i> | | HAVRIX | <i>hydrocodone-</i> |
| <i>metformin hcl</i> | | 74 | <i>acetaminophe</i> |
| <i>tab 5-500 mg</i> | 54 | <i>heather</i> | <i>n soln 7.5-</i> |
| <i>glycopyrrolate</i> | 66 | HEP SOD/D5W | <i>325 mg/15ml</i>15 |
| <i>glydo</i> | 84 | INJ 20000UNT | <i>hydrocodone-</i> |
| GLYXAMBI TAB | | 69 | <i>acetaminophe</i> |
| 10-5 MG | 54 | HEP SOD/D5W | <i>n tab 10-325</i> |
| GLYXAMBI TAB | | INJ 25000UNT | <i>mg</i>15 |
| 25-5 MG | 54 | HEP SOD/NACL | <i>hydrocodone-</i> |
| <i>gransetron hcl</i> | 66 | INJ 12500UNT | <i>acetaminophe</i> |
| <i>griseofulvin</i> | | 69 | <i>n tab 5-325</i> |
| <i>microsize</i> | 18 | HEPLISAV-B | <i>mg</i>15 |
| <i>griseofulvin</i> | | 74 | <i>hydrocodone-</i> |
| <i>ultramicrosize</i> | 18 | HERCEP HYLEC | <i>acetaminophe</i> |
| <i>guanfacine hcl</i> | 40 | SOL 60-10000 | <i>n tab 7.5-325</i> |
| <i>guanfacine hcl</i> | | 29 | <i>mg</i>15 |
| <i>(adhd)</i> | 50 | HERCEPTIN | <i>hydrocodone-</i> |
| GVOKE | | 29 | <i>ibuprofen tab</i> |
| HYPOPEN 2- | | HERZUMA | 7.5-200 mg15 |
| PACK | 63 | HIBERIX | <i>hydrocortisone</i>63 |
| GVOKE KIT | 63 | HUMIRA | <i>hydrocortisone</i> |
| GVOKE PFS | 63 | HUMIRA | (<i>intrarectal</i>).....67 |
| | | PEDIA | <i>hydrocortisone</i> |
| H | | INJ CROHNS | (<i>rectal</i>)85 |
| HAEGARDA | 70 | HUMIRA | <i>hydrocortisone</i> |
| <i>hailey 1.5/30</i> | 59 | PEDIATRIC | (<i>topical</i>)84 |
| <i>hailey 24 fe</i> | 59 | CROHNS D | <i>hydromorphone</i> |
| <i>halobetasol</i> | | HUMIRA PEN | <i>hcl</i>15 |
| <i>propionate</i> | 84 | KIT PS/UV | <i>hydroxychloroq-</i> |
| <i>haloette</i> | 59 | HUMIRA PEN- | <i>uine sulfate</i>72 |
| <i>haloperidol</i> | 44 | CD/UC/HS | <i>hydroxyurea</i>26 |
| <i>haloperidol</i> | | START | <i>hydroxyzine hcl</i>79 |
| <i>decanoate</i> | 44 | HUMIRA PEN- | <i>hydroxyzine</i> |
| | | PEDIATRIC | <i>pamoate</i>80 |
| | | UC S | |

| | | | | | |
|-----------------------------|----|-----------------------------|----|---------------------------|----|
| HYSINGLA ER | 14 | INFANRIX INJ | 74 | <i>isibloom</i> | 59 |
| I | | | | | |
| <i>ibandronate</i> | | INFLIXIMAB..... | 71 | ISOLYTE-P INJ | |
| <i>sodium</i> | 57 | INLYTA | 29 | /D5W..... | 75 |
| IBRANCE..... | 29 | INQOVI TAB | | ISOLYTE-S INJ..... | 75 |
| <i>ibu</i> | 14 | 35-100MG | 25 | ISOLYTE-S INJ | |
| <i>ibuprofen</i> | 14 | INREBIC..... | 29 | PH 7.4 | 75 |
| <i>icatibant</i> | | INSULIN PEN | | <i>isoniazid</i> | 20 |
| <i>acetate</i> | 70 | NEEDLES: | | <i>isosorbide</i> | |
| <i>iclevia</i> | 59 | BD/NOVO | 56 | <i>dinitrate</i> | 40 |
| ICLUSIG..... | 29 | INSULIN | | <i>isosorbide</i> | |
| IDACIO (2 PEN) | 71 | SAFETY | | <i>mononitrate</i> | 40 |
| IDACIO (2 | | NEEDLES | 56 | <i>isotretinoin</i> | 83 |
| SYRINGE)..... | 71 | INSULIN | | <i>isradipine</i> | 39 |
| IDACIO CROHN | | SYRINGES: | | <i>itraconazole</i> | 18 |
| INJ DISEASE..... | 71 | BD | 56 | <i>ivermectin</i> | 16 |
| IDACIO PLAQU | | INTELENCE..... | 18 | IWLFIN..... | 26 |
| INJ | | INTRALIPID | 76 | IXCHIQ INJ..... | 74 |
| PSORIASIS..... | 71 | <i>introvale</i> | 59 | IXIARO INJ | 74 |
| IDHIFA | 29 | INVEGA | | J | |
| <i>imatinib</i> | | HAFYERA | 44 | JAKAFI | 29 |
| <i>mesylate</i> | 29 | INVEGA | | <i>jantoven</i> | 69 |
| IMBRUVICA | 29 | SUSTENNA | 44 | JANUMET TAB | |
| IMCIVREE | 86 | INVEGA TRINZA | 44 | 50-1000 | 55 |
| <i>imipenem-</i> | | IPOL INJ | | JANUMET TAB | |
| <i>cilastatin</i> | | INACTIVE | 74 | 50-500MG | 54 |
| <i>intravenous</i> | | <i>ipratropium</i> | | JANUMET XR | |
| <i>for soln 250</i> | | <i>bromide</i> | 79 | TAB 100-1000 | 55 |
| <i>mg</i> | 16 | <i>ipratropium</i> | | JANUMET XR | |
| <i>imipenem-</i> | | <i>bromide</i> | 79 | TAB 50-1000..... | 55 |
| <i>cilastatin</i> | | <i>ipratropium-</i> | | JANUMET XR | |
| <i>intravenous</i> | | <i>albuterol nebu</i> | | TAB 50- | |
| <i>for soln 500</i> | | <i>soln 0.5-</i> | | 500MG..... | 55 |
| <i>mg</i> | 16 | <i>2.5(3)</i> | | JANUVIA | 55 |
| <i>imipramine hcl</i> | 42 | <i>mg/3ml</i> | 79 | JARDIANCE | 55 |
| <i>imiquimod</i> | 85 | <i>irbesartan</i> | 36 | <i>jasmiel</i> | 59 |
| IMOVAX | | <i>irbesartan-</i> | | <i>javygtor</i> | 64 |
| RABIES | | <i>hydrochlorothi</i> | | JAYPIRCA | 29 |
| (H.D.C.V.) | 74 | <i>azide tab 150-</i> | | JENTADUETO | |
| INBRIJA | 43 | <i>12.5 mg</i> | 36 | TAB 2.5-1000 | 55 |
| <i>incassia</i> | 59 | <i>irbesartan-</i> | | JENTADUETO | |
| INCRELEX | 64 | <i>hydrochlorothi</i> | | TAB 2.5-500..... | 55 |
| INCRUSE | | <i>azide tab 300-</i> | | JENTADUETO | |
| ELLIPTA | 79 | <i>12.5 mg</i> | 36 | TAB 2.5-850..... | 55 |
| <i>indapamide</i> | 39 | <i>irinotecan hcl</i> | 26 | | |
| | | ISENTRESS..... | 19 | | |
| | | ISENTRESS HD | 19 | | |

| | | |
|--------------------------|------------------------|--------------------------|
| JENTADUETO | & nacl 0.9% | KISQALI 400 |
| TAB XR 2.5- | inj 75 | DOSE 30 |
| 1000MG 55 | kcl 20 meq/l | KISQALI 400 |
| JENTADUETO | (0.15%) in | PAK FEMARA 27 |
| TAB XR 5- | nacl 0.45% | KISQALI 600 |
| 1000MG 55 | inj 75 | DOSE 30 |
| jinteli 63 | kcl 20 meq/l | KISQALI 600 |
| jolessa 59 | (0.15%) in | PAK FEMARA 27 |
| juleber 59 | nacl 0.9% inj 75 | klayesta 83 |
| JULUCA TAB | kcl 30 meq/l | klor-con 76 |
| 50-25MG 20 | (0.224%) in | klor-con 10 76 |
| junel 1.5/30 59 | dextrose 5% | klor-con 8 76 |
| junel 1/20 59 | & nacl 0.45% | klor-con m10 76 |
| junel fe 1.5/30 59 | inj 75 | klor-con m15 76 |
| junel fe 1/20 59 | kcl 40 meq/l | klor-con m20 76 |
| junel fe 24 59 | (0.3%) in | KORLYM 64 |
| JYNNEOS 74 | dextrose 5% | KOSELUGO 30 |
| | & nacl 0.45% | kourzeq 85 |
| K | inj 75 | KRAZATI 30 |
| KADCYLA 29 | kcl 40 meq/l | kurvelo 60 |
| kaitlib fe 59 | (0.3%) in | |
| KALYDECO 80, 81 | dextrose 5% | L |
| KANJINTI 30 | & nacl 0.9% | labetalol hcl 38 |
| kariva 59 | inj 75 | lacosamide 47 |
| kcl 10 meq/l | kcl 40 meq/l | lacosamide oral 47 |
| (0.075%) in | (0.3%) in nacl | lactated ringer's |
| dextrose 5% | 0.9% inj 75 | solution 75 |
| & nacl 0.45% | KCL/D5W/NACL | lactic acid |
| inj 75 | INJ 0.3/0.9% 75 | (ammonium |
| kcl 20 meq/l | kelnor 1/35 59 | lactate) 85 |
| (0.149%) in | kelnor 1/50 59 | lactulose 67 |
| nacl 0.45% | KERENDIA 35 | lactulose |
| inj 75 | KESIMPTA 52 | (encephalopat |
| kcl 20 meq/l | ketoconazole 18 | hy) 67 |
| (0.15%) in | ketoconazole | lamivudine 19 |
| dextrose 5% | (topical) 83 | lamivudine |
| & nacl 0.2% | ketorolac | (hbv) 21 |
| inj 75 | tromethamine | lamivudine- |
| kcl 20 meq/l | (ophth) 78 | zidovudine |
| (0.15%) in | KEVZARA 71 | tab 150-300 |
| dextrose 5% | KEYTRUDA 30 | mg 20 |
| & nacl 0.45% | KINRIX INJ 74 | lamotrigine 47 |
| inj 75 | KISQALI 200 | lansoprazole 68 |
| kcl 20 meq/l | DOSE 30 | lanthanum |
| (0.15%) in | KISQALI 200 | carbonate 65 |
| dextrose 5% | PAK FEMARA 26 | LANTUS 56 |

| | |
|-----------------------|--------|
| LANTUS | |
| SOLOSTAR | 56 |
| lapatinib | |
| ditosylate | 30 |
| larin 1.5/30 | 60 |
| larin 1/20..... | 60 |
| larin 24 fe..... | 60 |
| larin fe 1.5/30 | 60 |
| larin fe 1/20..... | 60 |
| latanoprost | 78 |
| layolis fe | 60 |
| leena | 60 |
| leflunomide | 72 |
| lenalidomide | 26 |
| LENVIMA 10 MG | |
| DAILY DOSE | 30 |
| LENVIMA 12MG | |
| DAILY DOSE | 30 |
| LENVIMA 20 MG | |
| DAILY DOSE | 30 |
| LENVIMA 4 MG | |
| DAILY DOSE | 30 |
| LENVIMA 8 MG | |
| DAILY DOSE | 30 |
| LENVIMA CAP | |
| 14 MG | 30 |
| LENVIMA CAP | |
| 18 MG | 30 |
| LENVIMA CAP | |
| 24 MG | 30 |
| lessina | 60 |
| letrozole..... | 25 |
| leucovorin | |
| calcium | 34 |
| LEUKERAN | 24 |
| leuprolide | |
| acetate..... | 25 |
| levalbuterol hcl..... | 80 |
| levalbuterol | |
| tartrate | 80 |
| levetiracetam..... | 47 |
| levetiracetam in | |
| sodium | |
| chloride iv | |
| soln 1000 | |
| mg/100ml | 48 |
| levetiracetam in | |
| sodium | |
| chloride iv | |
| soln 1500 | |
| mg/100ml | 48 |
| levetiracetam in | |
| sodium | |
| chloride iv | |
| soln 500 | |
| mg/100ml | 48 |
| levobunolol hcl | 78 |
| levocarnitine | |
| (metabolic | |
| modifiers)..... | 64 |
| levocetirizine | |
| dihydrochlorid | |
| e..... | 80 |
| levofloxacin | 22 |
| levofloxacin in | |
| d5w iv soln | |
| 250 mg/50ml..... | 22 |
| levofloxacin in | |
| d5w iv soln | |
| 500 | |
| mg/100ml | 22 |
| levofloxacin in | |
| d5w iv soln | |
| 750 | |
| mg/150ml | 22 |
| levonest | 60 |
| levonor-eth est | |
| tab 0.15- | |
| 0.02/0.025/0. | |
| 03 mg ð | |
| est 0.01 mg | 60 |
| levonorgestrel | |
| & ethinyl | |
| estradiol (91- | |
| day) tab 0.15- | |
| 0.03 mg | 60 |
| levonorgestrel | |
| & ethinyl | |
| estradiol tab | |
| 0.1 mg-20 | |
| mcg | 60 |
| levonorgestrel | |
| & ethinyl | |
| estradiol tab | |
| 0.15 mg-30 | |
| mcg..... | 60 |
| levonorgestrel- | |
| eth estra tab | |
| 0.05- | |
| 30/0.075- | |
| 40/0.125- | |
| 30mg-mcg..... | 60 |
| levonorg-eth | |
| est tab 0.1- | |
| 0.02mg(84) & | |
| eth est tab | |
| 0.01mg(7) | 60 |
| levonorg-eth | |
| est tab 0.15- | |
| 0.03mg(84) & | |
| eth est tab | |
| 0.01mg(7) | 60 |
| levora 0.15/30- | |
| 28..... | 60 |
| levo-t | 65 |
| levothyroxine | |
| sodium | 65 |
| levoxyl..... | 65 |
| LEXIVA | 19 |
| lidocaine..... | 84 |
| lidocaine hcl | 84 |
| lidocaine hcl | |
| (local anesth.) | 16 |
| lidocaine hcl | |
| (mouth- | |
| throat)..... | 85 |
| lidocaine- | |
| prilocaine | |
| cream 2.5- | |
| 2.5% | 84 |
| lidocan | 84 |
| linezolid | 16, 17 |
| LINEZOLID INJ | |
| 2MG/ML | 17 |
| LINZESS..... | 67 |
| liothyronine | |
| sodium | 65 |
| lisinopril | 35 |
| lisinopril & | |
| hydrochlorothi | |

| | |
|--|--------|
| <i>azide tab 10-</i> | |
| 12.5 mg | 35 |
| <i>lisinopril &</i> | |
| <i>hydrochlorothi</i> | |
| <i>azide tab 20-</i> | |
| 12.5 mg | 35 |
| <i>lisinopril &</i> | |
| <i>hydrochlorothi</i> | |
| <i>azide tab 20-</i> | |
| 25 mg | 35 |
| <i>lithium</i> | 52 |
| <i>lithium</i> | |
| <i>carbonate</i> | 52 |
| <i>loestrin 1.5/30-</i> | |
| 21 | 60 |
| <i>loestrin 1/20-21</i> | 60 |
| <i>loestrin fe</i> | |
| 1.5/30 | 60 |
| <i>loestrin fe 1/20</i> | 60 |
| <i>LOKELMA</i> | 58 |
| <i>LOMAIRA</i> | 86 |
| <i>LONSURF TAB</i> | |
| 15-6.14..... | 25 |
| <i>LONSURF TAB</i> | |
| 20-8.19..... | 25 |
| <i>loperamide hcl</i> | 67 |
| <i>lopinavir-</i> | |
| <i>ritonavir soln</i> | |
| <i>400-100</i> | |
| <i>mg/5ml (80-</i> | |
| <i>20 mg/ml)</i> | 20 |
| <i>lopinavir-</i> | |
| <i>ritonavir tab</i> | |
| 100-25 mg | 20 |
| <i>lopinavir-</i> | |
| <i>ritonavir tab</i> | |
| 200-50 mg | 20 |
| <i>lorazepam</i> | 41 |
| <i>lorazepam</i> | |
| <i>intensol</i> | 41 |
| <i>LORBRENA</i> | 30 |
| <i>loryna</i> | 60 |
| <i>losartan</i> | |
| <i>potassium</i> | 36 |
| <i>losartan</i> | |
| <i>potassium &</i> | |
| <i>hydrochlorothi</i> | |
| <i>azide tab 100-</i> | |
| 12.5 mg | 36 |
| <i>losartan</i> | |
| <i>potassium &</i> | |
| <i>hydrochlorothi</i> | |
| <i>azide tab 100-</i> | |
| 25 mg | 36 |
| <i>losartan</i> | |
| <i>potassium &</i> | |
| <i>hydrochlorothi</i> | |
| <i>azide tab 50-</i> | |
| 12.5 mg | 36 |
| <i>LOTEMAX</i> | 78 |
| <i>loteprednol</i> | |
| <i>etabonate</i> | 78 |
| <i>lovastatin</i> | 37 |
| <i>low-ogestrel</i> | 60 |
| <i>loxapine</i> | |
| <i>succinate</i> | 44 |
| <i>LUMAKRAS</i> | 30 |
| <i>LUMIGAN</i> | 78 |
| <i>LUMIZYME</i> | 64 |
| <i>LUPRON DEPOT</i> | |
| (1-MONTH) | 25 |
| <i>LUPRON DEPOT</i> | |
| (3-MONTH) | 26 |
| <i>LUPRON</i> | |
| <i>DEPOT-PED</i> | |
| (1-MONTH) | 64 |
| <i>LUPRON</i> | |
| <i>DEPOT-PED</i> | |
| (3-MONTH) | 64 |
| <i>LUPRON</i> | |
| <i>DEPOT-PED</i> | |
| (6-MONTH) | 64 |
| <i>lurasidone hcl</i> | 44 |
| <i>lutera</i> | 60 |
| <i>lyleq</i> | 60 |
| <i>lyllana</i> | 63 |
| <i>LYNPARZA</i> | 30 |
| <i>LYSODREN</i> | 26 |
| <i>LYTGOBI (12</i> | |
| <i>MG DAILY</i> | |
| <i>DOSE)</i> | 30 |
| <i>LYTGOBI (16</i> | |
| <i>MG DAILY</i> | |
| <i>DOSE)</i> | 30 |
| LYTGOBI (20 | |
| <i>MG DAILY</i> | |
| <i>DOSE)</i> | 30 |
| <i>lyza</i> | 60 |
| M | |
| <i>magnesium</i> | |
| <i>sulfate</i> | 75 |
| MAGNESIUM | |
| <i>SULFATE</i> | 75 |
| <i>magnesium</i> | |
| <i>sulfate in</i> | |
| <i>dextrose 5%</i> | |
| <i>iv soln 1</i> | |
| <i>gm/100ml</i> | 75 |
| <i>malathion</i> | 85 |
| <i>maraviroc</i> | 19 |
| <i>marlissa</i> | 60 |
| <i>MARPLAN</i> | 42 |
| <i>MATULANE</i> | 27 |
| MAVYRET PAK | |
| <i>50-20MG</i> | 21 |
| MAVYRET TAB | |
| <i>100-40MG</i> | 21 |
| <i>meclizine hcl</i> | 66 |
| <i>medroxyprogesterone acetate</i> | 65 |
| <i>medroxyprogesterone acetate (contraceptive)</i> | 60 |
| <i>mefloquine hcl</i> | 18 |
| <i>megestrol acetate</i> | 26, 65 |
| <i>megestrol acetate (appetite)</i> | 65 |
| <i>MEKINIST</i> | 31 |
| <i>MEKTOVI</i> | 31 |
| <i>meloxicam</i> | 14 |
| <i>memantine hcl</i> | 41 |
| <i>memantine hcl tab 28 x 5 mg & 21 x 10 mg titration pack</i> | 41 |
| <i>MENACTRA INJ</i> | 74 |

| | | | | |
|----------------------|--------|-----------------------|------------------------|----|
| MENQUADFI INJ | 74 | metoprolol | mono-linyah | 60 |
| MENVEO INJ..... | 74 | succinate | montelukast | |
| MENVEO SOL..... | 74 | metoprolol | sodium | 80 |
| mercaptopurine | 25 | tartrate | morphine | |
| meropenem..... | 17 | metronidazole | sulfate | 15 |
| mesalamine..... | 67 | metronidazole | MORPHINE | |
| mesalamine w/ | | (topical) | SULFATE | 15 |
| cleanser | 67 | metronidazole | MORPHINE | |
| MESNEX | 34 | vaginal | SULFATE/SOD | |
| metformin hcl | 55 | metyrosine | IUM C | 15 |
| methadone hcl..... | 14 | MG SO4/D5W | MOUNJARO | 55 |
| methadone | | INJ 10MG/ML..... | MOVANTIK | 67 |
| hydrochloride | | mibelas 24 fe | moxifloxacin hcl..... | 22 |
| i | 15 | micafungin | moxifloxacin hcl | |
| methazolamide..... | 39 | sodium | (ophth) | 77 |
| methenamine | | microgestin | moxifloxacin hcl | |
| hippurate..... | 17 | 1.5/30 | 400 | |
| methimazole | 65 | microgestin | mg/250ml in | |
| methocarbamol | 53 | 1/20..... | sodium | |
| methotrexate | | microgestin 24 | chloride 0.8% | |
| sodium | 25, 72 | fe..... | inj..... | 22 |
| methsuximide..... | 48 | microgestin fe | MULTAQ | 37 |
| methylphenidat | | 1.5/30 | multiple | |
| e hcl | 50 | microgestin fe | electrolytes | |
| methylprednisol | | 1/20..... | ph 5.5..... | 75 |
| one | 63 | midodrine hcl | multiple | |
| methylprednisol | | MIEBO | electrolytes | |
| one acetate..... | 63 | mifepristone | ph 7.4..... | 75 |
| methylprednisol | | (hyperglycemi | mupirocin | 83 |
| one sod succ..... | 63 | a) | mycophenolate | |
| methyltestoster | | miglustat | mofetil | 73 |
| one | 54 | 60 | mycophenolate | |
| metoclopramide | | mimvey | sodium | 73 |
| hcl..... | 66 | minocycline hcl | MYRBETRIQ | 68 |
| metolazone | 39 | minoxidil | | |
| metoprolol & | | mirtazapine | N | |
| hydrochlorothi | | misoprostol | nabumetone | 14 |
| azide tab 100- | | MITIGARE | nadolol | 38 |
| 25 mg | 38 | M-M-R II INJ | nafcillin sodium | 23 |
| metoprolol & | | M-NATAL PLUS | NAGLAZYME | 64 |
| hydrochlorothi | | TAB | nalbuphine hcl | 15 |
| azide tab 100- | | modafinil | naloxone hcl | 54 |
| 50 mg | 38 | moexipril hcl | naltrexone hcl | 54 |
| metoprolol & | | molindone hcl | NAMZARIC CAP | |
| hydrochlorothi | | mometasone | 14-10MG..... | 41 |
| azide tab 50- | | furoate | | |
| 25 mg | 38 | MONJUVI..... | | |

| | | | | |
|--|----|--|----|---|
| NAMZARIC CAP 21-10MG | 41 | neomycin- polymyxin-hc ophth susp | 77 | norelgestromin- ethinyl |
| NAMZARIC CAP 28-10MG | 41 | neomycin- polymyxin-hc otic soln 1%..... | 79 | estradiol td ptwk 150-35 mcg/24hr.....61 |
| NAMZARIC CAP 7-10MG..... | 41 | neomycin- polymyxin-hc otic susp 3.5 | | norethindrone & ethinyl |
| NAMZARIC CAP PACK | 41 | mg/ml-10000 unit/ml-1% | 79 | estradiol-fe chew tab 0.4 mg-35 mcg61 |
| naproxen | 14 | neo-polycin 5(3.5)mg- | | norethindrone & ethinyl |
| naproxen sodium | 14 | 400unt- 10000unt op | | estradiol-fe chew tab 0.8 mg-25 mcg61 |
| naratriptan hcl..... | 51 | oin..... | 77 | norethindrone (contraceptive).....61 |
| NATACYN | 77 | neo-polycin hc ophth oint 1% | 77 | norethindrone ace & ethinyl |
| nateglinide | 55 | NERLYNX..... | 31 | estradiol tab 1 mg-20 mcg61 |
| NATPARA | 57 | NEUPRO | 43 | norethindrone ace & ethinyl |
| NAYZILAM | 48 | nevirapine | 19 | estradiol tab 1.5 mg-30 |
| nebivolol hcl..... | 38 | NEXAVAR..... | 31 | mcg.....61 |
| necon 0.5/35- 28 | 60 | niacin (antihyperlipid emic) | 38 | norethindrone ace & ethinyl |
| nefazodone hcl | 42 | nicardipine hcl | 39 | estradiol tab 1.5 mg-20 |
| neomycin sulfate..... | 17 | NICOTROL INHALER | 54 | mcg.....61 |
| neomycin- bacitrac zn- polymyx 5(3.5)mg- 400unt- 10000unt op | 77 | NICOTROL NS | 54 | norethindrone ace & ethinyl |
| oin | 77 | nifedipine | 39 | estradiol-fe tab 1 mg-20 |
| neomycin- polymy- gramcid op sol 1.75- 10000- 0.025mg-unt- mg/ml | 77 | nikki | 60 | mcg.....61 |
| neomycin- polymyxin- dexamethaso ne ophth oint 0.1% | 77 | nilutamide | 26 | norethindrone ace-eth |
| neomycin- polymyxin- dexamethaso ne ophth susp 0.1% | 77 | nimodipine | 39 | estradiol-fe chew tab 1 |
| | | NINLARO | 31 | mg-20 mcg (24) |
| | | nitazoxanide..... | 17 | 61 |
| | | nitisinone | 64 | norethindrone acetate |
| | | NITRO-BID | 40 | 65 |
| | | nitrofurantoin macrocrystal..... | 17 | norethindrone acetate- |
| | | nitrofurantoin monohyd macro | 17 | ethinyl |
| | | nitroglycerin | 40 | estradiol tab |
| | | nitroglycerin (intra-anal) | 85 | 0.5 mg-2.5 |
| | | nizatidine | 66 | mcg.....63 |
| | | nora-be | 61 | |

| | |
|--|----|
| <i>norethindrone</i> | |
| <i>acetate-</i> | |
| <i>ethinyl</i> | |
| <i>estradiol tab 1</i> | |
| <i>mg-5 mcg</i> | 63 |
| <i>norethindrone</i> | |
| <i>ac-ethinyl</i> | |
| <i>estradiol fe tab</i> | |
| <i>1-20/1-30/1-</i> | |
| <i>35 mg-mcg</i> | 61 |
| <i>norgestimate &</i> | |
| <i>ethinyl</i> | |
| <i>estradiol tab</i> | |
| <i>0.25 mg-35</i> | |
| <i>mcg</i> | 61 |
| <i>norgestimate-</i> | |
| <i>eth estrad tab</i> | |
| <i>0.18-</i> | |
| <i>25/0.215-</i> | |
| <i>25/0.25-25</i> | |
| <i>mg-mcg</i> | 61 |
| <i>norgestimate-</i> | |
| <i>eth estrad tab</i> | |
| <i>0.18-</i> | |
| <i>35/0.215-</i> | |
| <i>35/0.25-35</i> | |
| <i>mg-mcg</i> | 61 |
| <i>norlyroc</i> | 61 |
| NORPACE CR | 37 |
| <i>nortrel 0.5/35</i> | |
| <i>(28)</i> | 61 |
| <i>nortrel 1/35</i> | |
| <i>(21)</i> | 61 |
| <i>nortrel 1/35</i> | |
| <i>(28)</i> | 61 |
| <i>nortrel 7/7/7</i> | 61 |
| <i>nortriptyline hcl</i> | 42 |
| NORVIR | 19 |
| NOVOLIN INJ | |
| <i>70/30</i> | 56 |
| NOVOLIN INJ | |
| <i>70/30 FP</i> | 56 |
| NOVOLIN N | 56 |
| NOVOLIN N | |
| <i>FLEXPEN</i> | 56 |
| NOVOLIN R | 56 |
| NOVOLIN R | |
| <i>FLEXPEN</i> | 56 |
| NOVOLOG MIX | |
| <i>INJ 70/30</i> | 56 |
| NOVOLOG MIX | |
| <i>INJ FLEXPEN</i> | 56 |
| NUBEQA | 26 |
| NUEDEXTA CAP | |
| <i>20-10MG</i> | 52 |
| NULOJIX | 73 |
| NUPLAZID | 45 |
| NURTEC | 51 |
| NUTRILIPID | 76 |
| NUZYRA | 24 |
| nyamyc | 83 |
| nylia 1/35 | 61 |
| nylia 7/7/7 | 61 |
| NYMALIZE | 39 |
| nymyo | 61 |
| nystatin | 18 |
| nystatin | |
| <i>(mouth-throat)</i> | 85 |
| nystatin | |
| <i>(topical)</i> | 83 |
| nystop | 83 |
| O | |
| ocella | 61 |
| OCTAGAM | 72 |
| octreotide | |
| <i>acetate</i> | 64 |
| ODEFSEY TAB | 20 |
| ODOMZO | 31 |
| OFEV | 81 |
| ofloxacin | |
| <i>(ophth)</i> | 77 |
| ofloxacin (otic) | 79 |
| OGIVRI | 31 |
| OGIVRI INJ | |
| <i>420MG</i> | 31 |
| OGSIVEO | 31 |
| OJJAARA | 31 |
| olanzapine | 45 |
| <i>olmesartan</i> | |
| <i>medoxomil</i> | 36 |
| <i>olmesartan</i> | |
| <i>medoxomil-hydrochlorothiazide tab 20-12.5 mg</i> | 36 |
| <i>olmesartan</i> | |
| <i>medoxomil-hydrochlorothiazide tab 40-12.5 mg</i> | 36 |
| <i>olmesartan</i> | |
| <i>medoxomil-hydrochlorothiazide tab 40-25 mg</i> | 36 |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 20-5-12.5 mg</i> | 36 |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-10-12.5 mg</i> | 36 |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-10-25 mg</i> | 36 |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-5-12.5 mg</i> | 36 |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-5-25 mg</i> | 36 |
| <i>omega-3-acid ethyl esters cap 1 gm</i> | 38 |
| omeprazole | 68 |
| OMNIPOD 5 G6 KIT INTRO | 56 |

| | |
|---------------------------|----|
| OMNIPOD 5 G6 | |
| MIS PODS | 56 |
| OMNIPOD 5 G7 | |
| KIT INTRO..... | 57 |
| OMNIPOD 5 G7 | |
| MIS PODS | 57 |
| OMNIPOD DASH | |
| KIT INTRO..... | 57 |
| OMNIPOD DASH | |
| MIS PODS | 57 |
| OMNIPOD GO | |
| KIT 10UNT/DY..... | 57 |
| OMNIPOD GO | |
| KIT 15UNT/DY..... | 57 |
| OMNIPOD GO | |
| KIT 20UNT/DY..... | 57 |
| OMNIPOD GO | |
| KIT 25UNT/DY..... | 57 |
| OMNIPOD GO | |
| KIT 30UNT/DY..... | 57 |
| OMNIPOD GO | |
| KIT 35UNT/DY..... | 57 |
| OMNIPOD GO | |
| KIT 40UNT/DY..... | 57 |
| OMNIPOD MIS | |
| CLASSIC..... | 57 |
| ondansetron..... | 66 |
| ondansetron hcl | 66 |
| ONTRUZANT..... | 31 |
| ONUREG | 25 |
| OPSUMIT | 40 |
| ORGOVYX | 26 |
| ORKAMBI GRA | |
| 100-125..... | 81 |
| ORKAMBI GRA | |
| 150-188..... | 81 |
| ORKAMBI GRA | |
| 75-94MG | 81 |
| ORKAMBI TAB | |
| 100-125..... | 81 |
| ORKAMBI TAB | |
| 200-125..... | 81 |
| orlistat..... | 86 |
| ORSERDU | 26 |
| oseltamivir | |
| phosphate | 21 |
| OTEZLA..... | 71 |
| OTEZLA TAB | |
| 10/20/30 | 71 |
| oxacillin sodium..... | 23 |
| oxaliplatin | 24 |
| oxcarbazepine | 48 |
| oxybutynin | |
| chloride..... | 68 |
| oxycodone hcl..... | 15 |
| oxycodone w/ | |
| acetaminophen tab 10-325 | |
| mg | 15 |
| oxycodone w/ | |
| acetaminophen tab 2.5-325 | |
| mg | 15 |
| oxycodone w/ | |
| acetaminophen tab 5-325 | |
| mg | 15 |
| oxycodone w/ | |
| acetaminophen tab 7.5-325 | |
| mg | 15 |
| OXYCONTIN | 15 |
| OZEMPIC (0.25 | |
| OR 0.5 | |
| MG/DOSE)..... | 55 |
| OZEMPIC (0.25 | |
| OR | |
| 0.5MG/DOSE)..... | 55 |
| OZEMPIC | |
| (1MG/DOSE)..... | 55 |
| OZEMPIC | |
| (2MG/DOSE)..... | 55 |
| P | |
| pacerone..... | 37 |
| paclitaxel | 27 |
| paclitaxel | |
| protein-bound | |
| particles for iv | |
| susp 100 mg..... | 27 |
| paliperidone | 45 |
| pamidronate | |
| disodium | 57 |
| PAMIDRONATE | |
| DISODIUM..... | 57 |
| PANRETIN | 85 |
| pantoprazole | |
| sodium | 68 |
| PANZYGA | 73 |
| paraplatin | 24 |
| paricalcitol | 66 |
| paroxetine hcl..... | 42 |
| PAXLOVID TAB | |
| 150-100 | 21 |
| PAXLOVID TAB | |
| 300-100 | 21 |
| pazopanib hcl..... | 31 |
| PEDIARIX INJ | |
| 0.5ML | 74 |
| PEDVAX HIB | 74 |
| peg 3350-kcl- | |
| na bicarb- | |
| nacl-na | |
| sulfate for | |
| soln 236 gm..... | 67 |
| peg 3350-kcl- | |
| sod bicarb- | |
| nacl for soln | |
| 420 gm | 67 |
| PEGASYS | 21 |
| PEMAZYRE | 31 |
| pemetrexed | |
| disodium | 25 |
| PEN GK/DEXTR | |
| INJ 40000/ML | 23 |
| PEN GK/DEXTR | |
| INJ 60000/ML | 23 |
| PENBRAYA INJ | 74 |
| penicillamine | 58 |
| penicillin g | |
| potassium | 23 |
| penicillin g | |
| sodium | 23 |
| penicillin v | |
| potassium | 23 |
| PENTACEL INJ | 74 |
| pentamidine | |
| isethionate | |
| inh..... | 17 |

| | | |
|--------------------------|----------------------------|----|
| <i>pentamidine</i> | | |
| <i>isethionate inj</i> | 17 | |
| <i>pentoxifylline</i> | 70 | |
| <i>perindopril</i> | | |
| <i>erbumine</i> | 35 | |
| <i>periogard</i> | 85 | |
| <i>permethrin</i> | 85 | |
| <i>perphenazine</i> | 45 | |
| <i>PERSERIS</i> | 45 | |
| <i>pfiberpen</i> | 23 | |
| <i>phendimetrazin</i> | | |
| <i>e tartrate</i> | 86 | |
| <i>phenelzine</i> | | |
| <i>sulfate</i> | 42 | |
| <i>phenobarbital</i> | 48 | |
| <i>phenobarbital</i> | | |
| <i>sodium</i> | 48 | |
| <i>phentermine hcl</i> | 86 | |
| <i>phenytek</i> | 48 | |
| <i>phenytoin</i> | 48 | |
| <i>phenytoin</i> | | |
| <i>sodium</i> | 48 | |
| <i>phenytoin</i> | | |
| <i>sodium</i> | | |
| <i>extended</i> | 48 | |
| <i>PHESGO SOL</i> | 31 | |
| <i>philith</i> | 61 | |
| <i>PIFELTRO</i> | 19 | |
| <i>pilocarpine hcl</i> | 78 | |
| <i>pilocarpine hcl</i> | | |
| <i>(oral)</i> | 85 | |
| <i>pimozide</i> | 45 | |
| <i>pimtrea</i> | 61 | |
| <i>pindolol</i> | 38 | |
| <i>pioglitazone hcl</i> | 55 | |
| <i>pioglitazone</i> | | |
| <i>hcl-metformin</i> | | |
| <i>hcl tab 15-</i> | | |
| <i>500 mg</i> | 55 | |
| <i>pioglitazone</i> | | |
| <i>hcl-metformin</i> | | |
| <i>hcl tab 15-</i> | | |
| <i>850 mg</i> | 55 | |
| <i>piperacillin sod-</i> | | |
| <i>tazobactam</i> | | |
| <i>na for inj</i> | | |
| | 3.375 gm (3- | |
| | 0.375 gm) | 24 |
| <i>piperacillin sod-</i> | | |
| <i>tazobactam</i> | | |
| <i>sod for inj</i> | | |
| <i>13.5 gm (12-</i> | | |
| <i>1.5 gm)</i> | 24 | |
| <i>piperacillin sod-</i> | | |
| <i>tazobactam</i> | | |
| <i>sod for inj</i> | | |
| <i>2.25 gm (2-</i> | | |
| <i>0.25 gm)</i> | 24 | |
| <i>piperacillin sod-</i> | | |
| <i>tazobactam</i> | | |
| <i>sod for inj 4.5</i> | | |
| <i>gm (4-0.5</i> | | |
| <i>gm)</i> | 24 | |
| <i>piperacillin sod-</i> | | |
| <i>tazobactam</i> | | |
| <i>sod for inj</i> | | |
| <i>40.5 gm (36-</i> | | |
| <i>4.5 gm)</i> | 24 | |
| <i>PIQRAY 200MG</i> | | |
| | DAILY DOSE..... | 31 |
| <i>PIQRAY 250MG</i> | | |
| | TAB DOSE | 31 |
| <i>PIQRAY 300MG</i> | | |
| | DAILY DOSE..... | 31 |
| <i>pirfenidone</i> | 81 | |
| <i>piroxicam</i> | 14 | |
| <i>PLASMA-LYTE</i> | | |
| | INJ -148 | 75 |
| <i>PLASMA-LYTE</i> | | |
| | INJ -A..... | 75 |
| <i>plenamine</i> | 76 | |
| <i>PLENUV SOL</i> | 67 | |
| <i>podofilox</i> | 85 | |
| <i>polycin ophth</i> | | |
| | oint | 77 |
| <i>polymyxin b-</i> | | |
| <i>trimethoprim</i> | | |
| <i>ophth soln</i> | | |
| <i>10000</i> | | |
| <i>unit/ml-0.1%</i> | 77 | |
| <i>POMALYST</i> | 26 | |
| <i>portia-28</i> | 61 | |
| <i>posaconazole</i> | 18 | |
| <i>POT CHL</i> | | |
| | 20MEQ/L IN | |
| | NACL 0.45% | |
| | INJ | 75 |
| <i>POT CHL</i> | | |
| | 20MEQ/L IN | |
| | NACL 0.9% | |
| | INJ | 75 |
| <i>POT CHL</i> | | |
| | 40MEQ/L IN | |
| | NACL 0.9% | |
| | INJ | 76 |
| <i>potassium</i> | | |
| | <i>chloride</i> | 76 |
| <i>POTASSIUM</i> | | |
| | CHLORIDE | 76 |
| <i>potassium</i> | | |
| | <i>chloride 20</i> | |
| | <i>meq/l</i> | |
| | <i>(0.15%) in</i> | |
| | <i>dextrose 5%</i> | |
| | <i>inj</i> | 76 |
| <i>potassium</i> | | |
| | <i>chloride</i> | |
| | <i>microencapsul</i> | |
| | <i>ated crystals</i> | |
| | <i>er</i> | 76 |
| <i>potassium</i> | | |
| | <i>citrate</i> | |
| | <i>(alkalinizer)</i> | 68 |
| <i>PRADAXA</i> | 69 | |
| <i>pramipexole</i> | | |
| | <i>dihydrochlorid</i> | |
| | <i>e</i> | 43 |
| <i>prasugrel hcl</i> | 70 | |
| <i>pravastatin</i> | | |
| | <i>sodium</i> | 37 |
| <i>praziquantel</i> | 17 | |
| <i>prazosin hcl</i> | 35 | |
| <i>prednisolone</i> | 63 | |
| <i>prednisolone</i> | | |
| | <i>acetate</i> | |
| | <i>(ophth)</i> | 78 |
| <i>PREDNISOLONE</i> | | |
| | SODIUM | |
| | PHOSP | 78 |

prednisolone
sodium
phosphate 63
prednisone 63
PREDNISONE
INTENSOL 63
pregabalin 48
PREHEVBARIO 74
PREMASOL SOL
10% 76
PRENATAL TAB
27-1MG 76
PRENATAL TAB
PLUS 76
prevalite 38
PREVYMIS 21
PREZCOBIX TAB
800-150 20
PREZISTA 19
PRIFTIN 20
primaquine
phosphate 18
PRIMAQUINE
PHOSPHATE 18
primidone 48
PRIORIX INJ 74
PRIVIGEN 73
probenecid 14
prochlorperazine
e 66
prochlorperazine
e edisylate 66
prochlorperazine
e maleate 66
PROCRT 69
proto-med hc 85
proctosol hc 85
protozone-hc 85
progesterone 65
PROGRAF 73
PROLASTIN-C 81
PROLENSA 78
PROLIA 57
PROMACTA 70
promethazine
hcl 66
propafenone hcl 37

proparacaine
hcl 78
propranolol hcl 38
propylthiouracil 65
PROQUAD INJ 74
PROSOL INJ
20% 76
protriptyline hcl 42
PULMOZYME 81
PURIXAN 25
pyrazinamide 20
pyridostigmine
bromide 52

Q

QINLOCK 31
QSYMIA CAP
11.25-69 86
QSYMIA CAP
15-92MG 86
QSYMIA CAP
3.75-23 86
QSYMIA CAP
7.5-46MG 86
QUADRACEL INJ 74
QUADRACEL INJ
0.5ML 74
quetiapine
fumarate 45
quinapril hcl 35
quinidine
sulfate 37
quinine sulfate 18
QULIPTA 51

R

RABAVERT INJ 74
rabeprazole
sodium 68
raloxifene hcl 64
ramipril 35
ranolazine 40
rasagiline
mesylate 43
RAYALDEE 66
reclipsen 61

RECOMBIVAX
HB 74
RECTIV 85
REGRANEX 85
RELENZA
DISKHALER 21
RELISTOR 67
REMICADE 71
RENFLEXIS 71
repaglinide 55
REPATHA 38
REPATHA
PUSHTRONEX
SYSTEM 38
REPATHA
SURECLICK 38
RESTASIS 79
RESTASIS
MULTIDOSE 79
RETEVMO 31
REVLIMID 26
REXULTI 45
REYATAZ 19
REZLIDHIA 31
REZUROCK 73
RHOPRESSA 78
ribavirin
(hepatitis c) 21
rifabutin 20
rifampin 20
riluzole 52
rimantadine
hydrochloride 21
RINVOQ 71
risedronate
sodium 58
risperidone 45
risperidone
microspheres 45
ritonavir 19
rivastigmine 41
rivastigmine
tartrate 41
rivelsa 61
rizatriptan
benzoate 51

ROCKLATAN
 DRO 78
roflumilast 81
ropinirole
 hydrochloride 43
rosuvastatin
 calcium 37
 ROTARIX SUS 74
 ROTATEQ SOL 74
roweepra 48
 ROZLYTREK 31, 32
 RUBRACA 32
rufinamide 48
 RUKOBIA 19
 RYBELSUS 55
 RYDAPT 32

S

sajazir 70
 SANDIMMUNE 73
 SANTYL 85
sapropterin
 dihydrochlorid
 e 64
 SAXENDA 86
 SCEMBLIX 32
scopolamine 66
 SECUADO 45
selegiline hcl 43
selenium sulfide 83
 SELZENTRY 19
 SEREVENT
 DISKUS 80
sertraline hcl 42
setlakin 61
sevelamer
 carbonate 65
sharobel 61
 SHINGRIX 74
 SIGNIFOR 64
sildenafil citrate
 (pulmonary
 hypertension) 40
silver
 sulfadiazine 83

SIMBRINZA
 SUS 1-0.2% 78
simliya 61
simpesse 61
simvastatin 37
sirolimus 73
 SIRTURO 20
 SIVEXTRO 17
 SKYRIZI 71, 72
 SKYRIZI PEN 72
sod sulfate-pot
 sulf-mg sulf
 oral sol 17.5-
 3.13-1.6
 gm/177ml 67
sodium chloride 76
sodium chloride
 (gu irrigant) 85
sodium fluoride
 chew; tab;
 1.1 (0.5 f)
 mg/ml soln 76
 SODIUM
 OXYBATE 53
sodium
 phenylbutyrat
 e 64
sodium
 polystyrene
 sulfonate
 powder 58
solifenacin
 succinate 68
 SOLIQUA INJ
 100/33 57
 SOLTAMOX 26
 SOLU-CORTEF 63
 SOMATULINE
 DEPOT 64
 SOMAVERT 65
sorafenib
 tosylate 32
sorine 37
sotalol hcl 37
sotalol hcl
 (afib/afl) 37
spironolactone 35

spironolactone
 &
 hydrochlorothi
 azide tab 25-
 25 mg 39
 sprintec 28 61
 SPRITAM 48
 SPRYCEL 32
sps 58
sronyx 61
ssd 83
 STELARA 72
 STIVARGA 32
streptomycin
 sulfate 17
 STRIBILD TAB 20
subvenite 48
sucralfate 67
sulfacetamide
 sodium (acne) 83
sulfacetamide
 sodium
 (ophth) 77
sulfacetamide
 sodium-
 prednisolone
 ophth soln
 10-
 0.23(0.25)% 77
sulfadiazine 17
sulfamethoxazol
 e-
 trimethoprim
 iv *soln 400-80*
 mg/5ml 17
sulfamethoxazol
 e-
 trimethoprim
 susp 200-40
 mg/5ml 17
sulfamethoxazol
 e-
 trimethoprim
 tab 400-80
 mg 17
sulfamethoxazol
 e-

| | | |
|-------------------------------|----|---------------------------------|
| <i>trimethoprim</i> | 32 | TENIVAC INJ 5- |
| <i>tab 800-160</i> | 72 | 2LF 74 |
| <i>mg</i> | 17 | <i>tenofovir</i> |
| SULFAMYLON | 83 | <i>disoproxil</i> |
| <i>sulfasalazine</i> | 67 | <i>fumarate</i> 19 |
| <i>sulindac</i> | 14 | TEPMETKO |
| <i>sumatriptan</i> | 51 | 32 |
| <i>sumatriptan</i> | | <i>terazosin hcl</i> 35 |
| <i>succinate</i> | 51 | <i>terbinafine hcl</i> 18 |
| <i>sunitinib malate</i> | 32 | <i>terbutaline</i> |
| SUNLENCA..... | 19 | <i>sulfate</i> 80 |
| <i>syeda</i> | 61 | <i>terconazole</i> |
| SYMDEKO TAB | | <i>vaginal</i> 69 |
| 100-150..... | 81 | TERIPARATIDE |
| SYMDEKO TAB | | 58 |
| 50-75MG | 81 | <i>testosterone</i> |
| SYMPAZAN | 48 | 54 |
| SYMTUZA TAB | 20 | <i>cypionate</i> |
| SYNAREL..... | 62 | 54 |
| SYNJARDY TAB | | <i>enanthate</i> |
| 12.5-1000MG | 55 | 52 |
| SYNJARDY TAB | | <i>tetrabenazine</i> |
| 12.5-500 | 55 | <i>tetracycline hcl</i> |
| SYNJARDY TAB | | 24 |
| 5-1000MG | 55 | THALOMID |
| SYNJARDY TAB | | 26 |
| 5-500MG | 55 | THEO-24 |
| SYNJARDY XR | | 81 |
| TAB 10-1000 | 55 | <i>theophylline</i> 81 |
| SYNJARDY XR | | <i>thioridazine hcl</i> |
| TAB 12.5- | | 45 |
| 1000..... | 55 | <i>thiothixene</i> |
| SYNJARDY XR | | 45 |
| TAB 25-1000 | 55 | <i>tiadylt er</i> |
| SYNJARDY XR | | 39 |
| TAB 5- | | <i>tiagabine hcl</i> 48 |
| 1000MG | 55 | TIBSOVO |
| SYNTHROID | 65 | 32 |
| T | | TICOVAC |
| TABLOID | 25 | 74 |
| TABRECTA | 32 | <i>tigecycline</i> |
| <i>tacrolimus</i> | 73 | 24 |
| <i>tacrolimus</i> | | <i>tilia fe</i> |
| (<i>topical</i>)..... | 85 | 62 |
| TAFINLAR | 32 | <i>timolol maleate</i> |
| | | 38 |
| | | <i>timolol maleate</i> |
| | | (<i>ophth</i>)..... 78 |
| | | <i>tinidazole</i> |
| | | 17 |
| | | TIVICAY |
| | | 19 |
| | | TIVICAY PD |
| | | 19 |
| | | <i>tizanidine hcl</i> 53 |
| | | TOBRADEX OIN |
| | | 0.3-0.1% 77 |
| | | TOBRADEX ST |
| | | SUS 0.3-0.05..... 77 |
| | | <i>tobramycin</i> |
| | | 17 |
| | | <i>tobramycin</i> |
| | | (<i>ophth</i>)..... 77 |
| | | <i>tobramycin</i> |
| | | <i>sulfate</i> |
| | | 17 |

| | | |
|------------------------------|------------------------------|---------------------------------|
| <i>tobramycin-</i> | <i>triamicinolone</i> | TRIKAFTA TAB |
| <i>dexamethaso-</i> | <i>acetonide</i> | 50-25- |
| <i>ne ophth susp</i> | <i>(mouth)</i> | 37.5MG & |
| <i>0.3-0.1%</i> |85 | 75MG.....81 |
| <i>tolterodine</i> | <i>triamicinolone</i> | <i>tri-legest fe</i>62 |
| <i>tartrate</i> | <i>acetonide</i> | <i>tri-linyah</i>62 |
| <i>topiramate</i> | <i>(topical)</i> | <i>tri-lo-estarylla</i>62 |
| <i>toremifene</i> | <i>triamterene &</i> | <i>tri-lo-marzia</i>62 |
| <i>citrate</i> | <i>hydrochlorothi-</i> | <i>tri-lo-mili</i>62 |
| <i>torsemide</i> | <i>azide cap</i> | <i>tri-lo-sprintec</i>62 |
| TOUJEO MAX | <i>37.5-25 mg</i>39 | <i>trimethoprim</i>17 |
| SOLOSTAR | triamterene & | <i>tri-mili</i>62 |
| TOUJEO | <i>hydrochlorothi-</i> | <i>trimipramine</i> |
| SOLOSTAR | <i>azide tab</i> | <i>maleate</i>42 |
| TPN ELECTROL | <i>37.5-25 mg</i>39 | TRINTELLIX.....42 |
| <i>INJ</i> | triamterene & | <i>tri-nymyo</i>62 |
| TRADJENTA | <i>hydrochlorothi-</i> | <i>tri-sprintec</i>62 |
| <i>tramadol hcl</i> | <i>azide tab 75-</i> | TRIUMEQ PD |
| <i>tramadol-</i> | <i>50 mg</i>39 | TAB.....20 |
| <i>acetaminophen</i> | <i>trientine hcl</i>58 | TRIUMEQ TAB.....20 |
| <i>n tab 37.5-</i> | <i>tri-estarylla</i>62 | <i>trivora-28</i>62 |
| <i>325 mg</i> | <i>trifluoperazine</i> | <i>tri-vylibra</i>62 |
| <i>trandolapril</i> | <i>hcl</i>45 | <i>tri-vylibra lo</i>62 |
| <i>tranexamic acid</i> | <i>trifluridine</i>77 | TRIZIVIR TAB.....20 |
| <i>tranylcypromine</i> | <i>trihexyphenidyl</i> | TROGARZO.....19 |
| <i>sulfate</i> | <i>hcl</i>43 | TROPHAMINE |
| TRAVASOL INJ | TRIJARDY XR | <i>INJ 10%</i>76 |
| <i>10%</i> | TAB ER 24HR | <i>trospium</i> |
| TRAZIMERA | <i>10-5-1000MG</i>56 | <i>chloride</i>69 |
| <i>trazodone hcl</i> | TRIJARDY XR | TRUE METRIX |
| TRECATOR | TAB ER 24HR | <i>KIT AIR</i>86 |
| TRELEGY AER | <i>12.5-2.5-</i> | TRUE METRIX |
| <i>ELLIPTA 100-</i> | <i>1000MG</i>56 | <i>KIT METER</i>86 |
| <i>62.5-25 MCG</i> | TRIJARDY XR | STRIPS.....86 |
| TRELEGY AER | TAB ER 24HR | TRULICITY.....56 |
| <i>ELLIPTA 200-</i> | <i>25-5-1000MG</i>56 | TRUMENBA INJ.....74 |
| <i>62.5-25 MCG</i> | TRIJARDY XR | TRUQAP.....32 |
| <i>treprostинil</i> | TAB ER 24HR | TRUXIMA.....32 |
| TRESIBA | <i>5-2.5-</i> | TUKYSA.....33 |
| TRESIBA | <i>1000MG</i>55 | TURALIO.....33 |
| <i>FLEXTOUCH</i> | TRIKAFTA PAK | <i>turqoz</i>62 |
| <i>tretinoin</i> | <i>59.5MG</i>81 | TWINRIX INJ.....74 |
| <i>tretinoin</i> | TRIKAFTA PAK | TYBOST.....19 |
| <i>(chemotherap-</i> | <i>75MG</i>81 | <i>tydemy</i>62 |
| <i>y)</i> | TRIKAFTA TAB | TYPHIM VI.....74 |
| | <i>100-50-75MG</i> | TYRVAYA.....79 |
| | & <i>150MG</i>81 | |

| | |
|-------------------------------|--------|
| U | |
| UBRELVY | 51 |
| <i>unithroid</i> | 65 |
| <i>ursodiol</i> | 67 |
| V | |
| <i>valacyclovir hcl</i> | 21 |
| VALCHLOR..... | 85 |
| <i>valganciclovir</i> | |
| <i>hcl</i> | 21 |
| <i>valproate</i> | |
| <i>sodium</i> | 49 |
| <i>valproic acid</i> | 49 |
| <i>valsartan</i> | 37 |
| <i>valsartan-</i> | |
| <i>hydrochlorothi</i> | |
| <i>azide tab 160-</i> | |
| <i>12.5 mg</i> | 36 |
| <i>valsartan-</i> | |
| <i>hydrochlorothi</i> | |
| <i>azide tab 160-</i> | |
| <i>25 mg</i> | 36 |
| <i>valsartan-</i> | |
| <i>hydrochlorothi</i> | |
| <i>azide tab 320-</i> | |
| <i>12.5 mg</i> | 36 |
| <i>valsartan-</i> | |
| <i>hydrochlorothi</i> | |
| <i>azide tab 320-</i> | |
| <i>25 mg</i> | 36 |
| <i>valsartan-</i> | |
| <i>hydrochlorothi</i> | |
| <i>azide tab 80-</i> | |
| <i>12.5 mg</i> | 36 |
| VALTOCO 10 | |
| MG DOSE..... | 49 |
| VALTOCO 15 | |
| MG DOSE..... | 49 |
| VALTOCO 20 | |
| MG DOSE..... | 49 |
| VALTOCO 5 MG | |
| DOSE..... | 49 |
| <i>vancomycin hcl</i> | 17 |
| VANCOMYCIN | |
| INJ 1 GM | 17 |
| VANCOMYCIN | |
| INJ 500MG | 17 |
| VANCOMYCIN | |
| INJ 750MG | 17 |
| VANFLYTA | 33 |
| VAQTA | 74 |
| <i>varenicline</i> | |
| <i>tartrate</i> | 54 |
| <i>varenicline</i> | |
| <i>tartrate tab</i> | |
| <i>11 x 0.5 mg &</i> | |
| <i>42 x 1 mg</i> | |
| <i>start pack</i> | 54 |
| VARIVAX | 74 |
| VASCEPA | 38 |
| <i>velivet</i> | 62 |
| VELPHORO | 65 |
| VELTASSA | 58 |
| VEMLIDY | 21 |
| VENCLEXTA | 33 |
| VENCLEXTA | |
| TAB START PK..... | 33 |
| <i>venlafaxine hcl</i> | 42 |
| VENTAVIS | 40 |
| VENTOLIN HFA | 80 |
| VENTOLIN HFA | |
| (INSTITUTION | |
| AL PACK) | 80 |
| <i>verapamil hcl</i> | 39 |
| VERQUVO | 40 |
| VERSACLOZ | 45 |
| VERZENIO | 33 |
| <i>vestura</i> | 62 |
| V-GO 20 KIT | 57 |
| V-GO 30 KIT | 57 |
| V-GO 40 KIT | 57 |
| <i>vienna</i> | 62 |
| <i>vigabatrin</i> | 49 |
| <i>vigadrone</i> | 49 |
| <i>vigpoder</i> | 49 |
| <i>vilazodone hcl</i> | 42 |
| <i>vincristine</i> | |
| <i>sulfate</i> | 27 |
| <i>vinorelbine</i> | |
| <i>tartrate</i> | 27 |
| <i>viorele</i> | 62 |
| VIRACEPT | 19 |
| VIREAD..... | 19 |
| VITRAKVI | 33 |
| VIVITROL | 54 |
| VIZIMPRO | 33 |
| VONJO | 33 |
| <i>voriconazole</i> | 18 |
| VOSEVI TAB | 21 |
| VRAYLAR | 45, 46 |
| VRAYLAR CAP | |
| 1.5-3MG..... | 46 |
| <i>vyfemla</i> | 62 |
| <i>vylibra</i> | 62 |
| VYZULTA | 78 |
| W | |
| <i>warfarin sodium</i> | 69 |
| <i>water for</i> | |
| <i>irrigation,</i> | |
| <i>sterile</i> | |
| <i>irrigation soln</i> | 85 |
| WEGOVY | 86 |
| WELIREG | 27 |
| <i>wera</i> | 62 |
| <i>wixela inhub</i> | 82 |
| <i>wymzya fe</i> | 62 |
| X | |
| XALKORI | 33 |
| XARELTO | 69 |
| XARELTO STAR | |
| TAB 15/20MG | 69 |
| XATMEP | 72 |
| XCOPRI | 49 |
| XCOPRI PAK | |
| 100-150 | 49 |
| XCOPRI PAK | |
| 12.5-25 | 49 |
| XCOPRI PAK | |
| 150-200MG | |
| (MAINTENANC | |
| E) | 49 |
| XCOPRI PAK | |
| 150-200MG | |
| (TITRATION) | 49 |
| XCOPRI PAK | |
| 50-100MG | 49 |

| | | | | | |
|---------------------------------------|----|---------------------------------------|----|-------------------------------|----|
| XELJANZ | 72 | XPOVIO 60 MG TWICE WEEKLY | 33 | ZENPEP CAP 25000UNT | 68 |
| XELJANZ XR | 72 | XPOVIO 80 MG ONCE WEEKLY | 33 | ZENPEP CAP 3000UNIT | 68 |
| XENICAL | 86 | XPOVIO 80 MG TWICE WEEKLY | 33 | ZENPEP CAP 40000UNT | 68 |
| XERMELO | 67 | XTANDI | 26 | ZENPEP CAP 5000UNIT | 68 |
| XGEVA | 58 | xulane | 62 | ZENPEP CAP 60000UNT | 68 |
| XHANCE | 82 | XULTOPHY INJ 100/3.6..... | 57 | ZERVIAТЕ | 78 |
| XIFAXAN | 67 | Y | | zidovudine | 19 |
| XIGDUO XR TAB 10-1000 | 56 | yargesa | 65 | ZIEXTENZO | 69 |
| XIGDUO XR TAB 10- 500MG | 56 | YF-VAX INJ | 74 | ziprasidone hcl..... | 46 |
| XIGDUO XR TAB 2.5-1000 | 56 | yuvafem..... | 63 | ziprasidone mesylate | 46 |
| XIGDUO XR TAB 5- 1000MG | 56 | Z | | ZIRABEV | 34 |
| XIIDRA | 79 | zafemy | 62 | ZIRGAN | 77 |
| XOFLUZA | 21 | zafirlukast..... | 80 | zoledronic acid | 58 |
| XOLAIR | 81 | zaleplon | 51 | ZOLINZA | 34 |
| XOSPATA | 33 | ZARXIO | 69 | zolpidem tartrate | 51 |
| XPOVIO 100 MG ONCE WEEKLY | 33 | ZEJULA..... | 34 | ZONISADE | 49 |
| XPOVIO 40 MG ONCE WEEKLY | 33 | ZELBORAФ | 34 | zonisamide | 49 |
| XPOVIO 40 MG TWICE WEEKLY | 33 | ZEMAIRA..... | 81 | zovia 1/35 | 62 |
| XPOVIO 60 MG ONCE WEEKLY | 33 | zenatane | 83 | ZTALMY | 49 |
| | | ZENPEP CAP 10000UNT | 68 | zumandimine | 62 |
| | | ZENPEP CAP 15000UNT | 68 | ZURZUVAE..... | 42 |
| | | ZENPEP CAP 20000UNT | 68 | ZYDELIG | 34 |
| | | | | ZYKADIA | 34 |
| | | | | ZYLET SUS 0.5- 0.3% | 77 |
| | | | | ZYPREXA RELPREVV..... | 46 |



HPMS Approved Formulary File Submission ID 00024170, version 11

This formulary was updated on 05/01/2024.

Important Message About What You Pay for Vaccines – Some vaccines are considered medical benefits. Other vaccines are considered Part D drugs. Our plan covers most Part D vaccines at no cost to you.

For more recent information or other questions, contact us at (800) 665-3086, TTY: 711, October 1 – March 31: 7 days a week, 8 a.m. - 8 p.m., local time, April 1 - September 30: Monday – Friday, 8 a.m. – 8 p.m., local time or visit SWHMA.com.