



# 2024

# Formulary (List of Covered Drugs) Michigan

**Molina Dual Options MI Health Link Medicare-Medicaid Plan**

HPMS Approved Formulary File Submission 00024165, Version 18

Updated: **12/01/2024**

For more recent information or other questions, contact us at (855) 735-5604, TTY: 711, Monday – Friday, 8 a.m. to 8 p.m., ET or visit [MolinaHealthcare.com/Duals](http://MolinaHealthcare.com/Duals)

**Important Message About What You Pay for Vaccines** – Some vaccines are considered medical benefits. Other vaccines are considered Part D drugs. Our plan covers most Part D vaccines at no cost to you.



# Molina Dual Options MI Health Link Medicare-Medicaid Plan | 2024 List of Covered Drugs (Formulary)

## Introduction

This document is called the *List of Covered Drugs* (also known as the Drug List). It tells you which prescription drugs are covered by Molina Dual Options. The Drug List also tells you if there are any special rules or restrictions on any drugs covered by Molina Dual Options. Key terms and their definitions appear in the last chapter of the *Member Handbook*.

## Table of Contents

|  |   |
|--|---|
| A. Disclaimers.....  | 3 |
| B. Frequently Asked Questions (FAQ).....   | 3 |
| B1. What prescription drugs are on the <i>List of Covered Drugs</i> ? (We call the <i>List of Covered Drugs</i> the “Drug List” for short.).....                     | 3 |
| B2. Does the Drug List ever change? .....  | 4 |
| B3. What happens when there is a change to the Drug List?.....   | 4 |
| B4. Are there any restrictions or limits on drug coverage? Or are there any required actions to take to get certain drugs? .....                                     | 5 |
| B5. How will I know if the drug I want has limits or if there are required actions to take to get the drug? .....  | 6 |
| B6. What happens if Molina Dual Options changes their rules about some drugs (for example, PA or approval, quantity limits, and/or step therapy restrictions)? ..... | 6 |
| B7. How can I find a drug on the Drug List? .....  | 6 |
| B8. What if the drug I want to take is not on the Drug List? .....   | 7 |
| B9. What if I am a new Molina Dual Options member and can't find my drug on the Drug List or have a problem getting my drug? .....                                   | 7 |
| B10. Can I ask for an exception to cover my drug? .....  | 8 |
| B11. How can I ask for an exception? .....   | 9 |
| B12. How long does it take to get an exception? .....  | 9 |
| B13. What are generic drugs? .....   | 9 |
| B14. What are OTC drugs? .....   | 9 |



If you have questions, please call Molina Dual Options at (855) 735-5604, TTY: 711, Monday – Friday, 8 a.m. to 8 p.m., ET. The call is free. For more information, visit MolinaHealthcare.com/Duals.

|   |     |
|---|-----|
| B15. What is my copay?.....                           | 9   |
| B16. What are drug tiers?.....                        | 9   |
| C. Overview of the <i>List of Covered Drugs</i> ..... | 10  |
| C1. Drugs Grouped by Medical Condition.....           | 11  |
| D. Index of Covered Drugs.....                        | 108 |



If you have questions, please call Molina Dual Options at (855) 735-5604, TTY: 711, Monday – Friday, 8 a.m. to 8 p.m., ET. The call is free. For more information, visit [MolinaHealthcare.com/Duals](http://MolinaHealthcare.com/Duals).

---

## A. Disclaimers

This is a list of drugs that members can get in Molina Dual Options.

- ❖ Molina Dual Options MI Health Link Medicare-Medicaid Plan is a health plan that contracts with both Medicare and Michigan Medicaid to provide benefits of both programs to enrollees.
- ❖ Molina Healthcare complies with applicable Federal civil rights laws and does not discriminate on the basis of race, ethnicity, national origin, religion, gender, sex, age, mental or physical disability, health status, receipt of healthcare, claims experience, medical history, genetic information, evidence of insurability, geographic location.
- ❖ ATTENTION: If you speak English, language assistance services, free of charge, are available to you. Call (855) 735-5604, TTY: 711, [Monday - Friday, 8 a.m. to 8 p.m., ET]. The call is free.
- ❖ You can also get this document for free in other formats, such as large print, braille, or audio. Call (855) 735-5604, TTY: 711, Monday - Friday, 8 a.m. to 8 p.m., ET. The call is free.
- ❖ To make a standing request to get materials in a language other than English or in an alternate format now and in the future, please contact Member Services at (855) 735-5604, TTY: 711, Monday – Friday, 8 a.m. to 8 p.m., ET.

---

## B. Frequently Asked Questions (FAQ)

Find answers here to questions you have about this *List of Covered Drugs*. You can read all of the FAQ to learn more or look for a question and answer.

---

### B1. What prescription drugs are on the *List of Covered Drugs*? (We call the *List of Covered Drugs* the “Drug List” for short.)

The drugs on the *List of Covered Drugs* that starts on page 12 are the drugs covered by Molina Dual Options. These drugs are available at pharmacies within our network. A pharmacy is in our network if we have an agreement with them to work with us and provide you services. We refer to these pharmacies as “network pharmacies.”

- Molina Dual Options will cover all medically necessary drugs on the Drug List if:
  - your doctor or other prescriber says you need them to get better or stay healthy, **and**
  - you fill the prescription at a Molina Dual Options network pharmacy.
- Molina Dual Options may have additional steps to access certain drugs (refer to question B4 below).

---

 **If you have questions**, please call Molina Dual Options at (855) 735-5604, TTY: 711, Monday – Friday, 8 a.m. to 8 p.m., ET. The call is free. **For more information**, visit [MolinaHealthcare.com/Duals](http://MolinaHealthcare.com/Duals).

You can also find an up-to-date list of drugs that we cover on our website at MolinaHealthcare.com/Duals, ask your Care Coordinator for help, or call Member Services toll-free at (855) 735-5604, TTY: 711, Monday – Friday, 8 a.m. to 8 p.m., ET.

---

## B2. Does the Drug List ever change?

Yes, and Molina Dual Options must follow Medicare and Michigan Medicaid rules when making changes. We may add or remove drugs on the Drug List during the year.

We may also change our rules about drugs. For example, we could:

- Decide to require or not require prior approval (PA) for a drug. (PA is permission from Molina Dual Options before you can get a drug.)
- Add or change the amount of a drug you can get (called “quantity limits”).
- Add or change step therapy restrictions on a drug. (Step therapy means you must try one drug before we will cover another drug.)

For more information on these drug rules, refer to question B4.

If you are taking a drug that was covered at the **beginning** of the year, we will generally not remove or change coverage of that drug **during the rest of the year** unless:

- a new, cheaper drug comes on the market that works as well as a drug on the Drug List now, **or**
- we learn that a drug is not safe, **or**
- a drug is removed from the market.

Questions B3 and B6 below have more information on what happens when the Drug List changes.

- You can always check Molina Dual Options’ up to date Drug List online at MolinaHealthcare.com/Duals.
  - You can also call Member Services to check the current Drug List at (855) 735-5604, TTY: 711, Monday – Friday, 8 a.m. to 8 p.m., ET.
- 

## B3. What happens when there is a change to the Drug List?

Some changes to the Drug List will happen **immediately**. For example:

- **A new generic drug becomes available.** Sometimes, a new generic drug comes on the market that works as well as a brand name drug on the Drug List now. When that happens, we may remove the brand name drug and add the new generic drug, but your cost for the new drug will stay the same. When we add the new generic drug, we may also decide to keep the brand name drug on the list but change its coverage rules or limits.

---

 **If you have questions**, please call Molina Dual Options at (855) 735-5604, TTY: 711, Monday – Friday, 8 a.m. to 8 p.m., ET. The call is free. **For more information**, visit MolinaHealthcare.com/Duals.

- We may not tell you before we make this change, but we will send you information about the specific change we made once it happens.
- You or your provider can ask for an exception from these changes. We will send you a notice with the steps you can take to ask for an exception. Please refer to question B10 for more information on exceptions.
- **A drug is taken off the market.** If the Food and Drug Administration (FDA) says a drug you are taking is not safe or the drug's manufacturer takes a drug off the market, we will take it off the Drug List. If you are taking the drug, we will let you know. Talk with your doctor or other prescriber to find an alternative that is safe for you.

**We may make other changes that affect the drugs you take.** We will tell you in advance about these other changes to the Drug List. These changes might happen if:

- The FDA provides new guidance or there are new clinical guidelines about a drug.
- We add a generic drug that is not new to the market **and**
  - Replace a brand name drug currently on the Drug List **or**
  - Change the coverage rules or limits for the brand name drug.

When these changes happen, we will:

- Tell you at least 30 days before we make the change to the Drug List **or**
- Let you know and give you a 31-day supply of the drug after you ask for a refill.

This will give you time to talk to your doctor or other prescriber. They can help you decide:

- If there is a similar drug on the Drug List you can take instead **or**
- Whether to ask for an exception from these changes. To learn more about exceptions, refer to question B10.

---

#### **B4. Are there any restrictions or limits on drug coverage? Or are there any required actions to take to get certain drugs?**

Yes, some drugs have coverage rules or have limits on the amount you can get. In some cases you or your doctor or other prescriber must do something before you can get the drug. For example:

- **Prior authorization (PA) or approval:** For some drugs, you or your doctor or other prescriber must get PA from Molina Dual Options before you fill your prescription. If you don't get approval, Molina Dual Options may not cover the drug.
- **Quantity limits:** Sometimes Molina Dual Options limits the amount of a drug you can get.

---

If you have questions, please call Molina Dual Options at (855) 735-5604, TTY: 711, Monday – Friday, 8 a.m. to 8 p.m., ET. The call is free. For more information, visit [MolinaHealthcare.com/Duals](http://MolinaHealthcare.com/Duals).

- **Step therapy:** Sometimes Molina Dual Options requires you to do step therapy. This means you will have to try drugs in a certain order for your medical condition. You might have to try one drug before we will cover another drug. If your prescriber thinks the first drug doesn't work for you, then we will cover the second.

You can find out if your drug has any additional requirements or limits by looking in the tables on pages 12 - 107. You can also get more information by visiting our website at [MolinaHealthcare.com/Duals](http://MolinaHealthcare.com/Duals). We have posted online documents that explain our PA and step therapy restrictions. You may also ask us to send you a copy.

You can also ask for an exception from these limits. This will give you time to talk to your doctor or other prescriber. They can help you decide if there is a similar drug on the Drug List you can take instead or whether to ask for an exception. Please refer to questions B10-B12 for more information about exceptions.

---

#### **B5. How will I know if the drug I want has limits or if there are required actions to take to get the drug?**

The table of drugs on page 12 has a column labeled "Necessary actions, restrictions, or limits on use."

---

#### **B6. What happens if Molina Dual Options changes their rules about some drugs (for example, PA or approval, quantity limits, and/or step therapy restrictions)?**

In some cases, we will tell you in advance if we add or change PA, quantity limits, and/or step therapy restrictions on a drug. Refer to question B3 for more information about this advance notice and situations where we may not be able to tell you in advance when our rules about drugs on the Drug List change.

---

#### **B7. How can I find a drug on the Drug List?**

There are two ways to find a drug:

- You can search alphabetically by the drug's name, **or**
- You can search by medical condition.

To search **alphabetically**, refer to the Index of Covered Drugs section. You can find it on page number 108.

To search **by medical condition**, find the section labeled "Drugs Grouped by Medical Condition" on page 12. The drugs in this section are grouped into categories depending on the type of medical conditions they are used to treat. For example, if you have a heart condition, you should look in the category, Cardiovascular. That is where you will find drugs that treat heart conditions.

---

## **B8. What if the drug I want to take is not on the Drug List?**

If you don't find your drug on the Drug List, call Member Services at (855) 735-5604, TTY: 711, Monday – Friday, 8 a.m. to 8 p.m., ET and ask about it. If you learn that Molina Dual Options will not cover the drug, you can do one of these things:

- Ask Member Services for a list of drugs like the one you want to take. Then show the list to your doctor or other prescriber. They can prescribe a drug on the Drug List that is like the one you want to take. **Or**
  - You can ask the health plan to make an exception to cover your drug. Please refer to questions B10-B12 for more information about exceptions.
- 

## **B9. What if I am a new Molina Dual Options member and can't find my drug on the Drug List or have a problem getting my drug?**

We can help. We may cover a temporary 31-day supply of your drug during the first 90 days you are a member of Molina Dual Options. This will give you time to talk to your doctor or other prescriber. They can help you decide if there is a similar drug on the Drug List you can take instead or whether to ask for an exception.

If your prescription is written for fewer days, we will allow multiple refills to provide up to a maximum of 31 days of medication.

We will cover a 31-day supply of your drug if:

- you are taking a drug that is not on our Drug List, **or**
- health plan rules do not let you get the amount ordered by your prescriber, **or**
- the drug requires PA by Molina Dual Options, **or**
- you are taking a drug that is part of a step therapy restriction.

If you are in a nursing home or other long-term care facility, and need a drug that is not on the Drug List or if you cannot easily get the drug you need, we can help. If you have been in the plan for more than 90 days, live in a long-term care facility, and need a supply right away:

- We will cover one 31-day supply of the drug you need (unless you have a prescription for fewer days), whether or not you are a new Molina Dual Options member.
- This is in addition to the temporary supply during the first 90 days you are a member of Molina Dual Options.

### Transition Policy

New members in our Plan may be taking drugs that aren't on our formulary or that are subject to certain restrictions, such as prior authorization or step therapy. Current members may also be affected by changes in our formulary from one year to the next. Members should talk to their

---

**If you have questions**, please call Molina Dual Options at (855) 735-5604, TTY: 711, Monday – Friday, 8 a.m. to 8 p.m., ET. The call is free. **For more information**, visit [MolinaHealthcare.com/Duals](http://MolinaHealthcare.com/Duals).

doctors to decide if they should switch to a different drug that we cover or request a formulary exception in order to get coverage for the drug. See the Member Handbook to learn more about how to request an exception. Please contact Member Services if your drug is not on our formulary, is subject to certain restrictions, such as prior authorization or step therapy, or will no longer be on our formulary next year and you need help switching to a different drug that we cover or requesting a formulary exception.

During the period of time members are talking to their doctors to determine the right course of action, we may provide a temporary supply of the non-formulary drug if those members need a refill for the drug during the first 90 days of new membership in our Plan for Part D drugs (tiers 1 and 2) and 90 days for your Medicaid drugs (tier 3). If you are a current member affected by a formulary change from one year to the next, we will provide a temporary supply of the non-formulary drug if you need a refill for the drug during the first 90 days of the new plan year.

When a member goes to a network pharmacy and we provide a temporary supply of a drug that isn't on our formulary, or that has coverage restrictions or limits (but is otherwise considered a "Part D drug"), we will cover a 31-day supply (unless the prescription is written for fewer days). After we cover the temporary 31-day supply, we generally will not pay for these drugs as part of our transition policy again.

We will provide you with a written notice after we cover your temporary supply. This notice will explain the steps you can take to request an exception and how to work with your doctor to decide if you should switch to an appropriate drug that we cover.

If a new member is a resident of a long-term-care facility (like a nursing home), we will cover a temporary 31-day transition supply (unless the prescription is written for fewer days). If necessary, we will cover more than one refill of these drugs during the first 90 days a new member is enrolled in our Plan. If the resident has been enrolled in our Plan for more than 90 days and needs a drug that isn't on our formulary or is subject to other restrictions, such as step therapy or dosage limits, we will cover a temporary 31-day emergency supply of that drug (unless the prescription is for fewer days) while the new member pursues a formulary exception. Exceptions are available in situations where you experience a change in the level of care you are receiving that also requires you to transition from one facility or treatment center to another. In such circumstances, you would be eligible for a temporary, one-time fill exception even if you are outside of the first 90 days as a member of the plan.

---

## B10. Can I ask for an exception to cover my drug?

Yes. You can ask Molina Dual Options to make an exception to cover a drug that is not on the Drug List.

You can also ask us to change the rules on your drug.

- For example, Molina Dual Options may limit the amount of a drug we will cover. If your drug has a limit, you can ask us to change the limit and cover more.
- Other examples: You can ask us to drop step therapy restrictions or PA requirements.

---

 **If you have questions**, please call Molina Dual Options at (855) 735-5604, TTY: 711, Monday – Friday, 8 a.m. to 8 p.m., ET. The call is free. **For more information**, visit [MolinaHealthcare.com/Duals](http://MolinaHealthcare.com/Duals).

---

## **B11. How can I ask for an exception?**

To ask for an exception, call Member Services. A Member Services representative will work with you and your provider to help you ask for an exception. You can also read Chapter 9, of the *Member Handbook* to learn more about exceptions.

---

## **B12. How long does it take to get an exception?**

After we get a statement from your prescriber supporting your request for an exception, we will give you a decision within 72 hours. Your prescriber can call Molina Dual Options or fax the supporting statement to (866) 290-1309.

If you or your prescriber think your health may be harmed if you have to wait 72 hours for a decision, you can ask for an expedited exception. This is a faster decision. If your prescriber supports your request, we will give you a decision within 24 hours of getting your prescriber's supporting statement.

---

## **B13. What are generic drugs?**

Generic drugs are made up of the same active ingredients as brand name drugs. They usually cost less than the brand name drug and usually don't have well-known names. Generic drugs are approved by the Food and Drug Administration (FDA).

Molina Dual Options covers both brand name drugs and generic drugs.

---

## **B14. What are OTC drugs?**

OTC stands for "over-the-counter." Molina Dual Options covers some OTC drugs when they are written as prescriptions by your provider.

You can read the Molina Dual Options Drug List to find out what OTC drugs are covered.

---

## **B15. What is my copay?**

As a Molina Dual Options member, you have no copays for prescription and OTC drugs as long as you follow Molina Dual Options' rules.

---

## **B16. What are drug tiers?**

Tiers are groups of drugs.

- Tier 1 drugs are generic drugs. For Tier 1 drugs, you pay \$0 copay.
- Tier 2 drugs are brand name drugs. For Tier 2 drugs, you pay \$0 copay.
- Tier 3 drugs are Non-Medicare Rx/Over The Counter (OTC) drugs. For Tier 3 drugs, you pay \$0 copay.



**If you have questions**, please call Molina Dual Options at (855) 735-5604, TTY: 711, Monday – Friday, 8 a.m. to 8 p.m., ET. The call is free. **For more information**, visit [MolinaHealthcare.com/Duals](http://MolinaHealthcare.com/Duals).

## C. Overview of the *List of Covered Drugs*

The following list of covered drugs gives you information about the drugs covered by Molina Dual Options. If you have trouble finding your drug in the list, turn to the Index of Covered Drugs that begins on page 108. The index alphabetically lists all drugs covered by Molina Dual Options.

The first column of the chart lists the name of the drug. Brand name drugs are capitalized (e.g., CIPRO), and generic drugs are listed in lower-case italics (e.g., *ciprofloxacin*).

The information in the necessary actions, restrictions, or limits on use column tells you if Molina Dual Options has any rules for covering your drug.

**Note:** The \* next to a drug means the drug is not a “Part D drug.”

- These drugs have different rules for appeals. An appeal is a formal way of asking us to review a coverage decision and to change it if you think we made a mistake. For example, we might decide that a drug that you want is not covered or is no longer covered by Medicare or Michigan Medicaid.
- If you or your prescriber disagrees with our decision, you can appeal. To ask for instructions on how to appeal, call Member Services at (855) 735-5604, TTY: 711, Monday – Friday, 8 a.m. to 8 p.m., ET. You can also read Chapter 9 in the *Member Handbook* to learn how to appeal a decision.



If you have questions, please call Molina Dual Options at (855) 735-5604, TTY: 711, Monday – Friday, 8 a.m. to 8 p.m., ET. The call is free. For more information, visit [MolinaHealthcare.com/Duals](http://MolinaHealthcare.com/Duals).

## C1. Drugs Grouped by Medical Condition

The drugs in this section are grouped into categories depending on the type of medical conditions they are used to treat. For example, if you have a heart condition, you should look in the category, Cardiovascular. That is where you will find drugs that treat heart conditions.

Here are the meanings of the codes used in the “Necessary actions, restrictions, or limits on use” column:

PA = Prior Authorization (approval): you must have approval before you can get this drug.

QL = Quantity Limits: the amount of the drug that the plan will cover.

ST = Step Therapy Criteria: you must try another drug before you can get this one.

NM = Non-Mail Order: this drug cannot be filled through mail order.

B/D = This drug may be covered under Medicare Part B or D depending upon the circumstances.

LA = Limited Access Drug: this drug may be available only at certain pharmacies.

(\*) = Non-Part D Drugs, or OTC items that are covered by Medicaid.

NDS = Non-Extended Days Supply: you will be limited to how many days supply you can receive.



If you have questions, please call Molina Dual Options at (855) 735-5604, TTY: 711, Monday – Friday, 8 a.m. to 8 p.m., ET. The call is free. For more information, visit [MolinaHealthcare.com/Duals](http://MolinaHealthcare.com/Duals).

**MOLINA\_MI\_CY24\_2T\_MMP eff 12/01/2024**

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE<br/>(TIER LEVEL)</b> |
|---|--|---|
|---|--|---|

**ANALGESICS - DRUGS TO TREAT PAIN AND INFLAMMATION****GOUT - DRUGS TO TREAT GOUT**

|  |        |                         |
|--|--------|-------------------------|
| <i>allopurinol</i> TABS 100mg, 300mg           | \$0(1) |                         |
| <i>colchicine</i> TABS .6mg                    | \$0(1) | QL (120 tabs / 30 days) |
| <i>colchicine w/ probenecid tab 0.5-500 mg</i> | \$0(1) |                         |
| <i>MITIGARE</i> CAPS .6mg                      | \$0(2) | QL (60 caps / 30 days)  |
| <i>probenecid</i> TABS 500mg                   | \$0(1) |                         |

**MISCELLANEOUS**

|  |        |       |
|--|--------|-------|
| <i>acetaminophen</i> SOLN 160mg/5ml,<br>325mg/10.15ml, 650mg/20.3ml; SUPP<br>120mg; SUSP 160mg/5ml; TABS 325mg,<br>500mg; TBCR 650mg | \$0(3) | NM; * |
| <i>ACETAMINOPHEN</i> SUPP 650mg  | \$0(3) | NM; * |
| <i>acetaminophen extra stren</i> TABS 500mg  | \$0(3) | NM; * |
| <i>adult aspirin regimen</i> TBEC 81mg   | \$0(3) | NM; * |
| <i>arthritis pain relief</i> TBCR 650mg  | \$0(3) | NM; * |
| <i>aspirin</i> CHEW 81mg; TABS 325mg; TBEC<br>325mg  | \$0(3) | NM; * |
| <i>ASPIRIN</i> SUPP 300mg  | \$0(3) | NM; * |
| <i>aspirin adult low dose</i> TBEC 81mg  | \$0(3) | NM; * |
| <i>aspirin low dose</i> CHEW 81mg; TBEC 81mg   | \$0(3) | NM; * |
| <i>aspirin low strength</i> CHEW 81mg  | \$0(3) | NM; * |
| <i>aspirin regimen</i> TBEC 81mg   | \$0(3) | NM; * |
| <i>childrens acetaminophen</i> SUSP<br>160mg/5ml   | \$0(3) | NM; * |
| <i>ed-apap</i> LIQD 160mg/5ml  | \$0(3) | NM; * |
| <i>feverall adults</i> SUPP 650mg  | \$0(3) | NM; * |
| <i>feverall childrens</i> SUPP 120mg   | \$0(3) | NM; * |
| <i>FEVERALL INFANTS</i> SUPP 80mg  | \$0(3) | NM; * |
| <i>FEVERALL JUNIOR STRENGTH</i> SUPP<br>325mg  | \$0(3) | NM; * |
| <i>gnp 8 hour arthritis reli</i> TBCR 650mg  | \$0(3) | NM; * |
| <i>gnp 8 hour pain relief</i> TBCR 650mg   | \$0(3) | NM; * |
| <i>gnp 8 hour pain reliever</i> TBCR 650mg   | \$0(3) | NM; * |
| <i>gnp acetaminophen</i> TABS 325mg  | \$0(3) | NM; * |
| <i>gnp adult aspirin low str</i> CHEW 81mg   | \$0(3) | NM; * |
| <i>gnp aspirin</i> TABS 325mg; TBEC 81mg   | \$0(3) | NM; * |
| <i>gnp aspirin low dose</i> TBEC 81mg  | \$0(3) | NM; * |
| <i>gnp infants pain/fever</i> SUSP 160mg/5ml   | \$0(3) | NM; * |
| <i>gnp pain &amp; fever children</i> SUSP<br>160mg/5ml   | \$0(3) | NM; * |
| <i>gnp pain relief</i> TABS 325mg  | \$0(3) | NM; * |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                     | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>gnp pain relief extra str TABS 500mg</i>                     | \$0(3)  | NM; *  |
| <i>goodsense arthritis pain TBCR 650mg</i>                      | \$0(3)  | NM; *  |
| <i>goodsense aspirin CHEW 81mg; TABS 325mg</i>                  | \$0(3)  | NM; *  |
| <i>goodsense aspirin adults TABS 325mg</i>                      | \$0(3)  | NM; *  |
| <i>goodsense pain &amp; fever ch SUSP 160mg/5ml</i>             | \$0(3)  | NM; *  |
| <i>goodsense pain &amp; fever in SUSP 160mg/5ml</i>             | \$0(3)  | NM; *  |
| <i>goodsense pain relief TABS 325mg</i>                         | \$0(3)  | NM; *  |
| <i>goodsense pain relief ext TABS 500mg</i>                     | \$0(3)  | NM; *  |
| <i>hm adult aspirin TABS 325mg</i>                              | \$0(3)  | NM; *  |
| <i>hm aspirin TBEC 325mg</i>                                    | \$0(3)  | NM; *  |
| <i>hm aspirin ec low dose TBEC 81mg</i>                         | \$0(3)  | NM; *  |
| <i>hm pain reliever TABS 325mg</i>                              | \$0(3)  | NM; *  |
| <i>m-pap LIQD 160mg/5ml</i>                                     | \$0(3)  | NM; *  |
| <i>mapap CAPS 500mg</i>   | \$0(3)  | NM; *  |
| <i>mapap arthritis pain TBCR 650mg</i>                          | \$0(3)  | NM; *  |
| <i>mapap childrens CHEW 80mg</i>                                | \$0(3)  | NM; *  |
| <i>pain &amp; fever childrens SUSP 160mg/5ml</i>                | \$0(3)  | NM; *  |
| <i>pain &amp; fever infants SUSP 160mg/5ml</i>                  | \$0(3)  | NM; *  |
| <i>qc acetaminophen infants SUSP 160mg/5ml</i>                  | \$0(3)  | NM; *  |
| <i>qc aspirin TABS 325mg</i>                                    | \$0(3)  | NM; *  |
| <i>qc aspirin low dose CHEW 81mg; TBEC 81mg</i>                 | \$0(3)  | NM; *  |
| <i>qc enteric aspirin TBEC 325mg</i>                            | \$0(3)  | NM; *  |
| <i>qc non-aspirin extra stre TABS 500mg</i>                     | \$0(3)  | NM; *  |
| <i>qc pain relief TABS 325mg</i>                                | \$0(3)  | NM; *  |
| <i>qc pain relief childrens SUSP 160mg/5ml</i>                  | \$0(3)  | NM; *  |
| <i>qc pain relief extra stre TABS 500mg</i>                     | \$0(3)  | NM; *  |
| <i>sm adult aspirin TABS 325mg</i>                              | \$0(3)  | NM; *  |
| <i>sm aspirin adult low stre TBEC 81mg</i>                      | \$0(3)  | NM; *  |
| <i>sm aspirin enteric coated TBEC 325mg</i>                     | \$0(3)  | NM; *  |
| <i>sm aspirin low dose CHEW 81mg; TBEC 81mg</i>                 | \$0(3)  | NM; *  |
| <i>sm pain &amp; fever childrens SUSP 80mg/2.5ml, 160mg/5ml</i> | \$0(3)  | NM; *  |
| <i>sm pain &amp; fever infants SUSP 160mg/5ml</i>               | \$0(3)  | NM; *  |
| <i>sm pain relief extra stre TABS 500mg</i>                     | \$0(3)  | NM; *  |
| <i>sm pain reliever TABS 325mg</i>                              | \$0(3)  | NM; *  |
| <i>sm pain reliever children SUSP 160mg/5ml</i>                 | \$0(3)  | NM; *  |
| <i>sm pain reliever extra st TABS 500mg</i>                     | \$0(3)  | NM; *  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>  | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| <i>tension headache</i>  | \$0(3)  | NM; *  |
| <i>tri-buffered aspirin</i>  | \$0(3)  | NM; *  |
| <b>NSAIDS - DRUGS TO TREAT PAIN AND INFLAMMATION</b>                                   |   |  |
| <i>all day pain relief TABS 220mg</i>  | \$0(3)  | NM; *  |
| <i>all day relief TABS 220mg</i>   | \$0(3)  | NM; *  |
| <i>celecoxib CAPS 50mg, 100mg, 200mg</i>   | \$0(1)  | QL (60 caps / 30 days)   |
| <i>celecoxib CAPS 400mg</i>  | \$0(1)  | QL (30 caps / 30 days)   |
| <i>childrens ibuprofen SUSP 100mg/5ml,<br/>200mg/10ml</i>                              | \$0(3)  | NM; *  |
| <i>diclofenac potassium TABS 50mg</i>  | \$0(1)  | QL (120 tabs / 30 days)  |
| <i>diclofenac sodium TB24 100mg; TBEC<br/>25mg, 50mg, 75mg</i>                         | \$0(1)  |  |
| <i>diflunisal TABS 500mg</i>   | \$0(1)  |  |
| <i>ec-naproxen TBEC 375mg</i>  | \$0(1)  | QL (120 tabs / 30 days)  |
| <i>ec-naproxen TBEC 500mg</i>  | \$0(1)  | QL (90 tabs / 30 days)   |
| <i>etodolac CAPS 200mg, 300mg; TABS<br/>400mg, 500mg; TB24 400mg, 500mg,<br/>600mg</i> | \$0(1)  |  |
| <i>flurbiprofen TABS 100mg</i>   | \$0(1)  |  |
| <i>gnp childrens ibuprofen SUSP 100mg/5ml</i>  | \$0(3)  | NM; *  |
| <i>gnp ibuprofen CAPS 200mg; TABS 200mg</i>  | \$0(3)  | NM; *  |
| <i>gnp ibuprofen childrens CHEW 100mg</i>  | \$0(3)  | NM; *  |
| <i>gnp ibuprofen infants SUSP 50mg/1.25ml</i>  | \$0(3)  | NM; *  |
| <i>gnp naproxen TABS 220mg</i>   | \$0(3)  | NM; *  |
| <i>gnp naproxen sodium CAPS 220mg</i>  | \$0(3)  | NM; *  |
| <i>goodsense ibuprofen CAPS 200mg; TABS<br/>200mg</i>                                  | \$0(3)  | NM; *  |
| <i>goodsense ibuprofen child SUSP<br/>100mg/5ml</i>                                    | \$0(3)  | NM; *  |
| <i>goodsense ibuprofen infan SUSP<br/>50mg/1.25ml</i>                                  | \$0(3)  | NM; *  |
| <i>goodsense naproxen sodium TABS 220mg</i>  | \$0(3)  | NM; *  |
| <i>hm ibuprofen TABS 200mg</i>   | \$0(3)  | NM; *  |
| <i>hm ibuprofen childrens SUSP 100mg/5ml</i>   | \$0(3)  | NM; *  |
| <i>hm naproxen sodium CAPS 220mg</i>   | \$0(3)  | NM; *  |
| <i>ibu TABS 400mg, 600mg, 800mg</i>  | \$0(1)  |  |
| <i>ibuprofen CAPS 200mg; TABS 200mg</i>  | \$0(3)  | NM; *  |
| <i>ibuprofen SUSP 100mg/5ml; TABS<br/>400mg, 600mg, 800mg</i>                          | \$0(1)  |  |
| <i>ibuprofen childrens SUSP 100mg/5ml</i>  | \$0(3)  | NM; *  |
| <i>ibuprofen infants SUSP 50mg/1.25ml</i>  | \$0(3)  | NM; *  |
| <i>ibuprofen junior strength CHEW 100mg</i>  | \$0(3)  | NM; *  |
| <i>infants ibuprofen SUSP 50mg/1.25ml</i>  | \$0(3)  | NM; *  |
| <i>meloxicam TABS 7.5mg, 15mg</i>  | \$0(1)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>  | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| <i>nabumetone</i> TABS 500mg, 750mg  | \$0(1)  |  |
| <i>naproxen</i> TABS 250mg, 375mg, 500mg   | \$0(1)  |  |
| <i>naproxen</i> TBEC 375mg   | \$0(1)  | QL (120 tabs / 30 days)  |
| <i>naproxen dr</i> TBEC 500mg  | \$0(1)  | QL (90 tabs / 30 days)   |
| <i>naproxen sodium</i> CAPS 220mg; TABS 220mg  | \$0(3)  | NM; *  |
| <i>naproxen sodium</i> TABS 275mg, 550mg   | \$0(1)  |  |
| <i>piroxicam</i> CAPS 10mg, 20mg   | \$0(1)  |  |
| <i>qc ibuprofen</i> TABS 200mg   | \$0(3)  | NM; *  |
| <i>qc naproxen sodium</i> TABS 220mg   | \$0(3)  | NM; *  |
| <i>sm ibuprofen</i> CAPS 200mg; TABS 200mg   | \$0(3)  | NM; *  |
| <i>sm ibuprofen ib</i> TABS 200mg  | \$0(3)  | NM; *  |
| <i>sm ibuprofen ib childrens</i> CHEW 100mg  | \$0(3)  | NM; *  |
| <i>sm infants ibuprofen</i> SUSP 50mg/1.25ml   | \$0(3)  | NM; *  |
| <i>sm naproxen sodium</i> TABS 220mg   | \$0(3)  | NM; *  |
| <i>sulindac</i> TABS 150mg, 200mg  | \$0(1)  |  |
| <b>OPIOID ANALGESICS, LONG-ACTING</b>  |   |  |
| <i>buprenorphine</i> PTWK 5mcg/hr, 7.5mcg/hr, 10mcg/hr, 15mcg/hr, 20mcg/hr                                 | \$0(1)  | QL (4 patches / 28 days), PA                                   |
| <i>fentanyl</i> PT72 12mcg/hr, 25mcg/hr, 37.5mcg/hr, 50mcg/hr, 62.5mcg/hr, 75mcg/hr, 87.5mcg/hr, 100mcg/hr | \$0(1)  | QL (10 patches / 30 days), PA                                  |
| <i>hydrocodone bitartrate</i> T24A 20mg, 30mg, 40mg, 60mg  | \$0(1)  | QL (30 tabs / 30 days), PA                                     |
| <i>hydrocodone bitartrate</i> T24A 80mg, 100mg, 120mg  | \$0(2)  | QL (30 tabs / 30 days), PA                                     |
| <i>HYSINGLA ER</i> T24A 20mg, 30mg, 40mg, 60mg, 80mg, 100mg, 120mg   | \$0(2)  | QL (30 tabs / 30 days), PA                                     |
| <i>methadone hcl</i> SOLN 5mg/5ml, 10mg/5ml  | \$0(1)  | QL (450 mL / 30 days), PA                                      |
| <i>methadone hcl</i> TABS 5mg, 10mg  | \$0(1)  | QL (90 tabs / 30 days), PA                                     |
| <i>methadone hydrochloride i</i> CONC 10mg/ml  | \$0(1)  | QL (90 mL / 30 days), PA                                       |
| <i>morphine sulfate</i> TBCR 15mg, 30mg, 60mg, 100mg, 200mg  | \$0(1)  | QL (90 tabs / 30 days), PA                                     |
| <i>OXYCONTIN</i> T12A 10mg, 15mg, 20mg, 30mg, 40mg, 60mg, 80mg   | \$0(2)  | QL (60 tabs / 30 days), PA                                     |
| <b>OPIOID ANALGESICS, SHORT-ACTING</b>   |   |  |
| <i>acetaminophen w/ codeine soln</i> 120-12 mg/5ml   | \$0(1)  | QL (2700 mL / 30 days)   |
| <i>acetaminophen w/ codeine tab</i> 300-15 mg  | \$0(1)  | QL (400 tabs / 30 days)  |
| <i>acetaminophen w/ codeine tab</i> 300-30 mg  | \$0(1)  | QL (360 tabs / 30 days)  |
| <i>acetaminophen w/ codeine tab</i> 300-60 mg  | \$0(1)  | QL (180 tabs / 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                                  | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| <i>butorphanol tartrate</i> SOLN 1mg/ml,<br>2mg/ml                           | \$0(2)  |  |
| <i>endocet</i> tab 2.5-325mg   | \$0(1)  | QL (360 tabs / 30 days)  |
| <i>endocet</i> tab 5-325mg   | \$0(1)  | QL (360 tabs / 30 days)  |
| <i>endocet</i> tab 7.5-325mg   | \$0(1)  | QL (240 tabs / 30 days)  |
| <i>endocet</i> tab 10-325mg  | \$0(1)  | QL (180 tabs / 30 days)  |
| <i>fentanyl citrate</i> LPOP 200mcg  | \$0(1)  | QL (120 lozenges / 30 days), PA                                |
| <i>fentanyl citrate</i> LPOP 400mcg, 600mcg,<br>800mcg, 1200mcg, 1600mcg     | \$0(2)  | NDS, QL (120 lozenges / 30 days), PA                           |
| <i>hydrocodone-acetaminophen soln</i> 7.5-325<br>mg/15ml                     | \$0(1)  | QL (2700 mL / 30 days)   |
| <i>hydrocodone-acetaminophen tab</i> 5-325 mg                                | \$0(1)  | QL (240 tabs / 30 days)  |
| <i>hydrocodone-acetaminophen tab</i> 7.5-325<br>mg                           | \$0(1)  | QL (180 tabs / 30 days)  |
| <i>hydrocodone-acetaminophen tab</i> 10-325<br>mg                            | \$0(1)  | QL (180 tabs / 30 days)  |
| <i>hydrocodone-ibuprofen tab</i> 7.5-200 mg                                  | \$0(1)  | QL (150 tabs / 30 days)  |
| <i>hydromorphone hcl</i> LIQD 1mg/ml   | \$0(1)  | QL (600 mL / 30 days)  |
| <i>hydromorphone hcl</i> TABS 2mg, 4mg, 8mg                                  | \$0(1)  | QL (180 tabs / 30 days)  |
| MORPHINE SULFATE SOLN 2mg/ml,<br>4mg/ml, 5mg/ml, 8mg/ml, 10mg/ml,<br>50mg/ml | \$0(2)  | B/D  |
| <i>morphine sulfate</i> SOLN 4mg/ml, 8mg/ml,<br>10mg/ml                      | \$0(2)  | B/D  |
| <i>morphine sulfate</i> SOLN 10mg/5ml,<br>20mg/5ml                           | \$0(1)  | QL (900 mL / 30 days)  |
| <i>morphine sulfate</i> SOLN 100mg/5ml                                       | \$0(1)  | QL (180 mL / 30 days)  |
| <i>morphine sulfate</i> TABS 15mg, 30mg                                      | \$0(1)  | QL (180 tabs / 30 days)  |
| MORPHINE SULFATE/SODIUM C SOLN<br>1mg/ml                                     | \$0(2)  | B/D  |
| <i>nalbuphine hcl</i> SOLN 10mg/ml, 20mg/ml                                  | \$0(2)  |  |
| <i>oxycodone hcl</i> CAPS 5mg  | \$0(1)  | QL (180 caps / 30 days)  |
| <i>oxycodone hcl</i> CONC 100mg/5ml  | \$0(1)  | QL (180 mL / 30 days)  |
| <i>oxycodone hcl</i> SOLN 5mg/5ml  | \$0(1)  | QL (900 mL / 30 days)  |
| <i>oxycodone hcl</i> TABS 5mg, 10mg, 15mg,<br>20mg, 30mg                     | \$0(1)  | QL (180 tabs / 30 days)  |
| <i>oxycodone w/ acetaminophen tab</i> 2.5-325<br>mg                          | \$0(1)  | QL (360 tabs / 30 days)  |
| <i>oxycodone w/ acetaminophen tab</i> 5-325<br>mg                            | \$0(1)  | QL (360 tabs / 30 days)  |
| <i>oxycodone w/ acetaminophen tab</i> 7.5-325<br>mg                          | \$0(1)  | QL (240 tabs / 30 days)  |
| <i>oxycodone w/ acetaminophen tab</i> 10-325<br>mg                           | \$0(1)  | QL (180 tabs / 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>   | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>tramadol hcl TABS 50mg</i>                 | \$0(1)  | QL (240 tabs / 30 days)  |
| <i>tramadol-acetaminophen tab 37.5-325 mg</i> | \$0(1)  | QL (240 tabs / 30 days)  |

## **ANESTHETICS - DRUGS FOR NUMBING**

### **LOCAL ANESTHETICS**

|   |        |     |
|---|--------|-----|
| <i>lidocaine hcl (local anesth.) SOLN .5%,<br/>1%, 1.5%, 2%</i> | \$0(1) | B/D |
|---|--------|-----|

## **ANTI-INFECTIVES - DRUGS TO TREAT INFECTIONS**

### **ANTI-INFECTIVES - MISCELLANEOUS**

|   |        |                                 |
|---|--------|---------------------------------|
| <i>albendazole TABS 200mg</i>   | \$0(2) | NDS, QL (672 tabs / year), PA   |
| <i>amikacin sulfate SOLN 1gm/4ml,<br/>500mg/2ml</i>                     | \$0(1) |                                 |
| <i>atovaquone SUSP 750mg/5ml</i>  | \$0(1) |                                 |
| <i>aztreonam SOLR 1gm, 2gm</i>  | \$0(1) |                                 |
| <i>BINAXNOW COV KIT HOME TES</i>  | \$0(3) | QL (8 kits / 30 days),<br>NM; * |
| <i>CARESTART KIT COVID-19</i>   | \$0(3) | QL (8 kits / 30 days),<br>NM; * |
| <i>CAYSTON SOLR 75mg</i>  | \$0(2) | NDS, NM, LA, PA                 |
| <i>clindamycin hcl CAPS 75mg, 150mg,<br/>300mg</i>                      | \$0(1) |                                 |
| <i>clindamycin palmitate hydrochloride SOLR<br/>75mg/5ml</i>            | \$0(1) |                                 |
| <i>clindamycin phosphate SOLN 600mg/4ml,<br/>900mg/6ml, 9000mg/60ml</i> | \$0(1) |                                 |
| <i>clindamycin phosphate in d5w iv soln 300<br/>mg/50ml</i>             | \$0(1) |                                 |
| <i>clindamycin phosphate in d5w iv soln 600<br/>mg/50ml</i>             | \$0(1) |                                 |
| <i>clindamycin phosphate in d5w iv soln 900<br/>mg/50ml</i>             | \$0(1) |                                 |
| <i>CLINDMYC/NAC INJ 300/50ML</i>  | \$0(2) |                                 |
| <i>CLINDMYC/NAC INJ 600/50ML</i>  | \$0(2) |                                 |
| <i>CLINDMYC/NAC INJ 900/50ML</i>  | \$0(2) |                                 |
| <i>CLINITEST KIT SELF-TST</i>   | \$0(3) | QL (8 kits / 30 days),<br>NM; * |
| <i>colistimethate sodium SOLR 150mg</i>                                 | \$0(1) |                                 |
| <i>COVID-19 AT- KIT 1-PACK</i>  | \$0(3) | QL (8 kits / 30 days),<br>NM; * |
| <i>COVID-19 RAP KIT 1-PACK</i>  | \$0(3) | QL (8 kits / 30 days),<br>NM; * |
| <i>COVID-19 RAP KIT 2-PACK</i>  | \$0(3) | QL (8 kits / 30 days),<br>NM; * |
| <i>dapsone TABS 25mg, 100mg</i>   | \$0(1) |                                 |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                 | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| DAPTOMYCIN SOLR 350mg                                       | \$0(2)  | NDS  |
| <i>daptomycin</i> SOLR 350mg, 500mg                         | \$0(2)  | NDS  |
| DIATRUST KIT COVID-19                                       | \$0(3)  | QL (8 kits / 30 days),<br>NM; *                                |
| ELLUME COV19 KIT HOME TES                                   | \$0(3)  | QL (8 kits / 30 days),<br>NM; *                                |
| EMVERM CHEW 100mg   | \$0(2)  | NDS, QL (12 tabs /<br>year)                                    |
| <i>ertapenem sodium</i> SOLR 1gm                            | \$0(1)  |  |
| FLOWFLEX KIT TEST   | \$0(3)  | QL (8 kits / 30 days),<br>NM; *                                |
| <i>gentamicin in saline inj 0.8 mg/ml</i>                   | \$0(1)  |  |
| <i>gentamicin in saline inj 1 mg/ml</i>                     | \$0(1)  |  |
| <i>gentamicin in saline inj 1.2 mg/ml</i>                   | \$0(1)  |  |
| <i>gentamicin in saline inj 1.6 mg/ml</i>                   | \$0(1)  |  |
| <i>gentamicin in saline inj 2 mg/ml</i>                     | \$0(1)  |  |
| <i>gentamicin sulfate</i> SOLN 10mg/ml,<br>40mg/ml          | \$0(1)  |  |
| IHEALTH 2-PK KIT COVID-19                                   | \$0(3)  | QL (8 kits / 30 days),<br>NM; *                                |
| IHEALTH 5-PK KIT COVID-19                                   | \$0(3)  | QL (8 kits / 30 days),<br>NM; *                                |
| IHEALTH 40PK KIT COVID-19                                   | \$0(3)  | QL (8 kits / 30 days),<br>NM; *                                |
| <i>imipenem-cilastatin intravenous for soln<br/>250 mg</i>  | \$0(1)  |  |
| <i>imipenem-cilastatin intravenous for soln<br/>500 mg</i>  | \$0(1)  |  |
| INDICAID KIT COVID-19                                       | \$0(3)  | QL (8 kits / 30 days),<br>NM; *                                |
| INTELISWAB KIT COVID-19                                     | \$0(3)  | QL (8 kits / 30 days),<br>NM; *                                |
| <i>ivermectin</i> TABS 3mg                                  | \$0(1)  | QL (12 tabs / 90 days),<br>PA                                  |
| <i>linezolid</i> SOLN 600mg/300ml                           | \$0(1)  |  |
| <i>linezolid</i> SUSR 100mg/5ml                             | \$0(2)  | NDS, QL (1800 mL / 30<br>days)                                 |
| <i>linezolid</i> TABS 600mg                                 | \$0(1)  | QL (60 tabs / 30 days)   |
| LINEZOLID INJ 2MG/ML  | \$0(1)  |  |
| LUCIRA CHECK KIT COVID-19                                   | \$0(3)  | QL (8 kits / 30 days),<br>NM; *                                |
| <i>meropenem</i> SOLR 1gm, 500mg                            | \$0(1)  |  |
| <i>methenamine hippurate</i> TABS 1gm                       | \$0(1)  |  |
| <i>metronidazole</i> SOLN 500mg/100ml; TABS<br>250mg, 500mg | \$0(1)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                               | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>neomycin sulfate</i> TABS 500mg  | \$0(1)  |  |
| <i>nitazoxanide</i> TABS 500mg  | \$0(2)  | NDS, QL (6 tabs / 30 days)                                     |
| <i>nitrofurantoin macrocrystal</i> CAPS 50mg,<br>100mg                    | \$0(2)  |  |
| <i>nitrofurantoin monohyd macro</i> CAPS<br>100mg                         | \$0(2)  |  |
| ON/GO COVID KIT ANTIGEN   | \$0(3)  | QL (8 kits / 30 days),<br>NM; *                                |
| ON/GO ONE KIT COVID-19  | \$0(3)  | QL (8 kits / 30 days),<br>NM; *                                |
| <i>pentamidine isethionate inh</i> SOLR 300mg                             | \$0(1)  | B/D  |
| <i>pentamidine isethionate inj</i> SOLR 300mg                             | \$0(1)  |  |
| PILOT COVID KIT HOME TES  | \$0(3)  | QL (8 kits / 30 days),<br>NM; *                                |
| <i>praziquantel</i> TABS 600mg  | \$0(1)  |  |
| QUICKVUE HOM KIT COVID-19   | \$0(3)  | QL (8 kits / 30 days),<br>NM; *                                |
| SIVEXTRO SOLR 200mg; TABS 200mg   | \$0(2)  | NDS  |
| SPEEDY SWAB KIT COVID-19  | \$0(3)  | QL (8 kits / 30 days),<br>NM; *                                |
| <i>streptomycin sulfate</i> SOLR 1gm                                      | \$0(2)  | NDS  |
| <i>sulfadiazine</i> TABS 500mg  | \$0(2)  | NDS  |
| <i>sulfamethoxazole-trimethoprim iv soln</i><br><i>400-80 mg/5ml</i>      | \$0(1)  |  |
| <i>sulfamethoxazole-trimethoprim susp</i> 200-<br>40 mg/5ml               | \$0(1)  |  |
| <i>sulfamethoxazole-trimethoprim tab</i> 400-80<br>mg                     | \$0(1)  |  |
| <i>sulfamethoxazole-trimethoprim tab</i> 800-<br>160 mg                   | \$0(1)  |  |
| <i>tinidazole</i> TABS 250mg, 500mg                                       | \$0(1)  |  |
| <i>tobramycin</i> NEBU 300mg/5ml  | \$0(2)  | NDS, NM, PA  |
| <i>tobramycin sulfate</i> SOLN 1.2gm/30ml,<br>10mg/ml, 40mg/ml, 80mg/2ml  | \$0(1)  |  |
| <i>trimethoprim</i> TABS 100mg  | \$0(1)  |  |
| <i>vancomycin hcl</i> CAPS 125mg  | \$0(1)  | QL (80 caps / 180 days)  |
| <i>vancomycin hcl</i> CAPS 250mg  | \$0(1)  | QL (160 caps / 180 days)                                       |
| <i>vancomycin hcl</i> SOLR 1gm, 1.25gm,<br>1.5gm, 5gm, 10gm, 500mg, 750mg | \$0(1)  |  |
| VANCOMYCIN HYDROCHLORIDE SOLR<br>1gm, 5gm, 10gm, 500mg                    | \$0(1)  |  |
| VANCOMYCIN INJ 1 GM   | \$0(2)  |  |
| VANCOMYCIN INJ 500MG  | \$0(2)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                                 | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| VANCOMYCIN INJ 750MG  | \$0(2)  |  |
| <b>ANTIFUNGALS - DRUGS TO TREAT FUNGAL INFECTIONS</b>                       |   |  |
| ABELCET SUSP 5mg/ml   | \$0(2)  | B/D  |
| <i>amphotericin b</i> SOLR 50mg   | \$0(1)  | B/D  |
| <i>amphotericin b liposome</i> SUSR 50mg                                    | \$0(2)  | NDS, B/D   |
| <i>caspofungin acetate</i> SOLR 50mg, 70mg                                  | \$0(1)  |  |
| <i>fluconazole</i> SUSR 10mg/ml, 40mg/ml;<br>TABS 50mg, 100mg, 150mg, 200mg | \$0(1)  |  |
| <i>fluconazole</i> in nacl 0.9% inj 200 mg/100ml                            | \$0(1)  |  |
| <i>fluconazole</i> in nacl 0.9% inj 400 mg/200ml                            | \$0(1)  |  |
| <i>flucytosine</i> CAPS 250mg, 500mg  | \$0(2)  | NDS, PA  |
| <i>griseofulvin microsize</i> SUSP 125mg/5ml;<br>TABS 500mg                 | \$0(1)  |  |
| <i>griseofulvin ultramicrosize</i> TABS 125mg,<br>250mg                     | \$0(1)  |  |
| <i>itraconazole</i> CAPS 100mg  | \$0(1)  | PA   |
| <i>ketoconazole</i> TABS 200mg  | \$0(1)  | PA   |
| <i>micafungin sodium</i> SOLR 50mg, 100mg                                   | \$0(2)  | NDS  |
| <i>nystatin</i> TABS 500000unit   | \$0(1)  |  |
| <i>posaconazole</i> SUSP 40mg/ml  | \$0(2)  | NDS, QL (630 mL / 30 days), PA                                 |
| <i>posaconazole</i> TBEC 100mg  | \$0(2)  | NDS, QL (93 tabs / 30 days), PA                                |
| <i>terbinafine hcl</i> TABS 250mg   | \$0(1)  | QL (90 tabs / year)  |
| <i>voriconazole</i> SOLR 200mg  | \$0(1)  | PA   |
| <i>voriconazole</i> SUSR 40mg/ml  | \$0(2)  | NDS, PA  |
| <i>voriconazole</i> TABS 50mg   | \$0(1)  | QL (480 tabs / 30 days), PA                                    |
| <i>voriconazole</i> TABS 200mg  | \$0(1)  | QL (120 tabs / 30 days), PA                                    |
| <b>ANTIMALARIALS - DRUGS TO TREAT MALARIA</b>                               |   |  |
| <i>atovaquone-proguanil hcl</i> tab 62.5-25 mg                              | \$0(1)  |  |
| <i>atovaquone-proguanil hcl</i> tab 250-100 mg                              | \$0(1)  |  |
| <i>chloroquine phosphate</i> TABS 250mg,<br>500mg                           | \$0(1)  |  |
| COARTEM TAB 20-120MG  | \$0(2)  |  |
| <i>mefloquine hcl</i> TABS 250mg  | \$0(1)  |  |
| <i>primaquine phosphate</i> TABS 26.3mg                                     | \$0(1)  |  |
| PRIMAQUINE PHOSPHATE TABS 26.3mg  | \$0(2)  |  |
| <i>quinine sulfate</i> CAPS 324mg   | \$0(1)  | PA   |
| <b>ANTIRETROVIRAL AGENTS - DRUGS TO SUPPRESS HIV/AIDS<br/>INFECTION</b>     |   |  |
| <i>abacavir sulfate</i> SOLN 20mg/ml; TABS<br>300mg                         | \$0(1)  | NM   |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| APTIVUS CAPS 250mg   | \$0(2)  | NDS, NM  |
| <i>atazanavir sulfate</i> CAPS 150mg, 200mg,<br>300mg      | \$0(1)  | NM   |
| <i>darunavir</i> TABS 600mg                                | \$0(2)  | NDS, QL (60 tabs / 30 days), NM                                |
| <i>darunavir</i> TABS 800mg                                | \$0(2)  | NDS, QL (30 tabs / 30 days), NM                                |
| EDURANT TABS 25mg  | \$0(2)  | NDS, NM  |
| <i>efavirenz</i> TABS 600mg                                | \$0(1)  | NM   |
| <i>emtricitabine</i> CAPS 200mg                            | \$0(1)  | NM   |
| EMTRIVA SOLN 10mg/ml                                       | \$0(2)  | NM   |
| <i>etravirine</i> TABS 100mg, 200mg                        | \$0(2)  | NDS, NM  |
| <i>fosamprenavir calcium</i> TABS 700mg                    | \$0(2)  | NDS, NM  |
| FUZEON SOLR 90mg   | \$0(2)  | NDS, NM, LA  |
| INTELENCE TABS 25mg  | \$0(2)  | NM   |
| ISENTRESS CHEW 25mg  | \$0(2)  | NM   |
| ISENTRESS CHEW 100mg; PACK 100mg;<br>TABS 400mg            | \$0(2)  | NDS, NM  |
| ISENTRESS HD TABS 600mg                                    | \$0(2)  | NDS, NM  |
| <i>lamivudine</i> SOLN 10mg/ml; TABS 150mg,<br>300mg       | \$0(1)  | NM   |
| <i>maraviroc</i> TABS 150mg, 300mg                         | \$0(2)  | NDS, NM  |
| <i>nevirapine</i> SUSP 50mg/5ml; TABS 200mg;<br>TB24 400mg | \$0(1)  | NM   |
| NORVIR PACK 100mg  | \$0(2)  | NM   |
| PIFELTRO TABS 100mg  | \$0(2)  | NDS, NM  |
| PREZISTA SUSP 100mg/ml                                     | \$0(2)  | NDS, QL (400 mL / 30 days), NM                                 |
| PREZISTA TABS 75mg   | \$0(2)  | QL (480 tabs / 30 days), NM                                    |
| PREZISTA TABS 150mg  | \$0(2)  | NDS, QL (240 tabs / 30 days), NM                               |
| REYATAZ PACK 50mg  | \$0(2)  | NDS, NM  |
| <i>ritonavir</i> TABS 100mg                                | \$0(1)  | NM   |
| RUKOBIA TB12 600mg   | \$0(2)  | NDS, NM  |
| SELZENTRY SOLN 20mg/ml; TABS 75mg                          | \$0(2)  | NDS, NM  |
| SELZENTRY TABS 25mg  | \$0(2)  | NM   |
| SUNLENCA TBPK 300mg  | \$0(2)  | NDS, NM, LA  |
| <i>tenofovir disoproxil fumarate</i> TABS 300mg            | \$0(1)  | NM   |
| TIVICAY TABS 10mg  | \$0(2)  | NM   |
| TIVICAY TABS 25mg, 50mg                                    | \$0(2)  | NDS, NM  |
| TIVICAY PD TBSO 5mg  | \$0(2)  | NDS, NM  |
| TROGARZO SOLN 200mg/1.33ml                                 | \$0(2)  | NDS, NM, LA  |
| TYBOST TABS 150mg  | \$0(2)  | NM   |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
|---|---|--|

|  |        |         |
|--|--------|---------|
| VIRACEPT TABS 250mg, 625mg                       | \$0(2) | NDS, NM |
| VIREAD POWD 40mg/gm; TABS 150mg, 200mg, 250mg    | \$0(2) | NDS, NM |
| zidovudine CAPS 100mg; SYRP 50mg/5ml; TABS 300mg | \$0(1) | NM      |

**ANTIRETROVIRAL COMBINATION AGENTS - DRUGS TO SUPPRESS HIV/AIDS INFECTION**

|  |        |         |
|--|--------|---------|
| abacavir sulfate-lamivudine tab 600-300 mg                 | \$0(1) | NM      |
| BIKTARVY TAB 30-120-15 MG                                  | \$0(2) | NDS, NM |
| BIKTARVY TAB 50-200-25 MG                                  | \$0(2) | NDS, NM |
| CIMDUO TAB 300-300   | \$0(2) | NDS, NM |
| COMPLERA TAB   | \$0(2) | NDS, NM |
| DELSTRIGO TAB  | \$0(2) | NDS, NM |
| DESCOVY TAB 120-15MG                                       | \$0(2) | NDS, NM |
| DESCOVY TAB 200/25MG                                       | \$0(2) | NDS, NM |
| DOVATO TAB 50-300MG  | \$0(2) | NDS, NM |
| efavirenz-emtricitabine-tenofovir df tab 600-200-300 mg    | \$0(2) | NDS, NM |
| efavirenz-lamivudine-tenofovir df tab 400-300-300 mg       | \$0(2) | NDS, NM |
| efavirenz-lamivudine-tenofovir df tab 600-300-300 mg       | \$0(2) | NDS, NM |
| emtricitabine-tenofovir disoproxil fumarate tab 100-150 mg | \$0(2) | NDS, NM |
| emtricitabine-tenofovir disoproxil fumarate tab 133-200 mg | \$0(2) | NDS, NM |
| emtricitabine-tenofovir disoproxil fumarate tab 167-250 mg | \$0(2) | NDS, NM |
| emtricitabine-tenofovir disoproxil fumarate tab 200-300 mg | \$0(1) | NM      |
| EVOTAZ TAB 300-150   | \$0(2) | NDS, NM |
| GENVOYA TAB  | \$0(2) | NDS, NM |
| JULUCA TAB 50-25MG   | \$0(2) | NDS, NM |
| lamivudine-zidovudine tab 150-300 mg                       | \$0(1) | NM      |
| lopinavir-ritonavir soln 400-100 mg/5ml (80-20 mg/ml)      | \$0(1) | NM      |
| lopinavir-ritonavir tab 100-25 mg                          | \$0(1) | NM      |
| lopinavir-ritonavir tab 200-50 mg                          | \$0(1) | NM      |
| ODEFSEY TAB  | \$0(2) | NDS, NM |
| PREZCOBIX TAB 800-150                                      | \$0(2) | NDS, NM |
| STRIBILD TAB   | \$0(2) | NDS, NM |
| SYMTUZA TAB  | \$0(2) | NDS, NM |
| TRIUMEQ PD TAB   | \$0(2) | NDS, NM |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| TRIUMEQ TAB  | \$0(2)  | NDS, NM  |
| <b>ANTITUBERCULAR AGENTS - DRUGS TO TREAT TUBERCULOSIS</b> |   |  |
| cycloserine CAPS 250mg                                     | \$0(2)  | NDS  |
| ethambutol hcl TABS 100mg, 400mg                           | \$0(1)  |  |
| isoniazid SYRP 50mg/5ml; TABS 100mg, 300mg                 | \$0(1)  |  |
| PRIFTIN TABS 150mg   | \$0(2)  |  |
| pyrazinamide TABS 500mg                                    | \$0(1)  |  |
| rifabutin CAPS 150mg                                       | \$0(1)  |  |
| rifampin CAPS 150mg, 300mg; SOLR 600mg                     | \$0(1)  |  |
| SIRTURO TABS 20mg, 100mg                                   | \$0(2)  | NDS, NM, LA, PA  |
| TRECATOR TABS 250mg  | \$0(2)  |  |
| <b>ANTIVIRALS - DRUGS TO TREAT VIRAL INFECTIONS</b>        |   |  |
| acyclovir CAPS 200mg; SUSP 200mg/5ml; TABS 400mg, 800mg    | \$0(1)  |  |
| acyclovir sodium SOLN 50mg/ml                              | \$0(1)  | B/D  |
| adefovir dipivoxil TABS 10mg                               | \$0(1)  | NM   |
| BARACLODIE SOLN .05mg/ml                                   | \$0(2)  | NDS, NM  |
| entecavir TABS .5mg, 1mg                                   | \$0(1)  | NM   |
| EPCLUSA PAK 150-37.5                                       | \$0(2)  | NDS, NM, PA  |
| EPCLUSA PAK 200-50MG                                       | \$0(2)  | NDS, NM, PA  |
| EPCLUSA TAB 200-50MG                                       | \$0(2)  | NDS, NM, PA  |
| EPCLUSA TAB 400-100  | \$0(2)  | NDS, NM, PA  |
| famciclovir TABS 125mg, 250mg, 500mg                       | \$0(1)  |  |
| ganciclovir sodium SOLR 500mg                              | \$0(1)  | B/D  |
| HARVONI PAK 33.75-150MG                                    | \$0(2)  | NDS, NM, PA  |
| HARVONI PAK 45-200MG                                       | \$0(2)  | NDS, NM, PA  |
| HARVONI TAB 45-200MG                                       | \$0(2)  | NDS, NM, PA  |
| HARVONI TAB 90-400MG                                       | \$0(2)  | NDS, NM, PA  |
| lamivudine (hbv) TABS 100mg                                | \$0(1)  | NM   |
| MAVYRET PAK 50-20MG  | \$0(2)  | NDS, NM, PA  |
| MAVYRET TAB 100-40MG                                       | \$0(2)  | NDS, NM, PA  |
| oseltamivir phosphate CAPS 30mg                            | \$0(1)  | QL (168 caps / year)   |
| oseltamivir phosphate CAPS 45mg, 75mg                      | \$0(1)  | QL (84 caps / year)  |
| oseltamivir phosphate SUSP 6mg/ml                          | \$0(1)  | QL (1080 mL / year)  |
| PAXLOVID TAB 150-100                                       | \$0(2)  | QL (40 tabs / 30 days); \$0 Cost Share                         |
| PAXLOVID TAB 300-100                                       | \$0(2)  | QL (60 tabs / 30 days); \$0 Cost Share                         |
| PEGASYS SOLN 180mcg/ml; SOSY 180mcg/0.5ml                  | \$0(2)  | NDS, NM, PA  |
| PREVYMIS TABS 240mg, 480mg                                 | \$0(2)  | NDS, QL (28 tabs / 28 days), PA                                |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                             | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| RELENZA DISKHALER AEPB 5mg/blister                                      | \$0(2)  | QL (6 inhalers / year)   |
| <i>ribavirin (hepatitis c)</i> CAPS 200mg; TABS 200mg                   | \$0(1)  | NM   |
| <i>rimantadine hydrochloride</i> TABS 100mg                             | \$0(1)  |  |
| <i>valacyclovir hcl</i> TABS 1gm, 500mg                                 | \$0(1)  |  |
| <i>valganciclovir hcl</i> SOLR 50mg/ml                                  | \$0(2)  | NDS  |
| <i>valganciclovir hcl</i> TABS 450mg                                    | \$0(1)  |  |
| VEMLIDY TABS 25mg   | \$0(2)  | NDS, NM  |
| VOSEVI TAB  | \$0(2)  | NDS, NM, PA  |
| XOFLUZA TBPK 40mg, 80mg   | \$0(2)  | QL (1 tab / 180 days)  |
| <b><i>CEPHALOSPORINS - DRUGS TO TREAT INFECTIONS</i></b>                |   |  |
| <i>cefaclor</i> CAPS 250mg, 500mg; SUSR 250mg/5ml                       | \$0(1)  |  |
| CEFACLOR ER TB12 500mg  | \$0(2)  |  |
| <i>cefadroxil</i> CAPS 500mg; SUSR 250mg/5ml, 500mg/5ml                 | \$0(1)  |  |
| CEFAZOLIN SOLR 2gm, 3gm   | \$0(2)  |  |
| CEFAZOLIN INJ 1GM/50ML  | \$0(2)  |  |
| CEFAZOLIN INJ 3GM/150ML-4%  | \$0(2)  |  |
| <i>cefazolin sodium</i> SOLR 1gm, 2gm, 3gm, 10gm, 500mg                 | \$0(1)  |  |
| CEFAZOLIN SOLN 2GM/100ML-4%   | \$0(2)  |  |
| <i>cefdinir</i> CAPS 300mg; SUSR 125mg/5ml, 250mg/5ml                   | \$0(1)  |  |
| <i>cefepime hcl</i> SOLR 1gm, 2gm                                       | \$0(1)  |  |
| <i>cefixime</i> CAPS 400mg; SUSR 100mg/5ml, 200mg/5ml                   | \$0(1)  |  |
| <i>cefoxitin sodium</i> SOLR 1gm, 2gm, 10gm                             | \$0(1)  |  |
| <i>cefpodoxime proxetil</i> SUSR 50mg/5ml, 100mg/5ml; TABS 100mg, 200mg | \$0(1)  |  |
| <i>cefprozil</i> SUSR 125mg/5ml, 250mg/5ml; TABS 250mg, 500mg           | \$0(1)  |  |
| <i>ceftazidime</i> SOLR 1gm, 2gm, 6gm                                   | \$0(1)  |  |
| <i>ceftriaxone sodium</i> SOLR 1gm, 2gm, 10gm, 250mg, 500mg             | \$0(1)  |  |
| <i>cefuroxime axetil</i> TABS 250mg, 500mg                              | \$0(1)  |  |
| <i>cefuroxime sodium</i> SOLR 1.5gm, 750mg                              | \$0(1)  |  |
| <i>cephalexin</i> CAPS 250mg, 500mg; SUSR 125mg/5ml, 250mg/5ml          | \$0(1)  |  |
| <i>tazicef</i> SOLR 1gm, 2gm, 6gm                                       | \$0(1)  |  |
| TEFLARO SOLR 400mg, 600mg   | \$0(2)  | NDS  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
|---|---|--|

#### ***ERYTHROMYCINS/MACROLIDES - DRUGS TO TREAT INFECTIONS***

|   |        |     |
|---|--------|-----|
| <i>azithromycin</i> PACK 1gm; SOLR 500mg;<br>SUSR 100mg/5ml, 200mg/5ml; TABS<br>250mg, 500mg, 600mg | \$0(1) |     |
| <i>clarithromycin</i> SUSR 125mg/5ml,<br>250mg/5ml; TABS 250mg, 500mg; TB24<br>500mg                | \$0(1) |     |
| DIFICID SUSR 40mg/ml; TABS 200mg  | \$0(2) | NDS |
| e.e.s. 400 TABS 400mg   | \$0(1) |     |
| <i>ery-tab</i> TBEC 250mg, 333mg, 500mg   | \$0(1) |     |
| ERYTHROCIN LACTOBIONATE SOLR<br>500mg   | \$0(2) |     |
| <i>erythromycin base</i> CPEP 250mg; TABS<br>250mg, 500mg; TBEC 250mg, 333mg,<br>500mg              | \$0(1) |     |
| <i>erythromycin ethylsuccinate</i> TABS 400mg   | \$0(1) |     |
| <i>erythromycin lactobionate</i> SOLR 500mg   | \$0(1) |     |

#### ***FLUOROQUINOLONES - DRUGS TO TREAT INFECTIONS***

|  |        |  |
|--|--------|--|
| CIPRO SUSR 500mg/5ml   | \$0(2) |  |
| <i>ciprofloxacin 200 mg/100ml in d5w</i>                             | \$0(1) |  |
| <i>ciprofloxacin 400 mg/200ml in d5w</i>                             | \$0(1) |  |
| <i>ciprofloxacin hcl</i> TABS 250mg, 500mg,<br>750mg                 | \$0(1) |  |
| <i>levofloxacin</i> SOLN 25mg/ml; TABS<br>250mg, 500mg, 750mg        | \$0(1) |  |
| <i>levofloxacin in d5w iv soln 250 mg/50ml</i>                       | \$0(1) |  |
| <i>levofloxacin in d5w iv soln 500 mg/100ml</i>                      | \$0(1) |  |
| <i>levofloxacin in d5w iv soln 750 mg/150ml</i>                      | \$0(1) |  |
| <i>moxifloxacin hcl</i> TABS 400mg                                   | \$0(1) |  |
| <i>moxifloxacin hcl 400 mg/250ml in sodium<br/>chloride 0.8% inj</i> | \$0(1) |  |

#### ***PENICILLINS - DRUGS TO TREAT INFECTIONS***

|  |        |  |
|--|--------|--|
| <i>amoxicillin</i> CAPS 250mg, 500mg; CHEW<br>125mg, 250mg; SUSR 125mg/5ml,<br>200mg/5ml, 250mg/5ml, 400mg/5ml;<br>TABS 500mg, 875mg | \$0(1) |  |
| <i>amoxicillin &amp; k clavulanate chew tab 400-<br/>57 mg</i>   | \$0(1) |  |
| <i>amoxicillin &amp; k clavulanate for susp 200-<br/>28.5 mg/5ml</i>   | \$0(1) |  |
| <i>amoxicillin &amp; k clavulanate for susp 250-<br/>62.5 mg/5ml</i>   | \$0(1) |  |
| <i>amoxicillin &amp; k clavulanate for susp 400-57<br/>mg/5ml</i>  | \$0(1) |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                                | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| <i>amoxicillin &amp; k clavulanate for susp 600-42.9 mg/5ml</i>            | \$0(1)  |  |
| <i>amoxicillin &amp; k clavulanate tab 250-125 mg</i>                      | \$0(1)  |  |
| <i>amoxicillin &amp; k clavulanate tab 500-125 mg</i>                      | \$0(1)  |  |
| <i>amoxicillin &amp; k clavulanate tab 875-125 mg</i>                      | \$0(1)  |  |
| <i>amoxicillin &amp; k clavulanate tab er 12hr 1000-62.5 mg</i>            | \$0(1)  |  |
| <i>ampicillin CAPS 500mg</i>   | \$0(1)  |  |
| <i>ampicillin &amp; sulbactam sodium for inj 1.5 (1-0.5) gm</i>            | \$0(1)  |  |
| <i>ampicillin &amp; sulbactam sodium for inj 3 (2-1) gm</i>                | \$0(1)  |  |
| <i>ampicillin &amp; sulbactam sodium for iv soln 1.5 (1-0.5) gm</i>        | \$0(1)  |  |
| <i>ampicillin &amp; sulbactam sodium for iv soln 3 (2-1) gm</i>            | \$0(1)  |  |
| <i>ampicillin &amp; sulbactam sodium for iv soln 15 (10-5) gm</i>          | \$0(1)  |  |
| <i>ampicillin sodium SOLR 1gm, 2gm, 10gm, 125mg, 250mg, 500mg</i>          | \$0(1)  |  |
| <i>BICILLIN L-A SUSY 600000unit/ml, 1200000unit/2ml, 2400000unit/4ml</i>   | \$0(2)  |  |
| <i>dicloxacillin sodium CAPS 250mg, 500mg</i>                              | \$0(1)  |  |
| <i>nafcillin sodium SOLR 1gm, 2gm</i>                                      | \$0(1)  |  |
| <i>nafcillin sodium SOLR 10gm</i>  | \$0(2)  | NDS  |
| <i>oxacillin sodium SOLR 1gm, 2gm, 10gm</i>                                | \$0(1)  |  |
| <i>PEN GK/DEXTR INJ 40000/ML</i>   | \$0(2)  |  |
| <i>PEN GK/DEXTR INJ 60000/ML</i>   | \$0(2)  |  |
| <i>penicillin g potassium SOLR 5000000unit, 20000000unit</i>               | \$0(1)  |  |
| <i>penicillin g sodium SOLR 5000000unit</i>                                | \$0(1)  |  |
| <i>penicillin v potassium SOLR 125mg/5ml, 250mg/5ml; TABS 250mg, 500mg</i> | \$0(1)  |  |
| <i>pizerpen SOLR 5000000unit, 20000000unit</i>                             | \$0(1)  |  |
| <i>piperacillin sod-tazobactam na for inj 3.375 gm (3-0.375 gm)</i>        | \$0(1)  |  |
| <i>piperacillin sod-tazobactam sod for inj 2.25 gm (2-0.25 gm)</i>         | \$0(1)  |  |
| <i>piperacillin sod-tazobactam sod for inj 4.5 gm (4-0.5 gm)</i>           | \$0(1)  |  |
| <i>piperacillin sod-tazobactam sod for inj 13.5 gm (12-1.5 gm)</i>         | \$0(1)  |  |
| <i>piperacillin sod-tazobactam sod for inj 40.5 gm (36-4.5 gm)</i>         | \$0(1)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
|---|---|--|

### **TETRACYCLINES - DRUGS TO TREAT INFECTIONS**

|  |        |             |
|--|--------|-------------|
| <i>doxy 100</i> SOLR 100mg   | \$0(1) |             |
| <i>doxycycline (monohydrate)</i> CAPS 50mg,<br>100mg; SUSR 25mg/5ml; TABS 50mg,<br>75mg, 100mg | \$0(1) |             |
| <i>doxycycline hyclate</i> CAPS 50mg, 100mg;<br>SOLR 100mg; TABS 20mg, 100mg                   | \$0(1) |             |
| <i>minocycline hcl</i> CAPS 50mg, 75mg,<br>100mg   | \$0(1) |             |
| <i>NUZYRA</i> SOLR 100mg; TABS 150mg   | \$0(2) | NDS, NM, LA |
| <i>tetracycline hcl</i> CAPS 250mg, 500mg  | \$0(1) | PA          |
| <i>tigecycline</i> SOLR 50mg   | \$0(2) | NDS         |

### **ANTINEOPLASTIC AGENTS - DRUGS TO TREAT CANCER**

#### **ALKYLATING AGENTS**

|   |        |                  |
|---|--------|------------------|
| BENDAMUSTINE HYDROCHLORID SOLN<br>100mg/4ml   | \$0(2) | NDS, B/D, NM     |
| BENDEKA SOLN 100mg/4ml  | \$0(2) | NDS, B/D, NM, LA |
| <i>carboplatin</i> SOLN 50mg/5ml,<br>150mg/15ml, 450mg/45ml, 600mg/60ml               | \$0(1) | B/D              |
| <i>cisplatin</i> SOLN 50mg/50ml, 100mg/100ml,<br>200mg/200ml                          | \$0(1) | B/D              |
| <i>cyclophosphamide</i> CAPS 25mg, 50mg;<br>SOLR 1gm, 500mg                           | \$0(1) | B/D              |
| CYCLOPHOSPHAMIDE SOLN 1gm/5ml,<br>500mg/2.5ml, 500mg/5ml, 1000mg/10ml,<br>2000mg/20ml | \$0(2) | NDS, B/D         |
| <i>cyclophosphamide</i> SOLR 2gm  | \$0(2) | NDS, B/D         |
| CYCLOPHOSPHAMIDE TABS 25mg, 50mg  | \$0(2) | B/D              |
| CYCLOPHOSPHAMIDE MONOHYDR SOLN<br>2gm/10ml  | \$0(2) | NDS, B/D         |
| GLEOSTINE CAPS 10mg, 40mg   | \$0(2) | NM               |
| GLEOSTINE CAPS 100mg  | \$0(2) | NDS, NM          |
| LEUKERAN TABS 2mg   | \$0(2) | NDS              |
| <i>oxaliplatin</i> SOLN 50mg/10ml,<br>100mg/20ml, 200mg/40ml; SOLR 50mg               | \$0(1) | B/D              |
| <i>oxaliplatin</i> SOLR 100mg   | \$0(2) | NDS, B/D         |
| <i>paraplatin</i> SOLN 1000mg/100ml   | \$0(1) | B/D              |

#### **ANTIBIOTICS**

|  |        |          |
|--|--------|----------|
| <i>doxorubicin hcl</i> SOLN 2mg/ml           | \$0(1) | B/D      |
| <i>doxorubicin hcl liposomal</i> SUSP 2mg/ml | \$0(2) | NDS, B/D |
| DOXORUBICIN HYDROCHLORIDE SOLN<br>2mg/ml     | \$0(1) | B/D      |
| ELLENCE SOLN 50mg/25ml, 200mg/100ml          | \$0(2) | B/D      |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
|---|---|--|

### **ANTIMETABOLITES**

|  |        |  |
|--|--------|--|
| <i>azacitidine</i> SUSR 100mg  | \$0(2) | NDS, B/D, NM                             |
| <i>cytarabine</i> SOLN 20mg/ml   | \$0(1) | B/D                                      |
| <i>fluorouracil</i> SOLN 1gm/20ml, 2.5gm/50ml,<br>5gm/100ml, 500mg/10ml                      | \$0(1) | B/D                                      |
| <i>gemcitabine hcl</i> SOLN 1gm/26.3ml,<br>2gm/52.6ml, 200mg/5.26ml; SOLR 1gm,<br>2gm, 200mg | \$0(1) | B/D                                      |
| INQOVI TAB 35-100MG  | \$0(2) | NDS, QL (5 tabs / 28 days), NM, LA, PA   |
| LONSURF TAB 15-6.14  | \$0(2) | NDS, QL (100 tabs / 28 days), NM, LA, PA |
| LONSURF TAB 20-8.19  | \$0(2) | NDS, QL (80 tabs / 28 days), NM, LA, PA  |
| <i>mercaptopurine</i> TABS 50mg  | \$0(1) |  |
| <i>methotrexate sodium</i> SOLN 1gm/40ml,<br>50mg/2ml, 250mg/10ml; SOLR 1gm                  | \$0(1) | B/D                                      |
| ONUREG TABS 200mg, 300mg   | \$0(2) | NDS, QL (14 tabs / 28 days), NM, LA, PA  |
| <i>pemetrexed disodium</i> SOLR 100mg,<br>500mg, 750mg, 1000mg                               | \$0(2) | NDS, B/D                                 |
| PURIXAN SUSP 2000mg/100ml  | \$0(2) | NDS, NM, LA                              |
| TABLOID TABS 40mg  | \$0(2) |  |

### **HORMONAL ANTINEOPLASTIC AGENTS**

|  |        |  |
|--|--------|--|
| <i>abiraterone acetate</i> TABS 250mg    | \$0(2) | NDS, QL (120 tabs / 30 days), NM, PA     |
| <i>abiraterone acetate</i> TABS 500mg    | \$0(2) | NDS, QL (60 tabs / 30 days), NM, PA      |
| AKEEGA TAB 50/500MG                      | \$0(2) | NDS, QL (60 tabs / 30 days), NM, LA, PA  |
| AKEEGA TAB 100/500                       | \$0(2) | NDS, QL (60 tabs / 30 days), NM, LA, PA  |
| <i>anastrozole</i> TABS 1mg              | \$0(1) |  |
| <i>bicalutamide</i> TABS 50mg            | \$0(1) |  |
| ELIGARD KIT 7.5mg, 22.5mg, 30mg,<br>45mg | \$0(2) | NM, PA                                   |
| ERLEADA TABS 60mg                        | \$0(2) | NDS, QL (120 tabs / 30 days), NM, LA, PA |
| ERLEADA TABS 240mg                       | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA  |
| EULEXIN CAPS 125mg                       | \$0(2) | NDS                                      |
| <i>exemestane</i> TABS 25mg              | \$0(1) |  |
| FIRMAGON SOLR 80mg                       | \$0(2) | NM, PA                                   |
| FIRMAGON SOLR 120mg/vial                 | \$0(2) | NDS, NM, PA                              |
| <i>fulvestrant</i> SOSY 250mg/5ml        | \$0(2) | NDS, B/D                                 |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>     | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>letrozole</i> TABS 2.5mg                     | \$0(1)  |  |
| <i>leuprolide acetate</i> KIT 1mg/0.2ml         | \$0(1)  | NM, PA   |
| LUPRON DEPOT (1-MONTH) KIT 3.75mg               | \$0(2)  | NDS, NM, PA  |
| LUPRON DEPOT (3-MONTH) KIT 11.25mg              | \$0(2)  | NDS, NM, PA  |
| LYSODREN TABS 500mg                             | \$0(2)  | NDS, NM, LA  |
| <i>megestrol acetate</i> TABS 20mg, 40mg        | \$0(2)  |  |
| <i>nilutamide</i> TABS 150mg                    | \$0(2)  | NDS  |
| NUBEQA TABS 300mg                               | \$0(2)  | NDS, QL (120 tabs / 30 days), NM, LA, PA                       |
| ORGOVYX TABS 120mg                              | \$0(2)  | NDS, NM, LA, PA  |
| ORSERDU TABS 86mg                               | \$0(2)  | NDS, QL (90 tabs / 30 days), NM, LA, PA                        |
| ORSERDU TABS 345mg                              | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| SOLTAMOX SOLN 10mg/5ml                          | \$0(2)  | NDS  |
| <i>tamoxifen citrate</i> TABS 10mg, 20mg        | \$0(1)  |  |
| <i>toremifene citrate</i> TABS 60mg             | \$0(1)  |  |
| XTANDI CAPS 40mg                                | \$0(2)  | NDS, QL (120 caps / 30 days), NM, LA, PA                       |
| XTANDI TABS 40mg                                | \$0(2)  | NDS, QL (120 tabs / 30 days), NM, LA, PA                       |
| XTANDI TABS 80mg                                | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, LA, PA                        |
| <b>IMMUNOMODULATORS</b>                         |   |  |
| <i>lenalidomide</i> CAPS 2.5mg, 5mg, 10mg, 15mg | \$0(2)  | NDS, QL (28 caps / 28 days), NM, LA, PA                        |
| <i>lenalidomide</i> CAPS 20mg, 25mg             | \$0(2)  | NDS, QL (21 caps / 28 days), NM, LA, PA                        |
| POMALYST CAPS 1mg, 2mg, 3mg, 4mg                | \$0(2)  | NDS, QL (21 caps / 28 days), NM, LA, PA                        |
| REVLIMID CAPS 2.5mg, 5mg, 10mg, 15mg            | \$0(2)  | NDS, QL (28 caps / 28 days), NM, LA, PA                        |
| REVLIMID CAPS 20mg, 25mg                        | \$0(2)  | NDS, QL (21 caps / 28 days), NM, LA, PA                        |
| THALOMID CAPS 50mg                              | \$0(2)  | NDS, QL (84 caps / 28 days), NM, LA, PA                        |
| THALOMID CAPS 100mg                             | \$0(2)  | NDS, QL (112 caps / 28 days), NM, LA, PA                       |
| THALOMID CAPS 150mg, 200mg                      | \$0(2)  | NDS, QL (56 caps / 28 days), NM, LA, PA                        |
| <b>MISCELLANEOUS</b>                            |   |  |
| BESREMI SOSY 500mcg/ml                          | \$0(2)  | NDS, QL (2 syringes / 28 days), NM, LA, PA                     |
| <i>bexarotene</i> CAPS 75mg                     | \$0(2)  | NDS, QL (300 caps / 30 days), NM, PA                           |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                                   | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| hydroxyurea CAPS 500mg  | \$0(1)  |  |
| irinotecan hcl SOLN 40mg/2ml,<br>100mg/5ml, 300mg/15ml, 500mg/25ml            | \$0(1)  | B/D  |
| IWLFIN TABS 192mg   | \$0(2)  | NDS, QL (240 tabs / 30 days), NM, LA, PA                       |
| KISQALI 200 PAK FEMARA  | \$0(2)  | NDS, QL (49 tabs / 28 days), NM, PA                            |
| KISQALI 400 PAK FEMARA  | \$0(2)  | NDS, QL (70 tabs / 28 days), NM, PA                            |
| KISQALI 600 PAK FEMARA  | \$0(2)  | NDS, QL (91 tabs / 28 days), NM, PA                            |
| MATULANE CAPS 50mg  | \$0(2)  | NDS, NM, LA  |
| tretinoin (chemotherapy) CAPS 10mg  | \$0(2)  | NDS  |
| WELIREG TABS 40mg   | \$0(2)  | NDS, QL (90 tabs / 30 days), NM, LA, PA                        |
| <b>MITOTIC INHIBITORS</b>   |   |  |
| docetaxel CONC 20mg/ml  | \$0(1)  | B/D  |
| docetaxel CONC 80mg/4ml, 160mg/8ml;<br>SOLN 20mg/2ml, 80mg/8ml, 160mg/16ml    | \$0(2)  | NDS, B/D   |
| DOCETAXEL CONC 80mg/4ml,<br>160mg/8ml; SOLN 20mg/2ml, 80mg/8ml,<br>160mg/16ml | \$0(2)  | NDS, B/D   |
| etoposide SOLN 1gm/50ml, 100mg/5ml,<br>500mg/25ml                             | \$0(1)  | B/D  |
| paclitaxel CONC 6mg/ml, 30mg/5ml,<br>150mg/25ml, 300mg/50ml                   | \$0(1)  | B/D  |
| paclitaxel protein-bound particles for iv<br>susp 100 mg                      | \$0(2)  | NDS, B/D, NM   |
| vincristine sulfate SOLN 1mg/ml   | \$0(1)  | B/D  |
| vinorelbine tartrate SOLN 10mg/ml,<br>50mg/5ml                                | \$0(1)  | B/D  |
| <b>MOLECULAR TARGET AGENTS</b>  |   |  |
| ALECensa CAPS 150mg   | \$0(2)  | NDS, QL (240 caps / 30 days), NM, LA, PA                       |
| ALUNBRIG TABS 30mg  | \$0(2)  | NDS, QL (120 tabs / 30 days), NM, LA, PA                       |
| ALUNBRIG TABS 90mg, 180mg   | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| ALUNBRIG PAK  | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| AUGTYRO CAPS 40mg   | \$0(2)  | NDS, QL (240 caps / 30 days), NM, LA, PA                       |
| AYVAKIT TABS 25mg, 50mg, 100mg,<br>200mg, 300mg                               | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>             | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| BALVERSA TABS 3mg                                       | \$0(2)  | NDS, QL (84 tabs / 28 days), NM, LA, PA                        |
| BALVERSA TABS 4mg                                       | \$0(2)  | NDS, QL (56 tabs / 28 days), NM, LA, PA                        |
| BALVERSA TABS 5mg                                       | \$0(2)  | NDS, QL (28 tabs / 28 days), NM, LA, PA                        |
| BORTEZOMIB SOLR 1mg, 2.5mg                              | \$0(2)  | NDS, NM, PA  |
| <i>bortezomib</i> SOLR 3.5mg                            | \$0(2)  | NDS, NM, PA  |
| BOSULIF CAPS 50mg                                       | \$0(2)  | NDS, QL (360 caps / 30 days), NM, PA                           |
| BOSULIF CAPS 100mg                                      | \$0(2)  | NDS, QL (150 caps / 25 days), NM, PA                           |
| BOSULIF TABS 100mg                                      | \$0(2)  | NDS, QL (180 tabs / 30 days), NM, PA                           |
| BOSULIF TABS 400mg, 500mg                               | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, PA                            |
| BRAFTOVI CAPS 75mg                                      | \$0(2)  | NDS, QL (180 caps / 30 days), NM, LA, PA                       |
| BRUKINSA CAPS 80mg                                      | \$0(2)  | NDS, QL (120 caps / 30 days), NM, LA, PA                       |
| CABOMETYX TABS 20mg, 40mg, 60mg                         | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| CALQUENCE CAPS 100mg                                    | \$0(2)  | NDS, QL (60 caps / 30 days), NM, LA, PA                        |
| CALQUENCE TABS 100mg                                    | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, LA, PA                        |
| CAPRELSA TABS 100mg                                     | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, LA, PA                        |
| CAPRELSA TABS 300mg                                     | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| COMETRIQ (60MG DOSE) KIT 20mg                           | \$0(2)  | NDS, QL (84 caps / 28 days), NM, LA, PA                        |
| COMETRIQ KIT 100MG                                      | \$0(2)  | NDS, QL (56 caps / 28 days), NM, LA, PA                        |
| COMETRIQ KIT 140MG                                      | \$0(2)  | NDS, QL (112 caps / 28 days), NM, LA, PA                       |
| COPIKTRA CAPS 15mg, 25mg                                | \$0(2)  | NDS, QL (56 caps / 28 days), NM, LA, PA                        |
| COTELLIC TABS 20mg                                      | \$0(2)  | NDS, QL (63 tabs / 28 days), NM, LA, PA                        |
| <i>dasatinib</i> TABS 20mg                              | \$0(2)  | NDS, QL (90 tabs / 30 days), NM, PA                            |
| <i>dasatinib</i> TABS 50mg, 70mg, 80mg,<br>100mg, 140mg | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, PA                            |
| DAURISMO TABS 25mg                                      | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, LA, PA                        |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| DAURISMO TABS 100mg                         | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| ERIVEDGE CAPS 150mg                         | \$0(2)  | NDS, QL (30 caps / 30 days), NM, LA, PA                        |
| <i>erlotinib hcl</i> TABS 25mg              | \$0(2)  | NDS, QL (90 tabs / 30 days), NM, PA                            |
| <i>erlotinib hcl</i> TABS 100mg, 150mg      | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, PA                            |
| everolimus TABS 2.5mg, 5mg, 7.5mg, 10mg     | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, PA                            |
| everolimus TBSO 2mg                         | \$0(2)  | NDS, QL (150 tabs / 30 days), NM, PA                           |
| everolimus TBSO 3mg                         | \$0(2)  | NDS, QL (90 tabs / 30 days), NM, PA                            |
| everolimus TBSO 5mg                         | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, PA                            |
| FOTIVDA CAPS .89mg, 1.34mg                  | \$0(2)  | NDS, QL (21 caps / 28 days), NM, LA, PA                        |
| FRUZAQLA CAPS 1mg                           | \$0(2)  | NDS, QL (84 caps / 28 days), NM, LA, PA                        |
| FRUZAQLA CAPS 5mg                           | \$0(2)  | NDS, QL (21 caps / 28 days), NM, LA, PA                        |
| GAVRETO CAPS 100mg                          | \$0(2)  | NDS, QL (120 caps / 30 days), NM, LA, PA                       |
| <i>gefitinib</i> TABS 250mg                 | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, PA                            |
| GILOTRIF TABS 20mg, 30mg, 40mg              | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| HERCEP HYLEC SOL 60-10000                   | \$0(2)  | NDS, NM, LA, PA  |
| HERCEPTIN SOLR 150mg                        | \$0(2)  | NDS, NM, LA, PA  |
| HERZUMA SOLR 150mg, 420mg                   | \$0(2)  | NDS, NM, PA  |
| IBRANCE CAPS 75mg, 100mg, 125mg             | \$0(2)  | NDS, QL (21 caps / 28 days), NM, LA, PA                        |
| IBRANCE TABS 75mg, 100mg, 125mg             | \$0(2)  | NDS, QL (21 tabs / 28 days), NM, LA, PA                        |
| ICLUSIG TABS 10mg, 15mg, 30mg, 45mg         | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| IDHIFA TABS 50mg, 100mg                     | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| <i>imatinib mesylate</i> TABS 100mg         | \$0(2)  | NDS, QL (90 tabs / 30 days), NM, PA                            |
| <i>imatinib mesylate</i> TABS 400mg         | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, PA                            |
| IMBRUVICA CAPS 70mg                         | \$0(2)  | NDS, QL (30 caps / 30 days), NM, LA, PA                        |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| IMBRUVICA CAPS 140mg                        | \$0(2)  | NDS, QL (120 caps / 30 days), NM, LA, PA                       |
| IMBRUVICA SUSP 70mg/ml                      | \$0(2)  | NDS, QL (216 mL / 27 days), NM, LA, PA                         |
| IMBRUVICA TABS 140mg, 280mg, 420mg          | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| INLYTA TABS 1mg                             | \$0(2)  | NDS, QL (180 tabs / 30 days), NM, LA, PA                       |
| INLYTA TABS 5mg                             | \$0(2)  | NDS, QL (120 tabs / 30 days), NM, LA, PA                       |
| INREBIC CAPS 100mg                          | \$0(2)  | NDS, QL (120 caps / 30 days), NM, LA, PA                       |
| JAKAFI TABS 5mg, 10mg, 15mg, 20mg, 25mg     | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, LA, PA                        |
| JAYPIRCA TABS 50mg                          | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| JAYPIRCA TABS 100mg                         | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, LA, PA                        |
| KADCYLA SOLR 100mg, 160mg                   | \$0(2)  | NDS, B/D, NM, LA   |
| KANJINTI SOLR 150mg, 420mg                  | \$0(2)  | NDS, NM, LA, PA  |
| KEYTRUDA SOLN 100mg/4ml                     | \$0(2)  | NDS, NM, LA, PA  |
| KISQALI 200 DOSE TBPK 200mg                 | \$0(2)  | NDS, QL (21 tabs / 28 days), NM, PA                            |
| KISQALI 400 DOSE TBPK 200mg                 | \$0(2)  | NDS, QL (42 tabs / 28 days), NM, PA                            |
| KISQALI 600 DOSE TBPK 200mg                 | \$0(2)  | NDS, QL (63 tabs / 28 days), NM, PA                            |
| KOSELUGO CAPS 10mg                          | \$0(2)  | NDS, QL (240 caps / 30 days), NM, LA, PA                       |
| KOSELUGO CAPS 25mg                          | \$0(2)  | NDS, QL (120 caps / 30 days), NM, LA, PA                       |
| KRAZATI TABS 200mg                          | \$0(2)  | NDS, QL (180 tabs / 30 days), NM, LA, PA                       |
| <i>lapatinib ditosylate</i> TABS 250mg      | \$0(2)  | NDS, QL (180 tabs / 30 days), NM, PA                           |
| LAZCLUZE TABS 80mg                          | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, LA, PA                        |
| LAZCLUZE TABS 240mg                         | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| LENVIMA 4 MG DAILY DOSE CPPK 4mg            | \$0(2)  | NDS, QL (30 caps / 30 days), NM, LA, PA                        |
| LENVIMA 8 MG DAILY DOSE CPPK 4mg            | \$0(2)  | NDS, QL (60 caps / 30 days), NM, LA, PA                        |
| LENVIMA 10 MG DAILY DOSE CPPK 10mg          | \$0(2)  | NDS, QL (30 caps / 30 days), NM, LA, PA                        |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| LENVIMA 12MG DAILY DOSE CPPK 4mg            | \$0(2)  | NDS, QL (90 caps / 30 days), NM, LA, PA                        |
| LENVIMA 20 MG DAILY DOSE CPPK 10mg          | \$0(2)  | NDS, QL (60 caps / 30 days), NM, LA, PA                        |
| LENVIMA CAP 14 MG                           | \$0(2)  | NDS, QL (60 caps / 30 days), NM, LA, PA                        |
| LENVIMA CAP 18 MG                           | \$0(2)  | NDS, QL (90 caps / 30 days), NM, LA, PA                        |
| LENVIMA CAP 24 MG                           | \$0(2)  | NDS, QL (90 caps / 30 days), NM, LA, PA                        |
| LORBRENA TABS 25mg                          | \$0(2)  | NDS, QL (90 tabs / 30 days), NM, LA, PA                        |
| LORBRENA TABS 100mg                         | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| LUMAKRAS TABS 120mg                         | \$0(2)  | NDS, QL (240 tabs / 30 days), NM, LA, PA                       |
| LUMAKRAS TABS 320mg                         | \$0(2)  | NDS, QL (90 tabs / 30 days), NM, LA, PA                        |
| LYNPARZA TABS 100mg, 150mg                  | \$0(2)  | NDS, QL (120 tabs / 30 days), NM, LA, PA                       |
| LYTGOBI (12 MG DAILY DOSE) TBPK 4mg         | \$0(2)  | NDS, QL (84 tabs / 28 days), NM, LA, PA                        |
| LYTGOBI (16 MG DAILY DOSE) TBPK 4mg         | \$0(2)  | NDS, QL (112 tabs / 28 days), NM, LA, PA                       |
| LYTGOBI (20 MG DAILY DOSE) TBPK 4mg         | \$0(2)  | NDS, QL (140 tabs / 28 days), NM, LA, PA                       |
| MEKINIST SOLR .05mg/ml                      | \$0(2)  | NDS, QL (1260 mL / 30 days), NM, LA, PA                        |
| MEKINIST TABS 2mg                           | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| MEKINIST TABS .5mg                          | \$0(2)  | NDS, QL (90 tabs / 30 days), NM, LA, PA                        |
| MEKTOVI TABS 15mg                           | \$0(2)  | NDS, QL (180 tabs / 30 days), NM, LA, PA                       |
| MONJUVI SOLR 200mg                          | \$0(2)  | NDS, NM, LA, PA  |
| NERLYNX TABS 40mg                           | \$0(2)  | NDS, QL (180 tabs / 30 days), NM, LA, PA                       |
| NEXAVAR TABS 200mg                          | \$0(2)  | NDS, QL (120 tabs / 30 days), NM, LA, PA                       |
| NINLARO CAPS 2.3mg, 3mg, 4mg                | \$0(2)  | NDS, QL (3 caps / 28 days), NM, PA                             |
| ODOMZO CAPS 200mg                           | \$0(2)  | NDS, QL (30 caps / 30 days), NM, LA, PA                        |
| OGIVRI SOLR 150mg, 420mg                    | \$0(2)  | NDS, NM, LA, PA  |
| OGSIVEO TABS 50mg                           | \$0(2)  | NDS, QL (180 tabs / 30 days), NM, LA, PA                       |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| OGSIVEO TABS 100mg, 150mg                   | \$0(2)  | NDS, QL (56 tabs / 28 days), NM, LA, PA                        |
| OJEMDA SUSR 25mg/ml                         | \$0(2)  | NDS, QL (96 mL / 28 days), NM, LA, PA                          |
| OJEMDA TABS 100mg                           | \$0(2)  | NDS, QL (24 tabs / 28 days), NM, LA, PA                        |
| OJJAARA TABS 100mg, 150mg, 200mg            | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| ONTRUZANT SOLR 150mg, 420mg                 | \$0(2)  | NDS, NM, LA, PA  |
| <i>pazopanib hcl</i> TABS 200mg             | \$0(2)  | NDS, QL (120 tabs / 30 days), NM, PA                           |
| PEMAZYRE TABS 4.5mg, 9mg, 13.5mg            | \$0(2)  | NDS, QL (28 tabs / 28 days), NM, LA, PA                        |
| PHESGO SOL                                  | \$0(2)  | NDS, NM, LA, PA  |
| PIQRAY 200MG DAILY DOSE TBPK 200mg          | \$0(2)  | NDS, QL (28 tabs / 28 days), NM, PA                            |
| PIQRAY 250MG TAB DOSE                       | \$0(2)  | NDS, QL (56 tabs / 28 days), NM, PA                            |
| PIQRAY 300MG DAILY DOSE TBPK 150mg          | \$0(2)  | NDS, QL (56 tabs / 28 days), NM, PA                            |
| QINLOCK TABS 50mg                           | \$0(2)  | NDS, QL (90 tabs / 30 days), NM, LA, PA                        |
| RETEVMO CAPS 40mg                           | \$0(2)  | NDS, QL (180 caps / 30 days), NM, LA, PA                       |
| RETEVMO CAPS 80mg                           | \$0(2)  | NDS, QL (120 caps / 30 days), NM, LA, PA                       |
| RETEVMO TABS 40mg                           | \$0(2)  | NDS, QL (90 tabs / 30 days), NM, LA, PA                        |
| RETEVMO TABS 80mg, 120mg, 160mg             | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, LA, PA                        |
| REZLIDHIA CAPS 150mg                        | \$0(2)  | NDS, QL (60 caps / 30 days), NM, LA, PA                        |
| ROZLYTREK CAPS 100mg                        | \$0(2)  | NDS, QL (150 caps / 30 days), NM, LA, PA                       |
| ROZLYTREK CAPS 200mg                        | \$0(2)  | NDS, QL (90 caps / 30 days), NM, LA, PA                        |
| ROZLYTREK PACK 50mg                         | \$0(2)  | NDS, QL (336 packets / 28 days), NM, LA, PA                    |
| RUBRACA TABS 200mg, 250mg, 300mg            | \$0(2)  | NDS, QL (120 tabs / 30 days), NM, LA, PA                       |
| RYDAPT CAPS 25mg                            | \$0(2)  | NDS, QL (224 caps / 28 days), NM, PA                           |
| SCEMBLIX TABS 20mg                          | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, PA                            |
| SCEMBLIX TABS 40mg                          | \$0(2)  | NDS, QL (300 tabs / 30 days), NM, PA                           |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>         | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| SCEMBLIX TABS 100mg                                 | \$0(2)  | NDS, QL (120 tabs / 30 days), NM, PA                           |
| sorafenib tosylate TABS 200mg                       | \$0(2)  | NDS, QL (120 tabs / 30 days), NM, PA                           |
| SPRYCEL TABS 20mg                                   | \$0(2)  | NDS, QL (90 tabs / 30 days), NM, PA                            |
| SPRYCEL TABS 50mg, 70mg, 80mg,<br>100mg, 140mg      | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, PA                            |
| STIVARGA TABS 40mg                                  | \$0(2)  | NDS, QL (84 tabs / 28 days), NM, LA, PA                        |
| sunitinib malate CAPS 12.5mg, 25mg,<br>37.5mg, 50mg | \$0(2)  | NDS, QL (30 caps / 30 days), NM, PA                            |
| TABRECTA TABS 150mg, 200mg                          | \$0(2)  | NDS, QL (112 tabs / 28 days), NM, PA                           |
| TAFINLAR CAPS 50mg, 75mg                            | \$0(2)  | NDS, QL (120 caps / 30 days), NM, LA, PA                       |
| TAFINLAR TBSO 10mg                                  | \$0(2)  | NDS, QL (900 tabs / 30 days), NM, LA, PA                       |
| TAGRISSO TABS 40mg, 80mg                            | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| TALZENNA CAPS .1mg, .35mg, .5mg,<br>.75mg, 1mg      | \$0(2)  | NDS, QL (30 caps / 30 days), NM, LA, PA                        |
| TALZENNA CAPS .25mg                                 | \$0(2)  | NDS, QL (90 caps / 30 days), NM, LA, PA                        |
| TASIGNA CAPS 50mg                                   | \$0(2)  | NDS, QL (120 caps / 30 days), NM, PA                           |
| TASIGNA CAPS 150mg, 200mg                           | \$0(2)  | NDS, QL (112 caps / 28 days), NM, PA                           |
| TAZVERIK TABS 200mg                                 | \$0(2)  | NDS, QL (240 tabs / 30 days), NM, LA, PA                       |
| TECENTRIQ SOLN 840mg/14ml,<br>1200mg/20ml           | \$0(2)  | NDS, NM, LA, PA  |
| TEPMETKO TABS 225mg                                 | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, LA, PA                        |
| TIBSOVO TABS 250mg                                  | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, LA, PA                        |
| torpenz TABS 2.5mg, 5mg, 7.5mg, 10mg                | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| TRAZIMERA SOLR 150mg, 420mg                         | \$0(2)  | NDS, NM, PA  |
| TRUQAP TABS 160mg, 200mg                            | \$0(2)  | NDS, QL (64 tabs / 28 days), NM, LA, PA                        |
| TRUXIMA SOLN 100mg/10ml,<br>500mg/50ml              | \$0(2)  | NDS, NM, PA  |
| TUKYSA TABS 50mg, 150mg                             | \$0(2)  | NDS, QL (120 tabs / 30 days), NM, LA, PA                       |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| TURALIO CAPS 125mg                          | \$0(2)  | NDS, QL (120 caps / 30 days), NM, LA, PA                       |
| VANFLYTA TABS 17.7mg, 26.5mg                | \$0(2)  | NDS, QL (56 tabs / 28 days), NM, LA, PA                        |
| VENCLEXTA TABS 10mg                         | \$0(2)  | QL (112 tabs / 28 days), NM, LA, PA                            |
| VENCLEXTA TABS 50mg                         | \$0(2)  | NDS, QL (112 tabs / 28 days), NM, LA, PA                       |
| VENCLEXTA TABS 100mg                        | \$0(2)  | NDS, QL (180 tabs / 30 days), NM, LA, PA                       |
| VENCLEXTA TAB START PK                      | \$0(2)  | NDS, QL (42 tabs / 28 days), NM, LA, PA                        |
| VERZENIO TABS 50mg, 100mg, 150mg, 200mg     | \$0(2)  | NDS, QL (56 tabs / 28 days), NM, LA, PA                        |
| VITRAKVI CAPS 25mg                          | \$0(2)  | NDS, QL (180 caps / 30 days), NM, LA, PA                       |
| VITRAKVI CAPS 100mg                         | \$0(2)  | NDS, QL (60 caps / 30 days), NM, LA, PA                        |
| VITRAKVI SOLN 20mg/ml                       | \$0(2)  | NDS, QL (300 mL / 30 days), NM, LA, PA                         |
| VIZIMPRO TABS 15mg, 30mg, 45mg              | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| VONJO CAPS 100mg                            | \$0(2)  | NDS, QL (120 caps / 30 days), NM, LA, PA                       |
| VORANIGO TABS 10mg                          | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, LA, PA                        |
| VORANIGO TABS 40mg                          | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| XALKORI CAPS 200mg, 250mg; CPSP 50mg        | \$0(2)  | NDS, QL (120 caps / 30 days), NM, LA, PA                       |
| XALKORI CPSP 20mg                           | \$0(2)  | NDS, QL (240 caps / 30 days), NM, LA, PA                       |
| XALKORI CPSP 150mg                          | \$0(2)  | NDS, QL (180 caps / 30 days), NM, LA, PA                       |
| XOSPATA TABS 40mg                           | \$0(2)  | NDS, QL (90 tabs / 30 days), NM, LA, PA                        |
| XPOVIO 40 MG ONCE WEEKLY TBPK 40mg          | \$0(2)  | NDS, QL (4 tabs / 28 days), NM, LA, PA                         |
| XPOVIO 40 MG TWICE WEEKLY TBPK 40mg         | \$0(2)  | NDS, QL (8 tabs / 28 days), NM, LA, PA                         |
| XPOVIO 60 MG ONCE WEEKLY TBPK 60mg          | \$0(2)  | NDS, QL (4 tabs / 28 days), NM, LA, PA                         |
| XPOVIO 60 MG TWICE WEEKLY TBPK 20mg         | \$0(2)  | NDS, QL (24 tabs / 28 days), NM, LA, PA                        |
| XPOVIO 80 MG ONCE WEEKLY TBPK 40mg          | \$0(2)  | NDS, QL (8 tabs / 28 days), NM, LA, PA                         |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| XPOVIO 80 MG TWICE WEEKLY TBPK<br>20mg      | \$0(2)  | NDS, QL (32 tabs / 28 days), NM, LA, PA                        |
| XPOVIO 100 MG ONCE WEEKLY TBPK<br>50mg      | \$0(2)  | NDS, QL (8 tabs / 28 days), NM, LA, PA                         |
| ZEJULA TABS 100mg, 200mg, 300mg             | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| ZELBORAF TABS 240mg                         | \$0(2)  | NDS, QL (240 tabs / 30 days), NM, LA, PA                       |
| ZIRABEV SOLN 100mg/4ml, 400mg/16ml          | \$0(2)  | NDS, NM, LA, PA  |
| ZOLINZA CAPS 100mg                          | \$0(2)  | NDS, QL (120 caps / 30 days), NM, PA                           |
| ZYDELIG TABS 100mg, 150mg                   | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, LA, PA                        |
| ZYKADIA TABS 150mg                          | \$0(2)  | NDS, QL (84 tabs / 28 days), NM, LA, PA                        |

### **PROTECTIVE AGENTS**

|  |        |     |
|--|--------|-----|
| <i>leucovorin calcium</i> SOLN 500mg/50ml;<br>SOLR 50mg, 100mg, 200mg, 350mg,<br>500mg | \$0(1) | B/D |
| <i>leucovorin calcium</i> TABS 5mg, 10mg,<br>15mg, 25mg                                | \$0(1) |     |
| MESNEX TABS 400mg  | \$0(2) | NDS |

### **CARDIOVASCULAR - DRUGS TO TREAT HEART AND CIRCULATION CONDITIONS**

#### **ACE INHIBITOR COMBINATIONS - DRUGS TO TREAT HIGH BLOOD PRESSURE**

|  |        |                        |
|--|--------|------------------------|
| <i>amlodipine besylate-benazepril hcl cap 2.5-10 mg</i>    | \$0(1) | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 5-10 mg</i>      | \$0(1) | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 5-20 mg</i>      | \$0(1) | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 5-40 mg</i>      | \$0(1) | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 10-20 mg</i>     | \$0(1) | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 10-40 mg</i>     | \$0(1) | QL (30 caps / 30 days) |
| <i>benazepril &amp; hydrochlorothiazide tab 5-6.25mg</i>   | \$0(1) |                        |
| <i>benazepril &amp; hydrochlorothiazide tab 10-12.5 mg</i> | \$0(1) |                        |
| <i>benazepril &amp; hydrochlorothiazide tab 20-12.5 mg</i> | \$0(1) |                        |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>   | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>benazepril &amp; hydrochlorothiazide tab 20-25 mg</i>                            | \$0(1)  |  |
| <i>captopril &amp; hydrochlorothiazide tab 25-15 mg</i>                             | \$0(1)  |  |
| <i>captopril &amp; hydrochlorothiazide tab 25-25 mg</i>                             | \$0(1)  |  |
| <i>captopril &amp; hydrochlorothiazide tab 50-15 mg</i>                             | \$0(1)  |  |
| <i>captopril &amp; hydrochlorothiazide tab 50-25 mg</i>                             | \$0(1)  |  |
| <i>enalapril maleate &amp; hydrochlorothiazide tab 5-12.5 mg</i>                    | \$0(1)  |  |
| <i>enalapril maleate &amp; hydrochlorothiazide tab 10-25 mg</i>                     | \$0(1)  |  |
| <i>flosinopril sodium &amp; hydrochlorothiazide tab 10-12.5 mg</i>                  | \$0(1)  |  |
| <i>flosinopril sodium &amp; hydrochlorothiazide tab 20-12.5 mg</i>                  | \$0(1)  |  |
| <i>lisinopril &amp; hydrochlorothiazide tab 10-12.5 mg</i>                          | \$0(1)  |  |
| <i>lisinopril &amp; hydrochlorothiazide tab 20-12.5 mg</i>                          | \$0(1)  |  |
| <i>lisinopril &amp; hydrochlorothiazide tab 20-25 mg</i>                            | \$0(1)  |  |
| <b><i>ACE INHIBITORS - DRUGS TO TREAT HIGH BLOOD PRESSURE</i></b>                   |   |  |
| <i>benazepril hcl TABS 5mg, 10mg, 20mg, 40mg</i>                                    | \$0(1)  |  |
| <i>captopril TABS 12.5mg, 25mg, 50mg, 100mg</i>                                     | \$0(1)  |  |
| <i>enalapril maleate TABS 2.5mg, 5mg, 10mg, 20mg</i>                                | \$0(1)  |  |
| <i>flosinopril sodium TABS 10mg, 20mg, 40mg</i>                                     | \$0(1)  |  |
| <i>lisinopril TABS 2.5mg, 5mg, 10mg, 20mg, 30mg, 40mg</i>                           | \$0(1)  |  |
| <i>moexipril hcl TABS 7.5mg, 15mg</i>   | \$0(1)  |  |
| <i>perindopril erbumine TABS 2mg, 4mg, 8mg</i>                                      | \$0(1)  |  |
| <i>quinapril hcl TABS 5mg, 10mg, 20mg, 40mg</i>                                     | \$0(1)  |  |
| <i>ramipril CAPS 1.25mg, 2.5mg, 5mg, 10mg</i>                                       | \$0(1)  |  |
| <i>trandolapril TABS 1mg, 2mg, 4mg</i>  | \$0(1)  |  |
| <b><i>ALDOSTERONE RECEPTOR ANTAGONISTS - DRUGS TO TREAT HIGH BLOOD PRESSURE</i></b> |   |  |
| <i>eplerenone TABS 25mg, 50mg</i>   | \$0(1)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>   | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| KERENDIA TABS 10mg, 20mg  | \$0(2)  | QL (30 tabs / 30 days)   |
| spironolactone TABS 25mg, 50mg, 100mg   | \$0(1)  |  |
| <b>ALPHA BLOCKERS - DRUGS TO TREAT HIGH BLOOD PRESSURE</b>                                      |   |  |
| doxazosin mesylate TABS 1mg, 2mg,<br>4mg, 8mg   | \$0(1)  |  |
| prazosin hcl CAPS 1mg, 2mg, 5mg   | \$0(1)  |  |
| terazosin hcl CAPS 1mg, 2mg, 5mg, 10mg  | \$0(1)  |  |
| <b>ANGIOTENSIN II RECEPTOR ANTAGONIST COMBINATIONS - DRUGS<br/>TO TREAT HIGH BLOOD PRESSURE</b> |   |  |
| amlodipine besylate-olmesartan medoxomil<br><u>tab 5-20 mg</u>                                  | \$0(1)  | QL (30 tabs / 30 days)   |
| amlodipine besylate-olmesartan medoxomil<br><u>tab 5-40 mg</u>                                  | \$0(1)  | QL (30 tabs / 30 days)   |
| amlodipine besylate-olmesartan medoxomil<br><u>tab 10-20 mg</u>                                 | \$0(1)  | QL (30 tabs / 30 days)   |
| amlodipine besylate-olmesartan medoxomil<br><u>tab 10-40 mg</u>                                 | \$0(1)  | QL (30 tabs / 30 days)   |
| amlodipine besylate-valsartan tab 5-160<br>mg   | \$0(1)  | QL (30 tabs / 30 days)   |
| amlodipine besylate-valsartan tab 5-320<br>mg   | \$0(1)  | QL (30 tabs / 30 days)   |
| amlodipine besylate-valsartan tab 10-160<br>mg  | \$0(1)  | QL (30 tabs / 30 days)   |
| amlodipine besylate-valsartan tab 10-320<br>mg  | \$0(1)  | QL (30 tabs / 30 days)   |
| candesartan cilexetil-hydrochlorothiazide<br><u>tab 16-12.5 mg</u>                              | \$0(1)  | QL (60 tabs / 30 days)   |
| candesartan cilexetil-hydrochlorothiazide<br><u>tab 32-12.5 mg</u>                              | \$0(1)  | QL (30 tabs / 30 days)   |
| candesartan cilexetil-hydrochlorothiazide<br><u>tab 32-25 mg</u>                                | \$0(1)  | QL (30 tabs / 30 days)   |
| ENTRESTO CAP 6-6MG  | \$0(2)  | QL (240 caps / 30 days)  |
| ENTRESTO CAP 15-16MG  | \$0(2)  | QL (240 caps / 30 days)  |
| ENTRESTO TAB 24-26MG  | \$0(2)  | QL (60 tabs / 30 days)   |
| ENTRESTO TAB 49-51MG  | \$0(2)  | QL (60 tabs / 30 days)   |
| ENTRESTO TAB 97-103MG   | \$0(2)  | QL (60 tabs / 30 days)   |
| irbesartan-hydrochlorothiazide tab 150-<br>12.5 mg  | \$0(1)  | QL (60 tabs / 30 days)   |
| irbesartan-hydrochlorothiazide tab 300-<br>12.5 mg  | \$0(1)  | QL (30 tabs / 30 days)   |
| losartan potassium & hydrochlorothiazide<br><u>tab 50-12.5 mg</u>                               | \$0(1)  |  |
| losartan potassium & hydrochlorothiazide<br><u>tab 100-12.5 mg</u>                              | \$0(1)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                                     | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>losartan potassium &amp; hydrochlorothiazide tab 100-25 mg</i>               | \$0(1)  |  |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 20-12.5 mg</i>                  | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 40-12.5 mg</i>                  | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 40-25 mg</i>                    | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 20-5-12.5 mg</i>               | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-5-12.5 mg</i>               | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-5-25 mg</i>                 | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-10-12.5 mg</i>              | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-10-25 mg</i>                | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>telmisartan-amlodipine tab 40-5 mg</i>                                       | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>telmisartan-amlodipine tab 40-10 mg</i>                                      | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>telmisartan-amlodipine tab 80-5 mg</i>                                       | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>telmisartan-amlodipine tab 80-10 mg</i>                                      | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>telmisartan-hydrochlorothiazide tab 40-12.5 mg</i>                           | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>telmisartan-hydrochlorothiazide tab 80-12.5 mg</i>                           | \$0(1)  | QL (60 tabs / 30 days)   |
| <i>telmisartan-hydrochlorothiazide tab 80-25 mg</i>                             | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>valsartan-hydrochlorothiazide tab 80-12.5 mg</i>                             | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>valsartan-hydrochlorothiazide tab 160-12.5 mg</i>                            | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>valsartan-hydrochlorothiazide tab 160-25 mg</i>                              | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>valsartan-hydrochlorothiazide tab 320-12.5 mg</i>                            | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>valsartan-hydrochlorothiazide tab 320-25 mg</i>                              | \$0(1)  | QL (30 tabs / 30 days)   |
| <b>ANGIOTENSIN II RECEPTOR ANTAGONISTS - DRUGS TO TREAT HIGH BLOOD PRESSURE</b> |   |  |
| <i>candesartan cilexetil TABS 4mg, 8mg, 16mg</i>                                | \$0(1)  | QL (60 tabs / 30 days)   |
| <i>candesartan cilexetil TABS 32mg</i>  | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>irbesartan TABS 75mg, 150mg, 300mg</i>                                       | \$0(1)  | QL (30 tabs / 30 days)   |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>   | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>losartan potassium</i> TABS 25mg, 50mg,<br>100mg                                     | \$0(1)  |  |
| <i>olmesartan medoxomil</i> TABS 5mg  | \$0(1)  | QL (60 tabs / 30 days)   |
| <i>olmesartan medoxomil</i> TABS 20mg, 40mg   | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>telmisartan</i> TABS 20mg, 40mg, 80mg  | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>valsartan</i> TABS 40mg, 80mg, 160mg   | \$0(1)  | QL (60 tabs / 30 days)   |
| <i>valsartan</i> TABS 320mg   | \$0(1)  | QL (30 tabs / 30 days)   |
| <b>ANTIARRHYTHMICS - DRUGS TO CONTROL HEART RHYTHM</b>                                  |   |  |
| <i>amiodarone hcl</i> SOLN 50mg/ml,<br>900mg/18ml; TABS 100mg, 200mg,<br>400mg          | \$0(1)  |  |
| <i>disopyramide phosphate</i> CAPS 100mg,<br>150mg                                      | \$0(2)  |  |
| <i>dofetilide</i> CAPS 125mcg, 250mcg, 500mcg   | \$0(1)  | NM   |
| <i>flecainide acetate</i> TABS 50mg, 100mg,<br>150mg                                    | \$0(1)  |  |
| <i>MULTAQ</i> TABS 400mg  | \$0(2)  |  |
| <i>NORPACE CR</i> CP12 100mg, 150mg   | \$0(2)  |  |
| <i>pacerone</i> TABS 100mg, 200mg, 400mg  | \$0(1)  |  |
| <i>propafenone hcl</i> CP12 225mg, 325mg,<br>425mg; TABS 150mg, 225mg, 300mg            | \$0(1)  |  |
| <i>quinidine sulfate</i> TABS 200mg, 300mg  | \$0(1)  |  |
| <i>sorine</i> TABS 80mg, 120mg, 160mg,<br>240mg   | \$0(1)  |  |
| <i>sotalol hcl</i> TABS 80mg, 120mg, 160mg,<br>240mg                                    | \$0(1)  |  |
| <i>sotalol hcl (afib/afl)</i> TABS 80mg, 120mg,<br>160mg                                | \$0(1)  |  |
| <b>ANTILIPEMICS, FIBRATES</b>   |   |  |
| <i>fenofibrate</i> TABS 48mg, 54mg, 145mg,<br>160mg                                     | \$0(1)  |  |
| <i>fenofibrate micronized</i> CAPS 67mg,<br>134mg, 200mg                                | \$0(1)  |  |
| <i>gemfibrozil</i> TABS 600mg   | \$0(1)  |  |
| <b>ANTILIPEMICS, HMG-CoA REDUCTASE INHIBITORS - DRUGS TO<br/>TREAT HIGH CHOLESTEROL</b> |   |  |
| <i>atorvastatin calcium</i> TABS 10mg, 20mg,<br>40mg, 80mg                              | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>lovastatin</i> TABS 10mg, 20mg, 40mg   | \$0(1)  | QL (60 tabs / 30 days)   |
| <i>pravastatin sodium</i> TABS 10mg, 20mg,<br>40mg, 80mg                                | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>rosuvastatin calcium</i> TABS 5mg, 10mg,<br>20mg, 40mg                               | \$0(1)  | QL (30 tabs / 30 days)   |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
|---|---|--|

|   |        |                        |
|---|--------|------------------------|
| <i>simvastatin TABS 5mg, 10mg, 20mg, 40mg, 80mg</i> | \$0(1) | QL (30 tabs / 30 days) |
|---|--------|------------------------|

***ANTI-LIPEMICS, MISCELLANEOUS - DRUGS TO TREAT HIGH CHOLESTEROL***

|  |        |                        |
|--|--------|------------------------|
| <i>cholestyramine PACK 4gm; POWD 4gm/dose</i>                | \$0(1) |                        |
| <i>cholestyramine light PACK 4gm; POWD 4gm/dose</i>          | \$0(1) |                        |
| <i>colesevelam hcl PACK 3.75gm; TABS 625mg</i>               | \$0(1) |                        |
| <i>colestipol hcl GRAN 5gm; PACK 5gm; TABS 1gm</i>           | \$0(1) |                        |
| <i>ezetimibe TABS 10mg</i>                                   | \$0(1) |                        |
| <i>ezetimibe-simvastatin tab 10-10 mg</i>                    | \$0(1) | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-20 mg</i>                    | \$0(1) | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-40 mg</i>                    | \$0(1) | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-80 mg</i>                    | \$0(1) | QL (30 tabs / 30 days) |
| <i>NEXLETOL TABS 180mg</i>                                   | \$0(2) | QL (30 tabs / 30 days) |
| <i>NEXLIZET TAB 180/10MG</i>                                 | \$0(2) | QL (30 tabs / 30 days) |
| <i>niacin (antihyperlipidemic) TBCR 500mg, 750mg, 1000mg</i> | \$0(1) | QL (60 tabs / 30 days) |
| <i>omega-3-acid ethyl esters cap 1 gm</i>                    | \$0(1) | PA                     |
| <i>prevalite PACK 4gm; POWD 4gm/dose</i>                     | \$0(1) |                        |
| <i>REPATHA SOSY 140mg/ml</i>                                 | \$0(2) | NM, PA                 |
| <i>REPATHA PUSHTRONEX SYSTEM SOCT 420mg/3.5ml</i>            | \$0(2) | NM, PA                 |
| <i>REPATHA SURECLICK SOAJ 140mg/ml</i>                       | \$0(2) | NM, PA                 |
| <i>VASCEPA CAPS .5gm, 1gm</i>                                | \$0(2) |                        |

***BETA-BLOCKER/DIURETIC COMBINATIONS - DRUGS TO TREAT HIGH BLOOD PRESSURE AND HEART CONDITIONS***

|   |        |  |
|---|--------|--|
| <i>atenolol &amp; chlorthalidone tab 50-25 mg</i>           | \$0(1) |  |
| <i>atenolol &amp; chlorthalidone tab 100-25 mg</i>          | \$0(1) |  |
| <i>bisoprolol &amp; hydrochlorothiazide tab 2.5-6.25 mg</i> | \$0(1) |  |
| <i>bisoprolol &amp; hydrochlorothiazide tab 5-6.25 mg</i>   | \$0(1) |  |
| <i>bisoprolol &amp; hydrochlorothiazide tab 10-6.25 mg</i>  | \$0(1) |  |
| <i>metoprolol &amp; hydrochlorothiazide tab 50-25 mg</i>    | \$0(1) |  |
| <i>metoprolol &amp; hydrochlorothiazide tab 100-25 mg</i>   | \$0(1) |  |
| <i>metoprolol &amp; hydrochlorothiazide tab 100-50 mg</i>   | \$0(1) |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
|---|---|--|

**BETA-BLOCKERS - DRUGS TO TREAT HIGH BLOOD PRESSURE AND HEART CONDITIONS**

|   |        |                        |
|---|--------|------------------------|
| <i>acebutolol hcl</i> CAPS 200mg, 400mg   | \$0(1) |                        |
| <i>atenolol</i> TABS 25mg, 50mg, 100mg  | \$0(1) |                        |
| <i>betaxolol hcl</i> TABS 10mg, 20mg  | \$0(1) |                        |
| <i>bisoprolol fumarate</i> TABS 5mg, 10mg   | \$0(1) |                        |
| <i>carvedilol</i> TABS 3.125mg, 6.25mg,<br>12.5mg, 25mg   | \$0(1) |                        |
| <i>labetalol hcl</i> TABS 100mg, 200mg, 300mg   | \$0(1) |                        |
| <i>metoprolol succinate</i> TB24 25mg, 50mg,<br>100mg, 200mg  | \$0(1) |                        |
| <i>metoprolol tartrate</i> SOLN 5mg/5ml; TABS<br>25mg, 50mg, 100mg  | \$0(1) |                        |
| <i>nadolol</i> TABS 20mg, 40mg, 80mg  | \$0(1) |                        |
| <i>nebivolol hcl</i> TABS 2.5mg, 5mg, 10mg  | \$0(1) | QL (30 tabs / 30 days) |
| <i>nebivolol hcl</i> TABS 20mg  | \$0(1) | QL (60 tabs / 30 days) |
| <i>pindolol</i> TABS 5mg, 10mg  | \$0(1) |                        |
| <i>propranolol hcl</i> CP24 60mg, 80mg,<br>120mg, 160mg; SOLN 20mg/5ml,<br>40mg/5ml; TABS 10mg, 20mg, 40mg,<br>60mg, 80mg | \$0(1) |                        |
| <i>timolol maleate</i> TABS 5mg, 10mg, 20mg   | \$0(1) |                        |

**CALCIUM CHANNEL BLOCKERS - DRUGS TO TREAT HIGH BLOOD PRESSURE AND HEART CONDITIONS**

|  |        |     |
|--|--------|-----|
| <i>amlodipine besylate</i> TABS 2.5mg, 5mg,<br>10mg  | \$0(1) |     |
| <i>cartia xt</i> CP24 120mg, 180mg, 240mg,<br>300mg  | \$0(1) |     |
| <i>dilt-xr</i> CP24 120mg, 180mg, 240mg  | \$0(1) |     |
| <i>diltiazem hcl</i> CP12 60mg, 90mg, 120mg;<br>SOLN 25mg/5ml, 50mg/10ml,<br>125mg/25ml; TABS 30mg, 60mg, 90mg,<br>120mg | \$0(1) |     |
| <i>diltiazem hcl coated beads</i> CP24 120mg,<br>180mg, 240mg, 300mg, 360mg  | \$0(1) |     |
| <i>diltiazem hcl extended release beads</i> CP24<br>120mg, 180mg, 240mg, 300mg, 360mg,<br>420mg                          | \$0(1) |     |
| <i>felodipine</i> TB24 2.5mg, 5mg, 10mg  | \$0(1) |     |
| <i>isradipine</i> CAPS 2.5mg, 5mg  | \$0(1) |     |
| <i>nicardipine hcl</i> CAPS 20mg, 30mg   | \$0(1) |     |
| <i>nifedipine</i> TB24 30mg, 60mg, 90mg  | \$0(1) |     |
| <i>nimodipine</i> CAPS 30mg  | \$0(1) |     |
| <i>NYMALIZE</i> SOLN 6mg/ml  | \$0(2) | NDS |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>   | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>tiadylt er</i> CP24 120mg, 180mg, 240mg,<br>300mg, 360mg, 420mg  | \$0(1)  |  |
| <i>verapamil hcl</i> CP24 100mg, 120mg,<br>180mg, 200mg, 240mg, 300mg, 360mg;<br>SOLN 2.5mg/ml; TABS 40mg, 80mg,<br>120mg; TBCR 120mg, 180mg, 240mg | \$0(1)  |  |
| <b>DIURETICS - DRUGS TO TREAT HEART CONDITIONS</b>  |   |  |
| <i>acetazolamide</i> CP12 500mg; TABS<br>125mg, 250mg   | \$0(1)  |  |
| <i>amiloride &amp; hydrochlorothiazide tab</i> 5-50<br>mg   | \$0(1)  |  |
| <i>amiloride hcl</i> TABS 5mg   | \$0(1)  |  |
| <i>bumetanide</i> SOLN .25mg/ml; TABS .5mg,<br>1mg, 2mg   | \$0(1)  |  |
| <i>chlorthalidone</i> TABS 25mg, 50mg   | \$0(1)  |  |
| <i>furosemide</i> SOLN 10mg/ml, 40mg/5ml;<br>TABS 20mg, 40mg, 80mg  | \$0(1)  |  |
| <i>furosemide inj</i> SOLN 10mg/ml  | \$0(1)  |  |
| <i>hydrochlorothiazide</i> CAPS 12.5mg; TABS<br>12.5mg, 25mg, 50mg  | \$0(1)  |  |
| <i>indapamide</i> TABS 1.25mg, 2.5mg  | \$0(1)  |  |
| <i>methazolamide</i> TABS 25mg, 50mg  | \$0(1)  |  |
| <i>metolazone</i> TABS 2.5mg, 5mg, 10mg   | \$0(1)  |  |
| <i>spironolactone &amp; hydrochlorothiazide tab</i><br>25-25 mg   | \$0(1)  |  |
| <i>torsemide</i> TABS 5mg, 10mg, 20mg,<br>100mg   | \$0(1)  |  |
| <i>triamterene &amp; hydrochlorothiazide cap</i><br>37.5-25 mg  | \$0(1)  |  |
| <i>triamterene &amp; hydrochlorothiazide tab</i><br>37.5-25 mg  | \$0(1)  |  |
| <i>triamterene &amp; hydrochlorothiazide tab</i> 75-<br>50 mg   | \$0(1)  |  |
| <b>MISCELLANEOUS</b>  |   |  |
| <i>aliskiren fumarate</i> TABS 150mg, 300mg   | \$0(1)  |  |
| <i>clonidine</i> PTWK .1mg/24hr, .2mg/24hr,<br>.3mg/24hr  | \$0(1)  |  |
| <i>clonidine hcl</i> TABS .1mg, .2mg, .3mg  | \$0(1)  |  |
| <i>CORLANOR</i> SOLN 5mg/5ml  | \$0(2)  | QL (450 mL / 30 days)  |
| <i>CORLANOR</i> TABS 5mg, 7.5mg   | \$0(2)  | QL (60 tabs / 30 days)   |
| <i>digoxin</i> SOLN .05mg/ml, .25mg/ml  | \$0(1)  |  |
| <i>digoxin</i> TABS 125mcg, 250mcg  | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>droxidopa</i> CAPS 100mg   | \$0(2)  | NDS, QL (90 caps / 30<br>days), NM, PA                         |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                       | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>droxidopa</i> CAPS 200mg, 300mg                                | \$0(2)  | NDS, QL (180 caps / 30 days), NM, PA                           |
| <i>epinephrine (anaphylaxis)</i> SOLN 1mg/ml                      | \$0(1)  |  |
| <i>guanfacine hcl</i> TABS 1mg, 2mg                               | \$0(2)  | PA; PA if 70 years and older                                   |
| <i>hydralazine hcl</i> SOLN 20mg/ml; TABS 10mg, 25mg, 50mg, 100mg | \$0(1)  |  |
| <i>ivabradine hcl</i> TABS 5mg, 7.5mg                             | \$0(1)  | QL (60 tabs / 30 days)   |
| <i>metyrosine</i> CAPS 250mg                                      | \$0(2)  | NDS, NM, PA  |
| <i>midodrine hcl</i> TABS 2.5mg, 5mg, 10mg                        | \$0(1)  |  |
| <i>minoxidil</i> TABS 2.5mg, 10mg                                 | \$0(1)  |  |
| <i>ranolazine</i> TB12 500mg, 1000mg                              | \$0(1)  |  |
| <i>VERQUVO</i> TABS 2.5mg, 5mg, 10mg                              | \$0(2)  | QL (30 tabs / 30 days)   |

#### ***NITRATES - DRUGS TO TREAT HEART CONDITIONS***

|  |        |
|--|--------|
| <i>isosorbide dinitrate</i> TABS 5mg, 10mg, 20mg, 30mg   | \$0(1) |
| <i>isosorbide mononitrate</i> TABS 10mg, 20mg; TB24 30mg, 60mg, 120mg                                | \$0(1) |
| <i>NITRO-BID</i> OINT 2%   | \$0(2) |
| <i>nitroglycerin</i> PT24 .1mg/hr, .2mg/hr, .4mg/hr, .6mg/hr; SOLN .4mg/spray; SUBL .3mg, .4mg, .6mg | \$0(1) |

#### ***PULMONARY ARTERIAL HYPERTENSION - DRUGS TO TREAT PULMONARY HYPERTENSION***

|   |        |   |
|---|--------|---|
| <i>ADEMPAS</i> TABS .5mg, 1mg, 1.5mg, 2mg, 2.5mg                      | \$0(2) | NDS, QL (90 tabs / 30 days), NM, LA, PA |
| <i>ambrisentan</i> TABS 5mg, 10mg                                     | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| <i>bosentan</i> TABS 62.5mg, 125mg                                    | \$0(2) | NDS, QL (60 tabs / 30 days), NM, LA, PA |
| <i>OPSUMIT</i> TABS 10mg  | \$0(2) | NDS, QL (30 tabs / 30 days), NM, LA, PA |
| <i>sildenafil citrate (pulmonary hypertension)</i> TABS 20mg          | \$0(1) | QL (360 tabs / 30 days), NM, PA         |
| <i>treprostинil</i> SOLN 20mg/20ml, 50mg/20ml, 100mg/20ml, 200mg/20ml | \$0(2) | NDS, NM, LA, PA                         |
| <i>VENTAVIS</i> SOLN 10mcg/ml, 20mcg/ml                               | \$0(2) | NDS, NM, LA, PA                         |

#### ***CENTRAL NERVOUS SYSTEM - DRUGS TO TREAT NERVOUS SYSTEM DISORDERS***

##### ***ANTIANXIETY - DRUGS TO TREAT ANXIETY***

|  |        |                         |
|--|--------|-------------------------|
| <i>alprazolam</i> TABS .25mg, .5mg, 1mg, 2mg           | \$0(1) | QL (150 tabs / 30 days) |
| <i>buspirone hcl</i> TABS 5mg, 7.5mg, 10mg, 15mg, 30mg | \$0(1) |                         |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                                     | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>fluvoxamine maleate</i> TABS 25mg, 50mg,<br>100mg                            | \$0(1)  |  |
| <i>lorazepam</i> CONC 2mg/ml  | \$0(1)  | QL (150 mL / 30 days)  |
| <i>lorazepam</i> SOLN 2mg/ml, 4mg/ml  | \$0(1)  |  |
| <i>lorazepam</i> TABS .5mg, 1mg, 2mg  | \$0(1)  | QL (150 tabs / 30 days)  |
| <i>lorazepam intensol</i> CONC 2mg/ml   | \$0(1)  | QL (150 mL / 30 days)  |
| <b>ANTIDEMENTIA - DRUGS TO TREAT DEMENTIA AND MEMORY LOSS</b>                   |   |  |
| <i>donepezil hydrochloride</i> TABS 5mg; TBDP<br>5mg                            | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>donepezil hydrochloride</i> TABS 10mg;<br>TBDP 10mg                          | \$0(1)  |  |
| <i>galantamine hydrobromide</i> CP24 8mg,<br>16mg, 24mg                         | \$0(1)  | QL (30 caps / 30 days)   |
| <i>galantamine hydrobromide</i> SOLN 4mg/ml                                     | \$0(1)  | QL (200 mL / 30 days)  |
| <i>galantamine hydrobromide</i> TABS 4mg,<br>8mg, 12mg                          | \$0(1)  | QL (60 tabs / 30 days)   |
| <i>memantine hcl</i> CP24 7mg, 14mg, 21mg,<br>28mg; SOLN 2mg/ml; TABS 5mg, 10mg | \$0(1)  | PA; PA applies if 29<br>years and younger                      |
| <i>memantine hcl</i> tab 28 x 5 mg & 21 x 10<br>mg titration pack               | \$0(2)  | PA; PA applies if 29<br>years and younger                      |
| NAMZARIC CAP 7-10MG   | \$0(2)  |  |
| NAMZARIC CAP 14-10MG  | \$0(2)  |  |
| NAMZARIC CAP 21-10MG  | \$0(2)  |  |
| NAMZARIC CAP 28-10MG  | \$0(2)  |  |
| NAMZARIC CAP PACK   | \$0(2)  |  |
| <i>rivastigmine</i> PT24 4.6mg/24hr,<br>9.5mg/24hr, 13.3mg/24hr                 | \$0(1)  | QL (30 patches / 30<br>days)                                   |
| <i>rivastigmine tartrate</i> CAPS 1.5mg, 3mg,<br>4.5mg, 6mg                     | \$0(1)  | QL (60 caps / 30 days)   |
| <b>ANTIDEPRESSANTS - DRUGS TO TREAT DEPRESSION</b>                              |   |  |
| <i>amitriptyline hcl</i> TABS 10mg, 25mg,<br>50mg, 75mg, 100mg, 150mg           | \$0(2)  |  |
| <i>amoxapine</i> TABS 25mg, 50mg, 100mg,<br>150mg                               | \$0(2)  |  |
| AUVELITY TAB 45-105MG   | \$0(2)  | QL (60 tabs / 30 days),<br>PA                                  |
| <i>bupropion hcl</i> TABS 75mg, 100mg   | \$0(1)  |  |
| <i>bupropion hcl</i> TB12 100mg, 150mg,<br>200mg; TB24 150mg                    | \$0(1)  | QL (60 tabs / 30 days)   |
| <i>bupropion hcl</i> TB24 300mg   | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>citalopram hydrobromide</i> SOLN<br>10mg/5ml; TABS 10mg, 20mg, 40mg          | \$0(1)  |  |
| <i>clomipramine hcl</i> CAPS 25mg, 50mg,<br>75mg                                | \$0(2)  | PA   |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>   | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>desipramine hcl</i> TABS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg                      | \$0(2)  |  |
| <i>desvenlafaxine succinate</i> TB24 25mg, 50mg, 100mg                                | \$0(1)  | QL (30 tabs / 30 days), PA                                     |
| <i>doxepin hcl</i> CAPS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg; CONC 10mg/ml            | \$0(2)  |  |
| <i>DRIZALMA SPRINKLE</i> CSDR 20mg, 30mg, 40mg, 60mg                                  | \$0(2)  | QL (60 caps / 30 days), PA                                     |
| <i>duloxetine hcl</i> CPEP 20mg, 30mg, 60mg   | \$0(1)  | QL (60 caps / 30 days)   |
| <i>EMSAM</i> PT24 6mg/24hr, 9mg/24hr, 12mg/24hr                                       | \$0(2)  | NDS, QL (30 patches / 30 days), PA                             |
| <i>escitalopram oxalate</i> SOLN 5mg/5ml; TABS 5mg, 10mg, 20mg                        | \$0(1)  |  |
| <i>FETZIMA</i> CP24 20mg, 40mg  | \$0(2)  | QL (60 caps / 30 days), PA                                     |
| <i>FETZIMA</i> CP24 80mg, 120mg   | \$0(2)  | QL (30 caps / 30 days), PA                                     |
| <i>FETZIMA CAP TITRATIO</i>   | \$0(2)  | QL (2 packs / year), PA  |
| <i>fluoxetine hcl</i> CAPS 10mg, 20mg, 40mg; SOLN 20mg/5ml                            | \$0(1)  |  |
| <i>imipramine hcl</i> TABS 10mg, 25mg, 50mg   | \$0(2)  |  |
| <i>MARPLAN</i> TABS 10mg  | \$0(2)  | QL (180 tabs / 30 days)  |
| <i>mirtazapine</i> TABS 7.5mg, 15mg, 30mg, 45mg; TBDP 15mg, 30mg, 45mg                | \$0(1)  |  |
| <i>nefazodone hcl</i> TABS 50mg, 100mg, 150mg, 200mg, 250mg                           | \$0(1)  |  |
| <i>nortriptyline hcl</i> CAPS 10mg, 25mg, 50mg, 75mg; SOLN 10mg/5ml                   | \$0(2)  |  |
| <i>paroxetine hcl</i> SUSP 10mg/5ml   | \$0(2)  | QL (900 mL / 30 days), PA                                      |
| <i>paroxetine hcl</i> TABS 10mg, 20mg, 30mg, 40mg                                     | \$0(2)  |  |
| <i>phenelzine sulfate</i> TABS 15mg   | \$0(1)  |  |
| <i>protriptyline hcl</i> TABS 5mg, 10mg   | \$0(2)  |  |
| <i>sertraline hcl</i> CONC 20mg/ml; TABS 25mg, 50mg, 100mg                            | \$0(1)  |  |
| <i>tranylcypromine sulfate</i> TABS 10mg  | \$0(1)  |  |
| <i>trazodone hcl</i> TABS 50mg, 100mg, 150mg  | \$0(1)  |  |
| <i>trimipramine maleate</i> CAPS 25mg, 50mg   | \$0(2)  | QL (120 caps / 30 days)  |
| <i>trimipramine maleate</i> CAPS 100mg  | \$0(2)  | QL (60 caps / 30 days)   |
| <i>TRINTELLIX</i> TABS 5mg, 10mg, 20mg  | \$0(2)  | QL (30 tabs / 30 days)   |
| <i>venlafaxine hcl</i> CP24 37.5mg, 75mg, 150mg; TABS 25mg, 37.5mg, 50mg, 75mg, 100mg | \$0(1)  |  |
| <i>vilazodone hcl</i> TABS 10mg, 20mg, 40mg   | \$0(1)  | QL (30 tabs / 30 days)   |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| ZURZUVAE CAPS 20mg, 25mg                    | \$0(2)  | NDS, QL (28 caps / 14 days), NM, LA, PA                        |
| ZURZUVAE CAPS 30mg                          | \$0(2)  | NDS, QL (14 caps / 14 days), NM, LA, PA                        |

### **ANTIPARKINSONIAN AGENTS - DRUGS TO TREAT PARKINSONS**

#### **DISEASE**

|  |        |  |
|--|--------|--|
| <i>amantadine hcl</i> CAPS 100mg   | \$0(1) | QL (120 caps / 30 days)                  |
| <i>amantadine hcl</i> SOLN 50mg/5ml; TABS 100mg                                | \$0(1) |  |
| <i>benztropine mesylate</i> SOLN 1mg/ml  | \$0(1) |  |
| <i>benztropine mesylate</i> TABS .5mg, 1mg, 2mg                                | \$0(2) | PA; PA if 70 years and older             |
| <i>bromocriptine mesylate</i> CAPS 5mg; TABS 2.5mg                             | \$0(1) |  |
| <i>carb/levo orally disintegrating tab 10-100mg</i>                            | \$0(1) |  |
| <i>carb/levo orally disintegrating tab 25-100mg</i>                            | \$0(1) |  |
| <i>carb/levo orally disintegrating tab 25-250mg</i>                            | \$0(1) |  |
| <i>carbidopa &amp; levodopa tab 10-100 mg</i>                                  | \$0(1) |  |
| <i>carbidopa &amp; levodopa tab 25-100 mg</i>                                  | \$0(1) |  |
| <i>carbidopa &amp; levodopa tab 25-250 mg</i>                                  | \$0(1) |  |
| <i>carbidopa &amp; levodopa tab er 25-100 mg</i>                               | \$0(1) |  |
| <i>carbidopa &amp; levodopa tab er 50-200 mg</i>                               | \$0(1) |  |
| <i>carbidopa-levodopa-entacapone tabs 12.5-50-200 mg</i>                       | \$0(1) |  |
| <i>carbidopa-levodopa-entacapone tabs 18.75-75-200 mg</i>                      | \$0(1) |  |
| <i>carbidopa-levodopa-entacapone tabs 25-100-200 mg</i>                        | \$0(1) |  |
| <i>carbidopa-levodopa-entacapone tabs 31.25-125-200 mg</i>                     | \$0(1) |  |
| <i>carbidopa-levodopa-entacapone tabs 37.5-150-200 mg</i>                      | \$0(1) |  |
| <i>carbidopa-levodopa-entacapone tabs 50-200-200 mg</i>                        | \$0(1) |  |
| <i>entacapone</i> TABS 200mg   | \$0(1) |  |
| INBRIJA CAPS 42mg  | \$0(2) | NDS, QL (300 caps / 30 days), NM, LA, PA |
| NEUPRO PT24 1mg/24hr, 2mg/24hr, 3mg/24hr, 4mg/24hr, 6mg/24hr, 8mg/24hr         | \$0(2) |  |
| <i>pramipexole dihydrochloride</i> TABS .125mg, .25mg, .5mg, .75mg, 1mg, 1.5mg | \$0(1) |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                               | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>rasagiline mesylate</i> TABS .5mg, 1mg                                 | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>ropinirole hydrochloride</i> TABS .25mg, .5mg, 1mg, 2mg, 3mg, 4mg, 5mg | \$0(1)  |  |
| <i>selegiline hcl</i> CAPS 5mg; TABS 5mg                                  | \$0(1)  |  |
| <i>trihexyphenidyl hcl</i> SOLN .4mg/ml; TABS 2mg, 5mg                    | \$0(2)  | PA; PA if 70 years and older                                   |

#### **ANTIPSYCHOTICS - DRUGS TO TREAT PSYCHOSES**

|   |        |                                  |
|---|--------|----------------------------------|
| ABILIFY MAINTENA PRSY 300mg, 400mg  | \$0(2) | NDS, QL (1 syringe / 28 days)    |
| ABILIFY MAINTENA SRER 300mg, 400mg  | \$0(2) | NDS, QL (1 injection / 28 days)  |
| <i>ariPIPrazole</i> SOLN 1mg/ml   | \$0(1) | QL (900 mL / 30 days)            |
| <i>ariPIPrazole</i> TABS 2mg, 5mg, 10mg, 15mg, 20mg, 30mg   | \$0(1) | QL (30 tabs / 30 days)           |
| <i>ariPIPrazole</i> TBDP 10mg, 15mg   | \$0(1) | QL (60 tabs / 30 days)           |
| ARISTADA PRSY 441mg/1.6ml, 662mg/2.4ml, 882mg/3.2ml   | \$0(2) | NDS, QL (1 syringe / 28 days)    |
| ARISTADA PRSY 1064mg/3.9ml  | \$0(2) | NDS, QL (1 syringe / 56 days)    |
| ARISTADA INITIO PRSY 675mg/2.4ml  | \$0(2) | NDS                              |
| asenapine maleate SUBL 2.5mg, 5mg, 10mg   | \$0(1) | QL (60 tabs / 30 days)           |
| CAPLYTA CAPS 10.5mg, 21mg, 42mg   | \$0(2) | NDS, QL (30 caps / 30 days)      |
| <i>chlorpromazine hcl</i> CONC 30mg/ml, 100mg/ml; SOLN 25mg/ml, 50mg/2ml; TABS 10mg, 25mg, 50mg, 100mg, 200mg | \$0(1) |                                  |
| <i>clozapine</i> TABS 25mg, 50mg  | \$0(1) |                                  |
| <i>clozapine</i> TABS 100mg   | \$0(1) | QL (270 tabs / 30 days)          |
| <i>clozapine</i> TABS 200mg   | \$0(1) | QL (120 tabs / 30 days)          |
| <i>clozapine</i> TBDP 12.5mg, 25mg  | \$0(1) | PA                               |
| <i>clozapine</i> TBDP 100mg   | \$0(1) | QL (270 tabs / 30 days), PA      |
| <i>clozapine</i> TBDP 150mg   | \$0(1) | QL (180 tabs / 30 days), PA      |
| <i>clozapine</i> TBDP 200mg   | \$0(2) | NDS, QL (120 tabs / 30 days), PA |
| FANAPT TABS 1mg, 2mg, 4mg, 6mg, 8mg, 10mg, 12mg   | \$0(2) | NDS, QL (60 tabs / 30 days), PA  |
| FANAPT PAK  | \$0(2) | QL (2 packs / year), PA          |
| <i>fluphenazine decanoate</i> SOLN 25mg/ml  | \$0(1) |                                  |
| <i>fluphenazine hcl</i> CONC 5mg/ml; ELIX 2.5mg/5ml; SOLN 2.5mg/ml; TABS 1mg, 2.5mg, 5mg, 10mg                | \$0(1) |                                  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                                     | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>haloperidol</i> TABS .5mg, 1mg, 2mg, 5mg,<br>10mg, 20mg                      | \$0(1)  |  |
| <i>haloperidol decanoate</i> SOLN 50mg/ml,<br>100mg/ml                          | \$0(1)  |  |
| <i>haloperidol lactate</i> CONC 2mg/ml; SOLN<br>5mg/ml                          | \$0(1)  |  |
| INVEGA HAFYERA SUSY 1092mg/3.5ml,<br>1560mg/5ml                                 | \$0(2)  | NDS, QL (1 injection /<br>180 days)                            |
| INVEGA SUSTENNA SUSY 39mg/0.25ml  | \$0(2)  | QL (1 syringe / 28 days)                                       |
| INVEGA SUSTENNA SUSY 78mg/0.5ml,<br>117mg/0.75ml, 156mg/ml, 234mg/1.5ml         | \$0(2)  | NDS, QL (1 syringe / 28<br>days)                               |
| INVEGA TRINZA SUSY 273mg/0.88ml,<br>410mg/1.32ml, 546mg/1.75ml,<br>819mg/2.63ml | \$0(2)  | NDS, QL (1 syringe / 90<br>days)                               |
| <i>loxpipamine succinate</i> CAPS 5mg, 10mg,<br>25mg, 50mg                      | \$0(1)  |  |
| <i>lurasidone hcl</i> TABS 20mg, 40mg, 60mg,<br>120mg                           | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>lurasidone hcl</i> TABS 80mg   | \$0(1)  | QL (60 tabs / 30 days)   |
| <i>molindone hcl</i> TABS 5mg, 10mg, 25mg                                       | \$0(1)  |  |
| NUPLAZID CAPS 34mg  | \$0(2)  | NDS, QL (30 caps / 30<br>days), NM, LA, PA                     |
| NUPLAZID TABS 10mg  | \$0(2)  | NDS, QL (30 tabs / 30<br>days), NM, LA, PA                     |
| <i>olanzapine</i> SOLR 10mg   | \$0(1)  | QL (3 vials / 1 day)   |
| <i>olanzapine</i> TABS 2.5mg, 5mg, 10mg;<br>TBDP 10mg                           | \$0(1)  | QL (60 tabs / 30 days)   |
| <i>olanzapine</i> TABS 7.5mg, 15mg, 20mg;<br>TBDP 5mg, 15mg, 20mg               | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>paliperidone</i> TB24 1.5mg, 3mg, 9mg  | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>paliperidone</i> TB24 6mg  | \$0(1)  | QL (60 tabs / 30 days)   |
| <i>perphenazine</i> TABS 2mg, 4mg, 8mg,<br>16mg                                 | \$0(1)  |  |
| PERSERIS PRSY 90mg, 120mg   | \$0(2)  | NDS, QL (1 syringe / 30<br>days)                               |
| <i>pimozide</i> TABS 1mg, 2mg   | \$0(1)  |  |
| <i>quetiapine fumarate</i> TABS 25mg  | \$0(1)  | QL (180 tabs / 30 days)  |
| <i>quetiapine fumarate</i> TABS 50mg, 100mg,<br>150mg, 200mg                    | \$0(1)  | QL (90 tabs / 30 days)   |
| <i>quetiapine fumarate</i> TABS 300mg, 400mg                                    | \$0(1)  | QL (60 tabs / 30 days)   |
| <i>quetiapine fumarate</i> TB24 50mg, 300mg,<br>400mg                           | \$0(1)  | QL (60 tabs / 30 days),<br>PA                                  |
| <i>quetiapine fumarate</i> TB24 150mg, 200mg                                    | \$0(1)  | QL (30 tabs / 30 days),<br>PA                                  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>             | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| REXULTI TABS 3mg, 4mg                                   | \$0(2)  | NDS, QL (30 tabs / 30 days)                                    |
| REXULTI TABS .25mg, .5mg, 1mg, 2mg                      | \$0(2)  | NDS, QL (60 tabs / 30 days)                                    |
| <i>risperidone</i> SOLN 1mg/ml                          | \$0(1)  | QL (240 mL / 30 days)  |
| <i>risperidone</i> TABS .25mg, .5mg, 1mg, 2mg, 3mg, 4mg | \$0(1)  |  |
| <i>risperidone</i> TBDP 1mg, 2mg, 3mg                   | \$0(1)  | QL (60 tabs / 30 days)   |
| <i>risperidone</i> TBDP 4mg                             | \$0(1)  | QL (120 tabs / 30 days)  |
| <i>risperidone</i> TBDP .25mg, .5mg                     | \$0(1)  | QL (90 tabs / 30 days)   |
| <i>risperidone microspheres</i> SRER 12.5mg, 25mg       | \$0(1)  | QL (2 injections / 28 days)                                    |
| <i>risperidone microspheres</i> SRER 37.5mg, 50mg       | \$0(2)  | NDS, QL (2 injections / 28 days)                               |
| SECUADO PT24 3.8mg/24hr, 5.7mg/24hr, 7.6mg/24hr         | \$0(2)  | NDS, QL (30 patches / 30 days)                                 |
| <i>thioridazine hcl</i> TABS 10mg, 25mg, 50mg, 100mg    | \$0(1)  |  |
| <i>thiothixene</i> CAPS 1mg, 2mg, 5mg, 10mg             | \$0(1)  |  |
| <i>trifluoperazine hcl</i> TABS 1mg, 2mg, 5mg, 10mg     | \$0(1)  |  |
| VERSACLOZ SUSP 50mg/ml                                  | \$0(2)  | NDS, QL (600 mL / 30 days), PA                                 |
| VRAYLAR CAPS 1.5mg                                      | \$0(2)  | NDS, QL (60 caps / 30 days)                                    |
| VRAYLAR CAPS 3mg, 4.5mg, 6mg                            | \$0(2)  | NDS, QL (30 caps / 30 days)                                    |
| VRAYLAR CAP 1.5-3MG                                     | \$0(2)  | QL (2 packs / year)  |
| <i>ziprasidone hcl</i> CAPS 20mg, 40mg, 60mg, 80mg      | \$0(1)  | QL (60 caps / 30 days)   |
| <i>ziprasidone mesylate</i> SOLR 20mg                   | \$0(1)  | QL (6 injections / 3 days)                                     |
| ZYPREXA RELPREVV SUSR 210mg, 300mg                      | \$0(2)  | NDS, QL (2 vials / 28 days), NM, PA                            |
| ZYPREXA RELPREVV SUSR 405mg                             | \$0(2)  | NDS, QL (1 vial / 28 days), NM, PA                             |
| <b>ANTISEIZURE AGENTS</b>                               |   |  |
| APTIOM TABS 200mg, 400mg                                | \$0(2)  | NDS, QL (30 tabs / 30 days)                                    |
| APTIOM TABS 600mg, 800mg                                | \$0(2)  | NDS, QL (60 tabs / 30 days)                                    |
| BRIVIACT SOLN 10mg/ml                                   | \$0(2)  | NDS, QL (600 mL / 30 days), PA                                 |
| BRIVIACT SOLN 50mg/5ml                                  | \$0(2)  | PA   |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>  | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b>  |
|--|---|---|
| BRIVIACT TABS 10mg, 25mg, 50mg,<br>75mg, 100mg   | \$0(2)  | NDS, QL (60 tabs / 30 days), PA   |
| <i>carbamazepine</i> CHEW 100mg; CP12<br>100mg, 200mg, 300mg; SUSP<br>100mg/5ml; TABS 200mg; TB12 100mg,<br>200mg, 400mg | \$0(1)  |   |
| <i>clobazam</i> SUSP 2.5mg/ml  | \$0(1)  | QL (480 mL / 30 days), PA   |
| <i>clobazam</i> TABS 10mg, 20mg  | \$0(1)  | QL (60 tabs / 30 days), PA  |
| <i>clonazepam</i> TABS 2mg; TBDP 2mg   | \$0(1)  | QL (300 tabs / 30 days)   |
| <i>clonazepam</i> TABS .5mg, 1mg; TBDP<br>.125mg, .25mg, .5mg, 1mg   | \$0(1)  | QL (90 tabs / 30 days)  |
| <i>clorazepate dipotassium</i> TABS 3.75mg,<br>7.5mg, 15mg   | \$0(1)  | QL (180 tabs / 30 days), PA; PA if 65 years and older   |
| DIACOMIT CAPS 250mg  | \$0(2)  | NDS, QL (360 caps / 30 days), NM, LA, PA  |
| DIACOMIT CAPS 500mg  | \$0(2)  | NDS, QL (180 caps / 30 days), NM, LA, PA  |
| DIACOMIT PACK 250mg  | \$0(2)  | NDS, QL (360 packets / 30 days), NM, LA, PA   |
| DIACOMIT PACK 500mg  | \$0(2)  | NDS, QL (180 packets / 30 days), NM, LA, PA   |
| <i>diazepam</i> SOLN 5mg/5ml   | \$0(1)  | QL (1200 mL / 30 days), PA; PA applies if 65 years and older after a 5 day supply in a calendar year  |
| <i>diazepam</i> TABS 2mg, 5mg, 10mg  | \$0(1)  | QL (120 tabs / 30 days), PA; PA applies if 65 years and older after a 5 day supply in a calendar year |
| <i>diazepam (anticonvulsant)</i> GEL 2.5mg,<br>10mg, 20mg  | \$0(1)  |   |
| <i>diazepam inj</i> SOLN 5mg/ml  | \$0(1)  |   |
| <i>diazepam intensol</i> CONC 5mg/ml   | \$0(1)  | QL (240 mL / 30 days), PA; PA applies if 65 years and older after a 5 day supply in a calendar year   |
| DILANTIN CAPS 30mg, 100mg  | \$0(2)  |   |
| DILANTIN INFATABS CHEW 50mg  | \$0(2)  |   |
| DILANTIN-125 SUSP 125mg/5ml  | \$0(2)  |   |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>  | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| <i>divalproex sodium</i> CSDR 125mg; TB24<br>250mg, 500mg; TBEC 125mg, 250mg,<br>500mg                                   | \$0(1)  |  |
| EPIDIOLEX SOLN 100mg/ml  | \$0(2)  | NDS, QL (600 mL / 30 days), NM, LA, PA                         |
| <i>epitol</i> TABS 200mg   | \$0(1)  |  |
| EPRONTIA SOLN 25mg/ml  | \$0(2)  | QL (480 mL / 30 days), PA                                      |
| <i>ethosuximide</i> CAPS 250mg; SOLN<br>250mg/5ml  | \$0(1)  |  |
| <i>felbamate</i> SUSP 600mg/5ml  | \$0(2)  | NDS  |
| <i>felbamate</i> TABS 400mg, 600mg   | \$0(1)  |  |
| FINTEPLA SOLN 2.2mg/ml   | \$0(2)  | NDS, QL (360 mL / 30 days), NM, LA, PA                         |
| FYCOMPA SUSP .5mg/ml   | \$0(2)  | NDS, QL (720 mL / 30 days), PA                                 |
| FYCOMPA TABS 2mg   | \$0(2)  | QL (60 tabs / 30 days), PA                                     |
| FYCOMPA TABS 4mg, 6mg, 8mg, 10mg,<br>12mg  | \$0(2)  | NDS, QL (30 tabs / 30 days), PA                                |
| <i> gabapentin</i> CAPS 100mg, 300mg, 400mg  | \$0(1)  | QL (180 caps / 30 days)  |
| <i> gabapentin</i> SOLN 250mg/5ml, 300mg/6ml   | \$0(1)  | QL (2160 mL / 30 days)   |
| <i> gabapentin</i> TABS 600mg  | \$0(1)  | QL (180 tabs / 30 days)  |
| <i> gabapentin</i> TABS 800mg  | \$0(1)  | QL (120 tabs / 30 days)  |
| <i> lacosamide</i> SOLN 200mg/20ml   | \$0(1)  |  |
| <i> lacosamide</i> TABS 50mg   | \$0(1)  | QL (120 tabs / 30 days)  |
| <i> lacosamide</i> TABS 100mg, 150mg, 200mg  | \$0(1)  | QL (60 tabs / 30 days)   |
| <i> lacosamide oral</i> SOLN 10mg/ml   | \$0(1)  | QL (1200 mL / 30 days)   |
| <i> lamotrigine</i> CHEW 5mg, 25mg; TABS<br>25mg, 100mg, 150mg, 200mg; TB24<br>25mg, 50mg, 100mg, 200mg, 250mg,<br>300mg | \$0(1)  |  |
| <i> levetiracetam</i> SOLN 100mg/ml,<br>500mg/5ml; TABS 250mg, 500mg, 750mg,<br>1000mg; TB24 500mg, 750mg                | \$0(1)  |  |
| <i> levetiracetam in sodium chloride iv soln<br/>500 mg/100ml</i>  | \$0(1)  |  |
| <i> levetiracetam in sodium chloride iv soln<br/>1000 mg/100ml</i>   | \$0(1)  |  |
| <i> levetiracetam in sodium chloride iv soln<br/>1500 mg/100ml</i>   | \$0(1)  |  |
| <i> LIBERVANT</i> FILM 5mg, 7.5mg, 10mg,<br>12.5mg, 15mg   | \$0(2)  |  |
| <i> methsuximide</i> CAPS 300mg  | \$0(1)  |  |
| <i> NAYZILAM</i> SOLN 5mg/0.1ml  | \$0(2)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                                       | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>oxcarbazepine</i> SUSP 300mg/5ml; TABS 150mg, 300mg, 600mg                     | \$0(1)  |  |
| <i>phenobarbital</i> ELIX 20mg/5ml  | \$0(2)  | QL (1500 mL / 30 days), PA; PA if 70 years and older           |
| <i>phenobarbital</i> TABS 15mg, 16.2mg, 30mg, 32.4mg, 60mg, 64.8mg, 97.2mg, 100mg | \$0(2)  | QL (120 tabs / 30 days), PA; PA if 70 years and older          |
| <i>phenobarbital sodium</i> SOLN 65mg/ml, 130mg/ml                                | \$0(2)  | PA; PA if 70 years and older                                   |
| <i>phenytek</i> CAPS 200mg, 300mg   | \$0(1)  |  |
| <i>phenytoin</i> CHEW 50mg; SUSP 125mg/5ml  | \$0(1)  |  |
| <i>phenytoin sodium</i> SOLN 50mg/ml  | \$0(1)  |  |
| <i>phenytoin sodium extended</i> CAPS 100mg, 200mg, 300mg                         | \$0(1)  |  |
| <i>pregabalin</i> CAPS 25mg, 50mg, 75mg, 100mg, 150mg                             | \$0(1)  | QL (120 caps / 30 days), PA                                    |
| <i>pregabalin</i> CAPS 200mg  | \$0(1)  | QL (90 caps / 30 days), PA                                     |
| <i>pregabalin</i> CAPS 225mg, 300mg   | \$0(1)  | QL (60 caps / 30 days), PA                                     |
| <i>pregabalin</i> SOLN 20mg/ml  | \$0(1)  | QL (900 mL / 30 days), PA                                      |
| <i>primidone</i> TABS 50mg, 125mg, 250mg  | \$0(1)  |  |
| <i>roweepra</i> TABS 500mg  | \$0(1)  |  |
| <i>rufinamide</i> SUSP 40mg/ml  | \$0(2)  | NDS, QL (2400 mL / 30 days), PA                                |
| <i>rufinamide</i> TABS 200mg  | \$0(1)  | QL (480 tabs / 30 days), PA                                    |
| <i>rufinamide</i> TABS 400mg  | \$0(2)  | NDS, QL (240 tabs / 30 days), PA                               |
| <i>SPRITAM</i> TB3D 250mg   | \$0(2)  | QL (360 tabs / 30 days)  |
| <i>SPRITAM</i> TB3D 500mg   | \$0(2)  | QL (180 tabs / 30 days)  |
| <i>SPRITAM</i> TB3D 750mg   | \$0(2)  | QL (120 tabs / 30 days)  |
| <i>SPRITAM</i> TB3D 1000mg  | \$0(2)  | QL (90 tabs / 30 days)   |
| <i>subvenite</i> TABS 25mg, 100mg, 150mg, 200mg                                   | \$0(1)  |  |
| <i>SYMPAZAN</i> FILM 5mg, 10mg, 20mg  | \$0(2)  | NDS, QL (60 films / 30 days), PA                               |
| <i>tiagabine hcl</i> TABS 2mg, 4mg, 12mg, 16mg                                    | \$0(1)  |  |
| <i>topiramate</i> CPSP 15mg, 25mg; TABS 25mg, 50mg, 100mg, 200mg                  | \$0(1)  |  |
| <i>valproate sodium</i> SOLN 100mg/ml, 250mg/5ml                                  | \$0(1)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| valproic acid CAPS 250mg                    | \$0(1)  |  |
| VALTOCO 5 MG DOSE LIQD 5mg/0.1ml            | \$0(2)  |  |
| VALTOCO 10 MG DOSE LIQD 10mg/0.1ml          | \$0(2)  |  |
| VALTOCO 15 MG DOSE LQPK 7.5mg/0.1ml         | \$0(2)  |  |
| VALTOCO 20 MG DOSE LQPK 10mg/0.1ml          | \$0(2)  |  |
| vigabatrin PACK 500mg                       | \$0(2)  | NDS, QL (180 packets / 30 days), NM, LA, PA                    |
| vigabatrin TABS 500mg                       | \$0(2)  | NDS, QL (180 tabs / 30 days), NM, LA, PA                       |
| vigadroneret TABS 500mg                     | \$0(2)  | NDS, QL (180 packets / 30 days), NM, LA, PA                    |
| VIGAFYDE SOLN 100mg/ml                      | \$0(2)  | NDS, QL (900 mL / 30 days), NM, LA, PA                         |
| vigpoderet PACK 500mg                       | \$0(2)  | NDS, QL (180 packets / 30 days), NM, LA, PA                    |
| XCOPRI TABS 25mg, 50mg, 100mg               | \$0(2)  | NDS, QL (30 tabs / 30 days)                                    |
| XCOPRI TABS 150mg, 200mg                    | \$0(2)  | NDS, QL (60 tabs / 30 days)                                    |
| XCOPRI PAK 12.5-25                          | \$0(2)  | QL (28 tabs / 28 days)   |
| XCOPRI PAK 50-100MG                         | \$0(2)  | NDS, QL (28 tabs / 28 days)                                    |
| XCOPRI PAK 100-150                          | \$0(2)  | NDS, QL (56 tabs / 28 days)                                    |
| XCOPRI PAK 150-200MG (MAINTENANCE)          | \$0(2)  | NDS, QL (56 tabs / 28 days)                                    |
| XCOPRI PAK 150-200MG (TITRATION)            | \$0(2)  | NDS, QL (28 tabs / 28 days)                                    |
| ZONISADE SUSP 100mg/5ml                     | \$0(2)  | NDS, QL (900 mL / 30 days), PA                                 |
| zonisamide CAPS 25mg, 50mg, 100mg           | \$0(1)  |  |
| ZTALMY SUSP 50mg/ml                         | \$0(2)  | NDS, QL (1100 mL / 30 days), NM, LA, PA                        |

## **ATTENTION DEFICIT HYPERACTIVITY DISORDER - DRUGS TO TREAT ADHD**

|  |        |                               |
|--|--------|-------------------------------|
| <i>amphetamine-dextroamphetamine cap er<br/>24hr 5 mg</i>  | \$0(1) | QL (30 caps / 30 days),<br>PA |
| <i>amphetamine-dextroamphetamine cap er<br/>24hr 10 mg</i> | \$0(1) | QL (30 caps / 30 days),<br>PA |
| <i>amphetamine-dextroamphetamine cap er<br/>24hr 15 mg</i> | \$0(1) | QL (30 caps / 30 days),<br>PA |
| <i>amphetamine-dextroamphetamine cap er<br/>24hr 20 mg</i> | \$0(1) | QL (30 caps / 30 days),<br>PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| <i>amphetamine-dextroamphetamine cap er<br/>24hr 25 mg</i> | \$0(1)  | QL (30 caps / 30 days),<br>PA                                  |
| <i>amphetamine-dextroamphetamine cap er<br/>24hr 30 mg</i> | \$0(1)  | QL (30 caps / 30 days),<br>PA                                  |
| <i>amphetamine-dextroamphetamine tab 5<br/>mg</i>          | \$0(1)  | QL (60 tabs / 30 days),<br>PA                                  |
| <i>amphetamine-dextroamphetamine tab 7.5<br/>mg</i>        | \$0(1)  | QL (60 tabs / 30 days),<br>PA                                  |
| <i>amphetamine-dextroamphetamine tab 10<br/>mg</i>         | \$0(1)  | QL (60 tabs / 30 days),<br>PA                                  |
| <i>amphetamine-dextroamphetamine tab 12.5<br/>mg</i>       | \$0(1)  | QL (60 tabs / 30 days),<br>PA                                  |
| <i>amphetamine-dextroamphetamine tab 15<br/>mg</i>         | \$0(1)  | QL (60 tabs / 30 days),<br>PA                                  |
| <i>amphetamine-dextroamphetamine tab 20<br/>mg</i>         | \$0(1)  | QL (90 tabs / 30 days),<br>PA                                  |
| <i>amphetamine-dextroamphetamine tab 30<br/>mg</i>         | \$0(1)  | QL (60 tabs / 30 days),<br>PA                                  |
| <i>atomoxetine hcl CAPS 10mg, 18mg, 25mg</i>               | \$0(1)  | QL (120 caps / 30 days)  |
| <i>atomoxetine hcl CAPS 40mg</i>                           | \$0(1)  | QL (60 caps / 30 days)   |
| <i>atomoxetine hcl CAPS 60mg, 80mg,<br/>100mg</i>          | \$0(1)  | QL (30 caps / 30 days)   |
| <i>dexmethylphenidate hcl TABS 2.5mg, 5mg</i>              | \$0(1)  | QL (120 tabs / 30 days),<br>PA                                 |
| <i>dexmethylphenidate hcl TABS 10mg</i>                    | \$0(1)  | QL (60 tabs / 30 days),<br>PA                                  |
| <i>guanfacine hcl (adhd) TB24 1mg, 2mg,<br/>4mg</i>        | \$0(2)  | QL (30 tabs / 30 days),<br>PA; PA if 70 years and<br>older     |
| <i>guanfacine hcl (adhd) TB24 3mg</i>                      | \$0(2)  | QL (60 tabs / 30 days),<br>PA; PA if 70 years and<br>older     |
| <i>methylphenidate hcl SOLN 5mg/5ml</i>                    | \$0(1)  | QL (1800 mL / 30 days),<br>PA                                  |
| <i>methylphenidate hcl SOLN 10mg/5ml</i>                   | \$0(1)  | QL (900 mL / 30 days),<br>PA                                   |
| <i>methylphenidate hcl TABS 5mg, 10mg</i>                  | \$0(1)  | QL (180 tabs / 30 days),<br>PA                                 |
| <i>methylphenidate hcl TABS 20mg; TBCR<br/>10mg, 20mg</i>  | \$0(1)  | QL (90 tabs / 30 days),<br>PA                                  |
| <b><i>HYPNOTICS - DRUGS TO TREAT INSOMNIA</i></b>          |   |  |
| <i>DAYVIGO TABS 5mg, 10mg</i>                              | \$0(2)  | QL (30 tabs / 30 days)   |
| <i>doxepin hcl (sleep) TABS 3mg, 6mg</i>                   | \$0(1)  | QL (30 tabs / 30 days)   |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b>  |
|---|---|---|
| <i>eszopiclone</i> TABS 1mg, 2mg, 3mg       | \$0(2)  | QL (30 tabs / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |
| <i>tasimelteon</i> CAPS 20mg                | \$0(2)  | NDS, QL (30 caps / 30 days), NM, PA   |
| <i>temazepam</i> CAPS 7.5mg, 30mg           | \$0(1)  | QL (30 caps / 30 days), PA; PA if 65 years and older  |
| <i>temazepam</i> CAPS 15mg                  | \$0(1)  | QL (60 caps / 30 days), PA; PA if 65 years and older  |
| <i>zaleplon</i> CAPS 5mg                    | \$0(2)  | QL (30 caps / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |
| <i>zaleplon</i> CAPS 10mg                   | \$0(2)  | QL (60 caps / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |
| <i>zolpidem tartrate</i> TABS 5mg, 10mg     | \$0(2)  | QL (30 tabs / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |

#### ***MIGRAINE - DRUGS TO TREAT SEVERE HEADACHES***

|  |        |                              |
|--|--------|------------------------------|
| <i>AIMOVIG</i> SOAJ 70mg/ml, 140mg/ml                      | \$0(2) | QL (1 pen / 30 days), NM, PA |
| <i>dihydroergotamine mesylate</i> SOLN 1mg/ml              | \$0(2) | NDS                          |
| <i>dihydroergotamine mesylate</i> SOLN 4mg/ml              | \$0(2) | NDS, QL (8 mL / 30 days), PA |
| <i>ergotamine w/ caffeine tab 1-100 mg</i>                 | \$0(1) | QL (40 tabs / 28 days), PA   |
| <i>naratriptan hcl</i> TABS 1mg, 2.5mg                     | \$0(1) | QL (12 tabs / 30 days)       |
| <i>NURTEC</i> TBDP 75mg                                    | \$0(2) | QL (16 tabs / 30 days), PA   |
| <i>QULIPTA</i> TABS 10mg, 30mg, 60mg                       | \$0(2) | QL (30 tabs / 30 days), PA   |
| <i>rizatriptan benzoate</i> TABS 5mg, 10mg; TBDP 5mg, 10mg | \$0(1) | QL (18 tabs / 30 days)       |
| <i>sumatriptan</i> SOLN 5mg/act                            | \$0(1) | QL (24 units / 30 days)      |
| <i>sumatriptan</i> SOLN 20mg/act                           | \$0(1) | QL (12 units / 30 days)      |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>  | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| <i>sumatriptan succinate</i> SOAJ 4mg/0.5ml;<br>SOCT 4mg/0.5ml                         | \$0(1)  | QL (18 injections / 30 days)                                   |
| <i>sumatriptan succinate</i> SOAJ 6mg/0.5ml;<br>SOCT 6mg/0.5ml; SOLN 6mg/0.5ml         | \$0(1)  | QL (12 injections / 30 days)                                   |
| <i>sumatriptan succinate</i> TABS 25mg, 50mg,<br>100mg                                 | \$0(1)  | QL (12 tabs / 30 days)   |
| UBRELVY TABS 50mg, 100mg   | \$0(2)  | QL (16 tabs / 30 days), PA                                     |
| <b>MISCELLANEOUS</b>   |   |  |
| AUSTEDO TABS 6mg   | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, LA, PA                        |
| AUSTEDO TABS 9mg, 12mg   | \$0(2)  | NDS, QL (120 tabs / 30 days), NM, LA, PA                       |
| AUSTEDO XR TB24 6mg  | \$0(2)  | NDS, QL (90 tabs / 30 days), NM, PA                            |
| AUSTEDO XR TB24 12mg   | \$0(2)  | NDS, QL (120 tabs / 30 days), NM, PA                           |
| AUSTEDO XR TB24 18mg, 24mg   | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, PA                            |
| AUSTEDO XR TB24 30mg, 36mg, 42mg,<br>48mg  | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, PA                            |
| AUSTEDO XR TAB TITR KIT  | \$0(2)  | NDS, QL (2 packs / year), NM, PA                               |
| <i>lithium</i> SOLN 8meq/5ml   | \$0(1)  |  |
| <i>lithium carbonate</i> CAPS 150mg, 300mg,<br>600mg; TABS 300mg; TBCR 300mg,<br>450mg | \$0(1)  |  |
| NUEDEXTA CAP 20-10MG   | \$0(2)  | QL (60 caps / 30 days), PA                                     |
| <i>pyridostigmine bromide</i> TABS 60mg  | \$0(1)  |  |
| <i>riluzole</i> TABS 50mg  | \$0(1)  |  |
| <i>tetrabenazine</i> TABS 12.5mg   | \$0(2)  | NDS, QL (90 tabs / 30 days), NM, PA                            |
| <i>tetrabenazine</i> TABS 25mg   | \$0(2)  | NDS, QL (120 tabs / 30 days), NM, PA                           |
| <b>MULTIPLE SCLEROSIS AGENTS - DRUGS TO TREAT MULTIPLE SCLEROSIS</b>                   |   |  |
| BAFIERTAM CPDR 95mg  | \$0(2)  | NDS, QL (120 caps / 30 days), NM, LA, PA                       |
| BETASERON KIT .3mg   | \$0(2)  | NDS, QL (14 syringes / 28 days), NM, PA                        |
| <i>dalfampridine</i> TB12 10mg   | \$0(1)  | QL (60 tabs / 30 days), NM, PA                                 |
| <i>fingolimod hcl</i> CAPS .5mg  | \$0(2)  | NDS, QL (30 caps / 30 days), NM, PA                            |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>glatiramer acetate</i> SOSY 20mg/ml      | \$0(2)  | NDS, QL (30 syringes / 30 days), NM, PA                        |
| <i>glatiramer acetate</i> SOSY 40mg/ml      | \$0(2)  | NDS, QL (12 syringes / 28 days), NM, PA                        |
| <i>glatopa</i> SOSY 20mg/ml                 | \$0(2)  | NDS, QL (30 syringes / 30 days), NM, PA                        |
| <i>glatopa</i> SOSY 40mg/ml                 | \$0(2)  | NDS, QL (12 syringes / 28 days), NM, PA                        |
| KESIMPTA SOAJ 20mg/0.4ml                    | \$0(2)  | NDS, QL (16 pens / year), NM, LA, PA                           |

***MUSCULOSKELETAL THERAPY AGENTS - DRUGS TO TREAT MUSCLE SPASMS***

|   |        |  |
|---|--------|--|
| <i>baclofen</i> TABS 5mg                        | \$0(1) | QL (90 tabs / 30 days)   |
| <i>baclofen</i> TABS 10mg, 20mg                 | \$0(1) |  |
| <i>carisoprodol</i> TABS 350mg                  | \$0(2) | QL (120 tabs / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>cyclobenzaprine hcl</i> TABS 5mg, 10mg       | \$0(2) | QL (90 tabs / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year  |
| <i>dantrolene sodium</i> CAPS 25mg, 50mg, 100mg | \$0(1) |  |
| <i>methocarbamol</i> TABS 500mg                 | \$0(2) | QL (360 tabs / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>methocarbamol</i> TABS 750mg                 | \$0(2) | QL (240 tabs / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>tizanidine hcl</i> TABS 2mg, 4mg             | \$0(1) |  |

***NARCOLEPSY/CATAPLEXY - DRUGS FOR SLEEP DISORDERS***

|   |        |                            |
|---|--------|----------------------------|
| <i>armodafinil</i> TABS 50mg                | \$0(1) | QL (60 tabs / 30 days), PA |
| <i>armodafinil</i> TABS 150mg, 200mg, 250mg | \$0(1) | QL (30 tabs / 30 days), PA |
| <i>modafinil</i> TABS 100mg                 | \$0(1) | QL (30 tabs / 30 days), PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>   | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>modafinil</i> TABS 200mg   | \$0(1)  | QL (60 tabs / 30 days), PA                                     |
| SODIUM OXYBATE SOLN 500mg/ml  | \$0(2)  | NDS, QL (540 mL / 30 days), NM, LA, PA                         |
| <b><i>PSYCHOTHERAPEUTIC-MISC</i></b>  |   |  |
| <i>acamprosate calcium</i> TBEC 333mg   | \$0(1)  |  |
| <i>buprenorphine hcl</i> SUBL 2mg, 8mg  | \$0(1)  | QL (90 tabs / 30 days), PA                                     |
| <i>buprenorphine hcl-naloxone hcl sl film 2-0.5 mg (base equiv)</i>                             | \$0(1)  | QL (90 films / 30 days)  |
| <i>buprenorphine hcl-naloxone hcl sl film 4-1 mg (base equiv)</i>                               | \$0(1)  | QL (90 films / 30 days)  |
| <i>buprenorphine hcl-naloxone hcl sl film 8-2 mg (base equiv)</i>                               | \$0(1)  | QL (90 films / 30 days)  |
| <i>buprenorphine hcl-naloxone hcl sl film 12-3 mg (base equiv)</i>                              | \$0(1)  | QL (60 films / 30 days)  |
| <i>buprenorphine hcl-naloxone hcl sl tab 2-0.5 mg (base equiv)</i>                              | \$0(1)  | QL (90 tabs / 30 days)   |
| <i>buprenorphine hcl-naloxone hcl sl tab 8-2 mg (base equiv)</i>                                | \$0(1)  | QL (90 tabs / 30 days)   |
| <i>bupropion hcl (smoking deterrent)</i> TB12 150mg   | \$0(1)  | QL (60 tabs / 30 days)   |
| <i>disulfiram</i> TABS 250mg, 500mg   | \$0(1)  |  |
| <i>gnp nicotine gum</i> GUM 4mg   | \$0(3)  | NM; *  |
| <i>gnp nicotine mini lozenge</i> LOZG 2mg, 4mg  | \$0(3)  | NM; *  |
| <i>gnp nicotine polacrilex</i> GUM 2mg, 4mg; LOZG 2mg, 4mg                                      | \$0(3)  | NM; *  |
| <i>gnp nicotine polacrilex m</i> LOZG 4mg   | \$0(3)  | NM; *  |
| <i>gnp nicotine transdermal</i> PT24 7mg/24hr, 14mg/24hr, 21mg/24hr                             | \$0(3)  | NM; *  |
| <i>goodsense nicotine</i> LOZG 2mg, 4mg   | \$0(3)  | NM; *  |
| <i>goodsense nicotine gum</i> GUM 4mg   | \$0(3)  | NM; *  |
| <i>goodsense nicotine polacr</i> GUM 2mg, 4mg; LOZG 4mg   | \$0(3)  | NM; *  |
| <i>hm nicotine polacrilex</i> GUM 2mg, 4mg; LOZG 2mg  | \$0(3)  | NM; *  |
| <i>hm nicotine transdermal s</i> PT24 7mg/24hr, 21mg/24hr                                       | \$0(3)  | NM; *  |
| <i>naloxone hcl</i> LIQD 4mg/0.1ml; SOCT .4mg/ml; SOLN .4mg/ml, 4mg/10ml; SOSY .4mg/ml, 2mg/2ml | \$0(1)  |  |
| <i>naltrexone hcl</i> TABS 50mg   | \$0(1)  |  |
| <i>nicotine</i> PT24 7mg/24hr, 14mg/24hr, 21mg/24hr   | \$0(3)  | NM; *  |
| <i>nicotine mini lozenge</i> LOZG 2mg, 4mg  | \$0(3)  | NM; *  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                            | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| <i>nicotine polacrilex</i> GUM 2mg, 4mg; LOZG 2mg, 4mg                 | \$0(3)  | NM; *  |
| <i>nicotine polacrilex mini</i> LOZG 2mg                               | \$0(3)  | NM; *  |
| <b>NICOTINE SYS KIT TRANSDER</b>                                       | \$0(3)  | NM; *  |
| <i>nicotine transdermal syst</i> PT24 7mg/24hr, 14mg/24hr, 21mg/24hr   | \$0(3)  | NM; *  |
| <b>NICOTROL INHALER</b> INHA 10mg                                      | \$0(2)  |  |
| <b>NICOTROL NS</b> SOLN 10mg/ml  | \$0(2)  |  |
| <i>sm nicotine</i> GUM 4mg; LOZG 2mg                                   | \$0(3)  | NM; *  |
| <i>sm nicotine polacrilex</i> GUM 2mg, 4mg; LOZG 2mg, 4mg              | \$0(3)  | NM; *  |
| <i>sm nicotine transdermal s</i> PT24 7mg/24hr, 14mg/24hr, 21mg/24hr   | \$0(3)  | NM; *  |
| <b>varenicline tartrate</b> TABS .5mg, 1mg                             | \$0(1)  | QL (56 tabs / 28 days), PA                                     |
| <i>varenicline tartrate tab 11 x 0.5 mg &amp; 42 x 1 mg start pack</i> | \$0(1)  | QL (2 packs / year), PA  |
| <b>VIVITROL</b> SUSR 380mg   | \$0(2)  | NDS, NM  |

## **ENDOCRINE AND METABOLIC - DRUGS TO TREAT DIABETES AND REGULATE HORMONES**

### **ANDROGENS - DRUGS TO REGULATE MALE HORMONES**

|   |        |                                  |
|---|--------|----------------------------------|
| <i>depo-testosterone</i> SOLN 100mg/ml, 200mg/ml      | \$0(1) | PA                               |
| <i>methyltestosterone</i> CAPS 10mg                   | \$0(2) | NDS, QL (600 caps / 30 days), PA |
| <i>testosterone</i> GEL 1%, 25mg/2.5gm, 50mg/5gm      | \$0(1) | QL (300 gm / 30 days), PA        |
| <i>testosterone</i> GEL 1.62%                         | \$0(1) | QL (150 gm / 30 days), PA        |
| <i>testosterone cypionate</i> SOLN 100mg/ml, 200mg/ml | \$0(1) | PA                               |
| <i>testosterone enanthate</i> SOLN 200mg/ml           | \$0(1) | PA                               |

### **ANTIDIABETICS**

|  |        |                           |
|--|--------|---------------------------|
| <i>acarbose</i> TABS 25mg, 50mg, 100mg       | \$0(1) |                           |
| <i>BYDUREON BCISE</i> AUIJ 2mg/0.85ml        | \$0(2) | QL (4 pens / 28 days), PA |
| <i>BYETTA</i> SOPN 5mcg/0.02ml, 10mcg/0.04ml | \$0(2) | QL (1 pen / 30 days), PA  |
| <i>FARXIGA</i> TABS 5mg, 10mg                | \$0(2) | QL (30 tabs / 30 days)    |
| <i>glimepiride</i> TABS 1mg, 2mg             | \$0(1) | QL (90 tabs / 30 days)    |
| <i>glimepiride</i> TABS 4mg                  | \$0(1) | QL (60 tabs / 30 days)    |
| <i>glipizide</i> TABS 5mg                    | \$0(1) | QL (240 tabs / 30 days)   |
| <i>glipizide</i> TABS 10mg                   | \$0(1) | QL (120 tabs / 30 days)   |
| <i>glipizide</i> TB24 2.5mg, 5mg             | \$0(1) | QL (90 tabs / 30 days)    |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>   | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>glipizide</i> TB24 10mg  | \$0(1)  | QL (60 tabs / 30 days)   |
| <i>glipizide xl</i> TB24 2.5mg, 5mg   | \$0(1)  | QL (90 tabs / 30 days)   |
| <i>glipizide xl</i> TB24 10mg   | \$0(1)  | QL (60 tabs / 30 days)   |
| <i>glipizide-metformin hcl tab</i> 2.5-250 mg   | \$0(1)  | QL (240 tabs / 30 days)  |
| <i>glipizide-metformin hcl tab</i> 2.5-500 mg   | \$0(1)  | QL (120 tabs / 30 days)  |
| <i>glipizide-metformin hcl tab</i> 5-500 mg   | \$0(1)  | QL (120 tabs / 30 days)  |
| GLYXAMBI TAB 10-5 MG  | \$0(2)  | QL (30 tabs / 30 days)   |
| GLYXAMBI TAB 25-5 MG  | \$0(2)  | QL (30 tabs / 30 days)   |
| JANUMET TAB 50-500MG  | \$0(2)  | QL (60 tabs / 30 days)   |
| JANUMET TAB 50-1000   | \$0(2)  | QL (60 tabs / 30 days)   |
| JANUMET XR TAB 50-500MG   | \$0(2)  | QL (60 tabs / 30 days)   |
| JANUMET XR TAB 50-1000  | \$0(2)  | QL (60 tabs / 30 days)   |
| JANUMET XR TAB 100-1000   | \$0(2)  | QL (30 tabs / 30 days)   |
| JANUVIA TABS 25mg, 50mg, 100mg  | \$0(2)  | QL (30 tabs / 30 days)   |
| JARDIANCE TABS 10mg, 25mg   | \$0(2)  | QL (30 tabs / 30 days)   |
| JENTADUETO TAB 2.5-500  | \$0(2)  | QL (60 tabs / 30 days)   |
| JENTADUETO TAB 2.5-850  | \$0(2)  | QL (60 tabs / 30 days)   |
| JENTADUETO TAB 2.5-1000   | \$0(2)  | QL (60 tabs / 30 days)   |
| JENTADUETO TAB XR 2.5-1000MG  | \$0(2)  | QL (60 tabs / 30 days)   |
| JENTADUETO TAB XR 5-1000MG  | \$0(2)  | QL (30 tabs / 30 days)   |
| <i>metformin hcl</i> TABS 500mg   | \$0(1)  | QL (150 tabs / 30 days)  |
| <i>metformin hcl</i> TABS 850mg   | \$0(1)  | QL (90 tabs / 30 days)   |
| <i>metformin hcl</i> TABS 1000mg  | \$0(1)  | QL (75 tabs / 30 days)   |
| <i>metformin hcl</i> TB24 500mg   | \$0(1)  | QL (120 tabs / 30 days);<br>(generic of<br>GLUCOPHAGE XR)      |
| <i>metformin hcl</i> TB24 750mg   | \$0(1)  | QL (60 tabs / 30 days);<br>(generic of<br>GLUCOPHAGE XR)       |
| MOUNJARO SOAJ 2.5mg/0.5ml,<br>5mg/0.5ml, 7.5mg/0.5ml, 10mg/0.5ml,<br>12.5mg/0.5ml, 15mg/0.5ml | \$0(2)  | QL (4 pens / 28 days),<br>PA                                   |
| <i>nateglinide</i> TABS 60mg, 120mg   | \$0(1)  | QL (90 tabs / 30 days)   |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) SOPN<br>2mg/1.5ml   | \$0(2)  | QL (1 pen / 28 days), PA                                       |
| OZEMPIC (0.25 OR 0.5MG/DOSE) SOPN<br>2mg/3ml  | \$0(2)  | QL (1 pen / 28 days), PA                                       |
| OZEMPIC (1MG/DOSE) SOPN 4mg/3ml   | \$0(2)  | QL (1 pen / 28 days), PA                                       |
| OZEMPIC (2MG/DOSE) SOPN 8mg/3ml   | \$0(2)  | QL (1 pen / 28 days), PA                                       |
| <i>pioglitazone hcl</i> TABS 15mg, 30mg, 45mg   | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>pioglitazone hcl-metformin hcl tab</i> 15-500<br>mg  | \$0(1)  | QL (90 tabs / 30 days)   |
| <i>pioglitazone hcl-metformin hcl tab</i> 15-850<br>mg  | \$0(1)  | QL (90 tabs / 30 days)   |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                     | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| repaglinide TABS 2mg  | \$0(1)  | QL (240 tabs / 30 days)  |
| repaglinide TABS .5mg, 1mg                                      | \$0(1)  | QL (120 tabs / 30 days)  |
| RYBELSUS TABS 3mg, 7mg, 14mg                                    | \$0(2)  | QL (30 tabs / 30 days), PA                                     |
| SYNJARDY TAB 5-500MG  | \$0(2)  | QL (120 tabs / 30 days)  |
| SYNJARDY TAB 5-1000MG   | \$0(2)  | QL (60 tabs / 30 days)   |
| SYNJARDY TAB 12.5-500   | \$0(2)  | QL (60 tabs / 30 days)   |
| SYNJARDY TAB 12.5-1000MG  | \$0(2)  | QL (60 tabs / 30 days)   |
| SYNJARDY XR TAB 5-1000MG  | \$0(2)  | QL (60 tabs / 30 days)   |
| SYNJARDY XR TAB 10-1000   | \$0(2)  | QL (60 tabs / 30 days)   |
| SYNJARDY XR TAB 12.5-1000                                       | \$0(2)  | QL (60 tabs / 30 days)   |
| SYNJARDY XR TAB 25-1000   | \$0(2)  | QL (30 tabs / 30 days)   |
| TRADJENTA TABS 5mg  | \$0(2)  | QL (30 tabs / 30 days)   |
| TRIJARDY XR TAB ER 24HR 5-2.5-1000MG                            | \$0(2)  | QL (60 tabs / 30 days)   |
| TRIJARDY XR TAB ER 24HR 10-5-1000MG                             | \$0(2)  | QL (30 tabs / 30 days)   |
| TRIJARDY XR TAB ER 24HR 12.5-2.5-1000MG                         | \$0(2)  | QL (60 tabs / 30 days)   |
| TRIJARDY XR TAB ER 24HR 25-5-1000MG                             | \$0(2)  | QL (30 tabs / 30 days)   |
| TRULICITY SOAJ .75mg/0.5ml, 1.5mg/0.5ml, 3mg/0.5ml, 4.5mg/0.5ml | \$0(2)  | QL (4 pens / 28 days), PA                                      |
| XIGDUO XR TAB 2.5-1000  | \$0(2)  | QL (60 tabs / 30 days)   |
| XIGDUO XR TAB 5-500MG   | \$0(2)  | QL (60 tabs / 30 days)   |
| XIGDUO XR TAB 5-1000MG  | \$0(2)  | QL (60 tabs / 30 days)   |
| XIGDUO XR TAB 10-500MG  | \$0(2)  | QL (30 tabs / 30 days)   |
| XIGDUO XR TAB 10-1000   | \$0(2)  | QL (30 tabs / 30 days)   |
| <b>ANTIDIABETICS, INSULINS</b>                                  |   |  |
| ADMELOG SOLN 100unit/ml   | \$0(2)  |  |
| ADMELOG SOLOSTAR SOPN 100unit/ml                                | \$0(2)  |  |
| BASAGLAR KWIKPEN SOPN 100unit/ml                                | \$0(2)  |  |
| BD ALCOHOL SWABS  | \$0(2)  |  |
| FIASP SOLN 100unit/ml   | \$0(2)  |  |
| FIASP FLEXTOUCH SOPN 100unit/ml                                 | \$0(2)  |  |
| FIASP PENFILL SOCT 100unit/ml                                   | \$0(2)  |  |
| FIASP PUMPCART SOCT 100unit/ml                                  | \$0(2)  | B/D  |
| GAUZE PADS 2" X 2"  | \$0(2)  |  |
| HUMULIN R U-500 (CONCENTR SOLN 500unit/ml                       | \$0(2)  | NDS, B/D   |
| HUMULIN R U-500 KWIKPEN SOPN 500unit/ml                         | \$0(2)  | NDS  |
| INSULIN PEN NEEDLES: BD/NOVO                                    | \$0(2)  |  |
| INSULIN SAFETY NEEDLES  | \$0(2)  |  |
| INSULIN SYRINGES: BD  | \$0(2)  |  |
| LANTUS SOLN 100unit/ml  | \$0(2)  |  |
| LANTUS SOLOSTAR SOPN 100unit/ml                                 | \$0(2)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| NOVOLIN INJ 70/30                           | \$0(2)  | (brand RELION not covered)                                     |
| NOVOLIN INJ 70/30 FP                        | \$0(2)  | (brand RELION not covered)                                     |
| NOVOLIN N SUSP 100unit/ml                   | \$0(2)  | (brand RELION not covered)                                     |
| NOVOLIN N FLEXPEN SUPN 100unit/ml           | \$0(2)  | (brand RELION not covered)                                     |
| NOVOLIN R SOLN 100unit/ml                   | \$0(2)  | (brand RELION not covered)                                     |
| NOVOLIN R FLEXPEN SOPN 100unit/ml           | \$0(2)  | (brand RELION not covered)                                     |
| NOVOLOG MIX INJ 70/30                       | \$0(2)  | (brand RELION not covered)                                     |
| NOVOLOG MIX INJ FLEXPEN                     | \$0(2)  | (brand RELION not covered)                                     |
| OMNIPOD 5 DX KIT INT G7G6                   | \$0(2)  | QL (1 kit / year), PA  |
| OMNIPOD 5 DX MIS POD G7G6                   | \$0(2)  | QL (15 pods / 30 days), PA                                     |
| OMNIPOD 5 G7 KIT INTRO                      | \$0(2)  | QL (1 kit / year), PA  |
| OMNIPOD 5 G7 MIS PODS                       | \$0(2)  | QL (15 pods / 30 days), PA                                     |
| OMNIPOD DASH KIT INTRO                      | \$0(2)  | QL (1 kit / year), PA  |
| OMNIPOD DASH MIS PODS                       | \$0(2)  | QL (15 pods / 30 days), PA                                     |
| OMNIPOD GO KIT 10UNT/DY                     | \$0(2)  | QL (15 pods / 30 days), PA                                     |
| OMNIPOD GO KIT 15UNT/DY                     | \$0(2)  | QL (15 pods / 30 days), PA                                     |
| OMNIPOD GO KIT 20UNT/DY                     | \$0(2)  | QL (15 pods / 30 days), PA                                     |
| OMNIPOD GO KIT 25UNT/DY                     | \$0(2)  | QL (15 pods / 30 days), PA                                     |
| OMNIPOD GO KIT 30UNT/DY                     | \$0(2)  | QL (15 pods / 30 days), PA                                     |
| OMNIPOD GO KIT 35UNT/DY                     | \$0(2)  | QL (15 pods / 30 days), PA                                     |
| OMNIPOD GO KIT 40UNT/DY                     | \$0(2)  | QL (15 pods / 30 days), PA                                     |
| OMNIPOD MIS CLASSIC                         | \$0(2)  | QL (15 pods / 30 days), PA                                     |
| SOLIQUA INJ 100/33                          | \$0(2)  | QL (5 pens / 25 days)  |
| TOUJEO MAX SOLOSTAR SOPN 300unit/ml         | \$0(2)  |  |
| TOUJEO SOLOSTAR SOPN 300unit/ml             | \$0(2)  |  |
| TRESIBA SOLN 100unit/ml                     | \$0(2)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                                   | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| TRESIBA FLEXTOUCH SOPN 100unit/ml,<br>200unit/ml                              | \$0(2)  |  |
| V-GO 20 KIT   | \$0(2)  | QL (30 devices / 30 days), PA                                  |
| V-GO 30 KIT   | \$0(2)  | QL (30 devices / 30 days), PA                                  |
| V-GO 40 KIT   | \$0(2)  | QL (30 devices / 30 days), PA                                  |
| XULTOPHY INJ 100/3.6  | \$0(2)  | QL (5 pens / 30 days)  |
| <b>ANTIOBESITY AGENTS</b>   |   |  |
| ADIPEX-P CAPS 37.5mg; TABS 37.5mg   | \$0(3)  | NM, PA; *  |
| benzphetamine hcl TABS 50mg   | \$0(3)  | NM, PA; *  |
| CONTRAVE TAB 8-90MG   | \$0(3)  | NM, PA; *  |
| diethylpropion hcl TABS 25mg; TB24<br>75mg                                    | \$0(3)  | NM, PA; *  |
| IMCIVREE SOLN 10mg/ml   | \$0(3)  | NM, PA; *  |
| LOMAIRA TABS 8mg  | \$0(3)  | NM, PA; *  |
| orlistat CAPS 120mg   | \$0(3)  | NM, PA; *  |
| phendimetrazine tartrate TABS 35mg  | \$0(3)  | NM, PA; *  |
| phentermine hcl CAPS 15mg, 30mg,<br>37.5mg; TABS 37.5mg                       | \$0(3)  | NM, PA; *  |
| QSYMIA CAP 3.75-23  | \$0(3)  | NM, PA; *  |
| QSYMIA CAP 7.5-46MG   | \$0(3)  | NM, PA; *  |
| QSYMIA CAP 11.25-69   | \$0(3)  | NM, PA; *  |
| QSYMIA CAP 15-92MG  | \$0(3)  | NM, PA; *  |
| SAXENDA SOPN 18mg/3ml   | \$0(3)  | NM, PA; *  |
| WEGOVY SOAJ .25mg/0.5ml, .5mg/0.5ml,<br>1mg/0.5ml, 1.7mg/0.75ml, 2.4mg/0.75ml | \$0(3)  | NM, PA; *  |
| XENICAL CAPS 120mg  | \$0(3)  | NM, PA; *  |
| <b>CALCIUM REGULATORS</b>   |   |  |
| alendronate sodium SOLN 70mg/75ml;<br>TABS 10mg, 35mg, 70mg                   | \$0(1)  |  |
| calcitonin (salmon) spray SOLN<br>200unit/act                                 | \$0(1)  | B/D  |
| ibandronate sodium TABS 150mg   | \$0(1)  | B/D  |
| NATPARA CART 25mcg, 50mcg, 75mcg,<br>100mcg                                   | \$0(2)  | NDS, LA, PA  |
| PAMIDRONATE DISODIUM SOLN 6mg/ml  | \$0(2)  | B/D  |
| pamidronate disodium SOLN 30mg/10ml,<br>90mg/10ml                             | \$0(1)  | B/D  |
| PROLIA SOSY 60mg/ml   | \$0(2)  | QL (1 syringe / 180 days), NM                                  |
| risedronate sodium TABS 5mg, 35mg,<br>150mg; TBEC 35mg                        | \$0(1)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
|---|---|--|

|  |        |             |
|--|--------|-------------|
| TERIPARATIDE SOPN 620mcg/2.48ml              | \$0(2) | NDS, NM, PA |
| XGEVA SOLN 120mg/1.7ml                       | \$0(2) | NDS, NM, PA |
| zoledronic acid CONC 4mg/5ml; SOLN 5Mg/100ml | \$0(1) | B/D, NM     |

### ***CHELATING AGENTS***

|  |        |             |
|--|--------|-------------|
| CHEMET CAPS 100mg                                      | \$0(2) | NDS         |
| deferasirox PACK 90mg, 180mg, 360mg; TABS 180mg, 360mg | \$0(2) | NDS, NM, PA |
| deferasirox TABS 90mg                                  | \$0(1) | NM, PA      |
| kionex SUSP 15gm/60ml                                  | \$0(1) |             |
| LOKELMA PACK 5gm, 10gm                                 | \$0(2) |             |
| penicillamine TABS 250mg                               | \$0(2) | NDS, NM     |
| sodium polystyrene sulfonate powder                    | \$0(1) |             |
| sps SUSP 15gm/60ml                                     | \$0(1) |             |
| trientine hcl CAPS 250mg                               | \$0(2) | NDS, NM, PA |
| VELTASSA PACK 8.4gm, 16.8gm, 25.2gm                    | \$0(2) |             |

### ***CONTRACEPTIVES - DRUGS FOR BIRTH CONTROL***

|                           |        |
|---------------------------|--------|
| <i>afirmelle</i>          | \$0(1) |
| <i>altavera</i>           | \$0(1) |
| <i>alyacen 1/35</i>       | \$0(1) |
| <i>alyacen 7/7/7</i>      | \$0(1) |
| <i>amethia</i>            | \$0(1) |
| <i>apri</i>               | \$0(1) |
| <i>aranelle</i>           | \$0(1) |
| <i>ashlyna</i>            | \$0(1) |
| <i>aubra eq</i>           | \$0(1) |
| <i>aurovela 1/20</i>      | \$0(1) |
| <i>aurovela 24 fe</i>     | \$0(1) |
| <i>aurovela fe 1.5/30</i> | \$0(1) |
| <i>aurovela fe 1/20</i>   | \$0(1) |
| <i>aviane</i>             | \$0(1) |
| <i>ayuna</i>              | \$0(1) |
| <i>azurette</i>           | \$0(1) |
| <i>balziva</i>            | \$0(1) |
| <i>blisovi 24 fe</i>      | \$0(1) |
| <i>blisovi fe 1.5/30</i>  | \$0(1) |
| <i>briellyn</i>           | \$0(1) |
| <i>camila TABS .35mg</i>  | \$0(1) |
| <i>camrese</i>            | \$0(1) |
| <i>camrese lo</i>         | \$0(1) |
| <i>chateal eq</i>         | \$0(1) |
| <i>cryselle-28</i>        | \$0(1) |
| <i>cyred eq</i>           | \$0(1) |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                             | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>dasetta 1/35</i>   | \$0(1)  |  |
| <i>dasetta 7/7/7</i>  | \$0(1)  |  |
| <i>daysee</i>   | \$0(1)  |  |
| <i>deblitane TABS .35mg</i>   | \$0(1)  |  |
| <i>DEPO-SUBQ PROVERA 104 SUSY 104mg/0.65ml</i>                          | \$0(2)  |  |
| <i>desogest-eth estrad &amp; eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | \$0(1)  |  |
| <i>desogestrel &amp; ethinyl estradiol tab 0.15 mg-30 mcg</i>           | \$0(1)  |  |
| <i>drospirenone-ethinyl estrad-levomefolate tab 3-0.03-0.451 mg</i>     | \$0(1)  |  |
| <i>drospirenone-ethinyl estradiol tab 3-0.02 mg</i>                     | \$0(1)  |  |
| <i>drospirenone-ethinyl estradiol tab 3-0.03 mg</i>                     | \$0(1)  |  |
| <i>econtra ez TABS 1.5mg</i>  | \$0(3)  | NM; *  |
| <i>econtra one-step TABS 1.5mg</i>                                      | \$0(3)  | NM; *  |
| <i>elinest</i>  | \$0(1)  |  |
| <i>eluryng</i>  | \$0(1)  |  |
| <i>emzahh TABS .35mg</i>  | \$0(1)  |  |
| <i>enilloring</i>   | \$0(1)  |  |
| <i>enpresse-28</i>  | \$0(1)  |  |
| <i>enskyce</i>  | \$0(1)  |  |
| <i>errin TABS .35mg</i>   | \$0(1)  |  |
| <i>estarrylla</i>   | \$0(1)  |  |
| <i>ethynodiol diacetate &amp; ethinyl estradiol tab 1 mg-35 mcg</i>     | \$0(1)  |  |
| <i>ethynodiol diacetate &amp; ethinyl estradiol tab 1 mg-50 mcg</i>     | \$0(1)  |  |
| <i>etonogestrel-ethinyl estradiol va ring 0.12-0.015 mg/24hr</i>        | \$0(1)  |  |
| <i>falmina</i>  | \$0(1)  |  |
| <i>finzala</i>  | \$0(1)  |  |
| <i>hailey 1.5/30</i>  | \$0(1)  |  |
| <i>hailey 24 fe</i>   | \$0(1)  |  |
| <i>haloette</i>   | \$0(1)  |  |
| <i>heather TABS .35mg</i>   | \$0(1)  |  |
| <i>iclevia</i>  | \$0(1)  |  |
| <i>incassia TABS .35mg</i>  | \$0(1)  |  |
| <i>introvale</i>  | \$0(1)  |  |
| <i>isibloom</i>   | \$0(1)  |  |
| <i>jasmiel</i>  | \$0(1)  |  |
| <i>jolessa</i>  | \$0(1)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                  | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| juleber  | \$0(1)  |  |
| junel 1.5/30   | \$0(1)  |  |
| junel 1/20   | \$0(1)  |  |
| junel fe 1.5/30  | \$0(1)  |  |
| junel fe 1/20  | \$0(1)  |  |
| junel fe 24  | \$0(1)  |  |
| kaitlib fe   | \$0(1)  |  |
| kariva   | \$0(1)  |  |
| kelnor 1/35  | \$0(1)  |  |
| kelnor 1/50  | \$0(1)  |  |
| kurvelo  | \$0(1)  |  |
| larin 1.5/30   | \$0(1)  |  |
| larin 1/20   | \$0(1)  |  |
| larin 24 fe  | \$0(1)  |  |
| larin fe 1.5/30  | \$0(1)  |  |
| larin fe 1/20  | \$0(1)  |  |
| layolis fe   | \$0(1)  |  |
| leena  | \$0(1)  |  |
| lessina  | \$0(1)  |  |
| levonest   | \$0(1)  |  |
| levonor-eth est tab 0.15-0.02/0.025/0.03                     | \$0(1)  |  |
| mg &eth est 0.01 mg  |   |  |
| levonorg-eth est tab 0.1-0.02mg(84) & eth est tab 0.01mg(7)  | \$0(1)  |  |
| levonorg-eth est tab 0.15-0.03mg(84) & eth est tab 0.01mg(7) | \$0(1)  |  |
| levonorgestrel & ethynodiol (91-day) tab 0.15-0.03 mg        | \$0(1)  |  |
| levonorgestrel & ethynodiol tab 0.1 mg-20 mcg                | \$0(1)  |  |
| levonorgestrel & ethynodiol tab 0.15 mg-30 mcg               | \$0(1)  |  |
| levonorgestrel (emergency oc) TABS 1.5mg                     | \$0(3)  | NM; *  |
| levonorgestrel-eth estra tab 0.05-30/0.075-40/0.125-30mg-mcg | \$0(1)  |  |
| levora 0.15/30-28  | \$0(1)  |  |
| loestrin 1.5/30-21   | \$0(1)  |  |
| loestrin 1/20-21   | \$0(1)  |  |
| loestrin fe 1.5/30   | \$0(1)  |  |
| loestrin fe 1/20   | \$0(1)  |  |
| loryna   | \$0(1)  |  |
| low-ogestrel   | \$0(1)  |  |
| lutera   | \$0(1)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>   | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>lyeq TABS .35mg</i>  | \$0(1)  |  |
| <i>lyza TABS .35mg</i>  | \$0(1)  |  |
| <i>marlissa</i>   | \$0(1)  |  |
| <i>medroxyprogesterone acetate<br/>(contraceptive) SUSP 150mg/ml; SUSY<br/>150mg/ml</i> | \$0(1)  |  |
| <i>mibelas 24 fe</i>  | \$0(1)  |  |
| <i>microgestin 1.5/30</i>   | \$0(1)  |  |
| <i>microgestin 1/20</i>   | \$0(1)  |  |
| <i>microgestin 24 fe</i>  | \$0(1)  |  |
| <i>microgestin fe 1.5/30</i>  | \$0(1)  |  |
| <i>microgestin fe 1/20</i>  | \$0(1)  |  |
| <i>milii</i>  | \$0(1)  |  |
| <i>mono-linyah</i>  | \$0(1)  |  |
| <i>my choice TABS 1.5mg</i>   | \$0(3)  | NM; *  |
| <i>my way TABS 1.5mg</i>  | \$0(3)  | NM; *  |
| <i>necon 0.5/35-28</i>  | \$0(1)  |  |
| <i>new day TABS 1.5mg</i>   | \$0(3)  | NM; *  |
| <i>nikki</i>  | \$0(1)  |  |
| <i>nora-be TABS .35mg</i>   | \$0(1)  |  |
| <i>norelgestromin-ethynodiol estradiol td ptwk<br/>150-35 mcg/24hr</i>                  | \$0(1)  |  |
| <i>norethindrone &amp; ethynodiol-estradiol-fe chew<br/>tab 0.4 mg-35 mcg</i>           | \$0(1)  |  |
| <i>norethindrone &amp; ethynodiol-estradiol-fe chew<br/>tab 0.8 mg-25 mcg</i>           | \$0(1)  |  |
| <i>norethindrone (contraceptive) TABS<br/>.35mg</i>                                     | \$0(1)  |  |
| <i>norethindrone ac-ethynodiol estradiol tab 1-<br/>20/1-30/1-35 mg-mcg</i>             | \$0(1)  |  |
| <i>norethindrone ace &amp; ethynodiol estradiol tab 1<br/>mg-20 mcg</i>                 | \$0(1)  |  |
| <i>norethindrone ace &amp; ethynodiol estradiol tab<br/>1.5 mg-30 mcg</i>               | \$0(1)  |  |
| <i>norethindrone ace &amp; ethynodiol estradiol-fe<br/>tab 1 mg-20 mcg</i>              | \$0(1)  |  |
| <i>norethindrone ace-eth estradiol-fe chew<br/>tab 1 mg-20 mcg (24)</i>                 | \$0(1)  |  |
| <i>norgestimate &amp; ethynodiol estradiol tab 0.25<br/>mg-35 mcg</i>                   | \$0(1)  |  |
| <i>norgestimate-eth estrad tab 0.18-<br/>25/0.215-25/0.25-25 mg-mcg</i>                 | \$0(1)  |  |
| <i>norgestimate-eth estrad tab 0.18-<br/>35/0.215-35/0.25-35 mg-mcg</i>                 | \$0(1)  |  |
| <i>norlyroc TABS .35mg</i>  | \$0(1)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>nortrel 0.5/35 (28)</i>                  | \$0(1)  |  |
| <i>nortrel 1/35 (21)</i>                    | \$0(1)  |  |
| <i>nortrel 1/35 (28)</i>                    | \$0(1)  |  |
| <i>nortrel 7/7/7</i>                        | \$0(1)  |  |
| <i>nylia 1/35</i>                           | \$0(1)  |  |
| <i>nylia 7/7/7</i>                          | \$0(1)  |  |
| <i>nymyo</i>                                | \$0(1)  |  |
| <i>ocella</i>                               | \$0(1)  |  |
| <i>opcicon one-step TABS 1.5mg</i>          | \$0(3)  | NM; *  |
| <i>option 2 TABS 1.5mg</i>                  | \$0(3)  | NM; *  |
| <i>philith</i>                              | \$0(1)  |  |
| <i>pimtrea</i>                              | \$0(1)  |  |
| <i>portia-28</i>                            | \$0(1)  |  |
| <i>reclipsen</i>                            | \$0(1)  |  |
| <i>rivelsa</i>                              | \$0(1)  |  |
| <i>setlakin</i>                             | \$0(1)  |  |
| <i>sharobel TABS .35mg</i>                  | \$0(1)  |  |
| <i>simliya</i>                              | \$0(1)  |  |
| <i>simpesse</i>                             | \$0(1)  |  |
| <i>sprintec 28</i>                          | \$0(1)  |  |
| <i>sronyx</i>                               | \$0(1)  |  |
| <i>syeda</i>                                | \$0(1)  |  |
| <i>tarina 24 fe</i>                         | \$0(1)  |  |
| <i>tarina fe 1/20 eq</i>                    | \$0(1)  |  |
| <i>tilia fe</i>                             | \$0(1)  |  |
| <i>tri-estarylla</i>                        | \$0(1)  |  |
| <i>tri-legest fe</i>                        | \$0(1)  |  |
| <i>tri-linyah</i>                           | \$0(1)  |  |
| <i>tri-lo-estarylla</i>                     | \$0(1)  |  |
| <i>tri-lo-marzia</i>                        | \$0(1)  |  |
| <i>tri-lo-mili</i>                          | \$0(1)  |  |
| <i>tri-lo-sprintec</i>                      | \$0(1)  |  |
| <i>tri-mili</i>                             | \$0(1)  |  |
| <i>tri-nymyo</i>                            | \$0(1)  |  |
| <i>tri-sprintec</i>                         | \$0(1)  |  |
| <i>tri-vylibra</i>                          | \$0(1)  |  |
| <i>tri-vylibra lo</i>                       | \$0(1)  |  |
| <i>trivora-28</i>                           | \$0(1)  |  |
| <i>turqoz</i>                               | \$0(1)  |  |
| <i>tydemy</i>                               | \$0(1)  |  |
| <i>velivet</i>                              | \$0(1)  |  |
| <i>vestura</i>                              | \$0(1)  |  |
| <i>vienva</i>                               | \$0(1)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>   | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| viorele   | \$0(1)  |  |
| vyfemla   | \$0(1)  |  |
| vylibra   | \$0(1)  |  |
| wera  | \$0(1)  |  |
| wymzya fe   | \$0(1)  |  |
| xulane  | \$0(1)  |  |
| zafemy  | \$0(1)  |  |
| zovia 1/35  | \$0(1)  |  |
| zumandimine   | \$0(1)  |  |
| <b>ENDOMETRIOSIS</b>  |   |  |
| danazol CAPS 50mg, 100mg, 200mg   | \$0(1)  |  |
| SYNAREL SOLN 2mg/ml   | \$0(2)  | NDS, PA  |
| <b>ESTROGENS - DRUGS TO REGULATE FEMALE HORMONES</b>  |   |  |
| dotti PTTW .025mg/24hr, .037mg/24hr,<br>.05mg/24hr, .075mg/24hr, .1mg/24hr  | \$0(2)  |  |
| estradiol PTTW .025mg/24hr,<br>.037mg/24hr, .05mg/24hr, .075mg/24hr,<br>.1mg/24hr; PTWK .025mg/24hr,<br>.05mg/24hr, .06mg/24hr, .075mg/24hr,<br>.1mg/24hr, 37.5mcg/24hr; TABS .5mg,<br>1mg, 2mg | \$0(2)  |  |
| estradiol & norethindrone acetate tab 0.5-<br>0.1 mg  | \$0(2)  |  |
| estradiol & norethindrone acetate tab 1-0.5<br>mg   | \$0(2)  |  |
| estradiol vaginal CREA .1mg/gm; TABS<br>10mcg   | \$0(1)  |  |
| estradiol valerate OIL 10mg/ml, 20mg/ml,<br>40mg/ml   | \$0(1)  |  |
| fyavolv tab 0.5mg-2.5mcg  | \$0(2)  |  |
| fyavolv tab 1mg-5mcg  | \$0(2)  |  |
| jinteli   | \$0(2)  |  |
| lyllana PTTW .025mg/24hr, .037mg/24hr,<br>.05mg/24hr, .075mg/24hr, .1mg/24hr  | \$0(2)  |  |
| mimvey  | \$0(2)  |  |
| norethindrone acetate-ethinyl estradiol tab<br>0.5 mg-2.5 mcg   | \$0(2)  |  |
| norethindrone acetate-ethinyl estradiol tab<br>1 mg-5 mcg   | \$0(2)  |  |
| yuvafem TABS 10mcg  | \$0(1)  |  |
| <b>GLUCOCORTICOIDS - DRUGS TO TREAT INFLAMMATORY RESPONSE</b>   |   |  |
| dexamethasone ELIX .5mg/5ml; SOLN<br>.5mg/5ml; TABS .5mg, .75mg, 1mg,<br>1.5mg, 2mg, 4mg, 6mg   | \$0(1)  | B/D  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>  | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| DEXAMETHASONE INTENSOL CONC<br><u>1mg/ml</u>   | \$0(2)  | B/D  |
| dexamethasone sodium phosphate SOLN<br><u>4mg/ml, 10mg/ml, 20mg/5ml,<br/>100mg/10ml, 120mg/30ml; SOSY 4mg/ml</u> | \$0(1)  |  |
| fludrocortisone acetate TABS .1mg  | \$0(1)  |  |
| hydrocortisone TABS 5mg, 10mg, 20mg  | \$0(1)  |  |
| hydrocortisone sod succinate SOLR 100mg  | \$0(1)  |  |
| methylprednisolone TABS 4mg, 8mg,<br><u>16mg, 32mg</u>   | \$0(1)  | B/D  |
| methylprednisolone TBPK 4mg  | \$0(1)  |  |
| methylprednisolone acetate SUSP<br><u>40mg/ml, 80mg/ml</u>   | \$0(1)  | B/D  |
| methylprednisolone sod succ SOLR 40mg,<br><u>125mg, 1000mg</u>   | \$0(1)  | B/D  |
| prednisolone SOLN 15mg/5ml   | \$0(1)  | B/D  |
| prednisolone sodium phosphate SOLN<br><u>5mg/5ml, 15mg/5ml, 25mg/5ml</u>   | \$0(1)  | B/D  |
| prednisone SOLN 5mg/5ml; TABS 1mg,<br><u>2.5mg, 5mg, 10mg, 20mg, 50mg</u>  | \$0(1)  | B/D  |
| prednisone TBPK 5mg, 10mg  | \$0(1)  |  |
| PREDNISONE INTENSOL CONC 5mg/ml  | \$0(2)  | B/D  |
| SOLU-CORTEF SOLR 100mg, 250mg,<br><u>500mg, 1000mg</u>   | \$0(2)  |  |

| <b>GLUCOSE ELEVATING AGENTS - DRUGS TO TREAT LOW BLOOD SUGAR</b> |        |     |
|--|--------|-----|
| diazoxide SUSP 50mg/ml   | \$0(2) | NDS |
| GVOKE HYPOOPEN 2-PACK SOAJ<br>.5mg/0.1ml, 1mg/0.2ml              | \$0(2) |     |
| GVOKE KIT SOLN 1mg/0.2ml   | \$0(2) |     |
| GVOKE PFS SOSY 1mg/0.2ml   | \$0(2) |     |

| <b>MISCELLANEOUS</b>                 |        |                                       |
|--------------------------------------|--------|---------------------------------------|
| ALDURAZYME SOLN 2.9mg/5ml            | \$0(2) | NDS, NM, LA, PA                       |
| betaine powder for oral solution     | \$0(2) | NDS, NM, LA                           |
| cabergoline TABS .5mg                | \$0(1) |                                       |
| carglumic acid TBSO 200mg            | \$0(2) | NDS, NM, LA, PA                       |
| CERDELGA CAPS 84mg                   | \$0(2) | NDS, NM, LA, PA                       |
| CEREZYME SOLR 400unit                | \$0(2) | NDS, NM, LA, PA                       |
| cinacalcet hcl TABS 30mg, 60mg       | \$0(1) | B/D, QL (60 tabs / 30 days), NM       |
| cinacalcet hcl TABS 90mg             | \$0(2) | NDS, B/D, QL (120 tabs / 30 days), NM |
| CYSTAGON CAPS 50mg, 150mg            | \$0(2) | NM, LA, PA                            |
| desmopressin acetate SOLN 4mcg/ml    | \$0(2) | NDS                                   |
| desmopressin acetate TABS .1mg, .2mg | \$0(1) |                                       |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>   | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>desmopressin acetate spray</i> SOLN .01%   | \$0(1)  |  |
| <i>desmopressin acetate spray refrigerated</i><br>SOLN .01%                                   | \$0(1)  |  |
| FABRAZYME SOLR 5mg, 35mg  | \$0(2)  | NDS, NM, LA, PA  |
| GENOTROPIN CART 5mg, 12mg   | \$0(2)  | NDS, NM, PA  |
| GENOTROPIN MINIQUICK PRSY .2mg,<br>.4mg, .6mg, .8mg, 1mg, 1.2mg, 1.4mg,<br>1.6mg, 1.8mg, 2mg  | \$0(2)  | NDS, NM, PA  |
| INCRELEX SOLN 40mg/4ml  | \$0(2)  | NDS, NM, LA, PA  |
| <i>javygtor</i> PACK 100mg, 500mg; TABS<br>100mg  | \$0(2)  | NDS, NM, LA, PA  |
| KORLYM TABS 300mg   | \$0(2)  | NDS, NM, LA, PA  |
| <i>lanreotide acetate</i> SOLN 120mg/0.5ml  | \$0(2)  | NDS, NM, PA  |
| <i>levocarnitine (metabolic modifiers)</i> SOLN<br>1gm/10ml; TABS 330mg                       | \$0(1)  | B/D  |
| LUMIZYME SOLR 50mg  | \$0(2)  | NDS, NM, LA, PA  |
| LUPRON DEPOT-PED (1-MONTH KIT<br>7.5mg, 11.25mg, 15mg   | \$0(2)  | NDS, NM, PA  |
| LUPRON DEPOT-PED (3-MONTH KIT<br>11.25mg, 30mg  | \$0(2)  | NDS, NM, PA  |
| LUPRON DEPOT-PED (6-MONTH KIT 45mg  | \$0(2)  | NDS, NM, PA  |
| <i>mifepristone (hyperglycemia)</i> TABS<br>300mg   | \$0(2)  | NDS, NM, PA  |
| <i>miglustat</i> CAPS 100mg   | \$0(2)  | NDS, QL (90 caps / 30<br>days), NM, PA                         |
| NAGLAZYME SOLN 1mg/ml   | \$0(2)  | NDS, NM, LA, PA  |
| <i>nitisinone</i> CAPS 2mg, 5mg, 10mg, 20mg   | \$0(2)  | NDS, NM, PA  |
| <i>octreotide acetate</i> SOLN 50mcg/ml,<br>100mcg/ml, 200mcg/ml; SOSY 50mcg/ml,<br>100mcg/ml | \$0(1)  | NM, PA   |
| <i>octreotide acetate</i> SOLN 500mcg/ml,<br>1000mcg/ml; SOSY 500mcg/ml                       | \$0(2)  | NDS, NM, PA  |
| <i>raloxifene hcl</i> TABS 60mg   | \$0(1)  |  |
| <i>sapropterin dihydrochloride</i> PACK 100mg,<br>500mg; TABS 100mg                           | \$0(2)  | NDS, NM, PA  |
| SIGNIFOR SOLN .3mg/ml, .6mg/ml,<br>.9mg/ml  | \$0(2)  | NDS, NM, LA, PA  |
| <i>sodium phenylbutyrate</i> POWD 3gm/tsp;<br>TABS 500mg                                      | \$0(2)  | NDS, NM, PA  |
| SOMATULINE DEPOT SOLN 60mg/0.2ml,<br>90mg/0.3ml, 120mg/0.5ml                                  | \$0(2)  | NDS, NM, LA, PA  |
| SOMAVERT SOLR 10mg, 15mg, 20mg,<br>25mg, 30mg   | \$0(2)  | NDS, NM, LA, PA  |
| <i>yargesa</i> CAPS 100mg   | \$0(2)  | NDS, QL (90 caps / 30<br>days), NM, PA                         |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
|---|---|--|

**PHOSPHATE BINDER AGENTS - DRUGS TO REGULATE CALCIUM AND PHOSPHORUS LEVELS**

|  |        |                              |
|--|--------|------------------------------|
| <i>calcium acetate (phosphate binder)</i> CAPS<br><u>667mg</u> | \$0(1) | QL (360 caps / 30 days)      |
| <i>calcium acetate (phosphate binder)</i> TABS<br><u>667mg</u> | \$0(1) | QL (360 tabs / 30 days)      |
| <i>lanthanum carbonate</i> CHEW 500mg,<br><u>1000mg</u>        | \$0(1) | QL (90 tabs / 30 days)       |
| <i>lanthanum carbonate</i> CHEW 750mg                          | \$0(1) | QL (180 tabs / 30 days)      |
| <i>sevelamer carbonate</i> PACK 2.4gm                          | \$0(1) | QL (180 packets / 30 days)   |
| <i>sevelamer carbonate</i> PACK .8gm                           | \$0(1) | QL (540 packets / 30 days)   |
| <i>sevelamer carbonate</i> TABS 800mg                          | \$0(1) | QL (540 tabs / 30 days)      |
| <i>VELPHORO</i> CHEW 500mg                                     | \$0(2) | NDS, QL (180 tabs / 30 days) |

**PROGESTINS - DRUGS TO REGULATE FEMALE HORMONES**

|  |        |    |
|--|--------|----|
| <i>medroxyprogesterone acetate</i> TABS<br><u>2.5mg, 5mg, 10mg</u> | \$0(1) |    |
| <i>megestrol acetate</i> SUSP 40mg/ml                              | \$0(2) |    |
| <i>megestrol acetate (appetite)</i> SUSP<br><u>625mg/5ml</u>       | \$0(2) | PA |
| <i>norethindrone acetate</i> TABS 5mg                              | \$0(1) |    |
| <i>progesterone</i> CAPS 100mg, 200mg                              | \$0(1) |    |

**THYROID AGENTS - DRUGS TO REGULATE THYROID LEVELS**

|   |        |
|---|--------|
| <i>euthyrox</i> TABS 25mcg, 50mcg, 75mcg,<br><u>88mcg, 100mcg, 112mcg, 125mcg,</u><br><u>137mcg, 150mcg, 175mcg, 200mcg</u>                               | \$0(1) |
| <i>levo-t</i> TABS 25mcg, 50mcg, 75mcg,<br><u>88mcg, 100mcg, 112mcg, 125mcg,</u><br><u>137mcg, 150mcg, 175mcg, 200mcg,</u><br><u>300mcg</u>               | \$0(1) |
| <i>levothyroxine sodium</i> TABS 25mcg,<br><u>50mcg, 75mcg, 88mcg, 100mcg, 112mcg,</u><br><u>125mcg, 137mcg, 150mcg, 175mcg,</u><br><u>200mcg, 300mcg</u> | \$0(1) |
| <i>levoxyl</i> TABS 25mcg, 50mcg, 75mcg,<br><u>88mcg, 100mcg, 112mcg, 125mcg,</u><br><u>137mcg, 150mcg, 175mcg, 200mcg</u>                                | \$0(1) |
| <i>liothyronine sodium</i> TABS 5mcg, 25mcg,<br><u>50mcg</u>  | \$0(1) |
| <i>methimazole</i> TABS 5mg, 10mg   | \$0(1) |
| <i>propylthiouracil</i> TABS 50mg   | \$0(1) |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>  | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| SYNTHROID TABS 25mcg, 50mcg, 75mcg,<br>88mcg, 100mcg, 112mcg, 125mcg,<br>137mcg, 150mcg, 175mcg, 200mcg,<br>300mcg | \$0(2)  |  |
| unithroid TABS 25mcg, 50mcg, 75mcg,<br>88mcg, 100mcg, 112mcg, 125mcg,<br>137mcg, 150mcg, 175mcg, 200mcg,<br>300mcg | \$0(1)  |  |

### **VITAMIN D ANALOGS**

|                                    |        |     |
|------------------------------------|--------|-----|
| calcitriol CAPS .25mcg, .5mcg      | \$0(1) | B/D |
| calcitriol (oral) SOLN 1mcg/ml     | \$0(1) | B/D |
| paricalcitol CAPS 1mcg, 2mcg, 4mcg | \$0(1) | B/D |
| RAYALDEE CPCR 30mcg                | \$0(2) | NDS |

### **GASTROINTESTINAL - DRUGS TO TREAT STOMACH AND INTESTINAL DISORDERS**

#### **ANTACIDS**

|  |        |       |
|--|--------|-------|
| acid gone                                      | \$0(3) | NM; * |
| almacone double strength                       | \$0(3) | NM; * |
| ALUMINUM HYDROXIDE SUSP 320mg/5ml              | \$0(3) | NM; * |
| antacid CHEW 500mg, 750mg                      | \$0(3) | NM; * |
| antacid calcium regular s CHEW 500mg           | \$0(3) | NM; * |
| antacid extra strength CHEW 750mg              | \$0(3) | NM; * |
| antacid maximum strength                       | \$0(3) | NM; * |
| antacid regular strength                       | \$0(3) | NM; * |
| antacid ultra strength CHEW 1000mg             | \$0(3) | NM; * |
| antacid/antigas liquid                         | \$0(3) | NM; * |
| cal-gest antacid CHEW 500mg                    | \$0(3) | NM; * |
| calcium antacid CHEW 500mg                     | \$0(3) | NM; * |
| calcium antacid extra str CHEW 750mg           | \$0(3) | NM; * |
| CALCIUM CARBONATE SUSP 1250mg/5ml              | \$0(3) | NM; * |
| calcium carbonate (antacid) SUSP<br>1250mg/5ml | \$0(3) | NM; * |
| gnp antacid & anti-gas/re                      | \$0(3) | NM; * |
| gnp antacid and anti-gas/                      | \$0(3) | NM; * |
| gnp antacid anti-gas/maxi                      | \$0(3) | NM; * |
| gnp antacid extra strengt CHEW 750mg           | \$0(3) | NM; * |
| gnp antacid/regular stren                      | \$0(3) | NM; * |
| heartburn relief extra st                      | \$0(3) | NM; * |
| hm antacid                                     | \$0(3) | NM; * |
| hm antacid anti-gas extra                      | \$0(3) | NM; * |
| hm antacid extra strength CHEW 750mg           | \$0(3) | NM; * |
| MAG-AL LIQ                                     | \$0(3) | NM; * |
| mag-al plus                                    | \$0(3) | NM; * |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                 | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>mag-al plus xs</i>                                       | \$0(3)  | NM; *  |
| <i>magnesium oxide TABS 400mg, 420mg</i>                    | \$0(3)  | NM; *  |
| <i>mintox maximum strength</i>                              | \$0(3)  | NM; *  |
| <i>qc antacid CHEW 500mg</i>                                | \$0(3)  | NM; *  |
| <i>qc antacid/anti-gas</i>                                  | \$0(3)  | NM; *  |
| <i>sm antacid CHEW 500mg</i>                                | \$0(3)  | NM; *  |
| <i>sm antacid advanced</i>                                  | \$0(3)  | NM; *  |
| <i>sm antacid advanced maxi</i>                             | \$0(3)  | NM; *  |
| <i>sm antacid extra strength CHEW 750mg</i>                 | \$0(3)  | NM; *  |
| <i>sm antacid maximum streng</i>                            | \$0(3)  | NM; *  |
| <i>smooth antacid extra stre CHEW 750mg</i>                 | \$0(3)  | NM; *  |
| <i>sodium bicarbonate (antacid) TABS 325mg, 650mg</i>       | \$0(3)  | NM; *  |
| <b>ANTI-DIARRHEAL</b>                                       |   |  |
| <i>anti-diarrheal CAPS 2mg; SOLN 1mg/7.5ml; TABS 2mg</i>    | \$0(3)  | NM; *  |
| <i>bismatrol CHEW 262mg</i>                                 | \$0(3)  | NM; *  |
| <i>bismuth subsalicylate CHEW 262mg</i>                     | \$0(3)  | NM; *  |
| <i>gnp anti-diarrheal CAPS 2mg; TABS 2mg</i>                | \$0(3)  | NM; *  |
| <i>gnp loperamide hydrochlor SOLN 1mg/7.5ml</i>             | \$0(3)  | NM; *  |
| <i>gnp pink bismuth TABS 262mg</i>                          | \$0(3)  | NM; *  |
| <i>gnp stomach relief SUSP 525mg/30ml</i>                   | \$0(3)  | NM; *  |
| <i>goodsense anti-diarrheal SOLN 1mg/7.5ml</i>              | \$0(3)  | NM; *  |
| <i>loperamide hcl SOLN 1mg/7.5ml, 2mg/15ml</i>              | \$0(3)  | NM; *  |
| <i>qc anti-diarrheal CAPS 2mg; TABS 2mg</i>                 | \$0(3)  | NM; *  |
| <i>sm anti-diarrheal CAPS 2mg; SOLN 1mg/7.5ml; TABS 2mg</i> | \$0(3)  | NM; *  |
| <i>sm stomach relief CHEW 262mg</i>                         | \$0(3)  | NM; *  |
| <i>sm stomach relief liquid SUSP 525mg/30ml</i>             | \$0(3)  | NM; *  |
| <i>stomach relief CHEW 262mg; SUSP 525mg/30ml</i>           | \$0(3)  | NM; *  |
| <i>stomach relief extra stre SUSP 525mg/15ml</i>            | \$0(3)  | NM; *  |
| <i>stomach relief ultra SUSP 525mg/15ml</i>                 | \$0(3)  | NM; *  |
| <b>ANTIEMETICS - DRUGS FOR NAUSEA AND VOMITING</b>          |   |  |
| <i>aprepitant CAPS 40mg, 80mg, 125mg</i>                    | \$0(1)  | B/D  |
| <i>aprepitant capsule therapy pack 80 &amp; 125 mg</i>      | \$0(1)  | B/D  |
| <i>compro SUPP 25mg</i>                                     | \$0(1)  |  |
| <i>dronabinol CAPS 2.5mg, 5mg, 10mg</i>                     | \$0(1)  | B/D, QL (60 caps / 30 days)                                    |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>  | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| <i>granisetron hcl</i> SOLN 1mg/ml, 4mg/4ml  | \$0(1)  |  |
| <i>granisetron hcl</i> TABS 1mg  | \$0(1)  | B/D  |
| <i>meclizine hcl</i> TABS 12.5mg, 25mg   | \$0(2)  |  |
| <i>metoclopramide hcl</i> SOLN 5mg/5ml,<br>5mg/ml; TABS 5mg, 10mg                        | \$0(1)  |  |
| <i>ondansetron</i> TBDP 4mg, 8mg   | \$0(1)  | B/D  |
| <i>ondansetron hcl</i> SOLN 4mg/2ml,<br>40mg/20ml; SOSY 4mg/2ml                          | \$0(1)  |  |
| <i>ondansetron hcl</i> SOLN 4mg/5ml; TABS<br>4mg, 8mg                                    | \$0(1)  | B/D  |
| <i>prochlorperazine</i> SUPP 25mg  | \$0(1)  |  |
| <i>prochlorperazine edisylate</i> SOLN<br>10mg/2ml                                       | \$0(1)  |  |
| <i>prochlorperazine maleate</i> TABS 5mg,<br>10mg  | \$0(1)  |  |
| <i>promethazine hcl</i> SOLN 6.25mg/5ml,<br>25mg/ml, 50mg/ml; TABS 12.5mg, 25mg,<br>50mg | \$0(2)  | PA; PA if 70 years and<br>older                                |
| <i>scopolamine</i> PT72 1mg/3days  | \$0(2)  | QL (10 patches / 30<br>days), PA; PA if 70 years<br>and older  |

#### **ANTISPASMODICS - DRUGS FOR STOMACH SPASMS**

|   |        |                         |
|---|--------|-------------------------|
| <i>dicyclomine hcl</i> CAPS 10mg; SOLN<br>10mg/5ml; TABS 20mg | \$0(2) |                         |
| <i>glycopyrrolate</i> TABS 1mg                                | \$0(1) | QL (90 tabs / 30 days)  |
| <i>glycopyrrolate</i> TABS 2mg                                | \$0(1) | QL (120 tabs / 30 days) |

#### **H2-RECEPTOR ANTAGONISTS - DRUGS FOR ULCERS AND STOMACH**

##### **ACID**

|  |        |                         |
|--|--------|-------------------------|
| <i>acid reducer</i> TABS 10mg                            | \$0(3) | NM; *                   |
| <i>acid reducer maximum stre</i> TABS 20mg               | \$0(3) | NM; *                   |
| <i>acid reducer original str</i> TABS 10mg               | \$0(3) | NM; *                   |
| <i>famotidine</i> SOLN 20mg/2ml, 40mg/4ml,<br>200mg/20ml | \$0(1) |                         |
| <i>famotidine</i> SUSR 40mg/5ml                          | \$0(1) | QL (300 mL / 30 days)   |
| <i>famotidine</i> TABS 10mg, 20mg                        | \$0(3) | NM; *                   |
| <i>famotidine</i> TABS 20mg                              | \$0(1) | QL (120 tabs / 30 days) |
| <i>famotidine</i> TABS 40mg                              | \$0(1) | QL (60 tabs / 30 days)  |
| <i>famotidine in nacl 0.9% iv soln</i> 20<br>mg/50ml     | \$0(1) |                         |
| <i>famotidine maximum streng</i> TABS 20mg               | \$0(3) | NM; *                   |
| <i>famotidine original stren</i> TABS 10mg               | \$0(3) | NM; *                   |
| <i>gnp acid reducer</i> TABS 10mg                        | \$0(3) | NM; *                   |
| <i>gnp acid reducer maximum</i> TABS 20mg                | \$0(3) | NM; *                   |
| <i>heartburn relief</i> TABS 10mg                        | \$0(3) | NM; *                   |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                         | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>heartburn relief maximum TABS 20mg</i>                           | \$0(3)  | NM; *  |
| <i>nizatidine CAPS 150mg, 300mg</i>                                 | \$0(1)  |  |
| <i>sm acid reducer TABS 10mg</i>                                    | \$0(3)  | NM; *  |
| <i>sm acid reducer maximum s TABS 20mg</i>                          | \$0(3)  | NM; *  |
| <b>INFLAMMATORY BOWEL DISEASE</b>                                   |   |  |
| <i>balsalazide disodium CAPS 750mg</i>                              | \$0(1)  |  |
| <i>budesonide CPEP 3mg</i>  | \$0(1)  | QL (90 caps / 30 days), PA                                     |
| <i>budesonide TB24 9mg</i>  | \$0(2)  | NDS, QL (30 tabs / 30 days), PA                                |
| <i>hydrocortisone (intrarectal) ENEM 100mg/60ml</i>                 | \$0(1)  |  |
| <i>mesalamine CP24 .375gm</i>                                       | \$0(1)  | QL (120 caps / 30 days)  |
| <i>mesalamine CPDR 400mg</i>  | \$0(1)  | QL (180 caps / 30 days)  |
| <i>mesalamine ENEM 4gm; SUPP 1000mg</i>                             | \$0(1)  |  |
| <i>mesalamine TBEC 1.2gm</i>  | \$0(1)  | QL (120 tabs / 30 days)  |
| <i>mesalamine w/ cleanser KIT 4gm</i>                               | \$0(1)  |  |
| <i>sulfasalazine TABS 500mg; TBEC 500mg</i>                         | \$0(1)  |  |
| <b>LAXATIVES</b>  |   |  |
| <i>bisacodyl SUPP 10mg</i>  | \$0(3)  | NM; *  |
| <i>bisacodyl ec TBEC 5mg</i>  | \$0(3)  | NM; *  |
| <i>COLACE CAPS 100mg</i>  | \$0(3)  | NM; *  |
| <i>constulose SOLN 10gm/15ml</i>                                    | \$0(1)  |  |
| <i>docusate calcium CAPS 240mg</i>                                  | \$0(3)  | NM; *  |
| <i>docusate sodium CAPS 100mg, 250mg; LIQD 50mg/5ml, 100mg/10ml</i> | \$0(3)  | NM; *  |
| <i>enema ready-to-use</i>   | \$0(3)  | NM; *  |
| <i>enulose SOLN 10gm/15ml</i>                                       | \$0(1)  |  |
| <i>FLEET ENE</i>  | \$0(3)  | NM; *  |
| <i>FLEET ENE PED</i>  | \$0(3)  | NM; *  |
| <i>gavilyte-c</i>   | \$0(1)  |  |
| <i>gavilyte-g</i>   | \$0(1)  |  |
| <i>gavilyte-n/flavor pack</i>                                       | \$0(1)  |  |
| <i>generlac SOLN 10gm/15ml</i>                                      | \$0(1)  |  |
| <i>gentle laxative SUPP 10mg; TBEC 5mg</i>                          | \$0(3)  | NM; *  |
| <i>gnp clearlax PACK 17gm</i>                                       | \$0(3)  | NM; *  |
| <i>gnp fiber powder POWD 43%</i>                                    | \$0(3)  | NM; *  |
| <i>gnp gentle laxative SUPP 10mg; TBEC 5mg</i>                      | \$0(3)  | NM; *  |
| <i>gnp stool softener CAPS 100mg, 240mg, 250mg</i>                  | \$0(3)  | NM; *  |
| <i>gnp womens gentle laxativ TBEC 5mg</i>                           | \$0(3)  | NM; *  |
| <i>healthylax PACK 17gm</i>   | \$0(3)  | NM; *  |
| <i>hm enema saline laxative</i>                                     | \$0(3)  | NM; *  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                         | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>hm gentle laxative SUPP 10mg</i>                                 | \$0(3)  | NM; *  |
| <i>hm laxative TBEC 5mg</i>   | \$0(3)  | NM; *  |
| <i>hm stool softener CAPS 100mg, 250mg</i>                          | \$0(3)  | NM; *  |
| <i>lactulose SOLN 10gm/15ml</i>                                     | \$0(1)  |  |
| <i>lactulose (encephalopathy) SOLN 10gm/15ml</i>                    | \$0(1)  |  |
| <i>peg 3350-kcl-na bicarb-nacl-na sulfate for soln 236 gm</i>       | \$0(1)  |  |
| <i>peg 3350-kcl-sod bicarb-nacl for soln 420 gm</i>                 | \$0(1)  |  |
| <i>PLENUV SOL</i>   | \$0(2)  |  |
| <i>polyethylene glycol 3350 PACK 17gm</i>                           | \$0(3)  | NM; *  |
| <i>qc enema</i>   | \$0(3)  | NM; *  |
| <i>qc gentle laxative SUPP 10mg</i>                                 | \$0(3)  | NM; *  |
| <i>qc stool softener CAPS 100mg</i>                                 | \$0(3)  | NM; *  |
| <i>sm enema</i>   | \$0(3)  | NM; *  |
| <i>sm gentle laxative TBEC 5mg</i>                                  | \$0(3)  | NM; *  |
| <i>sm stool softener CAPS 100mg</i>                                 | \$0(3)  | NM; *  |
| <i>sod sulfate-pot sulf-mg sulf oral sol 17.5-3.13-1.6 gm/177ml</i> | \$0(1)  |  |
| <i>*sodium phosphates - enema***</i>                                | \$0(3)  | NM; *  |
| <i>stool softener CAPS 100mg</i>                                    | \$0(3)  | NM; *  |
| <b>MISCELLANEOUS</b>  |   |  |
| <i>acid reducer complete</i>  | \$0(3)  | NM; *  |
| <i>alosetron hcl TABS .5mg, 1mg</i>                                 | \$0(2)  | NDS, QL (60 tabs / 30 days), PA                                |
| <i>cromolyn sodium (mastocytosis) CONC 100mg/5ml</i>                | \$0(1)  |  |
| <i>diphenoxylate w/ atropine liq 2.5-0.025 mg/5ml</i>               | \$0(2)  |  |
| <i>diphenoxylate w/ atropine tab 2.5-0.025 mg</i>                   | \$0(2)  |  |
| <i>GATTEX KIT 5mg</i>   | \$0(2)  | NDS, NM, LA, PA  |
| <i>hm dual action complete</i>                                      | \$0(3)  | NM; *  |
| <i>LINZESS CAPS 72mcg, 145mcg, 290mcg</i>                           | \$0(2)  | QL (30 caps / 30 days)   |
| <i>loperamide hcl CAPS 2mg</i>                                      | \$0(1)  |  |
| <i>misoprostol TABS 100mcg, 200mcg</i>                              | \$0(1)  |  |
| <i>MOVANTIK TABS 12.5mg, 25mg</i>                                   | \$0(2)  | QL (30 tabs / 30 days)   |
| <i>RELISTOR SOLN 8mg/0.4ml, 12mg/0.6ml</i>                          | \$0(2)  | NDS, QL (28 syringes / 28 days), PA                            |
| <i>sucralfate TABS 1gm</i>  | \$0(1)  |  |
| <i>ursodiol CAPS 300mg; TABS 250mg, 500mg</i>                       | \$0(1)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                                | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| XERMELO TABS 250mg   | \$0(2)  | NDS, QL (84 tabs / 28 days), NM, LA, PA                        |
| XIFAXAN TABS 550mg   | \$0(2)  | NDS, PA  |
| <b>PANCREATIC ENZYMEs</b>  |   |  |
| CREON CAP 3000UNIT   | \$0(2)  |  |
| CREON CAP 6000UNIT   | \$0(2)  |  |
| CREON CAP 12000UNT   | \$0(2)  |  |
| CREON CAP 24000UNT   | \$0(2)  |  |
| CREON CAP 36000UNT   | \$0(2)  |  |
| ZENPEP CAP 3000UNIT  | \$0(2)  |  |
| ZENPEP CAP 5000UNIT  | \$0(2)  |  |
| ZENPEP CAP 10000UNT  | \$0(2)  |  |
| ZENPEP CAP 15000UNT  | \$0(2)  |  |
| ZENPEP CAP 20000UNT  | \$0(2)  |  |
| ZENPEP CAP 25000UNT  | \$0(2)  |  |
| ZENPEP CAP 40000UNT  | \$0(2)  |  |
| ZENPEP CAP 60000UNT  | \$0(2)  |  |
| <b>PROTON PUMP INHIBITORS - DRUGS FOR ULCERS AND STOMACH ACID</b>          |   |  |
| <i>esomeprazole magnesium</i> CPDR 20mg, 40mg                              | \$0(1)  | QL (30 caps / 30 days), ST                                     |
| <i>gnp omeprazole</i> TBEC 20mg  | \$0(3)  | NM, PA; *  |
| <i>goodsense lansoprazole</i> CPDR 15mg                                    | \$0(3)  | NM; *  |
| <i>hm omeprazole</i> TBEC 20mg   | \$0(3)  | NM, PA; *  |
| <i>lansoprazole</i> CPDR 15mg  | \$0(3)  | NM; *  |
| <i>lansoprazole</i> CPDR 15mg, 30mg  | \$0(1)  | QL (60 caps / 30 days)   |
| <i>omeprazole</i> CPDR 10mg, 20mg, 40mg                                    | \$0(1)  |  |
| <i>omeprazole</i> TBEC 20mg  | \$0(3)  | NM, PA; *  |
| <i>omeprazole magnesium</i> CPDR 20.6mg                                    | \$0(3)  | NM; *  |
| <i>pantoprazole sodium</i> SOLR 40mg; TBEC 20mg, 40mg                      | \$0(1)  |  |
| <i>qc lansoprazole</i> CPDR 15mg   | \$0(3)  | NM; *  |
| <i>rabeprazole sodium</i> TBEC 20mg  | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>sm lansoprazole</i> CPDR 15mg   | \$0(3)  | NM; *  |
| <i>sm omeprazole</i> TBEC 20mg   | \$0(3)  | NM, PA; *  |
| <b>GENITOURINARY - DRUGS TO TREAT GENITAL AND URINARY TRACT CONDITIONS</b> |   |  |
| <b>BENIGN PROSTATIC HYPERPLASIA - DRUGS TO TREAT ENLARGED PROSTATE</b>     |   |  |
| <i>alfuzosin hcl</i> TB24 10mg   | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>dutasteride</i> CAPS .5mg   | \$0(1)  | QL (30 caps / 30 days)   |
| <i>dutasteride-tamsulosin hcl</i> cap 0.5-0.4 mg                           | \$0(1)  | QL (30 caps / 30 days)   |
| <i>finasteride</i> TABS 5mg  | \$0(1)  | QL (30 tabs / 30 days)   |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                             | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| tamsulosin hcl CAPS .4mg  | \$0(1)  | QL (60 caps / 30 days)   |
| <b>MISCELLANEOUS</b>  |   |  |
| acetic acid SOLN .25%   | \$0(1)  |  |
| bethanechol chloride TABS 5mg, 10mg,<br>25mg, 50mg                      | \$0(1)  |  |
| potassium citrate (alkalinizer) TBCR<br>15meq, 540mg, 1080mg            | \$0(1)  |  |
| <b>URINARY ANTISPASMODICS - DRUGS TO TREAT URINARY<br/>INCONTINENCE</b> |   |  |
| GEMTESA TABS 75mg   | \$0(2)  | QL (30 tabs / 30 days)   |
| MYRBETRIQ SRER 8mg/ml   | \$0(2)  | QL (300 mL / 28 days)  |
| MYRBETRIQ TB24 25mg, 50mg   | \$0(2)  | QL (30 tabs / 30 days)   |
| oxybutynin chloride SOLN 5mg/5ml  | \$0(1)  | QL (600 mL / 30 days)  |
| oxybutynin chloride TABS 5mg  | \$0(1)  | QL (120 tabs / 30 days)  |
| oxybutynin chloride TB24 5mg  | \$0(1)  | QL (30 tabs / 30 days)   |
| oxybutynin chloride TB24 10mg, 15mg                                     | \$0(1)  | QL (60 tabs / 30 days)   |
| solifenacin succinate TABS 5mg, 10mg                                    | \$0(1)  | QL (30 tabs / 30 days)   |
| tolterodine tartrate CP24 2mg, 4mg                                      | \$0(1)  | QL (30 caps / 30 days),<br>ST                                  |
| tolterodine tartrate TABS 1mg, 2mg                                      | \$0(1)  | QL (60 tabs / 30 days)   |
| trospium chloride TABS 20mg   | \$0(1)  | QL (60 tabs / 30 days)   |
| <b>VAGINAL ANTI-INFECTIVES</b>  |   |  |
| clindamycin phosphate vaginal CREA 2%                                   | \$0(1)  |  |
| clotrimazole vaginal CREA 1%  | \$0(3)  | NM; *  |
| 3 day vaginal CREA 2%   | \$0(3)  | NM; *  |
| gnp clotrimazole 3 CREA 2%  | \$0(3)  | NM; *  |
| gnp miconazole 1 combinat   | \$0(3)  | NM; *  |
| gnp miconazole 3  | \$0(3)  | NM; *  |
| gnp miconazole 7 CREA 2%  | \$0(3)  | NM; *  |
| metronidazole vaginal GEL .75%  | \$0(1)  |  |
| miconazole 3 combination  | \$0(3)  | NM; *  |
| miconazole 3 combo pack   | \$0(3)  | NM; *  |
| miconazole 7 CREA 2%  | \$0(3)  | NM; *  |
| miconazole nitrate vaginal CREA 2%                                      | \$0(3)  | NM; *  |
| qc clotrimazole CREA 1%   | \$0(3)  | NM; *  |
| qc miconazole 7 CREA 2%   | \$0(3)  | NM; *  |
| sm 3-day vaginal CREA 2%  | \$0(3)  | NM; *  |
| sm clotrimazole vaginal CREA 1%   | \$0(3)  | NM; *  |
| sm miconazole 3   | \$0(3)  | NM; *  |
| sm miconazole 7 CREA 2%; SUPP 100mg                                     | \$0(3)  | NM; *  |
| sm tioconazole-1 OINT 6.5%  | \$0(3)  | NM; *  |
| terconazole vaginal CREA .4%, .8%; SUPP<br>80mg                         | \$0(1)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>tioconazole 1 OINT 6.5%</i>              | \$0(3)  | NM; *  |

## **HEMATOLOGIC - DRUGS TO TREAT BLOOD DISORDERS**

### **ANTICOAGULANTS - BLOOD THINNERS**

|   |        |                        |
|---|--------|------------------------|
| <i>ELIQUIS TABS 2.5mg</i>   | \$0(2) | QL (60 tabs / 30 days) |
| <i>ELIQUIS TABS 5mg</i>   | \$0(2) | QL (74 tabs / 30 days) |
| <i>ELIQUIS STARTER PACK TBPK 5mg</i>  | \$0(2) | QL (74 tabs / 30 days) |
| <i>enoxaparin sodium SOLN 300mg/3ml;<br/>SOSY 30mg/0.3ml, 40mg/0.4ml,<br/>60mg/0.6ml, 80mg/0.8ml, 100mg/ml,<br/>120mg/0.8ml, 150mg/ml</i> | \$0(1) |                        |
| <i>fondaparinux sodium SOLN 2.5mg/0.5ml</i>   | \$0(1) |                        |
| <i>fondaparinux sodium SOLN 5mg/0.4ml,<br/>7.5mg/0.6ml, 10mg/0.8ml</i>  | \$0(2) | NDS                    |
| <i>HEP SOD/D5W INJ 20000UNT</i>   | \$0(2) |                        |
| <i>HEP SOD/D5W INJ 25000UNT</i>   | \$0(2) |                        |
| <i>HEP SOD/NACL INJ 12500UNT</i>  | \$0(2) |                        |
| <i>HEP SOD/NACL INJ 25000UNT</i>  | \$0(2) |                        |
| <i>heparin sodium (porcine) SOLN<br/>1000unit/ml, 5000unit/ml, 10000unit/ml,<br/>20000unit/ml</i>   | \$0(1) | B/D                    |
| <i>HEPARIN/NACL INJ 25000UNT</i>  | \$0(2) |                        |
| <i>jantoven TABS 1mg, 2mg, 2.5mg, 3mg,<br/>4mg, 5mg, 6mg, 7.5mg, 10mg</i>   | \$0(1) |                        |
| <i>warfarin sodium TABS 1mg, 2mg, 2.5mg,<br/>3mg, 4mg, 5mg, 6mg, 7.5mg, 10mg</i>  | \$0(1) |                        |
| <i>XARELTO SUSR 1mg/ml</i>  | \$0(2) | QL (620 mL / 30 days)  |
| <i>XARELTO TABS 2.5mg</i>   | \$0(2) | QL (60 tabs / 30 days) |
| <i>XARELTO TABS 10mg, 15mg, 20mg</i>  | \$0(2) | QL (30 tabs / 30 days) |
| <i>XARELTO STAR TAB 15/20MG</i>   | \$0(2) | QL (51 tabs / 30 days) |

### **HEMATOPOIETIC GROWTH FACTORS**

|   |        |   |
|---|--------|---|
| <i>PROCRIT SOLN 2000unit/ml, 3000unit/ml,<br/>4000unit/ml, 10000unit/ml</i> | \$0(2) | NM, PA                                    |
| <i>PROCRIT SOLN 20000unit/ml,<br/>40000unit/ml</i>                          | \$0(2) | NDS, NM, PA                               |
| <i>ZARXIO SOSY 300mcg/0.5ml,<br/>480mcg/0.8ml</i>                           | \$0(2) | NDS, NM, PA                               |
| <i>ZIEXTENZO SOSY 6mg/0.6ml</i>   | \$0(2) | NDS, QL (2 syringes /<br>28 days), NM, PA |

### **MISCELLANEOUS**

|                                      |        |  |
|--------------------------------------|--------|--|
| <i>ALVAIZ TABS 9mg, 54mg</i>         | \$0(2) | NDS, QL (60 tabs / 30<br>days), NM, LA, PA |
| <i>ALVAIZ TABS 18mg, 36mg</i>        | \$0(2) | NDS, QL (90 tabs / 30<br>days), NM, LA, PA |
| <i>anagrelide hcl CAPS .5mg, 1mg</i> | \$0(1) |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>     | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| BERINERT KIT 500unit                            | \$0(2)  | NDS, QL (24 boxes / 30 days), NM, LA, PA                       |
| cilostazol TABS 50mg, 100mg                     | \$0(1)  |  |
| DOPTELET TABS 20mg                              | \$0(2)  | NDS, NM, LA, PA  |
| DROXIA CAPS 200mg, 300mg, 400mg                 | \$0(2)  |  |
| ENDARI PACK 5gm                                 | \$0(2)  | NDS, NM, LA, PA  |
| HAEGARDA SOLR 2000unit                          | \$0(2)  | NDS, QL (30 vials / 30 days), NM, LA, PA                       |
| HAEGARDA SOLR 3000unit                          | \$0(2)  | NDS, QL (20 vials / 30 days), NM, LA, PA                       |
| icatibant acetate SOSY 30mg/3ml                 | \$0(2)  | NDS, QL (9 syringes / 30 days), NM, PA                         |
| l-glutamine (sickle cell) PACK 5gm              | \$0(2)  | NDS, NM, PA  |
| pentoxifylline TBCR 400mg                       | \$0(1)  |  |
| PROMACTA PACK 12.5mg                            | \$0(2)  | NDS, QL (360 packets / 30 days), NM, LA, PA                    |
| PROMACTA PACK 25mg                              | \$0(2)  | NDS, QL (180 packets / 30 days), NM, LA, PA                    |
| PROMACTA TABS 12.5mg, 25mg                      | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, LA, PA                        |
| PROMACTA TABS 50mg, 75mg                        | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, LA, PA                        |
| sajazir SOSY 30mg/3ml                           | \$0(2)  | NDS, QL (9 syringes / 30 days), NM, LA, PA                     |
| tranexamic acid SOLN 1000mg/10ml;<br>TABS 650mg | \$0(1)  |  |

#### **PLATELET AGGREGATION INHIBITORS**

|  |        |                              |
|--|--------|------------------------------|
| aspirin-dipyridamole cap er 12hr 25-200 mg | \$0(1) |                              |
| BRILINTA TABS 60mg, 90mg                   | \$0(2) |                              |
| clopidogrel bisulfate TABS 75mg            | \$0(1) |                              |
| dipyridamole TABS 25mg, 50mg, 75mg         | \$0(2) | PA; PA if 70 years and older |
| prasugrel hcl TABS 5mg, 10mg               | \$0(1) |                              |

#### **IMMUNOLOGIC AGENTS - DRUGS TO TREAT DISORDERS OF THE IMMUNE SYSTEM**

##### **AUTOIMMUNE AGENTS**

|   |        |  |
|---|--------|--|
| ADALIMUMAB-AACF (2 PEN) AJKT 40mg/0.8ml   | \$0(2) | NDS, QL (56 pens / 365 days), NM, PA     |
| ADALIMUMAB-AACF (2 SYRING PSKT 40mg/0.8ml | \$0(2) | NDS, QL (56 syringes / 365 days), NM, PA |
| ADALIMUMAB-AACF STARTER P AJKT 40mg/0.8ml | \$0(2) | NDS, QL (2 packs / year), NM, PA         |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>   | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| DUPIXENT SOAJ 200mg/1.14ml,<br>300mg/2ml; SOSY 100mg/0.67ml,<br>200mg/1.14ml, 300mg/2ml | \$0(2)  | NDS, NM, PA  |
| ENBREL SOLN 25mg/0.5ml  | \$0(2)  | NDS, QL (16 vials / 28 days), NM, PA                           |
| ENBREL SOSY 25mg/0.5ml  | \$0(2)  | NDS, QL (16 syringes / 28 days), NM, PA                        |
| ENBREL SOSY 50mg/ml   | \$0(2)  | NDS, QL (8 syringes / 28 days), NM, PA                         |
| ENBREL MINI SOCT 50mg/ml  | \$0(2)  | NDS, QL (8 cartridges / 28 days), NM, PA                       |
| ENBREL SURECLICK SOAJ 50mg/ml   | \$0(2)  | NDS, QL (8 pens / 28 days), NM, PA                             |
| HUMIRA PSKT 10mg/0.1ml  | \$0(2)  | NDS, QL (2 syringes / 28 days), NM, PA                         |
| HUMIRA PSKT 20mg/0.2ml  | \$0(2)  | NDS, QL (4 syringes / 28 days), NM, PA                         |
| HUMIRA PSKT 40mg/0.4ml, 40mg/0.8ml  | \$0(2)  | NDS, QL (6 syringes / 28 days), NM, PA                         |
| HUMIRA PEN AJKT 40mg/0.4ml,<br>40mg/0.8ml   | \$0(2)  | NDS, QL (6 pens / 28 days), NM, PA                             |
| HUMIRA PEN AJKT 80mg/0.8ml  | \$0(2)  | NDS, QL (4 pens / 28 days), NM, PA                             |
| HUMIRA PEN KIT PS/UV  | \$0(2)  | NDS, QL (3 pens / 28 days), NM, PA                             |
| HUMIRA PEN-CD/UC/HS START AJKT<br>80mg/0.8ml  | \$0(2)  | NDS, QL (3 pens / 28 days), NM, PA                             |
| HUMIRA PEN-PEDIATRIC UC S AJKT<br>80mg/0.8ml  | \$0(2)  | NDS, QL (4 pens / 28 days), NM, PA                             |
| IDACIO (2 PEN) AJKT 40mg/0.8ml  | \$0(2)  | NDS, QL (56 pens / 365 days), NM, PA                           |
| IDACIO (2 SYRINGE) PSKT 40mg/0.8ml  | \$0(2)  | NDS, QL (56 syringes / 365 days), NM, PA                       |
| IDACIO CROHN INJ DISEASE AJKT<br>40mg/0.8ml   | \$0(2)  | NDS, QL (2 packs / year), NM, PA                               |
| IDACIO PLAQU INJ PSORIASIS AJKT<br>40mg/0.8ml   | \$0(2)  | NDS, QL (2 packs / year), NM, PA                               |
| INFLIXIMAB SOLR 100mg   | \$0(2)  | NDS, NM, LA, PA  |
| KEVZARA SOAJ 150mg/1.14ml,<br>200mg/1.14ml  | \$0(2)  | NDS, QL (2 pens / 28 days), NM, PA                             |
| KEVZARA SOSY 150mg/1.14ml,<br>200mg/1.14ml  | \$0(2)  | NDS, QL (2 syringes / 28 days), NM, PA                         |
| OTEZLA TABS 20mg, 30mg  | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, PA                            |
| OTEZLA TAB 10/20  | \$0(2)  | NDS, QL (110 tabs / year), NM, PA                              |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| OTEZLA TAB 10/20/30                         | \$0(2)  | NDS, QL (110 tabs / year), NM, PA                              |
| REMICADE SOLR 100mg                         | \$0(2)  | NDS, NM, LA, PA  |
| RENFLEXIS SOLR 100mg                        | \$0(2)  | NDS, NM, LA, PA  |
| RINVOQ TB24 15mg, 30mg                      | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, PA                            |
| RINVOQ TB24 45mg                            | \$0(2)  | NDS, QL (168 tabs / year), NM, PA                              |
| RINVOQ LQ SOLN 1mg/ml                       | \$0(2)  | NDS, QL (360 mL / 30 days), NM, PA                             |
| SKYRIZI SOCT 180mg/1.2ml,<br>360mg/2.4ml    | \$0(2)  | NDS, QL (1 cartridge / 56 days), NM, PA                        |
| SKYRIZI SOLN 600mg/10ml                     | \$0(2)  | NDS, QL (12 vials / 365 days), NM, PA                          |
| SKYRIZI SOSY 150mg/ml                       | \$0(2)  | NDS, QL (6 syringes / 365 days), NM, PA                        |
| SKYRIZI PEN SOAJ 150mg/ml                   | \$0(2)  | NDS, QL (6 pens / 365 days), NM, PA                            |
| STELARA SOLN 45mg/0.5ml                     | \$0(2)  | NDS, QL (1 vial / 28 days), NM, LA, PA                         |
| STELARA SOLN 130mg/26ml                     | \$0(2)  | NDS, NM, LA, PA  |
| STELARA SOSY 45mg/0.5ml, 90mg/ml            | \$0(2)  | NDS, QL (1 syringe / 28 days), NM, PA                          |
| TALTZ SOAJ 80mg/ml; SOSY 80mg/ml            | \$0(2)  | NDS, QL (3 syringes / 28 days), NM, LA, PA                     |
| TALTZ SOSY 20mg/0.25ml, 40mg/0.5ml          | \$0(2)  | NDS, QL (1 syringe / 28 days), NM, LA, PA                      |
| TREMFYA SOAJ 100mg/ml                       | \$0(2)  | NDS, QL (1 pen / 28 days), NM, PA                              |
| TREMFYA SOSY 100mg/ml                       | \$0(2)  | NDS, QL (1 syringe / 28 days), NM, PA                          |
| XELJANZ SOLN 1mg/ml                         | \$0(2)  | NDS, QL (480 mL / 24 days), NM, PA                             |
| XELJANZ TABS 5mg, 10mg                      | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, PA                            |
| XELJANZ XR TB24 11mg, 22mg                  | \$0(2)  | NDS, QL (30 tabs / 30 days), NM, PA                            |

**DISEASE-MODIFYING ANTI-RHEUMATIC DRUGS (DMARDs) - DRUGS TO TREAT RHEUMATOID ARTHRITIS**

|                                       |        |                        |
|---------------------------------------|--------|------------------------|
| hydroxychloroquine sulfate TABS 200mg | \$0(1) |                        |
| JYLAMVO SOLN 2mg/ml                   | \$0(2) | B/D                    |
| leflunomide TABS 10mg, 20mg           | \$0(1) | QL (30 tabs / 30 days) |
| methotrexate sodium TABS 2.5mg        | \$0(1) |                        |
| XATMEP SOLN 2.5mg/ml                  | \$0(2) | B/D                    |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
|---|---|--|

#### **IMMUNOGLOBULINS**

|   |        |                 |
|---|--------|-----------------|
| ALYGLO SOLN 5gm/50ml, 10gm/100ml,<br>20gm/200ml   | \$0(2) | NDS, PA         |
| BIVIGAM SOLN 5gm/50ml, 10%  | \$0(2) | NDS, NM, LA, PA |
| FLEBOGAMMA DIF SOLN 5gm/100ml,<br>10gm/200ml, 20gm/400ml  | \$0(2) | NDS, NM, PA     |
| GAMASTAN INJ  | \$0(2) | B/D, NM, LA     |
| GAMMAGARD LIQUID SOLN 1gm/10ml,<br>2.5gm/25ml, 5gm/50ml, 10gm/100ml,<br>20gm/200ml, 30gm/300ml                            | \$0(2) | NDS, NM, PA     |
| GAMMAGARD S/D IGA LESS TH SOLR<br>5gm, 10gm   | \$0(2) | NDS, NM, PA     |
| GAMMAKED SOLN 1gm/10ml, 5gm/50ml,<br>10gm/100ml, 20gm/200ml   | \$0(2) | NDS, NM, PA     |
| GAMMAPLEX SOLN 5gm/100ml,<br>5gm/50ml, 10gm/100ml, 10gm/200ml,<br>20gm/200ml, 20gm/400ml                                  | \$0(2) | NDS, NM, LA, PA |
| GAMUNEX-C SOLN 1gm/10ml,<br>2.5gm/25ml, 5gm/50ml, 10gm/100ml,<br>20gm/200ml, 40gm/400ml                                   | \$0(2) | NDS, NM, PA     |
| OCTAGAM SOLN 1gm/20ml, 2gm/20ml,<br>2.5gm/50ml, 5gm/100ml, 5gm/50ml,<br>10gm/100ml, 10gm/200ml, 20gm/200ml,<br>30gm/300ml | \$0(2) | NDS, NM, PA     |
| PANZYGIA SOLN 1gm/10ml, 2.5gm/25ml,<br>5gm/50ml, 10gm/100ml, 20gm/200ml,<br>30gm/300ml                                    | \$0(2) | NDS, NM, PA     |
| PRIVIGEN SOLN 5gm/50ml, 10gm/100ml,<br>20gm/200ml, 40gm/400ml   | \$0(2) | NDS, NM, PA     |

#### **IMMUNOMODULATORS**

|                             |        |                 |
|-----------------------------|--------|-----------------|
| ACTIMMUNE SOLN 100mcg/0.5ml | \$0(2) | NDS, NM, LA, PA |
| ARCALYST SOLR 220mg         | \$0(2) | NDS, NM, LA, PA |

#### **IMMUNOSUPPRESSANTS**

|  |        |   |
|--|--------|---|
| ASTAGRAF XL CP24 5mg   | \$0(2) | NDS, B/D, NM                                  |
| ASTAGRAF XL CP24 .5mg, 1mg                                     | \$0(2) | B/D, NM                                       |
| azathioprine TABS 50mg   | \$0(1) | B/D   |
| BENLYSTA SOAJ 200mg/ml; SOSY<br>200mg/ml                       | \$0(2) | NDS, QL (8 syringes /<br>28 days), NM, LA, PA |
| BENLYSTA SOLR 120mg, 400mg                                     | \$0(2) | NDS, NM, LA, PA                               |
| cyclosporine CAPS 25mg, 100mg                                  | \$0(1) | B/D, NM                                       |
| cyclosporine modified (for microemulsion)                      | \$0(1) | B/D, NM                                       |
| CAPS 25mg, 50mg, 100mg; SOLN<br>100mg/ml                       |        |   |
| everolimus (immunosuppressant) TABS<br>.25mg, .5mg, .75mg, 1mg | \$0(2) | NDS, B/D, NM                                  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| <i>gengraf</i> CAPS 25mg, 100mg; SOLN 100mg/ml             | \$0(1)  | B/D, NM  |
| <i>mycophenolate mofetil</i> CAPS 250mg; TABS 500mg        | \$0(1)  | B/D, NM  |
| <i>mycophenolate mofetil</i> SUSR 200mg/ml                 | \$0(2)  | NDS, B/D, NM   |
| <i>mycophenolate sodium</i> TBEC 180mg, 360mg              | \$0(1)  | B/D, NM  |
| <i>NULOJIX</i> SOLR 250mg                                  | \$0(2)  | NDS, B/D, NM   |
| <i>PROGRAF</i> PACK .2mg, 1mg                              | \$0(2)  | B/D, NM  |
| <i>REZUROCK</i> TABS 200mg                                 | \$0(2)  | NDS, NM, LA, PA  |
| <i>SANDIMMUNE</i> SOLN 100mg/ml                            | \$0(2)  | B/D, NM  |
| <i>sirolimus</i> SOLN 1mg/ml                               | \$0(2)  | NDS, B/D, NM   |
| <i>sirolimus</i> TABS .5mg, 1mg, 2mg                       | \$0(1)  | B/D, NM  |
| <i>tacrolimus</i> CAPS .5mg, 1mg, 5mg                      | \$0(1)  | B/D, NM  |
| <b>VACCINES</b>  |   |  |
| <i>ABRYSVO</i> SOLR 120mcg/0.5ml                           | \$0(1)  |  |
| <i>ACTHIB</i> INJ  | \$0(1)  |  |
| <i>ADACEL</i> INJ  | \$0(1)  |  |
| <i>AREXVY</i> SUSR 120mcg/0.5ml                            | \$0(1)  |  |
| <i>BCG VACCINE</i> SOLR 50mg                               | \$0(1)  |  |
| <i>BEXSERO</i> INJ   | \$0(1)  |  |
| <i>BOOSTRIX</i> INJ  | \$0(1)  |  |
| <i>DAPTACEL</i> INJ  | \$0(1)  |  |
| <i>DENGVAXIA</i> SUS                                       | \$0(1)  |  |
| <i>DIP/TET PED</i> INJ 25-5LFU                             | \$0(1)  | B/D  |
| <i>ENGERIX-B</i> SUSP 20mcg/ml; SUSY 10mcg/0.5ml, 20mcg/ml | \$0(1)  | B/D  |
| <i>GARDASIL 9</i> INJ                                      | \$0(1)  |  |
| <i>HAVRIX</i> SUSP 720elu/0.5ml, 1440elu/ml                | \$0(1)  |  |
| <i>HEPLISAV-B</i> SOSY 20mcg/0.5ml                         | \$0(1)  | B/D  |
| <i>HIBERIX</i> SOLR 10mcg                                  | \$0(1)  |  |
| <i>IMOVAZ RABIES</i> (H.D.C.V.) SUSR 2.5unit/ml            | \$0(1)  | B/D  |
| <i>INFANRIX</i> INJ  | \$0(1)  |  |
| <i>IPOL</i> INJ INACTIVE                                   | \$0(1)  |  |
| <i>IXCHIQ</i> INJ  | \$0(1)  |  |
| <i>IXIARO</i> INJ  | \$0(1)  |  |
| <i>JYNNEOS</i> SUSP .5ml                                   | \$0(1)  | B/D  |
| <i>KINRIX</i> INJ  | \$0(1)  |  |
| <i>M-M-R II</i> INJ  | \$0(1)  |  |
| <i>MENACTRA</i> INJ  | \$0(1)  |  |
| <i>MENQUADFI</i> INJ                                       | \$0(1)  |  |
| <i>MENVEO</i> INJ  | \$0(1)  |  |
| <i>MENVEO</i> SOL  | \$0(1)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>  | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| MRESVIA SUSY 50mcg/0.5ml   | \$0(1)  |  |
| PEDIARIX INJ 0.5ML   | \$0(1)  |  |
| PEDVAX HIB SUSP 7.5mcg/0.5ml   | \$0(1)  |  |
| PENBRAYA INJ   | \$0(1)  |  |
| PENTACEL INJ   | \$0(1)  |  |
| PREHEVBRIOSUSP 10mcg/ml  | \$0(1)  | B/D  |
| PRIORIX INJ  | \$0(1)  |  |
| PROQUAD INJ  | \$0(1)  |  |
| QUADRACEL INJ  | \$0(1)  |  |
| QUADRACEL INJ 0.5ML  | \$0(1)  |  |
| RABAVERT INJ   | \$0(1)  | B/D  |
| RECOMBIVAX HB SUSP 5mcg/0.5ml,<br>10mcg/ml, 40mcg/ml; SUSY 5mcg/0.5ml,<br>10mcg/ml | \$0(1)  | B/D  |
| ROTARIX SUS  | \$0(1)  |  |
| ROTATEQ SOL  | \$0(1)  |  |
| SHINGRIX SUSR 50mcg/0.5ml  | \$0(1)  | QL (2 vials per lifetime)                                      |
| TDVAX INJ 2-2 LF   | \$0(1)  | B/D  |
| TENIVAC INJ 5-2LF  | \$0(1)  | B/D  |
| TICOVAC SUSY 1.2mcg/0.25ml,<br>2.4mcg/0.5ml  | \$0(1)  |  |
| TRUMENBA INJ   | \$0(1)  |  |
| TWINRIX INJ  | \$0(1)  |  |
| TYPHIM VI SOLN 25mcg/0.5ml; SOSY<br>25mcg/0.5ml                                    | \$0(1)  |  |
| VAQTA SUSP 25unit/0.5ml, 50unit/ml   | \$0(1)  |  |
| VARIVAX SUSR 1350pfu/0.5ml   | \$0(1)  |  |
| VAXCHORA SUS   | \$0(1)  |  |
| YF-VAX INJ   | \$0(1)  |  |

## **NUTRITIONAL/SUPPLEMENTS - VITAMINS AND SUPPLEMENTS**

### **ELECTROLYTES/MINERALS, INJECTABLE**

|  |        |
|--|--------|
| D2.5W/NACL INJ 0.45%                   | \$0(2) |
| D5W/LYTES INJ #48                      | \$0(2) |
| D10W/NACL INJ 0.2%                     | \$0(2) |
| dextrose 2.5% w/ sodium chloride 0.45% | \$0(1) |
| dextrose 5% in lactated ringers        | \$0(1) |
| dextrose 5% w/ sodium chloride 0.2%    | \$0(1) |
| dextrose 5% w/ sodium chloride 0.3%    | \$0(1) |
| dextrose 5% w/ sodium chloride 0.9%    | \$0(1) |
| dextrose 5% w/ sodium chloride 0.45%   | \$0(1) |
| dextrose 5% w/ sodium chloride 0.225%  | \$0(1) |
| dextrose 10% w/ sodium chloride 0.45%  | \$0(1) |
| ISOLYTE-P INJ /D5W                     | \$0(2) |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>   | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| ISOLYTE-S INJ   | \$0(2)  |  |
| ISOLYTE-S INJ PH 7.4  | \$0(2)  |  |
| <i>kcl 10 meq/l (0.075%) in dextrose 5% &amp; nacl 0.45% inj</i>  | \$0(1)  |  |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% &amp; nacl 0.2% inj</i>  | \$0(1)  |  |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% &amp; nacl 0.9% inj</i>  | \$0(1)  |  |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% &amp; nacl 0.45% inj</i>   | \$0(1)  |  |
| <i>kcl 20 meq/l (0.15%) in nacl 0.9% inj</i>  | \$0(1)  |  |
| <i>kcl 20 meq/l (0.15%) in nacl 0.45% inj</i>   | \$0(1)  |  |
| <i>kcl 20 meq/l (0.149%) in nacl 0.45% inj</i>  | \$0(1)  |  |
| <i>kcl 30 meq/l (0.224%) in dextrose 5% &amp; nacl 0.45% inj</i>  | \$0(1)  |  |
| <i>kcl 40 meq/l (0.3%) in dextrose 5% &amp; nacl 0.9% inj</i>   | \$0(1)  |  |
| <i>kcl 40 meq/l (0.3%) in dextrose 5% &amp; nacl 0.45% inj</i>  | \$0(1)  |  |
| <i>kcl 40 meq/l (0.3%) in nacl 0.9% inj</i>   | \$0(1)  |  |
| KCL/D5W/NACL INJ 0.3/0.9%   | \$0(2)  |  |
| <i>lactated ringer's solution</i>   | \$0(1)  |  |
| MAGNESIUM SULFATE SOLN 2gm/50ml,<br>4gm/100ml, 4gm/50ml, 20gm/500ml,<br>40gm/1000ml                               | \$0(2)  |  |
| <i>magnesium sulfate SOLN 2gm/50ml,<br/>4gm/100ml, 4gm/50ml, 20gm/500ml,<br/>40gm/1000ml, 50%</i>                 | \$0(2)  |  |
| <i>magnesium sulfate in dextrose 5% iv soln<br/>1 gm/100ml</i>  | \$0(2)  |  |
| MG SO4/D5W INJ 10MG/ML  | \$0(2)  |  |
| <i>multiple electrolytes ph 5.5</i>   | \$0(1)  |  |
| <i>multiple electrolytes ph 7.4</i>   | \$0(1)  |  |
| PLASMA-LYTE INJ -148  | \$0(2)  |  |
| PLASMA-LYTE INJ -A  | \$0(2)  |  |
| POT CHL 20MEQ/L IN NACL 0.9% INJ  | \$0(2)  |  |
| POT CHL 20MEQ/L IN NACL 0.45% INJ   | \$0(2)  |  |
| POT CHL 40MEQ/L IN NACL 0.9% INJ  | \$0(2)  |  |
| <i>potassium chloride SOLN 2meq/ml,<br/>10meq/100ml, 10meq/50ml,<br/>20meq/100ml, 20meq/50ml,<br/>40meq/100ml</i> | \$0(1)  |  |
| POTASSIUM CHLORIDE SOLN 10meq/50ml  | \$0(2)  |  |
| <i>potassium chloride 20 meq/l (0.15%) in<br/>dextrose 5% inj</i>   | \$0(1)  |  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>   | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| sodium chloride SOLN .45%, .9%,<br>2.5meq/ml, 3%, 5%  | \$0(1)  |  |
| TPN ELECTROL INJ  | \$0(2)  | B/D  |
| <b>ELECTROLYTES/MINERALS/VITAMINS, ORAL</b>   |   |  |
| klor-con PACK 20meq   | \$0(1)  |  |
| klor-con 8 TBCR 8meq  | \$0(1)  |  |
| klor-con 10 TBCR 10meq  | \$0(1)  |  |
| klor-con m10 TBCR 10meq   | \$0(1)  |  |
| klor-con m15 TBCR 15meq   | \$0(1)  |  |
| klor-con m20 TBCR 20meq   | \$0(1)  |  |
| M-NATAL PLUS TAB  | \$0(2)  |  |
| potassium chloride CPCR 8meq, 10meq;<br>PACK 20meq; SOLN 10%, 20%; TBCR<br>8meq, 10meq, 20meq | \$0(1)  |  |
| potassium chloride microencapsulated<br>crystals er TBCR 10meq, 15meq, 20meq                  | \$0(1)  |  |
| PRENATAL TAB 27-1MG   | \$0(2)  |  |
| PRENATAL TAB PLUS   | \$0(2)  |  |
| sodium fluoride chew; tab; 1.1 (0.5 f)<br>mg/ml soln  | \$0(1)  |  |
| <b>IV NUTRITION</b>   |   |  |
| chromic chloride SOLN 40mcg/10ml  | \$0(3)  | NM; *  |
| CLINIMIX INJ 4.25/D5W   | \$0(2)  | B/D  |
| CLINIMIX INJ 4.25/D10   | \$0(2)  | B/D  |
| CLINIMIX INJ 5%/D15W  | \$0(2)  | B/D  |
| CLINIMIX INJ 5%/D20W  | \$0(2)  | B/D  |
| CLINIMIX INJ 6/5  | \$0(2)  | B/D  |
| CLINIMIX INJ 8/10   | \$0(2)  | B/D  |
| CLINIMIX INJ 8/14   | \$0(2)  | B/D  |
| clinsol sf 15%  | \$0(1)  | B/D  |
| CLINOLIPID EMU 20%  | \$0(2)  | B/D  |
| COPPER SOLN .4mg/ml   | \$0(3)  | NM; *  |
| dextrose SOLN 5%, 10%   | \$0(1)  |  |
| dextrose SOLN 50%, 70%  | \$0(1)  | B/D  |
| INTRALIPID EMUL 20gm/100ml,<br>30gm/100ml   | \$0(2)  | B/D  |
| NUTRILIPID EMUL 20gm/100ml  | \$0(2)  | B/D  |
| plenamine   | \$0(1)  | B/D  |
| PREMASOL SOL 10%  | \$0(2)  | NDS, B/D   |
| PROSOL INJ 20%  | \$0(2)  | B/D  |
| TRAVASOL INJ 10%  | \$0(2)  | B/D  |
| TROPHAMINE INJ 10%  | \$0(2)  | B/D  |
| <b>MINERALS</b>   |   |  |
| K-PHOS TABS 500mg   | \$0(3)  | NM; *  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>           | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>manganese chloride</i> SOLN .1mg/ml                | \$0(3)  | NM; *  |
| <i>phospho-trin k500</i> TABS 500mg                   | \$0(3)  | NM; *  |
| <b>MISCELLANEOUS</b>                                  |   |  |
| ENLYTE CAP  | \$0(3)  | NM; *  |
| <b>VITAMINS</b>                                       |   |  |
| BACMIN TAB  | \$0(3)  | NM; *  |
| BP VIT 3 CAP  | \$0(3)  | NM; *  |
| <i>corvita</i>  | \$0(3)  | NM; *  |
| <i>cyanocobalamin</i> SOLN 1000mcg/ml                 | \$0(3)  | NM; *  |
| <i>dialyvite</i>                                      | \$0(3)  | NM; *  |
| DIALYVITE TAB 3000                                    | \$0(3)  | NM; *  |
| DIALYVITE TAB 5000                                    | \$0(3)  | NM; *  |
| DIALYVITE TAB SUPREM D                                | \$0(3)  | NM; *  |
| DIALYVITE/ TAB ZINC                                   | \$0(3)  | NM; *  |
| DRISDOL CAPS 50000unit                                | \$0(3)  | NM; *  |
| <i>ergocalciferol</i> CAPS 1.25mg, 50000unit          | \$0(3)  | NM; *  |
| FLORIVA CHW 0.5MG                                     | \$0(3)  | NM; *  |
| FLORIVA CHW 0.25MG                                    | \$0(3)  | NM; *  |
| FLORIVA CHW 1MG                                       | \$0(3)  | NM; *  |
| <i>folic acid</i> SOLN 5mg/ml; TABS 1mg               | \$0(3)  | NM; *  |
| FOLTRATE TAB  | \$0(3)  | NM; *  |
| <i>hydroxocobalamin acetate</i> SOLN 1000mcg/ml       | \$0(3)  | NM; *  |
| INFUVITE INJ  | \$0(3)  | NM; *  |
| INFUVITE INJ ADULT                                    | \$0(3)  | NM; *  |
| INFUVITE INJ PEDIATRI                                 | \$0(3)  | NM; *  |
| <i>multi-vit/iron/fluoride</i>                        | \$0(3)  | NM; *  |
| <i>multi-vitamin/fluoride dr</i>                      | \$0(3)  | NM; *  |
| <i>multi-vitamin/fluoride/ir</i>                      | \$0(3)  | NM; *  |
| MULTIVITAMIN WITH FLUORID                             | \$0(3)  | NM; *  |
| <i>multivitamin/fluoride</i>                          | \$0(3)  | NM; *  |
| NASCOBAL SOLN 500mcg/0.1ml                            | \$0(3)  | NM; *  |
| NEPHPLEX RX TAB                                       | \$0(3)  | NM; *  |
| NIVA-FOL TAB  | \$0(3)  | NM; *  |
| <i>phytonadione</i> SOLN 1mg/0.5ml, 10mg/ml; TABS 5mg | \$0(3)  | NM; *  |
| POLY-VI-FLOR CHW 0.5MG                                | \$0(3)  | NM; *  |
| POLY-VI-FLOR CHW 0.25MG                               | \$0(3)  | NM; *  |
| POLY-VI-FLOR CHW 1MG                                  | \$0(3)  | NM; *  |
| POLY-VI-FLOR CHW W/IRON                               | \$0(3)  | NM; *  |
| POLY-VI-FLOR SUS 0.25/ML                              | \$0(3)  | NM; *  |
| POLY-VI-FLOR SUS /IRON                                | \$0(3)  | NM; *  |
| <i>pyridoxine hcl</i> SOLN 100mg/ml                   | \$0(3)  | NM; *  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| QUFLORA FE CHW                              | \$0(3)  | NM; *  |
| QUFLORA FE DRO 0.25-9.5                     | \$0(3)  | NM; *  |
| QUFLORA PED CHW 0.5MG                       | \$0(3)  | NM; *  |
| QUFLORA PED CHW 0.25MG                      | \$0(3)  | NM; *  |
| QUFLORA PED CHW 1MG                         | \$0(3)  | NM; *  |
| QUFLORA PED DRO 0.5MG/ML                    | \$0(3)  | NM; *  |
| QUFLORA PED DRO 0.25MG                      | \$0(3)  | NM; *  |
| <i>renal caps</i>                           | \$0(3)  | NM; *  |
| STROVITE ONE TAB                            | \$0(3)  | NM; *  |
| <i>thiamine hcl SOLN 100mg/ml</i>           | \$0(3)  | NM; *  |
| TRI-VI-FLOR SUS 0.5MG/ML                    | \$0(3)  | NM; *  |
| TRI-VI-FLOR SUS 0.25/ML                     | \$0(3)  | NM; *  |
| <i>tri-vite/fluoride</i>                    | \$0(3)  | NM; *  |
| <i>triphocaps</i>                           | \$0(3)  | NM; *  |
| <i>virt-caps</i>                            | \$0(3)  | NM; *  |
| <i>virt-gard</i>                            | \$0(3)  | NM; *  |
| VIT A/C/D/FL DRO 0.5MG                      | \$0(3)  | NM; *  |
| VITAL-D RX TAB                              | \$0(3)  | NM; *  |
| VITAMINS A/C/D/FLUORIDE                     | \$0(3)  | NM; *  |
| wescaps                                     | \$0(3)  | NM; *  |

### **OPHTHALMIC - DRUGS TO TREAT EYE CONDITIONS**

#### **ANTI-INFECTIVE/ANTI-INFLAMMATORY - DRUGS TO TREAT**

#### **INFECTIONS AND INFLAMMATION**

|  |        |
|--|--------|
| <i>bacitracin-polymyxin-neomycin-hc ophth oint 1%</i>              | \$0(1) |
| <i>neo-polycin hc ophth oint 1%</i>                                | \$0(1) |
| <i>neomycin-polymyxin-dexamethasone ophth oint 0.1%</i>            | \$0(1) |
| <i>neomycin-polymyxin-dexamethasone ophth susp 0.1%</i>            | \$0(1) |
| <i>neomycin-polymyxin-hc ophth susp</i>                            | \$0(1) |
| <i>sulfacetamide sodium-prednisolone ophth soln 10-0.23(0.25)%</i> | \$0(1) |
| TOBRADEX OIN 0.3-0.1%  | \$0(2) |
| TOBRADEX ST SUS 0.3-0.05   | \$0(2) |
| <i>tobramycin-dexamethasone ophth susp 0.3-0.1%</i>                | \$0(1) |
| ZYLET SUS 0.5-0.3%   | \$0(2) |

#### **ANTI-INFECTIVES - DRUGS TO TREAT INFECTIONS**

|  |        |
|--|--------|
| <i>bacitracin (ophthalmic) OINT 500unit/gm</i> | \$0(1) |
| <i>bacitracin-polymyxin b ophth oint</i>       | \$0(1) |
| BESIVANCE SUSP .6%                             | \$0(2) |
| CILOXAN OINT .3%                               | \$0(2) |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                         | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>ciprofloxacin hcl (ophth) SOLN .3%</i>                           | \$0(1)  |  |
| <i>erythromycin (ophth) OINT 5mg/gm</i>                             | \$0(1)  |  |
| <i>gatifloxacin (ophth) SOLN .5%</i>                                | \$0(1)  |  |
| <i>gentamicin sulfate (ophth) SOLN .3%</i>                          | \$0(1)  |  |
| <i>moxifloxacin hcl (ophth) SOLN .5%</i>                            | \$0(1)  |  |
| <i>NATACYN SUSP 5%</i>  | \$0(2)  |  |
| <i>neo-polycin 5(3.5)mg-400unt-10000unt op oin</i>                  | \$0(1)  |  |
| <i>neomycin-bacitrac zn-polymyx 5(3.5)mg-400unt-10000unt op oin</i> | \$0(1)  |  |
| <i>neomycin-polymy-gramcid op sol 1.75-10000-0.025mg-unt-mg/ml</i>  | \$0(1)  |  |
| <i>ofloxacin (ophth) SOLN .3%</i>                                   | \$0(1)  |  |
| <i>polycin ophth oint</i>   | \$0(1)  |  |
| <i>polymyxin b-trimethoprim ophth soln 10000 unit/ml-0.1%</i>       | \$0(1)  |  |
| <i>sulfacetamide sodium (ophth) OINT 10%; SOLN 10%</i>              | \$0(1)  |  |
| <i>tobramycin (ophth) SOLN .3%</i>                                  | \$0(1)  |  |
| <i>trifluridine SOLN 1%</i>   | \$0(1)  |  |
| <i>XDEMVF SOLN .25%</i>   | \$0(2)  | NDS, NM, LA, PA  |
| <i>ZIRGAN GEL .15%</i>  | \$0(2)  |  |
| <b>ANTI-INFLAMMATORIES - DRUGS TO TREAT INFLAMMATION</b>            |   |  |
| <i>ALREX SUSP .2%</i>   | \$0(2)  |  |
| <i>bromfenac sodium (ophth) SOLN .07%, .075%</i>                    | \$0(1)  |  |
| <i>BROMSITE SOLN .075%</i>  | \$0(2)  |  |
| <i>dexamethasone sodium phosphate (ophth) SOLN .1%</i>              | \$0(1)  |  |
| <i>diclofenac sodium (ophth) SOLN .1%</i>                           | \$0(1)  |  |
| <i>EYSUVIS SUSP .25%</i>  | \$0(2)  |  |
| <i>FLAREX SUSP .1%</i>  | \$0(2)  |  |
| <i>fluorometholone (ophth) SUSP .1%</i>                             | \$0(1)  |  |
| <i>flurbiprofen sodium SOLN .03%</i>                                | \$0(1)  |  |
| <i>ketorolac tromethamine (ophth) SOLN .4%, .5%</i>                 | \$0(1)  |  |
| <i>LOTEMAX OINT .5%</i>   | \$0(2)  |  |
| <i>loteprednol etabonate SUSP .2%</i>                               | \$0(1)  |  |
| <i>prednisolone acetate (ophth) SUSP 1%</i>                         | \$0(1)  |  |
| <i>PREDNISOLONE SODIUM PHOSP SOLN 1%</i>                            | \$0(2)  |  |
| <i>PROLENSA SOLN .07%</i>   | \$0(2)  |  |
| <b>ANTIALLERGICS - DRUGS TO TREAT ALLERGIES</b>                     |   |  |
| <i>alaway SOLN .035%</i>  | \$0(3)  | NM; *  |
| <i>alaway childrens allergy SOLN .035%</i>                          | \$0(3)  | NM; *  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                   | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>azelastine hcl (ophth) SOLN .05%</i>                       | \$0(1)  |  |
| <i>cromolyn sodium (ophth) SOLN 4%</i>                        | \$0(1)  |  |
| <i>eye itch relief SOLN .035%</i>                             | \$0(3)  | NM; *  |
| <i>ketotifen fumarate (ophth) SOLN .035%</i>                  | \$0(3)  | NM; *  |
| <i>ZADITOR SOLN .035%</i>                                     | \$0(3)  | NM; *  |
| <i>ZERVIATE SOLN .24%</i>                                     | \$0(2)  |  |
| <b>ANTIGLAUCOMA - DRUGS TO TREAT GLAUCOMA</b>                 |   |  |
| <i>betaxolol hcl (ophth) SOLN .5%</i>                         | \$0(1)  |  |
| <i>BETOPTIC-S SUSP .25%</i>                                   | \$0(2)  |  |
| <i>brimonidine tartrate SOLN .15%, .2%</i>                    | \$0(1)  |  |
| <i>brinzolamide SUSP 1%</i>                                   | \$0(1)  |  |
| <i>carteolol hcl (ophth) SOLN 1%</i>                          | \$0(1)  |  |
| <i>COMBIGAN SOLN 0.2/0.5%</i>                                 | \$0(2)  |  |
| <i>dorzolamide hcl SOLN 2%</i>                                | \$0(1)  |  |
| <i>dorzolamide hcl-timolol maleate ophth soln 2-0.5%</i>      | \$0(1)  |  |
| <i>latanoprost SOLN .005%</i>                                 | \$0(1)  |  |
| <i>levobunolol hcl SOLN .5%</i>                               | \$0(1)  |  |
| <i>LUMIGAN SOLN .01%</i>                                      | \$0(2)  |  |
| <i>pilocarpine hcl SOLN 1%, 2%, 4%</i>                        | \$0(1)  |  |
| <i>RHOPRESSA SOLN .02%</i>                                    | \$0(2)  |  |
| <i>ROCKLATAN DRO</i>  | \$0(2)  |  |
| <i>SIMBRINZA SUS 1-0.2%</i>                                   | \$0(2)  |  |
| <i>timolol maleate (ophth) SOLG .25%, .5%; SOLN .25%, .5%</i> | \$0(1)  |  |
| <i>VYZULTA SOLN .024%</i>                                     | \$0(2)  |  |
| <b>MISCELLANEOUS</b>  |   |  |
| <i>artificial tears</i>                                       | \$0(3)  | NM; *  |
| <i>ATROPINE SULFATE SOLN 1%</i>                               | \$0(2)  |  |
| <i>atropine sulfate (ophthalmic) SOLN 1%</i>                  | \$0(1)  |  |
| <i>carboxymethylcellulose sodium (ophth) GEL 1%; SOLN .5%</i> | \$0(3)  | NM; *  |
| <i>CYSTADROPS SOLN .37%</i>                                   | \$0(2)  | NDS, NM, LA, PA  |
| <i>CYSTARAN SOLN .44%</i>                                     | \$0(2)  | NDS, NM, LA, PA  |
| <i>GENTEAL SEVERE TEARS GEL .3%</i>                           | \$0(3)  | NM; *  |
| <i>genteal tears night-time</i>                               | \$0(3)  | NM; *  |
| <i>gnp artificial tears</i>                                   | \$0(3)  | NM; *  |
| <i>gnp lubricating plus eye SOLN .5%</i>                      | \$0(3)  | NM; *  |
| <i>goodsense lubricating plu SOLN .5%</i>                     | \$0(3)  | NM; *  |
| <i>lubricant eye drops SOLN .5%</i>                           | \$0(3)  | NM; *  |
| <i>lubricant eye nighttime</i>                                | \$0(3)  | NM; *  |
| <i>lubricating plus eye drop SOLN .5%</i>                     | \$0(3)  | NM; *  |
| <i>lubrifresh p.m.</i>  | \$0(3)  | NM; *  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| MIEBO SOLN 1.338gm/ml                       | \$0(2)  |  |
| <i>proparacaine hcl</i> SOLN .5%            | \$0(1)  |  |
| <i>refresh celluvisc</i> GEL 1%             | \$0(3)  | NM; *  |
| <i>refresh lacri-lube</i>                   | \$0(3)  | NM; *  |
| REFRESH LIQUIGEL GEL 1%                     | \$0(3)  | NM; *  |
| REFRESH PLUS SOLN .5%                       | \$0(3)  | NM; *  |
| REFRESH TEARS SOLN .5%                      | \$0(3)  | NM; *  |
| RESTASIS EMUL .05%                          | \$0(2)  |  |
| RESTASIS MULTIDOSE EMUL .05%                | \$0(2)  |  |
| <i>sm lubricating plus</i> SOLN .5%         | \$0(3)  | NM; *  |
| <i>systane nighttime</i>                    | \$0(3)  | NM; *  |
| TYRVAYA SOLN .03mg/act                      | \$0(2)  |  |
| XIIDRA SOLN 5%                              | \$0(2)  |  |

## **OTIC - DRUGS TO TREAT CONDITIONS OF THE EAR**

### **OTIC AGENTS**

|   |        |  |
|---|--------|--|
| <i>acetic acid (otic)</i> SOLN 2%                                 | \$0(1) |  |
| <i>ciprofloxacin-dexamethasone otic susp 0.3-0.1%</i>             | \$0(1) |  |
| <i>flac</i> OIL .01%  | \$0(1) |  |
| <i>fluocinolone acetonide (otic)</i> OIL .01%                     | \$0(1) |  |
| <i>neomycin-polymyxin-hc otic soln 1%</i>                         | \$0(1) |  |
| <i>neomycin-polymyxin-hc otic susp 3.5 mg/ml-10000 unit/ml-1%</i> | \$0(1) |  |
| <i>ofloxacin (otic)</i> SOLN .3%                                  | \$0(1) |  |

## **RESPIRATORY - DRUGS TO TREAT BREATHING DISORDERS**

### **ANTICHOLINERGIC/BETA AGONIST COMBINATIONS - DRUGS TO TREAT COPD**

|  |        |                            |
|--|--------|----------------------------|
| ANORO ELLIPT AER 62.5-25                                 | \$0(2) | QL (60 blisters / 30 days) |
| BEVESPI AER 9-4.8MCG                                     | \$0(2) | QL (1 inhaler / 30 days)   |
| BREZTRI AERO AER SPHERE                                  | \$0(2) | QL (1 inhaler / 30 days)   |
| BREZTRI AERO AER SPHERE (INSTITUTIONAL PACK)             | \$0(2) | QL (4 inhalers / 28 days)  |
| COMBIVENT AER 20-100                                     | \$0(2) | QL (2 inhalers / 30 days)  |
| <i>ipratropium-albuterol nebu soln 0.5-2.5(3) mg/3ml</i> | \$0(1) | B/D                        |
| TRELEGY AER ELLIPTA 100-62.5-25 MCG                      | \$0(2) | QL (60 blisters / 30 days) |
| TRELEGY AER ELLIPTA 200-62.5-25 MCG                      | \$0(2) | QL (60 blisters / 30 days) |

### **ANTICHOLINERGICS - DRUGS TO TREAT COPD**

|                             |        |                           |
|-----------------------------|--------|---------------------------|
| ATROVENT HFA AERS 17mcg/act | \$0(2) | QL (2 inhalers / 30 days) |
|-----------------------------|--------|---------------------------|

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                                       | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| INCRUSE ELLIPTA AEPB 62.5mcg/inh  | \$0(2)  | QL (30 blisters / 30 days)                                     |
| <i>ipratropium bromide</i> SOLN .02%  | \$0(1)  | B/D  |
| <i>ipratropium bromide (nasal)</i> SOLN .03%, .06%                                | \$0(1)  |  |
| <b>ANTIHISTAMINES - DRUGS TO TREAT ALLERGIES</b>                                  |   |  |
| AHIST TABS 25mg   | \$0(3)  | NM; *  |
| ALA-HIST IR TABS 2mg  | \$0(3)  | NM; *  |
| <i>all day allergy</i> TABS 10mg  | \$0(3)  | NM; *  |
| <i>all day allergy childrens</i> SOLN 5mg/5ml                                     | \$0(3)  | NM; *  |
| <i>aller-chlor</i> TABS 4mg   | \$0(3)  | NM; *  |
| <i>allergy</i> TABS 4mg   | \$0(3)  | NM; *  |
| <i>allergy childrens</i> LIQD 12.5mg/5ml; SOLN 5mg/5ml; SUSP 30mg/5ml             | \$0(3)  | NM; *  |
| <i>allergy relief</i> CAPS 25mg; TABS 4mg, 5mg, 10mg, 25mg, 180mg                 | \$0(3)  | NM; *  |
| <i>allergy relief 24hr</i> TABS 180mg   | \$0(3)  | NM; *  |
| <i>allergy relief childrens</i> LIQD 12.5mg/5ml; SOLN 1mg/ml, 5mg/5ml             | \$0(3)  | NM; *  |
| <i>allergy relief/indoor/out</i> TABS 10mg  | \$0(3)  | NM; *  |
| <i>azelastine hcl</i> SOLN .1%  | \$0(1)  |  |
| <i>banophen</i> CAPS 25mg, 50mg; TABS 25mg  | \$0(3)  | NM; *  |
| <i>cetirizine hcl</i> CHEW 5mg, 10mg; TABS 5mg, 10mg                              | \$0(3)  | NM; *  |
| <i>cetirizine hcl</i> SOLN 5mg/5ml  | \$0(1)  | QL (300 mL / 30 days)  |
| <i>cetirizine hcl allergy ch</i> SOLN 5mg/5ml                                     | \$0(3)  | NM; *  |
| <i>cetirizine hcl childrens</i> SOLN 1mg/ml, 5mg/5ml                              | \$0(3)  | NM; *  |
| <i>cetirizine hydrochloride</i> SOLN 5mg/5ml                                      | \$0(3)  | NM; *  |
| <i>childrens loratadine</i> SOLN 5mg/5ml  | \$0(3)  | NM; *  |
| <i>complete allergy medicine</i> CAPS 25mg  | \$0(3)  | NM; *  |
| <i>cyproheptadine hcl</i> SYRP 2mg/5ml; TABS 4mg                                  | \$0(2)  | PA; PA if 70 years and older                                   |
| <i>diphenhydramine hcl</i> CAPS 25mg, 50mg; LIQD 12.5mg/5ml, 25mg/10ml; TABS 25mg | \$0(3)  | NM; *  |
| <i>diphenhydramine hcl</i> SOLN 50mg/ml   | \$0(1)  |  |
| <i>ed chlorped jr</i> SYRP 2mg/5ml  | \$0(3)  | NM; *  |
| <i>fexofenadine hcl</i> TABS 60mg, 180mg  | \$0(3)  | NM; *  |
| <i>gnp all day allergy</i> TABS 10mg  | \$0(3)  | NM; *  |
| <i>gnp all day allergy child</i> SOLN 1mg/ml, 5mg/5ml                             | \$0(3)  | NM; *  |
| <i>gnp allergy</i> TABS 25mg  | \$0(3)  | NM; *  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>  | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| <i>gnp allergy relief</i> CAPS 25mg; TABS 4mg, 180mg                               | \$0(3)  | NM; *  |
| <i>gnp allergy relief maximu</i> LIQD 12.5mg/5ml                                   | \$0(3)  | NM; *  |
| <i>gnp childrens allergy</i> LIQD 12.5mg/5ml                                       | \$0(3)  | NM; *  |
| <i>gnp loratadine</i> SOLN 5mg/5ml; TABS 10mg; TBDP 10mg                           | \$0(3)  | NM; *  |
| <i>gnp loratadine childrens</i> SOLN 5mg/5ml                                       | \$0(3)  | NM; *  |
| <i>goodsense all day allergy</i> SOLN 5mg/5ml; TABS 10mg                           | \$0(3)  | NM; *  |
| <i>goodsense aller-ease</i> TABS 180mg   | \$0(3)  | NM; *  |
| <i>goodsense allergy relief</i> TABS 10mg  | \$0(3)  | NM; *  |
| <i>HISTEX SYRP</i> 2.5mg/5ml   | \$0(3)  | NM; *  |
| <i>HISTEX PD</i> LIQD .938mg/ml  | \$0(3)  | NM; *  |
| <i>hm all day allergy childr</i> SOLN 5mg/5ml                                      | \$0(3)  | NM; *  |
| <i>hm allergy relief</i> CAPS 25mg; TABS 4mg, 10mg, 60mg, 180mg                    | \$0(3)  | NM; *  |
| <i>hm cetirizine hydrochlori</i> TABS 10mg   | \$0(3)  | NM; *  |
| <i>hm loratadine</i> TABS 10mg   | \$0(3)  | NM; *  |
| <i>12hr allergy relief</i> TABS 60mg   | \$0(3)  | NM; *  |
| <i>24hr allergy relief</i> TABS 180mg  | \$0(3)  | NM; *  |
| <i>hydroxyzine hcl</i> SOLN 25mg/ml, 50mg/ml; SYRP 10mg/5ml; TABS 10mg, 25mg, 50mg | \$0(2)  | PA; PA if 70 years and older                                   |
| <i>hydroxyzine pamoate</i> CAPS 25mg, 50mg   | \$0(2)  | PA; PA if 70 years and older                                   |
| <i>levocetirizine dihydrochloride</i> SOLN 2.5mg/5ml                               | \$0(1)  | QL (300 mL / 30 days)  |
| <i>levocetirizine dihydrochloride</i> TABS 5mg                                     | \$0(1)  | QL (30 tabs / 30 days)   |
| <i>loratadine</i> TABS 10mg  | \$0(3)  | NM; *  |
| <i>loratadine childrens</i> SOLN 5mg/5ml   | \$0(3)  | NM; *  |
| <i>m-dryl</i> LIQD 12.5mg/5ml  | \$0(3)  | NM; *  |
| <i>PEDIACLEAR PD CHILDRENS</i> LIQD .625mg/ml                                      | \$0(3)  | NM; *  |
| <i>qc allergy childrens</i> LIQD 12.5mg/5ml  | \$0(3)  | NM; *  |
| <i>sm all day allergy</i> TABS 10mg  | \$0(3)  | NM; *  |
| <i>sm all day allergy childr</i> SOLN 5mg/5ml                                      | \$0(3)  | NM; *  |
| <i>sm allergy 4 hour</i> TABS 4mg  | \$0(3)  | NM; *  |
| <i>sm allergy childrens</i> SOLN 5mg/5ml   | \$0(3)  | NM; *  |
| <i>sm allergy relief</i> TABS 25mg, 60mg   | \$0(3)  | NM; *  |
| <i>sm allergy relief childre</i> LIQD 12.5mg/5ml                                   | \$0(3)  | NM; *  |
| <i>sm fexofenadine hydrochlo</i> TABS 180mg  | \$0(3)  | NM; *  |
| <i>sm loratadine</i> SOLN 5mg/5ml; TABS 10mg                                       | \$0(3)  | NM; *  |
| <i>triprolidine hcl</i> LIQD .938mg/ml   | \$0(3)  | NM; *  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
|---|---|--|

#### **BETA AGONISTS - DRUGS TO TREAT ASTHMA AND COPD**

|   |        |   |
|---|--------|---|
| <i>albuterol sulfate</i> AERS 108mcg/act                                    | \$0(1) | QL (2 inhalers / 30 days); (generic of Proair HFA)    |
| <i>albuterol sulfate</i> AERS 108mcg/act                                    | \$0(1) | QL (2 inhalers / 30 days); (generic of Proventil HFA) |
| <i>albuterol sulfate</i> AERS 108mcg/act                                    | \$0(1) | QL (2 inhalers / 30 days); (generic of Ventolin HFA)  |
| <i>albuterol sulfate</i> NEBU .083%, .63mg/3ml, 1.25mg/3ml, 2.5mg/0.5ml     | \$0(1) | B/D   |
| <i>albuterol sulfate</i> SYRP 2mg/5ml; TABS 2mg, 4mg                        | \$0(1) |   |
| <i>levalbuterol hcl</i> NEBU .31mg/3ml, .63mg/3ml, 1.25mg/0.5ml, 1.25mg/3ml | \$0(1) | B/D   |
| <i>levalbuterol tartrate</i> AERO 45mcg/act                                 | \$0(1) | QL (2 inhalers / 30 days), ST                         |
| SEREVENT DISKUS AEPB 50mcg/dose   | \$0(2) | QL (60 inhalations / 30 days)                         |
| <i>terbutaline sulfate</i> TABS 2.5mg, 5mg                                  | \$0(1) |   |
| VENTOLIN HFA AERS 108mcg/act  | \$0(2) | QL (2 inhalers / 30 days)                             |
| VENTOLIN HFA (INSTITUTIONAL PACK)<br>AERS 108mcg/act                        | \$0(2) | QL (6 inhalers / 30 days)                             |

#### **LEUKOTRIENE MODULATORS**

|   |        |
|---|--------|
| <i>montelukast sodium</i> CHEW 4mg, 5mg;<br>PACK 4mg; TABS 10mg | \$0(1) |
| <i>zafirlukast</i> TABS 10mg, 20mg                              | \$0(1) |

#### **MISCELLANEOUS**

|  |        |  |
|--|--------|--|
| <i>acetylcysteine</i> SOLN 10%, 20%                            | \$0(1) | B/D                                      |
| ARALAST NP SOLR 500mg, 1000mg                                  | \$0(2) | NDS, NM, LA, PA                          |
| BRONCHITOL CAPS 40mg   | \$0(2) | NDS, QL (560 caps / 28 days), NM, LA, PA |
| <i>cromolyn sodium</i> NEBU 20mg/2ml                           | \$0(1) | B/D                                      |
| <i>cromolyn sodium (nasal)</i> AERS 5.2mg/act                  | \$0(3) | NM; *                                    |
| <i>epinephrine (anaphylaxis)</i> SOAJ .15mg/0.3ml, .3mg/0.3ml  | \$0(1) | (generic of EpiPen)                      |
| <i>epinephrine (anaphylaxis)</i> SOAJ .15mg/0.15ml, .3mg/0.3ml | \$0(1) | (generic of Adrenaclick)                 |
| FASENRA SOSY 10mg/0.5ml, 30mg/ml                               | \$0(2) | NDS, NM, LA, PA                          |
| FASENRA PEN SOAJ 30mg/ml                                       | \$0(2) | NDS, NM, LA, PA                          |
| KALYDECO PACK 5.8mg, 13.4mg, 25mg, 50mg, 75mg                  | \$0(2) | NDS, QL (56 packs / 28 days), NM, LA, PA |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>  | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| KALYDECO TABS 150mg  | \$0(2)  | NDS, QL (60 tabs / 30 days), NM, LA, PA                        |
| OFEV CAPS 100mg, 150mg   | \$0(2)  | NDS, QL (60 caps / 30 days), NM, LA, PA                        |
| ORKAMBI GRA 75-94MG  | \$0(2)  | NDS, QL (56 packs / 28 days), NM, LA, PA                       |
| ORKAMBI GRA 100-125  | \$0(2)  | NDS, QL (56 packs / 28 days), NM, LA, PA                       |
| ORKAMBI GRA 150-188  | \$0(2)  | NDS, QL (56 packs / 28 days), NM, LA, PA                       |
| ORKAMBI TAB 100-125  | \$0(2)  | NDS, QL (112 tabs / 28 days), NM, LA, PA                       |
| ORKAMBI TAB 200-125  | \$0(2)  | NDS, QL (112 tabs / 28 days), NM, LA, PA                       |
| <i>pirfenidone</i> CAPS 267mg  | \$0(2)  | NDS, QL (270 caps / 30 days), NM, PA                           |
| <i>pirfenidone</i> TABS 267mg  | \$0(2)  | NDS, QL (270 tabs / 30 days), NM, PA                           |
| <i>pirfenidone</i> TABS 534mg, 801mg   | \$0(2)  | NDS, QL (90 tabs / 30 days), NM, PA                            |
| PROLASTIN-C SOLN 1000mg/20ml   | \$0(2)  | NDS, NM, LA, PA  |
| PULMOZYME SOLN 2.5mg/2.5ml   | \$0(2)  | NDS, NM, PA  |
| <i>roflumilast</i> TABS 250mcg   | \$0(1)  | QL (56 tabs / year)  |
| <i>roflumilast</i> TABS 500mcg   | \$0(1)  | QL (30 tabs / 30 days)   |
| SYMDEKO TAB 50-75MG  | \$0(2)  | NDS, QL (56 tabs / 28 days), NM, LA, PA                        |
| SYMDEKO TAB 100-150  | \$0(2)  | NDS, QL (56 tabs / 28 days), NM, LA, PA                        |
| <i>theophylline</i> ELIX 80mg/15ml; SOLN 80mg/15ml; TB12 100mg, 200mg, 300mg, 450mg; TB24 400mg, 600mg | \$0(1)  |  |
| TRIKAFTA PAK 59.5MG  | \$0(2)  | NDS, QL (56 packs / 28 days), NM, LA, PA                       |
| TRIKAFTA PAK 75MG  | \$0(2)  | NDS, QL (56 packs / 28 days), NM, LA, PA                       |
| TRIKAFTA TAB 50-25-37.5MG & 75MG   | \$0(2)  | NDS, QL (84 tabs / 28 days), NM, LA, PA                        |
| TRIKAFTA TAB 100-50-75MG & 150MG   | \$0(2)  | NDS, QL (84 tabs / 28 days), NM, LA, PA                        |
| XOLAIR SOAJ 75mg/0.5ml, 150mg/ml, 300mg/2ml; SOLR 150mg; SOSY 75mg/0.5ml, 150mg/ml, 300mg/2ml          | \$0(2)  | NDS, NM, LA, PA  |
| ZEMAIRA SOLR 1000mg, 4000mg, 5000mg  | \$0(2)  | NDS, NM, LA, PA  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
|---|---|--|

#### **NASAL STEROIDS - DRUGS TO TREAT ALLERGIES**

|  |        |                          |
|--|--------|--------------------------|
| <i>allergy relief</i> SUSP 50mcg/act                 | \$0(3) | NM; *                    |
| <i>budesonide (nasal)</i> SUSP 32mcg/act             | \$0(3) | NM; *                    |
| <i>flunisolide (nasal)</i> SOLN .025%                | \$0(1) | QL (3 bottles / 30 days) |
| <i>fluticasone propionate (nasal)</i> SUSP 50mcg/act | \$0(1) | QL (1 bottle / 30 days)  |
| <i>fluticasone propionate (nasal)</i> SUSP 50mcg/act | \$0(3) | NM; *                    |
| <i>gnp budesonide nasal spra</i> SUSP 32mcg/act      | \$0(3) | NM; *                    |
| <i>hm allergy relief nasal s</i> SUSP 50mcg/act      | \$0(3) | NM; *                    |
| <i>qc allergy relief</i> SUSP 50mcg/act              | \$0(3) | NM; *                    |
| <i>sm allergy relief nasal s</i> SUSP 50mcg/act      | \$0(3) | NM; *                    |
| XHANCE EXHU 93mcg/act                                | \$0(2) | QL (32 mL / 30 days), PA |

#### **STEROID INHALANTS - DRUGS TO TREAT ASTHMA**

|   |        |                               |
|---|--------|-------------------------------|
| ALVESCO AERS 80mcg/act                                  | \$0(2) | QL (3 inhalers / 30 days)     |
| ALVESCO AERS 160mcg/act                                 | \$0(2) | QL (2 inhalers / 30 days)     |
| ARNUITY ELLIPTA AEPB 50mcg/act, 100mcg/act, 200mcg/act  | \$0(2) | QL (30 inhalations / 30 days) |
| <i>budesonide (inhalation)</i> SUSP .25mg/2ml, .5mg/2ml | \$0(1) | B/D                           |

#### **STEROID/BETA-AGONIST COMBINATIONS - DRUGS TO TREAT ASTHMA AND COPD**

|                           |        |                            |
|---------------------------|--------|----------------------------|
| ADVAIR HFA AER 45/21      | \$0(2) | QL (1 inhaler / 30 days)   |
| ADVAIR HFA AER 115/21     | \$0(2) | QL (1 inhaler / 30 days)   |
| ADVAIR HFA AER 230/21     | \$0(2) | QL (1 inhaler / 30 days)   |
| AIRSUPRA AER 90-80MCG     | \$0(2) | QL (3 inhalers / 30 days)  |
| BREO ELLIPTA INH 50-25MCG | \$0(2) | QL (60 blisters / 30 days) |
| BREO ELLIPTA INH 100-25   | \$0(2) | QL (60 blisters / 30 days) |
| BREO ELLIPTA INH 200-25   | \$0(2) | QL (60 blisters / 30 days) |
| DULERA AER 50-5MCG        | \$0(2) | QL (3 inhalers / 30 days)  |
| DULERA AER 100-5MCG       | \$0(2) | QL (3 inhalers / 30 days)  |
| DULERA AER 200-5MCG       | \$0(2) | QL (3 inhalers / 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| <i>fluticasone-salmeterol aer powder ba 100-50 mcg/act</i> | \$0(1)  | QL (60 inhalations / 30 days); (generic PRASCO not covered)    |
| <i>fluticasone-salmeterol aer powder ba 250-50 mcg/act</i> | \$0(1)  | QL (60 inhalations / 30 days); (generic PRASCO not covered)    |
| <i>fluticasone-salmeterol aer powder ba 500-50 mcg/act</i> | \$0(1)  | QL (60 inhalations / 30 days); (generic PRASCO not covered)    |
| <i>wixela inhub</i>  | \$0(1)  | QL (60 inhalations / 30 days)                                  |

## **TOPICAL - DRUGS TO TREAT EAR AND SKIN CONDITIONS**

### **DERMATOLOGY, ACNE**

|   |        |                             |
|---|--------|-----------------------------|
| <i>accutane</i> CAPS 10mg, 20mg, 30mg, 40mg                       | \$0(1) | PA                          |
| <i>acne medication 2.5</i> GEL 2.5%                               | \$0(3) | NM; *                       |
| <i>acne medication 5</i> GEL 5%                                   | \$0(3) | NM; *                       |
| <i>acne medication 10</i> GEL 10%                                 | \$0(3) | NM; *                       |
| <i>ACNE MEDICATION 10</i> LOTN 10%                                | \$0(3) | NM; *                       |
| <i>adapalene</i> GEL .1%  | \$0(3) | NM; *                       |
| <i>amnesteem</i> CAPS 10mg, 20mg, 40mg                            | \$0(1) | PA                          |
| <i>benzoyl peroxide</i> GEL 2.5%, 5%, 10%                         | \$0(3) | NM; *                       |
| <i>benzoyl peroxide wash</i> LIQD 5%                              | \$0(3) | NM; *                       |
| <i>benzoyl peroxide-erythromycin gel</i> 5-3%                     | \$0(1) | QL (46.6 gm / 30 days)      |
| <i>claravis</i> CAPS 10mg, 20mg, 30mg, 40mg                       | \$0(1) | PA                          |
| <i>clindamycin phosphate (topical)</i> GEL 1%                     | \$0(1) | QL (75 gm / 30 days)        |
| <i>clindamycin phosphate (topical)</i> LOTN 1%;<br><i>SOLN</i> 1% | \$0(1) | QL (60 mL / 30 days)        |
| <i>DIFFERIN</i> GEL .1%   | \$0(3) | NM; *                       |
| <i>ery PADS</i> 2%  | \$0(1) | QL (60 pledges / 30 days)   |
| <i>erythromycin (acne aid)</i> GEL 2%                             | \$0(1) | QL (60 gm / 30 days)        |
| <i>erythromycin (acne aid)</i> SOLN 2%                            | \$0(1) | QL (60 mL / 30 days)        |
| <i>isotretinoin</i> CAPS 10mg, 20mg, 30mg,<br>40mg                | \$0(1) | PA                          |
| <i>sulfacetamide sodium (acne)</i> LOTN 10%                       | \$0(1) | QL (118 mL / 30 days)       |
| <i>tretinoin</i> CREA .025%, .05%, .1%; GEL<br>.01%, .025%        | \$0(1) | QL (45 gm / 30 days),<br>PA |
| <i>zenatane</i> CAPS 10mg, 20mg, 30mg, 40mg                       | \$0(1) | PA                          |

### **DERMATOLOGY, ANTIBIOTICS**

|   |        |                      |
|---|--------|----------------------|
| <i>gentamicin sulfate (topical)</i> CREA .1%;<br>OINT .1% | \$0(1) | QL (30 gm / 30 days) |
| <i>gnp triple antibiotic</i>                              | \$0(3) | NM; *                |
| <i>goodsense first aid antib</i>                          | \$0(3) | NM; *                |
| <i>hm triple antibiotic</i>                               | \$0(3) | NM; *                |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                         | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| <i>mupirocin</i> OINT 2%  | \$0(1)  | QL (220 gm / 30 days)  |
| <i>silver sulfadiazine</i> CREA 1%                                  | \$0(1)  |  |
| <i>sm triple antibiotic orig</i>                                    | \$0(3)  | NM; *  |
| <i>ssd</i> CREA 1%  | \$0(1)  |  |
| SULFAMYLYON CREA 85mg/gm  | \$0(2)  | QL (453.6 gm / 30 days)  |
| <i>triple antibiotic</i>  | \$0(3)  | NM; *  |
| <b><i>DERMATOLOGY, ANTIFUNGALS</i></b>                              |   |  |
| <i>antifungal</i> CREA 1%   | \$0(3)  | NM; *  |
| <i>athletes foot</i> CREA 1%  | \$0(3)  | NM; *  |
| <i>ciclopirox olamine</i> CREA .77%                                 | \$0(1)  | QL (90 gm / 30 days)   |
| <i>ciclopirox olamine</i> SUSP .77%                                 | \$0(1)  | QL (60 mL / 30 days)   |
| <i>clotrimazole (topical)</i> CREA 1%                               | \$0(1)  | QL (45 gm / 30 days)   |
| <i>clotrimazole (topical)</i> CREA 1%                               | \$0(3)  | NM; *  |
| <i>clotrimazole (topical)</i> SOLN 1%                               | \$0(1)  | QL (60 mL / 30 days)   |
| <i>clotrimazole antifungal</i> CREA 1%                              | \$0(3)  | NM; *  |
| <i>clotrimazole w/ betamethasone cream 1-0.05%</i>                  | \$0(1)  | QL (45 gm / 30 days)   |
| FUNGOID TINCTURE SOLN 2%  | \$0(3)  | NM; *  |
| <i>gnp athletes foot</i> CREA 1%                                    | \$0(3)  | NM; *  |
| <i>gnp tolnaftate</i> CREA 1%                                       | \$0(3)  | NM; *  |
| <i>ketoconazole (topical)</i> CREA 2%                               | \$0(1)  | QL (60 gm / 30 days)   |
| <i>klayesta</i> POWD 100000unit/gm                                  | \$0(1)  | QL (60 gm / 30 days)   |
| <i>miconazole nitrate (topical)</i> CREA 2%                         | \$0(3)  | NM; *  |
| <i>micotrin ac</i> CREA 1%  | \$0(3)  | NM; *  |
| <i>mycozyl ac</i> CREA 1%   | \$0(3)  | NM; *  |
| <i>nyamyc</i> POWD 100000unit/gm                                    | \$0(1)  | QL (60 gm / 30 days)   |
| <i>nystatin (topical)</i> CREA 100000unit/gm;<br>OINT 100000unit/gm | \$0(1)  | QL (30 gm / 30 days)   |
| <i>nystatin (topical)</i> POWD 100000unit/gm                        | \$0(1)  | QL (60 gm / 30 days)   |
| <i>nystop</i> POWD 100000unit/gm                                    | \$0(1)  | QL (60 gm / 30 days)   |
| <i>qc antifungal cream</i> CREA 1%                                  | \$0(3)  | NM; *  |
| <i>sm antifungal clotrimazol</i> CREA 1%                            | \$0(3)  | NM; *  |
| <i>sm antifungal miconazole</i> CREA 2%                             | \$0(3)  | NM; *  |
| <i>sm antifungal tolnaftate</i> CREA 1%                             | \$0(3)  | NM; *  |
| <i>tolnaftate</i> CREA 1%   | \$0(3)  | NM; *  |
| <b><i>DERMATOLOGY, ANTI-PSORIATICS</i></b>                          |   |  |
| <i>acitretin</i> CAPS 10mg, 17.5mg, 25mg                            | \$0(1)  | PA   |
| <i>calcipotriene</i> CREA .005%; OINT .005%                         | \$0(1)  | QL (120 gm / 30 days),<br>PA                                   |
| <i>calcipotriene</i> SOLN .005%                                     | \$0(1)  | QL (120 mL / 30 days),<br>PA                                   |
| <i>calcitrene</i> OINT .005%  | \$0(1)  | QL (120 gm / 30 days),<br>PA                                   |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                         | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
| tazarotene CREA .05%, .1%   | \$0(1)  | QL (60 gm / 30 days), PA                                       |
| TAZORAC CREA .05%   | \$0(2)  | QL (60 gm / 30 days), PA                                       |
| <b><i>DERMATOLOGY, ANTISEBORRHEICS</i></b>                          |   |  |
| ketoconazole (topical) SHAM 2%                                      | \$0(1)  | QL (120 mL / 30 days)  |
| selenium sulfide LOTN 2.5%  | \$0(1)  |  |
| <b><i>DERMATOLOGY, CORTICOSTEROIDS</i></b>                          |   |  |
| ala-cort CREA 1%, 2.5%  | \$0(1)  |  |
| alclometasone dipropionate CREA .05%; OINT .05%                     | \$0(1)  | QL (60 gm / 30 days)   |
| anti-itch maximum strengt CREA 1%                                   | \$0(3)  | NM; *  |
| betamethasone dipropionate (topical) CREA .05%; OINT .05%           | \$0(1)  | QL (120 gm / 30 days)  |
| betamethasone dipropionate (topical) LOTN .05%                      | \$0(1)  | QL (120 mL / 30 days)  |
| betamethasone dipropionate augmented CREA .05%; GEL .05%; OINT .05% | \$0(1)  | QL (120 gm / 30 days)  |
| betamethasone dipropionate augmented LOTN .05%                      | \$0(1)  | QL (120 mL / 30 days)  |
| betamethasone valerate CREA .1%; OINT .1%                           | \$0(1)  | QL (120 gm / 30 days)  |
| betamethasone valerate LOTN .1%                                     | \$0(1)  | QL (120 mL / 30 days)  |
| clobetasol propionate CREA .05%; GEL .05%; OINT .05%                | \$0(1)  | QL (60 gm / 30 days)   |
| clobetasol propionate SOLN .05%                                     | \$0(1)  | QL (50 mL / 30 days)   |
| clobetasol propionate e CREA .05%                                   | \$0(1)  | QL (60 gm / 30 days)   |
| ENSTILAR AER  | \$0(2)  | QL (120 gm / 30 days), PA                                      |
| fluocinolone acetonide CREA .01%                                    | \$0(1)  | QL (60 gm / 30 days)   |
| fluocinolone acetonide CREA .025%; OINT .025%                       | \$0(1)  | QL (120 gm / 30 days)  |
| fluocinolone acetonide OIL .01%                                     | \$0(1)  | QL (118.28 mL / 30 days)                                       |
| fluocinolone acetonide SOLN .01%                                    | \$0(1)  | QL (90 mL / 30 days)   |
| fluocinonide CREA .05%  | \$0(1)  | QL (120 gm / 30 days)  |
| fluocinonide GEL .05%; OINT .05%                                    | \$0(1)  | QL (60 gm / 30 days)   |
| fluocinonide SOLN .05%  | \$0(1)  | QL (60 mL / 30 days)   |
| fluocinonide emulsified base CREA .05%                              | \$0(1)  | QL (120 gm / 30 days)  |
| fluticasone propionate CREA .05%; OINT .005%                        | \$0(1)  |  |
| gnp hydrocortisone CREA .5%   | \$0(3)  | NM; *  |
| gnp hydrocortisone maximu OINT 1%                                   | \$0(3)  | NM; *  |
| gnp hydrocortisone plus CREA 1%                                     | \$0(3)  | NM; *  |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>                                    | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| <i>gnp hydrocortisone/aloe</i> CREA 1%   | \$0(3)  | NM; *  |
| <i>halobetasol propionate</i> CREA .05%; OINT .05%                             | \$0(1)  | QL (50 gm / 30 days)   |
| <i>hm hydrocortisone plus</i> CREA 1%  | \$0(3)  | NM; *  |
| <i>hm hydrocortisone/aloe ma</i> CREA 1%                                       | \$0(3)  | NM; *  |
| <b>HYDROCORTISONE</b> CREA 1%  | \$0(3)  | NM; *  |
| <i>hydrocortisone (topical)</i> CREA 1%, 2.5%; LOTN 2.5%; OINT 2.5%            | \$0(1)  |  |
| <i>hydrocortisone (topical)</i> CREA .5%, 1%; OINT 1%                          | \$0(3)  | NM; *  |
| <i>hydrocortisone maximum st</i> CREA 1%                                       | \$0(3)  | NM; *  |
| <i>hydrocortisone/aloe maxim</i> CREA 1%                                       | \$0(3)  | NM; *  |
| <i>mometasone furoate</i> CREA .1%; OINT .1%; SOLN .1%                         | \$0(1)  |  |
| <i>qc anti-itch/aloe</i> CREA 1%   | \$0(3)  | NM; *  |
| <i>sm hydrocortisone</i> CREA 1%   | \$0(3)  | NM; *  |
| <i>sm hydrocortisone maximum</i> OINT 1%                                       | \$0(3)  | NM; *  |
| <i>sm hydrocortisone plus</i> CREA 1%  | \$0(3)  | NM; *  |
| <i>triamcinolone acetonide (topical)</i> CREA .025%, .1%, .5%                  | \$0(1)  | QL (454 gm / 30 days)  |
| <i>triamcinolone acetonide (topical)</i> LOTN .025%, .1%; OINT .025%, .1%, .5% | \$0(1)  |  |
| <b><i>DERMATOLOGY, LOCAL ANESTHETICS</i></b>                                   |   |  |
| <i>glydo</i> PRSY 2%   | \$0(1)  | QL (60 mL / 30 days), PA                                       |
| <i>lidocaine</i> OINT 5%   | \$0(1)  | QL (50 gm / 30 days), PA                                       |
| <i>lidocaine</i> PTCH 5%   | \$0(1)  | QL (3 patches / 1 day), PA                                     |
| <i>lidocaine hcl</i> SOLN 4%   | \$0(1)  | QL (50 mL / 30 days), PA                                       |
| <i>lidocaine-prilocaine cream</i> 2.5-2.5%                                     | \$0(1)  | B/D, QL (30 gm / 30 days)                                      |
| <i>lidocan</i> PTCH 5%   | \$0(1)  | QL (3 patches / 1 day), PA                                     |
| <i>tridacaine ii</i> PTCH 5%   | \$0(1)  | QL (3 patches / 1 day), PA                                     |
| <b><i>DERMATOLOGY, MISCELLANEOUS SKIN AND MUCOUS MEMBRANE</i></b>              |   |  |
| <i>BETADINE</i> SOLN 10%   | \$0(3)  | NM; *  |
| <i>bexarotene (topical)</i> GEL 1%   | \$0(2)  | NDS, QL (60 gm / 30 days), NM, PA                              |
| <i>diclofenac sodium (topical)</i> GEL 1%                                      | \$0(1)  | QL (1000 gm / 30 days)   |
| <i>diclofenac sodium (topical)</i> SOLN 1.5%                                   | \$0(1)  | QL (300 mL / 28 days)  |
| <b>FIRST AID ANTISEPTIC</b> OINT OINT 10%                                      | \$0(3)  | NM; *  |
| <i>fluorouracil (topical)</i> CREA 5%  | \$0(1)  | QL (40 gm / 30 days)   |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b>              | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|--|---|--|
| <i>fluorouracil (topical)</i> SOLN 2%, 5%                | \$0(1)  | QL (10 mL / 30 days)   |
| <i>hydrocortisone (rectal)</i> CREA 1%, 2.5%             | \$0(1)  |  |
| <i>imiquimod</i> CREA 5%                                 | \$0(1)  | QL (24 packets / 30 days)                                      |
| <i>lactic acid (ammonium lactate)</i> CREA 12%; LOTN 12% | \$0(1)  |  |
| <i>lidocaine</i> CREA 4%                                 | \$0(3)  | NM; *  |
| <i>metronidazole (topical)</i> CREA .75%; GEL .75%       | \$0(1)  | QL (45 gm / 30 days)   |
| <i>metronidazole (topical)</i> LOTN .75%                 | \$0(1)  | QL (59 mL / 30 days)   |
| <i>nitroglycerin (intra-anal)</i> OINT .4%               | \$0(1)  | QL (30 gm / 30 days)   |
| PANRETIN GEL .1%   | \$0(2)  | NDS, QL (60 gm / 30 days), PA                                  |
| <i>podofilox</i> SOLN .5%                                | \$0(1)  | QL (7 mL / 28 days)  |
| <i>povidone-iodine</i> SOLN 10%                          | \$0(3)  | NM; *  |
| <i>procto-med hc</i> CREA 2.5%                           | \$0(1)  |  |
| <i>proctocort</i> CREA 1%                                | \$0(1)  |  |
| <i>proctosol hc</i> CREA 2.5%                            | \$0(1)  |  |
| <i>proctozone-hc</i> CREA 2.5%                           | \$0(1)  |  |
| <i>qc povidone iodine</i> SOLN 10%                       | \$0(3)  | NM; *  |
| RECTIV OINT .4%  | \$0(2)  | QL (30 gm / 30 days)   |
| RENOVA CREA .02%   | \$0(3)  | NM; *  |
| RENOVA PUMP CREA .02%                                    | \$0(3)  | NM; *  |
| <i>sm povidone-iodine</i> SOLN 10%                       | \$0(3)  | NM; *  |
| <i>tacrolimus (topical)</i> OINT .03%, .1%               | \$0(1)  | QL (100 gm / 30 days)  |
| VALCHLOR GEL .016%                                       | \$0(2)  | NDS, QL (60 gm / 30 days), NM, LA, PA                          |

### ***DERMATOLOGY, SCABICIDES AND PEDICULIDES***

|  |        |                      |
|--|--------|----------------------|
| <i>gnp lice treatment</i> LIQD 1%        | \$0(3) | NM; *                |
| <i>goodsense lice killing cr</i> LIQD 1% | \$0(3) | NM; *                |
| <i>lice killing maximum stre</i>         | \$0(3) | NM; *                |
| <i>lice killing shampoo</i>              | \$0(3) | NM; *                |
| <i>lice treatment creme rins</i> LIQD 1% | \$0(3) | NM; *                |
| <i>malathion</i> LOTN .5%                | \$0(1) | QL (59 mL / 30 days) |
| <i>permethrin</i> CREA 5%                | \$0(1) | QL (60 gm / 30 days) |
| <i>sm lice killing maximum s</i>         | \$0(3) | NM; *                |
| <i>sm lice treatment</i> LIQD 1%         | \$0(3) | NM; *                |

### ***DERMATOLOGY, WOUND CARE AGENTS***

|  |        |                               |
|--|--------|-------------------------------|
| REGRANEX GEL .01%                                    | \$0(2) | NDS, QL (30 gm / 30 days), PA |
| SANTYL OINT 250unit/gm                               | \$0(2) | QL (180 gm / 30 days)         |
| <i>sodium chloride (gu irrigant)</i> SOLN .9%        | \$0(1) |                               |
| <i>water for irrigation, sterile irrigation soln</i> | \$0(1) |                               |

You can find information on what the symbols and abbreviations in this table mean by going to page number 11.

| <b>Drug Name<br/>(By Medical Condition)</b> | <b>WHAT THE<br/>DRUG WILL<br/>COST YOU<br/>(TIER LEVEL)</b> | <b>NECESSARY ACTIONS<br/>RESTRICTIONS OR<br/>LIMITS ON USE</b> |
|---|---|--|
|---|---|--|

### ***MOUTH/THROAT/DENTAL AGENTS***

|   |        |                             |
|---|--------|-----------------------------|
| <i>cevimeline hcl</i> CAPS 30mg                         | \$0(1) |                             |
| <i>chlorhexidine gluconate (mouth-throat)</i> SOLN .12% | \$0(1) |                             |
| <i>clotrimazole</i> TROC 10mg                           | \$0(1) | QL (150 lozenges / 30 days) |
| <i>kourzeq</i> PSTE .1%                                 | \$0(1) |                             |
| <i>lidocaine hcl (mouth-throat)</i> SOLN 2%             | \$0(1) |                             |
| <i>nystatin (mouth-throat)</i> SUSP 100000unit/ml       | \$0(1) |                             |
| <i>periogard</i> SOLN .12%                              | \$0(1) |                             |
| <i>pilocarpine hcl (oral)</i> TABS 5mg, 7.5mg           | \$0(1) |                             |
| <i>triamcinolone acetonide (mouth)</i> PSTE .1%         | \$0(1) |                             |

### **PART B**

#### ***DIABETIC METERS AND TEST STRIPS***

|                           |     |    |
|---------------------------|-----|----|
| DEXCOM G6 MIS RECEIVER    | \$0 | PA |
| DEXCOM G6 MIS SENSOR      | \$0 | PA |
| DEXCOM G6 MIS TRANSMIT    | \$0 | PA |
| DEXCOM G7 MIS RECEIVER    | \$0 | PA |
| DEXCOM G7 MIS SENSOR      | \$0 | PA |
| FREESTY LIBR KIT 2 SENSOR | \$0 | PA |
| FREESTY LIBR KIT 3 SENSOR | \$0 | PA |
| FREESTY LIBR KIT SENSOR   | \$0 | PA |
| FREESTY LIBR MIS 2 READER | \$0 | PA |
| FREESTY LIBR MIS 3 READER | \$0 | PA |
| FREESTYLE MIS READER      | \$0 | PA |
| TRUE METRIX KIT AIR       | \$0 |    |
| TRUE METRIX KIT METER     | \$0 |    |
| TRUE METRIX STRIPS        | \$0 |    |

---

## D. Index of Covered Drugs

|   |  |   |
|---|--|---|
| *   | <i>acetaminophen w/<br/>codeine tab 300-15<br/>mg .....</i> 15 | ADALIMUMAB-AACF<br>(2 SYRING ..... 84         |
| *<br><i>sodium phosphates -<br/>enema***.....</i> 80                | <i>acetaminophen w/<br/>codeine tab 300-30<br/>mg .....</i> 15 | ADALIMUMAB-AACF<br>STARTER P..... 84          |
| 1   | <i>acetaminophen w/<br/>codeine tab 300-60<br/>mg .....</i> 15 | <i>adapalene .....</i> 102                    |
| <i>12hr allergy relief..</i> 98                                     | <i>acetazolamide .....</i> 45                                  | <i>adefovir dipivoxil ...</i> 23              |
| 2   | <i>acetic acid.....</i> 82                                     | ADEMPAS .....                                 |
| <i>24hr allergy relief..</i> 98                                     | <i>acetic acid (otic) ...</i> 96                               | ADIPEX-P .....                                |
| 3   | <i>acetylcysteine.....</i> 99                                  | ADMELOG .....                                 |
| <i>3 day vaginal .....</i> 82                                       | <i>acid gone .....</i> 76                                      | ADMELOG SOLOSTAR<br>..... 64                  |
| A   | <i>acid reducer .....</i> 78                                   | <i>adult aspirin regimen</i><br>..... 12      |
| <i>abacavir sulfate.....</i> 20                                     | <i>acid reducer complete<br/>.....</i> 80                      | ADVAIR HFA AER<br>115/21 ..... 101            |
| <i>abacavir sulfate-<br/>lamivudine tab 600-<br/>300 mg.....</i> 22 | <i>acid reducer<br/>maximum stre ...</i> 78                    | ADVAIR HFA AER<br>230/21 ..... 101            |
| ABELCET .....   | <i>acid reducer original<br/>str .....</i> 78                  | ADVAIR HFA AER<br>45/21 ..... 101             |
| ABILIFY MAINTENA 50   | <i>acitretin .....</i> 103                                     | <i>afirmelle.....</i> 67                      |
| <i>abiraterone acetate</i> 28                                       | <i>acne medication 10<br/>.....</i> 102                        | AHIST .....                                   |
| ABRYSVO .....   | ACNE MEDICATION<br>10 .....                                    | AIMOVIG .....                                 |
| <i>acamprosate calcium<br/>.....</i> 61                             | <i>acne medication 2.5<br/>.....</i> 102                       | AIRSUPRA AER 90-<br>80MCG .....               |
| <i>acarbose .....</i> 62  | <i>acne medication 5</i> 102                                   | AKEEGA TAB 100/500<br>..... 28                |
| <i>accutane .....</i> 102   | ACTHIB INJ .....   | AKEEGA TAB<br>50/500MG..... 28                |
| <i>acebutolol hcl.....</i> 44                                       | ACTIMMUNE .....  | <i>ala-cort .....</i> 104                     |
| <i>acetaminophen.....</i> 12  | <i>acyclovir .....</i> 23                                      | ALA-HIST IR .....                             |
| ACETAMINOPHEN ..12  | <i>acyclovir sodium ...</i> 23                                 | <i>alaway .....</i> 94                        |
| <i>acetaminophen extra<br/>stren .....</i> 12                       | ADACEL INJ..... 88   | <i>alaway childrens<br/>allergy .....</i> 94  |
| <i>acetaminophen w/<br/>codeine soln 120-12<br/>mg/5ml .....</i> 15 | ADALIMUMAB-AACF<br>(2 PEN) .....                               | <i>albendazole .....</i> 17                   |
|   | 84   | <i>albuterol sulfate ....</i> 99              |
|   |  | <i>alclometasone<br/>dipropionate....</i> 104 |

|  |     |  |  |
|--|-----|--|--|
| ALDURAZYME.....  | 73  |  |  |
| ALECENSA .....   | 30  |  |  |
| alendronate sodium .....                                     | 66  |  |  |
| alfuzosin hcl.....   | 81  |  |  |
| aliskiren fumarate..   | 45  |  |  |
| all day allergy .....  | 97  |  |  |
| all day allergy .....  | 97  |  |  |
| childrens.....   | 97  |  |  |
| all day pain relief...14                                     |     |  |  |
| all day relief.....14  |     |  |  |
| aller-chlor.....   | 97  |  |  |
| allergy .....  | 97  |  |  |
| allergy childrens....97                                      |     |  |  |
| allergy relief . 97, 101                                     |     |  |  |
| allergy relief 24hr ..97                                     |     |  |  |
| allergy relief childrens .....                               | 97  |  |  |
| allergy .....  | 97  |  |  |
| relief/indoor/out .97  |     |  |  |
| allopurinol .....  | 12  |  |  |
| almacone double strength.....                                | 76  |  |  |
| alosetron hcl .....  | 80  |  |  |
| alprazolam.....  | 46  |  |  |
| ALREX.....   | 94  |  |  |
| altavera.....  | 67  |  |  |
| ALUMINUM   |     |  |  |
| HYDROXIDE .....  | 76  |  |  |
| ALUNBRIG .....   | 30  |  |  |
| ALUNBRIG PAK.....  | 30  |  |  |
| ALVAIZ.....  | 83  |  |  |
| ALVESCO.....   | 101 |  |  |
| alyacen 1/35.....  | 67  |  |  |
| alyacen 7/7/7 .....  | 67  |  |  |
| ALYGLO.....  | 87  |  |  |
| amantadine hcl .....   | 49  |  |  |
| ambrisentan .....  | 46  |  |  |
| amethia.....   | 67  |  |  |
| amikacin sulfate ....  | 17  |  |  |
| amiloride & hydrochlorothiazide tab 5-50 mg .....            | 45  |  |  |
| amiloride hcl .....  | 45  |  |  |
| amiodarone hcl.....42  |     |  |  |
| amitriptyline hcl....47                                      |     |  |  |
| amlodipine besylate .....                                    | 44  |  |  |
| amlodipine besylate- benazepril hcl cap 10-20 mg .....       | 38  |  |  |
| amlodipine besylate- benazepril hcl cap 10-40 mg .....       | 38  |  |  |
| amlodipine besylate- benazepril hcl cap 2.5-10 mg .....      | 38  |  |  |
| amlodipine besylate- benazepril hcl cap 5-10 mg .....        | 38  |  |  |
| amlodipine besylate- benazepril hcl cap 5-20 mg .....        | 38  |  |  |
| amlodipine besylate- benazepril hcl cap 5-40 mg .....        | 38  |  |  |
| amlodipine besylate- olmesartan medoxomil tab 10-20 mg ..... | 40  |  |  |
| amlodipine besylate- olmesartan medoxomil tab 10-40 mg ..... | 40  |  |  |
| amlodipine besylate- olmesartan medoxomil tab 5-20 mg .....  | 40  |  |  |
| amlodipine besylate- olmesartan .....                        | 44  |  |  |
| medoxomil tab 5-40 mg .....                                  | 40  |  |  |
| amlodipine besylate- valsartan tab 10-160 mg.....40          |     |  |  |
| amlodipine besylate- valsartan tab 10-320 mg.....40          |     |  |  |
| amlodipine besylate- valsartan tab 5-160 mg .....            | 40  |  |  |
| amlodipine besylate- valsartan tab 5-320 mg .....            | 40  |  |  |
| amnesteem .....  | 102 |  |  |
| amoxapine .....  | 47  |  |  |
| amoxicillin .....  | 25  |  |  |
| amoxicillin & k clavulanate chew tab 400-57 mg ...25         |     |  |  |
| amoxicillin & k clavulanate for susp 200-28.5 mg/5ml25       |     |  |  |
| amoxicillin & k clavulanate for susp 250-62.5 mg/5ml25       |     |  |  |
| amoxicillin & k clavulanate for susp 400-57 mg/5ml ..25      |     |  |  |
| amoxicillin & k clavulanate for susp 600-42.9 mg/5ml26       |     |  |  |
| amoxicillin & k clavulanate tab 250-125 mg .....             | 26  |  |  |
| amoxicillin & k clavulanate tab 500-125 mg .....             | 26  |  |  |
| amoxicillin & k clavulanate tab 875-125 mg .....             | 26  |  |  |

|   |           |   |            |
|---|-----------|---|------------|
| <i>amoxicillin &amp; k<br/>clavulanate tab er<br/>12hr 1000-62.5 mg<br/>.....</i> | <i>26</i> | <i>antacid extra strength<br/>.....</i>                             | <i>76</i>  |
| <i>amphetamine-<br/>dextroamphetamine<br/>cap er 24hr 10 mg<br/>.....</i>         | <i>56</i> | <i>antacid maximum<br/>strength .....</i>                           | <i>76</i>  |
| <i>amphetamine-<br/>dextroamphetamine<br/>cap er 24hr 15 mg<br/>.....</i>         | <i>56</i> | <i>antacid regular<br/>strength .....</i>                           | <i>76</i>  |
| <i>amphetamine-<br/>dextroamphetamine<br/>cap er 24hr 20 mg<br/>.....</i>         | <i>56</i> | <i>antacid ultra strength<br/>.....</i>                             | <i>76</i>  |
| <i>amphetamine-<br/>dextroamphetamine<br/>cap er 24hr 25 mg<br/>.....</i>         | <i>57</i> | <i>antacid/antigas liquid<br/>.....</i>                             | <i>76</i>  |
| <i>amphetamine-<br/>dextroamphetamine<br/>cap er 24hr 30 mg<br/>.....</i>         | <i>57</i> | <i>anti-diarrheal.....</i>  | <i>77</i>  |
| <i>amphetamine-<br/>dextroamphetamine<br/>cap er 24hr 5 mg</i>                    | <i>56</i> | <i>antifungal.....</i>  | <i>103</i> |
| <i>amphetamine-<br/>dextroamphetamine<br/>tab 10 mg .....</i>                     | <i>57</i> | <i>anti-gas/<br/>and gnp antacid .....</i>                          | <i>76</i>  |
| <i>amphetamine-<br/>dextroamphetamine<br/>tab 12.5 mg .....</i>                   | <i>57</i> | <i>anti-itch maximum<br/>strengt .....</i>                          | <i>104</i> |
| <i>amphetamine-<br/>dextroamphetamine<br/>tab 15 mg .....</i>                     | <i>57</i> | <i>aprepitant .....</i>   | <i>77</i>  |
| <i>amphetamine-<br/>dextroamphetamine<br/>tab 20 mg .....</i>                     | <i>57</i> | <i>aprepitant capsule<br/>therapy pack 80 &amp;<br/>125 mg.....</i> | <i>77</i>  |
|   |           | <i>apri .....</i>   | <i>67</i>  |
|   |           | <i>APTIOM.....</i>  | <i>52</i>  |
|   |           | <i>APTIVUS .....</i>  | <i>21</i>  |
|   |           | <i>ARALAST NP .....</i>   | <i>99</i>  |
|   |           | <i>aranelle.....</i>  | <i>67</i>  |
|   |           | <i>ARCALYST .....</i>   | <i>87</i>  |
|   |           | <i>AREXVY.....</i>  | <i>88</i>  |
|   |           | <i>ariPIPRAZOLE.....</i>  | <i>50</i>  |
|   |           | <i>ARISTADA .....</i>   | <i>50</i>  |
|   |           | <i>ARISTADA INITIO..</i>  | <i>50</i>  |
|   |           | <i>armodafinil .....</i>  | <i>60</i>  |
|   |           | <i>ARNUITY ELLIPTA 101</i>  |            |
|   |           | <i>arthritis pain relief.</i>                                       | <i>12</i>  |
|   |           | <i>artificial tears.....</i>  | <i>95</i>  |
|   |           | <i>asenapine maleate</i>  | <i>50</i>  |
|   |           | <i>ashlyna .....</i>  | <i>67</i>  |
|   |           | <i>aspirin .....</i>  | <i>12</i>  |
|   |           | <i>ASPIRIN .....</i>  | <i>12</i>  |
|   |           | <i>aspirin adult low dose<br/>.....</i>                             | <i>12</i>  |
|   |           | <i>aspirin low dose ....</i>  | <i>12</i>  |

|  |     |
|--|-----|
| <i>aspirin low strength</i>                        | 12  |
| <i>aspirin regimen</i>                             | 12  |
| <i>aspirin-dipyridamole</i>                        |     |
| <i>cap er 12hr 25-200 mg</i>                       | 84  |
| <i>ASTAGRAF XL</i>                                 | 87  |
| <i>atazanavir sulfate</i>                          | 21  |
| <i>atenolol</i>                                    | 44  |
| <i>atenolol &amp; chlorthalidone tab 100-25 mg</i> | 43  |
| <i>atenolol &amp; chlorthalidone tab 50-25 mg</i>  | 43  |
| <i>athletes foot</i>                               | 103 |
| <i>atomoxetine hcl</i>                             | 57  |
| <i>atorvastatin calcium</i>                        |     |
| <i>.....42</i>                                     |     |
| <i>atovaquone</i>                                  | 17  |
| <i>atovaquone-proguanil hcl tab 250-100 mg</i>     |     |
| <i>.....20</i>                                     |     |
| <i>atovaquone-proguanil hcl tab 62.5-25 mg</i>     |     |
| <i>.....20</i>                                     |     |
| <i>ATROPINE SULFATE</i>                            |     |
| <i>.....95</i>                                     |     |
| <i>atropine sulfate (ophthalmic)</i>               | 95  |
| <i>ATROVENT HFA</i>                                | 96  |
| <i>aubra eq</i>                                    | 67  |
| <i>AUGTYRO</i>                                     | 30  |
| <i>aurovela 1/20</i>                               | 67  |
| <i>aurovela 24 fe</i>                              | 67  |
| <i>aurovela fe 1.5/30</i>                          | 67  |
| <i>aurovela fe 1/20</i>                            | 67  |
| <i>AUSTEDO</i>                                     | 59  |
| <i>AUSTEDO XR</i>                                  | 59  |
| <i>AUSTEDO XR TAB TITR KIT</i>                     | 59  |

|  |    |
|--|----|
| <i>AUVELITY TAB 45-105MG</i>                               | 47 |
| <i>aviane</i>  | 67 |
| <i>ayuna</i>   | 67 |
| <i>AYVAKIT</i>   | 30 |
| <i>azacitidine</i>   | 28 |
| <i>azathioprine</i>  | 87 |
| <i>azelastine hcl</i>                                      | 97 |
| <i>azelastine hcl (ophth)</i>                              |    |
| <i>.....95</i>   |    |
| <i>azithromycin</i>  | 25 |
| <i>aztreonam</i>   | 17 |
| <i>azurette</i>  | 67 |
| <br><b>B</b>   |    |
| <i>bacitracin (ophthalmic)</i>                             | 93 |
| <i>bacitracin-polymyxin b ophth oint</i>                   | 93 |
| <i>bacitracin-polymyxin-neomycin-hc ophth oint 1%</i>      | 93 |
| <i>baclofen</i>  | 60 |
| <i>BACMIN TAB</i>  | 92 |
| <i>BAFIERTAM</i>   | 59 |
| <i>balsalazide disodium</i>                                |    |
| <i>.....79</i>   |    |
| <i>BALVERSA</i>  | 31 |
| <i>balziva</i>   | 67 |
| <i>banophen</i>  | 97 |
| <i>BARACLUEDE</i>  | 23 |
| <i>BASAGLAR KWIKPEN</i>                                    |    |
| <i>.....64</i>   |    |
| <i>BCG VACCINE</i>   | 88 |
| <i>BD ALCOHOL SWABS</i>                                    |    |
| <i>.....64</i>   |    |
| <i>benazepril &amp; hydrochlorothiazide tab 10-12.5 mg</i> | 38 |

|  |     |
|--|-----|
| <i>benazepril &amp; hydrochlorothiazide tab 20-12.5 mg</i> | 38  |
| <i>benazepril &amp; hydrochlorothiazide tab 20-25 mg</i>   | 39  |
| <i>benazepril &amp; hydrochlorothiazide tab 5-6.25mg</i>   | 38  |
| <i>benazepril hcl</i>                                      | 39  |
| <i>BENDAMUSTINE HYDROCHLORID</i>                           | 27  |
| <i>BENDEKA</i>   | 27  |
| <i>BENLYSTA</i>  | 87  |
| <i>benzoyl peroxide</i>                                    | 102 |
| <i>benzoyl peroxide-wash</i>                               | 102 |
| <i>benzoyl peroxide-erythromycin gel 5-3%</i>              | 102 |
| <i>benzphetamine hcl</i>                                   | 66  |
| <i>benztropine mesylate</i>                                |     |
| <i>.....49</i>   |     |
| <i>BERINERT</i>  | 84  |
| <i>BESIVANCE</i>   | 93  |
| <i>BESREMI</i>   | 29  |
| <i>BETADINE</i>  | 105 |
| <i>betaine powder for oral solution</i>                    | 73  |
| <i>betamethasone dipropionate (topical)</i>                | 104 |
| <i>betamethasone dipropionate augmented</i>                | 104 |
| <i>betamethasone valerate</i>                              | 104 |
| <i>BETASERON</i>   | 59  |
| <i>betaxolol hcl</i>                                       | 44  |
| <i>betaxolol hcl (ophth)</i>                               |     |
| <i>.....95</i>   |     |

|                                |                                |     |                                |     |
|--------------------------------|--------------------------------|-----|--------------------------------|-----|
| <i>bethanechol chloride</i>    | BRAFTOVI .....                 | 31  | 2-0.5 mg (base<br>equiv) ..... | 61  |
| .....82                        | BREO ELLIPTA INH               |     |                                |     |
| BETOPTIC-S.....95              | 100-25.....101                 |     | <i>buprenorphine hcl-</i>      |     |
| BEVESPI AER 9-                 | BREO ELLIPTA INH               |     | <i>naloxone hcl sl film</i>    |     |
| 4.8MCG .....                   | 200-25.....101                 |     | 4-1 mg (base<br>equiv) .....   | 61  |
| <i>bexarotene</i> .....        | BREO ELLIPTA INH               |     | <i>buprenorphine hcl-</i>      |     |
| 29                             | 50-25MCG .....                 | 101 | <i>naloxone hcl sl film</i>    |     |
| <i>bexarotene (topical)</i>    | BREZTRI AERO AER               |     | 8-2 mg (base<br>equiv) .....   | 61  |
| .....105                       | SPHERE.....96                  |     | <i>buprenorphine hcl-</i>      |     |
| BEXZERO INJ .....              | BREZTRI AERO AER               |     | <i>naloxone hcl sl tab</i>     |     |
| <i>bicalutamide</i> .....      | SPHERE                         |     | 2-0.5 mg (base<br>equiv) ..... | 61  |
| 28                             | (INSTITUTIONAL                 |     | <i>buprenorphine hcl-</i>      |     |
| BICILLIN L-A.....26            | PACK) .....                    | 96  | <i>naloxone hcl sl tab</i>     |     |
| BIKTARVY TAB 30-               | <i>brielllyn</i> .....         | 67  | 8-2 mg (base<br>equiv) .....   | 61  |
| 120-15 MG.....22               | BRILINTA.....84                |     | <i>bupropion hcl</i> .....47   |     |
| BIKTARVY TAB 50-               | <i>brimonidine tartrate</i>    |     | <i>bupropion hcl</i>           |     |
| 200-25 MG.....22               | .....95                        |     | (smoking deterrent)            |     |
| BINAXNOW COV KIT               | <i>brinzolamide</i> .....      | 95  | .....61                        |     |
| HOME TES.....17                | BRIVIACT.....52, 53            |     | <i>buspirone hcl</i> .....     | 46  |
| <i>bisacodyl</i> .....         | <i>bromfenac sodium</i>        |     | <i>butorphanol tartrate</i>    |     |
| 79                             | (ophth) .....                  | 94  | .....16                        |     |
| <i>bisacodyl ec</i> .....      | <i>bromocriptine</i>           |     | BYDUREON BCISE .....           | 62  |
| 79                             | mesylate .....                 | 49  | BYETTA .....                   | 62  |
| <i>bismatrol</i> .....         | BROMSITE .....                 | 94  |                                |     |
| 77                             | BRONCHITOL.....99              |     |                                |     |
| <i>bismuth subsalicylate</i>   | BRUKINSA .....                 | 31  |                                |     |
| .....77                        | <i>budesonide</i> .....        | 79  |                                |     |
| <i>bisoprolol &amp;</i>        | <i>budesonide</i>              |     |                                |     |
| <i>hydrochlorothiazide</i>     | (inhalation).....101           |     |                                |     |
| tab 10-6.25 mg ..              | <i>budesonide (nasal)</i>      |     | C                              |     |
| .43                            | .....101                       |     |                                |     |
| <i>bisoprolol &amp;</i>        | <i>bumetanide</i> .....        | 45  | <i>cabergoline</i> .....       | 73  |
| <i>hydrochlorothiazide</i>     | <i>buprenorphine</i> .....     | 15  | CABOMETYX .....                | 31  |
| tab 2.5-6.25 mg .43            | <i>buprenorphine hcl</i> ..... | 61  | <i>calcipotriene</i> .....     | 103 |
| <i>bisoprolol &amp;</i>        | <i>buprenorphine hcl-</i>      |     | <i>calcitonin (salmon)</i>     |     |
| <i>hydrochlorothiazide</i>     | <i>naloxone hcl sl film</i>    |     | spray.....66                   |     |
| tab 5-6.25 mg ....43           | 12-3 mg (base<br>equiv) .....  | 61  | <i>calcitrene</i> .....        | 103 |
| <i>bisoprolol fumarate</i> 44  | <i>buprenorphine hcl-</i>      |     | <i>calcitriol</i> .....        | 76  |
| BIVIGAM .....                  | <i>naloxone hcl sl film</i>    |     | <i>calcitriol (oral)</i> ..... | 76  |
| 87                             | .....61                        |     | <i>calcium acetate</i>         |     |
| <i>blisovi 24 fe</i> .....     | <i>buprenorphine hcl-</i>      |     | (phosphate binder)             |     |
| 67                             | <i>naloxone hcl sl film</i>    |     | .....75                        |     |
| <i>blisovi fe 1.5/30</i> ..... | .....61                        |     | <i>calcium antacid</i> .....   | 76  |
| 67                             | <i>buprenorphine hcl-</i>      |     |                                |     |
| BOOSTRIX INJ .....             | <i>naloxone hcl sl film</i>    |     |                                |     |
| 88                             |                                |     |                                |     |
| <i>bortezomib</i> .....        |                                |     |                                |     |
| 31                             |                                |     |                                |     |
| BORTEZOMIB.....31              |                                |     |                                |     |
| <i>bosentan</i> .....          |                                |     |                                |     |
| 46                             |                                |     |                                |     |
| BOSULIF.....31                 |                                |     |                                |     |
| BP VIT 3 CAP .....             |                                |     |                                |     |
| 92                             |                                |     |                                |     |

|   |   |  |
|---|---|--|
| <i>calcium antacid extra str</i> .....76                              | <i>carb/levo orally disintegrating tab 25-100mg</i> .....49     | <i>carglumic acid</i> .....73            |
| CALCIUM CARBONATE .....   | <i>carb/levo orally disintegrating tab 25-250mg</i> .....49     | <i>carisoprodol</i> .....60              |
| .....76   | <i>carbamazepine</i> .....53                                    | <i>carteolol hcl (ophth)</i>             |
| <i>calcium carbonate (antacid)</i> .....76                            | <i>carbidopa &amp; levodopa tab 10-100 mg</i> ...49             | .....95                                  |
| <i>cal-gest antacid</i> .....76                                       | <i>carbidopa &amp; levodopa tab 25-100 mg</i> ...49             | <i>cartia xt</i> .....44                 |
| CALQUENCE.....31  | <i>carbidopa &amp; levodopa tab 25-250 mg</i> ...49             | <i>carvedilol</i> .....44                |
| <i>camila</i> .....67   | <i>carbidopa &amp; levodopa tab er 25-100 mg</i> 49             | <i>caspofungin acetate</i>               |
| <i>camrese</i> .....67  | <i>carbidopa &amp; levodopa tab er 50-200 mg</i> 49             | .....20                                  |
| <i>camrese lo</i> .....67   | <i>carbidopa-levodopa-entacapone tabs 12.5-50-200 mg.</i> 49    | CAYSTON .....17                          |
| <i>candesartan cilexetil</i> .....                                    | <i>carbidopa-levodopa-entacapone tabs 18.75-75-200 mg</i> 49    | <i>cefaclor</i> .....24                  |
| <i>candesartan cilexetil-hydrochlorothiazide tab 16-12.5 mg</i> ..40  | <i>carbidopa-levodopa-entacapone tabs 25-100-200 mg..</i> 49    | CEFACLOR ER .....24                      |
| <i>candesartan cilexetil-hydrochlorothiazide tab 32-12.5 mg</i> ..40  | <i>carbidopa-levodopa-entacapone tabs 31.25-125-200 mg</i> ..49 | <i>cefadroxil</i> .....24                |
| <i>candesartan cilexetil-hydrochlorothiazide tab 32-25 mg</i> .....40 | <i>carbidopa-levodopa-entacapone tabs 37.5-150-200 mg</i> 49    | CEFAZOLIN .....24                        |
| CAPLYTA .....50   | <i>carbidopa-levodopa-entacapone tabs 50-200-200 mg..</i> 49    | CEFAZOLIN INJ                            |
| CAPRELSA .....31  | <i>carboplatin</i> .....27                                      | 1GM/50ML .....24                         |
| <i>captopril</i> .....  | <i>carboxymethylcellulose sodium (ophth)</i> 95                 | CEFAZOLIN INJ                            |
| <i>captopril &amp; hydrochlorothiazide tab 25-15 mg</i> .....39       | CARESTART KIT   | 3GM/150ML-4% .24                         |
| <i>captopril &amp; hydrochlorothiazide tab 25-25 mg</i> .....39       | COVID-19.....17   | <i>cefazolin sodium</i> ...24            |
| <i>captopril &amp; hydrochlorothiazide tab 50-15 mg</i> .....39       |   | CEFAZOLIN SOLN                           |
| <i>captopril &amp; hydrochlorothiazide tab 50-25 mg</i> .....39       |   | 2GM/100ML-4% .24                         |
| <i>carb/levo orally disintegrating tab 10-100mg</i> .....49           |   | <i>cefdinir</i> .....24                  |
|   |   | <i>cefepime hcl</i> .....24              |
|   |   | <i>cefixime</i> .....24                  |
|   |   | <i>cefoxitin sodium</i> ...24            |
|   |   | <i>cefpodoxime proxetil</i>              |
|   |   | .....24                                  |
|   |   | <i>cefprozil</i> .....24                 |
|   |   | <i>ceftazidime</i> .....24               |
|   |   | <i>ceftriaxone sodium</i> 24             |
|   |   | <i>cefuroxime axetil</i> ...24           |
|   |   | <i>cefuroxime sodium</i> 24              |
|   |   | <i>celecoxib</i> .....14                 |
|   |   | <i>cephalexin</i> .....24                |
|   |   | CERDELGA.....73                          |
|   |   | CEREZYME.....73                          |
|   |   | <i>cetirizine hcl</i> .....97            |
|   |   | <i>cetirizine hcl allergy ch</i> .....97 |
|   |   | <i>cetirizine hcl childrens</i>          |
|   |   | .....97                                  |

|  |   |          |  |     |
|--|---|----------|--|-----|
| <i>cetirizine</i>                              | <i>clarithromycin</i> .....                 | 25       | <i>clenisol sf 15%</i> .....           | 91  |
| <i>hydrochloride</i> .....                     | <i>clindamycin hcl</i> .....                | 17       | <b>CLINITEST KIT SELF-TST</b> .....    | 17  |
| <i>cevimeline hcl</i> .....                    | <i>clindamycin palmitate</i>                |          | <b>CLINOLIPID EMU</b>                  |     |
| <i>chateal eq</i> .....                        | <i>hydrochloride</i> .....                  | 17       | <i>20%</i> .....                       | 91  |
| <i>CHEMET</i> .....                            | <i>clindamycin</i>                          |          | <i>clobazam</i> .....                  | 53  |
| <i>childrens</i>                               | <i>phosphate</i> .....                      | 17       | <i>clobetasol propionate</i>           |     |
| <i>acetaminophen</i> ...12                     | <i>phosphate (topical)</i>                  | .....102 | .....                                  | 104 |
| <i>childrens ibuprofen</i> 14                  | <i>clindamycin</i>                          |          | <i>clobetasol propionate e</i> .....   | 104 |
| <i>childrens loratadine</i> 97                 | <i>phosphate in d5w iv soln 300 mg/50ml</i> | .....17  | <i>clomipramine hcl</i> ...47          |     |
| <i>chlorhexidine</i>                           |   |          | <i>clonazepam</i> .....                | 53  |
| <i>gluconate (mouth-throat)</i> .....107       | <i>clindamycin</i>                          |          | <i>clonidine</i> .....                 | 45  |
| <i>chloroquine</i>                             | <i>phosphate in d5w iv soln 600 mg/50ml</i> | .....17  | <i>clonidine hcl</i> .....             | 45  |
| <i>phosphate</i> .....20                       |   |          | <i>clopidogrel bisulfate</i>           |     |
| <i>chlorpromazine hcl</i> 50                   | <i>clindamycin</i>                          |          | .....                                  | 84  |
| <i>chlorthalidone</i> .....                    | <i>phosphate in d5w iv soln 900 mg/50ml</i> | .....17  | <i>clorazepate</i>                     |     |
| <i>cholestyramine</i> .....43                  |   |          | <i>dipotassium</i> .....               | 53  |
| <i>cholestyramine light</i>                    | <i>clindamycin</i>                          |          | <i>clotrimazole</i> .....              | 107 |
| .....43  | <i>phosphate in d5w iv soln 900 mg/50ml</i> | .....17  | <i>clotrimazole (topical)</i>          |     |
| <i>chromic chloride</i> ....91                 |   |          | .....                                  | 103 |
| <i>ciclopirox olamine</i> 103                  | <i>clindamycin</i>                          |          | <i>clotrimazole</i>                    |     |
| <i>cilostazol</i> .....                        | <i>phosphate vaginal</i>                    | .....82  | <i>antifungal</i> .....                | 103 |
| <i>CILOXAN</i> .....                           |   |          | <i>clotrimazole vaginal</i>            |     |
| <i>CIMDUO TAB 300-300</i>                      | <i>CLINDMYC/NAC INJ</i>                     |          | .....                                  | 82  |
| .....22  | <i>300/50ML</i> .....                       | 17       | <i>clotrimazole w/</i>                 |     |
| <i>cinacalcet hcl</i> .....                    | <i>CLINDMYC/NAC INJ</i>                     |          | <i>betamethasone cream 1-0.05%</i> 103 |     |
| <i>CIPRO</i> .....                             | <i>600/50ML</i> .....                       | 17       | <i>clozapine</i> .....                 | 50  |
| <i>ciprofloxacin 200</i>                       | <i>CLINDMYC/NAC INJ</i>                     |          | <i>COARTEM TAB 20-120MG</i> .....      | 20  |
| <i>mg/100ml in d5w</i> 25                      | <i>900/50ML</i> .....                       | 17       | <i>COLACE</i> .....                    | 79  |
| <i>ciprofloxacin 400</i>                       | <i>CLINIMIX INJ</i>                         |          | <i>colchicine</i> .....                | 12  |
| <i>mg/200ml in d5w</i> 25                      | <i>4.25/D10</i> .....                       | 91       | <i>colchicine w/</i>                   |     |
| <i>ciprofloxacin hcl</i> ....25                | <i>CLINIMIX INJ</i>                         |          | <i>probenecid tab 0.5-500 mg</i> ..... | 12  |
| <i>ciprofloxacin hcl</i>                       | <i>4.25/D5W</i> .....                       | 91       | <i>colesevelam hcl</i> ....43          |     |
| <i>(ophth)</i> .....94                         | <i>CLINIMIX INJ</i>                         |          | <i>colestipol hcl</i> .....43          |     |
| <i>ciprofloxacin-</i>                          | <i>5%/D15W</i> .....                        | 91       | <i>colistimethate sodium</i>           |     |
| <i>dexamethasone otic susp 0.3-0.1%</i> ....96 | <i>CLINIMIX INJ</i>                         |          | .....                                  | 17  |
| <i>cisplatin</i> .....                         | <i>5%/D20W</i> .....                        | 91       |  |     |
| <i>citalopram</i>                              | <i>CLINIMIX INJ 6/5..</i> 91                |          |  |     |
| <i>hydrobromide</i> ....47                     | <i>CLINIMIX INJ 8/10</i> 91                 |          |  |     |
| <i>claravis</i> .....                          | <i>CLINIMIX INJ 8/14</i> 91                 |          |  |     |

|                              |                               |                                  |
|------------------------------|-------------------------------|----------------------------------|
| COMBIGAN SOL                 | <i>cromolyn sodium</i>        | <i>dasetta</i> 7/7/7.....68      |
| 0.2/0.5% .....95             | <i>(nasal)</i> .....99        | DAURISMO .....31, 32             |
| COMBIVENT AER 20-            | <i>cromolyn sodium</i>        | daysee .....68                   |
| 100 .....96                  | <i>(ophth)</i> .....95        | DAYVIGO.....57                   |
| COMETRIQ (60MG               | <i>cryselle-28</i> .....67    | deblitane .....68                |
| DOSE) .....31                | <i>cyanocobalamin</i> ....92  | deferasirox .....67              |
| COMETRIQ KIT                 | <i>cyclobenzaprine hcl</i> 60 | DELSTRIGO TAB....22              |
| 100MG .....31                | <i>cyclophosphamide</i> . 27  | DENGVAXIA SUS ...88              |
| COMETRIQ KIT                 | <b>CYCLOPHOSPHAMIDE</b>       | DEPO-SUBQ                        |
| 140MG .....31                | .....27                       | PROVERA 104.....68               |
| COMPLERA TAB ....22          | <b>CYCLOPHOSPHAMIDE</b>       | depo-testosterone .62            |
| <i>complete allergy</i>      | MONOHYDR .....27              | DESCOVY TAB 120-                 |
| <i>medicine</i> .....97      | <i>cycloserine</i> .....23    | 15MG .....22                     |
| <i>compro</i> .....77        | <i>cyclosporine</i> .....87   | DESCOVY TAB                      |
| <i>constulose</i> .....79    | <i>cyclosporine modified</i>  | 200/25MG.....22                  |
| CONTRAVE TAB 8-              | <i>(for microemulsion)</i>    | <i>desipramine hcl</i> ....48    |
| 90MG .....66                 | .....87                       | <i>desmopressin acetate</i>      |
| COPIKTRA .....31             | <i>cyproheptadine hcl</i> 97  | .....73                          |
| COPPER.....91                | <i>cyred eq</i> .....67       | <i>desmopressin acetate</i>      |
| CORLANOR .....45             | <b>CYSTADROPS</b> .....95     | <i>spray</i> .....74             |
| <i>corvita</i> .....92       | <b>CYSTAGON</b> .....73       | <i>desmopressin acetate</i>      |
| COTELLIC .....31             | <b>CYSTARAN</b> .....95       | <i>spray refrigerated</i> 74     |
| COVID-19 AT- KIT 1-          | <i>cytarabine</i> .....28     | <i>desogest-eth estrad &amp;</i> |
| PACK.....17                  | <br><b>D</b>                  | <i>eth estrad tab 0.15-</i>      |
| COVID-19 RAP KIT 1-          | <b>D10W/NACL INJ 0.2%</b>     | <i>0.02/0.01 mg(21/5)</i>        |
| PACK.....17                  | .....89                       | .....68                          |
| COVID-19 RAP KIT 2-          | <b>D2.5W/NACL INJ</b>         | <i>desogestrel &amp; ethinyl</i> |
| PACK.....17                  | 0.45% .....89                 | <i>estradiol tab 0.15</i>        |
| CREON CAP                    | <b>D5W/LYTES INJ #48</b>      | <i>mg-30 mcg</i> .....68         |
| 12000UNT.....81              | .....89                       | <i>desvenlafaxine</i>            |
| CREON CAP                    | <i>dalfampridine</i> .....59  | <i>succinate</i> .....48         |
| 24000UNT.....81              | <i>danazol</i> .....72        | <i>dexamethasone</i> ....72      |
| CREON CAP                    | <i>dantrolene sodium</i> 60   | <b>DEXAMETHASONE</b>             |
| 3000UNIT .....81             | <i>dapsone</i> .....17        | INTENSOL.....73                  |
| CREON CAP                    | <b>DAPTACEL INJ</b> .....88   | <i>dexamethasone</i>             |
| 36000UNT.....81              | <i>daptomycin</i> .....18     | <i>sodium phosphate</i>          |
| CREON CAP                    | <b>DAPTO MYCIN</b> .....18    | .....73                          |
| 6000UNIT .....81             | <i>darunavir</i> .....21      | <i>dexamethasone</i>             |
| <i>cromolyn sodium</i> ...99 | <i>dasatinib</i> .....31      | <i>sodium phosphate</i>          |
| <i>cromolyn sodium</i>       | <i>dasetta</i> 1/35 .....68   | <i>(ophth)</i> .....94           |
| <i>(mastocytosis)</i> ....80 |                               |                                  |

|  |     |  |     |   |    |
|--|-----|--|-----|---|----|
| DEXCOM G6 MIS<br>RECEIVER .....                                  | 107 | DIALYVITE TAB 5000<br>.....                            | 92  | DIP/TET PED INJ 25-<br>5LFU .....   | 88 |
| DEXCOM G6 MIS<br>SENSOR.....                                     | 107 | DIALYVITE TAB<br>SUPREM D .....                        | 92  | diphenhydramine hcl<br>.....  | 97 |
| DEXCOM G6 MIS<br>TRANSMIT.....                                   | 107 | DIALYVITE/ TAB ZINC<br>.....                           | 92  | diphenoxylate w/<br>atropine liq 2.5-<br>0.025 mg/5ml ....                      | 80 |
| DEXCOM G7 MIS<br>RECEIVER .....                                  | 107 | DIATRUST KIT<br>COVID-19.....                          | 18  | diphenoxylate w/<br>atropine tab 2.5-<br>0.025 mg .....                         | 80 |
| DEXCOM G7 MIS<br>SENSOR.....                                     | 107 | diazepam .....   | 53  | dipyridamole .....  | 84 |
| <i>dexamethylphenidate</i><br>hcl .....                          | 57  | <i>diazepam</i><br>(anticonvulsant) .                  | 53  | disopyramide<br>phosphate.....  | 42 |
| <i>dextrose</i> .....  | 91  | <i>diazepam inj</i> .....                              | 53  | disulfiram .....  | 61 |
| <i>dextrose 10% w/</i><br><i>sodium chloride</i><br>0.45% .....  | 89  | <i>diazepam intensol</i> .                             | 53  | divalproex sodium .   | 54 |
| <i>dextrose 2.5% w/</i><br><i>sodium chloride</i><br>0.45% ..... | 89  | <i>diazoxide</i> .....                                 | 73  | docetaxel .....   | 30 |
| <i>dextrose 5% in</i><br><i>lactated ringers</i> ..              | 89  | <i>diclofenac potassium</i><br>.....                   | 14  | DOCETAXEL.....  | 30 |
| <i>dextrose 5% w/</i><br><i>sodium chloride</i><br>0.2%.....     | 89  | <i>diclofenac sodium</i> .                             | 14  | <i>docusate calcium</i> ...   | 79 |
| <i>dextrose 5% w/</i><br><i>sodium chloride</i><br>0.225% .....  | 89  | <i>diclofenac sodium</i><br>(ophth) .....              | 94  | <i>docusate sodium</i> ...  | 79 |
| <i>dextrose 5% w/</i><br><i>sodium chloride</i><br>0.3%.....     | 89  | <i>diclofenac sodium</i><br>(topical) .....            | 105 | <i>dofetilide</i> .....   | 42 |
| <i>dextrose 5% w/</i><br><i>sodium chloride</i><br>0.45% .....   | 89  | <i>dicloxacillin sodium</i>                            | 26  | <i>donepezil</i><br>hydrochloride .....   | 47 |
| <i>dextrose 5% w/</i><br><i>sodium chloride</i><br>0.9%.....     | 89  | <i>dicyclomine hcl</i> .....                           | 78  | DOPTELET .....  | 84 |
| DIACOMIT .....   | 53  | <i>diethylpropion hcl</i> .                            | 66  | <i>dorzolamide hcl</i> .....  | 95 |
| <i>dialyvite</i> .....   | 92  | DIFFERIN .....   | 102 | <i>dorzolamide hcl-</i><br><i>timolol maleate</i><br>ophth soln 2-0.5%<br>..... | 95 |
| DIALYVITE TAB 3000<br>.....                                      | 92  | DIFICID .....  | 25  | <i>dotti</i> .....  | 72 |
|  |     | <i>diflunisal</i> .....                                | 14  | DOVATO TAB 50-<br>300MG .....   | 22 |
|  |     | <i>digoxin</i> .....                                   | 45  | <i>doxazosin mesylate</i> 40  |    |
|  |     | <i>dihydroergotamine</i><br>mesylate .....             | 58  | <i>doxepin hcl</i> .....  | 48 |
|  |     | DILANTIN .....   | 53  | <i>doxepin hcl (sleep)</i> 57   |    |
|  |     | DILANTIN INFATABS<br>.....                             | 53  | <i>doxorubicin hcl</i> .....  | 27 |
|  |     | DILANTIN-125 .....                                     | 53  | <i>doxorubicin hcl</i><br>liposomal .....                                       | 27 |
|  |     | <i>diltiazem hcl</i> .....                             | 44  | DOXORUBICIN<br>HYDROCHLORIDE27  |    |
|  |     | <i>diltiazem hcl coated</i><br>beads.....              | 44  | <i>doxy 100</i> .....   | 27 |
|  |     | <i>diltiazem hcl</i><br>extended release<br>beads..... | 44  |   |    |
|  |     | <i>dilt-xr</i> .....                                   | 44  |   |    |

*doxycycline* ..... 27  
*(monohydrate)* ..... 27  
*doxycycline hyclate* ..... 27  
*DRISDOL* ..... 92  
*DRIZALMA SPRINKLE* ..... 48  
*dronabinol* ..... 77  
*drospirenone-ethynodiol*  
*estradiol tab 3-0.02*  
*mg* ..... 68  
*drospirenone-ethynodiol*  
*estradiol tab 3-0.03*  
*mg* ..... 68  
*drospirenone-ethynodiol*  
*estradiol-levomefolate*  
*tab 3-0.03-0.451*  
*mg* ..... 68  
*DROXIA* ..... 84  
*droxidopa* ..... 45, 46  
*DULERA AER* 100-  
*5MCG* ..... 101  
*DULERA AER* 200-  
*5MCG* ..... 101  
*DULERA AER* 50-  
*5MCG* ..... 101  
*duloxetine hcl* ..... 48  
*DUPIXENT* ..... 85  
*dutasteride* ..... 81  
*dutasteride-*  
*tamsulosin hcl cap*  
*0.5-0.4 mg* ..... 81

## E

*e.e.s. 400* ..... 25  
*ec-naproxen* ..... 14  
*econtra ez* ..... 68  
*econtra one-step* ..... 68  
*ed chlorped jr* ..... 97  
*ed-apap* ..... 12  
*EDURANT* ..... 21  
*efavirenz* ..... 21

*efavirenz-*  
*emtricitabine-*  
*tenofovir df tab*  
*600-200-300 mg* ..... 22  
*efavirenz-lamivudine-*  
*tenofovir df tab*  
*400-300-300 mg* ..... 22  
*efavirenz-lamivudine-*  
*tenofovir df tab*  
*600-300-300 mg* ..... 22  
*ELIGARD* ..... 28  
*elinest* ..... 68  
*ELIQUIS* ..... 83  
*ELIQUIS STARTER*  
*PACK* ..... 83  
*ELLENCE* ..... 27  
*ELLUME COV19 KIT*  
*HOME TES* ..... 18  
*eluryng* ..... 68  
*EMSAM* ..... 48  
*emtricitabine* ..... 21  
*emtricitabine-*  
*tenofovir disoproxil*  
*fumarate tab 100-*  
*150 mg* ..... 22  
*emtricitabine-*  
*tenofovir disoproxil*  
*fumarate tab 133-*  
*200 mg* ..... 22  
*emtricitabine-*  
*tenofovir disoproxil*  
*fumarate tab 167-*  
*250 mg* ..... 22  
*emtricitabine-*  
*tenofovir disoproxil*  
*fumarate tab 200-*  
*300 mg* ..... 22  
*EMTRIVA* ..... 21  
*EMVERM* ..... 18  
*emzahh* ..... 68  
*enalapril maleate* .. 39

*enalapril maleate &*  
*hydrochlorothiazide*  
*tab 10-25 mg* ..... 39  
*enalapril maleate &*  
*hydrochlorothiazide*  
*tab 5-12.5 mg* ..... 39  
*ENBREL* ..... 85  
*ENBREL MINI* ..... 85  
*ENBREL SURECLICK*  
..... 85  
*ENDARI* ..... 84  
*endocet tab 10-*  
*325mg* ..... 16  
*endocet tab 2.5-*  
*325mg* ..... 16  
*endocet tab 5-325mg*  
..... 16  
*endocet tab 7.5-*  
*325mg* ..... 16  
*enema ready-to-use*  
..... 79  
*ENGERIX-B* ..... 88  
*enilloring* ..... 68  
*ENLYTE CAP* ..... 92  
*enoxaparin sodium* ..... 83  
*enpresse-28* ..... 68  
*enskyce* ..... 68  
*ENSTILAR AER* ..... 104  
*entacapone* ..... 49  
*entecavir* ..... 23  
*ENTRESTO CAP* 15-  
*16MG* ..... 40  
*ENTRESTO CAP* 6-  
*6MG* ..... 40  
*ENTRESTO TAB* 24-  
*26MG* ..... 40  
*ENTRESTO TAB* 49-  
*51MG* ..... 40  
*ENTRESTO TAB* 97-  
*103MG* ..... 40  
*enulose* ..... 79

|                        |     |
|------------------------|-----|
| EPCLUSA PAK 150-       |     |
| 37.5 .....             | 23  |
| EPCLUSA PAK 200-       |     |
| 50MG .....             | 23  |
| EPCLUSA TAB 200-       |     |
| 50MG .....             | 23  |
| EPCLUSA TAB 400-       |     |
| 100 .....              | 23  |
| EPIDIOLEX.....         | 54  |
| epinephrine            |     |
| (anaphylaxis) 46, 99   |     |
| epitol .....           | 54  |
| eplerenone .....       | 39  |
| EPRONTIA .....         | 54  |
| ergocalciferol .....   | 92  |
| ergotamine w/          |     |
| caffeine tab 1-100     |     |
| mg .....               | 58  |
| ERIVEDGE .....         | 32  |
| ERLEADA.....           | 28  |
| erlotinib hcl.....     | 32  |
| errin .....            | 68  |
| ertapenem sodium.      | 18  |
| ery .....              | 102 |
| ery-tab.....           | 25  |
| ERYTHROCIN             |     |
| LACTOBIONATE ..        | 25  |
| erythromycin (acne     |     |
| aid) .....             | 102 |
| erythromycin (ophth)   |     |
| .....                  | 94  |
| erythromycin base .    | 25  |
| erythromycin           |     |
| ethylsuccinate ....    | 25  |
| erythromycin           |     |
| lactobionate .....     | 25  |
| escitalopram oxalate   |     |
| .....                  | 48  |
| esomeprazole           |     |
| magnesium .....        | 81  |
| estarrylla .....       | 68  |
| estradiol .....        | 72  |
| estradiol &            |     |
| norethindrone          |     |
| acetate tab 0.5-0.1    |     |
| mg .....               | 72  |
| estradiol &            |     |
| norethindrone          |     |
| acetate tab 1-0.5      |     |
| mg .....               | 72  |
| estradiol vaginal ..   | 72  |
| estradiol valerate ..  | 72  |
| eszopiclone .....      | 58  |
| ethambutol hcl .....   | 23  |
| ethosuximide.....      | 54  |
| ethynodiol diacetate   |     |
| & ethinyl estradiol    |     |
| tab 1 mg-35 mcg        | 68  |
| ethynodiol diacetate   |     |
| & ethinyl estradiol    |     |
| tab 1 mg-50 mcg        | 68  |
| etodolac.....          | 14  |
| etonogestrel-ethinyl   |     |
| estradiol va ring      |     |
| 0.12-0.015             |     |
| mg/24hr.....           | 68  |
| etoposide .....        | 30  |
| etravirine .....       | 21  |
| EULEXIN .....          | 28  |
| euthyrox .....         | 75  |
| everolimus .....       | 32  |
| everolimus             |     |
| (immunosuppressan      |     |
| t) .....               | 87  |
| EVOTAZ TAB 300-150     |     |
| .....                  | 22  |
| exemestane .....       | 28  |
| eye itch relief .....  | 95  |
| EYSUVIS .....          | 94  |
| ezetimibe .....        | 43  |
| ezetimibe-simvastatin  |     |
| tab 10-10 mg.....      | 43  |
| ezetimibe-simvastatin  |     |
| tab 10-20 mg .....     | 43  |
| ezetimibe-simvastatin  |     |
| tab 10-40 mg .....     | 43  |
| ezetimibe-simvastatin  |     |
| tab 10-80 mg .....     | 43  |
| <b>F</b>               |     |
| FABRAZYME.....         | 74  |
| falmina .....          | 68  |
| famciclovir.....       | 23  |
| famotidine .....       | 78  |
| famotidine in nacl     |     |
| 0.9% iv soln 20        |     |
| mg/50ml.....           | 78  |
| famotidine maximum     |     |
| streng .....           | 78  |
| famotidine original    |     |
| stren .....            | 78  |
| FANAPT .....           | 50  |
| FANAPT PAK .....       | 50  |
| FARXIGA .....          | 62  |
| FASENRA.....           | 99  |
| FASENRA PEN .....      | 99  |
| felbamate .....        | 54  |
| felodipine .....       | 44  |
| fenofibrate.....       | 42  |
| fenofibrate            |     |
| micronized .....       | 42  |
| fentanyl .....         | 15  |
| fentanyl citrate.....  | 16  |
| FETZIMA .....          | 48  |
| FETZIMA CAP            |     |
| TITRATIO.....          | 48  |
| feverall adults .....  | 12  |
| feverall childrens ... | 12  |
| FEVERALL INFANTS       | 12  |
| FEVERALL JUNIOR        |     |
| STRENGTH.....          | 12  |
| fexofenadine hcl ....  | 97  |
| FIASP.....             | 64  |

|                                 |          |  |                              |     |
|---------------------------------|----------|--|------------------------------|-----|
| FIASP FLEXTOUCH .....           | 64       |  | FOTIVDA .....                | 32  |
| FIASP PENFILL .....             | 64       |  | FREESTY LIBR KIT 2           |     |
| FIASP PUMPCART ..               | 64       |  | SENSOR .....                 | 107 |
| finasteride .....               | 81       |  | FREESTY LIBR KIT 3           |     |
| <i> fingolimod hcl</i> .....    | 59       |  | SENSOR .....                 | 107 |
| FINTEPLA .....                  | 54       |  | FREESTY LIBR KIT             |     |
| <i> finzala</i> .....           | 68       |  | SENSOR .....                 | 107 |
| FIRMAGON .....                  | 28       |  | FREESTY LIBR MIS 2           |     |
| FIRST AID                       |          |  | READER .....                 | 107 |
| ANTISEPTIC OINT                 |          |  | FREESTY LIBR MIS 3           |     |
| .....                           | 105      |  | READER .....                 | 107 |
| <i> flac</i> .....              | 96       |  | FREESTYLE MIS                |     |
| FLAREX .....                    | 94       |  | READER .....                 | 107 |
| FLEBOGAMMA DIF ..               | 87       |  | FRUZAQLA .....               | 32  |
| <i> flecainide acetate</i> ..   | 42       |  | fulvestrant .....            | 28  |
| FLEET ENE .....                 | 79       |  | FUNGOID TINCTURE             |     |
| FLEET ENE PED .....             | 79       |  | .....                        | 103 |
| FLORIVA CHW                     |          |  | <i> furosemide</i> .....     | 45  |
| 0.25MG .....                    | 92       |  | <i> furosemide inj</i> ..... | 45  |
| FLORIVA CHW 0.5MG               |          |  | <i> FUZEON</i> .....         | 21  |
| .....                           | 92       |  | <i> fyavolv tab 0.5mg-</i>   |     |
| FLORIVA CHW 1MG                 | 92       |  | <i> 2.5mcg</i> .....         | 72  |
| FLOWFLEX KIT TEST               |          |  | <i> fyavolv tab 1mg-</i>     |     |
| .....                           | 18       |  | <i> 5mcg</i> .....           | 72  |
| fluconazole .....               | 20       |  | <i> FYCOMPA</i> .....        | 54  |
| <i> fluconazole in nacl</i>     |          |  |                              |     |
| <i> 0.9% inj 200</i>            |          |  |                              |     |
| <i> mg/100ml</i> .....          | 20       |  |                              |     |
| <i> fluconazole in nacl</i>     |          |  |                              |     |
| <i> 0.9% inj 400</i>            |          |  |                              |     |
| <i> mg/200ml</i> .....          | 20       |  |                              |     |
| <i> flucytosine</i> .....       | 20       |  |                              |     |
| <i> fludrocortisone</i>         |          |  |                              |     |
| <i> acetate</i> .....           | 73       |  |                              |     |
| <i> flunisolide (nasal)</i> ..  | 101      |  |                              |     |
| <i> fluocinolone acetonide</i>  |          |  |                              |     |
| .....                           | 104      |  |                              |     |
| <i> fluocinolone acetonide</i>  |          |  |                              |     |
| <i> (otic)</i> .....            | 96       |  |                              |     |
| <i> fluocinonide</i> .....      | 104      |  |                              |     |
| <i> fluocinonide</i>            |          |  |                              |     |
| <i> emulsified base</i> ..      | 104      |  |                              |     |
| <i> fluorometholone</i>         |          |  |                              |     |
| <i> (ophth)</i> .....           | 94       |  |                              |     |
| <i> fluorouracil</i> .....      | 28       |  |                              |     |
| <i> fluorouracil (topical)</i>  |          |  |                              |     |
| .....                           | 105, 106 |  |                              |     |
| <i> fluoxetine hcl</i> .....    | 48       |  |                              |     |
| <i> fluphenazine</i>            |          |  |                              |     |
| <i> decanoate</i> .....         | 50       |  |                              |     |
| <i> fluphenazine hcl</i> ..     | 50       |  |                              |     |
| <i> flurbiprofen</i> .....      | 14       |  |                              |     |
| <i> flurbiprofen sodium</i>     | 94       |  |                              |     |
| <i> fluticasone propionate</i>  |          |  |                              |     |
| .....                           | 104      |  |                              |     |
| <i> fluticasone propionate</i>  |          |  |                              |     |
| <i> (nasal)</i> .....           | 101      |  |                              |     |
| <i> fluticasone-salmeterol</i>  |          |  |                              |     |
| <i> aer powder ba 100-</i>      |          |  |                              |     |
| <i> 50 mcg/act</i> .....        | 102      |  |                              |     |
| <i> fluticasone-salmeterol</i>  |          |  |                              |     |
| <i> aer powder ba 250-</i>      |          |  |                              |     |
| <i> 50 mcg/act</i> .....        | 102      |  |                              |     |
| <i> fluticasone-salmeterol</i>  |          |  |                              |     |
| <i> aer powder ba 500-</i>      |          |  |                              |     |
| <i> 50 mcg/act</i> .....        | 102      |  |                              |     |
| <i> fluvoxamine maleate</i>     |          |  |                              |     |
| .....                           | 47       |  |                              |     |
| <i> folic acid</i> .....        | 92       |  |                              |     |
| <i> FOLTRATE TAB</i> .....      | 92       |  |                              |     |
| <i> fondaparinux sodium</i>     |          |  |                              |     |
| .....                           | 83       |  |                              |     |
| <i> fosamprenavir</i>           |          |  |                              |     |
| <i> calcium</i> .....           | 21       |  |                              |     |
| <i> fosinopril sodium</i> ..    | 39       |  |                              |     |
| <i> fosinopril sodium &amp;</i> |          |  |                              |     |
| <i> hydrochlorothiazide</i>     |          |  |                              |     |
| <i> tab 10-12.5 mg</i> ..       | 39       |  |                              |     |
| <i> fosinopril sodium &amp;</i> |          |  |                              |     |
| <i> hydrochlorothiazide</i>     |          |  |                              |     |
| <i> tab 20-12.5 mg</i> ..       | 39       |  |                              |     |

## G

|                               |    |
|-------------------------------|----|
| <i> gabapentin</i> .....      | 54 |
| <i> galantamine</i>           |    |
| <i> hydrobromide</i> .....    | 47 |
| <i> GAMASTAN INJ</i> .....    | 87 |
| <i> GAMMAGARD LIQUID</i>      |    |
| .....                         | 87 |
| <i> GAMMAGARD S/D</i>         |    |
| <i> IGA LESS TH</i> .....     | 87 |
| <i> GAMMAKED</i> .....        | 87 |
| <i> GAMMAPLEX</i> .....       | 87 |
| <i> GAMUNEX-C</i> .....       | 87 |
| <i> ganciclovir sodium</i> .. | 23 |
| <i> GARDASIL 9 INJ</i> .....  | 88 |
| <i> gatifloxacin (ophth)</i>  | 94 |

|   |        |
|---|--------|
| GATTEX.....   | 80     |
| GAUZE PADS 2.....   | 64     |
| <i>gavilyte-c</i> .....                                       | 79     |
| <i>gavilyte-g</i> .....                                       | 79     |
| <i>gavilyte-n/flavor pack</i> .....                           | 79     |
| GAVRETO .....   | 32     |
| <i>gefitinib</i> .....  | 32     |
| <i>gemcitabine hcl</i> .....                                  | 28     |
| <i>gemfibrozil</i> .....                                      | 42     |
| GEMTESA .....   | 82     |
| <i>generlac</i> .....   | 79     |
| <i>gengraf</i> .....  | 88     |
| GENOTROPIN .....  | 74     |
| GENOTROPIN<br>MINIQUICK .....                                 | 74     |
| <i>gentamicin in saline</i><br><i>inj 0.8 mg/ml</i> .....     | 18     |
| <i>gentamicin in saline</i><br><i>inj 1 mg/ml</i> .....       | 18     |
| <i>gentamicin in saline</i><br><i>inj 1.2 mg/ml</i> .....     | 18     |
| <i>gentamicin in saline</i><br><i>inj 1.6 mg/ml</i> .....     | 18     |
| <i>gentamicin in saline</i><br><i>inj 2 mg/ml</i> .....       | 18     |
| gentamicin sulfate .  | 18     |
| gentamicin sulfate<br>(ophth).....                            | 94     |
| gentamicin sulfate<br>(topical).....                          | 102    |
| GENTEAL SEVERE<br>TEARS .....                                 | 95     |
| <i>genteal tears night-time</i> .....                         | 95     |
| gentle laxative .....   | 79     |
| GENVOYA TAB.....  | 22     |
| GILOTrif .....  | 32     |
| <i>glatiramer acetate</i> .                                   | 60     |
| <i>glatopa</i> .....  | 60     |
| GLEOSTINE.....  | 27     |
| <i>glimepiride</i> .....                                      | 62     |
| <i>glipizide</i> .....  | 62, 63 |
| <i>glipizide xl</i> .....                                     | 63     |
| <i>glipizide-metformin</i><br><i>hcl tab 2.5-250 mg</i> ..... | 63     |
| <i>glipizide-metformin</i><br><i>hcl tab 2.5-500 mg</i> ..... | 63     |
| <i>glipizide-metformin</i><br><i>hcl tab 5-500 mg</i> .....   | 63     |
| <i>glycopyrrolate</i> .....                                   | 78     |
| <i>glydo</i> .....  | 105    |
| GLYXAMBI TAB 10-5<br>MG .....                                 | 63     |
| GLYXAMBI TAB 25-5<br>MG .....                                 | 63     |
| <i>gnp 8 hour arthritis</i><br><i>reli</i> .....              | 12     |
| <i>gnp 8 hour pain relief</i> .....                           | 12     |
| <i>gnp 8 hour pain</i><br><i>reliever</i> .....               | 12     |
| <i>gnp acetaminophen</i> 12                                   |        |
| <i>gnp acid reducer</i> ... <td>78</td>                       | 78     |
| <i>gnp acid reducer</i><br><i>maximum</i> .....               | 78     |
| <i>gnp adult aspirin low</i><br><i>str</i> .....              | 12     |
| <i>gnp all day allergy</i> . 97                               |        |
| <i>gnp all day allergy</i><br><i>child</i> .....              | 97     |
| <i>gnp allergy</i> .....                                      | 97     |
| <i>gnp allergy relief</i> ... <td>98</td>                     | 98     |
| <i>gnp allergy relief</i><br><i>maximu</i> .....              | 98     |
| <i>gnp antacid</i><br><i>and anti-gas/</i> .....              | 76     |
| <i>gnp antacid &amp; anti-</i><br><i>gas/re</i> .....         | 76     |
| <i>gnp antacid anti-</i><br><i>gas/maxi</i> .....             | 76     |
| <i>gnp antacid extra</i><br><i>strengt</i> .....              | 76     |
| <i>gnp antacid/regular</i><br><i>stren</i> .....              | 76     |
| <i>gnp anti-diarrheal</i> .. <td>77</td>                      | 77     |
| <i>gnp artificial tears</i> . <td>95</td>                     | 95     |
| <i>gnp aspirin</i> .....                                      | 12     |
| <i>gnp aspirin low dose</i> .....                             | 12     |
| <i>gnp athletes foot</i> .103                                 |        |
| <i>gnp budesonide nasal</i><br><i>spra</i> .....              | 101    |
| <i>gnp childrens allergy</i> .....                            | 98     |
| <i>gnp childrens</i><br><i>ibuprofen</i> .....                | 14     |
| <i>gnp clearlax</i> .....                                     | 79     |
| <i>gnp clotrimazole</i> 3.82                                  |        |
| <i>gnp fiber powder</i> ... <td>79</td>                       | 79     |
| <i>gnp gentle laxative</i> 79                                 |        |
| <i>gnp hydrocortisone</i> .....                               | 104    |
| <i>gnp hydrocortisone</i><br><i>maximu</i> .....              | 104    |
| <i>gnp hydrocortisone</i><br><i>plus</i> .....                | 104    |
| <i>gnp</i><br><i>hydrocortisone/alo</i> .....                 | 105    |
| <i>gnp ibuprofen</i> .....                                    | 14     |
| <i>gnp ibuprofen</i><br><i>childrens</i> .....                | 14     |
| <i>gnp ibuprofen infants</i> .....                            | 14     |
| <i>gnp infants pain/fever</i> .....                           | 12     |
| <i>gnp lice treatment</i> 106                                 |        |
| <i>gnp loperamide</i><br><i>hydrochlor</i> .....              | 77     |

|  |  |  |
|--|--|--|
| <i>gnp loratadine</i> .....98                | <i>goodsense anti-diarrheal</i> .....77      | <i>guanfacine hcl</i> .....46            |
| <i>gnp loratadine childrens</i> .....98      | <i>goodsense arthritis pain</i> .....13      | <i>guanfacine hcl (adhd)</i> .....57     |
| <i>gnp lubricating plus eye</i> .....95      | <i>goodsense aspirin . 13</i>                | <b>GVOKE HYOPEN 2-PACK</b> .....73       |
| <i>gnp miconazole 1 combinat</i> .....82     | <i>goodsense aspirin adults</i> .....13      | <b>GVOKE KIT</b> .....73                 |
| <i>gnp miconazole 3 ..82</i>                 | <i>goodsense first aid antib</i> .....102    | <b>GVOKE PFS</b> .....73                 |
| <i>gnp miconazole 7 ..82</i>                 | <i>goodsense ibuprofen</i> .....14           | <b>H</b>                                 |
| <i>gnp naproxen.....14</i>                   | <i>goodsense ibuprofen child</i> .....14     | <i>HAEGARDA</i> .....84                  |
| <i>gnp naproxen sodium</i> .....14           | <i>goodsense ibuprofen infan</i> .....14     | <i>hailey 1.5/30</i> .....68             |
| <i>gnp nicotine gum...61</i>                 | <i>goodsense lansoprazole</i> .....81        | <i>hailey 24 fe</i> .....68              |
| <i>gnp nicotine mini lozenge</i> .....61     | <i>goodsense lice killing cr</i> .....106    | <i>halobetasol propionate</i> .....105   |
| <i>gnp nicotine polacrilex</i> .....61       | <i>goodsense lubricating plu</i> .....95     | <i>haloette</i> .....68                  |
| <i>gnp nicotine polacrilex m</i> .....61     | <i>goodsense naproxen sodium</i> .....14     | <i>haloperidol</i> .....51               |
| <i>gnp nicotine transdermal</i> .....61      | <i>goodsense nicotine 61</i>                 | <i>haloperidol decanoate</i> .....51     |
| <i>gnp omeprazole ....81</i>                 | <i>goodsense nicotine gum</i> .....61        | <i>haloperidol lactate</i> .....51       |
| <i>gnp pain &amp; fever children</i> .....12 | <i>goodsense nicotine polacr</i> .....61     | <b>HARVONI PAK 33.75-150MG</b> .....23   |
| <i>gnp pain relief.....12</i>                | <i>goodsense pain &amp; fever ch</i> .....13 | <b>HARVONI PAK 45-200MG</b> .....23      |
| <i>gnp pain relief extra str</i> .....13     | <i>goodsense pain &amp; fever in</i> .....13 | <b>HARVONI TAB 45-200MG</b> .....23      |
| <i>gnp pink bismuth...77</i>                 | <i>goodsense pain relief</i> .....13         | <b>HARVONI TAB 90-400MG</b> .....23      |
| <i>gnp stomach relief.77</i>                 | <i>goodsense pain relief ext</i> .....13     | <i>HAVRIX</i> .....88                    |
| <i>gnp stool softener..79</i>                | <i>granisetron hcl</i> .....78               | <i>healthylax</i> .....79                |
| <i>gnp tolnaftate ....103</i>                | <i>griseofulvin microsize</i> .....20        | <i>heartburn relief</i> .....78          |
| <i>gnp triple antibiotic</i> .....102        | <i>griseofulvin ultramicrosize</i> .... 20   | <i>heartburn relief extra st</i> .....76 |
| <i>gnp womens gentle laxativ</i> .....79     |  | <i>heartburn relief maximum</i> .....79  |
| <i>goodsense all day allergy</i> .....98     |  | <i>heather</i> .....68                   |
| <i>goodsense aller-ease</i> .....98          |  | <b>HEP SOD/D5W INJ 20000UNT</b> .....83  |
| <i>goodsense allergy relief</i> .....98      |  | <b>HEP SOD/D5W INJ 25000UNT</b> .....83  |
|  |  | <b>HEP SOD/NACL INJ 12500UNT</b> .....83 |

|                                 |                                |                                 |
|---------------------------------|--------------------------------|---------------------------------|
| HEP SOD/NACL INJ                | <i>hm ibuprofen</i>            | <i>hydrocodone-</i>             |
| 25000UNT.....83                 | <i>childrens</i> ..... 14      | <i>acetaminophen tab</i>        |
| <i>heparin sodium</i>           | <i>hm laxative</i> ..... 80    | <i>7.5-325 mg</i> ..... 16      |
| ( <i>porcine</i> ).....83       | <i>hm loratadine</i> ..... 98  | <i>hydrocodone-</i>             |
| HEPARIN/NACL INJ                | <i>hm naproxen sodium</i>      | <i>ibuprofen tab 7.5-</i>       |
| 25000UNT.....83                 | ..... 14                       | <i>200 mg</i> ..... 16          |
| HEPLISAV-B.....88               | <i>hm nicotine polacrilex</i>  | <i>hydrocortisone</i> ..... 73  |
| HERCEPTIN HYLEC SOL             | ..... 61                       | <b>HYDROCORTISONE</b>           |
| 60-10000.....32                 | <i>hm nicotine</i>             | ..... 105                       |
| HERCEPTIN.....32                | <i>transdermal s</i> .... 61   | <i>hydrocortisone</i>           |
| HERZUMA.....32                  | <i>hm omeprazole</i> .... 81   | ( <i>intrarectal</i> ) ..... 79 |
| HIBERIX.....88                  | <i>hm pain reliever</i> ... 13 | <i>hydrocortisone</i>           |
| HISTEX .....98                  | <i>hm stool softener</i> .. 80 | ( <i>rectal</i> ) ..... 106     |
| HISTEX PD.....98                | <i>hm triple antibiotic</i>    | <i>hydrocortisone</i>           |
| <i>hm adult aspirin</i> ....13  | .....102                       | ( <i>topical</i> ) ..... 105    |
| <i>hm all day allergy</i>       | <b>HUMIRA</b> .....85          | <i>hydrocortisone</i>           |
| <i>childr</i> .....98           | <b>HUMIRA PEN</b> ..... 85     | <i>maximum st</i> .... 105      |
| <i>hm allergy relief</i> ....98 | <b>HUMIRA PEN KIT</b>          | <i>hydrocortisone sod</i>       |
| <i>hm allergy relief nasal</i>  | <i>PS/UV</i> ..... 85          | <i>succinate</i> ..... 73       |
| <i>s</i> .....101               | <b>HUMIRA PEN-</b>             | <i>hydrocortisone/aloe</i>      |
| <i>hm antacid</i> .....76       | <i>CD/UC/HS START</i> 85       | <i>maxim</i> ..... 105          |
| <i>hm antacid anti-gas</i>      | <b>HUMIRA PEN-</b>             | <i>hydromorphone hcl</i> 16     |
| <i>extra</i> .....76            | <i>PEDIATRIC UC S.</i> 85      | <i>hydroxocobalamin</i>         |
| <i>hm antacid extra</i>         | <b>HUMULIN R U-500</b>         | <i>acetate</i> ..... 92         |
| <i>strength</i> .....76         | ( <i>CONCENTR</i> ..... 64     | <i>hydroxychloroquine</i>       |
| <i>hm aspirin</i> .....13       | <b>HUMULIN R U-500</b>         | <i>sulfate</i> ..... 86         |
| <i>hm aspirin ec low</i>        | <i>KWIKPEN</i> ..... 64        | <i>hydroxyurea</i> ..... 30     |
| <i>dose</i> .....13             | <b>hydralazine hcl</b> .... 46 | <i>hydroxyzine hcl</i> ..... 98 |
| <i>hm cetirizine</i>            | <b>hydrochlorothiazide</b> 45  | <i>hydroxyzine pamoate</i>      |
| <i>hydrochlori</i> .....98      | <b>hydrocodone</b>             | ..... 98                        |
| <i>hm dual action</i>           | <i>bitartrate</i> ..... 15     | <b>HYSINGLA ER</b> .....15      |
| <i>complete</i> .....80         | <b>hydrocodone-</b>            | <br><b>I</b>                    |
| <i>hm enema saline</i>          | <i>acetaminophen soln</i>      | <i>ibandronate sodium</i>       |
| <i>laxative</i> .....79         | <i>7.5-325 mg/15m/16</i>       | ..... 66                        |
| <i>hm gentle laxative</i> .80   | <b>hydrocodone-</b>            | <b>IBRANCE</b> ..... 32         |
| <i>hm hydrocortisone</i>        | <i>acetaminophen tab</i>       | <i>ibu</i> .....14              |
| <i>plus</i> .....105            | <i>10-325 mg</i> ..... 16      | <i>ibuprofen</i> .....14        |
| <i>hm</i>                       | <b>hydrocodone-</b>            | <i>ibuprofen childrens</i> 14   |
| <i>hydrocortisone/aloe</i>      | <i>acetaminophen tab</i>       | <i>ibuprofen infants</i> ...14  |
| <i>ma</i> .....105              | <i>5-325 mg</i> ..... 16       |                                 |
| <i>hm ibuprofen</i> .....14     |                                |                                 |

|  |   |                                     |
|--|---|-------------------------------------|
| <i>ibuprofen junior strength</i> .....14                       | INFILIXIMAB.....85  | ISENTRESS.....21                    |
| <i>icatibant acetate</i> ....84                                | INFUVITE INJ .....92  | ISENTRESS HD ....21                 |
| <i>iclevia</i> .....68   | INFUVITE INJ ADULT .....  | <i>isibloom</i> .....68             |
| <i>ICLUSIG</i> .....32   | INFUVITE INJ  | ISOLYTE-P INJ /D5W .....            |
| IDACIO (2 PEN)....85   | PEDIATRI .....92  | .....89                             |
| IDACIO (2 SYRINGE) .....                                       | INLYTA .....33  | ISOLYTE-S INJ .....90               |
| .....85  | INQOVI TAB 35-  | ISOLYTE-S INJ PH 7.4 .....          |
| IDACIO CROHN INJ DISEASE.....85                                | 100MG .....28   | .....90                             |
| IDACIO PLAQU INJ PSORIASIS.....85                              | INREBIC .....33   | <i>isoniazid</i> .....23            |
| IDHIFA.....32  | INSULIN PEN   | <i>isosorbide dinitrate</i> 46      |
| IHEALTH 2-PK KIT COVID-19 .....18                              | NEEDLES:  | <i>isosorbide mononitrate</i> ..... |
| IHEALTH 40PK KIT COVID-19 .....18                              | BD/NOVO .....64   | 46                                  |
| IHEALTH 5-PK KIT COVID-19 .....18                              | INSULIN SAFETY NEEDLES.....64                                   | <i>isotretinoin</i> .....102        |
| <i>imatinib mesylate</i> ..32                                  | INSULIN SYRINGES:   | <i>isradipine</i> .....44           |
| IMBRUVICA..... 32, 33  | BD.....64   | <i>itraconazole</i> .....20         |
| IMCIVREE .....66   | INTELENCE .....21   | <i>ivabradine hcl</i> .....46       |
| <i>imipenem-cilastatin intravenous for soln 250 mg</i> .....18 | INTELISWAB KIT  | <i>ivermectin</i> .....18           |
| <i>imipenem-cilastatin intravenous for soln 500 mg</i> .....18 | COVID-19.....18   | IWILFIN .....30                     |
| <i>imipramine hcl</i> .....48                                  | INTRALIPID.....91   | IXCHIQ INJ.....88                   |
| <i>imiquimod</i> .....106                                      | <i>introvale</i> .....68  | IXIARO INJ .....88                  |
| IMOVAX RABIES (H.D.C.V.).....88                                | INVEGA HAFYERA . 51   | J                                   |
| INBRIJA .....49  | INVEGA SUSTENNA51   | JAKAFI .....33                      |
| <i>incassia</i> .....68  | INVEGA TRINZA.... 51  | <i>jantoven</i> .....83             |
| INCRELEX.....74  | IPOL INJ INACTIVE 88  | JANUMET TAB 50-                     |
| INCRUSE ELLIPTA..97  | <i>ipratropium bromide</i> .....                                | 1000 .....63                        |
| <i>indapamide</i> .....45                                      | 97  | JANUMET TAB 50-                     |
| INDICAID KIT COVID-19.....18                                   | <i>ipratropium bromide</i> (nasal) .....                        | 500MG .....63                       |
| INFANRIX INJ.....88  | <i>ipratropium-albuterol nebu soln 0.5-2.5(3) mg/3ml</i> ... 96 | JANUMET XR TAB                      |
| <i>infants ibuprofen</i> ...14                                 | <i>irbesartan</i> .....41                                       | 100-1000.....63                     |
|  | <i>irbesartan-hydrochlorothiazide tab 150-12.5 mg</i> 40        | JANUMET XR TAB 50-                  |
|  | <i>irbesartan-hydrochlorothiazide tab 300-12.5 mg</i> 40        | 1000 .....63                        |
|  | <i>irinotecan hcl</i> ..... 30                                  | JANUMET XR TAB 50-                  |
|  |   | 500MG .....63                       |
|  |   | JANUVIA.....63                      |
|  |   | JARDIANC.....63                     |
|  |   | <i>jasmiel</i> .....68              |
|  |   | <i>javygtor</i> .....74             |
|  |   | JAYPIRCA .....33                    |
|  |   | JENTADUETO TAB                      |
|  |   | 2.5-1000 .....63                    |

|                               |         |                                |                                 |
|-------------------------------|---------|--------------------------------|---------------------------------|
| JENTADUETO TAB                |         | <i>kcl 20 meq/l (0.15%)</i>    | KISQALI 400 PAK                 |
| 2.5-500 .....                 | 63      | <i>in dextrose 5% &amp;</i>    | FEMARA.....30                   |
| JENTADUETO TAB                |         | <i>nacl 0.9% inj .....</i>     | KISQALI 600 DOSE 33             |
| 2.5-850 .....                 | 63      | <i>kcl 20 meq/l (0.15%)</i>    | KISQALI 600 PAK                 |
| JENTADUETO TAB XR             |         | <i>in nacl 0.45% inj .....</i> | FEMARA.....30                   |
| 2.5-1000MG .....              | 63      | <i>kcl 20 meq/l (0.15%)</i>    | <i>klayesta .....</i> 103       |
| JENTADUETO TAB XR             |         | <i>in nacl 0.9% inj..</i>      | <i>klor-con .....</i> 91        |
| 5-1000MG.....                 | 63      | <i>kcl 30 meq/l</i>            | <i>klor-con 10 .....</i> 91     |
| <i>jinteli .....</i>          | 72      | <i>(0.224%) in</i>             | <i>klor-con 8.....</i> 91       |
| <i>jolessa .....</i>          | 68      | <i>dextrose 5% &amp; nacl</i>  | <i>klor-con m10 .....</i> 91    |
| <i>juleber .....</i>          | 69      | <i>0.45% inj .....</i>         | <i>klor-con m15 .....</i> 91    |
| JULUCA TAB 50-25MG            |         | <i>kcl 40 meq/l (0.3%)</i>     | <i>klor-con m20 .....</i> 91    |
| .....                         | 22      | <i>in dextrose 5% &amp;</i>    | KORLYM .....                    |
| <i>junel 1.5/30.....</i>      | 69      | <i>nacl 0.45% inj ...</i>      | KOSELUGO .....                  |
| <i>junel 1/20 .....</i>       | 69      | <i>kcl 40 meq/l (0.3%)</i>     | <i>kourzeq.....</i> 107         |
| <i>junel fe 1.5/30 .....</i>  | 69      | <i>in dextrose 5% &amp;</i>    | K-PHOS.....91                   |
| <i>junel fe 1/20.....</i>     | 69      | <i>nacl 0.9% inj .....</i>     | KRAZATI .....                   |
| <i>junel fe 24 .....</i>      | 69      | <i>kcl 40 meq/l (0.3%)</i>     | <i>kurvelo .....</i> 69         |
| JYLMAMVO .....                | 86      | <i>in nacl 0.9% inj..</i>      |                                 |
| JYNNEOS.....                  | 88      | KCL/D5W/NACL INJ               | <b>L</b>                        |
|                               |         | <i>0.3/0.9% .....</i>          | <i>labetalol hcl .....</i> 44   |
| <b>K</b>                      |         | <i>kelnor 1/35 .....</i>       | <i>lacosamide .....</i> 54      |
| KADCYLA.....                  | 33      | <i>kelnor 1/50 .....</i>       | <i>lacosamide oral .....</i> 54 |
| <i>kaitlib fe .....</i>       | 69      | KERENDIA.....                  | <i>lactated ringer's</i>        |
| KALYDECO....                  | 99, 100 | KESIMPTA.....                  | <i>solution .....</i> 90        |
| KANJINTI.....                 | 33      | ketoconazole .....             | <i>lactic acid</i>              |
| <i>kariva .....</i>           | 69      | <i>ketoconazole (topical)</i>  | <i>(ammonium lactate)</i>       |
| <i>kcl 10 meq/l</i>           |         | .....                          | ..... 106                       |
| <i>(0.075%) in</i>            |         | <i>ketorolac</i>               | <i>lactulose .....</i> 80       |
| <i>dextrose 5% &amp; nacl</i> |         | <i>tromethamine</i>            | <i>lactulose</i>                |
| <i>0.45% inj.....</i>         | 90      | <i>(ophth) .....</i>           | <i>(encephalopathy) 80</i>      |
| <i>kcl 20 meq/l</i>           |         | <i>ketotifen fumarate</i>      | <i>lamivudine.....</i> 21       |
| <i>(0.149%) in nacl</i>       |         | <i>(ophth) .....</i>           | <i>lamivudine (hbv) ...</i> 23  |
| <i>0.45% inj.....</i>         | 90      | KEVZARA .....                  | <i>lamivudine-</i>              |
| <i>kcl 20 meq/l (0.15%)</i>   |         | KEYTRUDA .....                 | <i>zidovudine tab 150-</i>      |
| <i>in dextrose 5% &amp;</i>   |         | KINRIX INJ.....                | <i>300 mg.....</i> 22           |
| <i>nacl 0.2% inj.....</i>     | 90      | KIONEX .....                   | <i>lamotrigine .....</i> 54     |
| <i>kcl 20 meq/l (0.15%)</i>   |         | KISQALI 200 DOSE 33            | <i>lanreotide acetate..</i> 74  |
| <i>in dextrose 5% &amp;</i>   |         | KISQALI 200 PAK                | <i>lansoprazole .....</i> 81    |
| <i>nacl 0.45% inj....</i>     | 90      | FEMARA .....                   | <i>lanthanum carbonate</i>      |
|                               |         | KISQALI 400 DOSE 33            | ..... 75                        |

|  |    |   |    |   |          |
|--|----|---|----|---|----------|
| LANTUS.....                            | 64 | soln 1000<br>mg/100ml .....                                 | 54 | levonorgestrel<br>(emergency oc) ..       | 69       |
| LANTUS SOLOSTAR                        | 64 | levetiracetam in<br>sodium chloride iv                      |    | levonorgestrel-eth                        |          |
| lapatinib ditosylate                   | 33 | soln 1500<br>mg/100ml .....                                 | 54 | estra tab 0.05-                           |          |
| larin 1.5/30 .....                     | 69 | levetiracetam in<br>sodium chloride iv                      |    | 30/0.075-40/0.125-                        |          |
| larin 1/20 .....                       | 69 | soln 500 mg/100ml<br>.....                                  | 54 | 30mg-mcg .....                            | 69       |
| larin 24 fe.....                       | 69 | levobunolol hcl .....                                       | 95 | levonorg-eth est tab                      |          |
| larin fe 1.5/30.....                   | 69 | levocarnitine<br>(metabolic<br>modifiers).....              | 74 | 0.1-0.02mg(84) &<br>eth est tab           |          |
| larin fe 1/20.....                     | 69 | levocetirizine<br>dihydrochloride ..                        | 98 | 0.01mg(7) .....                           | 69       |
| latanoprost .....                      | 95 | levofloxacin .....  | 25 | levonorg-eth est tab                      |          |
| layolis fe.....                        | 69 | levofloxacin in d5w iv<br>soln 250 mg/50ml<br>.....         | 25 | 0.15-0.03mg(84) &<br>eth est tab          |          |
| LAZCLUZE .....                         | 33 | levofloxacin in d5w iv<br>soln 500 mg/100ml<br>.....        | 25 | 0.01mg(7) .....                           | 69       |
| leena .....                            | 69 | levofloxacin in d5w iv<br>soln 750 mg/150ml<br>.....        | 25 | levora 0.15/30-28 .                       | 69       |
| leflunomide.....                       | 86 | levonest.....   | 69 | levo-t.....                               | 75       |
| lenalidomide .....                     | 29 | levonor-eth est tab   |    | levothyroxine sodium                      |          |
| LENVIMA 10 MG<br>DAILY DOSE.....       | 33 | 0.15-<br>0.02/0.025/0.03 mg<br>&eth est 0.01 mg             | 69 | .....                                     | 75       |
| LENVIMA 12MG DAILY<br>DOSE .....       | 34 | levonorgestrel &<br>ethinyl estradiol<br>(91-day) tab 0.15- |    | levoxyl .....                             | 75       |
| LENVIMA 20 MG<br>DAILY DOSE.....       | 34 | 0.03 mg .....   | 69 | I-glutamine (sickle<br>cell) .....        | 84       |
| LENVIMA 4 MG DAILY<br>DOSE .....       | 33 | levonorgestrel &<br>ethinyl estradiol tab                   |    | LIBERVANT .....                           | 54       |
| LENVIMA 8 MG DAILY<br>DOSE .....       | 33 | 0.1 mg-20 mcg ..  | 69 | lice killing maximum<br>stre .....        | 106      |
| LENVIMA CAP 14 MG<br>.....             | 34 | levonorgestrel &<br>ethinyl estradiol tab                   |    | lice killing shampoo                      |          |
| LENVIMA CAP 18 MG<br>.....             | 34 | 0.15 mg-30 mcg ..   | 69 | .....                                     | 106      |
| LENVIMA CAP 24 MG<br>.....             | 34 | levonorgestrel &<br>ethinyl estradiol tab                   |    | lice treatment creme<br>rins .....        | 106      |
| lessina .....                          | 69 | 0.1 mg-20 mcg ..  | 69 | lidocaine.....                            | 105, 106 |
| letrozole .....                        | 29 | levonorgestrel &<br>ethinyl estradiol tab                   |    | lidocaine hcl.....                        | 105      |
| leucovorin calcium .                   | 38 | 0.15 mg-30 mcg ..   | 69 | lidocaine hcl (local<br>anesth.) .....    | 17       |
| LEUKERAN .....                         | 27 | levonorgestrel &<br>ethinyl estradiol tab                   |    | lidocaine hcl (mouth-<br>throat) .....    | 107      |
| leuprolide acetate ..                  | 29 | 0.15 mg-30 mcg ..   | 69 | lidocaine-prilocaine<br>cream 2.5-2.5% .. | 105      |
| levalbuterol hcl.....                  | 99 | levonorgestrel &<br>ethinyl estradiol tab                   |    | lidocan .....                             | 105      |
| levalbuterol tartrate<br>.....         | 99 | 0.15 mg-30 mcg ..   | 69 | linezolid .....                           | 18       |
| levetiracetam .....                    | 54 | levonorgestrel &<br>ethinyl estradiol tab                   |    | LINEZOLID INJ<br>2MG/ML.....              | 18       |
| levetiracetam in<br>sodium chloride iv |    | 0.15 mg-30 mcg ..   | 69 | LINZESS.....                              | 80       |

|   |         |
|---|---------|
| <i>liothyronine sodium</i>  | 75      |
| <i>lisinopril</i>   | 39      |
| <i>lisinopril &amp; hydrochlorothiazide tab 10-12.5 mg</i>          | ..39    |
| <i>lisinopril &amp; hydrochlorothiazide tab 20-12.5 mg</i>          | ..39    |
| <i>lisinopril &amp; hydrochlorothiazide tab 20-25 mg</i>            | ....39  |
| <i>lithium</i>  | 59      |
| <i>lithium carbonate</i>  | .59     |
| <i>loestrin 1.5/30-21</i>   | .69     |
| <i>loestrin 1/20-21</i>   | ....69  |
| <i>loestrin fe 1.5/30</i>   | ..69    |
| <i>loestrin fe 1/20</i>   | ....69  |
| <i>LOKELMA</i>  | 67      |
| <i>LOMAIRA</i>  | 66      |
| <i>LONSURF TAB 15-6.14</i>  | 28      |
| <i>LONSURF TAB 20-8.19</i>  | 28      |
| <i>loperamide hcl</i>   | 77, 80  |
| <i>lopinavir-ritonavir soln 400-100 mg/5ml (80-20 mg/ml)</i>        | ....22  |
| <i>lopinavir-ritonavir tab 100-25 mg</i>                            | ....22  |
| <i>lopinavir-ritonavir tab 200-50 mg</i>                            | ....22  |
| <i>loratadine</i>   | 98      |
| <i>loratadine childrens</i>   | 98      |
| <i>lorazepam</i>  | 47      |
| <i>lorazepam intensol</i>   | 47      |
| <i>LORBRENA</i>   | 34      |
| <i>loryna</i>   | 69      |
| <i>losartan potassium</i>   | 42      |
| <i>losartan potassium &amp; hydrochlorothiazide tab 100-12.5 mg</i> | 40      |
| <i>losartan potassium &amp; hydrochlorothiazide tab 100-25 mg</i>   | ... 41  |
| <i>losartan potassium &amp; hydrochlorothiazide tab 50-12.5 mg</i>  | .. 40   |
| <i>LOTEMAX</i>  | 94      |
| <i>loteprednol etabonate</i>  | .....94 |
| <i>lovastatin</i>   | 42      |
| <i>low-ogestrel</i>   | ....69  |
| <i>loxapine succinate</i>   | .51     |
| <i>lubricant eye drops</i>  | 95      |
| <i>lubricant eye nighttime</i>                                      | ....95  |
| <i>lubricating plus eye drop</i>                                    | ....95  |
| <i>lubrifresh p.m.</i>  | ....95  |
| <i>LUCIRA CHECK KIT COVID-19</i>                                    | 18      |
| <i>LUMAKRAS</i>   | 34      |
| <i>LUMIGAN</i>  | 95      |
| <i>LUMIZYME</i>   | 74      |
| <i>LUPRON DEPOT (1-MONTH)</i>                                       | 29      |
| <i>LUPRON DEPOT (3-MONTH)</i>                                       | 29      |
| <i>LUPRON DEPOT-PED (1-MONTH)</i>                                   | 74      |
| <i>LUPRON DEPOT-PED (3-MONTH)</i>                                   | 74      |
| <i>LUPRON DEPOT-PED (6-MONTH)</i>                                   | 74      |
| <i>lurasidone hcl</i>   | 51      |
| <i>lutera</i>   | 69      |
| <i>lyleq</i>  | 70      |
| <i>lyllana</i>  | 72      |
| <i>LYNPARZA</i>   | 34      |
| <i>LYSODREN</i>   | 29      |
| <i>LYTGOBI (12 MG DAILY DOSE)</i>                                   | 34      |
| <i>LYTGOBI (16 MG DAILY DOSE)</i>                                   | 34      |
| <i>LYTGOBI (20 MG DAILY DOSE)</i>                                   | 34      |
| <i>lyza</i>   | 70      |
| <b>M</b>  |         |
| <i>MAG-AL LIQ</i>   | 76      |
| <i>mag-al plus</i>  | 76      |
| <i>mag-al plus xs</i>   | 77      |
| <i>magnesium oxide</i>  | ..77    |
| <i>magnesium sulfate</i>  | 90      |
| <i>MAGNESIUM SULFATE</i>  | .....90 |
| <i>magnesium sulfate in dextrose 5% iv soln 1 gm/100ml</i>          | ....90  |
| <i>malathion</i>  | 106     |
| <i>manganese chloride</i>   | .....92 |
| <i>mapap</i>  | 13      |
| <i>mapap arthritis pain</i>   | .....13 |
| <i>mapap childrens</i>  | 13      |
| <i>maraviroc</i>  | 21      |
| <i>marlissa</i>   | 70      |
| <i>MARPLAN</i>  | 48      |
| <i>MATULANE</i>   | 30      |
| <i>MAVYRET PAK 50-20MG</i>  | 23      |
| <i>MAVYRET TAB 100-40MG</i>   | 23      |
| <i>m-dryl</i>   | 98      |
| <i>meclizine hcl</i>  | ....78  |
| <i>medroxyprogesterone acetate</i>                                  | ....75  |

|                                    |                                   |                                 |
|------------------------------------|-----------------------------------|---------------------------------|
| <i>medroxyprogesterone acetate</i> | <i>methylprednisolone acetate</i> | <i>microgestin 24 fe .. 70</i>  |
| (contraceptive) ... 70             |                                   | <i>microgestin fe 1.5/30</i>    |
| <i>mefloquine hcl</i> ..... 20     |                                   | ..... 70                        |
| <i>megestrol acetate</i> .29,      | <i>methyltestosterone</i> 62      | <i>microgestin fe 1/2070</i>    |
| 75                                 | <i>metoclopramide hcl</i> 78      | <i>midodrine hcl</i> ..... 46   |
| <i>megestrol acetate</i>           | <i>metolazone</i> ..... 45        | <i>MIEBO</i> ..... 96           |
| (appetite) ..... 75                | <i>metoprolol &amp;</i>           | <i>mifepristone</i>             |
| <i>MEKINIST</i> ..... 34           | <i>hydrochlorothiazide</i>        | ( <i>hyperglycemia</i> ) .74    |
| <i>MEKTOVI</i> ..... 34            | <i>tab 100-25 mg</i> ... 43       | <i>miglustat</i> ..... 74       |
| <i>meloxicam</i> ..... 14          | <i>metoprolol &amp;</i>           | <i>mili</i> ..... 70            |
| <i>memantine hcl</i> ..... 47      | <i>hydrochlorothiazide</i>        | <i>mimvey</i> ..... 72          |
| <i>memantine hcl tab</i> 28        | <i>tab 100-50 mg</i> ... 43       | <i>minocycline hcl</i> ..... 27 |
| x 5 mg & 21 x 10                   | <i>metoprolol &amp;</i>           | <i>minoxidil</i> ..... 46       |
| mg titration pack 47               | <i>hydrochlorothiazide</i>        | <i>mintox maximum</i>           |
| <i>MENACTRA INJ</i> ..... 88       | <i>tab 50-25 mg</i> .... 43       | <i>strength</i> ..... 77        |
| <i>MENQUADFI INJ</i> .... 88       | <i>metoprolol succinate</i>       | <i>mirtazapine</i> ..... 48     |
| <i>MENVEO INJ</i> ..... 88         | ..... 44                          | <i>misoprostol</i> ..... 80     |
| <i>MENVEO SOL</i> ..... 88         | <i>metoprolol tartrate</i> 44     | <i>MITIGARE</i> ..... 12        |
| <i>mercaptopurine</i> ..... 28     | <i>metronidazole</i> ..... 18     | <i>M-M-R II INJ</i> ..... 88    |
| <i>meropenem</i> ..... 18          | <i>metronidazole</i>              | <i>M-NATAL PLUS TAB</i> 91      |
| <i>mesalamine</i> ..... 79         | ( <i>topical</i> ) ..... 106      | <i>modafinil</i> ..... 60, 61   |
| <i>mesalamine w/</i>               | <i>metronidazole vaginal</i>      | <i>moexipril hcl</i> ..... 39   |
| <i>cleanser</i> ..... 79           | ..... 82                          | <i>molindone hcl</i> ..... 51   |
| <i>MESNEX</i> ..... 38             | <i>metyrosine</i> ..... 46        | <i>mometasone furoate</i>       |
| <i>metformin hcl</i> ..... 63      | <i>MG SO4/D5W INJ</i>             | ..... 105                       |
| <i>methadone hcl</i> ..... 15      | 10MG/ML..... 90                   | <i>MONJUVI</i> ..... 34         |
| <i>methadone</i>                   | <i>mibelas 24 fe</i> ..... 70     | <i>mono-linyah</i> ..... 70     |
| <i>hydrochloride i</i> .... 15     | <i>micafungin sodium</i> 20       | <i>montelukast sodium</i>       |
| <i>methazolamide</i> ..... 45      | <i>miconazole 3</i>               | ..... 99                        |
| <i>methenamine</i>                 | <i>combination</i> ..... 82       | <i>morphine sulfate</i> ..15,   |
| <i>hippurate</i> ..... 18          | <i>miconazole 3 combo</i>         | 16                              |
| <i>methimazole</i> ..... 75        | <i>pack</i> ..... 82              | <i>MORPHINE SULFATE</i>         |
| <i>methocarbamol</i> ..... 60      | <i>miconazole 7</i> ..... 82      | ..... 16                        |
| <i>methotrexate sodium</i>         | <i>miconazole nitrate</i>         | <i>MORPHINE</i>                 |
| ..... 28, 86                       | ( <i>topical</i> ) ..... 103      | <i>SULFATE/SODIUM C</i>         |
| <i>methsuximide</i> ..... 54       | <i>miconazole nitrate</i>         | ..... 16                        |
| <i>methylphenidate hcl</i>         | <i>vaginal</i> ..... 82           | <i>MOUNJARO</i> ..... 63        |
| ..... 57                           | <i>micotrin ac</i> ..... 103      | <i>MOVANTIK</i> ..... 80        |
| <i>methylprednisolone</i> 73       | <i>microgestin 1.5/30</i> 70      | <i>moxifloxacin hcl</i> .... 25 |
|                                    | <i>microgestin 1/20... 70</i>     | <i>moxifloxacin hcl</i>         |
|                                    |                                   | ( <i>ophth</i> ) ..... 94       |

|   |  |                                 |
|---|--|---------------------------------|
| <i>moxifloxacin hcl</i> 400 mg/250ml in sodium chloride | NAMZARIC CAP 14-10MG.....47                                  | <i>neomycin-polymyxin-</i>      |
| 0.8% inj .....  | NAMZARIC CAP 21-10MG.....47                                  | <i>hc otic soln 1%</i> ...96    |
| <i>m-pap</i> .....13                                    | NAMZARIC CAP 28-10MG.....47                                  | <i>neomycin-polymyxin-</i>      |
| MRESVIA.....89  | NAMZARIC CAP 7-10MG.....47                                   | <i>hc otic susp 3.5</i>         |
| MULTAQ .....  | NAMZARIC CAP PACK .....                                      | <i>mg/ml-10000</i>              |
| <i>multiple electrolytes</i>                            | <i>naproxen</i> .....15                                      | <i>unit/ml-1%</i> .....96       |
| ph 5.5 .....  | <i>naproxen dr</i> .....15                                   | <i>neo-polycin</i>              |
| <i>multiple electrolytes</i>                            | <i>naproxen sodium</i> ..15                                  | 5(3.5)mg-400unt-                |
| ph 7.4 .....  | <i>naratriptan hcl</i> .....58                               | 10000unt op oin .94             |
| <i>multi-vit/iron/fluoride</i>                          | NASCOBAL.....92  | <i>neo-polycin hc ophth</i>     |
| .....92   | NATACYN .....94  | <i>oint 1%</i> .....93          |
| MULTIVITAMIN WITH FLUORID.....92                        | <i>nateglinide</i> .....63                                   | NEPHPLEX RX TAB .92             |
| <i>multivitamin/fluoride</i>                            | NATPARA .....66  | NERLYNX.....34                  |
| .....92   | NAYZILAM.....54  | NEUPRO .....49                  |
| <i>multi-vitamin/fluoride/ir</i>                        | <i>nebivolol hcl</i> .....44                                 | <i>nevirapine</i> .....21       |
| .....92   | <i>necon 0.5/35-28</i> ...70                                 | <i>new day</i> .....70          |
| <i>mupirocin</i> .....                                  | <i>nefazodone hcl</i> ....48                                 | NEXAVAR .....34                 |
| <i>my choice</i> .....70                                | <i>neomycin sulfate</i> ...19                                | NEXLETOL .....43                |
| <i>my way</i> .....70                                   | <i>neomycin-bacitrac zn-polymyx</i> 5(3.5)mg-400unt-10000unt | NEXLIZET TAB                    |
| <i>mycophenolate</i>                                    | <i>op oin</i> .....94  | 180/10MG.....43                 |
| <i>mofetil</i> .....88                                  | <i>neomycin-polymyx-gramicid</i> op sol                      | <i>niacin</i>                   |
| <i>mycophenolate</i>                                    | 1.75-10000-0.025mg-unt-                                      | ( <i>antihyperlipidemic</i> )   |
| <i>sodium</i> .....                                     | <i>mg/ml</i> .....94   | .....43                         |
| <i>mycozyl ac</i> .....                                 | <i>neomycin-polymyxin-dexamethasone</i>                      | <i>nicardipine hcl</i> .....44  |
| MYRBETRIQ .....   | <i>ophth oint 0.1%</i> .93                                   | <i>nicotine</i> .....61         |
|   | <i>neomycin-polymyxin-dexamethasone</i>                      | <i>nicotine mini lozenge</i>    |
|   | <i>ophth susp 0.1%</i> 93                                    | .....61                         |
|   | <i>neomycin-polymyxin-hc ophth susp</i> ....93               | <i>nicotine polacrilex..</i> 62 |
| <b>N</b>  |  | <i>nicotine polacrilex</i>      |
| <i>nabumetone</i> .....                                 |  | <i>mini</i> .....62             |
| <i>nadolol</i> .....44                                  |  | NICOTINE SYS KIT                |
| <i>nafcillin sodium</i> .....                           |  | TRANSDER.....62                 |
| NAGLAZYME.....74  |  | <i>nicotine transdermal</i>     |
| <i>nalbuphine hcl</i> .....16                           |  | <i>syst</i> .....62             |
| <i>naloxone hcl</i> .....                               |  | NICOTROL INHALER                |
| <i>naltrexone hcl</i> .....                             |  | .....62                         |

|  |     |  |    |                                      |        |
|--|-----|--|----|--------------------------------------|--------|
| NINLARO .....  | 34  | norethindrone acetate .....  | 75 | NOVOLIN R FLEXPEN .....              | 65     |
| <i>nitazoxanide</i> .....  | 19  | <i>norethindrone</i>   |    | NOVOLOG MIX INJ                      |        |
| <i>nitisinone</i> .....  | 74  | <i>acetate-ethinyl estradiol tab 0.5 mg-2.5 mcg</i> .....                | 72 | 70/30 .....                          | 65     |
| NITRO-BID .....  | 46  | <i>norethindrone</i>   |    | NOVOLOG MIX INJ                      |        |
| <i>nitrofurantoin macrocrystal</i> .....                                     | 19  | <i>acetate-ethinyl estradiol tab 1 mg-5 mcg</i> .....                    | 72 | FLEXPEN .....                        | 65     |
| <i>nitrofurantoin monohyd macro</i> .....                                    | 19  | <i>norethindrone ac-</i>   |    | NUBEQA .....                         | 29     |
| <i>nitroglycerin</i> .....   | 46  | <i>ethinyl estrad-fe tab 1-20/1-30/1-35 mg-mcg</i> .....                 | 70 | NUEDEXTA CAP 20-10MG .....           | 59     |
| <i>nitroglycerin (intra-anal)</i> .....                                      | 106 | <i>norgestimate &amp; ethinyl estradiol tab 0.25 mg-35 mcg</i> .....     | 70 | NULOJIX .....                        | 88     |
| NIVA-FOL TAB.....  | 92  | <i>norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> ..... | 70 | NUPLAZID .....                       | 51     |
| <i>nizatidine</i> .....  | 79  | <i>norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> ..... | 70 | NURTEC .....                         | 58     |
| <i>nora-be</i> .....   | 70  | <i>norlyroc</i> .....  | 70 | NUTRILIPID .....                     | 91     |
| <i>norelgestromin-ethinyl estradiol td ptwk 150-35 mcg/24hr</i> .....        | 70  | NORPACE CR .....   | 42 | NUZYRA .....                         | 27     |
| <i>norethindrone &amp; ethinyl estradiol-fe chew tab 0.4 mg-35 mcg</i> ..... | 70  | <i>nortrel 0.5/35 (28)</i> .....   | 71 | nyamyc .....                         | 103    |
| <i>norethindrone &amp; ethinyl estradiol-fe chew tab 0.8 mg-25 mcg</i> ..... | 70  | <i>nortrel 1/35 (21)</i> ..  | 71 | nylia 1/35 .....                     | 71     |
| <i>norethindrone &amp; ethinyl estradiol-fe chew tab 0.8 mg-25 mcg</i> ..... | 70  | <i>nortrel 1/35 (28)</i> ..  | 71 | nylia 7/7/7 .....                    | 71     |
| <i>norethindrone</i>   |     | <i>nortrel 7/7/7</i> .....   | 71 | NYMALIZE .....                       | 44     |
| <i>(contraceptive)</i> .....   | 70  | <i>nortriptyline hcl</i> .....   | 48 | nymyo .....                          | 71     |
| <i>norethindrone ace &amp; ethinyl estradiol tab 1 mg-20 mcg</i> .....       | 70  | NORVIR .....   | 21 | nystatin .....                       | 20     |
| <i>norethindrone ace &amp; ethinyl estradiol tab 1.5 mg-30 mcg</i> .....     | 70  | NOVOLIN INJ 70/30 .....  | 65 | <i>nystatin (mouth-throat)</i> ..... | 107    |
| <i>norethindrone ace &amp; ethinyl estradiol-fe tab 1 mg-20 mcg</i> .....    | 70  | NOVOLIN INJ 70/30 FP .....   | 65 | <i>nystatin (topical)</i> .....      | 103    |
| <i>norethindrone ace-eth estradiol-fe chew tab 1 mg-20 mcg (24)</i> .....    | 70  | NOVOLIN N .....  | 65 | nystop .....                         | 103    |
|  |     | NOVOLIN N FLEXPEN .....  | 65 | <br><b>O</b>                         |        |
|  |     | NOVOLIN R .....  | 65 | <i>ocella</i> .....                  | 71     |
|  |     |  |    | OCTAGAM .....                        | 87     |
|  |     |  |    | <i>octreotide acetate</i> .....      | 74     |
|  |     |  |    | ODEFSEY TAB .....                    | 22     |
|  |     |  |    | ODOMZO .....                         | 34     |
|  |     |  |    | OFEV .....                           | 100    |
|  |     |  |    | <i>ofloxacin (ophth)</i> .....       | 94     |
|  |     |  |    | <i>ofloxacin (otic)</i> .....        | 96     |
|  |     |  |    | OGIVRI .....                         | 34     |
|  |     |  |    | OGSIVEO .....                        | 34, 35 |
|  |     |  |    | OJEMDA .....                         | 35     |
|  |     |  |    | OJJAARA .....                        | 35     |
|  |     |  |    | <i>olanzapine</i> .....              | 51     |
|  |     |  |    | <i>olmesartan medoxomil</i> .....    | 42     |

|                            |                         |                                 |
|----------------------------|-------------------------|---------------------------------|
| <i>olmesartan</i>          | OMNIPOD 5 DX MIS        | ORKAMBI GRA 150-                |
| <i>medoxomil-</i>          | POD G7G6 ..... 65       | 188 ..... 100                   |
| <i>hydrochlorothiazide</i> | OMNIPOD 5 G7 KIT        | ORKAMBI GRA 75-                 |
| <i>tab 20-12.5 mg ..41</i> | INTRO..... 65           | 94MG ..... 100                  |
| <i>olmesartan</i>          | OMNIPOD 5 G7 MIS        | ORKAMBI TAB 100-                |
| <i>medoxomil-</i>          | PODS..... 65            | 125 ..... 100                   |
| <i>hydrochlorothiazide</i> | OMNIPOD DASH KIT        | ORKAMBI TAB 200-                |
| <i>tab 40-12.5 mg ..41</i> | INTRO..... 65           | 125 ..... 100                   |
| <i>olmesartan</i>          | OMNIPOD DASH MIS        | <i>orlistat</i> ..... 66        |
| <i>medoxomil-</i>          | PODS..... 65            | ORSERDU ..... 29                |
| <i>hydrochlorothiazide</i> | OMNIPOD GO KIT          | <i>oseltamivir phosphate</i>    |
| <i>tab 40-25 mg ..41</i>   | 10UNT/DY ..... 65       | ..... 23                        |
| <i>olmesartan-</i>         | OMNIPOD GO KIT          | OTEZLA ..... 85                 |
| <i>amlodipine-</i>         | 15UNT/DY ..... 65       | OTEZLA TAB 10/20 85             |
| <i>hydrochlorothiazide</i> | OMNIPOD GO KIT          | OTEZLA TAB                      |
| <i>tab 20-5-12.5 mg41</i>  | 20UNT/DY ..... 65       | 10/20/30 ..... 86               |
| <i>olmesartan-</i>         | OMNIPOD GO KIT          | <i>oxacillin sodium</i> .... 26 |
| <i>amlodipine-</i>         | 25UNT/DY ..... 65       | <i>oxaliplatin</i> ..... 27     |
| <i>hydrochlorothiazide</i> | OMNIPOD GO KIT          | <i>oxcarbazepine</i> ..... 55   |
| <i>tab 40-10-12.5 mg</i>   | 30UNT/DY ..... 65       | <i>oxybutynin chloride</i> 82   |
| ..... 41                   | OMNIPOD GO KIT          | <i>oxycodone hcl</i> ..... 16   |
| <i>olmesartan-</i>         | 35UNT/DY ..... 65       | <i>oxycodone w/</i>             |
| <i>amlodipine-</i>         | OMNIPOD GO KIT          | <i>acetaminophen tab</i>        |
| <i>hydrochlorothiazide</i> | 40UNT/DY ..... 65       | 10-325 mg ..... 16              |
| <i>tab 40-10-25 mg 41</i>  | OMNIPOD MIS             | <i>oxycodone w/</i>             |
| <i>olmesartan-</i>         | CLASSIC ..... 65        | <i>acetaminophen tab</i>        |
| <i>amlodipine-</i>         | ON/GO COVID KIT         | 2.5-325 mg ..... 16             |
| <i>hydrochlorothiazide</i> | ANTIGEN ..... 19        | <i>oxycodone w/</i>             |
| <i>tab 40-5-12.5 mg41</i>  | ON/GO ONE KIT           | <i>acetaminophen tab</i>        |
| <i>olmesartan-</i>         | COVID-19..... 19        | 5-325 mg ..... 16               |
| <i>amlodipine-</i>         | ondansetron ..... 78    | <i>oxycodone w/</i>             |
| <i>hydrochlorothiazide</i> | ondansetron hcl .... 78 | <i>acetaminophen tab</i>        |
| <i>tab 40-5-25 mg ..41</i> | ONTRUZANT..... 35       | 7.5-325 mg ..... 16             |
| <i>omega-3-acid ethyl</i>  | ONUREG ..... 28         | OXYCONTIN ..... 15              |
| <i>esters cap 1 gm..43</i> | opcicon one-step... 71  | OZEMPIC (0.25 OR                |
| <i>omeprazole</i> .....81  | OPSUMIT ..... 46        | 0.5 MG/DOSE)....63              |
| <i>omeprazole</i>          | option 2 ..... 71       | OZEMPIC (0.25 OR                |
| <i>magnesium</i> .....81   | ORGOVYX ..... 29        | 0.5MG/DOSE)....63               |
| OMNIPOD 5 DX KIT           | ORKAMBI GRA 100-        | OZEMPIC                         |
| INT G7G6.....65            | 125 .....100            | (1MG/DOSE) ..... 63             |

|  |     |  |     |   |     |
|--|-----|--|-----|---|-----|
| OZEMPIC<br>(2MG/DOSE) .....  | 63  | PEGASYS .....  | 23  | philith .....   | 71  |
| <b>P</b>   |     | PEMAZYRE .....                                       | 35  | phospho-trin k500   | .92 |
| <i>pacerone</i> .....  | 42  | <i>pemetrexed disodium</i><br>.....                  | 28  | <i>phytonadione</i> .....   | 92  |
| <i>paclitaxel</i> .....  | 30  | PEN GK/DEXTR INJ<br>40000/ML.....                    | 26  | PIFELTRO .....  | 21  |
| <i>paclitaxel protein-</i><br><i>bound particles for</i><br><i>iv susp 100 mg ...</i>      | 30  | PEN GK/DEXTR INJ<br>60000/ML.....                    | 26  | <i>pilocarpine hcl</i> .....  | 95  |
| <i>pain &amp; fever childrens</i><br>.....   | 13  | PENBRAYA INJ .....                                   | 89  | <i>pilocarpine hcl (oral)</i><br>.....  | 107 |
| <i>pain &amp; fever infants</i>  | 13  | <i>penicillamine</i> .....                           | 67  | PILOT COVID KIT   |     |
| <i>paliperidone</i> .....  | 51  | <i>penicillin g potassium</i><br>.....               | 26  | HOME TES .....  | 19  |
| <i>pamidronate disodium</i><br>.....   | 66  | <i>penicillin g sodium</i> 26                        |     | <i>pimozide</i> .....   | 51  |
| <b>PAMIDRONATE</b><br>DISODIUM .....   | 66  | <i>penicillin v potassium</i><br>.....               | 26  | <i>pimtrexa</i> .....   | 71  |
| <b>PANRETIN</b> .....  | 106 | PENTACEL INJ .....                                   | 89  | <i>pindolol</i> .....   | 44  |
| <i>pantoprazole sodium</i><br>.....  | 81  | <i>pentamidine</i><br><i>isethionate inh</i> ... 19  |     | <i>pioglitazone hcl</i> .....   | 63  |
| <b>PANZYGA</b> .....   | 87  | <i>pentamidine</i><br><i>isethionate inj</i> .... 19 |     | <i>pioglitazone hcl-</i><br><i>metformin hcl tab</i><br>15-500 mg.....                                    | 63  |
| <i>paraplatin</i> .....  | 27  | <i>pentoxifylline</i> .....                          | 84  | <i>pioglitazone hcl-</i><br><i>metformin hcl tab</i><br>15-850 mg.....                                    | 63  |
| <i>paricalcitol</i> .....  | 76  | <i>perindopril erbumine</i><br>.....                 | 39  | <i>piperacillin sod-</i><br><i>tazobactam na for</i><br><i>inj 3.375 gm (3-</i><br><i>0.375 gm)</i> ..... | 26  |
| <i>paroxetine hcl</i> .....  | 48  | <i>periogard</i> .....                               | 107 | <i>piperacillin sod-</i><br><i>tazobactam sod for</i><br><i>inj 13.5 gm (12-1.5</i><br><i>gm)</i> .....   | 26  |
| <b>PAXLOVID TAB</b> 150-<br>100 .....  | 23  | <i>permethrin</i> .....                              | 106 | <i>piperacillin sod-</i><br><i>tazobactam sod for</i><br><i>inj 2.25 gm (2-0.25</i><br><i>gm)</i> .....   | 26  |
| <b>PAXLOVID TAB</b> 300-<br>100 .....  | 23  | <i>perphenazine</i> .....                            | 51  | <i>piperacillin sod-</i><br><i>tazobactam sod for</i><br><i>inj 4.5 gm (4-0.5</i><br><i>gm)</i> .....     | 26  |
| <i>pazopanib hcl</i> .....   | 35  | <b>PERSERIS</b> .....                                | 51  | <i>piperacillin sod-</i><br><i>tazobactam sod for</i><br><i>inj 40.5 gm (36-4.5</i><br><i>gm)</i> .....   | 26  |
| <b>PEDIACLEAR PD</b><br>CHILDRENS.....   | 98  | <i>pfizerpen</i> .....                               | 26  | <b>PIQRAY 200MG DAILY</b><br>DOSE .....   | 35  |
| <b>PEDIARIX INJ</b> 0.5ML<br>.....   | 89  | <i>phendimetrazine</i><br><i>tartrate</i> .....      | 66  |   |     |
| <b>PEDVAX HIB</b> .....  | 89  | <i>phenelzine sulfate</i> . 48                       |     |   |     |
| <i>peg 3350-kcl-na</i><br><i>bicarb-nacl-na</i><br><i>sulfate for soln</i> 236<br>gm ..... | 80  | <i>phenobarbital</i> .....                           | 55  |   |     |
| <i>peg 3350-kcl-sod</i><br><i>bicarb-nacl for soln</i><br>420 gm.....                      | 80  | <i>phenobarbital sodium</i><br>.....                 | 55  |   |     |
|  |     | <i>phentermine hcl</i> ....                          | 66  |   |     |
|  |     | <i>phenytek</i> .....                                | 55  |   |     |
|  |     | <i>phenytoin</i> .....                               | 55  |   |     |
|  |     | <i>phenytoin sodium</i> . 55                         |     |   |     |
|  |     | <i>phenytoin sodium</i><br><i>extended</i> .....     | 55  |   |     |
|  |     | <b>PHESGO SOL</b> .....                              | 35  |   |     |

|                                |                               |  |
|--------------------------------|-------------------------------|--|
| PIQRAY 250MG TAB               | <i>potassium chloride</i> 90, | PREZISTA..... 21                                     |
| DOSE .....                     | 91                            | PRIFTIN ..... 23                                     |
| PIQRAY 300MG DAILY             | POTASSIUM                     | <i>primaquine</i>                                    |
| DOSE .....                     | CHLORIDE ..... 90             | <i>phosphate</i> ..... 20                            |
| <i>pirfenidone</i> .....       | <i>potassium chloride</i> 20  | PRIMAQUINE   |
| <i>piroxicam</i> .....         | <i>meq/l (0.15%) in</i>       | PHOSPHATE ..... 20                                   |
| PLASMA-LYTE INJ -              | <i>dextrose 5% inj .</i> 90   | <i>primidone</i> ..... 55                            |
| 148 .....                      | <i>potassium chloride</i>     | PRIORIX INJ ..... 89                                 |
| PLASMA-LYTE INJ -A             | <i>microencapsulated</i>      | PRIVIGEN ..... 87                                    |
| .....90                        | <i>crystals er</i> ..... 91   | <i>probenecid</i> ..... 12                           |
| <i>plenamine</i> .....         | <i>potassium citrate</i>      | <i>prochlorperazine</i> ... 78                       |
| PLENUV SOL .....               | <i>(alkalinizer)</i> ..... 82 | <i>prochlorperazine</i><br><i>edisylate</i> ..... 78 |
| <i>podofilox</i> .....         | <i>povidone-iodine</i> ...106 | <i>prochlorperazine</i>                              |
| <i>polycin ophth oint</i> ..94 | <i>pramipexole</i>            | <i>maleate</i> ..... 78                              |
| <i>polyethylene glycol</i>     | <i>dihydrochloride</i> .. 49  | PROCRT ..... 83                                      |
| 3350 .....                     | <i>prasugrel hcl</i> ..... 84 | <i>proctocort</i> ..... 106                          |
| <i>polymyxin b-</i>            | <i>pravastatin sodium</i> 42  | <i>proto-med hc</i> ... 106                          |
| <i>trimethoprim ophth</i>      | <i>praziquantel</i> ..... 19  | <i>proctosol hc</i> ..... 106                        |
| <i>soln 10000 unit/ml-</i>     | <i>prazosin hcl</i> ..... 40  | <i>proctozone-hc</i> ..... 106                       |
| 0.1%.....94                    | <i>prednisolone</i> ..... 73  | <i>progesterone</i> ..... 75                         |
| POLY-VI-FLOR CHW               | <i>prednisolone acetate</i>   | PROGRAF ..... 88                                     |
| 0.25MG .....                   | <i>(ophth)</i> ..... 94       | PROLASTIN-C .... 100                                 |
| POLY-VI-FLOR CHW               | PREDNISOLONE                  | PROLENSA..... 94                                     |
| 0.5MG .....                    | SODIUM PHOSP . 94             | PROLIA ..... 66                                      |
| POLY-VI-FLOR CHW               | <i>prednisolone sodium</i>    | PROMACTA ..... 84                                    |
| 1MG .....                      | <i>phosphate</i> ..... 73     | <i>promethazine hcl</i> ... 78                       |
| POLY-VI-FLOR CHW               | <i>prednisone</i> ..... 73    | <i>propafenone hcl</i> .... 42                       |
| W/IRON .....                   | PREDNISONE                    | <i>proparacaine hcl</i> .... 96                      |
| POLY-VI-FLOR SUS               | INTENSOL ..... 73             | <i>propranolol hcl</i> ..... 44                      |
| /IRON.....92                   | <i>pregabalin</i> ..... 55    | <i>propylthiouracil</i> ..... 75                     |
| POLY-VI-FLOR SUS               | PREHEVBARIO ..... 89          | PROQUAD INJ ..... 89                                 |
| 0.25/ML.....92                 | PREMASOL SOL 10%              | PROSOL INJ 20% .. 91                                 |
| POMALYST .....                 | ..... 91                      | <i>protriptyline hcl</i> .... 48                     |
| <i>portia-28</i> .....         | PRENATAL TAB 27-              | PULMOZYME ..... 100                                  |
| <i>posaconazole</i> .....      | 1MG ..... 91                  | PURIXAN ..... 28                                     |
| POT CHL 20MEQ/L IN             | PRENATAL TAB PLUS             | <i>pyrazinamide</i> ..... 23                         |
| NACL 0.45% INJ .90             | ..... 91                      | <i>pyridostigmine</i>                                |
| POT CHL 20MEQ/L IN             | <i>prevalite</i> ..... 43     | <i>bromide</i> ..... 59                              |
| NACL 0.9% INJ...90             | PREVYMIS ..... 23             | <i>pyridoxine hcl</i> ..... 92                       |
| POT CHL 40MEQ/L IN             | PREZCOBIX TAB 800-            |  |
| NACL 0.9% INJ...90             | 150 ..... 22                  |  |

**Q**

- qc acetaminophen*  
  *infants* ..... 13  
*qc allergy childrens* 98  
*qc allergy relief* ... 101  
*qc antacid*..... 77  
*qc antacid/anti-gas* 77  
*qc anti-diarrheal*.... 77  
*qc antifungal cream*  
  ..... 103  
*qc anti-itch/aloe* .. 105  
*qc aspirin* ..... 13  
*qc aspirin low dose* 13  
*qc clotrimazole*..... 82  
*qc enema* ..... 80  
*qc enteric aspirin* ... 13  
*qc gentle laxative* .. 80  
*qc ibuprofen* ..... 15  
*qc lansoprazole* .... 81  
*qc miconazole 7* .... 82  
*qc naproxen sodium*  
  ..... 15  
*qc non-aspirin extra*  
  *stre* ..... 13  
*qc pain relief*..... 13  
*qc pain relief*  
  *childrens*..... 13  
*qc pain relief extra*  
  *stre* ..... 13  
*qc povidone iodine*  
  ..... 106  
*qc stool softener*.... 80  
*QINLOCK* ..... 35  
*QSYMIA CAP 11.25-*  
  69..... 66  
*QSYMIA CAP 15-*  
  92MG ..... 66  
*QSYMIA CAP 3.75-23*  
  ..... 66  
*QSYMIA CAP 7.5-*  
  46MG ..... 66

- QUADRACEL INJ* ... 89  
*QUADRACEL INJ*  
  *0.5ML* ..... 89  
*quetiapine fumarate*  
  ..... 51  
*QUFLORA FE CHW* . 93  
*QUFLORA FE DRO*  
  *0.25-9.5*..... 93  
*QUFLORA PED CHW*  
  *0.25MG* ..... 93  
*QUFLORA PED CHW*  
  *0.5MG*..... 93  
*QUFLORA PED CHW*  
  *1MG* ..... 93  
*QUFLORA PED DRO*  
  *0.25MG* ..... 93  
*QUFLORA PED DRO*  
  *0.5MG/ML*..... 93  
*QUICKVUE HOM KIT*  
  *COVID-19*..... 19  
*quinapril hcl* ..... 39  
*quinidine sulfate* ... 42  
*quinine sulfate*..... 20  
*QULIPTA* ..... 58
- R**
- RABAVERT INJ* ..... 89  
*rabeprazole sodium* 81  
*raloxifene hcl*..... 74  
*ramipril*..... 39  
*ranolazine* ..... 46  
*rasagiline mesylate* 50  
*RAYALDEE*..... 76  
*reclipsen* ..... 71  
*RECOMBIVAX HB* .. 89  
*RECTIV*..... 106  
*refresh celluvisc*.... 96  
*refresh lacri-lube* .. 96  
*REFRESH LIQUIGEL* 96  
*REFRESH PLUS* ..... 96  
*REFRESH TEARS* ... 96

- REGRANEX* ..... 106  
*RELENZA DISKHALER*  
  ..... 24  
*RELISTOR*..... 80  
*REMICADE* ..... 86  
*renal caps* ..... 93  
*RENFLEXIS* ..... 86  
*RENOVA* ..... 106  
*RENOVA PUMP* .... 106  
*repaglinide* ..... 64  
*REPATHA*..... 43  
**REPATHA**  
  *PUSHTRONEX*  
  *SYSTEM* ..... 43  
*REPATHA SURECLICK*  
  ..... 43  
*RESTASIS*..... 96  
*RESTASIS*  
  *MULTIDOSE* ..... 96  
*RETEVMO* ..... 35  
*REVLIMID* ..... 29  
*REXULTI*..... 52  
*REYATAZ* ..... 21  
*REZLIDHIA* ..... 35  
*REZUROCK* ..... 88  
*RHOPRESSA* ..... 95  
*ribavirin (hepatitis c)*  
  ..... 24  
*rifabutin* ..... 23  
*rifampin* ..... 23  
*riluzole* ..... 59  
*rimantadine*  
  *hydrochloride* .... 24  
*RINVOQ* ..... 86  
*RINVOQ LQ*..... 86  
*risedronate sodium* 66  
*risperidone* ..... 52  
*risperidone*  
  *microspheres*..... 52  
*ritonavir* ..... 21  
*rivastigmine*..... 47

|                               |                                |     |
|-------------------------------|--------------------------------|-----|
| <i>rivastigmine tartrate</i>  | SIGNIFOR .....                 | 74  |
| .....47                       |                                |     |
| <i>rivilsa</i> .....71        | <i>sildenafil citrate</i>      |     |
| <i>rizatriptan benzoate</i>   | (pulmonary                     |     |
| .....58                       | hypertension) ....             | 46  |
| ROCKLATAN DRO ..95            | <i>silver sulfadiazine</i>     | 103 |
| <i>roflumilast</i> .....100   | SIMBRINZA SUS 1-               |     |
| <i>ropinirole</i>             | 0.2% .....                     | 95  |
| hydrochloride ....50          | <i>simliya</i> .....           | 71  |
| <i>rosuvastatin calcium</i>   | <i>simpesse</i> .....          | 71  |
| .....42                       | <i>simvastatin</i> .....       | 43  |
| ROTARIX SUS .....             | <i>sirolimus</i> .....         | 88  |
| ROTATEQ SOL.....89            | SIRTURO .....                  | 23  |
| <i>roweepra</i> .....55       | SIVEXTRO .....                 | 19  |
| ROZLYTREK .....               | SKYRIZI.....                   | 86  |
| RUBRACA .....                 | SKYRIZI PEN .....              | 86  |
| <i>rufinamide</i> .....       | <i>sm 3-day vaginal</i> ..     | 82  |
| RUKOBIA.....21                | <i>sm acid reducer</i> ....    | 79  |
| RYBELSUS .....                | <i>sm acid reducer</i>         |     |
| RYDAPT.....35                 | maximum s .....                | 79  |
|                               | <i>sm adult aspirin</i> ....   | 13  |
| <b>S</b>                      | <i>sm all day allergy</i> ..   | 98  |
| <i>sajazir</i> .....84        | <i>sm all day allergy</i>      |     |
| SANDIMMUNE .....              | childr .....                   | 98  |
| SANTYL.....106                | <i>sm allergy 4 hour</i> ..    | 98  |
| <i>sapropterin</i>            | <i>sm allergy childrens</i>    |     |
| dihydrochloride ...74         | .....                          | 98  |
| SAXENDA .....                 | <i>sm allergy relief</i> ....  | 98  |
| SCEMBLIX .....                | <i>sm allergy relief</i>       |     |
| 35, 36                        | childre .....                  | 98  |
| <i>scopolamine</i> .....78    | <i>sm allergy relief nasal</i> |     |
| SECUADO .....                 | s .....                        | 101 |
| <i>selegiline hcl</i> .....   | <i>sm antacid</i> .....        | 77  |
| 50                            | <i>sm antacid advanced</i>     |     |
| <i>selenium sulfide</i> ..    | .....                          | 77  |
| 104                           | <i>sm antacid advanced</i>     |     |
| SELZENTRY.....21              | maxi .....                     | 77  |
| SEREVENT DISKUS 99            | <i>sm antacid extra</i>        |     |
| <i>sertraline hcl</i> .....48 | strength .....                 | 77  |
| <i>setlakin</i> .....         | <i>sm antacid maximum</i>      |     |
| 71                            | streng .....                   | 77  |
| <i>sevelamer carbonate</i>    | <i>sm anti-diarrheal</i> ..    | 77  |
| .....75                       |                                |     |
| <i>sharobel</i> .....         |                                |     |
| 71                            |                                |     |
| SHINGRIX .....                |                                |     |
| 89                            |                                |     |
|                               | <i>sm antifungal</i>           |     |
|                               | clotrimazol .....              | 103 |
|                               | <i>sm antifungal</i>           |     |
|                               | miconazole.....                | 103 |
|                               | <i>sm antifungal</i>           |     |
|                               | tolnaftate.....                | 103 |
|                               | <i>sm aspirin adult low</i>    |     |
|                               | stre .....                     | 13  |
|                               | <i>sm aspirin enteric</i>      |     |
|                               | coated .....                   | 13  |
|                               | <i>sm aspirin low dose</i>     | 13  |
|                               | <i>sm clotrimazole</i>         |     |
|                               | vaginal .....                  | 82  |
|                               | <i>sm enema</i> .....          | 80  |
|                               | <i>sm fexofenadine</i>         |     |
|                               | hydrochlo.....                 | 98  |
|                               | <i>sm gentle laxative</i>      | .80 |
|                               | <i>sm hydrocortisone</i>       | 105 |
|                               | <i>sm hydrocortisone</i>       |     |
|                               | maximum .....                  | 105 |
|                               | <i>sm hydrocortisone</i>       |     |
|                               | plus.....                      | 105 |
|                               | <i>sm ibuprofen</i> .....      | 15  |
|                               | <i>sm ibuprofen ib</i> .....   | 15  |
|                               | <i>sm ibuprofen ib</i>         |     |
|                               | childrens.....                 | 15  |
|                               | <i>sm infants ibuprofen</i>    |     |
|                               | .....                          | 15  |
|                               | <i>sm lansoprazole</i> ...81   |     |
|                               | <i>sm lice killing</i>         |     |
|                               | maximum s .....                | 106 |
|                               | <i>sm lice treatment</i>       | 106 |
|                               | <i>sm loratadine</i> .....     | 98  |
|                               | <i>sm lubricating plus</i>     | 96  |
|                               | <i>sm miconazole 3</i> ...82   |     |
|                               | <i>sm miconazole 7</i> ...82   |     |
|                               | <i>sm naproxen sodium</i>      |     |
|                               | .....                          | 15  |
|                               | <i>sm nicotine</i> .....       | 62  |
|                               | <i>sm nicotine polacrilex</i>  |     |
|                               | .....                          | 62  |

|                                 |  |  |
|---------------------------------|--|--|
| <i>sm nicotine</i>              | <i>sodium polystyrene sulfonate powder</i> | <i>sulfacetamide sodium (acne)</i>           |
| <i>transdermal s</i> ..... 62   |  | ..... 102                                    |
| <i>sm omeprazole</i> ..... 81   | <i>solifenacin succinate</i>               | <i>sulfacetamide sodium (ophth)</i> ..... 94 |
| <i>sm pain &amp; fever</i>      |  |  |
| <i>childrens</i> ..... 13       | ..... 82                                   |  |
| <i>sm pain &amp; fever</i>      | <i>SOLIQUA INJ 100/33</i>                  |  |
| <i>infants</i> ..... 13         | ..... 65                                   |  |
| <i>sm pain relief extra</i>     | <i>SOLTAMOX</i> ..... 29                   |  |
| <i>stre</i> ..... 13            | <i>SOLU-CORTEF</i> ..... 73                |  |
| <i>sm pain reliever</i> .... 13 | <i>SOMATULINE DEPOT</i>                    |  |
| <i>sm pain reliever</i>         | ..... 74                                   |  |
| <i>children</i> ..... 13        | <i>SOMAVERT</i> ..... 74                   |  |
| <i>sm pain reliever extra</i>   | <i>sorafenib tosylate</i> . 36             |  |
| <i>st</i> ..... 13              | <i>sorine</i> ..... 42                     |  |
| <i>sm povidone-iodine</i>       | <i>sotalol hcl</i> ..... 42                |  |
| ..... 106                       | <i>sotalol hcl (afib/afl)</i> 42           |  |
| <i>sm stomach relief</i> .. 77  | <i>SPEEDY SWAB KIT</i>                     |  |
| <i>sm stomach relief</i>        | COVID-19..... 19                           |  |
| <i>liquid</i> ..... 77          | <i>spironolactone</i> ..... 40             |  |
| <i>sm stool softener</i> ... 80 | <i>spironolactone &amp;</i>                |  |
| <i>sm tioconazole-1</i> ...82   | <i>hydrochlorothiazide</i>                 |  |
| <i>sm triple antibiotic</i>     | tab 25-25 mg..... 45                       |  |
| <i>orig</i> ..... 103           | <i>sprintec 28</i> ..... 71                |  |
| <i>smooth antacid extra</i>     | <i>SPRITAM</i> ..... 55                    |  |
| <i>stre</i> ..... 77            | <i>SPRYCEL</i> ..... 36                    |  |
| <i>sod sulfate-pot sulf-</i>    | <i>sps</i> ..... 67                        |  |
| <i>mg sulf oral sol</i>         | <i>sronyx</i> ..... 71                     |  |
| <i>17.5-3.13-1.6</i>            | <i>ssd</i> .....103                        |  |
| <i>gm/177ml</i> .....80         | <i>STELARA</i> ..... 86                    |  |
| <i>sodium bicarbonate</i>       | <i>STIVARGA</i> ..... 36                   |  |
| ( <i>antacid</i> )..... 77      | <i>stomach relief</i> ..... 77             |  |
| <i>sodium chloride</i> ....91   | <i>stomach relief extra</i>                |  |
| <i>sodium chloride (gu</i>      | <i>stre</i> ..... 77                       |  |
| <i>irrigant</i> ) ..... 106     | <i>stomach relief ultra</i> 77             |  |
| <i>sodium fluoride chew;</i>    | <i>stool softener</i> ..... 80             |  |
| <i>tab; 1.1 (0.5 f)</i>         | <i>streptomycin sulfate</i>                |  |
| <i>mg/ml soln</i> .....91       | ..... 19                                   |  |
| <i>SODIUM OXYBATE</i> .61       | <i>STRIBILD TAB</i> ..... 22               |  |
| <i>sodium</i>                   | <i>STROVITE ONE TAB</i>                    |  |
| <i>phenylbutyrate</i> ...74     | ..... 93                                   |  |
|                                 | <i>subvenite</i> ..... 55                  |  |
|                                 | <i>sucralfate</i> ..... 80                 |  |

SYNJARDY TAB 12.5-  
500 ..... 64  
SYNJARDY TAB 5-  
1000MG ..... 64  
SYNJARDY TAB 5-  
500MG ..... 64  
SYNJARDY XR TAB  
10-1000 ..... 64  
SYNJARDY XR TAB  
12.5-1000 ..... 64  
SYNJARDY XR TAB  
25-1000 ..... 64  
SYNJARDY XR TAB 5-  
1000MG ..... 64  
SYNTHROID ..... 76  
*systane nighttime* .. 96

## T

TABLOID ..... 28  
TABRECTA ..... 36  
*tacrolimus* ..... 88  
*tacrolimus (topical)*  
..... 106  
TAFINLAR ..... 36  
TAGRISSO ..... 36  
TALTZ ..... 86  
TALZENNA ..... 36  
*tamoxifen citrate* ... 29  
*tamsulosin hcl* ..... 82  
*tarina 24 fe* ..... 71  
*tarina fe 1/20 eq* ... 71  
TASIGNA ..... 36  
*tasimelteon* ..... 58  
*tazarotene* ..... 104  
*tazicef* ..... 24  
TAZORAC ..... 104  
TAZVERIK ..... 36  
TDVAX INJ 2-2 LF .. 89  
TECENTRIQ ..... 36  
TEFLARO ..... 24  
*telmisartan* ..... 42

*telmisartan-*  
*amlodipine tab 40-*  
*10 mg* ..... 41  
*telmisartan-*  
*amlodipine tab 40-5*  
*mg* ..... 41  
*telmisartan-*  
*amlodipine tab 80-*  
*10 mg* ..... 41  
*telmisartan-*  
*amlodipine tab 80-5*  
*mg* ..... 41  
*telmisartan-*  
*hydrochlorothiazide*  
*tab 40-12.5 mg* .. 41  
*telmisartan-*  
*hydrochlorothiazide*  
*tab 80-12.5 mg* .. 41  
*telmisartan-*  
*hydrochlorothiazide*  
*tab 80-25 mg* ..... 41  
*temazepam* ..... 58  
TENIVAC INJ 5-2LF 89  
*tenofovir disoproxil*  
*fumarate* ..... 21  
*tension headache* .. 14  
TEPMETKO ..... 36  
*terazosin hcl* ..... 40  
*terbinafine hcl* ..... 20  
*terbutaline sulfate* . 99  
*terconazole vaginal* 82  
TERIPARATIDE ..... 67  
*testosterone* ..... 62  
*testosterone*  
*cypionate* ..... 62  
*testosterone*  
*enanthate* ..... 62  
*tetrabenazine* ..... 59  
*tetracycline hcl* ..... 27  
THALOMID ..... 29  
*theophylline* ..... 100

*thiamine hcl* ..... 93  
*thioridazine hcl* ..... 52  
*thiothixene* ..... 52  
*tiadylt er* ..... 45  
*tiagabine hcl* ..... 55  
TIBSOVO ..... 36  
TICOVAC ..... 89  
*tigecycline* ..... 27  
*tilia fe* ..... 71  
*timolol maleate* .... 44  
*timolol maleate*  
(ophth) ..... 95  
*tinidazole* ..... 19  
*tioconazole 1* ..... 83  
TIVICAY ..... 21  
TIVICAY PD ..... 21  
*tizanidine hcl* ..... 60  
TOBRADEX OIN 0.3-  
0.1% ..... 93  
TOBRADEX ST SUS  
0.3-0.05 ..... 93  
*tobramycin* ..... 19  
*tobramycin (ophth)* 94  
*tobramycin sulfate*. 19  
*tobramycin-*  
*dexamethasone*  
*ophth susp 0.3-*  
0.1% ..... 93  
*tolnaftate* ..... 103  
*tolterodine tartrate* 82  
*topiramate* ..... 55  
*toremifene citrate* .. 29  
*torpenz* ..... 36  
*torsemide* ..... 45  
TOUJEO MAX  
SOLOSTAR ..... 65  
TOUJEO SOLOSTAR 65  
TPN ELECTROL INJ 91  
TRADJENTA ..... 64  
*tramadol hcl* ..... 17

|                              |                              |          |
|------------------------------|------------------------------|----------|
| <i>tramadol-</i>             | <i>tri-buffered aspirin</i>  | 14       |
| <i>acetaminophen tab</i>     | <i>tridacaine ii</i>         | 105      |
| 37.5-325 mg .....            | <i>trientine hcl</i>         | 67       |
| <i>trandolapril</i> .....    | <i>tri-estarylla</i>         | 71       |
| <i>tranexamic acid</i> ..... | <i>trifluoperazine hcl</i> . | 52       |
| <i>tranylcypromine</i>       | <i>trifluridine</i>          | 94       |
| <i>sulfate</i> .....         | <i>trihexyphenidyl hcl</i>   | 50       |
| <i>TRAVASOL INJ</i> 10%      | <i>TRIJARDY XR TAB ER</i>    |          |
| .....                        | 24HR 10-5-1000MG             |          |
| <i>TRAZIMERA</i> .....       | .....                        | 64       |
| <i>trazodone hcl</i> .....   | <i>TRIJARDY XR TAB ER</i>    |          |
| <i>TRECATOR</i> .....        | 24HR 12.5-2.5-               |          |
| <i>TRELEGY AER</i>           | 1000MG                       | 64       |
| <i>ELLIPTA</i> 100-62.5-     | <i>TRIJARDY XR TAB ER</i>    |          |
| 25 MCG .....                 | 24HR 25-5-1000MG             |          |
| <i>TRELEGY AER</i>           | .....                        | 64       |
| <i>ELLIPTA</i> 200-62.5-     | <i>TRIJARDY XR TAB ER</i>    |          |
| 25 MCG .....                 | 24HR 5-2.5-                  |          |
| <i>TREMFYA</i> .....         | 1000MG                       | 64       |
| <i>treprostинil</i> .....    | <i>TRIKAFTA PAK</i>          |          |
| <i>TRESIBA</i> .....         | 59.5MG                       | 100      |
| <i>TRESIBA FLEXTOUCH</i>     | <i>TRIKAFTA PAK 75MG</i>     |          |
| .....                        | .....                        | 100      |
| <i>tretinoин</i> .....       | <i>TRIKAFTA TAB 100-</i>     |          |
| <i>tretinoин</i>             | 50-75MG & 150MG              |          |
| ( <i>chemotherapy</i> ) ..   | .....                        | 100      |
| <i>triamcinolone</i>         | <i>TRIKAFTA TAB 50-25-</i>   |          |
| <i>acetonide (mouth)</i>     | 37.5MG & 75MG                | 100      |
| .....                        | <i>tri-legest fe</i>         | 71       |
| <i>triamcinolone</i>         | <i>tri-linyah</i>            | 71       |
| <i>acetonide (topical)</i>   | <i>tri-lo-estarylla</i>      | 71       |
| .....                        | <i>tri-lo-marzia</i>         | 71       |
| <i>triamterene &amp;</i>     | <i>tri-lo-mili</i>           | 71       |
| <i>hydrochlorothiazide</i>   | <i>tri-lo-sprintec</i>       | 71       |
| <i>cap</i> 37.5-25 mg ..     | <i>trimethoprim</i>          | 19       |
| <i>triamterene &amp;</i>     | <i>tri-mili</i>              | 71       |
| <i>hydrochlorothiazide</i>   | <i>trimipramine maleate</i>  |          |
| <i>tab</i> 37.5-25 mg ..     | .....                        | 48       |
| <i>triamterene &amp;</i>     | <i>TRINTELLIX</i>            | 48       |
| <i>hydrochlorothiazide</i>   | <i>tri-nymyo</i>             | 71       |
| <i>tab</i> 75-50 mg .....    | <i>triphocaps</i>            | 93       |
|                              |                              | <b>U</b> |
|                              | <i>UBRELVY</i>               | 59       |
|                              | <i>unithroid</i>             | 76       |
|                              | <i>ursodiol</i>              | 80       |

**V**

*valacyclovir hcl*.....24  
 VALCHLOR.....106  
*valganciclovir hcl* ...24  
*valproate sodium*...55  
*valproic acid* .....56  
*valsartan* .....42  
**valsartan-**  
*hydrochlorothiazide*  
*tab 160-12.5 mg* .41  
**valsartan-**  
*hydrochlorothiazide*  
*tab 160-25 mg* ...41  
**valsartan-**  
*hydrochlorothiazide*  
*tab 320-12.5 mg*.41  
**valsartan-**  
*hydrochlorothiazide*  
*tab 320-25 mg* ...41  
**valsartan-**  
*hydrochlorothiazide*  
*tab 80-12.5 mg* ..41  
 VALTOCO 10 MG  
 DOSE .....56  
 VALTOCO 15 MG  
 DOSE .....56  
 VALTOCO 20 MG  
 DOSE .....56  
 VALTOCO 5 MG DOSE  
 .....56  
*vancomycin hcl* .....19  
 VANCOMYCIN  
 HYDROCHLORIDE19  
 VANCOMYCIN INJ 1  
 GM .....19  
 VANCOMYCIN INJ  
 500MG .....19  
 VANCOMYCIN INJ  
 750MG .....20  
 VANFLYTA.....37  
 VAQTA .....89

*varenicline tartrate* 62  
*varenicline tartrate*  
*tab 11 x 0.5 mg &*  
*42 x 1 mg start*  
*pack* .....62  
 VARIVAX.....89  
 VASCEPA .....43  
 VAXCHORA SUS....89  
*velvet* .....71  
 VELPHORO .....75  
 VELTASSA.....67  
 VEMLIDY.....24  
 VENCLEXTA.....37  
 VENCLEXTA TAB  
 START PK .....37  
*venlafaxine hcl* .....48  
 VENTAVIS .....46  
 VENTOLIN HFA .....99  
 VENTOLIN HFA  
 (INSTITUTIONAL  
 PACK) .....99  
*verapamil hcl*.....45  
 VERQUVO .....46  
 VERSACLOZ .....52  
 VERZENIO.....37  
*vestura* .....71  
 V-GO 20 KIT .....66  
 V-GO 30 KIT .....66  
 V-GO 40 KIT .....66  
*vienna* .....71  
*vigabatrin* .....56  
*vigadrone* .....56  
 VIGAFYDE .....56  
*vigpoder* .....56  
*vilazodone hcl*.....48  
*vincristine sulfate*.. 30  
*vinorelbine tartrate* 30  
*viorele* .....72  
 VIRACEPT .....22  
 VIREAD .....22  
*virt-caps* .....93

*virt-gard*.....93  
 VIT A/C/D/FL DRO  
 0.5MG .....93  
 VITAL-D RX TAB ....93  
 VITAMINS  
 A/C/D/FLUORIDE 93  
 VITRAKVI .....37  
 VIVITROL .....62  
 VIZIMPRO .....37  
 VONJO .....37  
 VORANIGO .....37  
*voriconazole* .....20  
 VOSEVI TAB .....24  
 VRAYLAR .....52  
 VRAYLAR CAP 1.5-  
 3MG .....52  
*vyfemla* .....72  
*vylibra* .....72  
 VYZULTA .....95

**W**

*warfarin sodium* ....83  
*water for irrigation,*  
*sterile irrigation*  
*soln*.....106  
 WEGOVY .....66  
 WELIREG.....30  
*wera* .....72  
*wescaps* .....93  
*wixela inhub* .....102  
*wymzya fe* .....72

**X**

XALKORI .....37  
 XARELTO .....83  
 XARELTO STAR TAB  
 15/20MG .....83  
 XATMEP .....86  
 XCOPRI .....56  
 XCOPRI PAK 100-150  
 .....56

|  |     |                              |     |                            |    |
|--|-----|------------------------------|-----|----------------------------|----|
| XCOPRI PAK 12.5-25 .....               | 56  | XPOVIO 40 MG TWICE WEEKLY .. | 37  | ZENPEP CAP 20000UNT.....   | 81 |
| XCOPRI PAK 150-200MG (MAINTENANCE) ..  | 56  | XPOVIO 60 MG ONCE WEEKLY ..  | 37  | ZENPEP CAP 25000UNT.....   | 81 |
| XCOPRI PAK 150-200MG (TITRATION) ..... | 56  | XPOVIO 60 MG TWICE WEEKLY .. | 37  | ZENPEP CAP 3000UNIT .....  | 81 |
| XCOPRI PAK 50-100MG .....              | 56  | XPOVIO 80 MG ONCE WEEKLY ..  | 37  | ZENPEP CAP 40000UNT.....   | 81 |
| XDEMVY .....                           | 94  | XPOVIO 80 MG TWICE WEEKLY .. | 38  | ZENPEP CAP 5000UNIT .....  | 81 |
| XELJANZ .....                          | 86  | XTANDI .....                 | 29  | ZENPEP CAP 60000UNT.....   | 81 |
| XELJANZ XR.....                        | 86  | xulane .....                 | 72  | ZERVIATE.....              | 95 |
| XENICAL.....                           | 66  | XULTOPHY INJ 100/3.6.....    | 66  | zidovudine .....           | 22 |
| XERMELO .....                          | 81  |                              |     | ZIEXTENZO .....            | 83 |
| XGEVA .....                            | 67  | <b>Y</b>                     |     | ziprasidone hcl .....      | 52 |
| XHANCE .....                           | 101 | yargesa .....                | 74  | ziprasidone mesylate ..... | 52 |
| XIFAXAN .....                          | 81  | YF-VAX INJ.....              | 89  | ZIRABEV .....              | 38 |
| XIGDUO XR TAB 10-1000 .....            | 64  | yuvafem .....                | 72  | ZIRGAN.....                | 94 |
| XIGDUO XR TAB 10-500MG .....           | 64  |                              |     | zoledronic acid .....      | 67 |
| XIGDUO XR TAB 2.5-1000 .....           | 64  | <b>Z</b>                     |     | ZOLINZA .....              | 38 |
| XIGDUO XR TAB 5-1000MG.....            | 64  | ZADITOR .....                | 95  | zolpidem tartrate...       | 58 |
| XIGDUO XR TAB 5-500MG .....            | 64  | zafemy .....                 | 72  | ZONISADE.....              | 56 |
| XXIDRA.....                            | 96  | zafirlukast .....            | 99  | zonisamide .....           | 56 |
| XOFLUZA.....                           | 24  | zaleplon .....               | 58  | zovia 1/35 .....           | 72 |
| XOLAIR .....                           | 100 | ZARXIO .....                 | 83  | ZTALMY.....                | 56 |
| XOSPATA.....                           | 37  | ZEJULA.....                  | 38  | zumandimine .....          | 72 |
| XPOVIO 100 MG ONCE WEEKLY....          | 38  | ZELBORA.....                 | 38  | ZURZUVAE .....             | 49 |
| XPOVIO 40 MG ONCE WEEKLY.....          | 37  | ZEMAIRA .....                | 100 | ZYDELIG .....              | 38 |
|  |     | zenatane.....                | 102 | ZYKADIA .....              | 38 |
|  |     | ZENPEP CAP 10000UNT .....    | 81  | ZYLET SUS 0.5-0.3% .....   | 93 |
|  |     | ZENPEP CAP 15000UNT .....    | 81  | ZYPREXA RELPREVV .....     | 52 |







## Molina Dual Options

HPMS Approved Formulary File Submission 00024165, Version 18

Updated: **12/01/2024**

For more recent information or other questions, contact us at (855) 735-5604, TTY: 711,  
Monday – Friday, 8 a.m. to 8 p.m., ET or visit [MolinaHealthcare.com/Duals](http://MolinaHealthcare.com/Duals)

**Important Message About What You Pay for Vaccines** – Some vaccines are considered medical benefits. Other vaccines are considered Part D drugs. Our plan covers most Part D vaccines at no cost to you.