

Iowa Department of Human Services

Iowa Health Link Hawki

Request for Prior Authorization Crisaborole (Eucrisa)

FAX Completed Form To 1 (877) 733-3195 Provider Help Desk 1 (844) 236-1464

(PLEASE PRINT - ACCURACY IS IMPORTANT)

IA Medicaid Member ID #	Patient name	DOB
Patient address		•
Provider NPI	Prescriber name	Phone
Prescriber address		Fax
Pharmacy name	Address	Phone
Pharmacy NPI Pharmacy fax NDC Phirmacy NPI Pharmacy fax NDC Prior authorization (PA) is required for Eucrisa (crisaborole). Payment will be considered when patient has an FDA approved or compendia indication for the requested drug when the following criteria are met: 1) Request adheres to all FDA approved labeling for requested drug and indication, including age, dosing, contraindications, warning and precautions, drug interactions, and use in specific populations; and 2) Patient has a diagnosis of mild to moderate atopic dermatitis; and 3) Patient has failed to respond to good skin care and regular use of emollients; and 4) Patient has documentation of an adequate trial and therapy failure with one preferred medium to high potency topical corticosteroid for a minimum of 2 consecutive weeks; and 5) Patient has documentation of a previous trial and therapy failure with a topical immunomodulator for a minimum of 4 weeks; and 6) Patient will continue with skin care regimen and regular use of emollients. 7) Quantities will be limited to 60 grams for use on the face, neck, and groin and 100 grams for all other areas, per 30 days. The required trials may be overridden when documented evidence is provided that use of these agents		
would be medically contraindicated.		
Non-Preferred		
Non-Preferred Eucrisa		
	Usage Instructions Qเ	nantity Day's Supply
Eucrisa	Usage Instructions Qเ	nantity Day's Supply
Strength Diagnosis: Has patient failed to respond to g	Usage Instructions Quote and regular use of emollier ame, dosing instructions & duration of use:_	
Strength Diagnosis: Has patient failed to respond to g Document emollient use: Product na	ood skin care and regular use of emollie	
Strength Diagnosis: Has patient failed to respond to g Document emollient use: Product na Will patient continue with skin care r Yes Emollient to be used: Preferred Medium to High Potence Drug name & dose:	ood skin care and regular use of emollier ame, dosing instructions & duration of use:_ regimen and regular use of emollients? y Topical Corticosteroid Trial:	nts?
Strength Diagnosis: Has patient failed to respond to g Document emollient use: Product na Will patient continue with skin care r Yes Emollient to be used: Preferred Medium to High Potence Drug name & dose: Failure reason: Preferred Topical Immunomodula Drug name & dose:	ood skin care and regular use of emollier ame, dosing instructions & duration of use:_ regimen and regular use of emollients? y Topical Corticosteroid Trial: Trial of	nts?
Strength Diagnosis: Has patient failed to respond to g Document emollient use: Product na Will patient continue with skin care r Yes Emollient to be used: Preferred Medium to High Potence Drug name & dose: Failure reason: Preferred Topical Immunomodula Drug name & dose: Failure reason:	ood skin care and regular use of emollier ame, dosing instructions & duration of use:	nts?
Strength Diagnosis: Has patient failed to respond to g Document emollient use: Product na Will patient continue with skin care r Yes Emollient to be used: Preferred Medium to High Potence Drug name & dose: Failure reason: Preferred Topical Immunomodula Drug name & dose: Failure reason: Affected area to be treated:	ood skin care and regular use of emollier ame, dosing instructions & duration of use:	nts?
Strength Diagnosis: Has patient failed to respond to g Document emollient use: Product na Will patient continue with skin care r Yes Emollient to be used: Preferred Medium to High Potence Drug name & dose: Failure reason: Preferred Topical Immunomodula Drug name & dose: Failure reason: Affected area to be treated: Medical or contraindication reason to	ood skin care and regular use of emollier ame, dosing instructions & duration of use:_ regimen and regular use of emollients? y Topical Corticosteroid Trial: Trial of the trial requirements: to override trial requirements:	nts?
Strength Diagnosis: Has patient failed to respond to g Document emollient use: Product na Will patient continue with skin care r Yes Emollient to be used: Preferred Medium to High Potence Drug name & dose: Failure reason: Preferred Topical Immunomodula Drug name & dose: Failure reason: Affected area to be treated:	ood skin care and regular use of emollier ame, dosing instructions & duration of use:	nts?

IMPORTANT NOTE: In evaluating requests for prior authorization the consultant will consider the treatment from the standpoint of medical necessity only. If approval of this request is granted, this does not indicate that the member continues to be eligible for Medicaid. It is the responsibility of the provider who initiates the request for prior authorization to establish by inspection of the member's Medicaid eligibility card and, if necessary by contact with the county Department of Human Services, that the member continues to be eligible for Medicaid.