

HEDIS® Tips:

Children and Adolescents'

Access to Primary Care Practitioners (CAP)

MEASURE DESCRIPTION

The percentage of patients 12 months to 19 years of age who had a visit with a PCP. Four separate percentages are reported for each product line.

- Children 12 to 24 months and 25 months to 6 years who had a visit with a PCP during the measurement year.
- Children 7 to 11 years and adolescents 12 to 19 years who had a visit with a PCP during the measurement year or the year prior to the measurement year.

USING CORRECT BILLING CODES

Codes to Identify Ambulatory or Preventive Care Visits

Description	Codes
Ambulatory Visits	*ICD-9: V20.2, V70.0, V70.3, V70.5, V70.6, V70.8, V70.9
	ICD-10: Z00.00, Z00.01, Z00.121, Z00.129, Z00.3, Z00.5, Z00.8, Z02.0-Z02.6, Z02.71, Z02.79, Z02.81-Z02.83, Z02.89, Z02.9, Z76.1, Z76.2
	CPT®: 99201-99205, 99211-99215, 99241-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99429, 99483
	HCPCS: G0402, G0438, G0439, G0463, T1015
	UBREV: 0510-0517, 0519-0523, 0526-0529, 0982, 0983

*ICD-9 codes are included for historical purposes only and can no longer be used for billing.

HOW TO IMPROVE HEDIS SCORES

- ☐ Avoid missed opportunities by taking advantage of every office visit (including sick visits) to provide an ambulatory or preventive care visit.
- ☐ Make sports/day care physicals into ambulatory or preventive care visits by performing the required services and submitting appropriate codes.
- ☐ Include the date when a health and developmental history and physical exam was performed and health education/anticipatory guidance was given in the medical record.
- ☐ Use standardized templates in charts and in EMRs that allow checkboxes for standard counseling activities.