HEDIS® Tips:

Comprehensive Diabetes Care (CDC)

MEASURE DESCRIPTION

Adults 18-75 years of age with diabetes (type1 and type 2) who had each of the following:

- Hemoglobin A1c (HbA1c) testing
- HbA1c poor control (>9.0%)*
 * a lower rate is better
- HbA1c control <8.0%
- HbA1c control <7.0%
- Eye exam (retinal or dilated) performed
- BP control (<140/90 mmHg)
- Nephropathy monitoring
 - Nephropathy screening or monitoring test
 - Treatment for nephropathy or ACE/ARB therapy
 - Stage 4 chronic kidney disease (CKD)
 - ESRD
 - Kidney transplant
 - Visit with a nephrologist
 - ACE/ARB dispensed

USING CORRECT BILLING CODES

Description	Codes
Codes to Identify Diabetes	ICD-10: E10, E11, E13, O24
Codes to Identify HbA1c Tests	CPT [®] : 83036, 83037 CPT II [®] : 3044F (if HbA1c <7%), 3045F (if HbA1c 7% - 9%), 3046F (if HbA1c >9%)
Codes to Identify Nephropathy Screening Test (Urine Protein Tests)	CPT: 81000-81003, 81005, 82042-82044, 84156 CPT II: 3060F, 3061F, 3062F
Codes to Identify Eye Exam (must be performed by optometrist or ophthalmologist)	CPT: 67028, 67030, 67031, 67036, 67039-67043, 67101, 67105, 67107, 67108, 67110, 67113, 67121, 67141, 67145, 67208, 67210, 67218, 67220, 67221, 67227, 67228, 92002, 92004, 92012, 92014, 92018, 92019, 92134, 92225-92228, 92230, 92235, 92240, 92250, 92260, 99203-99205, 99213-99215, 99242-99245 HCPCS: S0620, S0621, S3000
Codes to Identify Diabetic Retinal Screening With Eye Care Professional billed by any provider	CPT II: 2022F, 2024F, 2026F
Codes to Identify Blood Pressure Readings	Systolic greater than/equal to 140 CPTII:3077F Systolic less than 140 CPTII: 3074F, 3075F Diastolic greater than/equal to 90 CPTII: 3080F Diastolic 80-89 CPT II: 3079F Diastolic less than 80 CPT II: 3078F Remote Blood Pressure Monitoring CPT: 93784, 93788, 93790, 99091

HOW TO IMPROVE HEDIS SCORES

	Review diabetes services needed at each office visit.
	Order labs prior to patient appointments.
	Bill for point of care testing if completed in office and ensure HbA1c result and date are documented in the chart.
	Adjust therapy to improve HbA1c and BP levels; follow-up with patients to monitor changes.
	Make sure a digital eye exam, remote imaging, and fundus photography are read by an eye care professional
	(optometrist or ophthalmologist) so the results count.
	Use 3072F if member's eye exam was negative or showed low risk for retinopathy in the prior year.
	Prescribe statin therapy to all diabetics age 40 to 75 years.
	Refer patients for Health Management interventions and coaching by contacting Health Care Services at your
	affiliated Molina Healthcare State plan



