

Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who are Using Antipsychotic Medications

MEASURE DESCRIPTION

Adults 18-64 years of age with schizophrenia or bipolar disorder, who were dispensed an antipsychotic medication and had a diabetes screening test (glucose test or HbA1c test) during the measurement year.

USE CORRECT BILLING CODES

Codes to Identify Diabetes Screening

Description	Codes
Codes to Identify Glucose Tests	CPT: 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951
Codes to Identify HbA1c Tests	CPT: 83036, 83037 CPT II: 3044F (if HbA1c<7%), 3045F (if HbA1c 7%-9%), 3046F (if HbA1c>9%)

Antipsychotic Medications

Description	Generic Name	Brand Name
Miscellaneous antipsychotic agents	Aripiprazole, Asenapine, Brexpiprazole, Cariprazine, Clozapine, Haloperidol, Iloperidone, Loxapine, Lurasidone, Molindone, Olanzapine, Paliperidone, Pimozide, Quetiapine, Quetiapine fumarate, Risperidone, Ziprasidone	Abilify, Saphris, Rexulti, Vraylar, Clozaril, Haldol, Fanapt, Loxipac/Loxitane, Latuda, Moban, Zyprexa, Invega, Orap, Seroquel, Seroquel XR, Risperdal, Geodon
Phenothiazine antipsychotics	Chlorpromazine, Fluphenazine, Perphenazine, Prochlorperazine, Thioridazine, Trifluoperazine	Thorazine, Prolixin, Etrafon, Compazine, Mellaril, Stelazine
Psychotherapeutic combinations	Fluoxetine-olanzapine Perphenazine-amitriptyline,	Symbyax Trilafon
Thioxanthenes	Thiothixene	Navane
Long-acting injections	Aripiprazole, Fluphenazine decanoate, Haloperidol decanoate, Olanzapine, Paliperidone palmitate, Risperidone	Abilify Maintena, Prolixin, Haldol Decanoate INJ, Zyprexa Relprev, Invega Sustenna, Risperdal Consta

HOW TO IMPROVE HEDIS® SCORES

- ☐ Help patients with scheduling a follow-up appointment in 1-3 months with their PCP to screen for diabetes. If the patient is not ready to schedule appointment, make note or flag chart to contact the patient with a reminder to schedule an appointment.
- ☐ Ensure patient (and/or caregiver) is aware of the risk of diabetes and have awareness of the symptoms of new onset of diabetes while taking antipsychotic medication.
- ☐ Schedule lab screening tests through PCP prior to next appointment.
- ☐ The BH provider can order diabetic lab tests for patients who do not have regular contact with their PCP but who regularly see the BH provider. The BH provider can then coordinate medical management with the PCP.
- ☐ Patients can be referred for Health Management interventions and coaching by contacting Health Care Services at your affiliated Molina Healthcare State plan.
- ☐ Ensure your patient has an understanding of the local community support resources and what to do in an event of a crisis.