

# HEDIS® Tips:

## Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who are Using Antipsychotic Medications (SSD)

### MEASURE DESCRIPTION

Adults 18-64 years of age with schizophrenia, schizoaffective disorder or bipolar disorder, who were dispensed an antipsychotic medication and had a diabetes screening test (glucose test or HbA1c test) during the measurement year.

### USE CORRECT BILLING CODES

#### Codes to Identify Diabetes Screening

Description	Codes
Codes to Identify Glucose Tests	<b>CPT®:</b> 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951
Codes to Identify HbA1c Tests	<b>CPT:</b> 83036, 83037 <b>CPT II®:</b> 3044F (if HbA1c<7%), 3045F (if HbA1c 7%-9%), 3046F (if HbA1c>9%)

### SSD Antipsychotic Medications

Description	Generic Name
<b>Miscellaneous antipsychotic agents</b>	Aripiprazole, Asenapine, Clozapine, Haloperidol, Iloperidone, Loxapine, Lurasidone, , Olanzapine, Paliperidone, Quetiapine, , Risperidone, Ziprasidone
<b>Phenothiazine antipsychotics</b>	Chlorpromazine, Fluphenazine, Perphenazine, Prochlorperazine, Thioridazine, Trifluoperazine
<b>Psychotherapeutic combinations*</b>	Amitriptyline-perphenazine
<b>Thioxanthenes</b>	Thiothixene
<b>Long-acting injections</b>	Aripiprazole, Fluphenazine decanoate, Haloperidol decanoate, Olanzapine, Paliperidone palmitate, Risperidone

\*Please submit a request for coverage when prescribing psychotherapeutic combination medications.

### HOW TO IMPROVE HEDIS SCORES

- ☐ Help patients with scheduling a follow-up appointment in 1-3 months with their PCP to screen for diabetes. If the patient is not ready to schedule appointment, make note or flag chart to contact the patient with a reminder to schedule an appointment.
- ☐ Ensure patient (and/or caregiver) is aware of the risk of diabetes and have awareness of the symptoms of new onset of diabetes while taking antipsychotic medication.
- ☐ Schedule lab screening tests through PCP prior to next appointment.
- ☐ The BH provider (MD, NP or other professional with lab order ability) can order diabetic lab tests for patients who do not have regular contact with their PCP.
- ☐ Ensure necessary releases are in place to enable key providers (PCP, Specialists, Psychiatric, Therapist, etc.) to jointly foster the patient's work in improving/maintaining their physical health and taking part in recommended tests as well as discussions of results.'
- ☐ For additional support and medication/treatment adherence, refer patient/family/caregiver for Care Coordination/Case Management by contacting your affiliated Molina Healthcare Inc. State plan.'
- ☐ Ensure your patient has an understanding of the local community support resources and what to do in an event of a crisis.