



Texas Prior Authorization Program Clinical Edit Criteria

Cough/Cold Medications

NOTE: Claims for cough and cold products containing acetaminophen, ibuprofen, or narcotics such as codeine and hydrocodone are not covered by Texas Medicaid for ages ≥ 2 to < 6 years of age. Prior authorization for these agents will not be accepted.

NOTE: Claims for cough and cold products for clients less than 2 years of age are not covered by Texas Medicaid. Prior authorization for these agents will not be accepted.

Clinical Edit Information Included in this Document

Cough and Cold Medications (Table A – drugs requiring prior authorization for children ages ≥ 2 to < 4 years of age)

- Drugs requiring prior authorization: the list of drugs requiring prior authorization for this clinical edit
- **Prior authorization criteria logic**: a description of how the prior authorization request will be evaluated against the clinical edit criteria rules
- Logic diagram: a visual depiction of the clinical edit criteria logic
- **References**: clinical publications and sources relevant to this clinical edit

Note: Click the hyperlink to navigate directly to that section.

Cough and Cold Medications (Table B – drugs requiring prior authorization for children ages ≥ 2 to < 6 years of age)

- Drugs requiring prior authorization: the list of drugs requiring prior authorization for this clinical edit
- **Prior authorization criteria logic**: a description of how the prior authorization request will be evaluated against the clinical edit criteria rules
- Logic diagram: a visual depiction of the clinical edit criteria logic
- References: clinical publications and sources relevant to this clinical edit

Note: Click the hyperlink to navigate directly to that section.

Cough and Cold Medications (Table C – drugs requiring prior authorization for children ages ≥ 2 to < 10 years of age)

- **Drugs requiring prior authorization**: the list of drugs requiring prior authorization for this clinical edit
- Prior authorization criteria logic: a description of how the prior authorization request will be evaluated against the clinical edit criteria rules
- Logic diagram: a visual depiction of the clinical edit criteria logic
- References: clinical publications and sources relevant to this clinical edit

Note: Click the hyperlink to navigate directly to that section.

Cough and Cold Medications (Table D – drugs requiring prior authorization for children ages ≥ 6 to < 12 years of age)

- **Drugs requiring prior authorization**: the list of drugs requiring prior authorization for this clinical edit
- Prior authorization criteria logic: a description of how the prior authorization request will be evaluated against the clinical edit criteria rules
- Logic diagram: a visual depiction of the clinical edit criteria logic
- **References**: clinical publications and sources relevant to this clinical edit

Note: Click the hyperlink to navigate directly to that section.

Revision Notes

- Added GCNs for Cough Syrup (GCN 02512) and Deconex IR (42022) to Table A, page 3
- Updated GCN for J-Tan D PD Drops (46351) in Table A, page 3
- Added GCNs for Alahist DM (42443) and Deconex DM (42056) to Table B, page 7
- Updated GCN for Mucinex Fast-Max Congest-Cough in Table B, page 8
- Added GCNs for Flowtuss (37679) and Hycofenix (38666) to Table D, page 15



Cough and Cold Medications Table A

Drugs Requiring Prior Authorization for Children Ages ≥ 2 to < 4 Years

NOTE: Claims for cough and cold products containing acetaminophen, ibuprofen, or narcotics such as codeine and hydrocodone are not covered by Texas Medicaid for ages ≥ 2 to < 6 years of age. Prior authorization for these agents will not be accepted.

Table A	
Drugs Requiring Prior Authorization for Children ≥ 2 to	o < 4 Years of Age
Label Name	GCN
ALA-HIST PE TABLET	28379
APRODINE TABLET	96445
BROTAPP LIQUID	12933
CHEST CONGESTION RELIEF PE	97358
CHEST CONGESTION RELIEF TABLET	18906
CHL MUCINEX CHEST CONGEST LIQ	02512
CHLD MUCINEX STUFFY NOSE-COLD	99069
CHLO TUSS EX LIQUID	30735
CHLO TUSS LIQUID	35393
COUGH DM 30 MG/5 ML SUSP	17802
COUGH SYRUP 200 MG/10 ML	02512
DECONEX IR TABLET	42022
DECONEX IR TABLET	99655
DELSYM 30 MG/5 ML SUSPENSION	17802
DEXTROMETHORPHAN ER 30 MG/5 ML	17802
DIMAPHEN ELIXIR	27207
ED BRON GP LIQUID	54250
ED-A-HIST PSE TABLET	96445
GUAIFENESIN 100 MG/5 ML SYRUP	02512
HISTEX-PE SYRUP	29581
IOPHEN NR LIQUID	02512
J-MAX SYRUP	26029
J-TAN D PD DROPS	46351
KID'S MUCINEX MINI-MELTS PACK	97123
LODRANE D CAPSULE	30766
LORTUSS LQ LIQUID	29564
MAXIPHEN TABLET	97358

Table A	
Drugs Requiring Prior Authorization for Children ≥ 2 to < 4 Years of Age	
Label Name	GCN
MUCAPHED TABLET	97358
MUCUS RELIEF 400 MG TABLET	18906
MUCUS RELIEF SINUS TABLET	97358
NOSE DROPS	34186
ORGAN-I NR 200 MG TABLET	02482
POLY-VENT IR TABLET	34787
PROMETHAZINE VC SYRUP	13977
Q-TUSSIN 100 MG/5 ML SOLUTION	02512
RESCON-GG LIQUID	54250
RESPAIRE-30 CAPSULE	13255
ROBAFEN 100 MG/5 ML SYRUP	02512
RU-HIST D 10-4 MG TABLET	96609
RYNEX PE LIQUID	27207
RYNEX PSE LIQUID	12933
SILTUSSIN SA 100 MG/5 ML SYR	02512
STAHIST AD LIQUID	31771
STAHIST AD TABLET	31036
TUSSIN 100 MG/5 ML SYRUP	02512



Cough and Cold Medications Table A

Clinical Edit Criteria Logic


1.	Is the client greater than or equal to (\geq) 2 years and less than $(<)$ 4 years of
	age?
	[] Yes – Deny
	[] No – Approve (30 days)

*Claims for cough and cold products for clients less than 2 years of age are not covered by Texas Medicaid. Prior authorization for these agents will not be accepted.



Cough and Cold Medications Table A

Clinical Edit Criteria Logic Diagram





Cough and Cold Medications Table B

Drugs Requiring Prior Authorization for Children Ages
≥ 2 to < 6 Years

NOTE: Claims for cough and cold products containing acetaminophen, ibuprofen, or narcotics such as codeine and hydrocodone are not covered by Texas Medicaid for ages ≥ 2 to < 6 years of age. Prior authorization for these agents will not be accepted.

Table B	
Drugs Requiring Prior Authorization for Children ≥ 2	to < 6 Years of Age
Label Name	GCN
ALA-HIST DM LIQUID	99356
ALAHIST DM LIQUID	42443
ALLFEN DM TABLET	23807
AP-HIST DM LIQUID	99356
BROMFED DM COUGH SYRUP	96136
BROMPHENIR-PSEUDOEPHED-DM SYR	96136
BROTAPP DM LIQUID	12934
CHILD DELSYM COUGH+CHEST DM LQ	53497
CHILD MUCINEX CONGEST-COUGH LQ	28875
CHILD MUCINEX MULTI-SYMPTOM LQ	28875
CHILDREN COLD & COUGH DM ELIXI	26808
CHILDREN'S MUCINEX COUGH LIQ	53497
DALLERGY 1-2.5 MG/ML DROPS	28105
DALLERGY 1-5 MG TABLET	35589
DECONEX DMX TABLET	99656
DECONEX DMX TABLET	42056
DELSYM COUGH+CHEST CNGST DM LQ	53497
DIMAPHEN DM ELIXIR	26808
ED A-HIST DM TABLET	37388
ED A-HIST LIQUID	14148
ED CHLORPED D PEDIATRIC DROPS	30033
ED-A-HIST 4 MG-10 MG TABLET	25462
ED-A-HIST DM LIQUID	19347
ENDACOF-DM LIQUID	26808
EXTRA ACTION COUGH SYRUP	53495
GUAIFENESIN/DM 1,200-60 MG TABLET	93677
GUAIFENESIN ER 600 MG TABLET	35905
GUAIFENESIN ER 1,200 MG TABLET	98863
GUAIFENESIN/PSE ER 600-60 MG	54980
HISTEX-DM SYRUP	36311

Table B		
Drugs Requiring Prior Authorization for Chile	dren ≥ 2 to < 6 Years of Age	
Label Name GCN		
IOPHEN DM-NR LIQUID	53491	
KIDKARE COUGH & COLD LIQUID	96138	
LOHIST-D LIQUID	44021	
LOHIST-DM SYRUP	15847	
LORTUSS DM LIQUID	29565	
MAXIPHEN DM TABLET	99499	
M-END DMX LIQUID	30801	
MUCINEX COUGH MINI-MELT PACK	99068	
MUCINEX D ER 1,200-120 MG TAB	89731	
MUCINEX D ER 600-60 MG TABLET	54980	
MUCINEX DM ER 1,200-60 MG TAB	99067	
MUCINEX DM ER 600-30 MG TABLET	53550	
MUCINEX ER 1,200 MG TABLET	98863	
MUCINEX ER 600 MG TABLET	35905	
MUCINEX FAST-MAX CONGEST-COUGH	36254	
MUCINEX FAST-MAX DM MAX LIQUID	53497	
MUCINEX SINUS-MAX NASAL SPRAY	34062	
MUCUS ER 600 MG TABLET	35905	
NASAL DECONGESTANT 0.05% SPRAY	34062	
NASOPEN PE LIQUID	32676	
NINJACOF LIQUID	37227	
NOHIST-DM LIQUID	19347	
NOHIST-LQ LIQUID	14148	
NRS-NASAL RELIEF NOSE SPRAY	34062	
PEDIATRIC COUGH-COLD LIQUID	96138	
PHENYLEPHRINE-PYRILAMINE 10-25	28978	
POLY-HIST DM LIQUID	34835	
POLY-HIST PD LIQUID	34839	
POLY-VENT DM TABLET	34799	
PROMETHAZINE-DM SOLUTION	13975	
PROMETHAZINE-DM SYRUP	13975	
Q-TUSSIN DM SYRUP	53495	
RESCON TABLET	31879	
RESCON-DM LIQUID	93335	
ROBAFEN CF LIQUID	53090	
ROBAFEN COUGH 15 MG LIQUIDGEL	17770	
ROBAFEN DM COUGH LIQUID	53491	
ROBAFEN-DM SYRUP	53495	
RYMED TABLET	28476	
RYNEX DM LIQUID	26808	
SILTUSSIN DM COUGH SYRUP	53495	
SILTUSSIN DM DAS LIQUID	53491	
SM TUSSIN DM SYRUP	53495	
SM NASAL SPRAY 0.05%	34062	
SUDOGEST SINUS & ALLERGY TAB	44023	

Table B	
Drugs Requiring Prior Authorization for Children ≥	2 to < 6 Years of Age
Label Name	GCN
TUSSIN DM CLEAR LIQUID	53495
TUSSIN DM LIQUID	53491
TUSSIN DM SYRUP	53495
VANACOF DM LIQUID	34782
VANACOF LIQUID	99788
VANACOF-8 LIQUID	34789
VIRDEC DM DROPS	25730
VIRDEC DROPS	25731

Clinical Edit Criteria Logic Diagram



Cough and Cold Medications Table B

Clinical Edit Criteria Logic


1.	Is the client greater than or equal to (≥) 2 years and less than (<) 6 years of
	age?
	[] Yes – Deny
	[] No – Approve (30 days)

*Claims for cough and cold products for clients less than 2 years of age are not covered by Texas Medicaid. Prior authorization for these agents will not be accepted.



Cough and Cold Medications Table B

Clinical Edit Criteria Logic Diagram





Cough and Cold Medications Table C

Drugs Requiring Prior Authorization for Children Ages
≥ 2 to < 10 Years

NOTE: Claims for cough and cold products containing acetaminophen, ibuprofen, or narcotics such as codeine and hydrocodone are not covered by Texas Medicaid for ages ≥ 2 to < 6 years of age. Prior authorization for these agents will not be accepted.

Table C	
Drugs Requiring Prior Authorization for Children ≥ 2	to < 10 Years of Age
Label Name	GCN
BENZONATATE 100 MG CAPSULE	29840
BENZONATATE 150 MG CAPSULE	28229
BENZONATATE 200 MG CAPSULE	93007
ZONATUSS 150 MG CAPSULE	28229



Cough and Cold Medications Table C

Clinical Edit Criteria Logic


1.	Is the client greater than or equal to (\geq) 2 years and less than $(<)$ 10 years of
	age?
	[] Yes – Deny
	[] No – Approve (30 days)

*Claims for cough and cold products for clients less than 2 years of age are not covered by Texas Medicaid. Prior authorization for these agents will not be accepted.



Cough and Cold Medications Table C

Clinical Edit Criteria Logic Diagram



*Claims for cough and cold products for clients less than 2 years of age are not covered by Texas Medicaid. Prior authorization for these agents will not be accepted.



Cough and Cold Medications Table D

Drugs Requiring Prior Authorization for Children Ages ≥ 6 to < 12 Years

NOTE: Claims for cough and cold products containing acetaminophen, ibuprofen, or narcotics such as codeine and hydrocodone are not covered by Texas Medicaid for ages ≥ 2 to < 6 years of age. Prior authorization for these agents will not be accepted.

Table D	
Drugs Requiring Prior Authorization for Children ≥ 6 to < 12 Years of Age	
Label Name	GCN
CHERATUSSIN AC SYRUP	91713
CHERATUSSIN DAC SYRUP	54670
CODEINE-GUAIFEN 10-100 MG/5 ML	91713
FLOWTUSS 2.5-200 MG/5 ML SOLN	37679
GUAIFEN-CODEINE 100-10 MG/5 ML	91713
GUAIFENESIN AC COUGH SYRUP	91713
GUAIFENESIN-CODEINE SYRUP	91713
HYCOFENIX 2.5-30-200 MG/5 ML	38666
HYDROCOD-CPM-PSEUDOEP 5-4-60/5 ML	30047
HYDROCOD-HOMATROP 5-1.5 MG TAB	96041
HYDROCODONE-CHLORPHEN ER SUSP	13974
HYDROCODONE-HOMATROPINE SYRUP	13973
HYDROMET SYRUP	13973
IOPHEN-C NR LIQUID	91713
LORTUSS EX LIQUID	54670
M-END MAX D LIQUID	30764
NINJACOF-XG LIQUID	30677
PHENYLHISTINE DH LIQUID	14266
PROMETHAZINE-PE-CODEINE SYRUP	13978
PROMETHAZINE VC-CODEINE SYRUP	13978
PROMETHAZINE-CODEINE SYRUP	13971
REZIRA SOLUTION	92058
TUSSIONEX PENNKINETIC SUSP	13974
VIRTUSSIN AC LIQUID	91713
ZUTRIPRO SOLUTION	30047



Cough and Cold Medications Table D

Clinical Edit Criteria Logic


1.	Is the client greater than or equal to (\geq) 6 years and less than $(<)$ 12 years of
	age?
	[] Yes – Deny
	[] No – Approve (30 days)

*Claims for cough and cold products for clients less than 2 years of age are not covered by Texas Medicaid. Prior authorization for these agents will not be accepted.



Cough and Cold Medications Table D

Clinical Edit Criteria Logic Diagram



*Claims for cough and cold products for clients less than 2 years of age are not covered by Texas Medicaid. Prior authorization for these agents will not be accepted.



Cough and Cold Medications

Clinical Edit Criteria References

- Clinical Pharmacology [online database]. Tampa, FL: Elsevier/Gold Standard, Inc.; 2015. Available at www.clinicalpharmacology.com. Accessed on March 9, 2015.
- 2. Micromedex [online database]. Available at **www.micromedexsolutions.com**. Accessed on March 9, 2015.
- 3. Facts and Comparisons [online database]. Available at **www.online.factsandcomparisons.com**. Accessed on March 9, 2015.
- 4. 2015 ICD-9-CM Diagnosis Codes, Volume 1. 2015. Available at www.icd9data.com. Accessed on March 9, 2015.
- 5. 2015 ICD-10-CM Diagnosis Codes, Volume 1. 2015. Available at **www.icd10data.com**. Accessed on March 9, 2015.
- 6. Srinivasan A, Budnitz D, Shehab N, Cohen A. CDC. (2007, January 12). Infant Deaths Associated with Cough and Cold Medications. Retrieved October 14, 2014, from www.cdc.gov.
- 7. CDC Study Estimates 7,000 Pediatric Emergency Departments Visits Linked to Cough and Cold Medication. (2008, January 28). Retrieved October 16, 2014, from www.cdc.gov.
- 8. COMMITTEE ON DRUGS, 1996 TO 1997, C. (1997, June 1). Use of Codeine- and Dextromethorphan-Containing Cough Remedies in Children. Retrieved October 13, 2014, from www.pediatrics.aappublication.org.
- 9. Cold and Cough Medicines: Information for Parents. (2009, January 14). Retrieved October 14, 2014, from **www.cdc.gov**.
- 10. Cough and Cold Medications Over-The-Counter (OTC). (2009, February 1). Retrieved October 17, 2014, from **www.nationwidechildrens.org**.
- 11. Fashner J, Ericson K, Werner S. (2012, July 15). Treatment of the Common Cold in Children and Adults. Retrieved October 14, 2014, from www.aafp.org.
- 12.Guirguis-Blake, J. (2008, July 8). Over-the-Counter Medications for Acute Cough Symptoms. Retrieved October 13, 2014, from www.aafp.org.
- 13. Hampton L, Nguyen D, Edwards J, Budnitz D. (2013, November 11). Cough and Cold Medication Adverse Events After Market Withdrawal and Labeling Revision. Retrieved October 13, 2014, from www.pediatrics.aappublications.org.

- 14.Mazer-Amirshahi M, Reid N, van den Anker J, Litovitz J. (2013, June 14). Effect of cough and cold medication restriction and label changes on pediatric ingestions reported to United States poison centers. Retrieved October 14, 2014, from www.ncbi.nlm.nih.gov.
- 15.Mazer-Amirshahi M. (2014, December 1). Warnings have little impact on use of OTC cold medicines. Retrieved December 11, 2014, from www.aapnews.aappublications.org.
- 16.OTC Cough and Cold Products: Not For Infants and Children Under 2 Years of Age. (2008, January 17). Retrieved October 14, 2014, from **www.fda.gov**.
- 17. Preidt R. (2014, November 26). Steer Clear of Cold Meds for Babies, FDA Advises. Retrieved December 9, 2014, from www.consumer.healthday.com.
- 18.Revised Product Labels for Pediatric Over-the-Counter Cough and Cold Medicines. (2008, October 21). Retrieved October 14, 2014, from **www.cdc.gov**.
- 19. Schaefer M, Shehab N, Cohen A, Budnitz D. (2008, April 1). Adverse Events From Cough and Cold Medications in Children. Retrieved October 14, 2014, from www.pediatrics.aappublications.org.
- 20.Shehab N, Schaefer M, Kegler S, Budnitz D. (2010, November 22). Adverse Events From Cough and Cold Medications After a Market Withdrawal of Products Labeled for Infants. Retrieved October 13, 2014, from www.pediatrics.aappublications.org.
- 21. Withdrawal of Cold Medicines: Addressing Parent Concerns. (n.d.). Retrieved October 14, 2014, from **www.aap.org**.
- 22.2013 Annual Report of the American Association of Poison Control Centers' National Poison Data System (NPDS): 31st Annual Report.
- 23.Use of codeine- and dextromethorphan-containing cough remedies in children. American Academy of Pediatrics. Committee on Drugs. Pediatrics 1997; 99:918.
- 24.Mazer-Amirshahi M, Rasooly I, Brooks G, Pines J, May L, van den Anker J. The impact of pediatric labeling changes on prescribing patterns of cough and cold medications. J Pediatr 2014; 165:1024-8.
- 25.Dart RC, Paul IM, Bond GR, et al. Pediatric fatalities associated with over the counter (nonprescription) cough and cold medications. Ann Emerg Med. 2009;53:411-417.
- 26. Shields MD, Bush A, Everard ML, et al. BTS guidelines: recommendations for the assessment and management of cough in children. Thorax 2008;63(Suppl 3): iii1e15

- 27. Yang M, So TY. Revisiting the safety of over-the-counter cough and cold medications in the pediatric population. Clin Pediatr (Phila) 2014;53:326-30.
- 28. Codeine. Poisindex. (Micromedex)
- 29. Fashner J., Ericson K., Werner S. (2012). Treatment of the common cold in children and adults. Am. Fam. Phys. 86 153–159
- 30.Texas Poison Center Network. Reported cough/cold product ingestions among patient 0-6 years. (Non-exposures and calls from outside of Texas have been excluded.)
- 31.Linn KA, Long MT, Pagel PS. "Robo-Tripping": Dextromethorphan Abuse and its Anesthetic Implications. Anesth Pain Med. 2014 December; 4(5):e20990.
- 32. Guidelines for Evaluating Chronic Cough in Pediatrics: ACCP Evidence-Based Clinical Practice Guidelines. Chest. 2006;129(1_suppl):260S-283S.



Cough and Cold Medications

Publication History

Publication History

The Publication History records the publication iterations and revisions to this document. Notes for the *most current revision* are also provided in the **Revision Notes** on the first page of this document.

Publication Date	Notes
07/23/2015	Presented to DUR Board
08/06/2015	Initial publication and posting to website
11/03/2015	Drugs Requiring PA – lists updated
01/20/2017	GCNs for Cough Syrup and Deconex IR added to Table A, page 3 GCN for J-Tan D PD Drops updated in Table A, page 3 GCNs for Alahist DM and Deconex DM added to Table B, page 7 GCN for Mucinex Fast-Max Congest-Cough updated in Table B, page 8 GCNs for Flowtuss and Hycofenix added to Table D, page 15