Molina Healthcare Coding Education Ostomies (Artificial Openings)



HCC Ostomy and Artificial Opening Values:

- It is critical for communication of a patient's status that all ostomies with functional openings be coded
- Here are some common examples:
 - o Tracheostomy Z93.0
 - o Gastrostomy Z93.1
 - o lleostomy Z93.2
 - Colostomy Z93.3
 - Enterostomy (artificial opening into intestine)
 Z93.4
 - Cystostomy Unspec. Z93.50
- Use of "attention to artificial opening" (Z43 group) is correct when treatment is given to an ostomy
- Some common examples include:
 - Attention to Tracheostomy Z43.0
 - Attention to Gastrostomy Z43.1
 - Attention to lleostomy Z43.2
 - Attention to Colostomy Z43.3
 - o Attention to Enterostomy NEC Z43.4
 - Attention to Cystostomy Z43.5

Have Questions? Contact: <u>Ramp@MolinaHealthcare.com</u>

The information presented herein is for informational and illustrative purposes only. It is not intended, nor is it to be used, to define a standard of care or otherwise substitute for informed medical evaluation, diagnosis and treatment which can be performed by a qualified medical professional. Molina Healthcare Inc. does not warrant or represent that the information contained herein is accurate or free from defects.