Molina Healthcare Coding Education Lower Extremity Amputations



Do I need an evaluative statement if a patient has an amputated limb?

Yes! Some examples:

- Well-healed
- Skin intact
- Asymptomatic
- Stable
- Worsening pain

Please Note:

The following are <u>NEVER</u> considered compliant evaluative statements:

- Chronic
- Routine
- Acute
- Unchanged
- Mild
- Moderate
- Severe

All HCC diagnoses require a logic (for initial Dx) or evaluative (for subsequent Dx) statement, which indicates the condition was addressed during the face-to-face visit. This includes, but is not limited to, a discussion with the patient or physical examination.

Examples of Proper Documentation:

A/P:

• 52 year old male in a tractor accident

Assessment: S/P right middle toe amputation, well-healed sutures intact

Plan: Follow-up with physical therapy

- ➤ ICD-9 Codes:
 - **V49.72** Lower limb amputation status, Other toe(s)
- > ICD-10 Codes:
 - Z89.421 Acquired absence of other right toe(s)

A/P:

• 64 year old female with right leg amputation

Assessment: S/P RLE BKA, worsening pain

Plan: Start pain management

- > ICD-9 Codes:
 - V49.75 Lower limb amputation, below knee
- ➤ ICD-10 Codes:

Z89.511 Acquired absence of right leg below knee

Have Questions?

Contact: Ramp@molinaHealthcare.com